Presented by

.....

..... *193*

22500172336

Annual Summary

FOR OFFICIAL USE.

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1913.

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

BY ALEX. THOM & CO., LTD., ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from

E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or

WYMAN AND SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 28, ABINGDON STREET, S.W., and 54, ST. MARY STREET, CARDIFF; or

H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH:

or from the Agencies in the British Colonies and Dependencies, the United States of America, the Continent of Europe and Abroad of

T. FISHER UNWIN, W.C.

1914.

Price 1½*d.*

WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOmec
Coll.	
No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1913.

BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1913 (52 weeks) 11,224 births—5,813 boys and 5,411 girls—being equal to one in 36, or an annual rate of 27·9 per 1,000 of the estimated population.* The average rate for the preceding ten years was 28·6 per 1,000.

Of the 11,224 births registered in 1913, 9,635, or 31 in every 1,000 of the population, occurred in the city, and 1,589, or only 17 in every 1,000 inhabitants, in the urban districts named above.

Of the 11,224 births in the entire district, 2,891 were registered during the first quarter of the year, 3,033 in the second, 2,738 in the third, and 2,562 in the fourth, the weekly average being 216.

In London the number of births registered during the year 1913 (52 weeks) was 111,385, being equal to an annual rate of 25 in every 1,000 of the estimated population ; in Glasgow the number was 28,725, equal to 28 per 1,000 ; and in Edinburgh it was 6,421, or 20 per 1,000 of the population.

DEATHS.—The number of deaths appertaining to the Dublin Registration Area, and registered during the year 1913 was 8,089 ; this number is equal to one in 50, or 20·1 per 1,000 of the population of the Area, estimated to the middle of the year 1913. The average death-rate for the 10 years 1903-12 was 21·7 per 1,000. Thus the rate for last year is 1·6 below the average—a decrease equivalent to 7·4 per cent.

The total number of deaths registered during the year, namely, 8,657 (4,401 males and 4,256 females), including the deaths of 568 persons who were admitted into public institutions from localities outside the Area, is equal to one in 47, or 21·5 per 1,000 of the estimated population. The average rate for the preceding 10 years was 22·8 per 1,000.

The rate for the city of Dublin was 21·3 per 1,000 (20·5 on the North side, and 22·1 on the South), and for the suburbs 16·1 per 1,000. The rates for the several districts range from 11·7 for Finglas and Glasnevin, part of, to 25·6 for South City No. 2.

Of the 8,657 deaths in the entire Area, 2,376 were registered during the first quarter of the year, 2,224 in the second, 2,013 in the third, and 2,044 in the fourth, the weekly average being 166.

* See note (*) page xiv.

In the twenty-six provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging from the lowest to the highest:—Athlone, 11·4 per 1,000 of the population* ; Bangor, 12·7 ; Bray, 12·9 ; Portadown, 14·2 ; Armagh, 14·4 ; Larne, 15·1 ; Lurgan, 15·2 ; Londonderry, 16·2 ; Sligo, 16·3 ; Limerick, 16·4 ; Dundalk, 17·4 ; Drogheda, 17·4 ; Lisburn, 17·5 ; Clonmel, 18·4 ; Ballymena, 18·7 ; Belfast, 18·8 ; Queenstown, 19·2 ; Coleraine, 19·3 ; Tralee, 19·5 ; Kilkenny, 20·0 ; Newtownards, 20·7 ; Waterford, 20·8 ; Cork, 21.5 ; Galway, 22·0 ; Newry, 23·2 ; and Wexford, 23·8.

The number of deaths registered in London during the year 1913 (52 weeks) was 63,430, being equal to an annual rate of 14·0 in every 1,000 of the inhabitants ; in Glasgow, 17,586, equal to 17·2 per 1,000 ; and in Edinburgh, 4,609, or 14·4 in every 1,000 of the estimated population.

Public Institutions.—Of the 8,657 deaths registered in the Dublin Registration Area last year, 3,691, or 42·6 per cent., occurred in public institutions, viz. :—2,218 in the various hospitals, prisons, and lunatic asylums ; 576 in the North Dublin Union Workhouse, 861 in the South Dublin Union Workhouse ; and 36 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

DISEASES.

Dublin Registration Area.—(See Tables III. and IV)—The records of last year show that the total number of deaths from some of the principal epidemic diseases† registered in the Dublin Registration Area was 873. This number is equal to a rate of 2·2 per 1,000 of the estimated population.

The following tabular statement shows the mortality from some of the principal epidemic diseases during the year 1913, and the average annual number of deaths for the ten years 1903—1912.

Names of Diseases.	No. of Deaths in 1913.	Average No of Deaths, 1903–1912.
Enteric Fever, ...	43	63
Typhus, ...	13	3
Small-pox, ...	—	4
Measles, ...	29	133
Scarlet Fever, ...	33	37
Whooping-cough, ...	86	140
Diphtheria, ...	90	60

Enteric Fever.—During the yearly period of 52 weeks, representing the year 1913, the number of deaths from enteric fever was 43, the average for the 10 years 1903–1912 being 63. The 43 deaths represent a rate of 0·11 per 1,000 of the population of Dublin Registration Area estimated to the middle of the year 1913.

Of the total deaths, 21 belonged to the city districts of north Dublin union, 12 to the city districts of south Dublin union, 2 to the urban district of Rathmines and Rathgar, one to each of the urban districts of Pembroke and Blackrock ; and 6 were of persons admitted from places without the Area.

From Table I. it can be gathered that altogether 379 cases of enteric fever were treated in Dublin hospitals during the year, that 27 deaths occurred therein, and that 52 persons remained under treatment at the close of the yearly period.

Typhus.—The deaths from Typhus, which numbered 13, were 10 above the average, and appertained as follows:—9 to north Dublin city, 2 to south Dublin city, one to Pembroke urban district, and one was of a person admitted from outside the Area.

*See note (*), page xiv.

†Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

Altogether 76 cases of typhus were treated in the Dublin hospitals, 12 deaths occurred therein, and 4 cases were still in hospital at the close of the period.

Small-pox.—No record of mortality or incidence of small-pox in the Area was made during the period under notice.

Measles.—The average number of deaths from measles in the preceding decade was 133, the largest number of deaths having occurred in the year 1912, namely 280, and the smallest was in the year 1910, when only 20 deaths were recorded. In the year under review the deaths numbered 29. Of the deaths, 2 were those of inhabitants of north Dublin city, 20 were of south Dublin city, 4 were of Pembroke urban district, there was one death for Blackrock, one for Kingstown, and one of a non-resident. The cases of measles treated in Dublin Hospitals were 165 in number. Of these, 5 died, and 10 were under treatment at the close of the period.

Scarlet Fever.—There was a difference of 4 between the deaths from scarlet fever, numbering 33, and the average (37) for the preceding 10 years, The former figure represents a rate of 0·08 per 1,000. The year 1911 in the past decade had the largest number of deaths from scarlet fever, namely 77, and the year 1906 the lowest, namely 13 deaths. The hospital statistics show altogether 1,015 cases under treatment. Of the total deaths in 1913, 18 belonged to Dublin north city, 10 to Dublin south city, one to each of the urban districts of Rathmines and Rathgar, Pembroke, and Kingstown, and 2 were of persons admitted from outside the Area.

Whooping-Cough.—There were 86 deaths from whooping-cough, representing a rate of 0·21 per 1,000 of the estimated population of the Area, the average for the past 10 years being 140. In the year 1904 these deaths numbered 239, the highest figure for the decennial period (1903–12) and in the year 1905 the smallest number of deaths from whooping-cough were registered, namely 48,

Diphtheria.—Excepting the years 1911 and 1912, in which 101 and 110 deaths, respectively, were registered, the period under notice had the largest number of deaths from diphtheria since 1903, namely 90, corresponding to a death rate of 0·22 per 1,000.

The 90 deaths appertain to the following areas:—24 to the city districts of north Dublin union, 41 to those of south Dublin union, 7 to the urban district of Rathmines and Rathgar, 8 to Pembroke urban district, 7 to the urban district of Blackrock, and there were 3 deaths of persons not belonging to the Area.

The aggregate number of cases of diphtheria treated in Dublin Hospitals, including 55 from the previous quarter, was 667, of which number 85 died therein.

Diarrhœal Diseases.—Included in the total deaths under this title there were 541 from diarrhœa and enteritis of children under 2 years of age and 34 of persons aged 2 years and upwards. The former figure is equivalent to a rate of 1·34 per 1,000 of the population of the Area. The deaths from these causes, although 325 in excess of those for 1912, are 150 under the high number which obtained in the year 1911, when 725 deaths were registered.

Influenza.—Ninety-three deaths were attributed to influenza; this number is 6 below the average, and is equal to an annual rate of 0·23 per 1,000.

Cerebro-spinal Fever.—There was one death from this disease in the Registration Area during the year.

Pneumonia.—The deaths from pneumonia (all forms), in number 622, include 319 deaths from broncho-pneumonia, 67 from lobar pneumonia and 236 from pneumonia (type not distinguished) and represent an annual rate of 1·54 per 1,000, of the estimated population of the Area.

TUBERCULOSIS.

TABLE showing the Number of DEATHS from all forms of Tuberculous Disease and from Pulmonary Tuberculosis registered in the Dublin Registration Area during each of the 11 years, 1903–1913, with the respective rates per 1,000 of the population represented thereby; also the averages for the years, 1903–12. (See notes (*) and (†) on page viii.)

Years.	Deaths from all Forms of Tuberculous Disease.		Deaths from Pulmonary Tuberculosis.	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1903	1,778	4·69	1,218	3·21
1904	1,779	4·69	1,172	3·09
1905	1,724	4·55	1,207	3·18
1906	1,694	4·47	1,152	3·04
1907	1,793	4·59	1,183	3·03
1908	1,742	4·34	1,174	2·93
1909	1,508	3·79	1,049	2·64
1910	1,491	3·70	1,006	2·50
1911	1,451	3·59	1,052	2·60
1912	1,440	3·59	1,065	2·66
Average 1903–1912	1,640	4·20	1,128	2·89
1913	1,444	3·59	1,070	2·66

The death roll from tuberculous diseases shows that in the aggregate there was an increase of 4 deaths as compared with the number registered in the year 1912; however, in the latter year the number of deaths of persons not belonging to the Area was 115, and in the yearly period now under notice the number of such deaths was 127; this would show a decrease of 8 deaths of persons properly belonging to the Area in the year 1913 as compared with the year 1912.

The total deaths appertaining to the Area, namely 1,317, represent a rate of 3·27 per 1,000; of this number, 567 belong to Dublin North City districts, with a rate of 3·47 per 1,000, 568 belong to Dublin South City districts, with a rate of 3·93 per 1,000; 68 belong to Rathmines, with a rate of 1·75 per 1,000; 62 belong to Pembroke urban district, with a rate of 2·07 per 1,000; 21 belong to Blackrock, with a rate of 2·29 per 1,000; and 31 belong to Kingstown, with a rate of 1·83 per 1,000. Of the total deaths from all forms of tuberculous disease (which constitute 17 per cent. of all deaths registered, or one in every 6 deaths), there were 1,070 deaths from pulmonary tuberculosis, 136 deaths from tuberculous meningitis, 72 from abdominal tuberculosis, 15 from tuberculosis of the vertebral column, 26 from tuberculosis of joints, 21 from tuberculosis of other organs, one from scrofula and 103 from disseminated tuberculosis.

CANCER.—As compared with the preceding year there was an increase from 470 in 1912 to 521 in 1913. The latter figure corresponds to a rate of 1·29 per 1,000.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—The total deaths under this title numbered 814, including 189 deaths from convulsions, of which 153 were of infants under one year of age. The 814 deaths are equivalent to a rate of 2·02 per 1,000.

DISEASES OF THE CIRCULATORY SYSTEM.—In the aggregate these deaths numbered 824, and represent a rate of 2·04 per 1,000.

BRONCHITIS.—This disease contributed 865 deaths towards the total, which figure is equal to an annual rate of 2·15 per 1,000 of the estimated population.

DEATHS IN EARLY INFANCY.—Among these causes there were 59 deaths from Congenital Malformations, 228 from Premature Birth, and 232 from congenital debility.

ACCIDENT OR NEGLIGENCE.—Of 187 deaths so attributed, there were 4 from poisoning, 42 from burns or scalds (19 being those of children under 5 years of age); 23 from drowning, 3 from suffocation in bed, 5 by railways, and 28 by vehicles and horses.

HOMICIDE.—The deaths of 6 persons were assigned to homicide.

SUICIDE.—The number of instances in which life was terminated by self-destruction was 11.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the YEAR 1913 (52 weeks), in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Discharged.	Died.	No. under treatment at close of period.
Enteric Fever, ...	29	350	300	27	52
Typhus, ...	—	76	60	12	4
Small-pox, ...	—	—	—	—	—
Measles, ...	1	164	150	5	10
Scarlet Fever, ...	112	903	856	35	124*
Diphtheria, ...	55	612	517	85	65
Pneumonia, ...	19	384	328	49	26

* Exclusive of 21 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 222 cases the cause of death was uncertified, there having been no medical attendant during the last illness; of these 222 cases, 122, or 55·0 per cent., were deaths of children under 5 years of age; these 122 deaths form 4·9 per cent. of the total number of deaths of children of that age-period. Of the deaths of 594 infants under one month old registered, there were 63 (or 10·6 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities, are set forth in the following Table:—

TABLE II.—Showing the NUMBER OF CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the Year 1913 (52 weeks). A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population in middle of 1913.*	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Other Notifiable Diseases.	Total.
CITY OF DUBLIN	308,187	.	—	—	699	65	.	365	1	28	287	233	4	—	—	.	—	794	1	—	2,4
RATHMINES AND RATHGAR URBAN DISTRICT.	38,769	.	—	—	65	.	.	115	.	4	34	8	.	—	—	—	—	—	—	—	2
PEMBROKE URBAN DISTRICT	29,942	.	60	.	40	.	.	49	1	.	29	8	.	.	86	—	—	23	—	—	2
BLACKROCK URBAN DISTRICT	9,161	.	—	—	10	.	.	53	.	.	2	2	.	—	—	—	—	—	—	—	
KINGSTOWN URBAN DISTRICT	16,941	.	—	—	21	.	.	13	.	.	8	15	1	—	—	—	—	30	—	—	
CITY OF BELFAST ..	396,000	.	—	—	2155	12	.	376	15	16	151	254	14	—	—	2†	—	457	24†	—	3,4

* See Note (*) on page xiv.
† Notifiable from 17th September, 1913.

TABLE III.—DUBLIN REGISTRATION AREA.*—CAUSES OF DEATH in the years 1903–1913, with the Ratio of the Deaths to the Population.

Causes of Death.	Number of Deaths Registered.																Annual rate for each cause per 10,000 Persons living.	
	1903 (52 weeks).	1904 (52 weeks).	1905 (52 weeks).	1906 (52 weeks).	1907 (52 weeks).	1908 (53† weeks.)	1909 (52 weeks).	1910 (52 weeks).	1911 (52 weeks).	1912 (52 weeks).	Yearly Average. 1903–12.	1913. Total (52 weeks).	1913. 1st Quarter.	1913. 2nd Quarter.	1913. 3rd Quarter.	1913. 4th Quarter.	Yearly Average, 1903–1912.	1913 (52 weeks).
Enteric Fever	94	74	64	54	38	58	68	48	83	52	63	43	11	6	12	14	1·6	1·1
Typhus	2	1	.	4	8	2	3	5	4	3	3	13	3	4	3	3	0·1	0·3
Small-pox	36	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	0·1	–
Measles	49	191	97	56	154	150	121	20	207	280	133	29	3	6	5	15	3·4	0·7
Scarlet Fever	63	26	24	13	14	19	25	44	77	68	37	33	5	8	8	12	0·9	0·8
Whooping-cough	129	239	48	101	228	91	156	126	183	94	140	86	34	30	15	7	3·5	2·1
Diphtheria	60	35	32	40	47	49	60	64	101	110	60	90	25	21	13	31	1·5	2·2
Croup	15	4	8	10	6	4	4	.	5	3	6	4	2	1	.	1	0·1	0·1
Influenza	105	86	79	69	121	176	102	104	71	72	99	93	43	31	7	12	2·5	2·3
Dysentery	—	—	—	—	—	—	—	—	7	4	—	4	.	1	.	3	—	0·1
Tuberculous Disease. Phthisis	1,218	1,172	1,207	1,152	1,183	1,174	1,049	1,006	1,052	1,065	1,128	1,070	297	321	237	215	28·9	26·6
Tuberculous Disease. Other Forms	560	607	517	542	610	568	459	485	399	375	512	374	100	101	90	83	13·1	9·3
Cancer	362	367	372	453	399	426	418	476	447	470	419	521	129	135	139	118	10·7	12·9
Diseases of: Nervous System	2,174	2,010	1,981	2,002	2,027	1,960	1,852	1,841	858	821	1,927	814	196	220	182	216	49·3	20·2
Diseases of: Circulatory System									874	874		824	231	208	188	197		20·4
Diseases of: Organs of Special Sense	7	11	10	6	9	6	14	9	13	15	10	15	5	4	5	1	0·3	0·4
Diseases of: Respiratory System. Pneumonia	522	619	553	622	770	663	746	647	603	806	655	622	214	162	89	157	16·8	15·4
Diseases of: Respiratory System. Others	1,168	1,164	1,000	1,083	1,285	1,180	1,175	1,185	1,042	1,160	1,144	978	370	253	146	209	29·3	24·3
Diseases of: Digestive System. Diarrhœa and Enteritis under 2 years	257	464	430	577	359	507	396	459	663	235	453	541	57	60	263	161	11·6	13·4
Diseases of: Digestive System. Diarrhœa 2 yrs. and upwards.									62	15		34	2	4	19	9		0·8
Diseases of: Digestive System. Enteritis 2 yrs. and upwards.									70	35		39	5	4	13	17		1·0
Diseases of: Digestive System. Others	409	428	415	441	367	394	362	353	390	347	391	399	106	102	103	88	10·0	9·9
Diseases of: Genito-urinary System	280	305	253	306	324	294	319	301	315	311	301	391	100	109	86	96	7·7	9·7
Puerperal Septicæmia, &c.	16	18	9	16	10	9	9	16	13	28	14	18	7	5	2	4	0·3	0·5
Other Causes incident to Pregnancy and Childbirth.	26	21	21	26	27	23	27	18	23	21	23	32	7	8	6	11	0·6	0·8
Diseases of Skin and Cellular Tissue	22	14	16	15	16	18	14	16	46	53	23	56	12	19	17	8	0·6	1·4
Diseases of Locomotor System	14	10	5	11	20	14	14	10	17	13	13	18	3	7	5	3	0·3	0·5
Violent Deaths	217	198	208	203	232	222	179	220	222	185	209	204	49	49	61	45	5·3	5·1
Other Specified Causes,	1,242	1,200	1,076	1,055	1,193	1,063	1,178	1,051	1,084	964	1,154	1,081	303	281	239	258	29·5	26·8
Ill-defined, &c., Causes,									187	249		231	57	64	60	50		5·7
Deaths from all Causes	9,047	9,264	8,425	8,857	9,447	9,070	8,750	8,504	9,118	8,728	8,921	8,657	2,376	2,224	2,013	2,044	228·3	214·8
Annual Death-rate per 1,000 of Pop.*	23·9	24·4	22·2	23·4	24·2	22·6	22·0	21·1	22·6	21·8	22·8	21·5	23·6	22·1	20·0	20·3	.	.
Mean Temperature of the Air (Fahr.)	47·7°	48·1°	48·4°	48·3°	47·7°	48·8°	47·5°	47·8°	49·0°	47·9°	48·1°	48·7°	41·4°	49·9°	56·2°	47·2°	.	.
Rainfall (in inches)	32·48	22·62	24·46	23·59	27·80	24·41	26·42	31·33	23·33	27·04	26·35	28·59	7·16	7·20	5·67	8·56	.	.

* The rates are calculated on the population estimated to the middle of the respective years.

† The numbers for the year 1908 embrace the returns for 53 weeks. This arrangement is occasionally necessary in order that the annual series may correspond with the calendar year.

TABLE IV.—Showing for the YEAR 1913 (52 weeks) the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1913.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.	DEATHS.																							
													CAUSED BY															
		FROM ALL CAUSES	FROM DISEASES IN COLS. 13-20, 26-7.		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa 2 years and upwards.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E. ..	29,908	21·5	2·5	644	160	30	25	29	34	110	139	117	4	2	–	–	6	4	4	–	87	32	29	52	72	52	3	23	18
" 1. W. ..	40,871	23·7	2·8	968	215	52	35	40	58	161	201	206	7	1	–	2	4	4	9	1	121	24	41	78	128	79	8	17	37
" 2 ..	27,883	24·4	2·0	679	158	44	28	28	25	130	142	124	3	3	–	–	3	5	2	–	80	40	30	61	78	38	2	12	17
" 3 ..	35,185	19·5	1·7	687	150	29	29	30	35	120	167	127	5	2	–	–	3	8	7	–	100	29	36	53	65	33	2	22	12
CLONTARF AND HOWTH, No. 1, part of.	5,431	13·4	0·9	73	12	1	–	5	9	8	25	13	–	–	–	–	–	–	–	–	10	4	13	4	5	5	–	3	–
COOLOCK AND DRUMCONDRA, part of.	13,550	13·4	0·8	182	27	4	3	6	4	26	48	64	1	1	–	–	2	1	–	–	15	3	14	18	21	6	–	1	4
FINGLAS AND GLASNEVIN, part of.	10,617	11·7	0·7	124	14	3	5	5	14	27	33	23	1	–	–	–	–	1	2	1	14	8	4	5	11	2	–	1	4
South City.																													
SOUTH CITY, No. 1 ..	40,366	22·3	2·4	900	205	43	27	35	39	164	193	194	6	–	–	–	3	13	8	1	128	44	47	46	130	60	5	16	16
" 2 ..	18,341	25·6	2·7	469	101	39	19	15	19	82	109	85	2	–	–	–	2	6	5	–	62	34	21	33	68	35	–	2	19
" 3 ..	43,110	21·6	2·6	931	221	61	47	48	32	123	207	192	3	1	–	–	4	12	15	1	123	46	53	78	121	66	8	19	22
" 4 ..	33,171	22·3	3·4	739	164	58	29	28	38	77	185	160	1	1	–	17	1	13	12	–	82	29	40	51	101	67	–	14	30
NEW KILMAINHAM	9,754	16·7	3·5	163	47	12	7	4	9	25	34	25	–	–	–	3	–	2	1	–	17	3	6	6	20	27	1	3	3
Urban Districts.																													
RATHMINES AND RATHGAR ..	38,769	14·9	1·2	578	99	11	15	17	21	83	131	201	2	–	–	–	1	4	7	–	58	10	53	36	48	32	2	14	15
PEMBROKE	29,942	16·4	1·6	492	97	23	16	21	16	61	106	152	1	1	–	4	1	7	8	–	45	17	38	38	48	26	1	13	8
BLACKROCK	9,161	16·0	1·5	147	15	4	2	5	5	24	37	55	1	–	–	1	–	–	7	–	14	7	11	9	13	4	1	2	2
KINGSTOWN	16,941	18·5	0·6	313	35	12	14	11	14	42	74	111	–	–	–	1	1	6	–	–	22	9	21	30	22	2	1	12	15
Total City. North, ...	163,445	20·5	2·0	3,357	736	163	125	143	179	582	755	674	21	9	–	2	18	23	24	2	427	140	167	271	380	215	15	79	92
Total City. South, ...	144,742	22·1	2·8	3,202	738	213	129	130	137	471	728	656	12	2	–	20	10	46	41	2	412	156	167	214	440	255	14	54	90
Total City. North and South,	308,187	21·3	2·4	6,559	1,474	376	254	273	316	1,053	1,483	1,330	33	11	–	22	28	69	65	4	839	296	334	485	820	470	29	133	182
Total Urban Districts, ..	94,813	16·1	1·3	1,530	246	50	47	54	56	210	348	519	4	1	–	6	3	17	22	–	139	43	123	113	131	64	5	41	40
Total Registration Area, ..	403,000	20·1	2·1	8,089	1,720	426	301	327	372	1,263	1,831	1,849	37	12	–	28	31	86	87	4	978	339	457	598	951	534	34	174	222
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				568	38	8	9	32	69	163	165	84	6	1	–	1	2	–	3	–	92	35	64	24	27	7	–	30	–

* See Note (†) on page iv.

† See Note (*) on page xiv.

AGES.—Of the 8,657 deaths registered during the year, 2,502, or 29 per cent., were of children under five years of age, and 1,933, or 22 per cent., were of persons aged 65 years and upwards, including those of 1,391 persons aged 70 years and upwards, of whom 50 were stated to have been nonagenarians, and 4 (one male and 3 females), were stated to have been aged 101, 100, 109 and 114 years, respectively.

The deaths of infants under 1 year old were equal to 157 for every 1,000 births registered against 142 in the preceding year, and 159 in 1911.

TABLE V. (i.)—Showing, by certain Age-Periods, the Population of the Dublin Registration Area in 1901, the Number of Deaths registered in each of the years 1901–1910, and the proportion which the Deaths at each age-period bear to the estimated Population* at the same age.

Years, &c.		Ages.							
		All Ages.	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
Census Population in 1901		375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904
Number of Deaths *Registered.*	Year 1901	9,571	2,750	751	3,501	1,548	1,988	2,084	450
	„ 1902,†	9,727	3,192	762	3,954	1,582	1,924	1,857	410
	„ 1903, ...	9,047	2,563	648	3,211	1,522	1,950	1,962	402
	„ 1904	9,264	3,023	654	3,677	1,445	1,808	1,927	407
	„ 1905	8,425	2,426	640	3,066	1,372	1,733	1,851	403
	„ 1906	8,857	2,497	626	3,123	1,380	1,934	2,046	374
	„ 1907	9,447	2,935	669	3,604	1,410	1,910	2,117	406
	„ 1908†	9,070	2,768	576	3,344	1,358	1,932	2,032	404
	„ 1909	8,750	2,620	561	3,181	1,318	1,763	2,109	379
	„ 1910	8,504	2,441	557	2,998	1,239	1,731	2,124	412
	Yearly average, 1901–1910	9,066	2,722	644	3,366	1,417	1,867	2,011	405
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population* at same Age.	Year 1901	25·4	71·9	7·0	24·1	11·4	28·9	85·7	235·8
	„ 1902†	25·3	81·5	7·0	26·6	11·4	27·3	74·5	209·9
	„ 1903	23·9	66·5	6·0	22·0	11·1	28·1	80·1	209·2
	„ 1904	24·4	78·5	6·1	25·1	10·5	26·1	78·6	211·8
	„ 1905	22·2	63·0	5·9	21·0	10·0	25·0	75·5	209·7
	„ 1906	23·4	64·8	5·8	21·3	10·1	27·9	83·5	194·6
	„ 1907	24·2	73·9	6·0	23·9	10·0	26·7	83·8	204·8
	„ 1908†	22·6	67·9	5·1	21·6	9·4	26·4	78·4	198·6
	„ 1909	22·0	64·7	5·0	20·7	9·2	24·2	81·9	187·5
	„ 1910	21·1	59·6	4·9	19·3	8·5	23·5	81·5	201·6
	Yearly average, 1901–1910	23·5	69·2	5·9	22·6	10·2	26·4	80·4	206·4

* See note (*), page viii. † See note (†), page viii.

TABLE V. (ii.)—Showing, by certain Age-Periods, the population of the Dublin Registration Area in 1911, the number of Deaths registered during each of the years 1911, 1912, and 1913 and the proportion which the Deaths at each Age-Period bear to the estimated Population at the same age.

Year.		Ages.									
		All Ages.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
Census Population in 1911 ..		397,957	8,917	31,996		70,937	80,218	124,528	58,889	16,879	5,593
Number of Deaths *Registered.*	Year 1911 ..	9,118	1,808	698	497	406	443	1,426	1,907	1,121	812
	Year 1912 ..	8,728	1,560	578	535	429	435	1,395	1,930	1,132	734
	Year 1913 ...	8,657	1,758	434	310	359	441	1,426	1,996	1,159	774
	1st Quarter, 1913	2,376	433	109	92	83	128	400	565	333	233
	2nd „	2,224	387	95	65	110	119	400	530	306	212
	3rd „	2,013	466	118	62	78	111	321	447	244	166
	4th „	2,044	472	112	91	88	83	305	454	276	163
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population at Same Age.	Year 1911 ..	22·6	73·3			5·6	5·4	11·3	31·9	65·5	143·2
	Year 1912 ..	21·8	64·9			6·0	5.4	11·1	32·5	66·6	130·4
	Year 1913 ...	21·5	60·4			5·0	5·4	11·3	33·5	67·8	136·7

Occupations.—Table VII. on page xii. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 18·1 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 15·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 16·8; and in the "General Service Class" it was 21·3. The number of the living in each of the several classes and orders of occupations in 1911 is shown by age-periods in the following Table.

Table VI.—Showing by Ages, in Five General Classes and Eighteen Groups, the Occupations or Social Position of the Inhabitants of the Dublin Registration Area in 1911.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
	ALL PERSONS	397,957	40,913	70,937	80,218	124,528	58,889	16,879	5,593
	CLASSES.								
	Families of the :—								
I.	Professional and Independent Class ..	14,658	880	1,837	2,194	4,594	3,491	1,145	517
II.	Middle Class	101,798	8,102	16,082	22,941	33,015	15,950	4,138	1,570
III.	Artisan Class and Petty Shopkeepers ..	108,420	12,825	21,272	21,313	33,312	15,179	3,745	774
IV.	General Service Class	167,479	19,106	31,321	33,431	52,329	22,389	6,574	2,329
V.	Inmates of Workhouses	5,602	—	425	339	1,278	1,880	1,277	403
I.	Professional and Independent Class.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments.	7,868	573	979	721	2,924	2,037	464	170
	2. Merchants and Manufacturers, Higher Class	1,347	133	264	128	374	345	90	13
	3. Persons of Rank and Property, not otherwise described.	5,443	174	594	1,345	1,296	1,109	591	334
II.	Middle Class.								
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	954	1,643	1,580	3,289	1,708	261	88
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	3,197	5,481	2,134	8,383	4,880	942	182
	6. Clerks and Commercial Assistants	33,249	2,557	4,102	10,931	11,813	3,334	428	84
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	1,394	4,856	8,296	9,530	6,028	2,507	1,216
III.	Artisan Class and Petty Shopkeepers.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	1,772	2,598	1,900	3,951	1,330	196	30
	9. Building and Furnishing Trades	28,823	4,082	6,895	3,752	8,727	4,207	1,000	160
	10. Clothing Trades	20,026	1,279	2,304	6,078	6,173	2,892	1,030	270
	11. Food Supply Trades	8,952	1,328	1.955	1,407	2,965	1,112	163	22
	12. Other Trades and Callings ranking with Trades	32,070	3,605	6,106	7,173	9,320	4,509	1,102	255
	13. Petty Shopkeepers	6,772	759	1,414	1,003	2,176	1,129	254	37
IV.	General Service Class.								
	14. Army, Police, Postal Delivery, and Prison Services &c.	12,977	1,230	1,964	4,205	3,423	1,513	487	155
	15. Domestic Servants	36,041	1,174	2,154	12,812	13,179	4,899	1,496	327
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	2,624	3,714	1,756	5,318	1,707	230	31
	17. Hawkers, Porters, Labourers, &c.	103,081	14,078	23,489	14,658	30,409	14,270	4,361	1,816
V.	Inmates of Workhouses.								
	18. Workhouse Inmates	5,602	—	425	339	1,278	1,880	1,277	403

TABLE VII.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the Year 1913 (52 weeks), the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, YEAR 1913 (52 WEEKS). Annual Death Rate per 1000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis	Other Forms	Cancer	Convulsions	Diseases of the Respiratory System. Pneumonia	Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence	Other Causes	Number of Uncertified Deaths
	ALL PERSONS	397,957	21·8	8,657	2502	359	441	1426	1996	1159	774	43	13	–	29	33	86	90	4	1070	374	521	189	622	978	541	34	204	3826	222
	CLASSES.																													
	DEATHS IN FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS	14,658	18·1	266	8	5	8	34	73	53	85	–	–	–	1	–	–	1	–	10	3	33	1	16	22	3	–	2	174	1
II.	MIDDLE CLASS	101,798	15·1	1,535	233	82	94	247	384	252	243	15	–	–	2	6	11	16	3	129	57	134	16	103	122	45	8	49	819	25
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	108,420	16·8	1,818	521	81	123	305	452	226	110	8	1	–	5	8	20	25	–	245	84	107	47	149	184	108	11	32	784	65
IV.	GENERAL SERVICE CLASS	167,479	21·3	3,565	1499	161	162	559	668	339	177	19	11	–	21	19	50	47	1	405	144	151	121	310	400	315	15	113	1423	131
V.	INMATES OF WORKHOUSES	5,602	–	1,473	241	30	54	281	419	289	159	1	1	–	–	–	5	1	–	281	86	96	4	44	250	70	–	8	626	–
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers and Heads of Public Departments.	7,868	23·9	188	7	4	8	30	51	39	49	–	–	–	–	–	–	1	–	10	1	25	1	8	14	2	–	2	124	–
	2. Merchants and Manufacturers, Higher Class.	1,347	2·2	3	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
	3. Persons of Rank and Property, not otherwise described.	5,443	13·8	75	1	1	–	3	21	13	36	–	–	–	1	–	–	–	–	–	2	8	–	8	8	1	–	–	47	1
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	13·9	132	21	4	2	18	39	27	21	2	–	–	1	–	–	1	–	6	4	15	2	7	4	4	–	4	82	–
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	15·4	388	60	13	10	59	108	70	68	2	–	–	–	2	5	4	–	17	10	29	3	23	31	9	4	14	235	6
	6. Clerks and Commercial Assistants ..	33,249	12·3	408	120	17	39	84	78	44	26	8	–	–	–	3	6	5	1	50	19	20	9	40	33	24	–	7	183	13
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	17·9	607	32	48	43	86	159	111	128	3	–	–	1	1	–	6	2	56	24	70	2	33	54	8	4	24	319	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	16·0	188	70	10	9	40	35	16	8	1	1	–	–	–	3	5	–	30	10	5	6	23	7	16	1	5	75	5
	9. Building and Furnishing Trades ..	28,823	17·6	508	175	27	23	65	141	56	21	2	–	–	3	4	9	5	–	57	24	30	14	44	41	37	4	11	223	25
	10. Clothing Trades	20,026	13·2	264	61	8	32	51	58	38	16	2	–	–	–	–	2	3	–	60	16	16	9	14	32	10	4	1	95	10
	11. Food Supply Trades	8,952	13·1	117	38	8	4	16	22	16	13	–	–	–	1	–	1	2	–	7	1	8	3	14	12	6	–	4	58	8
	12. Other Trades and Callings ranking with Trades.	32,070	19·7	633	147	22	47	113	172	90	42	2	–	–	1	4	4	9	–	79	26	43	9	45	82	34	1	11	283	11
	13. Petty Shopkeepers	6,772	15·9	108	30	6	8	20	24	10	10	1	–	–	–	–	1	1	–	12	7	5	6	9	10	5	1	–	50	6
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	17·8	231	67	13	9	38	45	45	14	3	–	–	–	4	3	3	–	26	7	12	2	17	25	17	1	3	108	4
	15. Domestic Servants	36,041	8·2	297	74	5	25	57	58	45	33	2	1	–	–	2	1	–	1	49	12	21	9	23	24	15	1	5	131	10
	16 Coach and Car Drivers, Vanmen, &c.	15,380	21·9	337	137	15	10	62	68	24	21	2	1	–	3	3	3	4	–	33	18	15	10	33	38	29	1	14	130	11
	17. Hawkers, Porters, Labourers, &c. ..	103,081	26·2	2,700	1221	128	118	402	497	225	109	12	9	–	18	10	43	40	–	297	107	103	100	237	313	254	12	91	1054	105
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates;	5,602	–	1,473	241	30	54	281	419	289	159	1	1	–	–	–	5	1	–	281	86	96	4	44	250	70	–	8	626	–

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-six urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest:—

Athlone, 0·0; Coleraine, 0·4; Lurgan, 0·5; Limerick, 0·7; Bangor, 0·8; Armagh, 0·8; Bray, 0·9; Sligo, 1·1; Ballymena, 1·3; Drogheda, 1·3; Portadown 1·4; Kilkenny, 1·7; Dundalk, 1·8; Cork, 1·9; Clonmel, 1·9; Londonderry, 2·0; Larne, 2·0; Newtownards, 2·1; Belfast, 2·3; Lisburn, 2·5; Queenstown, 3·4; Waterford, 4·3; Tralee, 4·3; Wexford, 5·1; Galway, 5·8; and Newry, 5·9.

Enteric Fever.—Of 62 deaths, 22 belonged to Belfast, 6 to Cork, 9 to Limerick, 4 to Galway, 2 to Dundalk, 2 to Lisburn, 6 to Newry, one to Ballymena, 2 to Sligo, 4 to Kilkenny, 3 to Clonmel and one to Coleraine.

Typhus.—In Belfast one death, in Cork 2 deaths and in Galway one death from typhus were registered.

Small-pox.—There was no record of death from small-pox in the districts covered by this report.

Measles.—There were 182 deaths appertaining to Belfast, 16 to Cork, 23 to Londonderry, 2 to Limerick, 32 to Waterford, 20 to Galway, 3 to Dundalk, 3 to Lisburn, 57 to Newry, 47 to Wexford, one to Ballymena, 26 to Tralee, one to Newtownards, and one to Armagh.

Scarlet Fever.—The total deaths (171) include 153 for Belfast, 4 for Cork, 2 for Limerick, one for Galway, one for Lurgan, one for Lisburn, one for Wexford, one for Sligo, 3 for Kilkenny, 2 for Clonmel and 2 for Bangor,

Whooping-cough.—Appertaining to Belfast there were 41 deaths; to Waterford, 33; to Galway, 44; to Drogheda, 6; to Lisburn, 5; to Kilkenny, one; to Clonmel, 2; to Newtownards, 4; to Larne, 4; to Bangor, one; and to Bray, 3.

Diphtheria.—The deaths, in number 76, include 53 for Belfast, 3 for Cork, 3 for Londonderry, 2 for Limerick, one for Galway, 2 for Lurgan, one for Lisburn, one for Wexford, 2 for each of Sligo and Kilkenny, one for each of Clonmel, Coleraine and Bangor, and 3 for Larne.

Diarrhœa and Enteritis of Children under 2 years of age.—Of 767 deaths, 405 were recorded for Belfast, 82 for Cork, 53 for Londonderry, 10 for Limerick, 40 for Waterford, 14 for Dundalk, 17 each for Lisburn and Portadown, 12 for Ballymena, 16 for Tralee, 10 for Clonmel, 15 for Newtownards, and 17 for Queenstown,

---

Pulmonary Tuberculosis.—The number of deaths from pulmonary tuberculosis registered in the twenty-six Urban Districts amounted to 1,614, equivalent to an annual rate of 2·0 per 1,000 of the aggregate population of these districts. The deaths in Belfast (844) represent a rate of 2·1 per 1,000 of the estimated population. In the remaining twenty-five urban districts the deaths, 770, represent an annual rate of 1·9 per 1,000 of the aggregate population of these areas. In the Dublin Registration Area the rate for deaths from pulmonary tuberculosis (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 2·4 per 1,000 of the estimated population.

* See note (†) on page iv.

TABLE VIII.—BIRTHS and DEATHS Registered during the YEAR 1913 (52 weeks) in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

	Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Registration—Year, 1913 (52 weeks). Annual Rate per 1,000 persons Represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases in Cols. 10-17, 23-4.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	Total of 27 Town Districts	1,199,180	19·0	27·0	19·1	2·2	32,382	22,927	4,580	5,226	99	16	–	442	202	230	163	6	2592	982	1111	1647	2578	1301	168	430	770	3973	782
	Dublin Registration Area :— Total	403,000	29·3	27·9	20·1	2·1	11,224	8,089	1,720	1,849	37	12	–	28	31	86	87	4	978	339	457	598	951	534	34	174	225	3123	222
Urban Districts.	City of Dublin	308,187	39·0	31·3	21·3	2·4	9,635	6,559	1,474	1,330	33	11	–	22	28	69	65	4	839	296	334	485	820	470	29	133	181	2725	182
Urban Districts.	Rathmines and Rathgar	38,769	22·6	14·7	14·9	1·2	571	578	99	201	2	–	–	–	1	4	7	–	58	10	53	36	48	32	2	14	13	154	15
Urban Districts.	Pembroke	29,942	19·0	18·1	16·4	1·6	541	492	97	152	1	1	–	4	1	7	8	–	45	17	38	38	48	26	1	13	16	152	8
Urban Districts.	Blackrock	9,161	8·5	12·2	16·0	1·5	112	147	15	55	1	–	–	1	–	–	7	–	14	7	11	9	13	4	1	2	3	32	2
Urban Districts.	Kingstown	16,941	11·6	21·5	18·5	0·6	365	313	35	111	–	–	–	1	1	6	–	–	22	9	21	30	22	2	1	12	12	60	15
Urban Districts.	Belfast	396,000	26·5	27·8	18·8	2·3	10,996	7,453†	1,586	1,319	22	1	–	182	153	41	53	1	844	318	301	665	868	405	52	161	328	1958	74
Urban Districts.	Cork	76,673	28·6	24·2	21·5	1·9	1,853	1,645	253	424	6	2	–	16	4	–	3	–	202	79	95	110	190	82	32	14	57	643	60
Urban Districts.	Londonderry	41,000	15·9	27·0	16·2	2·0	1,105	665	137	182	–	–	–	23	–	–	3	–	53	31	46	30	99	53	2	13	24	72	12
Urban Districts.	Limerick	38,518	16·1	27·2	16·4	0·7	1,046	630	86	154	9	–	–	2	2	–	2	–	85	17	25	17	109	10	2	4	20	253	82
Urban Districts.	Waterford	27,464	19·1	25·3	20·8	4·3	695	571	116	149	–	–	–	32	–	33	–	–	75	22	20	18	56	40	12	11	22	185	42
Urban Districts.	Galway	13,255	2·5	28·2	22·0	5·8	374	292	55	74	4	1	–	20	1	44	1	–	18	7	8	13	18	4	2	8	7	83	59
Urban Districts.	Dundalk	13,128	9·5	25·3	17·4	1·8	332	228	50	55	2	–	–	3	–	–	–	–	25	7	8	16	10	14	4	4	11	34	11
Urban Districts.	Lurgan	12,553	14·7	26·2	15·2	0·5	329	191	25	58	–	–	–	–	1	–	2	–	21	21	6	14	21	3	–	4	5	39	7
Urban Districts.	Drogheda	12,501	8·4	23·8	17·4	1·3	297	217	19	77	–	–	–	–	–	6	–	–	19	6	8	11	12	6	4	7	12	54	12
Urban Districts.	Lisburn	12,388	10·9	27·4	17·5	2·5	339	217	46	56	2	–	–	3	1	5	1	–	22	9	7	16	9	17	2	3	10	33	3
Urban Districts.	Newry	11,963	17·0	21·7	23·2	5·9	259	278	50	66	6	–	–	57	–	–	–	–	19	6	13	16	25	5	3	6	15	53	14
Urban Districts.	Portadown	11,727	15·3	28·1	14·2	1·4	330	167	40	43	–	–	–	–	–	–	–	–	17	11	8	7	11	17	–	2	3	–	5
Urban Districts.	Wexford	11,531	22·8	29·7	23·8	5·1	342	274	48	82	–	–	–	47	1	–	1	–	20	21	8	13	38	9	1	1	3	38	35
Urban Districts.	Ballymena	11,381	9·3	24·7	18·7	1·3	281	213	38	68	1	–	–	1	–	–	–	–	24	7	13	16	17	12	1	2	1	27	16
Urban Districts.	Sligo	11,163	3·8	21·1	16·3	1·1	235	182	31	66	2	–	–	–	1	–	2	–	19	10	9	5	14	4	3	–	2	56	32
Urban Districts.	Kilkenny	10,514	11·4	24·2	20·0	1·7	254	210	29	66	4	–	–	–	3	1	2	–	19	10	6	10	31	8	–	–	1	87	20
Urban Districts.	Tralee	10,300	17·4	26·2	19·5	4·3	270	201	42	48	–	–	–	26	–	–	–	–	19	15	4	20	10	16	2	1	1	49	6
Urban Districts.	Clonmel	10,209	7·8	23·0	18·4	1·9	235	188	31	43	3	–	–	–	2	2	1	1	21	11	11	1	7	10	–	2	6	76	16
Urban Districts.	Newtownards	9,587	20·1	26·2	20·7	2·1	251	198	37	68	–	–	–	1	–	4	–	–	24	7	13	8	27	15	–	5	4	17	10
Urban Districts.	Queenstown	8,209	14·7	24·4	19·2	3·4	200	158	35	40	–	–	–	–	–	–	–	–	12	7	4	12	7	17	11	–	3	19	11
Urban Districts.	Larne	8,036	13·4	36·5	15·1	2·0	293	121	30	29	–	–	–	–	–	4	3	–	10	9	9	3	5	8	1	5	6	16	1
Urban Districts.	Coleraine	7,785	7·7	25·9	19·3	0·4	202	150	20	71	1	–	–	–	–	–	1	–	10	2	10	13	13	1	–	1	2	18	3
Urban Districts.	Bangor	7,776	8·5	20·1	12·7	0·8	156	99	12	43	–	–	–	–	2	1	1	–	8	–	5	8	12	2	–	–	–	–	–
Urban Districts.	Bray	7,691	7·2	17·9	12·9	0·9	138	99	16	36	–	–	–	–	–	3	–	–	11	2	8	3	1	4	–	1	1	–	2
Urban Districts.	Athlone	7,472	6·2	26·9	11·4	–	201	85	14	21	–	–	–	–	–	–	–	–	8	6	4	1	–	–	–	–	–	26	8
Urban Districts.	Armagh	7,356	21·8	19·7	14·4	0·8	145	106	14	39	–	–	–	1	–	–	–	–	9	2	5	3	17	5	–	1	1	14	19

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1913; that for each of the other districts is the population according to the Census of 1911.

† Including 5 deaths from cerebro-spinal meningitis.

TABLE IX.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the YEAR 1913 (52 weeks), Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE OF MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from certain Epidemic Diseases; the number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Diseases in Cols. 12-19, 25-6.	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT ..	15,879	459	21·0	2·6	333	69	47	34	65	60	58	3	–	–	7	4	–	5	–	44	12	8	21	49	18	5	13	22	113	3
Do. 2 do. ..	49,500	1,288	18·4	1·7	913	158	102	106	158	203	186	4	–	–	12	8	–	6	–	124	24	27	64	111	43	9	25	40	232	6
Do. 3 do. ..	50,032	1,440	19·4	2·5	970	217	148	120	132	206	147	–	–	–	26	22	14	6	–	107	48	44	108	97	49	8	26	40	224	17
Do. 4 do. ..	32,637	1.219	22·6	3·1	738	209	101	74	116	120	118	1	–	–	33	13	3	5	–	73	21	25	55	85	42	3	12	23	305	5
Do. 5 do. ..	16,112	506	27·3	3·8	440	103	74	42	76	91	54	3	–	–	12	8	5	4	–	41	40	16	44	44	27	2	18	22	166	6
Do. 6 do. ..	37,293	734	16·6	1·4	620	95	48	59	101	154	163	1	–	–	10	12	2	3	1	56	24	42	56	59	21	1	17	30	131	3
Do. 7 do. ..	2,681	67	10·8	1·9	29	11	3	5	1	4	5	–	–	–	–	–	1	–	–	2	1	1	3	3	4	–	1	1	4	1
Do. 8 do. ..	5,964	129	18·6	1·7	111	22	9	17	14	28	21	1	–	–	–	1	1	–	–	19	3	–	10	19	7	–	3	2	23	–
Do. 9 do. ..	24,427	684	17·6	2·7	429	101	49	46	70	101	62	1	–	–	8	10	3	5	–	54	17	12	48	45	32	6	11	19	101	5
Do. 10 do. ..	28,958	928	19·7	3·1	571	129	91	66	79	110	96	1	–	–	21	23	–	3	–	63	17	19	56	70	37	4	2	24	125	7
Do. 11 do. ..	39,311	1,062	15·4	1·9	607	128	79	77	95	105	123	2	–	–	4	23	5	4	–	80	25	38	52	59	34	3	15	24	125	6
Do. 12 do. ..	38,076	1,347	21·2	2·8	806	190	131	108	116	142	119	2	1	–	17	17	3	8	–	71	41	30	62	155	53	7	9	51	182	3
Do. 13 do. ..	23,233	535	13·5	1·1	314	48	26	41	49	66	84	2	–	–	4	3	2	2	–	36	9	21	30	32	12	1	4	11	46	6
Do. 14 do. ..	175	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Do. 15 do. ..	22,669	594	25·2	3·1	572	106	86	62	96	139	83	1	–	–	28	9	2	2	–	74	36	18	56	40	26	3	5	19	181	6
Total	386,947	10,996	18·8	2·3	7,453*	1586	994	857	1168	1529	1319	22	1	–	182	153	41	53	1	844	318	301	665	868	405	52	161	328	1958	74
City of Cork.																														
CORK URBAN No. 1 DISTRICT ..	12,867	266	15·5	0·5	199	17	13	23	29	42	75	–	–	–	–	–	–	–	–	28	4	22	11	14	6	–	1	5	76	8
Do. 2 do. ..	10,701	300	25·7	3·9	275	49	44	29	47	63	43	3	1	–	8	2	–	3	–	29	17	12	20	33	17	8	3	12	95	7
Do. 3 do. ..	9,978	256	22·8	1·6	227	37	27	30	40	44	49	1	–	–	1	–	–	–	–	41	9	9	15	37	8	6	2	12	89	8
Do. 4 do. ..	8,666	215	24·5	2·3	212	36	20	12	41	55	48	1	–	–	5	–	–	–	–	34	10	12	18	28	11	3	3	10	93	7
Do. 5 do. ..	6,592	126	21·7	1·2	143	25	9	14	17	44	34	–	–	–	–	2	–	–	–	18	8	8	5	16	6	–	4	8	64	5
Do. 6 do. ..	10,702	296	22·0	1·9	235	34	11	25	38	47	80	–	–	–	–	–	–	–	–	23	12	13	9	22	12	8	–	3	90	13
Do. 7 do. ..	16,616	394	21·3	2·0	354	55	34	34	50	86	95	1	1	–	2	–	–	–	–	29	19	19	32	40	22	7	1	7	136	12
Total	76,122	1,853	21·5	1·9	1,645	253	158	167	262	381	424	6	2	–	16	4	–	3	–	202	79	95	110	190	82	32	14	57	643	60

* See note (†) on page xiv.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
5th February, 1914.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 35292 Wt. P. 397. 375. 1. 1914. Sch. 10

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 4TH JANUARY, 1913. [No. 1.

General Register Office, Charlemont House,
Dublin, 6th January, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 14	Dec. 21	Dec. 28	Jan. 4	
27 Town Districts, (a)	—	—	—	**22·0**	—
Dublin Reg. Area ...	17·2	20·8	14·2	22·8	18·8
Dublin City ...	19·6	23·3	15·1	25·5	20·9
Belfast	20·0	23·5	19·3	23·8	21·6
Cork	17·0	17·0	16·3	27·2	19·4
Londonderry ...	20·4	17·9	8·9	14·0	15·3
Limerick	20·3	19·0	5·4	17·6	15·6
Waterford	20·9	20·9	7·6	30·4	19·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·2 per 1,000. Among the 181 deaths from all causes for Belfast are 17 from measles, one from each of scarlet fever and whooping-cough, 3 from diphtheria, 2 from diarrhœa and enteritis of children under 2 years of age, and one from cerebro-spinal meningitis. Included in the 40 deaths from all causes for Cork are 2 from enteric fever and 3 from diphtheria. One of the 13 deaths from all causes for Limerick is from measles, and one of the 16 deaths from all causes for Waterford is from whooping-cough. Among the 6 deaths from all causes for Dundalk are 2 from measles, and 2 of the 5 deaths from all causes for Drogheda are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—124 boys and 106 girls—and the deaths to 186—98 males and 88 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·8 per 1,000 of the population, and the total deaths registered, numbering 186, represent an annual rate of 24·1 per 1,000, the average number of deaths in the corresponding week of the 10 years, 1903–12 being 195.

The total deaths registered include one death from scarlet fever, 2 deaths from whooping-cough, 2 deaths from diphtheria, one death from croup, one death from influenza, and 7 deaths from diarrhœa and enteritis of children under 2 years of age.

In each of the 3 preceding weeks, deaths from scarlet fever were one, 2, and 0; deaths from whooping-cough were one, one, and 2; deaths from diphtheria were 0, one, and 3; deaths from influenza were 2, 2, and one: and deaths from diarrhœa and enteritis of children under 2 years were 2, 11, and 0.

There were 30 deaths from tuberculosis, including 26 deaths from pulmonary tuberculosis, one death from tuberculous meningitis, one death from abdominal tuberculosis, and 2 deaths from tuberculosis of joints. In the 3 preceding weeks the deaths from tuberculosis numbered 27, 39, and 21 respectively.

Of 12 deaths from pneumonia, 5 were from broncho-pneumonia, one was from lobar pneumonia, and 6 were from pneumonia (type not distinguished).

The deaths of 8 persons were caused by cancer.

Convulsions caused the deaths of 8 infants under one year; there were also 2 deaths of infants from congenital malformations, 10 from premature birth and 4 from congenital debility.

Ten deaths were caused by organic diseases of the heart, and there were 16 deaths from bronchitis.

The deaths from accidental violence include 3 deaths from burns (one being of a child aged 3 years and 9 months); 2 deaths by accidents on railways, and one death by drowning. There was one homicidal death.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (48 being infants under one year, of whom 24 were under one month old) and 37 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 21 aged 75 and upwards, of whom 3 (females) were stated to have been aged 94, 99, and 109 years respectively.

Eighty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·8 per 1,000; the rate in the City was 25·5 (North City Districts, 23·6; South, 27·7) and in the Suburbs, 13·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 1·9 (in the North City Districts 2·2, and in the South 1·4), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000. Scarlet fever, whooping-cough, and influenza each caused one death; there was one death from tuberculous peritonitis, also one one death from broncho-pneumonia, one death from bronchitis, one from diarrhœa, and one accidental death by drowning.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·5 per 1,000. There were 2 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one death from pneumonia, 2 from diarrhœa and enteritis of children, and 2 deaths from burns.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000, and include one death from croup, one death from pulmonary tuberculosis, one death from broncho-pneumonia, one death from bronchitis, and one from diarrhœa of a child.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 25·2 per 1,000. Diphtheria caused one death; there were 4 deaths from pulmonary tuberculosis, 2 deaths from pneumonia, and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·8. Of the 2 deaths for Finglas and Glasnevin one is from tuberculous caries.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 29·7 per 1,000, and include one death from diphtheria, 6 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one from lobar pneumonia, one from pneumonia, and 3 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. The deaths include one from tuberculous meningitis, 4 from diseases of the respiratory system, and one from diarrhœa of a child.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·6 per 1,000. There were 6 deaths from tuberculous disease, one from broncho-pneumonia, 3 from other diseases of the respiratory system, and one death by accidental burning.

No. 4 South City District (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 29·9 per 1,000. Pulmonary tuberculosis caused 4 deaths; there was one death from diarrhœa of a child, and one death by a building accident.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000. One of the 2 deaths was of a child under 2 years of age from diarrhœa.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 10·4; Blackrock, 11·4; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. Among the 12 deaths from all causes for Rathmines and Rathgar was one from pulmonary tuberculosis, and there were 2 deaths from pneumonia and one from bronchitis. Of the 6 deaths from all causes for Pembroke there was one from each of pulmonary tuberculosis and bronchitis, and there was one death by a railway accident.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 4th January, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Dec. 14,	.	—	—	9	.	.	5	.	.	4	7	.	—	—	.	—	8	.	33
	Dec. 21,	.	—	—	7	.	.	7	.	.	7	2	.	—	—	.	—	6	.	29
	Dec. 28,	.	—	—	7	.	.	7	.	1	2	2	1	—	—	.	—	2	.	22
	Jan. 4,	.	—	—	17	.	.	8	.	.	.	11	1	—	—	.	—	12	.	49
Rathmines and Rathgar Urban District.	Dec. 14,	.	—	—	5	.	.	.	.	.	1	.	.	—	—	—	—	—	—	6
	Dec. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 28,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 4,	.	—	—	4	.	.	7	.	.	.	.	.	—	—	—	—	—	—	11
Pembroke Urban District.	Dec. 14,	.	.	.	.	.	.	1	.	.	.	.	.	—	7	—	—	.	—	8
	Dec. 21,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	.	—	.
	Dec. 23,	.	.	.	5	.	.	1	.	.	.	.	.	—	2	—	—	.	—	8
	Jan. 4,	.	.	.	1	.	.	.	.	.	.	.	.	—	10	—	—	.	—	11
Blackrock Urban District.	Dec. 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 21,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Dec. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec. 14,	.	—	—	1	.	.	.	.	.	.	.	1	—	—	—	—	1	—	3
	Dec. 21,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Dec. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Jan. 4,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	.	—	2
City of Belfast.	Dec. 14,	.	—	—	27	.	.	9	.	.	.	5	.	—	—	—	—	3	—	44
	Dec 21.	.	—	—	24	.	.	5	.	.	4	5	.	—	—	—	—	3	—	41
	Dec. 28,	.	—	—	16	.	.	8	.	.	.	3	.	—	—	—	—	1	—	28
	Jan. 4,	.	—	—	22	.	.	6	.	1	.	8	.	—	—	—	—	8	—	45

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th January, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, 12 were discharged, and 20 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 35, 32, and 29.

One case of measles was admitted to hospital, one was discharged, and one case remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 3, 2, and one, respectively.

Nineteen cases of scarlet fever were admitted to hospital, 16 were discharged, there was one death, and 114* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 118, 118, and 112, respectively.

Fourteen cases of diphtheria were admitted to hospital during the week, 14 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 53, 59, and 55, respectively, were 53 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 7 were discharged, there were 2 deaths, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·2), was equal to an average annual death-rate of 15·7 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·6 per 1,000, the rate for Glasgow being 17·1, and for Edinburgh 15·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th January. From this Report it appears that of a total of 52 cases notified, 25 were scarlet fever, 19 phthisis, 6 erysipelas, and 2 diphtheria. Among the 340 cases of infectious diseases in hospital at the close of the week were 146 cases of scarlet fever, 93 of phthisis, 42 of diphtheria, 27 of whooping-cough, 12 of chicken-pox, 6 of erysipelas, 4 of measles, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 4th January, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births.	Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 4th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	33·3	22·0	2·2	765	507	102	99	2	...	...	20	2	6	8	...	59	14	24	41	55	10	2	10	28	189	18	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA :— TOTAL, (c.) ...	403,000	29·3	29·8	22·8	1·6	230	176	47	35	...	...	...	...	1	2	2	...	24	4	7	12	20	7	...	6	11	79	5	e 52	36	43·6	0·08	e56	28	41·8	0·69	e 57	32	44·4	0·63
CITY OF DUBLIN,	308,187	39·0	33·8	25·5	1·9	200	151	44	23	...	...	...	...	1	1	2	...	22	4	6	10	18	7	...	5	8	69	4	f51·4 g 52·7	39·1 37·2	45·5 44·5	0·05 0·06	f56 3 g54·5	34·9 29·0	45·3 42·1	0·71 0·81	f56·4 g57·9	35·1 34·2	45·5 44·8	0·43 0·52
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	17·5	16·1	.	13	12	1	6	...	...	...	...	...	...	...	..	1	...	1	2	1	...	...	...	...	5	...	..	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PEMBROKE ...	29,942	19·0	13·9	10·4	1·7	8	6	2	2	...	...	...	...	...	1	...	...	1	...	...	...	1	...	...	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,161	8·5	11·4	11·4	.	2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	21·5	15·4	.	7	5	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	55	37	44·6	0·14	53	35	45·3	0·79	57	36	46·4	0·23
Urban Districts. BELFAST (h) ...	396,000	26·5	37·9	23·8	3·2	288	181	30	26	...	...	...	17	1	1	3	...	21	5	5	20	16	2	...	3	11	62	2	50	31	40·7	0·63	53·0	29·6	43·0	1·25	55	31	43·0	1·25
Urban Districts. CORK, ...	76,673	28·6	25·8	27·2	3·4	38	40	5	6	2	...	...	...	...	...	3	...	2	...	4	4	8	...	...	...	3	21	2	52	38	45·2	0·73	54	41	46·5	1·41	52	38	46·2	0·66
Urban Districts. LONDONDERRY...	41,000	15·9	45·8	14·0	.	36	11	2	6	...	...	...	...	...	...	...	...	1	1	1	...	1	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LIMERICK. ...	38,518	16·1	32·5	17·6	1·4	24	13	1	3	...	...	...	1	...	...	...	...	2	...	1	1	3	...	...	...	1	4	2	50·9	29·7	43·0	0·33	55·8	21·8	42·2	0·88	51·8	33·2	45·0	1·79
Urban Districts. WATERFORD, ...	27,464	19·1	38·0	30·4	1·9	20	16	3	6	...	...	...	...	...	1	...	...	1	1	2	1	3	...	...	...	..	9	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. GALWAY. ...	13,255	2·5				7	5	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	2	...	55	34	42	0·85	50	33	41	1·06	52	32	41	1·47
Urban Districts. DUNDALK, ...	13,128	9·5				11	6	1	1	...	...	...	2	...	...	...	...	1	...	...	...	...	..	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LURGAN, ...	12,553	14·7				5	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75
Urban Districts. DROGHEDA, ...	12,501	8·4				10	5	3	1	...	...	...	...	...	2	...	..	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LISBURN, ...	12,388	10·9				6	3	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	1	1	...	...	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75
Urban Districts. NEWRY. ...	11,963	17·0				6	6	1	1	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	1	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75
Urban Districts. PORTADOWN, ...	11,727	15·3				7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75
Urban Districts. WEXFORD. ...	11,531	22·8				5	5	1	2	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BALLYMENA ..	11,381	9·3				3	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. SLIGO, ...	11,163	3·8				2	3	...	1	...	...	...	...	...	...	...	...	..	...	1	...	...	...	1	...	...	1	...	54	29	41·0	0·82	54	29	41·0	1·67	54	31	41·0	1·54
Urban Districts. KILKENNY, ...	10,514	11·4				3	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	51	30	40·2	0·30	56	30	42·2	0·83	57	32	43·0	0·73
Urban Districts. TRALEE, ...	10,300	17·4				8	7	3	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. CLONMEL, ...	10,209	7·8				4	7	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWTOWNARDS,	9,587	20·1				15	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	.	51	34	42·5	0·37	51	33	43·2	0·32	53	32	42·8	0·95
Urban Districts. QUEENSTOWN, ...	8,209	14·7				6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	52	38	45·2	0·73	54	41	46·5	1·41	52	38	46·2	0·66
Urban Districts. LARNE, ...	8,036	13·4				9	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. COLERAINE, ...	7,785	7·7				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BANGOR, ...	7,776	8·5				3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BRAY, ...	7,691	7·2				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. ATHLONE, ...	7,472	6·2				9	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. ARMAGH, ...	7,356	21·8				6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61	51·1	32·0	42·0	1·75

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under 1 year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (h) See note (†) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th of January, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Diphtheria,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	2	1	4	.	.	.	6	.	5	4	.	1	1	.	.	24	2
Tuberculous Disease. Other Forms,	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	4	.
Cancer,	1	.	1	3	.	.	.	1	.	.	.	.	1	.	.	.	7	1
Diseases of Nervous System,	2	3	2	2	.	.	.	2	2	5	2	1	2	.	.	1	24	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	1	.	1	.	.	.	1	.	1	3	.	1	.	1	2	14	.
" Respiratory System. Pneumonia,	1	2	1	2	.	.	.	3	.	1	.	.	2	.	.	.	12	.
" Respiratory System. Others,	1	2	1	2	.	.	.	4	4	3	1	.	1	1	.	.	20	2
" Digestive System. Diarrhœa and Enteritis, under 2 years,	1	2	1	.	.	.	.	.	1	.	1	1	.	.	.	.	7	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	1	2	.	.	.	.	2	1	.	.	.	1	.	.	.	7	.
" Genito-urinary System,	.	2	2	.	.	1	.	.	1	2	2	.	1	.	.	.	11	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	3	5	1	.	2	1	2	.	3	4	.	2	1	.	.	25	2
Violent Deaths,	1	2	.	.	.	.	.	.	.	1	1	.	.	1	.	.	6	2
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	.	1	.	.	1	1	2	6	.
Deaths from All Causes	15	20	17	17	.	3	2	23	11	22	19	2	12	6	2	5	176	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·2	25·5	31·8	25·2	.	11·5	9·8	29·7	31·3	26·6	29·9	10·7	16·1	10·4	11·4	15·4	22·8	.
	23·6							27·7					13·7					
	25·5																	
Ages at Death. Under 1 year,	5	4	6	4	.	2	.	5	4	6	6	2	1	2	.	.	47	1
1 and under 2 years,	.	1	1	.	.	.	.	1	1	.	.	.	1	.	.	.	5	.
2 " 5 "	1	2	.	2	.	.	.	3	.	1	1	.	.	.	.	.	10	.
5 " 15 "	1	.	1	.	.	.	.	2	1	2	.	.	.	.	.	1	8	1
15 " 25 "	1	.	.	1	.	.	1	1	.	.	1	.	1	.	.	.	6	1
25 " 45 "	3	4	3	5	.	.	.	3	1	4	3	.	3	1	.	1	31	3
45 " 65 "	2	4	6	5	.	.	.	2	1	7	5	.	.	1	.	1	34	2
65 and upwards,	2	5	.	.	.	1	1	6	3	2	3	.	6	2	2	2	35	2
Number of Uncertified Deaths,	.	.	1	1	.	.	.	.	.	.	2	.	.	.	.	1	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	6	2	6	.	1	.	4	1	5	6	.	5	2	.	1	43	9
Workhouse Hospitals,	2	5	4	3	.	.	.	7	3	6	4	.	.	.	1	1	36	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 4th January, 1913.										
													Deaths of Persons of the Ages of									
	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910	Jan. 7, 1911.	Jan. 6, 1912.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 39·4	° 40·0	° 46·7	° 43·4	° 39·4	° 35·5	° 43·4	° 45·4	° 37·2	° 44·1	° 41·5	° 43·6										
ALL CAUSES.	206	208	192	168	246	199	190	174	176	191	195·0	186	24	24	5	10	9	7	34	36	16	21
Enteric Fever, ...	3	6	1	3	.	.	5	.	.	2	2·0	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	3	.	3	.	9	2	4	6	3·1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	3	.	.	.	.	.	.	7	3	1·5	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	2	9	.	2	7	6	.	3	6	1	3·6	2	.	1	.	1	.	.	.	.	.	.
Diphtheria, ...	3	1	.	2	.	1	1	1	1	4	1·4	2	.	1	.	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	1	1	.	.	.	.	·2	1	.	.	1	.	.	.	.	.	.	.
Influenza, ...	7	1	.	2	6	1	.	2	.	.	1·9	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	1	.	.	1	.	·3	1	1	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	1	3	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	26	31	21	24	20	21	24	21	23	23·4	26	.	.	.	.	1	3	15	6	1	.
Tuberculous Meningitis, ...	2	3	3	5	.	.	3	2	2	4	2·4	1	.	.	1	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	5	2	.	.	1	1	1	1	1·3	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	7	4	5	6	8	4	2	1	1	4·5	2	.	.	.	1	.	1	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	.	2	1	.	1	1	1	.	2	·8	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	6	7	13	7	8	9	8	8	8	10	8·4	8	.	.	.	.	.	.	1	4	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	2	1	.	1	.	.	.	.	·4	1	.	.	.	.	.	.	.	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	4	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	2	4	1	2	1	.	1	.	.	.	1·1	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		3	.	.	.	3	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										5		4	.	.	.	.	.	.	.	2	1	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		5	.	.	.	.	.	.	.	4	.	1
Epilepsy, ...										2		2	.	.	.	.	.	.	1	1	.	.
Convulsions (non-puerperal),										7		8	3	5	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	59	43	46	41	60	56	43	42	37	.	46·4	3	1	.	.	.	.	.	2	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										16		10	.	.	.	.	1	.	2	2	2	3
Embolism and Thrombosis (including Cerebral)										.		2	.	.	.	.	.	.	1	.	1	.
Other Diseases of Circulatory System.										1		2	.	.	.	.	.	1	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	15	35	29	24	31	32	26	17	27	29	23·5	16	.	5	.	2	.	.	.	2	3	4
Broncho-pneumonia, ...	1	6	10	5	13	9	11	11	9	9	8·4	5	.	1	1	1	1	.	.	1	.	.
Lobar pneumonia, ...	1	2	1	.	.	1	1	4	2	1	1·3	1	1	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	9	9	9	7	10	10	9	7	4	5	7·9	6	.	.	1	.	1	1	1	2	.	.
Pleurisy, ...										.		1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	5	1	2	6	3	4	3	2	.	3·2	2	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System.										2		3	.	.	.	.	.	.	.	1	1	1

FIRST WEEK ending Saturday, 4th January, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 4th January, 1913.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910.	Jan. 7, 1911.	Jan. 6, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 39·4	° 40·0	° 46·7	° 43·4	° 39·4	° 35·5	° 43·4	° 45·4	° 37·2	° 44·1	° 41·5	° 43·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	.	—	1	.	.	.	.	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	5	4	4	3	12	5	5	4	4	5	5·2	7	.	6	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	1	—	2	.	.	.	.	1	.	1	.	.	.
Cirrhosis of Liver, ...	.	.	1	3	2	2	.	2	1	1	1·2	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Liver, ...	1	2	.	.	2	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1		.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	4	4	7	7	7	7	8	1	.	5·1	3	.	1	.	.	.	.	1	1	.	.
Acute Nephritis, ...										.		2	1	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...										4		9	.	.	.	.	1	.	3	3	.	2
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	5	9	2	7	10	3	11	7	4	.	6·5	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	.	2	.	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	1	—	2	.	.	.	1	.	.	1	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	1	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	7	4	2	1	7	5	4	2	5	6	4·3	10	10	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	1	—	4	1	3	.	.	.	.	.	.	.	.
Old Age, ...	10	3	1	3	8	3	3	1	4	9	4·5	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	.	—	3	3	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	.	3	2	4	3	.	.	.	1	1·5	3	.	.	.	1	1	.	.	.	1	.
Drowning, ...	2	1	1	.	.	.	.	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	2	1	2	1	2	.	2	2	1	1·5	3	.	.	.	.	.	.	1	2	.	.
Total Deaths from Accident,	6	3	5	4	6	5	.	3	2	3	3·7	7	.	.	.	1	1	.	2	2	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.
Vehicles and Horses, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Suicide, ...	.	.	2	.	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	6	5	—	6	.	1	.	.	.	.	.	1	1	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec 28.	Jan. 4.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered.	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230
Average Births in corresponding week of previous 10 years, ...	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223
DEATHS registered, ...	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186
Annual Death-rate per 1,000, ...	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1
Average Deaths in corresponding week of previous 10 years, ...	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195
Ages, Under 5 years, ...	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63
5—15 ,, ...	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9
15—25 ,, ...	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7
25—45 ,, ...	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34
45—65 ,, ...	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36
65—75 ,, ...	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16
75 and upwards, ...	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.
Scarlet Fever, ...	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1
Whooping-cough, ...	.		1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2
Diphtheria, ...	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2
Influenza, ...	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26
Tuberculous Disease, Other Forms,	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4
Cancer, ...	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8
Diseases of Circulatory System,	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14
Diseases of Respiratory System, Pneumonia,	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12
Diseases of Respiratory System, Others, ...	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22
Diarrhœa and Enteritis, under 2 years, ...	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7
Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8
Number of Uncertified Deaths,	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5
Mean Temperature of the Air (Phœnix Park)	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6
Average Mean Temperature in corresponding week of previous 10 years, ...	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5
Rainfall in inches, ...	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84

For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th January, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH JANUARY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	186	63	9	7	34	36	16	21	.	.	.	.	1	2	2	.	26	4	8	8	12	22	7	.	8	86	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	6·0	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	10·8	18	2	1	1	5	1	4	4	.	.	.	.	.	.	.	.	4	.	.	.	2	2	1	.	1	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	12	2	4	5	9	3	3	.	.	.	.	.	.	.	.	3	3	2	2	4	1	2	.	.	21	.
IV.	GENERAL SERVICE CLASS, ...	154,279	30·8	91	46	6	1	14	11	7	6	.	.	.	.	1	2	2	.	7	1	3	5	6	13	3	.	7	41	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	37	3	.	1	10	15	2	6	.	.	.	.	.	.	.	.	12	.	3	1	.	6	1	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	2	.	.	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	.	1	1	1	.	2	1	.	.	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.	1	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	6	.	2	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	1	.	.	5	.
	10. Clothing Trades, ...	23,260	13·5	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	3	.
	11. Food Supply Trades	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	13	3	2	1	.	3	2	2	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	.	.	7	.
	13. Petty Shopkeepers, ...	7,894	26·4	4	.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2	.
	15. Domestic Servants, ...	36,603	5·7	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	5	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	6	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	43·5	75	36	6	1	10	10	7	5	.	.	.	.	1	1	2	.	7	1	3	5	6	11	3	.	5	30	5
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	37	3	.	1	10	15	2	6	.	.	.	.	.	.	.	.	12	.	3	1	.	6	1	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Nov. 16,	21·1	1·8	12	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	1	1
		„ 23,	29·8	3·5	17	1	.	.	.	1	.	.	.	5	2	.	.	3	.	.	.	1
		„ 30,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
		Dec. 7,	21·1	1·8	12	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	1
		„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	2
		„ 21,	21·1	.	12	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
		„ 28,	22·8	3·5	13	.	.	.	.	.	1	1	.	.	.	1	2	3	.	.	1	1
		Jan. 4,	26·2	5·2	15	.	.	.	.	1	1	.	.	.	1	1	1	1	1	.	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Nov. 16,	29·6	3·9	23	1	.	.	.	.	.	.	1	3	1	1	1	3	1	.	1	1
		„ 23,	24·4	2·6	19	.	.	.	.	.	.	.	.	1	2	.	1	4	2	.	.	.
		„ 30,	25·7	2·6	20	.	.	.	1	.	.	.	.	3	2	2	1	2	1	.	.	.
		Dec. 7,	27·0	3·9	21	.	.	.	.	.	.	1	.	3	2	1	.	4	2	.	.	2
		„ 14,	24·4	.	19	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	1
		„ 21,	25·7	2·6	20	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
		„ 28,	10·3	.	8	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.
		Jan. 4,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	2	2	2	.	2	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Nov. 16,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.	.
		„ 23,	28·1	1·9	15	.	.	.	.	.	.	.	.	2	1	1	1	3	1	.	.	.
		„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
		Dec 7,	35·5	1·9	19	.	.	.	.	1	.	.	.	2	.	1	2	3	.	.	.	.
		„ 14,	22·4	.	12	.	.	.	.	.	.	.	.	2	3	.	1	3	.	.	.	.
		„ 21,	28·1	5·6	15	.	.	.	.	.	.	.	.	3	1	.	1	4	3	.	.	.
		„ 28,	24·3	.	13	.	.	.	.	.	.	.	.	3	1	.	2	2	.	.	.	.
		Jan. 4,	31·8	1·9	17	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Nov. 16,	13·4	.	9	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
		„ 23,	16·4	1·5	11	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
		„ 30,	16·4	1·5	11	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	1
		Dec. 7,	22·4	1·5	15	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
		„ 14,	26·9	.	18	.	.	.	.	.	.	.	.	2	2	2	3	5	.	.	.	.
		„ 21,	13·4	.	9	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.
		„ 28,	10·4	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
		Jan. 4,	25·2	1·5	17	.	.	.	.	.	.	1	.	4	.	3	2	2	.	.	.	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Nov. 16,	13·0	.	10	.	.	.	.	.	.	.	.	2	1	.	3	1	.	.	.	.
		„ 23,	24·7	1·3	19	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	.	.
		„ 30,	20·8	5·2	16	1	1	.	1	.	.	.	.	2	3	.	.	.	1	.	.	.
		Dec. 7,	22·1	1·3	17	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
		„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.
		„ 21,	31·2	2·6	24	.	.	.	.	1	.	.	.	2	1	.	3	2	1	.	.	.
		„ 28,	15·6	.	12	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	1
		Jan. 4,	29·7	1·3	23	.	.	.	.	.	.	1	.	6	.	1	3	4	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Nov. 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
		„ 23,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
		„ 30,	17·1	.	6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
		Dec. 7,	34·1	.	12	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.
		„ 14,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
		„ 21,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.
		„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
		Jan. 4,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Nov. 16,	19·5	.	16	.	.	.	.	.	.	.	.	2	.	.	4	4	.	.	.	1
		„ 23,	28·0	.	23	.	.	.	.	.	.	.	.	4	1	2	5	2	.	.	1	2
		„ 30,	20·7	1·2	17	.	.	.	.	1	.	.	.	2	.	1	3	3	.	.	.	2
		Dec. 7,	23·1	.	19	.	.	.	.	.	.	.	.	.	3	.	2	3	.	.	.	3
		„ 14,	20·7	1·2	17	.	.	.	.	.	.	.	.	.	.	.	3	4	1	.	.	2
		„ 21,	26·8	.	22	.	.	.	.	.	.	.	.	7	1	1	2	4	.	.	1	1
		„ 28,	17·1	.	14	.	.	.	.	.	.	.	.	4	1	.	4	2	.	.	.	.
		Jan. 4,	26·6	.	22	.	.	.	.	.	.	.	.	5	1	.	1	3	.	.	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Nov. 16,	11·0	1·6	7	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.
		„ 23,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	.	.	.	2	.	.	.
		„ 30,	29·9	1·6	19	1	.	.	.	.	.	.	.	4	3	.	.	3	.	.	.	.
		Dec. 7,	33·0	4·7	21	.	.	.	1	.	.	1	.	1	1	1	1	2	1	.	.	2
		„ 14,	17·3	1·6	11	.	.	.	.	.	1	.	.	1	1	.	2	1	.	.	1	.
		„ 21,	28·3	7·9	18	.	.	.	.	.	.	.	.	4	.	2	.	.	5	.	.	.
		„ 28,	17·3	1·6	11	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.
		Jan. 4,	29·9	1·6	19	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	1	2

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Nov. 16,	23·0	.	17	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2
	„ 23,	17·6	1·4	13	.	.	.	.	.	.	.	1	1	.	.	3	2	.	.	.	1
	„ 30,	17·6	.	13	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	.
	Dec. 7,	19·0	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	1	1
	„ 14,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 28,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 4,	16·1	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Nov. 16,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 23,	14·0	1·8	8	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
	„ 30,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	Dec. 7,	15·3	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 21,	14·0	5·3	8	.	.	.	.	1	1	1	.	1	.	1	.	2	.	.	.	.
	„ 28,	21·0	1·8	12	.	.	.	.	.	1	.	.	1	.	.	2	2	.	.	.	1
	Jan. 4,	10·4	1·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
Kingstown Urban District. Pop. in 1911 16,941.	Nov. 16,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	Dec. 7,	6·2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 4,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	Nov. 16,	16·1	2·1	121	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	3
	„ 23,	18·4	2·4	138	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	2
	„ 30,	18·5	3·1	139	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	2
	Dec. 7,	23·5	2·8	177	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	2
	„ 14,	20·0	3·5	150	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	.
	„ 21,	23·5	4·4	177	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	.
	„ 28,	19·3	3·9	145	.	.	.	23	.	1	.	.	8	6	2	14	18	3	2	1	2
	Jan. 4,	23·8	3·2	181	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	2
Cork. Pop. in 1911 76,673.	Nov. 16,	15·6	.	23	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1
	„ 23,	12·9	0·7	19	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	.
	„ 30,	18·4	1·4	27	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1
	Dec. 7,	21·8	.	32	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	2
	„ 14,	17·0	2·7	25	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	„ 21,	17·0	.	25	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	1
	Jan. 4,	27·2	3·4	40	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	2
Londonderry. Pop. in 1913 (Est.) 41,000.	Nov. 16,	10·2	1·3	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
	„ 23,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.
	„ 30,	19·1	2·6	15	.	.	.	.	.	.	1	.	.	.	1	1	4	.	1	.	.
	Dec. 7,	17·9	.	14	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	1	.
	„ 14,	20·4	1·3	16	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	1
	„ 21,	17·9	.	14	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	1
	„ 28,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Jan. 4,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
Limerick. Pop. in 1911 38,518.	Nov. 16,	35·2	19·0	26	.	.	.	12	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 23,	42·0	12·2	31	.	.	.	9	.	.	.	.	5	1	.	2	5	.	.	.	3
	„ 30,	27·1	4·1	20	.	.	.	3	.	.	.	.	2	.	2	.	1	.	.	.	3
	Dec. 7,	31·1	10·8	23	.	.	.	8	.	.	.	.	2	.	.	.	6	.	.	.	.
	„ 14,	20·3	6·8	15	.	.	.	5	.	.	.	.	1	.	.	1	1	.	.	1	.
	„ 21,	19·0	4·1	14	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	.	3
	„ 28,	5·4	1·4	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 4,	17·6	1·4	13	.	.	.	1	.	.	.	.	2	.	1	1	3	.	.	.	2
Waterford. Pop. in 1911 27,464.	Nov. 16,	19·0	1·9	10	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	1
	„ 23,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	2
	„ 30,	32·3	.	17	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	Dec. 7,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 14,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2
	„ 21,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	1
	„ 28,	7·6	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	Jan. 4,	30·4	1·9	16	.	.	.	.	.	1	.	.	1	1	2	1	3	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th January, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from All Causes.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	15	16·4	6·6	5	1	2	.	1	1	.	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	.	3	.
Do. 2 do.	49,500	39	22·1	1·1	21	3	3	2	3	6	4	.	.	.	.	1	.	.	.	3	.	1	1	1	.	.	2	4	9	1
Do. 3 do.	50,032	33	27·1	4·2	26	1	7	5	4	6	3	.	.	.	3	.	1	.	.	3	1	.	3	1	.	.	1	1	7	.
Do 4 do.	32,637	48	33·6	3·2	21	5	3	1	7	1	4	.	.	.	1	.	.	.	.	4	.	1	1	1	1	.	.	.	13	.
Do. 5 do.	16,112	19	77·7	.	24	12	2	3	2	4	1	.	.	.	.	.	.	.	.	.	1	2	2	3	.	.	.	.	14	1
Do. 6 do.	37,293	16	22·4	5·6	16	3	3	2	2	3	3	.	.	.	3	.	.	1	.	1	.	.	4	2	.	.	.	.	1	.
Do. 7 do.	2,681	2	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	23	17·1	4·3	8	1	3	.	1	2	1	.	.	.	2	.	.	.	.	3	.	.	1	.	.	.	.	.	2	.
Do. 10 do.	28,958	13	21·6	5·4	12	1	3	.	3	4	1	.	.	.	2	.	.	1	.	.	.	.	1	1	.	.	.	3	4	.
Do. 11 do.	39,311	22	15·9	1·3	12	2	3	.	3	2	2	.	.	.	1	.	.	.	.	.	3	.	4	1	.	.	.	.	.	.
Do. 12 do.	38,076	28	26·0	4·1	19	.	5	3	2	7	2	.	.	.	2	.	.	1	.	3	.	1	.	1	.	.	.	2	6	.
Do. 13 do.	23,233	11	6·7	.	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	16	27·6	4·6	12	.	3	1	3	2	3	.	.	.	2	.	.	.	.	3	.	.	1	2	.	.	.	1	3	.
Total,	386,947	288	23·8	3·2	181‡	30	37	17	31	40	26	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	11	62	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,701	5	50·1	25·1	10	1	3	3	2	1	.	2	.	.	.	.	.	3	.	.	.	1	1	.	.	.	.	.	8	.
Do 3 do.	9,978	5	37·3	.	7	.	1	3	.	1	2	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	1	3	.
Do 4 do.	8,666	4	34·2	.	6	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	4	.
Do 5 do.	6 592	5	16·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	4	27·0	.	6	1	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	2	1
Do. 7 do.	16,616	11	29·2	.	9	2	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	4	1
Total,	76,122	38	27·2	3·4	40	5	4	10	5	10	6	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	3	21	2

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

‡ See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered, ...	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288
DEATHS registered, ...	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181†
Annual Death rate per 1,000 of estimated population, ...	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8
AGES, Under 1 year, ...	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30
1—5 years, ...	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37
5—25 ,, ...	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17
25—45 ,, ...	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31
45—65 ,, ...	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40
65 and upwards, ...	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26
Deaths from :—																										
Enteric Fever, ...	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17
Scarlet Fever, ...		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1
Whooping-cough, ...	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1
Diphtheria, ...	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21
Tuberculous Disease. Other Forms,	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5
Cancer, ...	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5
Diseases of Respiratory System, Pneumonia,	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20
Diseases of Respiratory System, Others, ...	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16
Diarrhœa and Enteritis, under 2 years, ...	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2
Diarrhœa, 2 years and upwards,	1	1	.	.	.	.	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.
Violent Deaths, ...	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3
Number of Uncertified Deaths, ...	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2

† Including one death from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from						
			Exclusive of Stillborn.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
LONDON, ...	4,518,191	Jan. 4,	2,685	1,406	16·2	3	.	70	7	17	11	29*a*
EDINBURGH, ...	321,800	„ 4,	123	96	15·6	.	.	1	.	3	.	.
GLASGOW, ...	1,021,500	„ 4,	517	334	17·1	1	.	1	3	18	4	5
CALCUTTA, ...	896,067	Nov. 23,	.	522	30·2	85*	.	3	.	.	1†	66‡
BOMBAY, ...	979,445	„ 30,	516	591	31·4	76*	.	1	.	.	.	79‡
MADRAS, ...	518,660	Dec. 7,	418	430	43·1	80*	1	3	?	?	?	89‡
CAIRO, ...	704,956	Oct. 7,	539	539	39·9	3	.	8	.	?	23	316*a*
PARIS, ...	2,847,229	Dec. 21,	927	933	16·7	1	1	4	1	2	9†	16*a*
BRUSSELS, ...	745,380	„ 14,	244	262	18·3	1	.	5	2	2	5†	9*a*
ANTWERP, ...	308,618	„ 21,	121	97	16·4	.	.	2	.	2	1†	4*a*
AMSTERDAM, ...	587,067	„ 14,	252	132	11·7	.	.	5	2	.	1†	.
COPENHAGEN, ...	468,000	„ 14,	222	122	13·6	.	.	1	2	.	.	4
STOCKHOLM, ...	346,599	„ 14,	131	95	14·3	.	.	.	.	.	1†	4*a*
CHRISTIANIA, ...	247,488	„ 21,	120	69	14·5	.	.	1	1	.	1	3
ST. PETERSBURG, ...	1,664,000	Nov. 30,	863	547	17·1	9	1	26	6	2	5†	29
MOSCOW, ...	1,617,157	„ 30,	.	602	19·4	2	.	10	13	.	17†	40
BERLIN, ...	2,090,710	„ 30,	775	530	13·3	.	.	.	9	4	10†	16
HAMBURG, ...	953,079	Dec. 14,	.	277	15·1	1	.	2	1	4	13†	13
BRESLAU, ...	535,872	„ 14,	.	194	18·9	.	.	.	2	3	.	5
MUNICH, ...	615,000	„ 14,	.	201	17·0	.	.	2	.	.	4†	13
VIENNA (with suburbs),	2,098,225	„ 14,	657	664	16·5	.	.	8	2	4	6†	28*a*
BUDA-PESTH, ...	910,548	„ 14,	444	317	25·4	.	.	1	4	.	4†	11*a*
PRAGUE and Faubourgs,	489,194	Nov. 30,	160	161	17·2	1	.	.	1	.	4†	13*a*
		Dec. 7,	173	157	16·7	.	.	.	2	2	2	3*a*
TRIESTE, ...	239,549	„ 14,	138	106	23·1	2	.	2	.	.	.	1*a*
ROME, ...	569,809	Sept. 21,	298	143	13·1	.	.	.	.	3	.	14
NEW YORK, ...	5,173,064	Dec. 14,	2,422	1,333	13·4	6	.	8	8	2	30†	25*a*
PHILADELPHIA, ...	1,606,105	Oct. 12,	.	439	14·2	2	.	.	.	.	7	30*a*
BOSTON, ...	720,031	Dec. 14,	.	193	13·9	1	.	3	2	1	4	3

* Deaths from "fever," including 5 from enteric fever, and 5 from plague in Calcutta, and 2 from enteric fever and 4 from plague in Bombay.

† Including deaths from croup.

‡ Including 26 deaths from cholera in Calcutta, 8 in Bombay, and 4 in Madras

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th January, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 1, West, ...	.	1	.	.	2	.	.	.	1	.	.	2	6
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	.	.	.	4	.	.	.	.	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	4	.	.	2	.	.	.	8	.	.	3	17
" " 2, ...	.	4	.	.	.	.	.	.	1	.	.	1	6
" " 3, ...	.	1	.		.	.	.	.	.	.	.	4	5
" " 4, ...	.	4	.	.	.	.	.	.	.	1	.	1	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	.	17	.	.	8	.	.	.	11	1	.	12	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th January, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th January.			
	Dec. 14.	Dec. 21.	Dec. 28.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	35	32	29	3	12	.	20
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	2	1	1	1	.	1
Scarlet Fever, ...	118	118	112	19	16	1	114*
Diphtheria, ...	53	59	55	14	14	2	53
Pneumonia, ...	18	18	19	9	7	2	19

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 4th January, 1913:—

"The distinctive characters of the weather of December 1912 were continued through this week—perhaps with lessened force. Regions of high atmospheric pressure were found near the Azores and over Central Europe, while large and deep depressions passed northeastwards over the North Atlantic Ocean and the Norwegian Sea, their secondaries crossing the British Isles or skirting our western shores. Changeable weather resulted—fine, bright intervals being interrupted by stormy S. or S.W. winds, clouds, showers and unstable temperature. Tuesday, the last day of the old year, was especially mild, the isotherm of 50° embracing the greater portion of Ireland and Scotland even as early as 7 a.m. A sudden chill followed at night in these countries, so that on New Year's Morning the thermometer stood from 9° to 14° lower than on the previous morning. New Year's Day was beautiful in Dublin; unclouded sunshine prevailed and there was a dry crisp atmosphere. On Thursday morning the barometer was as low as 28·91 inches at Bodö, in Norway, and 28·72 inches at Reykjavik, in Iceland; but it was up to 30·23 inches at Munich. The main wind direction was between W. and S., whereas an easterly gale prevailed in the west of Iceland. In the evening the low barometer reading of 28·47 inches was reported from Reykjavik, and next morning pressure ranged from 28·61 inches in the N.W. of Iceland to 30·20 inches at Munich. Gradients, however, were not steep over the British Isles and the weather was favourable until evening, when a southerly gale sprang up in Ireland. Saturday was cloudy but dry—at 11 a.m. a partial solar halo was seen. In Dublin the mean height of the barometer was 29·755 inches, the range being between 30·155 inches at 9 a.m. of Monday (wind, S.W.) and 29·342 inches at 9 p.m. of Friday (wind, S., strong). The corrected mean temperature was 45·5°, the mean dry-bulb temperature at 9 a.m. and 9 p.m. being 45·0°. On Tuesday and Saturday the thermometer rose to 51·4° in the screen, on Thursday it fell to 39·1°. S.W. and S. winds prevailed. Rain fell on 2 days, but the measurement was only ·052 inch, of which ·034 inch was measured on Monday. At Coolagad, Greystones, the week's rainfall was ·510 inch on 4 days, ·460 inch falling on the first 3 days of January."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·751 inches. The highest reading (30·079) was on Monday at 9 a.m., wind S.W., the lowest (29·457) on Friday at 9 p.m., wind S.

The mean temperature for the week was 43·6°, being 2·1° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday, on which day the thermometer registered 52°, and was lowest on Sunday and Saturday, the mercury having fallen to 36°. The mean of the Dry Bulb for the week was 44·1° and of the Wet Bulb, 42·0°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·075 inch.

At Greenwich the mean temperature for the week was 44·6°, the maximum 51·2°, and the minimum 32·1°; at Glasgow the maximum was 50·5°, the minimum 35·7°, and the mean 43·4°; and at Edinburgh the maximum was 49·8°, the minimum 34·8°, and the mean 42·6°. The rainfall at Greenwich measured 0·15 in.; at Glasgow 0·74 in.; and at Edinburgh 0·20 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912–13. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 29,	29·710	46	36	41·0	41·6	39·3	·82	·7	0·6	·000	S.W.	W.
Monday, „ 30,	30·025	49	38	43·5	45·4	43·0	·84	·7	0·1	·050	S.W.	S.W.
Tuesday, „ 31,	29·910	52	45	48·5	47·7	45·6	·85	·7	2·5	·000	S.W.	S.W.
Wednesday, January 1,	29·810	46	38	42·0	39·4	38·1	·90	·7	5·0	·000	S.W.	W.S.W.
Thursday, „ 2,	29·660	48	37	42·5	46·2	43·2	·79	·6	0·0	·000	S.	S.
Friday, „ 3,	29·530	51	37	44·0	45·0	43·4	·87	·8	3·3	·025	Calm.	S.
Saturday, „ 4,	29·615	51	36	43·5	43·3	41·1	·83	·4	0·0	·000	S.W.	S.W.
Mean,	29·751	49·0	38·1	43·6	44·1	42·0	·84	·7	Total 11·5	Total ·075	Prevailing Wind, S.W.	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day overcast, showery 5.30 to 9.0 p.m.; night cloudy, showery 5.15 to 6.45 a.m. *Tuesday*—A fine day, light clouds at intervals; night cloudy. *Wednesday*—A beautiful bright day; night clear. *Thursday*—Day overcast; night cloudy. *Friday*—A fine day, drizzling at intervals 6.0 to 9.0 p.m.; night cloudy. *Saturday*—Day overcast; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 4th January, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912–13. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 29,	40·7	42·5	45·4	46·9	38·2	42·6	—	—
Monday, „ 30,	43·1	42·0	45·3	51·5	38·9	45·2	·1	·03
Tuesday, „ 31,	51·2	43·0	45·2	52·2	49·9	51·0	1·7	—
Wednesday, January 1,	42·8	43·1	45·2	48·3	38·6	43·4	3·0	—
Thursday, „ 2,	45·7	42·0	45·1	49·1	38·2	43·6	—	—
Friday, „ 3,	44·8	42·4	45·1	49·1	42·5	45·8	2·1	·02
Saturday, „ 4,	47·0	43·0	45·0	52·0	44·1	48·0	—	—
Weekly Mean,	45·0	42·6	45·2	49·9	41·5	45·7	Total 6·9	Total ·05

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 11TH JANUARY, 1913. [No. 2.

General Register Office, Charlemont House,
Dublin, 13th January, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 21	Dec. 28	Jan. 4	Jan. 11	
27 Town Districts, (a)	—	—	**22·0**	**21·0**	—
Dublin Reg. Area ...	20·8	14·2	22·8	22·8	20·2
Dublin City ...	23·3	15·1	25·5	22·8	21·7
Belfast	23·5	19·3	23·8	21·1	21·9
Cork	17·0	16·3	27·2	19·7	20·1
Londonderry ...	17·9	8·9	14·0	20·3	15·3
Limerick	19·0	5·4	17·6	12·2	13·6
Waterford	20·9	7·6	30·4	28·5	21·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·3 per 1,000. Among the 160 deaths from all causes for Belfast are 20 from measles, 2 from each of scarlet fever and diphtheria, and 8 from diarrhœal diseases. Included in the 29 deaths from all causes for Cork are one from enteric fever and one from diarrhœa. The 15 deaths from all causes for Waterford include 2 from whooping-cough and one from diarrhœa of a child under 2 years. Among the 6 deaths from all causes for Sligo are one from scarlet fever and one from diarrhœa. One of the 5 deaths from all causes for Kilkenny is from scarlet fever. Two of the 8 deaths from all causes for Tralee are from measles, and the only death recorded for Bangor is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 216—123 boys and 93 girls—and the deaths to 184—89 males and 95 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·8 per 1,000 of the population. During the two weeks, ending with Saturday last, the death rate averaged 22·8, and was 2·0 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 184, represent an annual rate of 23·8 per 1,000; the annual rate for the past two weeks was 24·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·9 per 1,000 of the mean population for all deaths registered.

The total deaths registered include one from enteric fever, 3 from diphtheria, 2 from influenza, and 5* from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from enteric fever were one, 0, and 0; deaths from diphtheria were one, 3, and 2; deaths from influenza were 2, 1, and 1; and deaths from diarrhœa and enteritis of children under 2 years were 11, 0, and 7.

Deaths from tuberculous disease, which in the 3 preceding weeks numbered 39, 21, and 30 respectively, in the week under notice numbered 27, comprising 22 from pulmonary tuberculosis, 4 from tuberculous meningitis, and one from disseminated tuberculosis.

There were 14 deaths from pneumonia, including 6 from broncho-pneumonia, 2 from lobar pneumonia, and 6 from pneumonia (type not distinguished).

Cancer caused 8 deaths.

There were 2 deaths of infants under 2 years of age caused by convulsions; premature birth caused 8 deaths, and congenital debility 6 deaths, all being of infants under one year of age.

There were 25 deaths from organic diseases of the heart, and bronchitis caused 16 deaths.

Accidental violence caused 5 deaths, including one by inhalation of sulphuretted hydrogen, and one, that of a child aged 6 years, by burns.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old).

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 14 were under one month old) and 47 were aged 65 years and upwards, including 35 persons aged 70 and upwards; among the latter were 24 aged 75 and upwards, of whom one (a female) was stated to have been aged 91 years.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·8 per 1,000; the rate in the City was 22·8 (North City Districts, 23·3; South, 22·3) and in the Suburbs, 22·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 1·3, and in the South 1·8), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·9 per 1,000. Pulmonary tuberculosis caused 2 deaths; there was one death from broncho-pneumonia, one death from pneumonia, 3 deaths from other diseases of the respiratory system, and one death by accidental burns.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·2 per 1,000, and include one death from disseminated tuberculosis, one death from broncho-pneumonia, one death from bronchitis, 2 deaths from diarrhœa and enteritis of children under 2 years, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. There were 2 deaths from pulmonary tuberculosis, one from bronchitis, and one death by accidental inhalation of sulphuretted hydrogen.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 26·7 per 1,000. The deaths included one from diphtheria, 2 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from broncho-pneumonia, and one from diarrhœa.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 19·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·7. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from pneumonia.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·7 per 1,000, and include 4 deaths from bronchitis and one accidental death.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. There was one death from enteric fever; there were 3 deaths from pulmonary tuberculosis, one death from pneumonia, and 2 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 27·8 per 1,000. Tuberculous disease caused 4 deaths; there was one death from broncho-pneumonia, one death from pneumonia, and 2 deaths from diarrhœa and enteritis of children under 2 years of age

No. 4 South City District (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. Pulmonary tuberculosis caused 4 deaths; there were 2 deaths from lobar pneumonia, one death from pneumonia, and 2 deaths from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000. One of the 2 deaths registered was from diphtheria.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 28·2; Pembroke, 12·2; Blackrock, 22·8; and Kingstown, 27·7. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Rathmines and Rathgar. Among the 21 deaths from all causes for the latter district are one from pneumonia and 2 from bronchitis. Of the 7 deaths from all causes for Pembroke 2 are from pulmonary tuberculosis and one is by accident. One of the 4 deaths from all causes for Blackrock is from broncho-pneumonia; and included in the 9 deaths from all causes for Kingstown are 2 from influenza, one from pneumonia, and one from bronchitis.

* See Note (*c*) Table II.
† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 11th January, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Dec. 21,	.	—	—	7	.	.	7	.	.	7	2	.	—	—	.	—	6	.	29
	Dec. 28,	.	—	—	7	.	.	7	.	1	2	2	1	—	—	.	—	2	.	22
	Jan. 4,	.	—	—	17	.	.	8	.	.	.	11	1	—	—	.	—	12	.	49
	Jan. 11,	.	—	—	17	.	.	9	.	1	5	7	.	—	—	.	—	10	.	49
Rathmines and Rathgar Urban District.	Dec. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 28,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 4,	.	—	—	4	.	.	7	.	.	.	.	.	—	—	—	—	—	—	11
	Jan. 11,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Dec. 21,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	.	—	.
	Dec. 28,	.	.	.	5	.	.	1	.	.	.	.	.	—	2	—	—	.	—	8
	Jan. 4,	.	.	.	1	.	.	.	.	.	.	.	.	—	10	—	—	.	—	11
	Jan. 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	—	—	3	—	8
Blackrock Urban District.	Dec. 21,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Dec. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec. 21,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Dec. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Jan. 4,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	.	—	2
	Jan. 11,	.	—	—	3	.	.	.	.	.	1	2	.	—	—	—	—	1	—	7
City of Belfast.	Dec 21.	.	—	—	24	.	.	5	.	.	4	5	.	—	—	—	—	3	—	41
	Dec. 28,	.	—	—	16	.	.	8	.	.	.	3	.	—	—	—	—	1	—	28
	Jan. 4,	.	—	—	22	.	.	6	.	1	.	8	.	—	—	—	—	8	—	45
	Jan. 11,	.	—	—	34	.	.	10	.	.	1	8	.	—	—	—	—	8	—	61

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th January, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital during the week, 9 were discharged, there was one death, and 17 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 32, 29, and 20.

One case of measles was admitted to hospital, and 2 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 2, one, and one, respectively.

Thirty cases of scarlet fever were admitted to hospital, 23 were discharged, and 121* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 118, 112, and 114, respectively.

Ten cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 59, 55, and 53, respectively, were 51 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 7 were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 15·4), was equal to an average annual death-rate of 15·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 17·4, and for Edinburgh 15·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th January. From this Report it appears that of a total of 51 cases notified, 22 were scarlet fever, 17 phthisis, 7 erysipelas, 3 diphtheria, and 2 enteric fever. Among the 328 cases of infectious diseases in hospital at the close of the week were 149 cases of scarlet fever, 91 of phthisis, 33 of whooping-cough, 29 of diphtheria, 7 of chicken-pox, 6 of measles, 5 of enteric fever, and 4 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 11th January, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 11th January, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 11th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ..	1,199,180	19·0	25·4	21·0	2·3	583	484	89	107	2	...	...	22	5	2	5	...	54	13	20	45	58	12	5	11	16	133	22	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
Dublin Registration Area:— Total. (c) ...	403,000	29·3	27·9	22·8	1·3	216	176	30	46	1	...	...	...	...	...	3	...	17	5	8	14	21	4	2	5	2	58	5	e 55	26	45·1	0·87	e 52	36	43·6	0·08	e 56	28	41·8	0·69
City of Dublin.	308,187	39·0	31·5	22·8	1·5	126	135	24	35	1	...	...	...	...	..	2	...	15	5	6	11	16	4	2	4	2	49	5	f 55·4 g 56·8	34·0 28·0	47·1 45·9	2·07 1·66	f 51·4 g 52·7	39·1 37·2	45·5 44·5	0·05 0·06	f 56·3 g 54·5	34·9 29·0	45·3 42·1	0·71 0·81
Urban Districts. Rathmines & Rathgar.	38,769	22·6	22·9	28·2	1·3	17	21	2	3	...	...	...	...	...	...	1	..	...	...	2	1	3	...	...	...	...	5	...	...	...	...	...	..	...	...	...	...	...	...	...
Pembroke ...	29,942	19·0	15·7	12·2	.	9	7	3	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	..	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock. ...	9,161	8·5	11·4	22·8	.	2	4	1	2	...	...	...	...	...	...	..	...	...	...	...	1	1	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	6·2	27·7	.	2	9	...	5	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	..	56	34	47·6	2·02	55	37	44·6	0·14	53	35	45·3	0·79
Urban Districts. Belfast ...	396,000	26·5	25·5	21·1	4·2	194	160	36	21	..	...	...	20	2	...	2	...	20	5	5	18	17	7	1	4	7	41	3	51·0	27·8	43·6	1·42	50	31	40·7	0·63	53·0	29·6	43·0	1·25
Cork, ..	76,673	28·6	19·0	19·7	1·4	28	29	4	9	1	...	...	...	...	...	...	...	2	...	2	3	3	...	1	...	..	11	...	51	36	46·9	2·60	52	38	45·2	0·73	54	41	46·5	1·41
Londonderry...	41,000	15·9	35·6	20·3	.	28	16	5	1	...	...	...	...	...	...	...	...	2	1	...	3	2	...	...	...	2	1	3	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	17·6	12·2	.	13	9	2	2	...	...	...	...	...	...	...	...	1	...	...	...	4	...	...	...	2	4	2	53·2	29·2	43·5	2·45	50·9	29·7	43·0	0·33	55·8	21·8	42·2	0·88
Waterford, ...	27,464	19·1	28·5	28·5	5·7	15	15	3	3	...	..	...	...	...	2	...	...	2	1	...	1	1	1	...	1	2	4	2	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	4	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	2	50	33	44	1·19	55	34	42	0·85	50	33	41	1·06
Dundalk, ...	13,128	9·5				5	4	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				7	4	...	1	...	...	...	..	...	...	...	..	...	...	...	1	2	...	...	1	1	...	.	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61
Drogheda, ...	12,501	8·4				2	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61
Newry. ...	11,963	17·0				6	8	1	4	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	5	...	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61
Portadown, ...	11,727	15·3				8	4	2	...	...	...	...	...	...	...	...	..	...	...	...	...	1	...	...	...	...	.	1	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61
Wexford, ...	11,531	22·8				6	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				4	3	1	1	..	...	...	...	...	...	...	...	..	...	1	...	...	..	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8				6	6	...	2	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	1	1	55	28	42·0	2·79	54	29	41·0	0·82	54	29	41·0	1·67
Kilkenny, ...	10,514	11·4				3	5	...	2	...	...	...	...	1	...	...	...	...	...	1	...	1	...	...	...	...	4	...	52	26	43·8	2·41	51	30	40·2	0·30	56	30	42·2	0·83
Tralee. ...	10,300	17·4				5	8	1	1	...	...	...	2	...	...	...	...	2	1	...	...	3	...	...	...	...	...	1	...	...	..	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	51	33	43·9	0·91	51	31	42·5	0·37	51	33	43·2	0·32
Newtownards,	9,587	20·1				4	5	...	2	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	..	51	36	46·9	2·60	52	38	45·2	0·73	54	41	46·5	1·41
Queenstown, ...	8,209	14·7				2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Larne, ...	8,036	13·4				4	1	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				3	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				4	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ...	7,691	7·2				2	3	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				2	6	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46	51·8	30·0	42·3	0·61

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under one year old and one at 77 years), admitted to hospital from localities outside the Area; one of the 8 deaths was from diarrhœa of a child under 2 years. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th of January, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	.	2	2	.	.	.	.	3	2	4	.	.	2	.	.	17	5
Tuberculous Disease. { Other Forms,	.	1	.	2	.	.	.	.	.	2	.	.	.	.	.	.	5	.
Cancer,	1	2	.	1	.	.	.	.	.	2	.	.	2	.	.	.	8	.
Diseases of Nervous System,	.	1	.	4	.	1	1	1	1	.	.	.	3	1	1	.	14	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	5	3	4	.	.	.	3	1	1	2	1	5	1	1	1	29	.
" Respiratory System. { Pneumonia,	2	1	.	1	.	1	.	.	1	2	3	.	1	.	1	1	14	.
" Respiratory System. { Others,	3	1	1	.	.	.	.	4	2	3	2	.	3	.	1	1	21	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	1
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	2	1	2	.	.	1	.	.	.	.	.	.	2	1	.	2	12	.
" Genito-urinary System,	1	1	1	1	.	.	1	2	1	2	.	.	1	.	.	1	12	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	2	.	.	1	1	4	.	6	.	.	1	1	.	1	22	1
Violent Deaths,	1	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.
Ill-defined, &c. Causes,	.	1	.	1	.	1	.	.	.	1	.	.	.	.	.	.	4	.
Deaths from All Causes	16	19	12	18	.	5	3	16	10	23	11	2	21	7	4	9	176	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·9	24·2	22·4	26·7	.	19·2	14·7	20·7	28·4	27·8	17·3	10·7	28·2	12·2	22·8	27·7	22·8	.
	23·3							22·3					22·5					
	22·8																	
Ages at Death. { Under 1 year,	2	3	2	3	.	1	1	4	.	7	.	1	2	3	1	.	30	1
1 and under 2 years,	1	1	1	.	.	.	.	1	.	2	1	.	.	.	.	.	7	.
2 " 5 "	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	3	.
5 " 15 "	1	.	.	2	.	.	.	.	.	1	.	.	2	.	.	.	6	.
15 " 25 "	.	1	.	1	.	.	.	1	1	2	3	.	1	.	.	.	10	.
25 " 45 "	3	2	2	2	.	1	.	2	4	2	.	.	7	2	.	2	29	4
45 " 65 "	7	7	4	3	.	.	1	1	3	5	4	.	6	1	1	2	45	2
65 and upwards,	2	5	2	6	.	3	1	6	2	4	3	1	3	1	2	5	46	1
Number of Uncertified Deaths,	1	.	1	.	.	.	.	.	1	.	1	1	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	1	3	.	1	.	2	4	3	3	.	4	1	.	1	30	7
Workhouse Hospitals,	3	3	.	7	.	.	.	4	1	5	1	1	1	2	.	.	28	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 11th January, 1913.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.	Jan. 14, 1911.	Jan. 11, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 32·3	° 39·4	° 41·6	° 41·5	° 43·7	° 36·4	° 41·1	° 42·1	° 39·0	° 41·8	° 39·9	° 45·1										
ALL CAUSES.	227	216	171	166	219	205	191	177	179	179	193·0	184	14	17	7	3	6	10	33	47	23	24
Enteric Fever, ...	5	3	1	.	1	.	3	1	1	1	1·6	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	12	.	3	.	8	.	3	3	3·2	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	2	.	.	.	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	5	1	3	2	1	2	5	5	3	2·9	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	6	.	2	2	.	1	1	.	2	3	1·7	3	.	1	.	.	2	.	.	.	.	.
Croup, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	2	2	2	3	2	.	3	1	1	2·0	2	.	.	.	.	.	.	.	1	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	2	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	2	1	1	.	1	2	.	.	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	30	21	14	25	32	17	19	19	19	22·2	22	.	2	.	.	.	4	9	7	.	.
Tuberculous Meningitis, ...	2	5	1	5	6	3	3	3	1	2	3·1	4	.	2	.	.	1	1	.	.	.	.
Abdominal Tuberculosis, ...	3	1	.	1	1	1	3	1	1	3	1·5	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	7	4	10	6	4	2	2	4	.	4·5	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		1	.	.	.	.	.	1	.	.	.	.
Venereal Diseases, ...	1	.	.	1	2	1	1	1	2	4	1·3	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	7	9	5	5	9	13	7	3	12	7·6	8	.	.	.	.	.	.	1	6	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	2	.	.
Rheumatic Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Diabetes, ...	2	.	.	.	.	2	.	1	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	2	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	.	3	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		1	.	1	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										7		5	.	.	.	.	.	.	.	2	3	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		3	.	.	.	.	.	.	.	.	3	.
Epilepsy, ...										.		1	.	.	.	.	.	1	.	.	.	.
Convulsions (non-puerperal),										1		2	1	.	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	55	55	33	35	62	37	41	45	37	1	44·0	2	.	.	.	.	.	.	1	.	1	.
Pericarditis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,										24		25	.	.	.	.	.	.	3	11	5	6
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		2	.	.	.	.	.	.	.	.	.	2
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	34	28	22	24	25	50	28	31	24	25	29·1	16	.	1	2	.	.	.	4	4	2	3
Broncho-pneumonia, ...	5	10	6	7	7	9	8	7	13	8	8·0	6	.	.	2	1	.	.	.	3	.	.
Lobar pneumonia, ...	.	1	2	1	2	.	2	.	2	.	1·0	2	.	.	.	.	.	1	.	.	.	1
Pneumonia (type not distinguished)	3	5	5	7	11	8	9	7	1	4	6·0	6	.	.	1	.	.	.	4	.	1	.
Pleurisy, ...										1		1	.	.	.	.	.	.	.	.	1	.
Pulmonary Congestion, Pulmonary Apoplexy	3	1	4	3	7	5	2	2	1	.	3·0	1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		3	.	.	.	.	.	.	.	1	2	.

SECOND WEEK ending Saturday, 11th January, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 11th January, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.	Jan. 14, 1911.	Jan. 11, 1912.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 32·3	° 39·4	° 41·6	° 41·5	° 43·7	° 36·4	° 41·1	° 42·1	° 39·0	° 41·8	° 39·9	° 45·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	5	.	—	4	.	2	.	1	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	1	3	7	2	3	2	6	7	4	1	3·8	5	1	3	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		2	.	.	.	1	1	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	.	1	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	3	3	—	2	.	.	.	.	.	.	.	1	.	1
Cirrhosis of Liver, ...	1	2	1	.	1	3	4	1	.	.	1·3	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	1	2	1	1	.	1	1	3	2	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	9	6	7	5	6	3	7	1	.	4·9	2	.	1	.	.	.	.	1	.	.	.
Acute Nephritis, ...										1		3	.	1	.	.	.	.	.	2	.	.
Chronic Bright's Disease, ...										4		7	.	.	.	.	.	.	2	3	1	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	5	8	5	8	8	6	9	1	8	.	6·3	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		3	.	.	.	.	.	.	.	1	1	1
Puerperal Septicæmia, &c., ...	1	1	.	1	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	1	.	1	.	2	.	1	.	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	4	.	6	8	2	5	5	6	6	4·5	8	8	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	2	—	6	3	3	.	.	.	.	.	.	.	.
Old Age, ...	12	8	5	5	6	2	3	4	6	4	5·5	6	.	.	.	.	.	.	.	.	2	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	2	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	5	1	1	2	1	.	1	2	3	4	2·0	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	1	.	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	3	3	1	.	2	.	1	2	.	1·3	3	.	.	.	.	.	1	.	1	.	1
Total Deaths from Accident,	7	5	4	3	1	4	1	4	5	4	3·8	5	.	.	.	.	1	1	1	1	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	5	—	4	.	.	.	.	.	.	1	.	.	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec 28.	Jan. 4.	Jan. 11.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered.	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216
Average Births in corresponding week of previous 10 years, ...	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220
DEATHS registered, ...	131	120	155	130	127	154	122	129	122	134	141	136	161	164	151	147	151	156	162	158	176	142	166	116	186	184
Annual Death-rate per 1,000, ...	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8
Average Deaths in corresponding week of previous 10 years, ...	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193
Ages, Under 5 years, ...	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41
5—15 „ ...	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6
15—25 „ ...	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10
25—45 „ ...	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33
45—65 „ ...	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47
65—75 „ ...	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23
75 and upwards, ...	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24
Deaths from :—																										
Enteric Fever, ...	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.
Scarlet Fever, ...	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.
Whooping-cough, ...		1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.
Diphtheria, ...	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3
Influenza, ...	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22
Tuberculous Disease, Other Forms,	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5
Cancer, ...	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8
Diseases of Circulatory System,	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29
Diseases of Respiratory System, Pneumonia,	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14
Diseases of Respiratory System, Others, ...	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21
Diarrhœa and Enteritis, under 2 years, ...	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5
Diarrhœa, 2 years and upwards,	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2
Violent Deaths, ...	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5
Number of Uncertified Deaths,	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5
Mean Temperature of the Air (Phœnix Park)	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1
Average Mean Temperature in corresponding week of previous 10 years, ...	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9
Rainfall in inches, ...	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th January, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH JANUARY, 1913.

Class.	Occupation or Social Position (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	184	41	6	10	33	47	23	24	1	.	.	.	.	.	3	.	22	5	8	2	14	21	5	2	5	96	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	29·9	10	.	.	.	2	4	3	1	.	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	22·7	38	4	2	3	5	10	5	9	.	.	.	.	.	.	.	.	3	1	1	.	2	1	1	1	2	26	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	15·6	33	7	.	3	7	9	4	3	1	.	.	.	.	.	1	.	4	1	3	.	.	3	3	.	.	17	1
IV.	GENERAL SERVICE CLASS, ...	154,279	25·0	74	27	4	3	14	17	5	4	.	.	.	.	.	.	2	.	9	2	2	2	8	11	1	1	3	33	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	29	3	.	1	5	7	6	7	.	.	.	.	.	.	.	.	6	1	1	.	2	4	.	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	24·9	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c....	22,016	18·9	8	1	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	7	.
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	2	.	.	2	3	1	4	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	8	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	27·0	14	1	2	3	2	4	.	2	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	1	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	5	.	1	1	.	.	1	1	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.	.	2	1
	10. Clothing Trades, ...	23,260	15·7	7	1	.	2	2	1	1	.	.	.	.	.	.	.	.	.	2	1	1	.	.	3	.	.	.	.	.
	11. Food Supply Trades	9,242	28·2	5	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	13·7	8	1	.	.	2	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	7	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	15. Domestic Servants, ...	36,603	14·2	10	2	.	1	3	1	1	2	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	4	.	.	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	51	21	4	1	9	12	2	2	.	.	.	.	.	.	2	.	4	2	2	1	5	7	1	1	2	24	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	29	3	.	1	5	7	6	7	.	.	.	.	.	.	.	.	6	1	1	.	2	4	.	.	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912–3. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1913 (Est.) 29,908.	Nov. 23,	29·8	3·5	17	1	.	.	.	1	.	.	.	5	2	.	.	3	.	.	.	1
		„ 30,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
		Dec. 7,	21·1	1·8	12	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	1
		„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	2
		„ 21,	21·1	.	12	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
		„ 28,	22·8	3·5	13	.	.	.	.	.	1	1	.	.	.	1	2	3	.	.	1	1
		Jan. 4,	26·2	5·2	15	.	.	.	.	1	1	.	.	.	1	1	1	1	1	.	1	.
		„ 11,	27·9	.	16	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	1	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1913 (Est.) 40,871.	Nov. 23,	24·4	2·6	19	.	.	.	.	.	.	.	.	1	2	.	1	4	2	.	.	.
		„ 30,	25·7	2·6	20	.	.	.	1	.	.	.	.	3	2	2	1	2	1	.	.	.
		Dec. 7,	27·0	3·9	21	.	.	.	.	.	.	1	.	3	2	1	.	4	2	.	.	2
		„ 14,	24·4	.	19	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	1
		„ 21,	25·7	2·6	20	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
		„ 28,	10·3	.	8	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.
		Jan. 4,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	2	2	2	.	2	.
		„ 11,	24·2	2·6	19	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	1	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1913 (Est.) 27,883.	Nov. 23,	28·1	1·9	15	.	.	.	.	.	.	.	.	2	1	1	1	3	1	.	.	.
		„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
		Dec 7,	35·5	1·9	19	.	.	.	.	1	.	.	.	2	.	1	2	3	.	.	.	.
		„ 14,	22·4	.	12	.	.	.	.	.	.	.	.	2	3	.	1	3	.	.	.	.
		„ 21,	28·1	5·6	15	.	.	.	.	.	.	.	.	3	1	.	1	4	3	.	.	.
		„ 28,	24·3	.	13	.	.	.	.	.	.	.	.	3	1	.	2	2	.	.	.	.
		Jan. 4,	31·8	1·9	17	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1
		„ 11,	22·4	.	12	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
	North City, No. 3. (Office, Benburb-street.) Pop. in 1913 (Est.) 35,185.	Nov. 23,	16·4	1·5	11	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
		„ 30,	16·4	1·5	11	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	1
		Dec. 7,	22·4	1·5	15	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
		„ 14,	26·9	.	18	.	.	.	.	.	.	.	.	2	2	2	3	5	.	.	.	.
		„ 21,	13·4	.	9	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.
		„ 28,	10·4	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
		Jan. 4,	25·2	1·5	17	.	.	.	.	.	.	1	.	4	.	3	2	2	.	.	.	1
		„ 11,	26·7	3·0	18	.	.	.	.	.	.	1	.	2	2	1	1	.	.	1	.	.
	South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1913. (Est.) 40,366.	Nov. 23,	24·7	1·3	19	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	.	.
		„ 30,	20·8	5·2	16	1	1	.	1	.	.	.	.	2	3	.	.	.	1	.	.	.
		Dec. 7,	22·1	1·3	17	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
		„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.
		„ 21,	31·2	2·6	24	.	.	.	.	1	.	.	.	2	1	.	3	2	1	.	.	.
		„ 28,	15·6	.	12	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	1
		Jan. 4,	29·7	1·3	23	.	.	.	.	.	.	1	.	6	.	1	3	4	.	.	.	.
		„ 11,	20·7	1·3	16	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1913 (Est.) 18,341.	Nov. 23,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
		„ 30,	17·1	.	6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
		Dec. 7,	34·1	.	12	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.
		„ 14,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
		„ 21,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.
		„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
		Jan. 4,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.
		„ 11,	28·4	2·8	10	1	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	South City, No. 3. (Office, Peter-street.) Pop. in 1913 (Est.) 43,110.	Nov. 23,	28·0	.	23	.	.	.	.	.	.	.	.	4	1	2	5	2	.	.	1	2
		„ 30,	20·7	1·2	17	.	.	.	.	1	.	.	.	2	.	1	3	3	.	.	.	2
		Dec. 7,	23·1	.	19	.	.	.	.	.	.	.	.	.	3	.	2	3	.	.	.	3
		„ 14,	20·7	1·2	17	.	.	.	.	.	.	.	.	.	.	.	3	4	1	.	.	2
		„ 21,	26·8	.	22	.	.	.	.	.	.	.	.	7	1	1	2	4	.	.	1	1
		„ 28,	17·1	.	14	.	.	.	.	.	.	.	.	4	1	.	4	2	.	.	.	.
		Jan. 4,	26·6	.	22	.	.	.	.	.	.	.	.	5	1	.	1	3	.	.	1	.
		„ 11,	27·8	2·4	23	.	.	.	.	.	.	.	.	2	2	2	2	3	2	.	.	.
	South City, No. 4. (Office, Grand Canal-st.) Pop. in 1913 (Est.) 33,171.	Nov. 23,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	.	.	.	2	.	.	.
		„ 30,	29·0	1·6	19	1	.	.	.	.	.	.	.	4	3	.	.	3	.	.	.	.
		Dec. 7,	33·0	4·7	21	.	.	.	1	.	.	1	.	1	1	1	1	2	1	.	.	2
		„ 14,	17·3	1·6	11	.	.	.	.	.	1	.	.	1	1	.	2	1	.	.	1	.
		„ 21,	28·3	7·9	18	.	.	.	.	.	.	.	.	4	.	2	.	.	5	.	.	.
		„ 28,	17·3	1·6	11	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.
		Jan. 4,	29·9	1·6	19	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	1	2
		„ 11,	17·3	.	11	.	.	.	.	.	.	.	.	4	.	.	3	2	.	.	.	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1912–3. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Nov. 23,	17·6	1·4	13	.	.	.	.	.	.	.	1	1	.	.	3	2	.	.	.	1
	„ 30,	17·6	.	13	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	.
	Dec. 7,	19·0	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	1	1
	„ 14,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 28,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 4,	16·1	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	„ 11,	28·2	1·3	21	.	.	.	.	.	.	1	.	.	.	2	1	3	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Nov. 23,	14·0	1·8	8	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
	„ 30,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	Dec. 7,	15·3	1·3	9	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 21,	14·0	5·3	8	.	.	.	.	1	1	1	.	1	.	1	.	2	.	.	.	.
	„ 28,	21·0	1·8	12	.	.	.	.	.	1	.	.	1	.	.	2	2	.	.	.	1
	Jan. 4,	10·4	1·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
	„ 11,	12·2	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 16,941.	Nov. 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	Dec. 7,	6·2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 4,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 11,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Nov. 23,	18·4	2·4	138	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	2
	„ 30,	18·5	3·1	139	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	2
	Dec. 7,	23·5	2·8	177	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	2
	„ 14,	20·0	3·5	150	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	.
	„ 21,	23·5	4·4	177	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	.
	„ 28,	19·3	3·9	145	.	.	.	22	.	1	.	.	8	6	2	14	18	3	2	1	2
	Jan. 4,	23·8	3·2	181	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	2
	„ 11,	21·1	4·2	160	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	3
Cork. Pop. in 1911 76,673.	Nov. 23,	12·9	0·7	19	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	.
	„ 30,	18·4	1·4	27	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1
	Dec. 7,	21·8	.	32	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	2
	„ 14,	17·0	2·7	25	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	„ 21,	17·0	.	25	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	1
	Jan. 4,	27·2	3·4	40	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	2
	„ 11,	19·7	1·4	29	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Nov. 23,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.
	„ 30,	19·1	2·6	15	.	.	.	.	.	.	1	.	.	.	1	1	4	.	1	.	.
	Dec. 7,	17·9	.	14	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	1	.
	„ 14,	20·4	1·3	16	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	1
	„ 21,	17·9	.	14	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	1
	„ 28,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Jan. 4,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
	„ 11,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	.	3	2	.	.	.	3
Limerick. Pop. in 1911 38,518.	Nov. 23,	42·0	12·2	31	.	.	.	9	.	.	.	.	5	1	.	2	5	.	.	.	3
	„ 30,	27·1	4·1	20	.	.	.	3	.	.	.	.	2	.	2	.	1	.	.	.	3
	Dec. 7,	31·1	10·8	23	.	.	.	8	.	.	.	.	2	.	.	.	6	.	.	.	.
	„ 14,	20·3	6·8	15	.	.	.	5	.	.	.	.	1	.	.	1	1	.	.	1	.
	„ 21,	19·0	4·1	14	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	.	3
	„ 28,	5·4	1·4	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 4,	17·6	1·4	13	.	.	.	1	.	.	.	.	2	.	1	1	3	.	.	.	2
	„ 11,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
Waterford. Pop. in 1911 27,464.	Nov. 23,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	2
	„ 30,	32·3	.	17	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	Dec. 7,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 14,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2
	„ 21,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	1
	„ 28,	7·6	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	Jan. 4,	30·4	1·9	16	.	.	.	.	1	.	.	.	1	1	2	1	3	.	.	.	.
	„ 11,	28·5	5·7	15	.	.	.	.	2	.	.	.	2	1	.	1	1	1	.	1	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th January, 1913. Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	12	16·4	3·3	5	1	1	.	.	2	1	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 2 do.	49,500	26	21·1	5·3	20	6	3	2	2	3	4	.	.	.	2	1	.	1	.	2	.	.	3	1	1	.	.	.	4	.
Do. 3 do.	50,032	28	18·8	2·1	18	3	5	1	1	3	5	.	.	.	2	.	.	.	.	2	2	2	1	2	.	.	.	.	3	.
Do. 4 do.	32,637	26	28·8	3·2	18	8	2	2	3	1	2	.	.	.	2	.	.	.	.	1	.	.	1	2	.	.	1	1	10	.
Do. 5 do.	16,112	6	22·7	6·5	7	1	3	1	.	2	.	.	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	1	3	.
Do. 6 do.	37,293	11	19·6	1·4	14	2	1	.	5	4	2	.	.	.	1	.	.	.	.	2	.	3	2	1	.	.	.	.	4	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	35·0	.	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.
Do. 9 do.	24,427	11	17·1	6·4	8	2	2	.	2	1	1	.	.	.	1	.	.	.	.	2	.	.	2	.	2	.	.	.	4	.
Do. 10 do.	28,958	13	23·4	1·8	13	3	3	1	1	5	.	.	.	.	1	.	.	.	.	2	.	.	2	2	.	.	1	2	4	.
Do. 11 do.	39,311	20	18·6	1·3	14	1	5	.	2	3	3	.	.	.	1	.	.	.	.	2	2	.	1	2	.	.	1	2	2	.
Do. 12 do.	38,076	26	19·2	6·8	14	2	4	.	2	4	2	.	.	.	1	.	.	1	.	1	.	.	.	4	2	1	.	.	1	.
Do. 13 do.	23,233	7	15·7	4·5	7	1	1	1	3	1	.	.	.	.	1	1	.	.	.	3	.	.	.	.	.	.	.	.	1	2
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	6	41·4	16·1	18	4	7	2	1	3	1	.	.	.	6	.	.	.	.	.	1	.	4	1	1	.	.	1	2	1
Total,	386,947	194	21·1	4·2	160	36	38	10	22	33	21	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	7	41	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	4	7·8	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.	10,701	4	20·1	5·0	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	2	.
Do. 3 do.	9,978	9	21·3	5·3	4	1	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 4 do.	8,666	5	17·1	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 5 do.	6,592	3	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 6 do.	10,702	3	18·0	.	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	.	35·7	.	11	1	.	2	1	3	4	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	3	.
Total,	76,122	28	19·7	1·4	29	4	1	3	5	7	9	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.	11	.

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered, ...	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194
DEATHS registered, ...	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160
Annual Death rate per 1,000 of estimated population, ...	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1
AGES, Under 1 year, ...	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36
1—5 years, ...	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38
5—25 „ ...	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10
25—45 „ ...	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22
45—65 „ ...	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33
65 and upwards, ...	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21
Deaths from :—																										
Enteric Fever, ...	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20
Scarlet Fever, ...	.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2
Whooping-cough, ...	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.
Diphtheria, ...	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20
Tuberculous Disease, Other Forms,	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5
Cancer, ...	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5
Diseases of Respiratory System, Pneumonia,	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18
Diseases of Respiratory System, Others, ...	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17
Diarrhœa and Enteritis, under 2 years, ...	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7
Diarrhœa, 2 years and upwards,	1	.	.	.	.	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1
Violent Deaths, ...	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4
Number of Uncertified Deaths, ...	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Jan. 11,	2,289	1,331	15·4	4	.	60	3	22	5	20*a*
Edinburgh, ...	320,800	„ 11,	134	97	15·8	.	.	.	1	4	.	2
Glasgow, ...	1,021,500	„ 11,	597	341	17·4	.	.	2	3	15	4	3
Calcutta, ...	896,067	Nov. 30,	.	537	31·1	73*	.	1	.	.	4†	96‡
Bombay, ...	979,445	Dec. 7,	463	597	31·7	69*	2	.	.	.	.	69‡
Madras, ...	518,660	„ 14,	401	433	43·4	88*	1	.	?	?	?	100‡
Cairo, ...	704,956	Oct. 14,	631	494	36·5	4	.	6	.	?	26†	123*a*
Paris, ...	2,847,229	Dec. 28,	932	1,049	18·7	4	.	2	.	4	4†	17*a*
Brussels, ...	745,380	„ 21,	233	222	15·5	3	.	4	.	1	2†	2*a*
Antwerp, ...	308,618	„ 28,	.	.	.	.	.	.	.	.	.	.
Amsterdam, ...	587,067	„ 21,	230	123	10·9	.	.	2	.	.	1†	1*a*
Copenhagen, ...	468,000	„ 21,	217	141	15·7	.	.	.	3	3	1†	3
Stockholm, ...	346,599	„ 21,	158	95	14·3	.	.	.	.	.	.	.
Christiania, ...	247,488	„ 28,	97	48	10·1	.	.	1	.	.	3	1
St. Petersburg, ...	1,664,000	„ 7,	745	589	18·5	12	1	22	13	1	9†	27
Moscow, ...	1,617,157	„ 7,	.	.	.	.	.	.	.	.	.	.
Berlin, ...	2,098,226	„ 7,	746	518	12·9	.	.	2	10	1	7†	9
Hamburg, ...	953,079	„ 21,	.	262	14·3	1	.	1	1	2	9†	9
Breslau, ...	535,872	„ 21,	.	172	16·7	.	.	3	.	.	1	3
Munich, ...	615,000	„ 21,	.	196	16·6	.	.	4	.	.	3†	6
Vienna (with suburbs),	2,098,225	„ 21,	671	623	15·4	4	.	4	5	7	5†	19*a*
Buda-Pesth, ...	910,548	„ 21,	480	318	18·2	2	.	.	11	2	1†	7*a*
Prague and Faubourgs,	489,194	„ 14,	147	171	18·2	.	.	1	.	.	2†	10*a*
Trieste, ...	239,549	„ 21,	122	100	21·8	.	.	2	.	.	.	2*a*
Rome, ...	569,809	Sept. 28,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Dec. 21,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,606,105	Oct. 19,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Dec. 21,	.	244	19·7	2	.	10	2	2	4	2

* Deaths from "fever," including 5 from enteric fever, and 8 from plague in Calcutta, and 2 from enteric fever and 2 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 34 deaths from cholera in Calcutta, one in Bombay, and 6 in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th January, 1913

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	1	2	.	.	1	6
" " 1, West, ...	.	2	.	.	.	.	.	2	.	.	.	.	4
" " 2, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
" " 3, ...	.	4	.	.	5	.	1	.	1	.	.	2	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	2	.	.	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	3	.	.	2	.	.	1	.	.	.	1	7
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	.	.		.	.	.	.	2	.	.	4	6
" " 4, ...	.	2	.	.	.	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.		1	.	.	.	2	.	.	.	3
Total, ...	.	17	.	.	9	.	1	5	7	.	.	10	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th January, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th January.			
	Dec. 21.	Dec. 28.	Jan. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	32	29	20	7	9	1	17
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	1	1	1	.	.	2
Scarlet Fever, ...	118	112	114	30	23	.	121*
Diphtheria, ...	59	55	53	10	10	2	51
Pneumonia, ...	18	19	19	8	7	.	20

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 11th January, 1913:—

"This week witnessed the dispersal of an anticyclone which had so long been centred near the Azores, and the further development of a winter-anticyclone over Eastern and Central Europe and the Baltic region. In the latter system the barometer rose at Haparanda (Sweden) to 30·85 inches on Friday, but decreased to 30·79 inches on Saturday. Meanwhile, barometric pressure continued to be extremely low off the western coast of Iceland and over the North Atlantic generally north of the parallel of 50 degs. At times the baric gradient for S.E., S. and S.W. winds was very steep between the Continental anticyclone and the Oceanic depression. The weather was accordingly very unsettled, cloudy and stormy, with copious rainfalls in Ireland on and after Thursday. In this country a temporary spell of fine, bright, cold weather was enjoyed on Sunday and the early part of Monday owing to an equalisation of atmospheric pressure produced by the passage eastwards across the south of England of a well-marked-secondary depression. But from that time onward, with the exception of a few hours on Friday forenoon and again a few hours on Saturday afternoon, Ireland lay well within the confines of the Atlantic atmospheric 'hollow,' with the result that the weather was wet and stormy in the extreme. In the course of Friday night and the early hours of Saturday a fierce S. to S.E. gale raged on the east coast of Ireland, accompanied by torrents of rain, the Dublin measurements exceeding an inch and a half. This tempest was followed by a calm, lasting to the close of the week. In Dublin the mean height of the barometer was 29·666 inches, pressure ranging from 29·938 inches at 9 p.m. of Sunday (wind, calm) to 29·356 inches at 4 p.m. of Saturday (wind, W.). The corrected mean temperature was 47·1°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 46·4°. On Monday the screened thermometers fell to 34·0°, on Tuesday they rose to 55·4°. The prevailing winds were S.W. and S.E. Rain fell on 6 days to the large amount of 2·073 inches, of which 1·522 inches were measured on Friday. At 7 a.m. of Friday the White Star Liner 'Celtic' reported the very low barometer reading of 27·44 inches from lat. 49° N., long. 29° W., in mid-Atlantic."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·663 inches. The highest reading (29·867) was on Sunday at 9 p.m., air calm, the lowest (29·387) on Saturday at 9 a.m., wind E.S.E.

The mean temperature for the week was 45·1°, being 5·2° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday, on which day the thermometer registered 55°, and was lowest on Monday, the mercury having fallen to 26°. The mean of the Dry Bulb for the week was 45·6° and of the Wet Bulb, 43·9°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·870 inch.

At Greenwich the mean temperature for the week was 42·1°, the maximum 51·4°, and the minimum 33·1°; and at Edinburgh the maximum was 52·4°, the minimum 34·0°, and the mean 42·2°. The rainfall at Greenwich measured 0·66 in.; and at Edinburgh 0·62 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 5,	29·810	46	28	37·0	33·6	32·8	·93	·3	0·0	·000	W.S.W.	Calm.
Monday, " 6,	29·775	52	26	39·0	46·0	44·0	·86	·6	1·0	·025	Calm.	S.S.W.
Tuesday, " 7,	29·645	55	50	52·5	53·3	51·1	·85	·7	1·0	·015	S.W.	S.E.
Wednesday, " 8,	29·675	54	47	50·5	48·5	46·7	·87	·7	0·2	·025	S.E.	S.S.E.
Thursday, " 9,	29·605	50	43	46·5	48·7	46·5	·84	·6	0·0	·090	S.S.E.	S.E.
Friday, " 10,	29·685	49	44	46·5	47·1	45·6	·91	·7	0·0	·700	S.E.	S.E.
Saturday, " 11,	29·445	48	39	43·5	41·8	40·8	·92	·1	0·0	·015	E.S.E.	Calm.
Mean, ...	29·663	50·6	39·6	45·1	45·6	43·9	·88	·5	Total 2·2	Total ·870	Prevailing Wind, S.E.	

Sunday—Day overcast; night clear. *Monday*—Day cloudy, fine; night cloudy, heavy showers 3.50 to 4.50 a.m. *Tuesday*—Day cloudy, drizzling at intervals p.m.; night overcast, drizzling at intervals a.m. *Wednesday*—Day overcast, drizzling at intervals 9.30 a.m. to 1.0 p.m. and 5.30 to 7.45 p.m.; night cloudy. *Thursday*—Day overcast, drizzling 4.30 to 8.0 p.m.; night overcast, drizzling 12.0 m.n. to 4.30 a.m. and 7.0 to 9.0 a.m. *Friday*—Day overcast, drizzling 9.30 a.m. to 2.0 p.m. and 5.30 to 6.30 p.m.; night overcast, drizzling and heavy rain 11.45 p.m. to 8.50 a.m. *Saturday*—Day overcast, light rain 9.30 to 10.15 a.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 11th January, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 5,	40·9	42·8	45·0	47	37	42	—	—
Monday, " 6,	43·0	41·0	45·0	54	31	42·5	1·0	·005
Tuesday, " 7,	54·8	42·2	45·0	57	49	53	·8	·126
Wednesday, " 8,	47·0	44·2	45·0	53	46	49·5	—	·092
Thursday, " 9,	49·1	45·0	45·0	51	45	48	—	·243
Friday, " 10,	47·1	45·1	45·0	51	44	47·5	·1	1·440
Saturday, " 11,	43·6	45·0	45·0	49	41	45	—	·050
Weekly Mean, .	46·5	43·6	45·0	52	42	47	Total 1·9	Total 1·956

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 18TH JANUARY, 1913. [No. 3.

General Register Office, Charlemont House,
Dublin, 20th January, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 28	Jan. 4	Jan. 11	Jan. 18	
27 Town Districts, (*a*)	—	**22·0**	**21·0**	**22·2**	—
Dublin Reg. Area ...	14·2	22·8	22·8	22·3	20·5
Dublin City ...	15·1	25·5	22·8	23·2	21·7
Belfast	19·3	23·8	21·1	20·3	21·1
Cork	16·3	27·2	19·7	25·2	22·1
Londonderry ...	8·9	14·0	20·3	16·5	14·9
Limerick	5·4	17·6	12·2	13·5	12·2
Waterford	7·6	30·4	28·5	32·3	24·7

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·1 per 1,000. Among the 154 deaths from all causes for Belfast are one from enteric fever, 17 from measles, one from whooping-cough, 3 from diphtheria, and 9 from diarrhœal diseases. One of the 8 deaths from all causes for Lurgan is from scarlet fever. The 4 deaths from all causes for Newry include one from measles; and the 13 deaths from all causes for Tralee include 4 from measles, and one from diarrhœa of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—87 boys and 116 girls—and the deaths to 188—95 males and 93 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·3 per 1,000 of the population. During the three weeks, ending with Saturday last, the death rate averaged 22·6, and was 2·3 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 188, represent an annual rate of 24·3 per 1,000; the annual rate for the past three weeks was 24·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·0 per 1,000 of the mean population for all deaths registered.

Included in the total deaths there was one from each of enteric fever and scarlet fever, there were 2 from whooping-cough, 3 from diphtheria, one from influenza, and 3 from diarrhœa and enteritis of children under 2 years of age.

In each of the 3 preceding weeks, deaths from enteric fever were 0, 0, and one; deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were 2, 2, and 0; deaths from diphtheria were 3, 2, and 3; deaths from influenza were one, one, and 2; and deaths from diarrhœa and enteritis of children were 0, 7, and 5.

Of 32 deaths from tuberculosis, 26 were caused by pulmonary tuberculosis, 3 by tuberculous meningitis, 2 by abdominal tuberculosis, and one by tuberculosis of bladder. In the previous 3 weekly periods deaths from tuberculosis numbered 21, 30, and 27 respectively.

The deaths from pneumonia (all forms), include 7 deaths from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Cancer was the cause of death of 13 persons.

There were 3 deaths of infants from convulsions, 6 from congenital debility, 2 from premature birth, and one from congenital defect.

Twenty-seven deaths were caused by bronchitis, and 20 by organic diseases of the heart.

Of 2 deaths assigned to accidental causes, one was by inhalation of poisonous gas and one was by burning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 14 were under one month old) and 38 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·3 per 1,000; the rate in the City was 23·2 (North City Districts, 24·6; South, 21·6) and in the Suburbs, 19·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·4 (in the North City Districts 1·6, and in the South 1·1), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000, and include one death from influenza, 7 deaths from tuberculosis, 2 deaths from broncho-pneumonia, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 28·1 per 1,000. Scarlet fever and diphtheria each caused one death; there was one death from pulmonary tuberculosis, one death from broncho-pneumonia, 3 deaths from bronchitis, and 2 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000. The deaths include one from enteric fever, 3 from tuberculosis, one from broncho-pneumonia, one from pneumonia, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 23·7 per 1,000. The total includes 3 deaths from pulmonary tuberculosis, and 2 deaths from tuberculous meningitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·4; and Finglas and Glasnevin, part of, 9·8. Of the 4 deaths from all causes for Coolock and Drumcondra one is from pneumonia and 2 are from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·8 per 1,000. Diphtheria caused 2 deaths; there was one death from pulmonary tuberculosis, also one death from lobar pneumonia, and 4 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000, and include one death from whooping-cough, one death from pulmonary tuberculosis, and 2 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (9) are equal to an annual rate of 10·9 per 1,000. Pulmonary tuberculosis caused 2 deaths, and there were 4 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (18) are equivalent to an annual rate of 28·3 per 1,000. There were 6 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. Of the deaths 2 were from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·9; Pembroke, 17·4; Blackrock, 5·7; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Pembroke, and one from diarrhœa of a child under 2 years of age for Rathmines and Rathgar. Among the 17 deaths from all causes for the latter district are one from pulmonary tuberculosis and 4 from bronchitis. Included in the 10 deaths from all causes for Pembroke are one from pulmonary tuberculosis, 2 from broncho-pneumonia and one by accidental inhalation of poisonous gas; and of the 7 deaths from all causes for Kingstown 2 are from bronchitis.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 18th January, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Dec. 28,	.	—	—	7	.	.	7	.	1	2	2	1	—	—	.	—	2	.	22
	Jan. 4,	.	—	—	17	.	.	8	.	.	.	11	1	—	—	.	—	12	.	49
	Jan. 11,	.	—	—	17	.	.	9	.	1	5	7	.	—	—	.	—	10	.	49
	Jan. 18,	.	—	—	10	.	.	6	.	.	3	3	.	—	—	.	—	14	1	37
Rathmines and Rathgar Urban District.	Dec. 28,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 4,	.	—	—	4	.	.	7	.	.	.	.	.	—	—	—	—	—	—	11
	Jan. 11,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Jan. 18,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Dec. 23,	.	.	.	5	.	.	1	.	.	.	.	.	—	2	—	—	.	—	8
	Jan. 4,	.	.	.	1	.	.	.	.	.	.	.	.	—	10	—	—	.	—	11
	Jan. 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	—	—	3	—	8
	Jan. 18,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	—	—	.	—	5
Blackrock Urban District.	Dec. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Dec. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Jan. 4,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	.	—	2
	Jan. 11,	.	—	—	3	.	.	.	.	.	1	2	.	—	—	—	—	1	—	7
	Jan. 18,	.	—	—	3	.	.	.	.	.	2	1	.	—	—	—	—	3	—	9
City of Belfast.	Dec. 28,	.	—	—	16	.	.	8	.	.	.	3	.	—	—	—	—	1	—	28
	Jan. 4,	.	—	—	22	.	.	6	.	1	.	8	.	—	—	—	—	8	—	45
	Jan. 11,	.	—	—	34	.	.	10	.	.	1	8	.	—	—	—	—	8	—	61
	Jan 18.	.	—	—	24	.	.	3	2	.	4	7	.	—	—	—	—	7	—	47

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th January, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, one was discharged, and 19 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 29, 20, and 17.

One case of measles was admitted to hospital, one was discharged, and 2 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were one, one, and 2, respectively.

Nineteen cases of scarlet fever were admitted to hospital, 15 were discharged, there were 2 deaths, and 123* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 112, 114, and 121, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 6 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 55, 53, and 51, respectively, were 49 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 7 were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·5), was equal to an average annual death-rate of 16·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·5 per 1,000, the rate for Glasgow being 18·5, and for Edinburgh 17·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th January. From this Report it appears that of a total of 71 cases notified, 28 were phthisis, 24 scarlet fever, 11 diphtheria, 6 erysipelas, one puerperal fever, and one cerebro-spinal fever. Among the 361 cases of infectious diseases in hospital at the close of the week were 156 cases of scarlet fever, 94 of phthisis, 42 of whooping cough, 32 of diphtheria, 9 of measles, 8 of chicken-pox, 7 of erysipelas, 5 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 18th January, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 18th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	27·4	22·2	2·1	631	510	89	123	2	...	...	22	2	3	6	...	48	17	22	37	76	12	2	4	18	171	19	...	...	..	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	26·3	22·3	1·3	203	172	28	34	1	...	...	...	1	2	3	...	25	5	13	10	29	3	...	1	4	79	6	e48	19	35·7	0·75	e 55	26	45·1	0·87	e 52	36	43·6	0·08
CITY OF DUBLIN,	308,187	39·0	28·6	23·2	1·4	169	137	24	22	1	...	...	...	1	1	3	...	23	5	11	8	22	2	...	...	3	65	6	f46·3 g46·9	28·1 21·0	38·9 36·7	1·30 1·20	f55·4 g56·8	34·0 28·0	47·1 45·9	2·07 1·66	f51·4 g 52·7	39·1 37·2	45·5 44·5	0·05 0·06
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	9·4	22·9	1·3	7	17	3	8	...	...	...	...	...	...	...	..	1	...	1	...	5	1	...	...	...	7	...	...	...	...	...	...	...	...	...	.	...	...	...
PEMBROKE. ...	29,942	19·0	22·6	17·4	1·7	13	10	1	2	...	...	...	...	...	1	...	...	1	...	1	2	...	...	...	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK....	9,161	8·5	28·5	5·7	.	5	1	...	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN,...	16,941	11·6	27·7	21·5	.	9	7	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	3	..	46	29	39·5	1·11	56	31	47·6	2·02	55	37	44·6	0·14
Urban Districts. BELFAST ...	396,000	26·5	25·8	20·3	4·1	196	154	28	26	1	...	...	17	...	1	3	...	13	3	4	16	22	7	2	2	7	41	2	45·0	24·8	36·0	1·86	54·0	27·8	43·6	1·42	50	31	40·7	0·63
CORK, ..	76,673	28·6	19·7	25·2	.	29	37	7	11	...	...	...	...	...	...	...	...	4	2	...	2	8	...	...	...	2	13	...	49	31	40·4	1·51	51	36	46·9	2·60	52	38	45·2	0·73
LONDONDERRY...	41,000	15·9	43·2	16·5	.	34	13	4	2	...	...	...	...	...	...	...	...	1	...	2	1	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	36·6	13·5	.	27	10	1	4	...	...	...	...	...	...	...	...	...	...	...	...	2	...	..	...	2	1	4	44·9	25	36·4	0·81	53·2	29·2	43·5	2·45	50·9	29·7	43·0	0·33
WATERFORD, ...	27,464	19·1	32·3	32·3	1·9	17	17	4	4	...	...	...	...	...	...	...	...	2	2	...	...	2	1	...	...	...	10	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				7	6	...	4	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	5	...	47	30	41·4	0·92	50	33	44	1·19	55	31	42	0·85
DUNDALK, ...	13,128	9·5				6	4	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	.	...	...	...	..	...	...	...	...	...	...	...	..
LURGAN, ...	12,553	14·7				8	8	...	5	...	...	...	..	1	...	...	..	...	...	...	1	...	...	...	...	...	2	...	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46
DROGHEDA, ...	12,501	8·4				6	6	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				10	8	3	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	3	...	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46
NEWRY. ...	11,963	17·0				6	4	1	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46
PORTADOWN, ...	11,727	15·3				10	3	...	1	...	...	...	...	...	...	...	...	...	1	...	.	...	...	...	...	...	.	...	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46
WEXFORD. ...	11,531	22·8				7	5	...	4	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				5	8	1	2	...	...	...	...	...	...	...	...	...	1	2	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8				4	5	1	3	...	...	...	...	...	...	...	...	..	...	...	1	1	...	...	...	...	2	1	45	24	35·0	0·81	55	28	42·0	2·79	54	29	41·0	0·82
KILKENNY, ...	10,514	11·4				5	6	1	1	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	2	...	46	22	35·0	0·90	52	26	43·8	2·41	51	30	40·2	0·30
TRALEE. ...	10,300	17·4				5	13	3	3	...	...	...	4	...	...	...	...	..	2	...	1	...	1	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL. ...	10,209	7·8				6	6	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	2	...	...	...	..	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				12	4	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	46	27	38·1	1·31	51	33	43·9	0·91	51	34	42·5	0·37
QUEENSTOWN, ...	8,209	14·7				7	4	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	..	49	31	40·4	1·51	51	36	46·9	2·60	52	38	45·2	0·73
LARNE, ...	8,036	13·4				6	4	1	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				1	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ...	7,691	7·2				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				3	2	...	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				6	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39	50·0	33·5	42·0	0·46

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 16 deaths of persons (including one under one year old and 4 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th of January, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.
Diphtheria,	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	6	1	1	3	.	.	.	1	1	2	6	2	1	1	.	.	25	1
Tuberculous Disease. { Other Forms,	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	5	1
Cancer,	1	.	1	3	1	.	.	1	.	1	3	.	1	1	.	.	13	.
Diseases of Nervous System,	.	1	2	1	.	.	.	4	.	1	1	1	3	.	.	3	17	.
" Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	3	3	2	.	.	.	3	3	1	2	.	2	.	.	1	20	2
" Respiratory System. { Pneumonia,	2	1	2	.	.	1	.	1	.	.	1	.	.	2	.	.	10	.
" Respiratory System. { Others,	1	4	2	.	.	2	.	4	2	4	2	1	5	.	.	2	29	1
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	1	1	1	.	.	.	1	.	.	.	.	1	1	.	.	7	3
" Genito-urinary System,	.	1	1	.	.	.	1	.	1	.	2	.	.	.	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	5	1	3	1	1	1	2	1	.	1	.	2	2	1	1	23	3
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	3	.
Deaths from All Causes	14	22	17	16	2	4	2	20	9	9	18	4	17	10	1	7	172	16
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·4	28·1	31·8	23·7	19·2	15·4	9·8	25·8	25·6	10·9	28·3	21·4	22·9	17·4	5·7	21·5	22·3	.
	24·6							21·6					19·2					
	23·2																	
Ages at Death. Under 1 year,	2	5	2	1	1	.	1	4	3	2	3	.	3	1	.	.	28	1
1 and under 2 years,	.	2	1	.	.	.	.	1	.	.	.	.	.	2	.	1	7	.
2 " 5 "	.	2	1	1	.	.	.	2	.	1	.	.	.	.	.	1	8	.
5 " 15 "	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	2	7	1
15 " 25 "	1	2	1	1	.	.	1	.	.	.	3	2	1	.	.	.	12	1
25 " 45 "	7	1	6	4	.	.	.	3	.	1	3	1	.	1	.	.	27	5
45 " 65 "	2	5	6	2	1	3	.	4	5	5	4	1	5	4	.	2	49	4
65 and upwards,	1	5	.	5	.	1	.	5	1	.	4	.	8	2	1	1	34	4
Number of Uncertified Deaths,	.	2	1	1	.	.	.	1	1	.	.	.	.	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	5	4	5	.	.	1	6	1	2	7	1	5	2	1	2	45	16
Workhouse Hospitals,	1	3	8	3	.	.	.	5	3	2	4	1	2	1	.	1	34	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 18th January, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Jan. 21, 1911.	Jan. 20, 1912.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 42·2	° 42·4	° 38·6	° 38·5	° 43·0	° 44·5	° 38·8	° 37·6	° 38·6	° 42·7	° 40·7	° 35·7										
ALL CAUSES.	211	195	160	154	214	246	200	181	190	212	196·3	188	14	15	7	8	8	13	32	53	23	15
Enteric Fever, ...	3	3	1	.	1	3	.	.	.	4	1·5	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	5	.	1	.	9	.	6	1	2·3	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	2	1	.	.	.	.	.	3	·9	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	.	5	.	1	5	.	2	4	6	6	2·9	2	.	1	1	.	.	.	.	.	.	.
Diphtheria, ...	3	.	2	.	2	.	1	3	4	3	1·8	3	.	.	1	1	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	3	4	.	4	8	2	5	1	.	2·9	1	.	.	.	.	.	.	1	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	1	.	1	1	.	.	.	·3	2	.	.	.	.	.	.	1	.	.	1
Other Epidemic Diseases, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	3	.	1	.	3	1	1	2	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	29	27	27	23	22	28	18	21	27	27	24·9	26	.	.	.	.	.	8	9	7	1	1
Tuberculous Meningitis, ...	4	1	3	2	3	4	3	2	4	5	3·1	3	.	.	.	2	1	.	.	.	.	.
Abdominal Tuberculosis, ...	.	.	1	.	1	1	2	1	1	.	·7	2	.	.	.	.	.	.	1	1	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	1	9	8	3	11	5	4	3	4	.	5·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										1		1	.	.	.	.	.	.	1	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	2	.	2	.	1	1	2	1	1	1	1·1	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	8	7	5	12	8	7	5	8	12	5	7·7	13	.	.	.	.	.	.	4	6	1	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	1	.	.	.	.	.	.	.	1	·3	2	.	.	.	.	.	1	.	1	.	.
Diabetes, ...	1	.	.	1	.	3	1	.	1	2	·9	2	.	.	.	.	.	.	1	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	2	.	—	2	.	.	1	.	1	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	5	6	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		4	.	.	.	2	2	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										7		3	.	.	.	.	.	.	1	1	1	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		5	.	.	.	.	.	.	.	2	2	1
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										3		3	3	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	64	41	35	37	47	47	48	46	35	4	44·6	2	.	.	.	.	1	.	1	.	.	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										21		20	.	.	.	.	.	.	4	8	6	2
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	38	27	15	20	30	44	31	25	26	25	28·1	27	1	4	1	2	.	.	2	8	6	3
Broncho-pneumonia, ..	2	10	6	5	10	12	10	12	7	8	8·2	7	1	1	2	.	1	.	1	1	.	.
Lobar pneumonia, ..	.	.	.	2	2	1	.	1	.	2	·8	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	8	6	6	5	7	11	9	8	3	3	6·6	2	.	.	.	.	.	.	.	2	.	.
Pleurisy, ...										.		2	.	.	.	.	.	.	.	2	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	1	3	2	3	3	3	4	2	1	2·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	.	.	.	.	1

THIRD WEEK ending Saturday, 18th January, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 18th January, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Jan. 21, 1911.	Jan. 20, 1912.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 42·2	° 42·4	° 38·6	° 38·5	° 43·0	° 44·5	° 38·8	° 37·6	° 38·6	° 42·7	° 40·7	° 35·7										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	3	—	4	.	.	1	.	.	.	.	2	1	.
Diarrhœa and Enteritis of Children under 2 years.	4	1	.	2	5	4	12	7	2	4	4·2	3	.	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	1	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	1	—	2	.	.	.	.	.	.	.	1	1	.
Cirrhosis of Liver, ...	2	.	1	1	.	1	3	.	.	1	·9	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	.	3	.	.	2	1	.	.	1	1	·8	1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	1	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	3	5	6	8	6	3	3	.	.	4·0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	4	8	5	11	7	4	4	8	2	6·5	1	.	.	.	.	.	.	.	.	1	.
Chronic Bright's Disease, ...										6		5	.	.	.	.	.	1	.	4	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	1	.	.	1	·2	1	.	.	.	.	.	1	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	.	.	1	.	1	.	1	·3	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	4	1	—	2	.	1	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	1	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	7	2	4	7	4	2	7	2	4	4·2	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	4	—	6	2	4	.	.	.	.	.	.	.	.
Old Age, ...	2	11	5	3	7	7	.	4	7	8	5·4	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	4	3	.	.	.	.	1	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	2	4	2	1	2	.	1	.	1·3	1	.	.	.	.	.	.	.	.	1	.
Drowning, ...	1	2	.	.	1	.	.	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	2	2	2	3	2	3	.	.	3	1·9	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	4	4	4	7	6	4	5	.	1	5	4·0	2	.	.	.	.	.	.	1	.	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	1	1	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	2	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	2	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	6	10	—	3	.	.	.	.	.	.	.	1	.	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec 28.	Jan. 4.	Jan. 11.	Jan. 18.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered.	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203
Average Births in corresponding week of previous 10 years, ...	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211
DEATHS registered.	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188
Annual Death-rate per 1,000, ...	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3
Average Deaths in corresponding week of previous 10 years, ...	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196
Ages, Under 5 years, ...	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44
5—15 „ ...	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8
15—25 „ ...	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13
25—45 „ ...	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32
45—65 „ ...	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53
65—75 „ ...	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23
75 and upwards, ...	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15
Deaths from :—																										
Enteric Fever, ...	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1
Whooping-cough, ...	1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2
Diphtheria, ...	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3
Influenza, ...	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26
Tuberculous Disease, Other Forms,	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6
Cancer, ...	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13
Diseases of Circulatory System,	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22
Diseases of Respiratory System, Pneumonia,	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10
Diseases of Respiratory System, Others, ...	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30
Diarrhœa and Enteritis, under 2 years, ...	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3
Diarrhœa, 2 years and upwards,	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Violent Deaths, ...	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2
Number of Uncertified Deaths,	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6
Mean Temperature of the Air (Phœnix Park)	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7
Average Mean Temperature in corresponding week of previous 10 years, ...	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7
Rainfall in inches, ...	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th January, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH JANUARY, 1913.

Class.	Occupation or Social Position (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	188	44	8	13	32	53	23	15	1	.	.	.	1	2	3	.	26	6	13	3	10	30	3	.	2	88	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	26·9	9	.	1	1	.	1	3	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	6	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	5	2	3	4	9	5	2	1	.	.	.	.	.	.	.	2	2	2	.	.	4	.	.	1	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	24·1	51	12	.	4	11	16	4	4	.	.	.	.	.	1	1	.	10	2	5	1	3	6	1	.	.	21	3
IV.	GENERAL SERVICE CLASS, ...	154,279	21·6	64	23	5	4	10	13	7	2	.	.	.	.	1	1	2	.	10	1	1	2	6	10	1	.	1	28	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	34	4	.	1	7	14	4	4	.	.	.	.	.	.	.	.	3	1	4	.	1	9	1	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	46·8	7	.	1	1	.	1	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	2	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	2	.	1	3	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	27·0	14	.	1	2	1	6	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	3	.	.	1	2	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	4	.	3	.	5	1	.	.	.	.	.	.	.	.	.	2	.	1	.	1	2	1	.	.	6	3
	10. Clothing Trades, ...	23,260	17·9	8	1	.	.	2	3	.	2	.	.	.	.	.	.	.	.	4	.	2	1	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	36·1	21	3	.	1	7	6	3	1	.	.	.	.	.	.	.	.	4	1	2	.	.	4	.	.	.	10	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	35·0	9	1	2	.	1	2	2	1	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.	.	.	4	.
	15. Domestic Servants, ...	36,603	7·1	5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	3	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	26·1	45	18	3	4	8	8	3	1	.	.	.	.	.	.	2	.	7	1	1	2	4	7	1	.	1	19	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	34	4	.	1	7	14	4	4	.	.	.	.	.	.	.	.	3	1	4	.	1	9	1	.	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases,*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Nov. 30,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
	Dec. 7,	21·1	1·8	12	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	1
	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	2
	„ 21,	21·1	.	12	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 28,	22·8	3·5	13	.	.	.	.	.	1	1	.	.	.	1	2	3	.	.	1	1
	Jan. 4,	26·2	5·2	15	.	.	.	.	1	1	.	.	.	1	1	1	1	1	.	1	.
	„ 11,	27·9	.	16	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	1	1
	„ 18,	24·4	.	14	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Nov. 30,	25·7	2·6	20	.	.	.	1	.	.	.	.	3	2	2	1	2	1	.	.	.
	Dec. 7,	27·0	3·9	21	.	.	.	.	.	.	1	.	3	2	1	.	4	2	.	.	2
	„ 14,	24·4	.	19	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	1
	„ 21,	25·7	2·6	20	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
	„ 28,	10·3	.	8	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.
	Jan. 4,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	2	2	2	.	2	.
	„ 11,	24·2	2·6	19	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	1	.
	„ 18,	28·1	5·1	22	.	.	.	.	1	.	1	.	1	.	.	1	4	2	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Nov. 30,	15·0	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	Dec 7,	35·5	1·9	19	.	.	.	.	1	.	.	.	2	.	1	2	3	.	.	.	.
	„ 14,	22·4	.	12	.	.	.	.	.	.	.	.	2	3	.	1	3	.	.	.	.
	„ 21,	28·1	5·6	15	.	.	.	.	.	.	.	.	3	1	.	1	4	3	.	.	.
	„ 28,	24·3	.	13	.	.	.	.	.	.	.	.	3	1	.	2	2	.	.	.	.
	Jan. 4,	31·8	1·9	17	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1
	„ 11,	22·4	.	12	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
	„ 18,	31·8	1·9	17	1	.	.	.	.	.	.	.	1	2	1	2	2	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Nov. 30,	16·4	1·5	11	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	1
	Dec. 7,	22·4	1·5	15	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
	„ 14,	26·9	.	18	.	.	.	.	.	.	.	.	2	2	2	3	5	.	.	.	.
	„ 21,	13·4	.	9	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.
	„ 28,	10·4	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	Jan. 4,	25·2	1·5	17	.	.	.	.	.	.	1	.	4	.	3	2	2	.	.	.	1
	„ 11,	26·7	3·0	18	.	.	.	.	.	.	1	.	2	2	1	1	.	.	1	.	.
	„ 18,	23·7	.	16	.	.	.	.	.	.	.	.	3	2	3	.	.	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Nov. 30,	20·8	5·2	16	1	1	.	1	.	.	.	.	2	3	.	.	.	1	.	.	.
	Dec. 7,	22·1	1·3	17	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.
	„ 21,	31·2	2·6	24	.	.	.	.	1	.	.	.	2	1	.	3	2	1	.	.	.
	„ 28,	15·6	.	12	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	1
	Jan. 4,	29·7	1·3	23	.	.	.	.	.	.	1	.	6	.	1	3	4	.	.	.	.
	„ 11,	20·7	1·3	16	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.
	„ 18,	25·8	2·6	20	.	.	.	.	.	.	2	.	1	.	1	1	4	.	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Nov. 30,	17·1	.	6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
	Dec. 7,	34·1	.	12	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.
	„ 14,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 21,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.
	„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
	Jan. 4,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.
	„ 11,	28·4	2·8	10	1	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 18,	25·6	2·8	9	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Nov. 30,	20·7	1·2	17	.	.	.	.	1	.	.	.	2	.	1	3	3	.	.	.	2
	Dec. 7,	23·1	.	19	.	.	.	.	.	.	.	.	.	3	.	2	3	.	.	.	3
	„ 14,	20·7	1·2	17	.	.	.	.	.	.	.	.	.	.	.	3	4	1	.	.	2
	„ 21,	26·8	.	22	.	.	.	.	.	.	.	.	7	1	1	2	4	.	.	1	1
	„ 28,	17·1	.	14	.	.	.	.	.	.	.	.	4	1	.	4	2	.	.	.	.
	Jan. 4,	26·6	.	22	.	.	.	.	.	.	.	.	5	1	.	1	3	.	.	1	.
	„ 11,	27·8	2·4	23	.	.	.	.	.	.	.	.	2	2	2	2	3	2	.	.	.
	„ 18,	10·9	.	9	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Nov. 30,	29·9	1·6	19	1	.	.	.	.	.	.	.	4	3	.	.	3	.	.	.	.
	Dec. 7,	33·0	4·7	21	.	.	.	1	.	.	1	.	1	1	1	1	2	1	.	.	2
	„ 14,	17·3	1·6	11	.	.	.	.	.	1	.	.	1	1	.	2	1	.	.	1	.
	„ 21,	28·3	7·9	18	.	.	.	.	.	.	.	.	4	.	2	.	.	5	.	.	.
	„ 28,	17·3	1·6	11	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.
	Jan. 4,	29·9	1·6	19	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	1	2
	„ 11,	17·3	.	11	.	.	.	.	.	.	.	.	4	.	.	3	2	.	.	.	1
	„ 18,	28·3	.	18	.	.	.	.	.	.	.	.	6	.	3	1	2	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912–3. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Nov. 30,	17·6	.	13	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	.
	Dec. 7,	19·0	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	1	1
	„ 14,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 28,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 4,	16·1	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	„ 11,	28·2	1·3	21	.	.	.	.	.	.	1	.	.	.	2	1	3	.	.	.	.
	„ 18,	22·9	1·3	17	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Nov. 30,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	Dec. 7,	15·8	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 21,	14·0	5·3	8	.	.	.	.	1	1	1	.	1	.	1	.	2	.	.	.	.
	„ 28,	21·0	1·8	12	.	.	.	.	.	1	.	.	1	.	.	2	2	.	.	.	1
	Jan. 4,	10·4	1·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
	„ 11,	12·2	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	„ 18,	17·4	1·7	10	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 16,941.	Nov. 30,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	Dec. 7,	6·2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 4,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 11,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 18,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Nov. 30,	18·5	3·1	139	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	2
	Dec. 7,	23·5	2·8	177	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	2
	„ 14,	20·0	3·5	150	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	.
	„ 21,	23·5	4·4	177	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	.
	„ 28,	19·3	3·9	145	.	.	.	23	.	1	.	.	8	6	2	14	18	3	2	1	2
	Jan. 4,	23·8	3·2	181	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	2
	„ 11,	21·1	4·2	160	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	3
	„ 18,	20·3	4·1	154	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	2
Cork. Pop. in 1911 76,673.	Nov. 30,	18·4	1·4	27	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1
	Dec. 7,	21·8	.	32	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	2
	„ 14,	17·0	2·7	25	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	„ 21,	17·0	.	25	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	1
	Jan. 4,	27·2	3·4	40	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	2
	„ 11,	19·7	1·4	29	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.
	„ 18,	25·2	.	37	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Nov. 30,	19·1	2·6	15	.	.	.	.	.	.	1	.	.	.	1	1	4	.	1	.	.
	Dec. 7,	17·9	.	14	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	1	.
	„ 14,	20·4	1·3	16	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	1
	„ 21,	17·9	.	14	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	1
	„ 28,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Jan. 4,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
	„ 11,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	.	3	2	.	.	.	3
	„ 18,	16·5	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
Limerick. Pop. in 1911 38,518.	Nov. 30,	27·1	4·1	20	.	.	.	3	.	.	.	.	2	.	2	.	1	.	.	.	3
	Dec. 7,	31·1	10·8	23	.	.	.	8	.	.	.	.	2	.	.	.	6	.	.	.	.
	„ 14,	20·3	6·8	15	.	.	.	5	.	.	.	.	1	.	.	1	1	.	.	1	.
	„ 21,	19·0	4·1	14	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	.	3
	„ 28,	5·4	1·4	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 4,	17·6	1·4	13	.	.	.	1	.	.	.	.	2	.	1	1	3	.	.	.	2
	„ 11,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 18,	13·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
Waterford. Pop. in 1911 27,464.	Nov. 30,	32·3	.	17	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	Dec. 7,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 14,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2
	„ 21,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	1
	„ 28,	7·6	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	Jan. 4,	30·4	1·9	16	.	.	.	.	1	.	.	.	1	1	2	1	3	.	.	.	.
	„ 11,	28·5	5·7	15	.	.	.	.	2	.	.	.	2	1	.	1	1	1	.	1	2
	„ 18,	32·3	1·9	17	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th January, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	42·7	9·9	13	1	3	1	2	3	3	.	.	.	2	.	.	1	.	2	.	1	1	3	.	.	.	.	6	.
Do. 2 do.	49,500	19	26·3	6·3	25	3	7	5	.	7	3	.	.	.	2	.	.	1	.	2	.	.	3	2	2	1	.	.	8	.
Do. 3 do.	50,032	19	19·8	4·2	19	4	3	1	2	7	2	.	.	.	1	.	1	.	.	2	.	.	1	3	2	.	1	2	5	.
Do 4 do.	32,637	26	27·2	6·4	17	3	5	3	1	4	1	.	.	.	3	.	.	1	.	2	1	.	3	1	.	.	.	.	5	.
Do. 5 do.	16,112	12	22·7	6·5	7	3	1	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	1	.
Do. 6 do.	37,293	10	11·2	1·4	8	1	.	.	2	4	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	13	12·8	.	6	1	.	1	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1
Do. 10 do.	28,958	11	23·4	3·6	13	.	2	1	2	4	4	.	.	.	2	.	.	.	.	.	.	.	.	5	.	.	.	.	3	1
Do. 11 do.	39,311	22	10·6	1·3	8	1	1	.	2	2	2	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	1	.
Do. 12 do.	38,076	36	26·0	9·6	19	8	4	2	.	2	3	1	.	.	5	.	.	.	.	1	1	.	2	2	1	.	.	2	6	.
Do. 13 do.	23,233	6	18·0	.	8	2	1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	23·0	2·3	10	1	3	.	1	3	2	.	.	.	1	.	.	.	.	.	.	1	4	2	.	.	.	.	5	.
Total,	386,947	196	20·3	4·1	154	28	30	15	15	40	26	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	7	41	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	23·3	.	6	.	.	1	1	.	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	2	.
Do 2 do.	10,701	4	20·1	.	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.
Do 3 do.	9,978	6	31·9	.	6	2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	3	.
Do 4 do.	8,666	5	34·2	.	6	3	.	.	.	2	1	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	1	1	.
Do 5 do.	6 592	2	41·7	.	5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	3	.
Do 6 do.	10,702	2	22·5	.	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 7 do.	16,616	4	16·2	.	5	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Total,	76,122	29	25·2	.	37	7	1	3	6	9	11	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	2	13	.

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered, ...	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196
DEATHS registered, ...	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154
Annual Death rate per 1,000 of estimated population, ...	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3
AGES, Under 1 year, ...	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28
1—5 years, ...	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30
5—25 ,, ...	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15
25—45 ,, ...	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15
45—65 ,, ...	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40
65 and upwards, ...	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26
Deaths from :—																										
Enteric Fever, ...	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17
Scarlet Fever, ...	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.
Whooping-cough, ...	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1
Diphtheria, ...	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13
Tuberculous Disease. Other Forms,	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3
Cancer, ...	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4
Diseases of Respiratory System, Pneumonia,	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16
Diseases of Respiratory System, Others, ...	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22
Diarrhœa and Enteritis, under 2 years, ...	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7
Diarrhœa, 2 years and upwards,	.	.	.	.	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2
Violent Deaths, ...	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2
Number of Uncertified Deaths, ...	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Jan. 18,	2,101	1,432	16·5	3	.	46	9	16	9	31*a*
Edinburgh, ...	320,800	,, 18,	132	105	17·1	.	.	.	.	1	.	.
Glasgow, ...	1,021,500	,, 18,	577	363	18·5	.	.	.	4	26	7	4
Calcutta, ...	896,067	Dec. 7,	.	628	36·4	132*	1	4	.	.	1†	117‡
Bombay, ...	979,445	,, 14,	472	598	31·7	76*	1	2	.	.	.	105‡
Madras, ...	518,660	,, 21,	.	.	.	.	.	.	.	.	.	.
Cairo, ...	704,956	Oct. 21,	633	399	29·5	5	.	3	.	?	18†	87*a*
Paris, ...	2,847,229	Jan. 4,	939	904	16·2	5	.	7	.	3	2†	16*a*
Brussels, ...	745,380	Dec. 28,	216	202	14·1	1	.	1	1	.	2†	7*a*
Antwerp, ...	308,618	,, 28,	123	75	12·7	.	.	1	1	1	1†	8
		Jan. 4,	103	77	13·0	.	.	.	1	1	.	12
Amsterdam, ...	587,067	Dec. 28,	283	136	12·4	.	.	5	.	1	.	.
Copenhagen, ...	468,000	,, 28,	231	132	14·7	.	.	.	5	2	1†	3*a*
Stockholm, ...	346,599	,, 28,	155	85	12·8	2	.	.	.	.	1	.
Christiania, ...	247,488	Jan. 4,	116	82	17·2	.	.	1	.	.	2	1
St. Petersburg, ...	1,664,000	Dec. 14,	727	635	19·9	11	.	24	3	5	7†	44
Moscow, ...	1,617,157	,, 7,	.	.	.	.	.	.	.	.	.	.
Berlin, ...	2,091,753	,, 14,	723	576	14·4	.	.	.	6	3	7†	31
Hamburg, ...	953,079	,, 28,	.	256	14·0	2	.	2	1	3	11†	17
Breslau, ...	535,872	,, 28,	.	185	18·0	1	.	3	.	2	2	6
Munich, ...	615,000	,, 28,	.	195	16·5	.	.	6	.	2	.	10
Vienna (with suburbs),	2,098,225	,, 28,	742	657	16·3	.	.	4	6	4	10†	29*a*
Buda-Pesth, ...	910,548	,, 28,	374	375	21·4	1	.	3	8	.	2†	13*a*
Prague and Faubourgs,	489,194	,, 21,	146	140	14·9	1	.	1	1	2	2†	8*a*
Trieste, ...	239,549	,, 28,	136	118	25·7	.	.	2	.	.	.	4*a*
Rome, ...	569,809	Sept. 28,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Dec. 28,	2,353	1,441	14·2	6	.	7	15	7	26†	27
Philadelphia, ...	1,606,105	Oct. 19,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Dec. 28,	.	224	16·2	.	.	9	1	1	6	9

* Deaths from "fever," including 8 from enteric fever, and 4 from plague in Calcutta, and 2 from enteric fever and 9 from plague in Bombay.

† Including deaths from croup.

‡ Including 50 deaths from cholera in Calcutta, and 28 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th January, 1913

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	2	.	.	1	.	.	1	.	.	.	.	.	4
" " 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	3	.	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	3	.	3
" " 3, ...	.	.	.	.	1	.	.	1	.	.	.	1	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	1	.	.	.	2	.	.	4	1	10
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
" " 3, ...	.	1	.		.	.	.	1	1	.	.	1	.	4
" " 4, ...	.	4	.	.	3	.	.	.	.	.	.	.	.	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	10	.	.	6	.	.	3	3	.	.	14	1	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th January, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th January.			
	Dec. 28.	Jan. 4.	Jan. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	29	20	17	3	1	.	19
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	1	2	1	1	.	2
Scarlet Fever, ...	112	114	121	19	15	2	123*
Diphtheria, ...	55	53	51	7	6	3	49
Pneumonia, ...	19	19	20	3	7	.	16

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 18th January, 1913:—

"While the weather remained changeable and unsettled, signs were not wanting that after many weeks the trough of low atmospheric pressure on the Atlantic was beginning to fill up. Another change was the prevalence of a much lower and more seasonable air temperature. The development in the Bay of Biscay on Saturday morning, January 11, of an energetic depression secondary to a large cyclonic disturbance near the centre of which the S.S. "Cameronia" recorded at 7 a.m. the low barometric reading of 27·98 inches in Lat. 54° N., Long. 17° W., equalised atmospheric pressure over Ireland and England, with the result that Sunday was fair, bright, and cold in these parts of the Kingdom and sharp frost occurred at night. The "secondary" in question travelled north-eastwards reaching East Anglia and Belgium on Sunday morning. Early on Monday the screened thermometers sank to 20° at Nottingham, 25° at Kew, 26° at Birr Castle, and 28° in Dublin At Buxton on Monday there was severe frost, the thermometer falling to 19° and rising no higher than 23° during the day. Tuesday again was very cold in Scotland and the north and centre of England, but a deep depression had already appeared off the west of Ireland. By night this system was centred off Kerry, with the barometer down to 28·94 inches at Valentia. A fresh to strong S.E. and S. gale sprang up at night, attended by a downpour of sleety rain. Before its influence reached the higher grounds in central England, Harrogate reported a mimimum of 13° and Buxton one of 16° on Tuesday night. From Wednesday to Saturday this depression lay almost stationary on the Atlantic W.N.W. of Ireland, filling up by degrees. On Thursday it threw off a "secondary low" at the mouth of the English Channel. This system followed much the same track as that observed the previous Saturday and Sunday, and its centre was found in the North Sea between the Norfolk and Dutch Coasts on Friday morning. At 7 a.m. of that day temperature ranged from −14° in Spitzbergen to 58° at Gibraltar. In Dublin the mean height of the barometer was 29·459 inches the range being from 29·751 inches at 9 p.m. of Sunday (wind, W.) to 29·000 inches at 7 a.m. of Wednesday (wind, S.W.). The corrected mean temperature was 38·9° or 9·8° below that of the previous week. The mean dry-bulb reading at 9 a.m. and 9 p.m. was 37·6°. The screened thermometers rose to 46·3° on Friday, having fallen to 28·1° on Monday. The prevalent winds were S.E. and S.W. Rain was measured on 5 days, the total amount being 1·300 inches, of which ·652 inch was recorded on Tuesday. Heavy hail, sleet, and snow fell after 9.30 p.m. of Monday.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·479 inches. The highest reading (29·808) was on Sunday at 9 p.m., air calm, the lowest (29·070) on Wednesday at 9 a.m., wind S.W.

The mean temperature for the week was 35·7°, being 5·0° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Friday, on which day the thermometer registered 48°, and was lowest on Monday, the mercury having fallen to 19°. The mean of the Dry Bulb for the week was 36·2° and of the Wet Bulb, 35·0°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·745 inch.

At Greenwich the mean temperature for the week was 38·5°, the maximum 48·1°, and the minimum 26·2°; and at Edinburgh the maximum was 40·6°, the minimum 20·9°, and the mean 32·4°. The rainfall at Greenwich measured 0·66 in.; and at Edinburgh 0·25 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 12,	29·745	38	27	32·5	31·7	31·1	·94	·3	4·2	·000	Calm.	Calm.
Monday, „ 13,	29·720	41	19	30·0	29·9	29·6	·96	·0	0·0	·210	Calm.	S.E.
Tuesday, „ 14,	29·430	42	20	31·0	36·7	34·7	·80	·7	4·3	·275	Calm.	S.E.
Wednesday, „ 15,	29·140	44	34	39·0	37·0	35·9	·90	·5	2·6	·000	S.W.	S.S.W.
Thursday, „ 16,	29·320	43	32	37·5	39·0	37·4	·88	·0	0·0	·190	S.	Calm.
Friday, „ 17,	29·360	48	29	38·5	39·8	38·6	·91	·3	0·8	·030	Calm.	Calm.
Saturday, „ 18,	29·635	46	37	41·5	39·3	37·9	·88	·6	3·2	·040	W.S.W.	S.W.
Mean, ...	29·479	43·1	28·3	35·7	36·2	35·0	·90	·3	Total 15·1	Total ·745	—	

Sunday—A beautiful bright day; night clear. *Monday*—Day overcast, showers at intervals 5.30 to 9.0 p.m.; night overcast to clear, heavy snow storm 9.30 to 11.20 p.m. *Tuesday*—Day bright to overcast; night overcast, drizzling and heavy rain 9.15 p.m. to 5.30 a.m. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day overcast, drizzling and heavy rain 1.30 to 6.20 p.m.; night cloudy. *Friday*—Day cloudy, fine; night cloudy, heavy shower 3.45 to 4.10 a.m. *Saturday*—A fine bright day; night clear to overcast, drizzling and heavy rain at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 18th January, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 12,	35·6	43·8	45·0	45	32	37·5	1·8	—
Monday, „ 13,	27·0	41·0	45·0	42	25	33·5	0·0	·199
Tuesday, „ 14,	31·0	39·6	45·0	43	27	35·0	3·8	·651
Wednesday, „ 15,	40·9	40·0	45·0	45	36	40·5	1·3	—
Thursday, „ 16,	40·9	39·6	45·0	46	35	40·5	0·0	·337
Friday, „ 17,	41·4	39·3	44·9	48	34	41·0	0·2	—
Saturday, „ 18,	42·0	39·6	44·6	47	38	42·5	2·7	·072
Weekly Mean, .	37·0	40·4	44·9	45·1	32·4	38·6	Total 9·8	Total 1·259

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 25TH JANUARY, 1913. [No. 4.

General Register Office, Charlemont House,
Dublin, 27th January, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to he undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Dec. 28	Jan. 4	Jan. 11	Jan. 18	Average Rate for 4 weeks.
27 Town Districts, (a)	**22·0**	**21·0**	**22·2**	**21·3**	**21·6**
Dublin Reg. Area ...	22·8	22·8	22·3	19·7	21·9
Dublin City ...	25·5	22·8	23·2	21·7	23·3
Belfast	23·8	21·1	20·3	24·5	22·4
Cork	27·2	19·7	25·2	21·8	23·5
Londonderry ...	14·0	20·3	16·5	30·5	20·3
Limerick	17·6	12·2	13·5	16·2	14·9
Waterford	30·4	28·5	32·3	19·0	27·5

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·7 per 1,000. Among the 186 deaths from all causes for Belfast are 13 from measles, 4 from scarlet fever, 2 from diphtheria, 4 from diarrhœa and enteritis of children under 2 years of age, and one from cerebro-spinal fever. One of the 32 deaths from all causes for Cork is from scarlet fever. Included in the 10 deaths from all causes for Waterford are 2 from whooping-cough. One of the 4 deaths from all causes for Newry is from measles and 3 deaths from this disease are among the 12 deaths from all causes for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 244—129 boys and 115 girls—and the deaths to 161—78 males and 83 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·7 per 1,000 of the population. During the four weeks, ending with Saturday last, the death rate averaged 21·9, and was 3·1 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 161, represent an annual rate of 20·8 per 1,000; the annual rate for the past four weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·2 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered were 2 from whooping-cough, 4 from diphtheria, one from influenza, and 2 from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks, deaths from whooping-cough were 2, 0, and 2; deaths from diphtheria were 2, 3, and 3; deaths from influenza were one, 2, and one; and deaths from diarrhœa and enteritis of children under 2 years were 7, 5, and 3.

Tuberculous disease, which in the 3 preceding weeks caused 30, 27, and 32 deaths, in the week under notice accounted for 20 deaths, comprising 14 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, and 3 from disseminated tuberculosis.

Broncho-pneumonia caused 4 deaths, lobar pneumonia, one death, and pneumonia (type not distinguished), 10 deaths.

Eight deaths were caused by cancer.

The deaths of 4 infants were caused by convulsions, one by congenital malformation, 5 by premature birth, and 10 by congenital debility.

Bronchitis caused 36 deaths and organic diseases of the heart 10 deaths.

There were 2 deaths by accidental burns or scalds, one being that of an infant aged seven months, and one that of a child aged 12 years.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 infants under one year old.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 15 were under one month old) and 38 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·7 per 1,000; the rate in the City was 21·7 (North City Districts, 22·0; South, 21·3) and in the Suburbs, 13·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·4 (in the North City Districts 1·3, and in the South 1·4), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include one from diphtheria, one from influenza, 3 from tuberculous disease, and 3 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·4 per 1,000. Included in the total are 2 from diphtheria, one from pulmonary tuberculosis, one from pneumonia, and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. Disseminated tuberculosis caused one death, pneumonia one death, and bronchitis 3 deaths.

No. 3 North City District (Benburb-street).—The deaths (26) represent an annual rate of 38·5 per 1,000, and include one from whooping-cough, 4 from pulmonary tuberculosis, one from broncho-pneumonia, 2 from pneumonia, 6 from bronchitis, and one from accidental burns.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9. The deaths registered for Coolock and Drumcondra, part of, comprise one from broncho-pneumonia and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23·3 per 1,000, and include one from diphtheria, one from broncho-pneumonia, one from lobar pneumonia, 5 from bronchitis, and one from diarrhœa of a child.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 8·5 per 1,000. Of the deaths 2 were caused by bronchitis.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 30·2 per 1,000, and include 5 from tuberculous disease, one from broncho-pneumonia, 5 from bronchitis, and one from diarrhœa of a child.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000. Disseminated tuberculosis caused one death, pneumonia 3 deaths, and bronchitis 5 deaths.

New Kilmainham District.—The one death registered is equal to an annual rate of 5·3 per 1,000, and is from whooping-cough.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·1; Pembroke, 15·7; Blackrock, 17·1; and Kingstown, 9·2. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 9 deaths from all causes for Rathmines and Rathgar one is from pulmonary tuberculosis and one from accidental scalds. Included in the 9 deaths from all causes for Pembroke are one from pulmonary tuberculosis and 2 from pneumonia. Of the 3 deaths from all causes for Blackrock one is from pulmonary tuberculosis and one is from bronchitis; and of the 3 deaths from all causes for Kingstown one is from bronchitis.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 25th January, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Jan. 4,	.	—	—	17	.	.	8	.	.	.	11	1	—	—	.	—	12	.	49
	Jan. 11,	.	—	—	17	.	.	9	.	1	5	7	.	—	—	.	—	10	.	49
	Jan. 18,	.	—	—	10	.	.	6	.	.	3	3	.	—	—	.	—	14	1	37
	Jan. 25,	.	—	—	16	5	.	8	.	.	2	7	.	—	—	.	—	18	.	56
Rathmines and Rathgar Urban District.	Jan. 4,	.	—	—	4	.	.	7	.	.	.	.	.	—	—	—	—	—	—	11
	Jan. 11,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Jan. 18,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	—	4
	Jan. 25,	.	—	—	3	.	.	2	.	.	1	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Jan. 4,	.	.	.	1	.	.	.	.	.	.	.	.	—	10	—	—	.	—	11
	Jan. 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	—	—	3	—	8
	Jan. 18,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	—	—	.	—	5
	Jan. 25,	.	.	.	2	.	.	.	.	.	.	1	.	—	3	—	—	1	—	7
Blackrock Urban District.	Jan. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 4,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	.	—	2
	Jan. 11,	.	—	—	3	.	.	.	.	.	1	2	.	—	—	—	—	1	—	7
	Jan. 18,	.	—	—	3	.	.	.	.	.	2	1	.	—	—	—	—	3	—	9
	Jan. 25,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
City of Belfast.	Jan. 4,	.	—	—	22	.	.	6	.	1	.	8	.	—	—	—	—	8	—	45
	Jan. 11,	.	—	—	34	.	.	10	.	.	1	8	.	—	—	—	—	8	—	61
	Jan 18,	.	—	—	24	.	.	3	2	.	4	7	.	—	—	—	—	7	—	47
	Jan. 25,	.	—	—	18	.	.	10	.	.	5	5	1	—	—	—	—	14	—	53

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th January, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 21 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 20, 17, and 19.

Eight cases of typhus were admitted to hospital during the week and remained under treatment at its close.

Two cases of measles were admitted to hospital, one was discharged, and 3 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were one, 2, and 2, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 24 were discharged, and 117* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 114, 121, and 123, respectively.

Ten cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 53, 51, and 49, respectively, were 47 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·8), was equal to an average annual death-rate of 17·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·2 per 1,000, the rate for Glasgow being 22·3, and for Edinburgh 17·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th January. From this Report it appears that of a total of 57 cases notified, 29 were phthisis, 21 scarlet fever, 5 diphtheria, one erysipelas, and one enteric fever. Among the 365 cases of infectious diseases in hospital at the close of the week were 149 cases of scarlet fever, 103 of phthisis, 42 of whooping-cough, 29 of diphtheria, 14 of measles, 7 of chicken-pox, 6 of erysipelas, 5 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 25th January, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	25th Jan. Absolute Highest.	25th Jan. Absolute Lowest.	25th Jan. Mean.	25th Jan. Rainfall in Inches.	18th Jan. Absolute Highest.	18th Jan. Absolute Lowest.	18th Jan. Mean.	18th Jan. Rainfall in Inches.	11th Jan. Absolute Highest.	11th Jan. Absolute Lowest.	11th Jan. Mean.	11th Jan. Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	31·0	21·3	1·7	714	490	100	128	...	...	...	17	5	4	6	...	39	16	20	47	88	7	...	11	17	137	24	...	...	...	...	...	...	..	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	31·6	19·7	1·0	244	152	34	27	...	...	...	...	...	2	4	...	12	6	6	14	38	2	...	2	1	59	11	e56	27	41·9	1·43	e48	19	35·7	0·75	e55	26	45·1	0·87
CITY OF DUBLIN.	308,187	39·0	34·7	21·7	1·4	205	128	30	23	...	...	...	...	...	2	4	...	9	6	4	12	35	2	...	1	1	55	10	f52·4 g51·9	33·0 28·6	43·9 42·2	1·50 1·71	f46·3 g46·9	28·1 21·0	38·9 36·7	1·30 1·20	f55·4 g56·8	34·0 28·0	47·1 45·9	2·07 1·06
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	17·5	12·1	.	13	9	3	1	...	...	...	...	...	...	...	..	1	...	1	...	...	...	...	1	...	2	...	..	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,942	19·0	26·1	15·7	.	15	9	1	4	...	...	...	...	...	...	...	...	1	...	1	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	5·7	17·1	.	1	3	...	1	...	...	...	...	...	...	..	...	1	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	30·8	9·2	.	10	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	53	33	43·6	1·11	46	29	39·5	1·11	56	31	47·6	2·02
Urban Districts. BELFAST (h) ...	396,000	26·5	33·7	24·5	3·0	256	186	37	45	...	...	...	13	4	...	2	...	12	6	5	18	34	4	...	6	13	50	2	48·4	28·0	40·8	1·47	45·0	24·8	36·0	1·86	54·0	27·8	43·6	1·42
CORK, ..	76,673	28·6	23·8	21·8	0·7	35	32	7	10	...	...	...	...	1	...	...	...	5	2	1	4	5	...	...	...	1	9	1	52	38	45·1	0·98	49	31	40·4	1·51	51	36	46·9	2·60
LONDONDERRY ...	41,000	15·9	30·5	30·5	.	24	24	2	8	...	...	...	...	...	...	...	...	1	2	2	...	5	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	20·3	16·2	.	15	12	1	3	...	...	...	...	...	...	...	...	2	...	2	...	...	...	..	...	..	3	3	52·5	29·6	42·7	1·57	44·9	25	36·4	0·81	53·2	29·2	43·5	2·45
WATERFORD, ...	27,464	19·1	20·9	19·0	3·8	11	10	1	2	...	...	...	...	...	2	...	...	1	...	1	...	2	...	...	1	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51	31	42	1·47	47	30	41·4	0·92	50	33	44	1·19
DUNDALK, ...	13,128	9·5				12	8	3	2	...	...	...	...	...	...	...	...	1	...	...	2	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				9	7	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	1	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39
DROGHEDA, ...	12,501	8·4				10	2	...	1	...	...	...	..	...	...	...	..	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				7	5	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	1	..	...	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39
NEWRY, ...	11,963	17·0				8	4	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39
PORTADOWN, ...	11,727	15·3				5	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39
WEXFORD, ...	11,531	22·8				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				7	3	1	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				8	6	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	4	2	50	30	40·0	2·04	45	24	35·0	0·81	55	28	42·0	2·79
KILKENNY, ...	10,514	11·4				...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53	29	40·1	1·25	46	22	35·0	0·90	52	26	43·8	2·41
TRALEE, ...	10,300	17·4				9	12	3	2	...	...	...	3	...	...	...	...	1	...	...	5	1	...	...	...	...	4	..	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				11	6	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				4	7	2	5	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	1	...	...	...	48	33	41·5	0·87	46	27	38·1	1·31	51	33	43·9	0·91
QUEENSTOWN, ...	8,209	14·7				4	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52	38	45·1	0·98	49	31	40·4	1·51	51	36	46·9	2·60
LARNE, ...	8,036	13·4				5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				3	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ...	7,691	7·2				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				9	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51	52·8	32·0	44·3	1·39

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including one at 66 years), admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.
(h) See note (†) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th of January, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Diphtheria,	1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	1	.	4	.	.	.	.	.	3	.	.	1	1	1	.	12	2
Tuberculous Disease. — Other Forms,	2	.	1	.	.	.	.	.	.	2	1	.	.	.	.	.	6	.
Cancer,	.	.	1	1	.	.	.	.	.	2	.	.	1	1	.	.	6	2
Diseases of Nervous System,	.	1	3	2	.	.	.	1	.	1	1	.	.	.	.	.	9	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	2	.	.	.	.	2	.	2	1	.	.	.	1	2	11	.
" Respiratory System. — Pneumonia,	.	1	1	3	.	1	.	2	.	1	3	.	.	2	.	.	14	1
" Respiratory System. — Others,	3	4	3	6	.	1	1	5	2	5	5	.	.	1	1	1	38	1
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" Digestive System. — Others,	.	.	1	1	.	.	.	.	.	2	.	.	.	.	.	.	4	2
" Genito-urinary System,	.	3	.	1	.	.	.	1	.	2	.	.	1	.	.	.	8	.
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	3	1	6	.	.	.	3	1	3	1	.	5	2	.	.	27	.
Violent Deaths,	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	3	1
Deaths from All Causes	11	16	13	26	.	2	1	18	3	25	12	1	9	9	3	3	152	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	20·4	24·3	38·5	.	7·7	4·9	23·3	8·5	30·2	18·9	5·3	12·1	15·7	17·1	9·2	19·7	.
	22·0							21·3					13·2					
	21·7																	
Ages at Death. — Under 1 year,	4	4	2	7	.	1	.	4	.	6	2	.	3	1	.	.	34	.
1 and under 2 years,	.	1	1	1	.	.	.	2	.	.	.	1	.	1	.	.	7	.
2 " 5 "	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.	4	.
5 " 15 "	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	4	.
15 " 25 "	1	3	2	2	.	.	.	.	.	1	.	.	.	.	.	.	9	1
25 " 45 "	2	2	3	5	.	.	1	3	2	5	1	.	2	1	1	.	28	2
45 " 65 "	1	3	5	7	.	.	.	2	.	6	2	.	1	1	1	.	29	5
65 and upwards,	3	2	.	3	.	1	.	7	1	6	5	.	1	4	1	3	37	1
Number of Uncertified Deaths,	1	.	3	.	.	.	.	.	.	5	1	.	.	.	1	.	11	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	4	1	5	.	.	.	4	1	3	3	.	2	.	1	.	25	7
Workhouse Hospitals,	1	1	2	11	.	.	.	7	.	9	2	.	.	1	.	.	34	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 25th January, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.	Jan. 27, 1912.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·7	° 41·9	° 40·4	° 43·1	° 34·3	° 40·2	° 39·6	° 32·5	° 45·5	° 36·3	° 40·1	° 41·9										
ALL CAUSES.	187	196	192	160	225	229	203	177	228	195	199·2	161	15	19	7	4	4	10	30	34	24	14
Enteric Fever, ...	2	1	.	.	1	2	2	2	2	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	13	.	.	1	6	1	2	3	2·7	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	3	.	2	.	1	.	.	1	1	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	11	2	1	6	5	2	1	10	4	4·2	2	.	1	1	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	1	.	.	2	.	1	1	·6	4	.	1	1	.	.	1	.	.	1	.
Croup, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	3	2	2	5	12	.	1	4	2	3·4	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	1	.	2	.	2	1	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	2	.	2	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	2	1	.	.	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	18	26	32	21	33	32	18	23	28	32	26·3	14	.	.	.	.	.	2	10	1	1	.
Tuberculous Meningitis, ...	1	4	4	1	4	.	4	2	2	3	2·5	2	.	.	.	1	.	1	.	.	.	.
Abdominal Tuberculosis, ...	1	.	5	.	.	2	1	.	3	.	1·2	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	7	5	5	5	4	6	8	4	2	1	4·8	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		3	.	.	.	.	1	1	1	.	.	.
Venereal Diseases, ...	.	.	.	1	1	2	5	.	.	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	5	8	1	6	7	12	11	11	7	9	7·7	8	.	.	.	.	.	.	4	2	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Diabetes, ...	.	.	1	.	1	3	.	1	.	.	·6	3	.	.	.	.	.	.	2	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	3	1	—	1	.	.	.	.	1	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	4	2	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	.	.	.	.	3	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										10		3	.	.	.	.	.	.	.	1	.	2
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										1		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										5		4	1	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	42	48	41	45	42	42	34	29	45	3	41·6	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										22		10	.	.	.	.	.	.	3	3	3	1
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	29	29	28	17	40	52	38	36	39	19	32·7	36	1	3	3	.	.	.	2	13	10	4
Broncho-pneumonia, ...	3	4	4	9	5	7	8	5	7	12	6·4	4	.	3	1	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	1	1	1	1	.	2	1	2	·9	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	8	4	6	6	16	11	6	7	9	6	7·9	10	.	1	1	1	.	1	1	3	1	1
Pleurisy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	4	1	1	5	6	9	3	3	1	4·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										2		3	.	.	.	.	.	1	1	.	.	1

FOURTH WEEK ending Saturday, 25th January, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 25th January, 1913.										
													Deaths of Persons of the Ages of									
	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.	Jan. 27, 1912.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·7	° 41·9	° 40·4	° 43·1	° 34·3	° 40·2	° 39·6	° 32·5	° 45·5	° 36·3	° 40·1	° 41·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	.	—	2	.	.	.	.	.	.	.	2	.	.
Diarrhœa and Enteritis of Children under 2 years.	9	6	3	4	4	2	3	6	6	1	4·6	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards, Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
										2		1	.	.	.	1	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	4	4	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	.	2	.	1	1	2	2	1	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	.	.	2	3	1	.	2	1	2	1·3	2	.	.	.	.	.	.	1	.	1	.
Peritonitis (cause unknown),	1	1	.	.	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	9	3	5	4	6	3	6	7	.	.	4·3	2	.	.	.	.	.	.	.	2	.	.
Acute Nephritis, ...	5	8	5	7	8	3	8	6	9	.	6·2	2	.	.	.	.	.	1	1	.	.	.
Chronic Bright's Disease, ...										3		5	.	.	.	.	.	1	.	3	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	2	.	.	.	.	.	.	.	.	1	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	.	.	1	.	1	.	1	1	·5	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	1	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	5	3	4	6	4	4	4	4	5	4·2	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	3	—	10	6	4	.	.	.	.	.	.	.	.
Old Age, ...	6	4	5	2	3	6	4	3	12	5	5·0	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	2	.	.	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	1	2	3	1	.	.	2	1	1	1·3	2	.	1	.	.	1	.	.	.	.	.
Drowning, ...	1	1	.	2	1	.	.	1	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	3	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	5	3	3	4	2	2	.	2	1	2·2	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	5	7	5	8	6	2	6	3	3	3	4·8	2	.	1	.	.	1	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	6	—	4	.	.	.	.	.	.	1	1	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered.	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244
Average Births in corresponding week of previous 10 years, ...	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209
DEATHS registered, ...	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161
Annual Death-rate per 1,000, ...	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8
Average Deaths in corresponding week of previous 10 years, ...	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199
Ages, Under 5 years, ...	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45
5—15 „ ...	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4
15—25 „ ...	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10
25—45 „ ...	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30
45—65 „ ...	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34
65—75 „ ...	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24
75 and upwards, ...	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14
Deaths from :—																										
Enteric Fever, ...	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Measles, ...	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.
Whooping-cough, ...	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2
Diphtheria, ...	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4
Influenza, ...	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14
Tuberculous Disease, Other Forms,	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6
Cancer, ...	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8
Diseases of Circulatory System,	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11
Diseases of Respiratory System, Pneumonia,	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15
Diseases of Respiratory System, Others, ...	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39
Diarrhœa and Enteritis, under 2 years, ...	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2
Diarrhœa, 2 years and upwards,	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.
Violent Deaths, ...	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2
Number of Uncertified Deaths,	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11
Mean Temperature of the Air (Phœnix Park)	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9
Average Mean Temperature in corresponding week of previous 10 years, ...	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1
Rainfall in inches, ...	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th January, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 25th January, 1913. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	161	45	4	10	30	34	24	14	.	.	.	.	.	2	4	.	14	6	8	4	15	39	2	.	2	65	11
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	9	.	2	4	5	3	5	.	.	.	.	.	.	.	.	.	1	2	.	5	8	.	.	1	11	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·4	39	11	3	3	7	11	4	.	.	.	.	.	.	.	3	.	3	2	1	3	1	4	.	.	1	21	6
IV.	GENERAL SERVICE CLASS, ...	154,279	18·3	54	18	1	3	11	8	9	4	.	.	.	.	.	2	1	.	4	2	4	1	4	15	.	.	.	21	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	7	.	2	7	10	8	2	.	.	.	.	.	.	.	.	7	1	1	.	4	11	2	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	18·9	8	2	.	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	4	1
	6. Clerks and Commercial Assistants, ...	30,432	22·3	13	5	.	2	2	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	5	3	.	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	1	.	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	1	.	1	4	2	2	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.	6	1
	10. Clothing Trades, ...	23,260	15·7	7	4	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.	.	.	3	2
	11. Food Supply Trades	9,242	22·6	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	1	.	1	2	5	2	.	.	.	.	.	.	.	1	.	.	1	1	.	1	3	.	.	.	4	.
	13. Petty Shopkeepers	7,894	26·4	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	2
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	27·2	7	2	.	.	1	.	4	.	.	.	.	.	.	1	1	.	.	.	2	.	.	1	.	.	.	2	.
	15. Domestic Servants, ...	36,603	8·5	6	1	.	.	2	2	1	.	.	.	.	.	.	1	.	.	.	.	2	.	.	3	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	21·5	37	13	1	3	8	4	4	4	.	.	.	.	.	.	.	.	4	2	.	1	4	8	.	.	.	18	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	36	7	.	2	7	10	8	2	.	.	.	.	.	.	.	.	7	1	1	.	4	11	2	.	.	10	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Dec. 7,	21·1	1·8	12	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	1
		„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	2
		„ 21,	21·1	.	12	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
		„ 28,	22·8	3·5	13	.	.	.	.	.	1	1	.	.	.	1	2	3	.	.	1	1
		Jan. 4,	26·2	5·2	15	.	.	.	.	1	1	.	.	.	1	1	1	1	1	.	1	.
		„ 11,	27·9	.	16	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	1	1
		„ 18,	24·4	.	14	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	.	.
		„ 25,	19·2	1·7	11	.	.	.	.	.	.	1	.	1	2	.	.	3	.	.	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Dec. 7,	27·0	3·9	21	.	.	.	.	.	.	1	.	3	2	1	.	4	2	.	.	2
		„ 14,	24·4	.	19	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	1
		„ 21,	25·7	2·6	20	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
		„ 28,	10·3	.	8	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.
		Jan. 4,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	2	2	2	.	2	.
		„ 11,	24·2	2·6	19	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	1	.
		„ 18,	28·1	5·1	22	.	.	.	.	1	.	1	.	1	.	.	1	4	2	.	.	2
		„ 25,	20·4	2·6	16	.	.	.	.	.	.	2	.	1	.	.	1	4	.	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Dec 7,	35·5	1·9	19	.	.	.	.	1	.	.	.	2	.	1	2	3	.	.	.	.
		„ 14,	22·4	.	12	.	.	.	.	.	.	.	.	2	3	.	1	3	.	.	.	.
		„ 21,	28·1	5·6	15	.	.	.	.	.	.	.	.	3	1	.	1	4	3	.	.	.
		„ 28,	24·3	.	13	.	.	.	.	.	.	.	.	3	1	.	2	2	.	.	.	.
		Jan. 4,	31·8	1·9	17	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1
		„ 11,	22·4	.	12	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
		„ 18,	31·8	1·9	17	1	.	.	.	.	.	.	.	1	2	1	2	2	.	.	.	1
		„ 25,	24·3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	3
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Dec. 7,	22·4	1·5	15	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
		„ 14,	26·9	.	18	.	.	.	.	.	.	.	.	2	2	2	3	5	.	.	.	.
		„ 21,	13·4	.	9	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.
		„ 28,	10·4	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
		Jan. 4,	25·2	1·5	17	.	.	.	.	.	.	1	.	4	.	3	2	2	.	.	.	1
		„ 11,	26·7	3·0	18	.	.	.	.	.	.	1	.	2	2	1	1	.	.	1	.	.
		„ 18,	23·7	.	16	.	.	.	.	.	.	.	.	3	2	3	.	.	.	.	.	1
		„ 25,	38·5	1·5	26	.	.	.	.	.	1	.	.	4	.	1	3	6	.	.	1	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Dec. 7,	22·1	1·3	17	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
		„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.
		„ 21,	31·2	2·6	24	.	.	.	.	1	.	.	.	2	1	.	3	2	1	.	.	.
		„ 28,	15·6	.	12	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	1
		Jan. 4,	29·7	1·3	23	.	.	.	.	.	.	1	.	6	.	1	3	4	.	.	.	.
		„ 11,	20·7	1·3	16	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.
		„ 18,	25·8	2·6	20	.	.	.	.	.	.	2	.	1	.	1	1	4	.	.	.	1
		„ 25,	23·3	2·6	18	.	.	.	.	.	.	1	.	.	.	.	2	5	1	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Dec. 7,	34·1	.	12	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.
		„ 14,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
		„ 21,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.
		„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
		Jan. 4,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.
		„ 11,	28·4	2·8	10	1	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
		„ 18,	25·6	2·8	9	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	1
		„ 25,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Dec. 7,	23·1	.	19	.	.	.	.	.	.	.	.	.	3	.	2	3	.	.	.	3
		„ 14,	20·7	1·2	17	.	.	.	.	.	.	.	.	.	.	.	3	4	1	.	.	2
		„ 21,	26·8	.	22	.	.	.	.	.	.	.	.	7	1	1	2	4	.	.	1	1
		„ 28,	17·1	.	14	.	.	.	.	.	.	.	.	4	1	.	4	2	.	.	.	.
		Jan. 4,	26·6	.	22	.	.	.	.	.	.	.	.	5	1	.	1	3	.	.	1	.
		„ 11,	27·8	2·4	23	.	.	.	.	.	.	.	.	2	2	2	2	3	2	.	.	.
		„ 18,	10·9	.	9	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.
		„ 25,	30·2	1·2	25	.	.	.	.	.	.	.	.	3	2	2	1	5	1	.	.	5
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Dec. 7,	33·0	4·7	21	.	.	.	1	.	.	1	.	1	1	1	1	2	1	.	.	2
		„ 14,	17·3	1·6	11	.	.	.	.	.	1	.	.	1	1	.	2	1	.	.	1	.
		„ 21,	28·3	7·9	18	.	.	.	.	.	.	.	.	4	.	2	.	.	5	.	.	.
		„ 28,	17·3	1·6	11	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.
		Jan. 4,	29·9	1·6	19	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	1	2
		„ 11,	17·3	.	11	.	.	.	.	.	.	.	.	4	.	.	3	2	.	.	.	1
		„ 18,	28·3	.	18	.	.	.	.	.	.	.	.	6	.	3	1	2	.	.	.	.
		„ 25,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	.	3	5	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912–3. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Dec. 7,	19·0	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	1	1
	,, 14,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	,, 21,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	,, 28,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 4,	16·1	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
Pop. in 1913 (Est.) 38,769.	,, 11,	28·2	1·3	21	.	.	.	.	.	.	1	.	.	.	2	1	3	.	.	.	.
	,, 18,	22·9	1·3	17	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	.
	,, 25,	12·1	.	9	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Pembroke Urban District.	Dec. 7,	15·8	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	,, 14,	15·8	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	,, 21,	14·0	5·3	8	.	.	.	.	1	1	1	.	1	.	1	.	2	.	.	.	.
	,, 28,	21·0	1·8	12	.	.	.	.	.	1	.	.	1	.	.	2	2	.	.	.	1
	Jan. 4,	10·4	1·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
Pop. in 1913 (Est.) 29,942.	,, 11,	12·2	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	,, 18,	17·4	1·7	10	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.
	,, 25,	15·7	.	9	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
Kingstown Urban District.	Dec. 7,	6·2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	,, 14,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	,, 21,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	,, 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 4,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Pop. in 1911 16,941.	,, 11,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	,, 18,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	,, 25,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Belfast.	Dec. 7,	23·5	2·8	177	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	2
	,, 14,	20·0	3·5	150	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	.
	,, 21,	23·5	4·4	177	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	.
	,, 28,	19·3	3·9	145	.	.	.	23	.	1	.	.	8	6	2	14	18	3	2	1	2
Pop. in 1913 (Est.) 386,000.	Jan. 4,	23·8	3·2	181	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	2
	,, 11,	21·1	4·2	160	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	3
	,, 18,	20·3	4·1	154	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	2
	,, 25,	24·5	3·0	186	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	2
Cork.	Dec. 7,	21·8	.	32	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	2
	,, 14,	17·0	2·7	25	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	,, 21,	17·0	.	25	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1
	,, 28,	16·3	0·7	24	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	1
Pop. in 1911 76,673.	Jan. 4,	27·2	3·4	40	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	2
	,, 11,	19·7	1·4	29	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.
	,, 18,	25·2	.	37	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	.
	,, 25,	21·8	0·7	32	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1
Londonderry.	Dec. 7,	17·9	.	14	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	1	.
	,, 14,	20·4	1·3	16	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	1
	,, 21,	17·9	.	14	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	1
	,, 28,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Pop. in 1913 (Est.) 41,000.	Jan. 4,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
	,, 11,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	.	3	2	.	.	.	3
	,, 18,	16·5	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
	,, 25,	30·5	.	24	.	.	.	.	.	.	.	.	1	2	2	.	5	.	.	.	1
Limerick.	Dec. 7,	31·1	10·8	23	.	.	.	8	.	.	.	.	2	.	.	.	6	.	.	.	.
	,, 14,	20·3	6·8	15	.	.	.	5	.	.	.	.	1	.	.	1	1	.	.	1	.
	,, 21,	19·0	4·1	14	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	.	3
	,, 28,	5·4	1·4	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
Pop. in 1911 38,518.	Jan. 4,	17·6	1·4	13	.	.	.	1	.	.	.	.	2	.	1	1	3	.	.	.	2
	,, 11,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	,, 18,	13·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	,, 25,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3
Waterford.	Dec. 7,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 14,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2
	,, 21,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	1
	,, 28,	7·6	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Pop. in 1911 27,464.	Jan. 4,	30·4	1·9	16	.	.	.	.	.	1	.	.	1	1	2	1	3	.	.	.	.
	,, 11,	28·5	5·7	15	.	.	.	.	.	2	.	.	2	1	.	1	1	1	.	1	2
	,, 18,	32·3	1·9	17	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.	.	1
	,, 25,	19·0	3·8	10	.	.	.	.	.	2	.	.	1	.	1	.	2	.	.	1	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th January, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	12	39·4	.	12	2	.	2	1	4	3	.	.	.	.	.	.	.	.	2	2	.	1	2	.	.	1	1	3	.
Do. 2 do.	49,500	33	22·1	1·1	21	4	4	3	3	3	4	.	.	.	.	.	.	.	.	1	.	.	1	5	1	.	.	.	2	.
Do. 3 do.	50,032	40	13·5	2·1	13	3	1	.	.	7	2	.	.	.	2	.	.	.	.	.	.	2	1	4	.	.	.	.	1	1
Do 4 do.	32,637	35	36·7	4·8	23	10	1	1	1	4	6	.	.	.	2	.	.	.	.	1	1	.	3	4	1	.	1	3	9	.
Do. 5 do.	16,112	9	35·6	6·5	11	2	2	1	1	4	1	.	.	.	1	.	.	1	.	.	.	.	1	3	.	.	1	1	3	.
Do. 6 do.	37,293	17	22·4	.	16	1	.	.	2	6	7	.	.	.	.	.	.	.	.	1	.	1	3	5	.	.	1	2	5	.
Do. 7 do.	2,681	1	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 9 do.	24,427	8	27·8	8·5	13	4	2	.	1	3	3	.	.	.	.	2	.	1	.	.	.	1	2	1	1	.	.	.	6	.
Do. 10 do.	28,958	29	25·2	3·6	14	2	2	1	3	1	5	.	.	.	1	1	.	.	.	2	.	.	1	1	.	.	.	1	5	1
Do. 11 do.	39,311	18	14·6	1·3	11	3	2	1	1	3	1	.	.	.	1	.	.	.	.	1	1	.	4	.	.	.	1	1	2	.
Do. 12 do.	38,076	32	32·9	2·7	24	3	2	3	4	6	6	.	.	.	1	1	.	.	.	2	1	.	.	7	.	.	.	2	7	.
Do. 13 do.	23,233	11	18·0	.	8	1	.	2	2	.	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	2	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	36·8	11·5	16	1	7	.	3	2	3	.	.	.	5	.	.	.	.	1	.	.	1	.	.	.	.	.	4	.
Total,	386,947	256	24·5	3·0	186‡	37	23	15	22	44	45	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	13	50	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	4	11·6	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do 2 do.	10,701	2	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	5	31·9	.	6	2	.	.	2	1	1	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	2	.
Do 4 do.	8,666	4	28·5	.	5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.
Do 5 do.	6,592	2	25·0	8·3	3	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	6	40·5	.	9	1	1	1	1	2	3	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1	4	.
Do. 7 do.	16,616	12	16·2	.	5	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Total,	76,122	35	21·8	0·7	32	7	2	3	5	5	10	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1	9	1

* See note (‡) at foot of first page. † The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. ‡ See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered, ...	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256
DEATHS registered, ...	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186†
Annual Death rate per 1,000 of estimated population, ...	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5
AGES, Under 1 year, ...	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37
1—5 years, ...	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23
5—25 „ ...	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15
25—45 „ ...	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22
45—65 „ ...	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44
65 and upwards, ...	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45
Deaths from :—																										
Enteric Fever, ...	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13
Scarlet Fever, ...	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4
Whooping-cough, ...	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.
Diphtheria, ...	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12
Tuberculous Disease, Other Forms,	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6
Cancer, ...	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5
Diseases of Respiratory System, Pneumonia,	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18
Diseases of Respiratory System, Others, ...	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34
Diarrhœa and Enteritis, under 2 years, ...	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4
Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.
Violent Deaths, ...	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6
Number of Uncertified Deaths, ...	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2

† Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Jan. 25,	2,197	1,543	17·8	5	.	73	3	30	11	20*a*
Edinburgh, ...	320,800	„ 25,	130	109	17·7	.	.	.	.	3	.	1
Glasgow, ...	1,021,500	„ 25,	617	437	22·3	1	.	1	3	30	7	11
Calcutta, ...	896,067	Dec. 14,	.	539	31·2	92*	1	4	.	.	4†	96‡
Bombay, ...	979,445	„ 21,	458	667	35·4	77*	.	.	.	.	.	111‡
Madras, ...	518,660	„ 28,	405	450	45·1	91*	.	1	.	.	.	117‡
Cairo, ...	704,956	Oct. 28,	661	406	30·0	1	.	2	.	?	18†	72*a*
Paris, ...	2,847,229	Jan. 11,	978	928	16·7	2	.	7	.	3	5†	12*a*
Brussels, ...	745,380	„ 4,	248	167	11·7	.	.	2	.	.	2†	5*a*
Antwerp, ...	308,618	„ 11,	121	71	11·6	1	.	5	.	1	.	7
Amsterdam, ...	587,872	„ 4,	262	123	10·9	.	.	6	.	.	1†	2*a*
Copenhagen, ...	468,000	„ 4,	215	166	18·5	1	.	.	2	5	.	2*a*
Stockholm, ...	346,599	„ 4,	181	106	14·9	.	.	.	.	2	.	2
Christiania, ...	247,488	„ 11,	137	62	13·0	.	.	.	.	.	.	.
St. Petersburg, ...	1,664,000	Dec. 21,	939	638	20·0	11	1	17	8	5	2†	36
Moscow, ...	1,617,157	„ 7,	.	571	18·4	3	.	5	15	1	10†	33
Berlin, ...	2,093,684	„ 21,	767	518	12·9	1	.	1	5	6	11†	20
Hamburg, ...	953,079	Jan. 4,	.	247	13·5	.	.	2	4	5	13†	12
Breslau, ...	534,235	„ 4,	.	182	17·7	1	.	6	.	7	.	11
Munich, ...	622,000	„ 4,	.	207	17·4	1	.	1	.	3	2	11
Vienna (with suburbs),	2,098,225	„ 4,	663	690	17·1	.	.	7	1	4	7†	26*a*
Buda-Pesth, ...	910,548	„ 4,	452	296	16·5	1	.	2	10	1	6†	10*a*
Prague and Faubourgs,	489,194	Dec. 28,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	238,432	Jan. 4,	143	93	20·3	1	.	6	.	.	.	3*a*
Rome, ...	569,809	Sept. 28,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Jan. 4,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,606,105	Oct. 19,	.	.	.	.	.	.	.	.	.	.
Boston, ...	735,399	Jan. 4,	.	261	18·5	.	.	7	2	1	1	8

* Deaths from "fever," including 6 from enteric fever, and 8 from plague in Calcutta, one from enteric fever and 7 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 43 deaths from cholera in Calcutta, 29 in Bombay, and 2 in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th January, 1913

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	.	.	.	.	.	.	2
,, ,, 1, West, ...	.	.	5	.	2	.	.	2	.	.	.	.	.	9
,, ,, 2, ...	.	.	.	.	.	.	.	.	1	.	.	2	.	3
,, ,, 3, ...	.	4	.	.	2	.	.	.	.	.	.	2	.	8
Clontarf and Howth No. 1 (part of),	.	.	.		.	.	.	.	.	.		.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	3	.	.	.	.	.	.	.	.	.	.	.	3
South City No. 1, ...	.	.	.	.	1	.	.	.	4	.	.	7	.	12
,, ,, 2, ...	.	.	.	.	1	.	.	.	1	.	.	2	.	4
,, ,, 3, ...	.	2	.		.	.	.	.	1	.	.	.	.	3
,, ,, 4, ...	.	5	.	.	.	.	.	.	.	.	.	2	.	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	3	.	3
Total, ...	.	16	5	.	8	.	.	2	7	.	.	18	.	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th January, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th January.			
	Jan. 4.	Jan. 11.	Jan. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	20	17	19	6	3	1	21
Typhus, ...	.	.	.	8	.	.	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	2	2	2	1	.	3
Scarlet Fever, ...	114	121	123	18	24	.	117*
Diphtheria, ...	53	51	49	10	9	3	47
Pneumonia, ...	19	20	16	6	4	1	17

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC.; F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 25th January, 1913:—

The most marked feature in this week was the development of intense cold in the North of Europe and also in Iceland. This seemed to create a barrier to the advance of Atlantic depressions within the Arctic circle in a north-easterly direction. Their course became more easterly, and so the successive disturbances passed across the British Isles to the North Sea, Denmark, the Low Countries, and Germany. On Thursday morning the thermometer stood at 29°F., or 61° below freezing point, in Spitzbergen, and readings round about zero were reported from the Swedish stations, Stockholm recording a temperature of 5° at 7 a.m. During the first three days a large and deep atmospheric depression, passing straight across the British Isles, kept the weather in a very unsettled state. The centre of this system crossed the meridian of Dublin a little to the southward of the city on Monday morning, the barometer falling below 28·9 inches all over Munster and Leinster as it passed eastwards. The system had caused gloomy, rainy, stormy weather from S.E. on Sunday, a hail-shower falling in Dublin at 6 p.m. In the course of Monday the wind backed through E. and N.E. to N., with clouds and showers, and lightning after dusk. North of the centre, the weather was cold in Ulster, Scotland, and the North of England, rain and sleet or snow falling abundantly in those parts. South of the centre the S.W. and W. winds brought warmer weather. By Wednesday morning the disturbance reached Berlin, but its activity then had greatly lessened. At this time a new series of depressions arrived off the west of Ireland, and mild, squally, rainy weather set in over the southern parts of the United Kingdom, while cold weather held in Scotland. On Saturday a decided "chill" extended to Ireland, and the week closed with a fine, bright day, heralding a prospect of frost. In Dublin the mean atmospheric pressure was 29·583 inches, the barometer ranging between 28·875 inches at 9 a.m. of Monday (wind, E.) and 30·176 inches at 9 p.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 43·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·2°. The screened thermometers fell to 33·0° on Wednesday, rising to 52·4° next day. Slight ground frosts occurred on 4 nights. The prevalent winds were S.E. and S.W. Lightning was seen on Monday evening. Hail fell at 6 p.m. on Sunday. The rainfall was 1·500 inches on 5 days, ·866 inch being measured on Sunday.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·605 inches. The highest reading (30·188) was on Saturday at 9 p.m., air calm, the lowest (28·879) on Monday at 9 a.m., wind E.

The mean temperature for the week was 41·9°, being 1·8° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Friday, on which day the thermometer registered 56°, and was lowest on Wednesday, the mercury having fallen to 27°. The mean of the Dry Bulb for the week was 41·7° and of the Wet Bulb, 40·7°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 1·425 inches.

At Greenwich the mean temperature for the week was 42·3°, the maximum 52·1°, and the minimum 32·0°; at Glasgow the maximum was 41·9°, the minimum 29·0°, and the mean 35·9°; and at Edinburgh the maximum was 40·4°, the minimum 30·0°, and the mean 35·0°. The rainfall at Greenwich measured 0·70 in.; at Glasgow 0·87 in.; and at Edinburgh 0·77 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, January 19,	29·210	45	30	37·5	42·5	41·4	·94	·6	0·2	·640	E.S.E.	S.E.
Monday, „ 20,	29·020	45	40	42·5	42·4	41·7	·95	·3	0·0	·210	E.	N.N.W.
Tuesday, „ 21,	29·790	44	29	36·5	33·3	32·8	·95	·0	4·4	·000	Calm.	Calm.
Wednesday, „ 22,	29·860	50	27	38·5	45·8	44·7	·93	·7	0·0	·50	S.E.	W.S.W.
Thursday, „ 23,	29·730	51	47	49·0	48·9	47·4	·89	·7	0·0	·170	W.S.W.	S.W.
Friday, „ 24,	29·550	56	46	51·0	46·6	45·4	·92	·7	1·8	·055	W.S.W.	W.S.W.
Saturday, „ 25,	30·075	47	30	38·5	32·3	31·2	·88	·1	5·3	·000	N.W.	Calm.
Mean, ...	29·605	48·3	35·6	41·9	41·7	40·7	·92	·4	Total 11·7	Total 1·425	Prevailing Wind, W.S.W.	

Sunday—Day overcast, drizzling and heavy rain 9.0 a.m. to 1.0 p.m. and 6.0 to 7.20 p.m.; night overcast, drizzling and heavy rain at intervals a.m. *Monday*—Day overcast, drizzling and heavy rain at intervals a.m. and p.m.; night cloudy. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—Day overcast, drizzling rain 10.0 a.m. to 6.0 p.m.; night overcast, drizzling and heavy rain 3.0 to 7.0 a.m. *Thursday*—Day overcast, drizzling rain 9.0 a.m. to 4.0 p.m.; night overcast, drizzling and heavy rain 4.45 to 9.0 a.m. *Friday*—Day cloudy, drizzling rain at intervals; night cloudy, drizzling rain 9.0 to 9.40 p.m. *Saturday*—A beautiful bright day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 25th January, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 19,	44·9	39·5	44·2	53	34	43·5	—	·806
Monday, „ 20,	44·0	40·6	44·0	46	41	43·5	·1	·266
Tuesday, „ 21,	39·5	41·4	43·9	45	35	40	1·0	—
Wednesday, „ 22,	43·1	40·0	44·0	51	30	40·5	—	·251
Thursday, „ 23,	50·6	42·4	44·0	53	46	49·5	—	·092
Friday, „ 24,	48·8	43·5	44·0	52	46	49	3·3	·045
Saturday, „ 25,	34·5	43·4	44·1	51	32	41·5	2·7	—
Weekly Mean, .	43·6	41·5	44·0	50	38	43·9	Total 7·1	Total 1·460

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360–45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 1ST FEBRUARY, 1913. [No. 5.

General Register Office, Charlemont House,
Dublin, 3rd February, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Jan. 11	Week ending Jan. 18	Week ending Jan. 25	Week ending Feb. 1	Average Rate for 4 weeks.
27 Town Districts, (a)	**21·0**	**22·2**	**21·3**	**20·4**	**21·2**
Dublin Reg. Area ...	22·8	22·3	19·7	18·8	20·9
Dublin City ...	22·8	23·2	21·7	19·8	21·9
Belfast	21·1	20·3	24·5	22·9	22·2
Cork	19·7	25·2	21·8	32·6	24·8
Londonderry ...	20·3	16·5	30·5	19·1	21·6
Limerick	12·2	13·5	16·2	17·6	14·9
Waterford	28·5	32·3	19·0	7·6	21·8

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·3 per 1,000. Among the 174 deaths from all causes for Belfast are 19 from measles, one from scarlet fever, and 2 from diphtheria. Included in the 5 deaths from all causes for Ballymena is one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 213—122 boys and 91 girls—and the deaths to 158—87 males and 71 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·8 per 1,000 of the population. During the five weeks, ending with Saturday last, the death rate averaged 21·3, and was 3·8 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 158, represent an annual rate of 20·4 per 1,000; the annual rate for the past five weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·3 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from measles, one from whooping-cough, 2 from influenza, and 5 from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks, deaths from measles were 0, 0, and 0; deaths from whooping-cough were 0, 2, and 2; deaths from influenza were 2, one, and one; and death from diarrhœa and enteritis of children under 2 years were 5, 3, and 2, respectively.

Tuberculous disease caused 19 deaths, comprising 15 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, and one from tuberculosis of a joint. In the 3 preceding weeks deaths from tuberculosis numbered 27, 32, and 20, respectively.

Broncho-pneumonia caused 4 deaths, lobar pneumonia, 3 deaths, and pneumonia (type not distinguished), 4 deaths.

Cancer caused 7 deaths.

The deaths of 3 infants under one year of age were caused by convulsions, 3 by congenital malformations, 11 by premature birth, and 2 by congenital debility.

Bronchitis caused 29 deaths and organic diseases of the heart 14 deaths.

There were 2 deaths due to accidental causes, of which one was by inhalation of carbon monoxide.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 infants under one year of age, and the deaths of 4 persons aged 65 years and upwards.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 19 were under one month old) and 47 were aged 65 years and upwards, including 37 persons aged 70 and upwards; among the latter were 20 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·8 per 1,000; the rate in the City was 19·8 (North City Districts, 18·2; South, 21·6) and in the Suburbs, 15·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 0·6, and in the South 1·4), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000, and include one from pulmonary tuberculosis and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 21·7 per 1,000. Included in the total are 2 from tuberculous disease, 9 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Pulmonary tuberculosis caused one death, broncho-pneumonia one death, and there was one accidental death.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·3 per 1,000, and include one from each of broncho-pneumonia, lobar pneumonia and bronchitis, and there was one death caused by accidental inhalation of carbon monoxide.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·7; and Finglas and Glasnevin, part of, 34·4. The 2 deaths for Coolock and Drumcondra, part of, were caused by bronchitis, and of the 7 deaths from all causes for Finglas and Glasnevin, part of, one was from tuberculous peritonitis, and one from pneumonia.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 19·4 per 1,000, and include one from whooping-cough, 4 from pulmonary tuberculosis, one from lobar pneumonia, and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. Pulmonary tuberculosis caused 2 deaths, and bronchitis one death.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000, and include 3 from tuberculous disease, and 4 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Pulmonary tuberculosis caused one death, lobar pneumonia, one death, pneumonia, 2 deaths, bronchitis, 5 deaths, and diarrhœa and enteritis of children under 2 years, 3 deaths.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·7 per 1,000. Pulmonary tuberculosis caused one death, and bronchitis 2 deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 13·9; Blackrock, 17·1; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Kingstown. Of the 12 deaths from all causes for Rathmines and Rathgar 2 are from broncho-pneumonia. Included in the 8 deaths from all causes for Pembroke is one from pneumonia. Among the 3 deaths from all causes for Blackrock is one from influenza, and one death from influenza is also included among the 5 deaths from all causes for Kingstown.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 1st February, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Jan. 11,	.	—	—	17	.	.	9	.	1	5	7	.	—	—	.	—	10	.	49
	Jan. 18,	.	—	—	10	.	.	6	.	.	3	3	.	—	—	.	—	14	1	37
	Jan. 25,	.	—	—	16	5	.	8	.	.	2	7	.	—	—	.	—	18	.	56
	Feb. 1,	.	—	—	12	2	.	5	.	1	4	6	1	—	—	.	—	11	.	42
Rathmines and Rathgar Urban District.	Jan. 11,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	Jan. 18,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	—	4
	Jan. 25,	.	—	—	3	.	.	2	.	.	1	.	.	—	—	—	—	—	—	6
	Feb. 1,	.	—	—	2	.	.	2	.	.	.	1	.	—	—	—	—	—	—	5
Pembroke Urban District.	Jan. 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	—	—	3	—	8
	Jan. 18,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	—	—	.	—	5
	Jan. 25,	.	.	.	2	.	.	.	.	.	.	1	.	—	3	—	—	1	—	7
	Feb. 1,	.	.	.	1	.	.	.	.	.	.	1	.	—	1	—	—	.	—	3
Blackrock Urban District.	Jan. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Jan. 11,	.	—	—	3	.	.	.	.	.	1	2	.	—	—	—	—	1	—	7
	Jan. 18,	.	—	—	3	.	.	.	.	.	2	1	.	—	—	—	—	3	—	9
	Jan. 25,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Feb. 1,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	1	—	4
City of Belfast.	Jan. 11,	.	—	—	34	.	.	10	.	.	1	8	.	—	—	—	—	8	—	61
	Jan 18.	.	—	—	24	.	.	3	2	.	4	7	.	—	—	—	—	7	—	47
	Jan. 25,	.	—	—	18	.	.	10	.	.	5	5	1	—	—	—	—	14	—	53
	Feb. 1,	.	—	—	13	.	.	9	.	1	3	2	1	—	—	—	—	17	—	46

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st February, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Five cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 23 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 17, 19, and 21.

Eight cases of typhus remained under treatment in hospital at the close of the week.

One case of measles was admitted to hospital, and 4 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 2, 2, and 3, respectively.

Seventeen cases of scarlet fever were admitted to hospital, 18 were discharged, and 116* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 121, 123, and 117, respectively.

Ten cases of diphtheria were admitted to hospital during the week, and 16 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 51, 49, and 47, respectively, were 41 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 5 were discharged, there were 2 deaths, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·6), was equal to an average annual death-rate of 17.2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·2 per 1,000, the rate for Glasgow being 22·7, and for Edinburgh 16·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st February. From this Report it appears that of a total of 64 cases notified, 36 were phthisis, 19 scarlet fever, 5 erysipelas, and 4 diphtheria. Among the 393 cases of infectious diseases in hospital at the close of the week were 156 cases of scarlet fever, 102 of phthisis, 52 of whooping-cough, 30 of diphtheria, 15 of measles, 5 of enteric fever, 4 of chicken-pox, 3 of erysipelas, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 1st February, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 1st February, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 1st February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	1,199,180	19·0	26·7	20·4	1·3	614	470	73	133	...	...	...	21	1	1	2	...	42	21	17	38	82	5	...	5	15	144	22	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	27·6	18·8	0·9	213	145	29	45	...	...	...	1	...	1	...	...	12	4	7	11	29	5	...	2	2	53	7	e 52	29	40·2	0·92	e 56	27	41·9	1·43	e 48	19	35·7	0·75
City of Dublin,	308,187	39·0	30·6	19·8	1·0	181	117	22	33	...	...	...	...	...	1	...	...	12	4	4	8	29	5	...	2	2	48	5	f 52·5 g 52·7	33·0 30·0	42·3 41·4	0·75 0·88	f 52·4 g 51·9	33·0 28·6	43·9 42·2	1·50 1·71	f 46·3 g 46·9	28·1 21·0	38·9 36·7	1·30 1·20
Urban Districts. Rathmines & Rathgar.	38,769	22·6	14·8	16·1	.	11	12	2	5	...	...	...	...	...	...	...	..	...	...	1	2	...	...	...	...	...	3	2	...	...	...	...	..	...	...	...	...	...	...	...
Pembroke ...	29,942	19·0	24·4	13·9	.	14	8	4	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	11·4	17·1	.	2	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	15·4	15·4	3·1	5	5	...	3	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	46	33	40·0	0.78	53	33	43·6	1·11	46	29	39·5	1·11
Urban Districts. Belfast ...	396,000	26·5	25·9	22·9	2·9	197	174	29	36	...	...	...	19	1	...	2	...	16	11	4	19	29	...	...	2	8	44	4	49.2	27·0	39·6	1·34	48·4	28·0	40·8	1·47	45·0	24·8	36·0	1·86
Cork, ..	76,673	28·6	23·8	32·6	.	35	48	6	15	...	...	...	...	...	...	...	...	6	2	2	4	8	...	...	1	2	26	2	52	31	43·3	0·92	52	38	45·1	0·98	49	31	40·4	1·51
Londonderry ...	41,000	15·9	8·9	19·1	.	7	15	1	7	...	...	...	...	...	...	...	...	1	...	1	...	5	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	50·1	17·6	.	37	13	1	3	...	...	...	...	...	...	...	...	3	1	...	...	1	...	..	...	1	5	.	53	24	40·9	1·11	52·5	29·6	42·7	1·57	44·9	25	36·4	0·81
Waterford, ...	27,464	19·1	20·9	7·6	.	11	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5				7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	50	27	46	1·29	51	31	42	1·47	47	30	41·4	0·92
Dundalk, ...	13,128	9·5				8	6	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	..	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				6	9	...	4	...	...	...	..	...	...	...	..	...	3	...	...	...	...	...	...	...	5	2	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51
Drogheda, ...	12,501	8·4				9	5	1	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				9	6	1	4	...	...	...	...	...	...	...	..	1	...	...	...	1	...	...	...	...	1	...	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51
Newry, ...	11,963	17·0				7	5	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51
Portadown, ...	11,727	15·3				8	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	..	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51
Wexford, ...	11,531	22·8				11	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				3	5	...	2	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8				11	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51	24	39·0	1·16	50	30	40·0	2·04	45	24	35·0	0·81
Kilkenny, ...	10,514	11·4				5	5	3	1	...	...	...	...	...	...	...	...	..	...	...	...	3	..	...	...	...	1	2	52	24	39·2	1·23	53	29	40·1	1·25	46	22	35·0	0·90
Tralee, ...	10,300	17·4				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	..
Newtownards,	9,587	20·1				5	6	...	4	...	...	...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	...	1	48	32	40·5	1·01	48	33	41·5	0·87	46	27	38·1	1·31
Queenstown, ...	8,209	14·7				5	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	52	31	43·3	0·92	52	38	45·1	0·98	49	31	40·4	1·51
Larne, ...	8,036	13·4				4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				1	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				1	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ...	7,691	7·2				4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09	45·9	20·8	37·0	0·51

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 13 deaths of persons (including 3 under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 1st of February, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	1	.	1	.	.	.	.	4	2	2	1	1	.	.	.	.	12	3
Tuberculous Disease. Other Forms,	.	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	4	.
Cancer,	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	7	.
Diseases of Nervous System,	.	.	.	3	.	.	2	1	2	3	1	1	1	.	.	.	14	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	3	.	.	.	1	3	1	.	.	.	2	2	.	.	14	2
" Respiratory System. Pneumonia,	.	.	1	2	.	.	1	1	.	.	3	.	2	1	.	.	11	.
" Respiratory System. Others,	3	9	.	1	.	2	.	2	1	4	5	2	.	.	.	.	29	1
" Digestive System. Diarrhœa and Enteritis, under 2 years,	.	2	.	.	.	.	.	.	.	.	3	.	.	.	.	.	5	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	.	1	.	.	.	2	.	.	1	.	.	1	1	.	.	6	.
" Genito-urinary System,	.	.	3	.	.	.	.	1	1	.	1	.	1	.	1	1	9	2
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	1	1	2	.	.	.	2	.	3	2	.	3	3	1	1	22	4
Violent Deaths,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Deaths from All Causes	8	17	11	11	1	2	7	15	7	16	17	5	12	8	3	5	145	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	21·7	20·6	16·3	9·6	7·7	34·4	19·4	19·9	19·4	26·7	26·7	16·1	13·9	17·1	15·4	18·8	.
	18·2							21·6					15·4					
	19·8																	
Ages at Death. Under 1 year,	4	3	.	3	.	.	.	3	1	1	6	1	2	4	1	.	29	3
1 and under 2 years,	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.	1	7	.
2 " 5 "	.	2	.	2	.	.	.	.	.	1	.	.	.	.	.	.	5	.
5 " 15 "	1	1	.	.	.	.	1	1	.	.	1	.	.	.	.	.	5	.
15 " 25 "	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	4	2
25 " 45 "	.	2	5	1	.	.	2	2	3	2	2	2	.	.	.	.	21	2
45 " 65 "	.	1	5	1	1	.	2	5	2	1	4	2	3	.	1	1	29	4
65 and upwards,	3	7	1	4	.	2	2	2	1	9	2	.	5	3	1	3	45	2
Number of Uncertified Deaths,	.	3	.	.	.	.	.	1	1	.	.	.	2	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	2	4	.	.	.	.	1	3	5	7	.	2	2	.	.	27	12
Workhouse Hospitals,	2	3	3	3	.	.	.	4	.	5	3	2	1	.	.	.	26	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 1st February, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Feb. 4, 1911.	Feb. 3, 1912.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 44·6	° 37·0	° 43·9	° 44·3	° 37·7	° 41·8	° 44·4	° 38·1	° 35·9	° 30·6	° 39·8	° 40·2										
ALL CAUSES.	202	233	183	187	193	208	196	239	200	184	202·5	158	19	13	7	5	5	6	23	33	27	20
Enteric Fever, ...	.	1	.	1	.	.	.	.	3	1	·6	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	5	.	.	2	7	.	2	2	1·8	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	3	.	1	1	.	.	.	.	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	9	2	2	2	2	1	2	4	1	2·8	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	3	1	1	1	.	.	3	2	5	2	1·8	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	3	2	.	6	6	.	4	3	2	2·7	2	.	.	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	.	2	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	21	23	28	29	24	28	24	26	19	25	24·7	15	.	.	.	.	1	3	8	2	1	.
Tuberculous Meningitis, ...	4	4	4	2	3	3	1	4	2	2	2·9	2	.	.	1	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	3	2	.	1	.	2	1	.	.	1·1	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	4	5	7	8	6	5	12	2	.	5·8	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,										1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	1	1	2	1	1	2	.	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	11	8	8	10	6	4	19	16	6	9·2	7	.	.	.	.	.	.	1	3	1	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	1	.	.	.	.	.	.	1	.	.3	2	.	.	.	.	.	.	.	1	1	.
Diabetes, ...	1	.	.	.	1	1	1	.	1	2	·7	2	.	.	.	.	.	.	.	1	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	1	.	.	.	.	.	.	1	·2	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										5		3	.	.	.	.	.	.	.	3	.	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		2	.	.	.	.	.	.	.	.	2	.
Epilepsy, ...										2		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										4		6	1	2	2	1	.	.	.	.	.	.
Other Diseases of Nervous System.	48	47	41	45	41	41	43	42	45	2	42·7	3	.	.	.	.	.	.	1	1	1	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	.	.	.	1
Organic Diseases of the Heart,										15		14	.	.	.	.	.	1	1	7	3	2
Embolism and Thrombosis (including Cerebral)									.	.		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.										1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	37	32	25	24	40	41	33	43	26	37	33·8	29	.	4	.	1	.	.	3	6	10	5
Broncho-pneumonia, ...	4	4	7	11	6	9	8	12	11	10	8·2	4	.	1	1	.	.	.	1	1	.	.
Lobar pneumonia, ...	2	.	2	.	1	2	3	1	3	.	1·4	3	.	.	.	.	.	.	1	2	.	.
Pneumonia (type not distinguished)	11	12	2	8	6	8	12	7	4	6	7·6	4	.	1	.	.	.	.	1	1	.	1
Pleurisy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	5	3	7	3	4	2	3	.	4	1	3·6	1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										3		.	.	.	.	.	.	.	.	.	.	.

FIFTH WEEK ending Saturday, 1st February, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 1st February, 1913.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Feb. 4, 1911.	Feb. 3, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·6	° 37·0	° 43·9	° 44·3	° 37·7	° 41·8	° 44·4	° 38·1	° 35·9	° 30·6	° 39·8	° 40·2										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	.	—	1	.	.	.	.	.	.	.	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	2	1	5	3	5	3	.	11	8	2	4·1	5	1	3	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	2	1	.	.	.	1	.	1	1	·6	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	.	3	.	.	.	2	1	.	.	.	·6	2	.	.	.	.	.	.	1	.	1	.
Peritonitis (cause unknown),	.	2	.	.	.	1	1	2	1	.	·7	2	.	.	.	.	.	.	1	.	1	.
Other Diseases of Digestive System.	4	5	4	4	1	4	1	2	.	.	2·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	5	8	4	9	5	5	7	8	4	.	6·2	2	.	.	.	.	2	.	.	.	.	.
Chronic Bright's Disease, ...										5		5	.	.	.	.	.	1	2	2	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Genito-urinary System.										2		3	.	.	.	.	.	.	.	.	.	3
Puerperal Septicæmia, &c., ...	1	.	.	.	.	1	.	1	.	.	·3	1	.	.	.	.	.	1	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	2	.	1	1	3	1	1	.	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	2	—	2	1	.	.	1	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	1	—	5	3	.	.	.	.	.	.	.	.	.
Premature Birth, ...	8	9	7	6	3	7	4	6	4	7	6·1	11	11	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	5	3	—	2	2	.	.	.	.	.	.	.	.	.
Old Age, ...	4	18	5	8	4	6	9	8	6	1	6·9	5	.	.	.	.	.	.	.	.	3	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	1	.	.	.	.	1	.	·2	1	.	.	.	.	.	.	.	.	1	.
Conflagration, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	3	2	2	2	1	2	1	1	2	1·6	.	.	.	.	.	.	.	.	1	.	.
Drowning, ...	1	2	.	.	1	1	.	2	3	1	1·1	1	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	1	1	1	.	.	2	1	3	1·2	.	.	.	.	.	.	.	.	1	1	.
Total Deaths from Accident,	2	8	4	4	4	2	2	5	6	6	4·3	2	.	.	.	.	.	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	1	5	—	3	.	.	1	1	.	.	.	.	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																										
	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered.	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213
Average Births in corresponding week of previous 10 years, ...	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247
DEATHS registered, ...	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158
Annual Death-rate per 1,000, ...	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4
Average Deaths in corresponding week of previous 10 years, ...	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203
Ages, Under 5 years, ...	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44
5—15 „ ...	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5
15—25 „ ...	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6
25—45 „ ...	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23
45—65 „ ...	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33
65—75 „ ...	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27
75 and upwards, ...	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20
Deaths from :—																										
Enteric Fever, ...	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1
Scarlet Fever, ...	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.
Whooping-cough, ...	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1
Diphtheria, ...	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.
Influenza, ...	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15
Tuberculous Disease, Other Forms,	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4
Cancer, ...	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7
Diseases of Circulatory System,	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16
Diseases of Respiratory System, Pneumonia,	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11
Diseases of Respiratory System, Others, ...	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30
Diarrhœa and Enteritis, under 2 years, ...	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5
Diarrhœa, 2 years and upwards,	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.
Violent Deaths, ...	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2
Number of Uncertified Deaths,	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7
Mean Temperature of the Air (Phœnix Park)	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2
Average Mean Temperature in corresponding week of previous 10 years, ...	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8
Rainfall in inches, ...	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·8[illegible]	·85	·88	·84	·88	·90	·92	·87

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st February, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST FEBRUARY, 1913.

Class.	Occupation or Social Position (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	158	44	5	6	23	33	27	20	.	.	.	1	.	1	.	.	15	4	7	6	11	30	5	.	2	76	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	3	1	.	5	4	7	10	.	.	.	.	.	.	.	.	2	1	3	.	1	4	.	.	1	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·1	34	8	.	4	5	8	6	3	.	.	.	1	.	.	.	.	4	.	.	.	3	8	.	.	.	18	3
IV.	GENERAL SERVICE CLASS, ...	154,279	21·0	62	29	3	2	11	8	5	4	.	.	.	.	.	1	.	.	7	2	1	6	6	10	4	.	1	24	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	27	4	1	.	2	10	8	2	.	.	.	.	.	.	.	.	2	1	1	.	1	8	1	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	28·4	12	1	1	.	2	2	2	4	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.	1	5	.
	6. Clerks and Commercial Assistants, ...	30,432	6·9	4	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	.	.	.	1	1	4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	26·2	15	6	.	1	1	4	2	1	.	.	.	1	.	.	.	.	2	.	.	.	2	3	.	.	.	7	1
	10. Clothing Trades, ...	23,260	13·5	6	.	.	2	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	3	.
	11. Food Supply Trades	9,242	16·9	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	13·7	8	2	.	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	4	1
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	7·8	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	15. Domestic Servants, ...	36,603	5·7	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	30·2	52	23	3	1	11	7	3	4	.	.	.	.	.	1	.	.	6	2	.	5	3	9	4	.	1	21	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	27	4	1	.	2	10	8	2	.	.	.	.	.	.	.	.	2	1	1	.	1	8	1	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912–3. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Dec. 14,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	2
	„ 21,	21·1	.	12	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 28,	22·8	3·5	13	.	.	.	.	.	1	1	.	.	.	1	2	3	.	.	1	1
	Jan. 4,	26·2	5·2	15	.	.	.	.	1	1	.	.	.	1	1	1	1	1	.	1	.
	„ 11,	27·9	.	16	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	1	1
	„ 18,	24·4	.	14	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	.	.
	„ 25,	19·2	1·7	11	.	.	.	.	.	.	1	.	1	2	.	.	3	.	.	.	1
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Dec. 14,	24·4	.	19	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	1
	„ 21,	25·7	2·6	20	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
	„ 28,	10·3	.	8	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.
	Jan. 4,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	2	2	2	.	2	.
	„ 11,	24·2	2·6	19	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	1	.
	„ 18,	28·1	5·1	22	.	.	.	.	1	.	1	.	1	.	.	1	4	2	.	.	2
	„ 25,	20·4	2·6	16	.	.	.	.	.	.	2	.	1	.	.	1	4	.	.	.	.
	Feb. 1,	21·7	2·6	17	.	.	.	.	.	.	.	.	.	2	.	.	9	2	.	.	3
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Dec 14,	22·4	.	12	.	.	.	.	.	.	.	.	2	3	.	1	3	.	.	.	.
	„ 21,	28·1	5·6	15	.	.	.	.	.	.	.	.	3	1	.	1	4	3	.	.	.
	„ 28,	24·3	.	13	.	.	.	.	.	.	.	.	3	1	.	2	2	.	.	.	.
	Jan. 4,	31·8	1·9	17	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1
	„ 11,	22·4	.	12	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
	„ 18,	31·8	1·9	17	1	.	.	.	.	.	.	.	1	2	1	2	2	.	.	.	1
	„ 25,	24·3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	3
	Feb. 1,	20·6	.	11	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Dec. 14,	26·9	.	18	.	.	.	.	.	.	.	.	2	2	2	3	5	.	.	.	.
	„ 21,	13·4	.	9	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.
	„ 28,	10·4	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	Jan. 4,	25·2	1·5	17	.	.	.	.	.	.	1	.	4	.	3	2	2	.	.	.	1
	„ 11,	26·7	3·0	18	.	.	.	.	.	.	1	.	2	2	1	1	.	.	1	.	.
	„ 18,	23·7	.	16	.	.	.	.	.	.	.	.	3	2	3	.	.	.	.	.	1
	„ 25,	38·5	1·5	26	.	.	.	.	.	1	.	.	4	.	1	3	6	.	.	1	.
	Feb. 1,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Dec. 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.
	„ 21,	31·2	2·6	24	.	.	.	.	1	.	.	.	2	1	.	3	2	1	.	.	.
	„ 28,	15·6	.	12	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	1
	Jan. 4,	29·7	1·3	23	.	.	.	.	.	.	1	.	6	.	1	3	4	.	.	.	.
	„ 11,	20·7	1·3	16	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.
	„ 18,	25·8	2·6	20	.	.	.	.	.	.	2	.	1	.	1	1	4	.	.	.	1
	„ 25,	23·3	2·6	18	.	.	.	.	.	.	1	.	.	.	.	2	5	1	.	.	.
	Feb. 1,	19·4	1·3	15	.	.	.	.	.	1	.	.	4	.	.	1	2	.	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Dec. 14,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 21,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.
	„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
	Jan. 4,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.
	„ 11,	28·4	2·8	10	1	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 18,	25·6	2·8	9	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	1
	„ 25,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Feb. 1,	19·9	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Dec. 14,	20·7	1·2	17	.	.	.	.	.	.	.	.	.	.	.	3	4	1	.	.	2
	„ 21,	26·8	.	22	.	.	.	.	.	.	.	.	7	1	1	2	4	.	.	1	1
	„ 28,	17·1	.	14	.	.	.	.	.	.	.	.	4	1	.	4	2	.	.	.	.
	Jan. 4,	26·6	.	22	.	.	.	.	.	.	.	.	5	1	.	1	3	.	.	1	.
	„ 11,	27·8	2·4	23	.	.	.	.	.	.	.	.	2	2	2	2	3	2	.	.	.
	„ 18,	10·9	.	9	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.
	„ 25,	30·2	1·2	25	.	.	.	.	.	.	.	.	3	2	2	1	5	1	.	.	5
	Feb. 1,	19·4	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Dec. 14,	17·3	1·6	11	.	.	.	.	.	1	.	.	1	1	.	2	1	.	.	1	.
	„ 21,	28·3	7·9	18	.	.	.	.	.	.	.	.	4	.	2	.	.	5	.	.	.
	„ 28,	17·3	1·6	11	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.
	Jan. 4,	29·9	1·6	19	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	1	2
	„ 11,	17·3	.	11	.	.	.	.	.	.	.	.	4	.	.	3	2	.	.	.	1
	„ 18,	28·3	.	18	.	.	.	.	.	.	.	.	6	.	3	1	2	.	.	.	.
	„ 25,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	.	3	5	.	.	.	1
	Feb. 1,	26·7	4·7	17	.	.	.	.	.	.	.	.	1	.	1	3	5	3	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Dec. 14,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 28,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 4,	16·1	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	„ 11,	28·2	1·3	21	.	.	.	.	.	.	1	.	.	.	2	1	3	.	.	.	.
	„ 18,	22·9	1·3	17	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	.
	„ 25,	12·1	.	9	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	Feb. 1,	16·1	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Dec. 14,	15·8	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 21,	14·0	5·3	8	.	.	.	.	1	1	1	.	1	.	1	.	2	.	.	.	.
	„ 28,	21·0	1·8	12	.	.	.	.	.	1	.	.	1	.	.	2	2	.	.	.	1
	Jan. 4,	10·4	1·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
	„ 11,	12·2	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	„ 18,	17·4	1·7	10	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.
	„ 25,	15·7	.	9	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Dec. 14,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 4,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 11,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 18,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 25,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 1,	15·4	3·1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Dec. 14,	20·0	3·5	150	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	.
	„ 21,	23·5	4·4	177	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	.
	„ 28,	19·3	3·9	145	.	.	.	23	.	1	.	.	8	6	2	14	18	3	2	1	2
	Jan. 4,	23·8	3·2	181	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	2
	„ 11,	21·1	4·2	160	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	3
	„ 18,	20·3	4·1	154	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	2
	„ 25,	24·5	3·0	186	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	2
	Feb. 1,	22·9	2·9	174	.	.	.	19	1	.	2	.	16	11	4	19	29	.	.	2	4
Cork. Pop. in 1911 76,673.	Dec. 14,	17·0	2·7	25	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	„ 21,	17·0	.	25	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	1
	Jan. 4,	27·2	3·4	40	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	2
	„ 11,	19·7	1·4	29	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.
	„ 18,	25·2	.	37	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	.
	„ 25,	21·8	0·7	32	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1
	Feb. 1,	32·6	.	48	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2
Londonderry. Pop. in 1913 (Est.) 41,000.	Dec. 14,	20·4	1·3	16	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	1
	„ 21,	17·9	.	14	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	1
	„ 28,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Jan. 4,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
	„ 11,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	.	3	2	.	.	.	3
	„ 18,	16·5	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
	„ 25,	30·5	.	24	.	.	.	.	.	.	.	.	1	2	2	.	5	.	.	.	1
	Feb. 1,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	.
Limerick. Pop. in 1911 38,518.	Dec. 14,	20·3	6·8	15	.	.	.	5	.	.	.	.	1	.	.	1	1	.	.	1	.
	„ 21,	19·0	4·1	14	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	.	3
	„ 28,	5·4	1·4	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 4,	17·6	1·4	13	.	.	.	1	.	.	.	.	2	.	1	1	3	.	.	.	2
	„ 11,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 18,	13·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	„ 25,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3
	Feb. 1,	17·6	.	13	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.
Waterford. Pop. in 1911 27,464.	Dec. 14,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2
	„ 21,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	1
	„ 28,	7·6	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	Jan. 4,	30·4	1·9	16	.	.	.	.	.	1	.	.	1	1	2	1	3	.	.	.	.
	„ 11,	28·5	5·7	15	.	.	.	.	.	2	.	.	2	1	.	1	1	1	.	1	2
	„ 18,	32·3	1·9	17	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.	.	1
	„ 25,	19·0	3·8	10	.	.	.	.	.	2	.	.	1	.	1	.	2	.	.	1	1
	Feb. 1,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st February, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	19	32·8	3·3	10	3	.	1	2	1	3	.	.	.	1	.	.	.	.	3	.	1	.	1	.	.	.	2	4	.
Do. 2 do.	49,500	21	26·3	1·1	25	4	.	3	4	6	8	.	.	.	.	.	.	1	.	3	2	.	.	3	.	.	.	1	8	1
Do. 3 do.	50,032	20	16·7	1·0	16	2	2	2	2	5	3	.	.	.	1	.	.	.	.	1	.	.	4	3	.	.	1	2	1	.
Do 4 do.	32,637	34	30·4	9·6	19	6	5	1	2	2	3	.	.	.	6	.	.	.	.	1	.	.	.	5	.	.	.	.	4	1
Do. 5 do.	16,112	6	35·6	3·2	11	1	4	1	3	1	1	.	.	.	1	.	.	.	.	1	2	.	3	.	.	.	.	.	1	.
Do. 6 do.	37,293	15	32·2	2·8	23	2	3	.	8	8	2	.	.	.	2	.	.	.	.	1	.	2	4	5	.	.	.	.	6	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	35·0	.	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	9	23·5	2·1	11	1	2	1	.	4	3	.	.	.	1	.	.	.	.	.	2	.	3	2	.	.	.	.	2	1
Do. 10 do.	28,958	16	25·2	1·8	14	2	1	2	3	2	4	.	.	.	.	.	.	1	.	.	2	1	1	6	.	.	.	.	3	.
Do. 11 do.	39,311	17	17·2	2·7	13	4	2	2	2	1	2	.	.	.	1	1	.	.	.	3	1	.	.	3	.	.	.	.	5	.
Do. 12 do.	38,076	17	13·7	4·1	10	.	3	.	2	1	4	.	.	.	3	.	.	.	.	1	1	.	1	.	.	.	1	2	5	.
Do. 13 do.	23,233	11	11·2	2·2	5	.	2	.	1	1	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	29·9	4·6	13	2	3	2	3	1	2	.	.	.	2	.	.	.	.	2	1	.	2	.	.	.	.	1	3	.
Total,	386,947	197	22·9	2·9	174	29	27	15	33	34	36	.	.	.	19	1	.	2	.	16	11	4	19	29	.	.	2	8	44	4
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	23·3	.	6	.	1	.	1	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Do 2 do.	10,701	7	25·1	.	5	1	1	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	1
Do 3 do.	9,978	.	58·6	.	11	.	.	1	3	5	2	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	8	.
Do 4 do.	8,666	5	34·2	.	6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	4	.
Do 5 do.	6 592	2	25·0	.	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.
Do 6 do.	10,702	6	18·0	.	4	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 7 do.	16,616	9	42·2	.	13	3	.	1	3	2	4	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1	7	1
Total,	76,122	35	32·6	.	48	6	4	4	8	11	15	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2	26	2

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered, ...	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197
DEATHS registered, ...	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174
Annual Death rate per 1,000 of estimated population, ...	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9
AGES, Under 1 year, ...	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29
1—5 years, ...	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27
5—25 „ ...	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15
25—45 „ ...	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33
45—65 „ ...	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34
65 and upwards, ...	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19
Scarlet Fever, ...	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1
Whooping-cough, ...	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.
Diphtheria, ...	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16
Tuberculous Disease. Other Forms,	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11
Cancer, ...	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4
Diseases of Respiratory System, Pneumonia,	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19
Diseases of Respiratory System, Others, ...	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29
Diarrhœa and Enteritis, under 2 years, ...	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.
Diarrhœa, 2 years and upwards,	.	.	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.
Violent Deaths, ...	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2
Number of Uncertified Deaths, ...	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Feb. 1,	2,124	1,610	18·6	4	.	56	2	20	6	18*a*
Edinburgh, ...	320,800	„ 1,	141	103	16·8	.	.	.	.	3	.	.
Glasgow, ...	1,021,500	„ 1,	585	444	22·7	1	.	.	1	38	3	2
Calcutta, ...	896,067	Dec. 21,	.	590	34·2	75*	.	4	.	.	1†	114‡
Bombay, ...	979,445	„ 28,	412	581*	30·8	?	1	.	.	.	1	44‡*a*
Madras, ...	518,660	Jan. 11,	351	478	47·9	99*	1	8	.	.	.	124
Cairo, ...	704,956	Nov. 4,	659	397	29·4	.	1	1	.	?	26†	66*a*
Paris, ...	2,847,229	Jan. 18,	971	871	15·6	1	.	9	4	3	3†	16*a*
Brussels, ...	745,380	„ 11,	233	185	12·9	2	.	1	.	1	1†	3*a*
Antwerp, ...	308,618	„ 18,	117	81	13·7	.	.	6	.	.	1†	8*a*
Amsterdam, ...	587,872	„ 11,	267	127	11·3	.	.	5	1	3	1†	.
Copenhagen, ...	468,000	„ 11,	218	134	14·9	.	.	1	2	2	1†	2*a*
Stockholm, ...	346,599	„ 11,	151	94	13·3	.	.	.	1	.	.	1*a*
Christiania, ...	247,488	„ 18,	104	60	12·6	.	.	.	1	.	1	1
St. Petersburg, ...	1,664,000	Dec. 28,	738	607	19·0	9	2	21	14	4	4†	34
Moscow, ...	1,617,157	„ 14,	.	578	18·6	4	1	6	14	6	13†	33
Berlin, ...	2,094,806	„ 28,	788	510	12·7	.	.	1	10	7	9†	17
Hamburg, ...	1,006,748	Jan. 11,	.	270	13·9	.	.	4	1	1	7†	13
Breslau, ...	534,235	„ 11,	.	174	17·0	.	.	4	.	2	.	6
Munich, ...	622,000	„ 11,	.	186	15·6	.	.	3	.	1	.	9
Vienna (with suburbs),	2,098,225	„ 11,	569	663	16·4	2	.	8	2	7	6†	21*a*
Buda-Pesth, ...	1,087,779	„ 11,	472	319	17·8	1	.	1	3	.	1†	13*a*
Prague and Faubourgs,	489,194	Dec. 28,	175	204	21·7	2	.	5	1	2	7†	9*a*
Trieste, ...	238,432	Jan. 11,	134	90	19·7	1	.	9	.	.	.	.
Rome, ...	569,809	Sept. 28,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Jan. 4,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,606,105	Oct. 26,	.	421	13·6	3	.	.	1	1	7	24*a*
		Nov. 2,	.	382	12·4	2	.	.	1	.	5	20*a*
Boston, ...	735,399	Jan. 11,	.	278	19·7	.	.	5	5	4	2	4

* Deaths from "fever," including 5 from enteric fever, and 4 from plague in Calcutta, one from enteric fever and 3 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 43 deaths from cholera in Calcutta, but not including 14 deaths in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st February, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 1, West, ...	.	1	2	.	.	.	.	2	.	.	.	3	.	8
" " 2, ...	.	2	.	.	1	.	.	.	1	.	.	.	.	4
" " 3, ...	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	1	.	1	.	3	1	.	4	.	12
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
" " 3, ...	.	1	.	.	1	.	.	1	1	.	.	1	.	5
" " 4, ...	.	1	.	.	2	.	.	.	.	.	.	1	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	12	2	.	5	.	1	4	6	1	.	11	.	42

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st February, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st February.			
	Jan. 11.	Jan. 18.	Jan. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	17	19	21	5	3	.	23
Typhus, ...	.	.	8	.	.	.	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	2	3	1	.	.	4
Scarlet Fever, ...	121	123	117	17	18	.	116*
Diphtheria, ...	51	49	47	10	16	.	41
Pneumonia, ...	20	16	17	9	5	2	19

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 1st February, 1913:—

"While several fine bright intervals were enjoyed, the weather of this week was far from settled. It partook of the general character of the present winter, being changeable, windy, at times mild, rainy, and stormy. A vast cyclonic system in which the barometer fell to 28·22 inches at Seydisfjord in Iceland on Friday morning caused very inclement weather all over the N.W. of Europe during the closing days of the period. On Sunday morning the British Islands were covered by an anticyclone, in which the barometer stood at or a little above 30·3 inches at 7 a.m. over a large part of Great Britain. The thermometer was below 32° in many districts, marking 28° at Birr Castle and Leith. A very fine day was experienced in Dublin, but the sky became overcast at night, as a far-reaching atmospheric depression spread in from the Atlantic. By Tuesday morning the centre of this system had arrived off the West of Ireland. At the same time an anticyclone, with the barometer up to 30·6 inches, moved southwards across Sweden, to which country it brought very intense frost, the thermometer falling to—18° at Haparanda, —8° at Hernösand and —4° in Stockholm. The result was a S.E. gale in the North Sea and a wide-spread fall of cold rain. Wednesday was fine in Ireland, but on Thursday the weather broke down completely as a large and very deep depression arrived over Iceland, spreading thence all over North-western Europe at a time when the barometer at sea level was about 2 inches higher at the Azores and over the Baltic than it was in the west of Iceland and beyond. As the immense depression spread southeastwards across the North Sea to Germany a strong and cold W. wind swept over the British Isles and snow and hail fell in large quantities in Ireland, lightning being reported from Ulster on Friday morning. In Dublin heavy falls of hail and snow occurred on Friday afternoon and evening. In this city the mean height of the barometer was 29·682 inches, the range being from 30·287 inches at 9 a.m. of Sunday (wind, calm) to 29·014 inches at 9 p.m. of Thursday (wind, W.). The corrected mean temperature was 42·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·9°. On Sunday and Saturday the screened thermometers fell to 33·0°, on Thursday they rose to 52·5°. The dominant winds were S.S.E. and W.S.W. The rainfall was ·745 inch on 5 days, ·288 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·704 inches. The highest reading (30·305) was on Sunday at 9 a.m., air calm, the lowest (29·049) on Thursday at 9 p.m., wind W.S.W.

The mean temperature for the week was 40·2°, being 0·4° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday and Thursday, on which days the thermometer registered 52°, and was lowest on Sunday, the mercury having fallen to 29°. The mean of the Dry Bulb for the week was 39·3° and of the Wet Bulb, 37·7°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·915 inches.

At Greenwich the mean temperature for the week was 39·6°, the maximum 50·2°, and the minimum 28·1°; at Glasgow the maximum was 47·5°, the minimum 24·4°, and the mean 37·5°; and at Edinburgh the maximum was 45·7°, the minimum 28·5°, and the mean 36·6°. The rainfall at Greenwich measured 0·78 in.; at Glasgow 1·67 ins.; and at Edinburgh 0·60 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 26,	30·235	44	29	36·5	33·9	32·7	·87	·1	4·6	·000	Calm.	Calm.
Monday, „ 27,	29·855	48	30	39·0	44·1	42·3	·86	·0	0·0	·185	Calm.	S.E.
Tuesday, „ 28,	29·710	52	43	47·5	44·5	43·2	·90	·2	0·0	·120	E.S.E.	S.W.
Wednesday, „ 29,	29·835	50	37	43·5	39·4	38·0	·90	·4	4·2	·000	Calm.	Calm.
Thursday, „ 30,	29·290	52	31	41·5	45·0	42·2	·81	·7	0·0	·220	S.	W.S.W.
Friday, „ 31,	29·435	43	32	37·5	34·3	32·9	·88	·8	1·7	·310	W.S.W.	S.W.
Saturday, February 1,	29·570	40	32	36·0	34·0	32·5	·85	·8	3·8	·080	S.W.	W.S.W.
Mean, ...	29·704	47·0	33·4	40·2	39·3	37·7	·87	·4	Total 14·3	Total ·915	—	

Sunday—A beautiful bright day; night cloudy. *Monday*—Day overcast, drizzling and heavy rain at intervals 3.0 9.0 p.m.; night cloudy, showers at intervals a.m. *Tuesday*—Day overcast, drizzling and heavy rain 9.0 a m. to 1.0 p.m.; night cloudy. *Wednesday*—A fine bright day; night clear. *Thursday*—Day overcast, drizzling at intervals a.m. and p.m.; night overcast to clear, drizzling at intervals 9.0 p.m. to 12.0 m.n. *Friday*—Day cloudy, snowing at intervals 1.0 to 9.0 p.m.; night cloudy, heavy snow at intervals. *Saturday*—Day bright a.m., cloudy p.m.; night clear to overcast, heavy rain 6.40 to 8.50 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 1st February, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 26,	32·8	41·6	44·6	53	31	42·0	3·6	—
Monday „ 27,	45·0	40·8	44·5	47	39	43·0	—	·07
Tuesday, „ 28,	44·3	41·9	44·5	53	42	47·5	1·3	·07
Wednesday, „ 29,	47·3	42·7	44·5	51	42	46·5	3·0	—
Thursday, „ 30,	48·6	42·1	44·6	54	36	45·0	—	·23
Friday, „ 31,	35·9	42·0	44·7	44	33	38·5	1·5	·27
Saturday, February 1,	37·5	40·3	44·7	41	32	36·5	3·1	·06
Weekly Mean, .	41·6	41·6	44·6	49·0	36·4	42·7	Total 12·5	Total ·70

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 8TH FEBRUARY, 1913. [No. 6.

General Register Office, Charlemont House,
Dublin, 10*th February,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Jan. 18	Jan. 25	Feb. 1	Feb. 8	Average Rate for 4 weeks.
27 Town Districts, (a)	**22·2**	**21·3**	**20·4**	**20·9**	**21·2**
Dublin Reg. Area ...	22·3	19·7	18·8	17·7	19·6
Dublin City ...	23·2	21·7	19·8	18·1	20·7
Belfast	20·3	24·5	22·9	23·2	22·7
Cork	25·2	21·8	32·6	22·4	25·5
Londonderry ...	16·5	30·5	19·1	20·3	21·6
Limerick	13·5	16·2	17·6	16·2	15·9
Waterford	32·3	19·0	17·6	26·6	21·4

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·8 per 1,000. Among the 176 deaths from all causes for Belfast are 14 from measles, 4 from diphtheria, and 5 from diarrhœa and enteritis of children under 2 years of age. One of the 14 deaths from all causes for Waterford is from whooping-cough. Included in the 10 deaths from all causes for Galway is one from typhus. One of the 5 deaths from all causes for Drogheda is from whooping-cough. Of the 7 deaths from all causes for Newry, one is from enteric fever, and 2 are from measles. One death from scarlet fever is included in the 3 deaths from all causes for Wexford, and of the 6 deaths from all causes for Tralee one is from measles, and one is from diarrhœa of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 226—106 boys and 120 girls—and the deaths to 151—83 males and 68 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·7 per 1,000 of the population. During the six weeks, ending with Saturday last, the death-rate averaged 20·7, and was 4·5 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 151, represent an annual rate of 19·5 per 1,000; the annual rate for the past six weeks was 22·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

The total deaths (151) include one from enteric fever, one from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, 3 from influenza, and 2 from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks, deaths from enteric fever were one, 0, and 0; deaths from measles were 0, 0, and one; deaths from scarlet fever were one, 0, and 0; deaths from whooping-cough were 2, 2, and one; deaths from diphtheria were 3, 4, and 0; deaths from influenza were one, one, and 2; and deaths from diarrhœa and enteritis of children under 2 years of age were 3, 2, and 5, respectively.

Tuberculous disease caused 32 deaths, comprising 21 from pulmonary tuberculosis, 6 from tuberculous meningitis, one from abdominal tuberculosis, 2 from tuberculosis of joints, and 2 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease were 32, 20, and 19, respectively.

There were 13 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Twelve deaths were due to cancer.

The deaths of 2 infants under one year of age were ascribed to convulsions, one to premature birth, and 3 to congenital debility.

Bronchitis caused 16 deaths and organic diseases of the heart 16 deaths.

There were 8 accidental deaths, of which 3 were due to burns (one being that of a child aged 4 years, and one of a child aged 6 years), and there was one by a tramway accident.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under one year of age, and the death of one person aged 92 years.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 3 were under one month old) and 36 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards, of whom 3 (a male and 2 females) were stated to have been aged 101, 90, and 92 years, respectively.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·7 per 1,000; the rate in the City was 18·1 (North City Districts, 16·9; South, 19·5) and in the Suburbs, 16·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 0·6, and in the South 1·8), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000, and include 2 from influenza, 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, one from bronchitis, and one by accidental burns.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 17·9 per 1,000. The total includes one from measles, 4 from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and one by a tram accident.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. The total includes one from each of pulmonary tuberculosis and broncho-pneumonia.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 13·3 per 1,000, and include one from each of scarlet fever, pulmonary tuberculosis, broncho-pneumonia, and bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Finglas and Glasnevin, part of, 19·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Coolock and Drumcondra, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 24·5 per 1,000. The total includes one from whooping-cough, 6 from tuberculous disease, 4 from bronchitis, and 2 by accident.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000, and include 3 from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000. Enteric fever caused one death, tuberculous disease 6 deaths, broncho-pneumonia 2 deaths, lobar pneumonia one death, pneumonia one death, bronchitis one death, and accidental burns one death.

No. 4 South City District (Grand Canal Street).—The deaths (6) are equivalent to an annual rate of 9·4 per 1,000, and include one from whooping-cough, 2 from pulmonary tuberculosis, one from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·4; Pembroke, 13·9; Blackrock, 22·8; and Kingstown, 24·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Pembroke. Among the 10 deaths from all causes for Rathmines and Rathgar are 2 from broncho-pneumonia, 3 from bronchitis, and 2 from accidental causes. Of the 8 deaths from all causes for Pembroke one is from influenza, one from disseminated tuberculosis, one from broncho-pneumonia, and 2 from bronchitis. Included in the 4 deaths from all causes for Blackrock is one from each of broncho-pneumonia and bronchitis. The 8 deaths from all causes for Kingstown include 2 from tuberculous disease and one from each of broncho-pneumonia, and lobar pneumonia.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 8th February, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Jan. 18,	.	—	—	10	.	.	6	.	.	3	3	.	—	—	.	—	14	1	37
	Jan. 25,	.	—	—	16	5	.	8	.	.	2	7	.	—	—	.	—	18	.	56
	Feb. 1,	.	—	—	12	2	.	5	.	1	4	6	1	—	—	.	—	11	.	42
	Feb. 8,	.	—	—	12	.	.	4	.	.	2	7	.	—	—	.	—	8	.	33
Rathmines and Rathgar Urban District.	Jan. 18,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	—	4
	Jan. 25,	.	—	—	3	.	.	2	.	.	1	.	.	—	—	—	—	—	—	6
	Feb. 1,	.	—	—	2	.	.	2	.	.	.	1	.	—	—	—	—	—	—	5
	Feb. 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
Pembroke Urban District.	Jan. 18,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	—	—	.	—	5
	Jan. 25,	.	.	.	2	.	.	.	.	.	.	1	.	—	3	—	—	1	—	7
	Feb. 1,	.	.	.	1	.	.	.	.	.	.	1	.	—	1	—	—	.	—	3
	Feb. 8,	.	.	.	1	.	.	6	.	.	.	.	.	—	1	—	—	.	—	8
Blackrock Urban District.	Jan. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 18,	.	—	—	3	.	.	.	.	.	2	1	.	—	—	—	—	3	—	9
	Jan. 25,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Feb. 1,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	1	—	4
	Feb. 8,	.	—	—	.	.	.	1	.	.	1	.	1	—	—	—	—	2	—	5
City of Belfast.	Jan 18.	.	—	—	24	.	.	3	2	.	4	7	.	—	—	—	—	7	—	47
	Jan. 25,	.	—	—	18	.	.	10	.	.	5	5	1	—	—	—	—	14	—	53
	Feb. 1,	.	—	—	13	.	.	9	.	1	3	2	1	—	—	—	—	17	—	46
	Feb. 8,	.	—	—	23	.	.	7	1	.	2	2	1	—	—	—	—	6	—	42

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th February, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 23 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 19, 21, and 23.

Two cases of typhus were admitted to hospital during the week, and 10 cases remained under treatment at its close.

One case of measles was discharged from hospital, and 3 cases remained under treatment at the close of the week At the end of the three preceding weeks such cases were 2, 3, and 4, respectively.

Twenty-six cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death, and 124* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 123, 117, and 116, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 49, 47, and 41, respectively, were 45 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 6 were discharged, there was one death, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·3), was equal to an average annual death-rate of 17.2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·8 per 1,000, the rate for Glasgow being 22·2, and for Edinburgh 19·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th February. From this Report it appears that of a total of 61 cases notified, 26 were phthisis, 20 scarlet fever, 7 erysipelas, 7 diphtheria, and one enteric fever. Among the 383 cases of infectious diseases in hospital at the close of the week were 155 cases of scarlet fever, 102 of phthisis, 44 of whooping-cough, 31 of diphtheria, 12 of measles, 5 of enteric fever, 5 of erysipelas, 4 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 8th February, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 8th February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th January, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	28·4	20·9	1·8	654	481	86	113	2	1	...	18	2	4	5	...	55	22	15	40	64	9	...	16	25	164	12	...	...	..	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	403,000	29·3	29·2	17·7	1·0	226	137	23	33	1	...	...	1	1	2	1	...	19	9	6	16	17	2	...	8	7	63	2	e55	32	44·6	0·32	e52	29	40·2	0·92	e56	27	41·9	1·43
CITY OF DUBLIN,	308,187	39·0	32·5	18·1	1·2	192	107	19	21	1	...	...	1	1	2	...	...	18	7	5	10	10	2	...	6	6	51	1	f56·1 g56·8	34·0 33·0	46·5 45·8	0·25 0·24	f52·5 g52·7	33·0 30·0	42·3 41·4	0·75 0·88	f52·4 g51·9	33·0 28·6	43·9 42·2	1·50 1·71
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	17·5	13·4	.	13	10	1	4	...	...	...	...	...	...	...	..	...	...	...	2	3	...	...	2	1	5	..	...	...	...	...	...	...	...	...	.	...	...	...
PEMBROKE ...	29,942	19·0	24·4	13·9	1·7	14	8	2	3	...	...	...	...	...	...	1	...	...	1	1	1	2	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK....	9,161	8·5	11·4	22·8	.	2	4	1	3	...	...	...	...	...	...	..	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN,...	16,941	11·6	15·4	24·6	.	5	8	...	2	...	...	...	...	...	...	...	...	1	1	...	2	1	...	...	...	...	2	1	52	35	45	0·31	46	33	40·0	0·78	53	33	43·6	1·11
BELFAST ...	396,000	26·5	29·5	23·2	3·0	224	176	33	37	...	...	...	14	...	...	4	...	19	10	5	15	20	5	...	7	12	58	3	54·6	32·0	43·0	0·95	49·2	27·0	39·6	1·34	48·4	28·0	40·8	1·47
CORK, ..	76,673	28·6	29·9	22·4	.	44	33	6	10	...	...	...	...	...	...	...	...	3	1	1	1	7	...	...	...	2	11	1	52	36	46·9	0·93	52	31	43·3	0·92	52	38	45·1	0·98
LONDONDERRY...	41,000	15·9	28·0	20·3	.	22	16	2	4	..	...	...	...	...	...	...	...	2	1	1	...	4	...	...	...	..	3	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	24·4	16·2	.	18	12	3	3	...	...	...	...	...	...	...	...	2	...	...	...	3	...	..	...	...	3	2	56·2	33·8	45·6	0·49	53	24	40·9	1·11	52·5	29·6	42·7	1·57
WATERFORD, ...	27,464	19·1	28·5	26·6	1·9	15	14	3	3	...	..	...	...	...	1	...	...	2	...	...	2	3	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				4	10	3	1	...	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	4	2	54	33	44·3	1·13	50	27	46	1·29	51	31	42	1·47
DUNDALK, ...	13,128	9·5				2	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				12	7	2	3	...	...	...	..	...	...	...	..	1	...	...	...	...	...	...	...	...	..	...	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09
DROGHEDA, ...	12,501	8·4				.	5	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				5	4	...	3	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	1	...	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09
NEWRY, ...	11,963	17·0				2	7	1	3	1	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	2	.	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09
PORTADOWN, ...	11,727	15·3				7	8	1	2	...	...	...	...	...	...	...	...	2	...	1	..	...	...	...	...	...	...	...	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09
WEXFORD, ...	11,531	22·8				5	3	...	2	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				6	4	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				6	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	2	57	33	44·0	1·53	51	24	39·0	1·16	50	30	40·0	2·04
KILKENNY, ...	10,514	11·4				17	9	2	2	...	...	...	...	...	...	...	...	...	...	...	...	2	..	...	...	...	5	...	55	30	45·1	0·63	52	24	39·2	1·23	53	29	40·1	1·25
TRALEE, ...	10,300	17·4				1	6	...	...	...	...	...	1	...	...	...	...	1	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				2	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	52	33	44·3	0·90	48	32	40·5	1·01	48	33	41·5	0·87
QUEENSTOWN, ...	8,209	14·7				4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	52	36	46·9	0·93	52	31	43·3	0·92	52	38	45·1	0·98
LARNE, ...	8,036	13·4				6	5	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				7	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ...	7,691	7·2				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65	49·3	27·5	40·0	1·09

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 14 deaths of persons (including 3 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th of February, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN: REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	3	1	1	.	.	.	5	1	3	2	.	.	.	.	1	19	2
Tuberculous Disease. — Other Forms,	.	1	.	.	.	.	.	1	2	3	.	.	.	1	.	1	9	2
Cancer,	.	1	2	.	.	.	1	.	.	1	.	.	.	1	.	.	6	6
Diseases of Nervous System,	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	4	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	3	2	.	.	2	1	1	1	.	2	1	1	1	1	19	1
" Respiratory System. — Pneumonia,	2	1	1	1	.	.	.	.	1	4	.	.	2	1	1	2	16	1
" Respiratory System. — Others,	1	1	.	1	.	.	.	4	1	1	1	.	3	2	1	1	17	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	.	4	.
" Genito-urinary System,	.	.	.	1	.	.	.	3	2	.	.	.	1	.	.	1	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	4	.	.	.	.	1	1	.	1	.	.	.	1	.	13	.
Violent Deaths,	1	1	.	.	.	.	.	2	.	1	1	.	2	.	.	.	8	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Deaths from All Causes	13	14	13	9	.	.	4	19	11	16	6	2	10	8	4	8	137	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·7	17·9	24·3	13·3	.	.	19·6	24·5	31·3	19·4	9·4	10·7	13·4	13·9	22·8	24·6	17·7	.
	16·9							19·5					16·5					
	18·1																	
Ages at Death. — Under 1 year,	3	3	3	.	.	.	.	4	3	2	1	.	1	2	1	.	23	.
1 and under 2 years,	1	1	.	.	.	.	.	2	2	1	.	.	1	.	.	.	8	.
2 " 5 "	1	.	.	1	.	.	.	.	.	1	.	.	.	1	.	1	5	.
5 " 15 "	.	.	1	1	.	.	.	.	1	2	.	.	.	.	.	.	5	1
15 " 25 "	1	1	.	2	.	.	.	1	.	2	.	.	.	1	.	1	9	3
25 " 45 "	1	3	2	.	.	.	2	5	2	3	2	.	1	1	.	1	23	3
45 " 65 "	3	3	3	4	.	.	1	4	2	2	1	2	3	.	.	3	31	4
65 and upwards,	3	3	4	1	.	.	1	3	1	3	2	.	4	3	3	2	33	3
Number of Uncertified Deaths,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	1	2	4	.	.	2	1	1	5	2	.	4	3	.	1	27	13
Workhouse Hospitals,	3	6	2	3	.	.	1	10	4	3	.	.	1	1	1	1	36	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 8th February, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907	Feb. 8, 1908.	Feb. 13, 1909.	Feb. 12, 1910.	Feb. 11, 1911.	Feb. 10, 1912.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 49·1	° 38·3	° 44·4	° 37·4	° 34·0	° 44·7	° 38·6	° 43·7	° 37·0	° 41·1	° 40·8	° 44·6										
ALL CAUSES.	193	207	194	151	225	182	203	217	220	219	201·1	151	3	20	8	5	6	12	26	35	25	11
Enteric Fever, ...	1	2	2	.	2	2	4	.	2	1	1·6	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	.	.	4	1	1	.	2	4	1·4	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	3	1	2	.	1	.	1	1	4	1	1·4	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	3	6	.	.	6	1	5	4	3	5	3·3	2	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	1	1	.	.	.	.	1	2	2	3	1·0	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	7	1	.	4	13	2	3	4	1	3·7	3	.	.	.	.	.	.	.	1	2	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	1	.	.	3	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	1	1	.	2	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	.	1	1	1	.	2	3	1	1	1·2	2	1	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	28	19	32	18	25	14	21	19	27	26	22·9	21	.	2	.	.	1	8	7	3	.	.
Tuberculous Meningitis, ...	6	8	1	7	4	2	2	3	1	.	3·4	6	.	2	.	.	2	1	.	.	1	.
Abdominal Tuberculosis, ...	2	3	2	1	1	2	1	2	3	1	1·8	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	7	8	7	10	6	7	5	2	.	6·0	2	.	.	.	.	1	.	.	.	1	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	.	1	.	.	.	1	.	.	.	.
Venereal Diseases, ...	2	2	5	.	2	1	3	.	1	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	11	10	14	9	4	9	10	11	12	9·6	12	.	.	.	.	.	.	5	3	4	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	.	.	.	1	.	.	2	1	·5	2	.	.	.	.	.	.	1	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	2	1	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										6		2	.	.	.	.	.	.	.	.	.	2
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										7		2	1	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	35	46	49	35	50	40	33	54	45	3	43·4	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										3		2	.	.	.	.	.	.	2	.	.	.
Organic Diseases of the Heart,										15		16	.	.	.	.	.	.	3	7	6	.
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Circulatory System.										5		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	26	34	22	25	38	25	43	46	39	43	34·1	16	.	3	2	.	.	.	1	3	4	3
Broncho-pneumonia, ...	2	5	10	4	6	5	16	10	11	14	8·3	13	.	4	3	2	1	.	.	1	1	1
Lobar pneumonia, ...	.	4	.	.	2	.	.	1	2	1	1·0	2	.	.	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished)	7	12	7	2	8	8	8	6	7	6	7·1	2	.	.	.	.	.	.	.	2	.	.
Pleurisy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	6	1	3	1	5	3	3	9	2	.	3·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

SIXTH WEEK ending Saturday, 8th February, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 8th February, 1913.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.	Feb. 12, 1910.	Feb. 11, 1911.	Feb. 10, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	49·1°	38·3°	44·4°	37·4°	34·0°	44·7°	38·6°	43·7°	37·0°	41·1°	40·8°	44·6°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	3	—	1	.	.	.	.	.	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	7	3	4	1	3	.	2	9	5	3	4·0	2	.	1	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	.	—	2	.	1	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	2	.	1	1	2	2	.	2	1	1·1	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	3	.	.	1	.	3	.	.	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	.	.	.	1	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	9	4	3	4	6	8	3	6	.	.	4·3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	2	7	4	14	6	5	4	9	2	6·6	1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...										5		5	.	.	.	.	.	1	.	2	1	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		2	.	.	.	.	.	.	.	2	.	.
Puerperal Septicæmia, &c., ...	.	2	1	.	.	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	2	2	1	1	.	.	2	.	.	1	·9	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	2	2	2	4	2	6	1	1	4	2·5	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	2	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	6	6	4	5	7	9	4	4	8	8	6·1	5	.	.	.	.	.	.	.	.	4	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	2	1	1	2	1	1	.	2	3	1·3	3	.	.	.	1	1	.	.	1	.	.
Drowning, ...	.	.	1	.	.	.	.	1	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	3	2	2	1	3	3	.	2	3	2·1	4	.	.	.	.	.	1	2	1	.	.
Total Deaths from Accident,	2	5	5	3	3	5	4	1	4	6	3·8	8	.	.	.	1	1	1	3	2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	.	.	1	.	.	1	.	·3	1	.	.	.	.	.	1	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	1	2	1	.	.	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	5	—	2	.	.	.	.	.	.	.	.	.	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered.	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226
Average Births in corresponding week of previous 10 years, ...	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212
DEATHS registered, ...	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181
Annual Death-rate per 1,000, ...	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5
Average Deaths in corresponding week of previous 10 years, ...	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201
Ages, Under 5 years, ...	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36
5—15 " ...	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6
15—25 " ...	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12
25—45 " ...	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26
45—65 " ...	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35
65—75 " ...	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25
75 and upwards, ...	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11
Deaths from :—																										
Enteric Fever, ...	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1
Scarlet Fever, ...	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1
Whooping-cough, ...	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2
Diphtheria, ...	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1
Influenza, ...	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21
Tuberculous Disease, Other Forms,	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11
Cancer, ...	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12
Diseases of Circulatory System,	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20
Diseases of Respiratory System, Pneumonia,	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17
Diseases of Respiratory System, Others, ...	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17
Diarrhœa and Enteritis, under 2 years, ...	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2
Diarrhœa, 2 years and upwards,	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Violent Deaths, ...	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8
Number of Uncertified Deaths,	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2
Mean Temperature of the Air (Phœnix Park)	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6
Average Mean Temperature in corresponding week of previous 10 years, ...	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8
Rainfall in inches, ...	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th February, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH FEBRUARY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	151	36	6	12	26	35	25	11	1	.	.	1	1	2	1	.	21	11	12	2	17	17	2	.	8	55	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	3	2	4	6	3	6	4	1	.	.	.	1	1	.	.	4	2	3	1	.	3	.	.	.	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	9·0	19	3	1	1	2	8	3	1	.	.	.	.	.	.	.	.	1	2	4	1	1	2	1	.	1	6	1
IV.	GENERAL SERVICE CLASS, ...	154,279	21·3	63	20	3	2	11	15	9	3	.	.	.	1	.	1	1	.	7	2	3	.	15	6	1	.	6	20	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	37	10	.	5	5	9	5	3	.	.	.	.	.	.	.	.	9	4	1	.	1	5	.	.	1	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	1	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	2	1	1	4	.	.	.	1	.	.	.	1	1	.	.	1	1	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	28·9	15	.	1	3	2	3	4	2	.	.	.	.	.	.	.	.	3	1	3	.	.	2	.	.	.	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	1
	10. Clothing Trades, ...	23,260	13·5	6	1	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	.	.	1	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	10·3	6	.	.	.	.	4	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	2	.
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	5·7	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	2	1	.	2	3	1	.	.	.	.	1	.	.	.	.	.	.	2	.	1	1	.	.	2	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	26·7	46	15	1	2	8	11	8	1	.	.	.	.	.	1	1	.	6	1	1	.	10	5	1	.	4	16	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	37	10	.	5	5	9	5	3	.	.	.	.	.	.	.	.	9	4	1	.	1	5	.	.	1	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases,*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Dec. 21,	21·1	.	12	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 28,	22·8	3·5	13	.	.	.	.	.	1	1	.	.	.	1	2	3	.	.	1	1
	Jan. 4,	26·2	5·2	15	.	.	.	.	1	1	.	.	.	1	1	1	1	1	.	1	.
	„ 11,	27·9	.	16	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	1	1
	„ 18,	24·4	.	14	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	.	.
	„ 25,	19·2	1·7	11	.	.	.	.	.	.	1	.	1	2	.	.	3	.	.	.	1
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 8,	22·7	.	13	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Dec. 21,	25·7	2·6	20	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
	„ 28,	10·3	.	8	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.
	Jan. 4,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	2	2	2	.	2	.
	„ 11,	24·2	2·6	19	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	1	.
	„ 18,	28·1	5·1	22	.	.	.	.	1	.	1	.	1	.	.	1	4	2	.	.	2
	„ 25,	20·4	2·6	16	.	.	.	.	.	.	2	.	1	.	.	1	4	.	.	.	.
	Feb. 1,	21·7	2·6	17	.	.	.	.	.	.	.	.	.	2	.	.	9	2	.	.	3
	„ 8,	17·9	1·3	14	.	.	.	1	.	.	.	.	3	1	1	1	1	.	.	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Dec 21,	28·1	5·6	15	.	.	.	.	.	.	.	.	3	1	.	1	4	3	.	.	.
	„ 28,	24·3	.	13	.	.	.	.	.	.	.	.	3	1	.	2	2	.	.	.	.
	Jan. 4,	31·8	1·9	17	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1
	„ 11,	22·4	.	12	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
	„ 18,	31·8	1·9	17	1	.	.	.	.	.	.	.	1	2	1	2	2	.	.	.	1
	„ 25,	24·3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	3
	Feb. 1,	20·6	.	11	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	„ 8,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Dec. 21,	13·4	.	9	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.
	„ 28,	10·4	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	Jan. 4,	25·2	1·5	17	.	.	.	.	.	.	1	.	4	.	3	2	2	.	.	.	1
	„ 11,	26·7	3·0	18	.	.	.	.	.	.	1	.	2	2	1	1	.	.	1	.	.
	„ 18,	23·7	.	16	.	.	.	.	.	.	.	.	3	2	3	.	.	.	.	.	1
	„ 25,	38·5	1·5	26	.	.	.	.	.	1	.	.	4	.	1	3	6	.	.	1	.
	Feb. 1,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
	„ 8,	13·3	1·5	9	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Dec. 21,	31·2	2·6	24	.	.	.	.	1	.	.	.	2	1	.	3	2	1	.	.	.
	„ 28,	15·6	.	12	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	1
	Jan. 4,	29·7	1·3	23	.	.	.	.	.	.	1	.	6	.	1	3	4	.	.	.	.
	„ 11,	20·7	1·3	16	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.
	„ 18,	25·8	2·6	20	.	.	.	.	.	.	2	.	1	.	1	1	4	.	.	.	1
	„ 25,	23·3	2·6	18	.	.	.	.	.	.	1	.	.	.	.	2	5	1	.	.	.
	Feb. 1,	19·4	1·3	15	.	.	.	.	.	1	.	.	4	.	.	1	2	.	.	.	1
	„ 8,	24·5	1·3	19	.	.	.	.	.	1	.	.	5	1	.	.	4	.	.	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Dec. 21,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.
	„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
	Jan. 4,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.
	„ 11,	28·4	2·8	10	1	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 18,	25·6	2·8	9	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	1
	„ 25,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Feb. 1,	19·9	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	2	.	1	1	2	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Dec. 21,	26·8	.	22	.	.	.	.	.	.	.	.	7	1	1	2	4	.	.	1	1
	„ 28,	17·1	.	14	.	.	.	.	.	.	.	.	4	1	.	4	2	.	.	.	.
	Jan. 4,	26·6	.	22	.	.	.	.	.	.	.	.	5	1	.	1	3	.	.	1	.
	„ 11,	27·8	2·4	23	.	.	.	.	.	.	.	.	2	2	2	2	3	2	.	.	.
	„ 18,	10·9	.	9	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.
	„ 25,	30·2	1·2	25	.	.	.	.	.	.	.	.	3	2	2	1	5	1	.	.	5
	Feb. 1,	19·4	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 8,	19·4	1·2	16	1	.	.	.	.	.	.	.	3	3	1	4	1	.	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Dec. 21,	28·3	7·9	18	.	.	.	.	.	.	.	.	4	.	2	.	.	5	.	.	.
	„ 28,	17·3	1·6	11	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.
	Jan. 4,	29·9	1·6	19	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	1	2
	„ 11,	17·3	.	11	.	.	.	.	.	.	.	.	4	.	.	3	2	.	.	.	1
	„ 18,	28·3	.	18	.	.	.	.	.	.	.	.	6	.	3	1	2	.	.	.	.
	„ 25,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	.	3	5	.	.	.	1
	Feb. 1,	26·7	4·7	17	.	.	.	.	.	.	.	.	1	.	1	3	5	3	.	.	.
	„ 8,	9·4	1·6	6	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Dec. 21,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 28,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 4,	16·1	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	„ 11,	28·2	1·3	21	.	.	.	.	.	.	1	.	.	.	2	1	3	.	.	.	.
	„ 18,	22·9	1·3	17	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	.
	„ 25,	12·1	.	9	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	Feb. 1,	16·1	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 8,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Dec. 21,	14·0	5·3	8	.	.	.	.	1	1	1	.	1	.	1	.	2	.	.	.	.
	„ 28,	21·0	1·8	12	.	.	.	.	.	1	.	.	1	.	.	2	2	.	.	.	1
	Jan. 4,	10·4	1·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
	„ 11,	12·2	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	„ 18,	17·4	1·7	10	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.
	„ 25,	15·7	.	9	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 8,	13·9	1·7	8	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Dec. 21,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 4,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 11,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 18,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 25,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 1,	15·4	3·1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 8,	24·6	.	8	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	Dec. 21,	23·5	4·4	177	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	.
	„ 28,	19·3	3·9	145	.	.	.	23	.	1	.	.	8	6	2	14	18	3	2	1	2
	Jan. 4,	23·8	3·2	181	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	2
	„ 11,	21·1	4·2	160	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	3
	„ 18,	20·3	4·1	154	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	2
	„ 25,	24·5	3·0	186	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	2
	Feb. 1,	22·9	2·9	174	.	.	.	19	1	.	2	.	16	11	4	19	29	.	.	2	4
	„ 8,	23·2	3·0	176	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	3
Cork. Pop. in 1911 76,673.	Dec. 21,	17·0	.	25	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	1
	Jan. 4,	27·2	3·4	40	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	2
	„ 11,	19·7	1·4	29	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.
	„ 18,	25·2	.	37	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	.
	„ 25,	21·8	0·7	32	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1
	Feb. 1,	32·6	.	48	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2
	„ 8,	22·4	.	33	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Dec. 21,	17·9	.	14	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	1
	„ 28,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Jan. 4,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
	„ 11,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	.	3	2	.	.	.	3
	„ 18,	16·5	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
	„ 25,	30·5	.	24	.	.	.	.	.	.	.	.	1	2	2	.	5	.	.	.	1
	Feb. 1,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	.
	„ 8,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
Limerick. Pop. in 1911 38,518.	Dec. 21,	19·0	4·1	14	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	.	3
	„ 28,	5·4	1·4	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 4,	17·6	1·4	13	.	.	.	1	.	.	.	.	2	.	1	1	3	.	.	.	2
	„ 11,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 18,	13·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	„ 25,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3
	Feb. 1,	17·6	.	13	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.
	„ 8,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	2
Waterford. Pop. in 1911 27,464.	Dec. 21,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	1
	„ 28,	7·6	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	Jan. 4,	30·4	1·9	16	.	.	.	.	.	1	.	.	1	1	2	1	3	.	.	.	.
	„ 11,	28·5	5·7	15	.	.	.	.	.	2	.	.	2	1	.	1	1	1	.	1	2
	„ 18,	32·3	1·9	17	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.	.	1
	„ 25,	19·0	3·8	10	.	.	.	.	.	2	.	.	1	.	1	.	2	.	.	1	1
	Feb. 1,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	1·9	14	.	.	.	.	.	1	.	.	2	.	.	2	3	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th February, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	4	23·0	3·3	7	2	1	.	2	.	2	.	.	.	1	.	.	.	.	1	.	.	2	.	.	.	.	2	3	.
Do. 2 do.	49,500	24	16·9	2·1	16	3	1	2	4	1	5	.	.	.	.	.	.	2	.	3	.	.	1	2	.	.	.	.	5	1
Do. 3 do.	50,032	27	17·7	3·1	17	4	4	1	2	5	1	.	.	.	3	.	.	.	.	2	.	.	3	1	.	.	.	1	4	.
Do 4 do.	32,637	28	39·9	6·4	25	6	6	2	2	2	7	.	.	.	4	.	.	.	.	2	1	.	2	4	.	.	.	.	12	.
Do. 5 do.	16,112	8	42·1	3·2	13	4	2	.	1	3	3	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	2	2	4	1
Do. 6 do.	37,293	12	18·2	4·2	13	1	3	1	2	3	3	.	.	.	1	.	.	1	.	1	.	.	2	2	1	.	1	1	6	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	26·2	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	25	21·3	.	10	.	.	.	3	6	1	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	1	2	.
Do. 10 do.	28,958	17	21·6	3·6	12	2	1	3	2	1	3	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	.	.	3	.
Do. 11 do.	39,311	17	15·9	1·3	12	2	3	2	1	4	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.	1	1	5	.
Do. 12 do.	38,076	22	32·9	1·4	24	5	4	4	3	4	4	.	.	.	1	.	.	.	.	2	5	2	2	4	.	.	1	2	6	1
Do. 13 do.	23,233	22	11·2	.	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	1	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	15	43·7	11·5	19	4	3	3	.	3	6	.	.	.	3	.	.	.	.	.	2	1	.	1	2	.	.	1	7	.
Total,	386,947	224	23·2	3·0	176	33	28	18	25	35	37	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	12	58	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	11	15·5	.	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 2 do.	10,701	7	30·1	.	6	1	.	1	.	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	1	.
Do 3 do.	9,978	9	16·0	.	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	.
Do 4 do.	8,666	3	11·4	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do 5 do.	6 592	7	16·7	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Do 6 do.	10,702	2	36·0	.	8	2	.	.	2	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
Do. 7 do.	16,616	5	26·0	.	8	.	.	.	1	4	3	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	5	.
Total,	76,122	44	22·4	.	33	6	.	2	4	11	10	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	2	11	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered, ...	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224
DEATHS registered, ...	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176
Annual Death-rate per 1,000 of estimated population, ...	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2
AGES, Under 1 year, ...	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33
1—5 years, ...	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28
5—25 „ ...	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18
25—45 „ ...	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25
45—65 „ ...	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35
65 and upwards, ...	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14
Scarlet Fever, ...	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.
Whooping-cough, ...	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.
Diphtheria, ...	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19
Tuberculous Disease. Other Forms,	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10
Cancer, ...	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5
Diseases of Respiratory System, Pneumonia,	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15
Diseases of Respiratory System, Others, ...	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20
Diarrhœa and Enteritis, under 2 years, ...	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5
Diarrhœa, 2 years and upwards,	.	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.
Violent Deaths, ...	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7
Number of Uncertified Deaths, ...	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Feb. 8,	2,310	1,499	17·3	4	.	54	7	27	8	27*a*
Edinburgh, ...	320,800	,, 8,	142	118	19·2	.	.	1	.	7	1	.
Glasgow, ...	1,021,500	,, 8,	540	434	22·2	2	.	3	3	34	3	4
Calcutta, ...	896,067	Dec. 28,	.	578	33·5	95*	.	.	.	.	.	126‡
Bombay, ...	979,445	Jan. 4,	400	679*	36·0	88*	2	3	.	1	.	83‡*a*
Madras, ...	518,660	,, 18,	.	.	.	.	.	.	.	.	.	.
Cairo, ...	704,956	Nov. 11,	598	377	27·9	5	.	.	1	?	17†	65*a*
Paris, ...	2,847,229	Jan. 25,	968	951	17·1	5	.	10	3	3	10†	16*a*
Brussels, ...	745,380	,, 18,	227	194	13·5	1	.	2	.	1	1†	3*a*
Antwerp, ...	308,618	,, 25,	116	89	15·0	1	.	1	3	1	.	5*a*
Amsterdam, ...	587,872	,, 18,	239	163	11·2	.	.	.	1	1	2†	4
Copenhagen, ...	468,000	,, 18,	218	150	16·7	.	.	.	3	3	1†	4*a*
Stockholm, ...	368,796	,, 18,	154	93	13·1	.	.	.	.	.	.	2*a*
Christiania, ...	247,488	,, 25,	119	61	12·8	.	.	.	.	.	2	.
St. Petersburg, ...	1,664,000	,, 4,	590	693	21·7	17	1	15	7	7	5†	31
Moscow, ...	1,617,157	Dec. 21,	.	648	20·9	3	1	7	9	9	23†	66
Berlin, ...	2,095,165	Jan. 4,	.	570	14·2	.	.	2	10	1	17†	34
Hamburg, ...	1,006,748	,, 18,	.	241	12·4	.	.	1	4	1	6†	8
Breslau, ...	536,437	,, 18,	.	211	20·5	.	.	1	.	2	.	16
Munich, ...	622,000	,, 18,	.	194	16·3	.	.	3	1	1	1†	3
Vienna (with suburbs),	2,098,225	,, 18,	634	616	15·3	.	.	2	4	3	5†	23*a*
Buda-Pesth, ...	1,087,779	,, 18,	509	313	17·5	.	.	2	13	2	1†	5*a*
Prague and Faubourgs,	489,194	,, 4,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	237,192	,, 18,	129	108	23·7	1	.	3	.	.	2†	2
Rome, ...	569,809	Sept. 28,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Jan. 11,	.	1,519	14·8	7	.	11	14	3	22†	24*a*
Philadelphia, ...	1,606,105	Nov. 9,	.	430	13·9	1	.	1	2	2	9	28*a*
		,, 16,	.	394	12·8	1	.	.	.	.	9	11*a*
Boston, ...	735,399	Jan. 18,	.	277	19·6	4	.	1	5	.	2	8

* Deaths from "fever," including 7 from enteric fever and 6 from plague in Calcutta, and one from enteric fever and 9 from plague in Bombay.

† Including deaths from croup.

‡ Including 48 deaths from cholera in Calcutta, and 17 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th February, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
" " 2, ...	.	2	.	.	.	.	.	.	1	.	.	.	.	3
" " 3, ...	.	5	.	.	1	.	.	.	.	.	.	1	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	.	.	.	.	3	.	.	3	.	7
" " 2, ...	.	.	.	.	.	.	.	2	.	.	.	2	.	4
" " 3, ...	.	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 4, ...	.	2	.	.	3	.	.	.	1	.	.	1	.	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	12	.	.	4	.	.	2	7	.	.	8	.	33

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th February, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th February.			
	Jan. 18.	Jan. 25.	Feb. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	19	21	23	6	6	.	23
Typhus, ...	.	8	8	2	.	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	3	4	.	1	.	3
Scarlet Fever, ...	123	117	116	26	17	1	124*
Diphtheria, ...	49	47	41	13	9	.	45
Pneumonia, ...	16	17	19	7	6	1	19

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 8th February, 1913:—

"Another spell of open, blustering, showery weather has to be recorded. Baric gradients were at times very steep, and the stormy character of the week reached a climax on Friday, during the evening of which day a tempest raged over the British Isles, the wind direction being first S., then S.W., and finally W. The week opened with an anticyclone in the region of the Azores, the barometer standing on Sunday morning as high as 30·63 inches at Ponta Delgada and 30·65 inches at Horta. As it was down to 28·75 inches at the same time in Iceland, fresh to squally S.W. to W. winds swept over the Atlantic and the western shores of Europe. By Monday morning the centre of the anticyclone had moved eastward to central Spain, while Reykjavik in Iceland reported a barometer reading of only 28·31 inches. Mild, cloudy, windy, drizzling weather prevailed in the British Isles. During the rest of the week a band of high atmospheric pressure stretched northeastwards from Spain across France to Switzerland and southern Germany, whereas a succession of very energetic secondary depressions travelled northeastwards along the western shores of Ireland and Scotland in the periphery of a large primary disturbance, in which the barometer fell to 28·36 inches at Vestmanna on the south coast of Iceland, on Friday morning. The most serious storm of the week was felt on Friday, and its violence may be gauged by the fact that in Dublin the barometer rose from 29·162 inches at 6.30 p.m. of that day to 30·206 inches at 9 a.m. of Saturday—1·044 inches in less than 15 hours. The storm was most violent just at the time when this rapid increase of pressure began. At Aberdeen a squall of hurricane force—76 miles per hour—occurred at 7 a.m. of Saturday, which was a beautiful day—bright and dry—in Ireland. In Dublin the mean height of the barometer was 29·788 inches, the extremes occurring within 14½ hours of each other—lowest, 29·162 inches at 6.30 p.m. of Friday (wind, S.W., strong gale); highest, 30·206 inches at 9 a.m. of Saturday (wind, S.W., moderate). The mean temperature was 46·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·2°. On Sunday, the screened thermometers fell to 34·0°; on Friday they rose to 56·1°. S.W. winds prevailed. Rain fell daily, but only to the amount of ·247 inch, of which ·099 inch was recorded on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·794 inches. The highest reading (30·219) was on Saturday at 9 a.m., wind S.W., the lowest (29·423) on Friday at 9 p.m., wind W.

The mean temperature for the week was 44·6°, being 3·8° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Friday, on which day the thermometer registered 55°, and was lowest on Sunday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 45·5° and of the Wet Bulb, 43·5°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·315 inch.

At Greenwich the mean temperature for the week was 46·7°, the maximum 55·0°, and the minimum 33·3°; at Glasgow the maximum was 51·3°, the minimum 34·6°, and the mean 43·1°; and at Edinburgh the maximum was 50·2°, the minimum 33·0°, and the mean 41·8°. The rainfall at Greenwich measured 0·26 in.; at Glasgow 2·02 ins.; and at Edinburgh 0·79 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 2,	29·610	49	32	40·5	43·4	41·3	·86	·8	2·3	·030	S.W.	W.
Monday, „ 3,	29·820	51	46	48·5	49·2	47·9	·91	·8	0·0	·100	W.S.W.	W.S.W.
Tuesday, „ 4,	30·045	51	41	46·0	47·4	46·0	·91	·6	1·9	·010	W.S.W.	S.S.W.
Wednesday, „ 5,	29·805	51	35	43·0	42·7	40·6	·84	·7	1·0	·050	S.S.W.	W.S.W.
Thursday, „ 6,	29·640	52	33	42·5	46·2	43·9	·85	·8	0·7	·035	S.S.W.	S.W.
Friday, „ 7,	29·495	55	40	47·5	45·3	43·1	·85	·8	2·0	·070	S.S.E.	W.
Saturday, „ 8,	30·145	52	36	44·0	44·4	41·6	·80	·8	0·0	·020	S.W.	S.
Mean, ...	29·794	51·6	37·6	44·6	45·5	43·5	·86	·8	Total 7·9	Total ·315	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, drizzling rain 5.0 to 8.0 p.m.; night overcast, drizzling 6.0 to 7.0 a m. *Monday*—Day overcast, drizzling at intervals a.m. and p.m.; night cloudy, drizzling and heavy rain 4.0 to 8.0 a.m. *Tuesday*—Day cloudy, drizzling at intervals 6.15 to 9.0 p.m.; night cloudy, light rain 4.45 to 5.0 a.m. *Wednesday*—Day cloudy, heavy showers 1.0 to 3.30 p.m.; night clear to overcast, light rain 7.0 to 8.30 a.m. *Thursday*—A dull day, showers at intervals 12.30 to 4.0 p.m.; night clear. *Friday*—Day cloudy, showers at intervals a.m. and p.m; night cloudy. *Saturday*—Day overcast; night cloudy, showers from 12.0 m.n. to 3.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 8th February, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 2,	39·2	39·4	44·5	50	34	42	3·1	·02
Monday „ 3,	50·0	41·2	44·2	53	46	49·5	0·0	·03
Tuesday, „ 4,	47·0	43·3	44·0	52	45	48·5	1·0	—
Wednesday, „ 5,	49·9	44·0	44·0	53	39	46	1·4	·03
Thursday, „ 6,	50·5	43·0	44·3	55	35	45	0·6	·01
Friday, „ 7,	47·0	43·0	44·4	57	35	46	2·7	·08
Saturday, „ 8,	42·0	43·0	44·5	53	37	45	2·9	·03
Weekly Mean, .	46·5	42·4	44·3	53·3	38·7	46·0	Total 11·7	Total ·20

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 15TH FEBRUARY, 1913. [No. 7.

General Register Office, Charlemont House,
Dublin, 17th February, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending Jan. 25	Feb. 1	Feb. 8	Feb. 15	Average Rate for 4 weeks.
27 Town Districts, (a)	**21·3**	**20·4**	**20·9**	**21·3**	**21·0**
Dublin Reg. Area ...	19·7	18·8	17·7	21·7	19·5
Dublin City ...	21·7	19·8	18·1	21·0	20·2
Belfast	24·5	22·9	23·2	19·9	22·6
Cork	21·8	32·6	22·4	29·2	26·5
Londonderry ...	30·5	19·1	20·3	19·1	22·2
Limerick	16·2	17·6	16·2	17·6	16·9
Waterford	19·0	17·6	26·6	26·6	20·0

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 151 deaths from all causes for Belfast are one from enteric fever, 4 from measles, 4 from scarlet fever, one from whooping-cough, one from diphtheria, and 4 from diarrhœa and enteritis of children under 2 years of age. One of the 43 deaths from all causes for Cork is from measles. Included in the 14 deaths from all causes for Waterford are 3 from whooping-cough. Of the 6 deaths from all causes for Dundalk one is from measles, One of the 3 deaths from all causes for Lurgan is from diphtheria. Two of the 6 deaths from all causes for Newry are from measles. Among the 5 deaths from all causes for Kilkenny is one from scarlet fever, and of the 4 deaths from all causes for Tralee one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 218—124 boys and 94 girls—and the deaths to 175—87 males and 88 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·7 per 1,000 of the population. During the seven weeks, ending with Saturday last, the death-rate averaged 20·8, and was 4·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 175, represent an annual rate of 22·6 per 1,000; the annual rate for the past seven weeks was 22·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

The deaths (175) include one from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, 2 from influenza, and 4 from diarrhœa and enteritis of children under 2 years. In the 3 preceding weeks, deaths from measles were 0, one and one; deaths from scarlet fever were 0, 0, and one; deaths from whooping-cough were 2, one, and 2; deaths from diphtheria were 4, 0, and one; deaths from influenza were one, 2, and 3; and deaths from diarrhœa and enteritis of children under 2 years of age were 2, 5, and 2, respectively.

Tuberculous disease caused 34 deaths, comprising 21 from pulmonary tuberculosis, 4 from tuberculous meningitis, 5 from abdominal tuberculosis, one from tuberculosis of other organs, and 3 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease were 20, 19, and 32, respectively.

There were 6 deaths from broncho-pneumonia, one from lobar pneumonia, and 9 from pneumonia (type not distinguished).

Fifteen deaths were due to cancer.

Prematurity caused the deaths of 5 infants, congenital debility, 6 deaths, and there was one death of an infant ascribed to congenital malformation.

Bronchitis caused 20 deaths and organic diseases of the heart 11 deaths.

There were 2 accidental deaths, one being in a building operation, and one, that of a child aged one year and 10 months, was caused by scalds.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of a person aged 70 years.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 9 were under one month old) and 38 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 91 years, respectively.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions: of this number 15 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000; the rate in the City was 21·0 (North City Districts, 19·1; South, 23·1) and in the Suburbs, 24·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 1·0, and in the South 1·4), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·2 per 1,000, and include one from pneumonia (type not distinguished) and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·1 per 1,000. Included in the total are one from measles, 7 from tuberculous disease, and one from pneumonia (type not distinguished).

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000. The total includes 3 from tuberculous disease, one from broncho-pneumonia, one from pneumonia (type not distinguished), and 3 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 23·7 per 1,000, and include one from influenza, 2 from tuberculous disease, one from broncho-pneumonia, one from pneumonia (type not distinguished), 2 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·5; and Finglas and Glasnevin, part of, 4·9. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one is from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 29·7 per 1,000, and include 5 from tuberculous disease, 6 from bronchitis, 2 from diarrhœa and enteritis of children under 2 years, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. The total includes 3 from tuberculous disease, one from lobar pneumonia, and one from bronchitis.

No. South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. Included in the total are one from each of whooping-cough and diphtheria, 3 from pulmonary tuberculosis, one from pneumonia (type not distinguished), and one from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000, and include 5 from tuberculous disease, one from broncho-pneumonia, one from pneumonia (type not distinguished), and 3 from bronchitis.

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·3 per 1,000, and was from broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·9; Pembroke, 13·9; Blackrock, 28·5; and Kingstown, 43·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Rathmines and Rathgar and one from scarlet fever for Kingstown. Of the 17 deaths from all causes for Rathmines and Rathgar are one from each of pulmonary tuberculosis and pneumonia (type not distinguished). Included in the 8 deaths from all causes for Pembroke are one from pulmonary tuberculosis and one from accidental scalds. Among the 5 deaths from all causes for Blackrock are one from influenza, 2 from tuberculous disease, and one from bronchitis. Of the 14 deaths from all causes for Kingstown 2 are from tuberculous disease, one from broncho-pneumonia, 2 from pneumonia (type not distinguished), and one from bronchitis.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 15th February, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Jan. 25,	.	—	—	16	5	.	8	.	.	2	7	.	—	—	.	—	18	.	56
	Feb. 1,	.	—	—	12	2	.	5	.	1	4	6	1	—	—	.	—	11	.	42
	Feb. 8,	.	—	—	12	.	.	4	.	.	2	7	.	—	—	.	—	8	.	33
	Feb. 15,	.	—	—	9	.	.	10	.	.	6	9	.	—	—	.	—	17	.	51
Rathmines and Rathgar Urban District.	Jan. 25,	.	—	—	3	.	.	2	.	.	1	.	.	—	—	—	—	—	—	6
	Feb. 1,	.	—	—	2	.	.	2	.	.	.	1	.	—	—	—	—	—	—	5
	Feb. 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Feb. 15,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Jan. 25,	.	.	.	2	.	.	.	.	.	.	1	.	—	3	—	—	1	—	7
	Feb. 1,	.	.	.	1	.	.	.	.	.	.	1	.	—	1	—	—	.	—	3
	Feb. 8,	.	.	.	1	.	.	6	.	.	.	.	.	—	1	—	—	.	—	8
	Feb. 15,	.	2	.	1	.	.	.	.	.	.	.	.	—	2	—	—	.	—	5
Blackrock Urban District.	Jan. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 25,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Feb. 1,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	1	—	4
	Feb. 8,	.	—	—	.	.	.	1	.	.	1	.	1	—	—	—	—	2	—	5
	Feb. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Jan. 25,	.	—	—	18	.	.	10	.	.	5	5	1	—	—	—	—	14	—	53
	Feb. 1,	.	—	—	13	.	.	9	.	1	3	2	1	—	—	—	—	17	—	46
	Feb. 8,	.	—	—	23	.	.	7	1	.	2	2	1	—	—	—	—	6	—	42
	Feb. 15,	.	—	—	23	.	.	11	.	.	6	6	.	—	—	—	—	7	—	53

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th February, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 27 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 21, 23, and 23.

Ten cases of typhus remained under treatment in hospital at the close of the week.

Two cases of measles were admitted to hospital during the week, 2 were discharged, and 3 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 3, 4, and 3, respectively.

Twenty-three cases of scarlet fever were admitted to hospital, 17 were discharged, and 130* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 117, 116, and 124, respectively.

Ten cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 47, 41, and 45, respectively, were 44 at the close of last week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·1), was equal to an average annual death-rate of 17·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·4 per 1,000, the rate for Glasgow being 20·7, and for Edinburgh 17·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th February. From this Report it appears that of a total of 58 cases notified, 31 were phthisis, 15 scarlet fever, 8 erysipelas, and 4 diphtheria. Among the 401 cases of infectious diseases in hospital at the close of the week were 154 cases of scarlet fever, 119 of phthisis, 46 of whooping-cough, 27 of diphtheria, 15 of measles, 8 of erysipelas, 5 of enteric fever, 4 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 15th February, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 15th February, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Phthisis. (Tuberculous Disease.)	Other Forms. (Tuberculous Disease.)	Cancer.	Pneumonia. (Diseases of the Respiratory System.)	Other. (Diseases of the Respiratory System.)	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 15th February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	27·6	21·3	1·6	635	490	80	127	1	..	...	10	6	6	3	...	55	23	26	43	72	9	1	6	15	147	14	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,000	29·3	28·2	21·7	1·2	218	168	30	38	...	...	...	1	1	2	1	...	21	13	12	16	20	4	...	2	4	65	3	e 54	28	40·6	0·03	e 55	32	44·6	0·32	e 52	29	40·2	0·92
CITY OF DUBLIN,	308,187	39·0	32·7	21·0	1·2	193	124	25	22	...	...	...	1	...	1	1	...	17	11	9	12	18	4	...	1	3	54	1	f 55·0 g 54·7	32·3 28·6	43·8 41·7	0·09 0·09	f 56·1 g 56·8	31·0 33·0	46·5 45·8	0·25 0·24	f 52·5 g 52·7	33·0 30·0	42·3 41·4	0·75 0·88
Urban Districts. RATHMINES & RATHGAR.	38.769	22·6	22·9	22·9	1·3	17	17	3	9	...	...	...	...	...	1	...	..	1	...	3	1	...	...	...	...	...	..	1	.	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE ...	29,942	19·0	7·0	13·9	.	4	8	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK....	9.161	8·5	.	28·5	.	.	5	...	1	...	...	...	...	...	...	..	...	1	1	...	...	1	...	...	...	...	2	...	.	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN,...	16 941	11·6	12·3	43·1	3·1	4	14	...	5	...	...	...	...	1	...	...	...	1	1	...	3	1	...	...	...	...	5	1	52	31	41·4	0·18	52	35	45	0·31	46	33	40·0	0.78
Urban Districts. BELFAST ...	396,000	26·5	27·8	19·9	2·1	211	151	25	27	1	.	...	4	4	1	1	...	13	4	7	13	29	4	1	4	8	41		50·5	32·5	43·2	0·24	54·6	32·0	43·0	0·95	49.2	27·0	39·6	1·34
CORK, ..	76 673	28·6	34 7	29·2	0·7	51	43	6	11	...	...	...	1	...	...	...	...	8	2	1	6	6	...	...	...	1	18	2	52	35	44·1	0·37	52	36	46·9	0·93	52	31	43·3	0·92
LONDONDERRY...	41,000	15·9	34·3	19·1	1·3	27	15	3	6	...	...	...	...	...	...	...	...	...	...	1	3	3	1	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38 518	16·1	20·3	17·6	.	15	13	1	4	..	...	...	...	...	...	...	...	2	...	...	1	4	...	..	...	...	3	3	56·9	32·1	45·0	0·09	56·2	33·8	45·6	0·49	53	24	40·9	1·11
WATERFORD, ...	27,464	19·1	26·6	26·6	5·7	14	14	3	5	...	.	...	...	...	3	...	...	2	...	...	...	1	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13.255	2·5				9	1	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	55	34	46	0·26	51	33	44·3	1·13	50	27	46	1·29
DUNDALK, ...	13.128	9·5				4	6	1	3	...	...	...	1	...	...	...	...	...	...	1	1	...	..	...	...	...	2	...	.	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				4	3	...	2	...	...	...	..	...	...	1	..	...	...	1	...	...	...	...	...	...	...	.	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65
DROGHEDA, ...	12 501	8·4				7	6	1	3	...	...	...	...	...	...	...	...	...	...	..	1	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12.388	10·9				7	7	...	5	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65
NEWRY. ...	11.963	17·0				7	6	3	..	...	...	...	2	...	...	...	...	...	...	..	.	2	...	...	...	...	...	2	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65
PORTADOWN. ...	11.727	15·3				2	7	2	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65
WEXFORD. ...	11.531	22·8				8	11	...	7	...	...	...	...	...	...	...	..	2	2	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11.381	9·3				8	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8				6	6	2	1	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	4	...	54	32	42	0·17	57	33	44·0	1·53	51	24	39·0	1·16
KILKENNY, ...	10,514	11·4				.	5	...	2	...	...	...	...	1	...	...	..	2	...	...	...	1	..	...	...	...	3	...	53	32	41·4	0·23	55	30	45·1	0·63	52	24	39·2	1·23
TRALEE. ...	10 300	17·4				6	4	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	..	...
CLONMEL, ...	10,209	7·8				6	5	...	1	..	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				3	4	...	3	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	51	35	43·3	0·09	52	33	44·3	0·90	48	32	40·5	1·01
QUEENSTOWN, ...	8,209	14·7				3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52	35	44·1	0·37	52	36	46·9	0·93	52	31	43·3	0·92
LARNE, ...	8 036	13·4				8	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7.785	7·7				5	.	...	...	...	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	3	..	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ...	7,691	7·2				2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
ATHLONE, ...	7.472	6·2				1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7.356	21·8				1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	.	2	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72	49·9	25·3	39·5	0·65

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡ at foot of first page. (c) Exclusive of 7 deaths of persons (including one under one year old), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th of February, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	6	1	1	.	.	.	2	2	3	2	.	1	1	1	1	21	.
Tuberculous Disease. { Other Forms,	.	1	2	1	.	.	.	3	1	.	3	.	.	.	1	1	13	.
Cancer,	.	.	.	2	.	.	.	1	1	3	2	.	3	.	.	.	12	3
Diseases of Nervous System,	.	1	3	1	.	.	.	1	.	1	2	.	2	.	.	2	13	3
" Organs of Special Sense,	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
" Circulatory System,	1	.	3	.	.	.	1	1	.	1	1	.	2	1	.	2	13	.
" Respiratory System. { Pneumonia,	1	1	2	2	.	1	.	.	1	1	2	1	1	.	.	3	16	.
" Respiratory System. { Others,	2	.	3	2	.	.	.	6	1	1	3	.	.	.	1	1	20	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	2	2	.	.	.	.	1	.	1	.	.	1	1	.	.	8	.
" Genito-urinary System,	.	.	.	.	.	.	.	1	.	1	.	.	1	2	.	.	5	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	1	1	3	.	2	.	3	3	1	1	.	2	2	1	1	23	1
Violent Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Ill-defined, &c. Causes,	.	2	.	1	.	.	.	1	.	.	.	.	3	.	.	1	8	.
Deaths from All Causes	7	15	17	16	1	3	1	23	9	15	16	1	17	8	5	14	168	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	12·2	19·1	31·8	23·7	9·6	11·5	4·9	29·7	25·6	18·1	25·2	5·3	22·9	13·9	28·5	43·1	21·7	.
	19·1							23·1					24·2					
	21·0																	
Ages at Death. { Under 1 year,	4	4	3	6	.	.	.	3	3	2	.	.	3	2	.	.	30	1
1 and under 2 years,	.	1	2	1	.	.	.	4	.	2	2	.	.	1	.	2	15	.
2 " 5 "	1	.	.	1	.	1	.	.	.	1	1	.	1	.	.	1	7	.
5 " 15 "	.	1	1	.	.	.	.	1	.	.	2	.	.	.	.	.	5	1
15 " 25 "	.	1	1	.	1	1	.	.	1	1	.	.	1	.	.	.	7	.
25 " 45 "	.	5	1	2	.	.	.	4	2	2	2	.	.	1	2	2	23	1
45 " 65 "	1	2	2	4	.	.	1	6	3	6	5	1	3	3	2	4	43	4
65 and upwards,	1	1	7	2	.	1	.	5	.	1	4	.	9	1	1	5	38	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	4	2	3	1	.	.	5	2	5	3	.	.	4	2	1	32	7
Workhouse Hospitals,	1	3	7	4	.	.	.	6	3	4	1	.	.	.	.	4	33	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 15th February, 1913.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.	Feb. 18, 1911.	Feb. 17, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·9	° 37·7	° 45·5	° 36·4	° 40·4	° 44·7	° 39·5	° 42·3	° 46·4	° 42·9	° 42·3	° 40·6										
ALL CAUSES.	161	223	175	149	239	194	211	211	208	197	196·8	175	9	22	15	7	6	7	24	47	23	
Enteric Fever, ...	1	3	3	.	.	.	1	.	2	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	1	2	.	3	1	4	.	2	3	2·2	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	5	.	.	.	.	.	1	2	6	.	1·4	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	3	9	1	.	4	1	2	1	6	1	2·8	2	.	1	.	1	.	.	.	.	.	.
Diphtheria, ...	3	1	1	.	1	1	2	.	3	1	1·3	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	1	.	.	1	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	5	3	2	9	13	.	2	5	4	4·8	2	.	.	.	.	.	.	1	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	1	.	1	.	.	.	·2	1	.	.	.	.	.	.	.	.	.	1
Other Epidemic Diseases, ...	.	1	.	1	1	.	3	1	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	2	.	.	1	.	1	2	1	·9	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	21	27	28	23	27	29	28	19	22	22	24·6	21	.	1	1	.	1	2	11	5	.	.
Tuberculous Meningitis, ...	3	.	2	2	2	2	6	2	4	1	2·4	4	.	.	2	.	1	.	1	.	.	.
Abdominal Tuberculosis, ...	1	3	2	2	1	4	1	6	1	2	2·3	5	.	2	1	.	2	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	4	8	6	7	9	8	6	3	.	5·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		1	.	.	1	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		3	.	.	1	.	1	1	.	.	.	.
Venereal Diseases, ...	.	1	3	1	1	2	1	1	.	1	1·1	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	4	5	6	6	6	7	11	8	4	5	6·2	15	.	.	.	.	.	.	1	13	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever, ...	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	2	4	.	1	.	.	1	.	1	2	1·1	2	.	.	.	.	.	1	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	5	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	.	1	.	.	.	.	.	1	.	·2	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	2	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		1	.	1	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										9		3	.	.	.	.	.	.	.	1	1	1
Softening of Brain, ...										.		2	.	.	.	.	.	.	.	1	.	1
Paralysis, without specified cause.										2		5	.	.	.	.	.	.	1	1	2	1
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										7		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	40	48	47	36	58	39	43	52	46	2	44·3	5	.	.	.	.	1	1	1	1	.	1
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										12		11	.	.	.	.	.	.	.	3	6	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	14	38	18	25	36	23	33	37	43	36	30·3	20	1	3	2	.	.	.	1	7	4	2
Broncho-pneumonia, ...	1	7	4	5	8	8	7	15	6	15	7·6	6	.	1	1	2	.	.	.	2	.	.
Lobar pneumonia, ...	.	1	.	2	4	1	.	1	.	1	1·0	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	7	8	7	4	7	4	5	4	9	13	6·8	9	.	2	1	3	.	.	1	2	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	5	3	1	4	6	9	4	1	.	3·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										2		.	.	.	.	.	.	.	.	.	.	.

SEVENTH WEEK ending Saturday, 15th February, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 15th February, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.	Feb. 18, 1911.	Feb. 17, 1912.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·9	° 37·7	° 45·5	° 36·4	° 40·4	° 44·7	° 39·5	° 42·3	° 46·4	° 42·9	° 42·3	° 40·6										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	4	—	3	.	.	.	.	.	.	.	1	2	.
Diarrhœa and Enteritis of Children under 2 years.	1	7	2	2	3	5	3	6	4	4	3·8	4	.	3	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	1	—	1	.	1	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	.	.	.	.	2	.	2	2	.	·6	4	.	.	.	.	.	.	1	2	.	1
Other Diseases of Liver, ...	6	1	3	1	.	.	.	.	2	.	1·3	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	4	3	1	9	4	7	2	1	2	3·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										5		5	.	.	.	.	.	.	.	3	2	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	7	4	5	8	8	4	4	9	4	.	6·0	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	2	.	.	.	.	1	.	·4	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	3	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	1	5	2	1	6	6	4	4	1	5	3·5	5	3	2	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	2	—	6	3	3	.	.	.	.	.	.	.	.
Old Age, ...	3	10	6	5	9	6	7	6	4	2	5·8	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	.	—	4	2	.	.	1	.	1	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	.	4	1	3	2	1	2	1·4	1	.	.	1	.	.	.	.	.	.	.
Drowning, ...	2	.	.	.	1	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	.	.	.	2	.	4	1	5	1·5	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	3	3	.	.	5	4	5	6	2	7	3·5	2	.	.	1	.	.	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	4	3	—	8	.	.	.	.	.	1	.	1	3	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered,	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218
Average Births in corresponding week of previous 10 years, ...	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217
DEATHS registered, ...	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175
Annual Death-rate per 1,000, ...	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6
Average Deaths in corresponding week of previous 10 years, ...	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197
Ages, Under 5 years, ...	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53
5—15 " ...	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6
15—25 " ...	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7
25—45 " ...	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24
45—65 " ...	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47
65—75 " ...	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23
75 and upwards, ...	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15
Deaths from :—																										
Enteric Fever, ...	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1
Scarlet Fever, ...	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1
Whooping-cough, ...	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2
Diphtheria, ...	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1
Influenza, ...	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21
Tuberculous Disease, Other Forms,	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13
Cancer, ...	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15
Diseases of Circulatory System,	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13
Diseases of Respiratory System; Pneumonia,	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16
Diseases of Respiratory System; Others, ...	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20
Diarrhœa and Enteritis, under 2 years, ...	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4
Diarrhœa, 2 years and upwards,	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Violent Deaths, ...	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2
Number of Uncertified Deaths,	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3
Mean Temperature of the Air (Phœnix Park)	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6
Average Mean Temperature in corresponding week of previous 10 years, ...	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3
Rainfall in inches, ...	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th February, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH FEBRUARY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	175	53	6	7	24	47	23	15	.	.	.	1	1	2	1	.	21	13	15	.	16	20	4	.	2	79	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	.	.	.	.	2	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	14·4	24	4	.	2	4	6	4	4	.	.	.	.	.	1	.	.	3	.	4	.	1	.	1	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	19·4	41	16	2	2	7	8	5	1	.	.	.	1	1	1	1	.	3	3	5	.	6	4	2	.	1	13	2
IV.	GENERAL SERVICE CLASS, ...	154,279	23·7	70	28	3	1	8	20	7	3	.	.	.	.	.	.	.	.	8	6	4	.	9	10	1	.	1	31	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	5	1	2	5	11	6	3	.	.	.	.	.	.	.	.	7	4	1	.	.	5	.	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	11·8	5	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	2	.	2	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	.	.	.	.	5	4	3	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	2	1	.	1	1	1	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	4	1	.	2	3	1	.	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	.	.	2	1
	10. Clothing Trades, ...	23,260	4·5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	28·2	5	3	.	1	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·5	16	5	.	1	4	3	2	1	.	.	.	.	1	.	.	.	1	.	2	.	1	3	1	.	1	6	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	11·7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	10·0	7	2	.	1	.	1	1	2	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	3	1	.	2	2	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	51	23	2	.	6	16	4	.	.	.	.	.	.	.	.	.	6	3	3	.	7	8	1	.	1	22	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	33	5	1	2	5	11	6	3	.	.	.	.	.	.	.	.	7	4	1	.	.	5	.	.	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases,*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Dec. 28,	22·8	3·5	13	.	.	.	.	.	1	1	.	.	.	1	2	3	.	.	1	1
	Jan. 4,	26·2	5·2	15	.	.	.	.	1	1	.	.	.	1	1	1	1	1	.	1	.
	„ 11,	27·9	.	16	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	1	1
	„ 18,	24·4	.	14	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	.	.
	„ 25,	19·2	1·7	11	.	.	.	.	.	.	1	.	1	2	.	.	3	.	.	.	1
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 8,	22·7	.	13	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	.
	„ 15,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Dec. 28,	10·3	.	8	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.
	Jan. 4,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	2	2	2	.	2	.
	„ 11,	24·2	2·6	19	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	1	.
	„ 18,	28·1	5·1	22	.	.	.	.	1	.	1	.	1	.	.	1	4	2	.	.	2
	„ 25,	20·4	2·6	16	.	.	.	.	.	.	2	.	1	.	.	1	4	.	.	.	.
	Feb. 1,	21·7	2·6	17	.	.	.	.	.	.	.	.	.	2	.	.	9	2	.	.	3
	„ 8,	17·9	1·3	14	.	.	.	1	.	.	.	.	3	1	1	1	1	.	.	1	.
	„ 15,	19·1	1·3	15	.	.	.	1	.	.	.	.	6	1	.	1	.	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Dec 28,	24·3	.	13	.	.	.	.	.	.	.	.	3	1	.	2	2	.	.	.	.
	Jan. 4,	31·8	1·9	17	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1
	„ 11,	22·4	.	12	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
	„ 18,	31·8	1·9	17	1	.	.	.	.	.	.	.	1	2	1	2	2	.	.	.	1
	„ 25,	24·3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	3
	Feb. 1,	20·6	.	11	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	„ 8,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
	„ 15,	31·8	.	17	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Dec. 28,	10·4	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	Jan. 4,	25·2	1·5	17	.	.	.	.	.	.	1	.	4	.	3	2	2	.	.	.	1
	„ 11,	26·7	3·0	18	.	.	.	.	.	.	1	.	2	2	1	1	.	.	1	.	.
	„ 18,	23·7	.	16	.	.	.	.	.	.	.	.	3	2	3	.	.	.	.	.	1
	„ 25,	38·5	1·5	26	.	.	.	.	.	1	.	.	4	.	1	3	6	.	.	1	.
	Feb. 1,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
	„ 8,	13·3	1·5	9	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
	„ 15,	23·7	3·0	16	.	.	.	.	.	.	.	.	1	1	2	2	2	2	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Dec. 28,	15·6	.	12	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	1
	Jan. 4,	29·7	1·3	23	.	.	.	.	.	.	1	.	6	.	1	3	4	.	.	.	.
	„ 11,	20·7	1·3	16	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.
	„ 18,	25·8	2·6	20	.	.	.	.	.	.	2	.	1	.	1	1	4	.	.	.	1
	„ 25,	23·3	2·6	18	.	.	.	.	.	.	1	.	.	.	.	2	5	1	.	.	.
	Feb. 1,	19·4	1·3	15	.	.	.	.	.	1	.	.	4	.	.	1	2	.	.	.	1
	„ 8,	24·5	1·3	19	.	.	.	.	.	1	.	.	5	1	.	.	4	.	.	2	.
	„ 15,	29·7	2·6	23	.	.	.	.	.	.	.	.	2	3	1	.	6	2	.	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Dec. 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
	Jan. 4,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.
	„ 11,	28·4	2·8	10	1	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 18,	25·6	2·8	9	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	1
	„ 25,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Feb. 1,	19·9	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	2	.	1	1	2	.	.	.
	„ 15,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Dec. 28,	17·1	.	14	.	.	.	.	.	.	.	.	4	1	.	4	2	.	.	.	.
	Jan. 4,	26·6	.	22	.	.	.	.	.	.	.	.	5	1	.	1	3	.	.	1	.
	„ 11,	27·8	2·4	23	.	.	.	.	.	.	.	.	2	2	2	2	3	2	.	.	.
	„ 18,	10·9	.	9	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.
	„ 25,	30·2	1·2	25	.	.	.	.	.	.	.	.	3	2	2	1	5	1	.	.	5
	Feb. 1,	19·4	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 8,	19·4	1·2	16	1	.	.	.	.	.	.	.	3	3	1	4	1	.	.	1	.
	„ 15,	18·1	2·4	15	.	.	.	.	.	1	1	.	3	.	3	1	1	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Dec. 28,	17·3	1·6	11	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.
	Jan. 4,	29·9	1·6	19	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	1	2
	„ 11,	17·3	.	11	.	.	.	.	.	.	.	.	4	.	.	3	2	.	.	.	1
	„ 18,	28·3	.	18	.	.	.	.	.	.	.	.	6	.	3	1	2	.	.	.	.
	„ 25,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	.	3	5	.	.	.	1
	Feb. 1,	26·7	4·7	17	.	.	.	.	.	.	.	.	1	.	1	3	5	3	.	.	.
	„ 8,	9·4	1·6	6	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	.
	„ 15,	25·2	.	16	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912-3. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Dec. 28,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 4,	16·1	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	„ 11,	28·2	1·3	21	.	.	.	.	.	.	1	.	.	.	2	1	3	.	.	.	.
	„ 18,	22·9	1·3	17	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	.
	„ 25,	12·1	.	9	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	Feb. 1,	16·1	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 8,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.
	„ 15,	22·9	1·3	17	.	.	.	.	.	1	.	.	1	.	3	1	.	.	.	.	1
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Dec. 28,	21·0	1·8	12	.	.	.	.	.	1	.	.	1	.	.	2	2	.	.	.	1
	Jan. 4,	10·4	1·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
	„ 11,	12·2	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	„ 18,	17·4	1·7	10	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.
	„ 25,	15·7	.	9	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 8,	13·9	1·7	8	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 16,941.	Dec. 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 4,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 11,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 18,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 25,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 1,	15·4	3·1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 8,	24·6	.	8	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	1
	„ 15,	43·1	3·1	14	.	.	.	.	1	.	.	.	1	1	.	3	1	.	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	Dec. 28,	19·3	3·9	145	.	.	.	23	.	1	.	.	8	6	2	14	18	3	2	1	2
	Jan. 4,	23·8	3·2	181	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	2
	„ 11,	21·1	4·2	160	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	3
	„ 18,	20·3	4·1	154	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	2
	„ 25,	24·5	3·0	186	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	2
	Feb. 1,	22·9	2·9	174	.	.	.	19	1	.	2	.	16	11	4	19	29	.	.	2	4
	„ 8,	23·2	3·0	176	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	3
	„ 15,	19·9	2·1	151	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	.
Cork. Pop. in 1911 76,673.	Dec. 28,	16·3	0·7	24	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	1
	Jan. 4,	27·2	3·4	40	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	2
	„ 11,	19·7	1·4	29	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.
	„ 18,	25·2	.	37	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	.
	„ 25,	21·8	0·7	32	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1
	Feb. 1,	32·6	.	48	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2
	„ 8,	22·4	.	33	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	1
	„ 15,	29·2	0·7	43	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	2
Londonderry. Pop. in 1913 (Est.) 41,000.	Dec. 28,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Jan. 4,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
	„ 11,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	.	3	2	.	.	.	3
	„ 18,	16·5	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
	„ 25,	30·5	.	24	.	.	.	.	.	.	.	.	1	2	2	.	5	.	.	.	1
	Feb. 1,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	.
	„ 8,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 15,	19·1	1·3	15	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	.	1
Limerick. Pop. in 1911 38,518.	Dec. 28,	5·4	1·4	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 4,	17·6	1·4	13	.	.	.	1	.	.	.	.	2	.	1	1	3	.	.	.	2
	„ 11,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 18,	13·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	„ 25,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3
	Feb. 1,	17·6	.	13	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.
	„ 8,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	2
	„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	3
Waterford. Pop. in 1911 27,464.	Dec. 28,	7·6	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	Jan. 4,	30·4	1·9	16	.	.	.	.	.	1	.	.	1	1	2	1	3	.	.	.	.
	„ 11,	28·5	5·7	15	.	.	.	.	.	2	.	.	2	1	.	1	1	1	.	1	2
	„ 18,	32·3	1·9	17	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.	.	1
	„ 25,	19·0	3·8	10	.	.	.	.	.	2	.	.	1	.	1	.	2	.	.	1	1
	Feb. 1,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	1·9	14	.	.	.	.	.	1	.	.	2	.	.	2	3	.	.	.	.
	„ 15,	26·6	5·7	14	.	.	.	.	.	3	.	.	2	.	.	.	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th February, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOUS DISEASE: Phthisis.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	23·0	3·3	7	.	1	2	.	1	3	.	.	.	.	.	.	1	.	1	.	.	1	2	.	.	1	1	3	.
Do. 2 do.	49,500	36	22·1	2·1	21	1	6	1	3	6	4	.	.	.	1	.	.	.	.	.	.	.	2	6	1	.	1	1	6	.
Do. 3 do.	50,032	19	19·8	2·1	19	4	2	1	1	6	5	.	.	.	.	.	.	.	.	2	.	1	2	4	1	1	.	.	4	.
Do 4 do.	32,637	25	16·0	4·8	10	1	3	2	2	2	.	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	1	1	5	.
Do. 5 do.	16,112	9	29·1	6·5	9	1	1	1	3	1	2	1	.	.	.	.	.	.	.	.	1	3	.	2	1	.	1	1	3	.
Do. 6 do.	37,293	10	16·8	.	12	3	.	1	1	6	1	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	3	.
Do. 7 do.	2,681	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	12	36·3	4·3	17	3	3	3	1	6	1	.	.	.	1	1	.	.	.	2	.	.	2	5	.	.	.	1	3	.
Do. 10 do.	28,958	15	25·2	1·8	14	3	1	1	1	4	4	.	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	3	.
Do. 11 do.	39,311	20	17·2	1·3	13	1	2	2	2	2	4	.	.	.	.	1	.	.	.	3	1	1	.	1	.	.	.	.	3	.
Do. 12 do.	38,076	27	15·1	.	11	3	.	1	3	3	1	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	2	2	.
Do. 13 do.	23,233	8	13·5	.	6	1	.	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	16	23·0	4·6	10	2	.	3	2	2	1	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	1	5	.
Total,	386,947	211	19·9	2·1	151	25	19	20	20	40	27	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	8	41	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	31·0	.	8	2	.	1	2	.	3	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	2	1
Do 2 do.	10,701	7	40·1	5·0	8	2	3	.	1	1	1	.	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.	1	1	1
Do 3 do.	9,978	7	16·0	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do 4 do.	8,666	7	28·5	.	5	.	2	.	1	.	2	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	3	.
Do 5 do.	6 592	3	33·4	.	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.
Do 6 do.	10,702	8	13·5	.	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	16	39·0	.	12	.	.	3	4	1	4	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	.	5	.
Total,	76,122	51	29·2	0·7	43	6	5	7	10	4	11	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	1	18	2

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912-3—WEEK ENDING																									
	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered, ...	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211
DEATHS registered, ...	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151
Annual Death-rate per 1,000 of estimated population, ...	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9
AGES, Under 1 year, ...	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25
1—5 years, ...	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19
5—25 ,, ...	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20
25—45 ,, ...	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20
45—65 ,, ...	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40
65 and upwards, ...	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4
Scarlet Fever, ...	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4
Whooping-cough, ...	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1
Diphtheria, ...	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13
Tuberculous Disease. Other Forms,	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4
Cancer, ...	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7
Diseases of Respiratory System, Pneumonia,	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13
Diseases of Respiratory System, Others, ...	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29
Diarrhœa and Enteritis, under 2 years, ...	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4
Diarrhœa, 2 years and upwards,	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1
Violent Deaths, ...	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4
Number of Uncertified Deaths, ...	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Feb. 15,	2,216	1,571	18·1	1	.	63	3	25	7	18*a*
Edinburgh, ...	320,800	„ 15,	135	109	17·7	.	.	1	.	3	1	.
Glasgow, ...	1,021,500	„ 15,	576	406	20·7	.	.	.	.	20	5	6
Calcutta, ...	896,067	Jan. 4,	.	531	30·8	89*	.	2	.	.	1	89‡
Bombay, ...	979,445	„ 11,	399	600	31·9	67*	1	4	.	.	.	90‡
Madras, ...	518,660	„ 18,	351	536	53·7	119*	.	6	.	.	.	135
Cairo, ...	704,956	Nov. 18,	644	377	27·9	.	1	1	1	?	20†	43*a*
Paris, ...	2,847,229	Feb. 1,	997	929	16·7	2	.	19	1	6	4†	15*a*
Brussels, ...	745,380	Jan. 25,	211	189	13·2	4	.	.	.	1	.	6*a*
Antwerp, ...	312,884	Feb. 1,	138	85	14·2	.	.	1	.	2	.	6*a*
Amsterdam, ...	587,872	Jan. 25,	254	160	14·2	.	.	1	1	1	1†	2
Copenhagen, ...	468,000	„ 25,	193	145	16·2	1	.	.	3	2	2†	1*a*
Stockholm, ...	368,796	„ 25,	145	91	12·8	.	.	.	1	1	1	.
Christiania, ...	247,488	Feb. 1,	82	70	14·7	.	.	1	.	.	3	3
St. Petersburg, ...	1,664,000	Jan. 11,	871	659	20·7	10	.	27	10	3	10†	36
Moscow, ...	1,617,157	Dec. 28,	. .	597	19·2	2	.	18		9	11†	41
Berlin, ...	2,093,437	Jan. 11,	.	576	14·3	1	.	6		3	9†	23
Hamburg, ...	1,006,748	„ 25,	.	296	15·3	.	.	2	1	3	10†	13*a*
Breslau, ...	536,437	„ 25,	.	210	20·4	.	.	6	. .	4	.	16
Munich, ...	622,000	„ 25,	.	189	15·8	.	.	3	.	1	1†	3
Vienna (with suburbs),	2,098,225	„ 25,	711	691	17·1	2	.	5	4	3	10†	29*a*
Buda-Pesth, ...	1,087,779	„ 25,	446	361	20·2	.	.	2	6	1	5†	15*a*
Prague and Faubourgs,	489,194	„ 11,	169	186	19·8	.	.	2	3	.	2†	7*a*
Trieste, ...	237,192	„ 25,	149	115	25·3	2	.	.	.	.	.	1
Rome, ...	569,869	Sept. 28,	312	169	15·5	3	.	2	.	.	.	14
		Oct. 5,	321	142	13·0	1	.	1	.	.	.	18
New York, ...	5,372,983	Jan. 18,	2,693	1,546	15·0	4	.	5	12	5	25	29*a*
Philadelphia, ...	1,606,105	Nov. 23,	.	397	12·9	2	.	1	3	.	10	13*a*
Boston, ...	735,399	Jan. 25,	.	230	16·3	.	.	.	2	1	3	6

* Deaths from "fever," including 7 from enteric fever and 2 from plague in Calcutta, and 2 from enteric fever and 11 from plague in Bombay.

† Including deaths from croup.

‡ Including 27 deaths from cholera in Calcutta, and 15 in Bombay

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th February, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	2	.	.	.	.	.	4
" " 1, West, ...	.	1	.	.	.	.	.	.	2	.	.	1	.	4
" " 2, ...	.	2	.	.	1	.	.	2	1	.	.	1	.	7
" " 3, ...	.	.	.	.	1	.	.	1	1	.	.	3	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	3	.	.	3	.	.	.	2	.	.	5	.	13
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	3	.	4
" " 3, ...	.	.	.	.	1	.	.	1	2	.	.	.	.	4
" " 4, ...	.	1	.	.	4	.	.	.	.	.	.	3	.	8
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	9	.	.	10	.	.	6	9	.	.	17	.	51

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th February, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th February.			
	Jan. 25.	Feb. 1.	Feb. 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	23	23	7	3	.	27
Typhus, ...	8	8	10	.	.	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	4	3	2	2	.	3
Scarlet Fever, ...	117	116	124	23	17	.	130*
Diphtheria, ...	47	41	45	10	10	1	44
Pneumonia, ...	17	19	19	13	4	1	27

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 15th February, 1913:—

"With the violent tempest of Friday, February 7, in which squalls blowing at the rate of 86 miles an hour were experienced at Southport, Lancashire, the prolonged spell of cyclonic weather, with its rains and storms, seems to have drawn to a close. It is true that atmospheric depressions of great size and depth were still reported from the Greenland–Iceland region—at 7 a.m. of Sunday, the barometer read 28·60 inches at Reykjavik. But the British Isles and the western countries of Europe in general were covered throughout by an anticyclone of marked staying power, near the central area of which the barometer rose at 7 a.m. of Wednesday to 30·71 inches at Nottingham. On Sunday morning even a higher pressure (30·74 inches) had been reported from Munich. As this anticyclone spread westward, calms set in and temperature fell with the result that dense vapour fogs formed over the water-logged soil. The Meteorological Office reported on Wednesday:—'The feature of the morning is an extensive fog area which covers nearly the whole of England and Wales, and extends eastward as far as Bavaria and Northern Denmark.' The Office might have included the east of Ireland in that Report, for Dublin and its neighbourhood had already come within the fog area. It was not, however, until Thursday evening that the fog assumed the rôle of a historic meteorological incident in the Irish capital. Between the hours of 5 and 10 p.m. so dense was the fog that the business and traffic of the City were carried on with the greatest difficulty. After 11 p.m. the fog lifted and the weather became frosty during the night. Friday and Saturday were dull in the forenoons, fine in the afternoons, damp and cold in the evenings. On Monday evening a very striking apparent near approach of the crescent moon and the planet Venus was seen under most favourable circumstances. In Dublin the mean height of the barometer was 30·431 inches, the range being from 30·215 inches at 9 a.m. of Monday (wind, S.W.) to 30·624 inches at 9 a.m. of Wednesday (wind, E.). The mean temperature was 43·8°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 43·3°. On Monday the screened thermometers rose to 55·0°; on Friday they fell to 32·3°. At first S.W. winds, but after Monday calms prevailed. Rain fell on Monday morning to the amount of ·079 inch—in addition, ·009 inch was measured as the product of wet fog, making the total precipitation ·088 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·446 inches. The highest reading (30·644) was on Tuesday at 9 p.m., wind W.S.W., the lowest (30·234) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 40·6°, being 1·7° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Monday, on which day the thermometer registered 54°, and was lowest on Thursday and Friday, the mercury having fallen to 28°. The mean of the Dry Bulb for the week was 39·4° and of the Wet Bulb, 38·8°. The mean humidity of the air was ·95, complete saturation being represented by 1·0. The rainfall during the week measured 0·030 inch.

At Greenwich the mean temperature for the week was 40·6°, the maximum 53 5°, and the minimum 30 2°; at Glasgow the maximum was 49·6°, the minimum 34·3°, and the mean 42·2°; and at Edinburgh the maximum was 52·1°, the minimum 34·8°, and the mean 41·7°. The rainfall at Greenwich measured 0·19 in.; at Glasgow 0·41 ins.; and at Edinburgh 0·35 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 9,	30·265	53	32	42·5	45·3	43·4	·86	·3	0·0	·030	W.	S.E.
Monday, „ 10,	30·310	54	39	46·5	46·4	45·7	·95	·2	0·0	·000	S.W.	Calm.
Tuesday, „ 11,	30·570	53	32	42·5	44·7	44·3	·97	·0	1·1	·000	Calm.	W.S.W.
Wednesday, „ 12,	30·615	45	34	39·5	39·0	38·7	·98	·0	0·0	·000	Calm.	Calm.
Thursday, „ 13,	30·560	51	28	39·5	31·7	31·3	·93	·0	5·3	·000	Calm.	Calm.
Friday, „ 14,	30·490	46	28	37·0	34·6	34·4	·98	·0	0·0	·000	W.	Calm.
Saturday, „ 15,	30·310	44	29	36·5	34·0	33·8	·98	·0	0·2	·000	Calm.	Calm.
Mean, ...	30·446	49·4	31·7	40·6	39·4	38·8	·95	·1	Total 6·6	Total ·030	—	

Sunday—Day overcast; night overcast, drizzling rain 9.15 p.m. to 3.0 a m. *Monday*—Day overcast, night clear. *Tuesday*—Day cloudy, fine, night clear to overcast. *Wednesday*—Day overcast; night cloudy to overcast, foggy. *Thursday*—A beautiful bright day; night clear, heavy ground fog lifted at 10.20 p.m. *Friday*—Day overcast; night cloudy. *Saturday*—A dull day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 15th February, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 9,	47·1	43·2	44·5	54	41	47·5	—	·08
Monday „ 10,	53·1	43·6	44·6	55	34	44·5	—	—
Tuesday, „ 11,	44·0	43·8	44·7	54	39	46·5	—	—
Wednesday, „ 12,	41·4	43·1	44·8	47	38	42·5	—	—
Thursday, „ 13,	34·2	42·7	44·8	49	33	42·0	2·0	—
Friday, „ 14,	36·5	42·0	44·9	47	31	39·0	—	—
Saturday, „ 15,	35·9	41·6	44·8	45	33	39·0	0·2	—
Weekly Mean,	41·7	42·9	44·7	50·1	35·6	43·0	Total 2·2	Total ·08

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 22ND FEBRUARY, 1913. [No. 8.

General Register Office, Charlemont House,
Dublin, 24th February, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 24·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Feb. 1	Feb. 8	Feb. 15	Feb. 22	Average Rate for 4 weeks.
27 Town Districts, (a)	**20·4**	**20·9**	**21·3**	**24·1**	**21·7**
Dublin Reg. Area ...	18·8	17·7	21·7	25·1	20·8
Dublin City ...	19·8	18·1	21·0	25·9	21·2
Belfast	22·9	23·2	19·9	25·4	22·8
Cork	32·6	22·4	29·2	23·8	27·0
Londonderry ...	19·1	20·3	19·1	19·1	19·4
Limerick	17·6	16·2	17·6	17·6	17·3
Waterford	7·6	26·6	26·6	20·9	20·4

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 193 deaths from all causes for Belfast are 6 from measles, 2 from scarlet fever, one from whooping-cough, 2 from diphtheria, 3 from diarrhœa and enteritis of children under 2 years of age, and one from cerebro-spinal fever. One of the 13 deaths from all causes for Limerick is from measles. Among the 11 deaths from all causes for Waterford are 2 from whooping-cough. Of the 4 deaths from all causes for Galway one is from enteric fever. Included in the 8 deaths from all causes for Lisburn is one from measles. Among the 12 deaths from all causes for Newry are one from enteric fever and 2 from measles. One of the 5 deaths from all causes for Tralee is from measles, and of the 3 deaths from all causes for Clonmel one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—101 boys and 109 girls—and the deaths to 200—101 males and 99 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·1 per 1,000 of the population. During the eight weeks, ending with Saturday last, the death-rate averaged 21·4, and was 3·8 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 200, represent an annual rate of 25·9 per 1,000; the annual rate for the past eight weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

The total deaths (200) include one from enteric fever, one from scarlet fever, 4 from whooping-cough, 2 from diphtheria, 5 from influenza, and 6* from diarrhœa and enteritis of children under 2 years. In the 3 preceding weeks deaths from enteric fever were 0, one, and 0; deaths from scarlet fever were 0, one, and one; deaths from whooping-cough were one, 2, and 2; deaths from diphtheria were 0, one, and one; deaths from influenza were 2, 3, and 2; and deaths from diarrhœa and enteritis of children under 2 years were 5, 2, and 4, respectively.

Tuberculous disease caused 50 deaths, comprising 37 from pulmonary tuberculosis, 4 from tuberculous meningitis, 4 from abdominal tuberculosis, one from tuberculosis of the vertebral column, one from tuberculosis of other organs, and 3 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 19, 32, and 34, respectively.

There were 11 deaths from broncho-pneumonia, and pneumonia (type not distinguished) caused 6 deaths.

Seven deaths were due to cancer.

Convulsions caused the deaths of 2 infants under one year of age; prematurity caused 5 deaths, congenital malformations 2 deaths, and congenital debility 7 deaths.

There were 21 deaths ascribed to bronchitis, and 12 to organic diseases of the heart.

There were 4 accidental deaths, including one by drowning, one by a railway accident, and one, that of a child aged 12 years, by burns.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age, and the death of one person aged 70 years.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 12 were under one month old) and 36 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards, of whom 2 (a male and a female) were stated to have been aged 95 and 98 years, respectively.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·1 per 1,000; the rate in the City was 25·9 (North City Districts, 28·1; South, 23·4) and in the Suburbs, 22·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 1·6, and in the South 2·5), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 36·6 per 1,000, and include one from whooping-cough, 3 from influenza, 5 from tuberculous disease, one from broncho-pneumonia, 2 from pneumonia (type not distinguished), 4 from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 29·3 per 1,000. Diphtheria caused one death, tuberculous disease 6 deaths, broncho-pneumonia 3 deaths, bronchitis 2 deaths, and enteritis under 2 years one death.

No. 2 North City District (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 44·9 per 1,000, and include one from enteric fever, 10 from tuberculous disease, one from broncho-pneumonia, and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 22·2 per 1,000. Included in the total are one from diphtheria, one from tuberculous meningitis, 2 from broncho-pneumonia, one from pneumonia (type not distinguished), and one by a railway accident.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·8. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one is from pulmonary tuberculosis; and of the 2 deaths for Finglas and Glasnevin, part of, one is from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 27·1 per 1,000, and include 2 from whooping-cough, 3 from pulmonary tuberculosis, one from pneumonia (type not distinguished), 4 from bronchitis, 2 from diarrhœa and enteritis of children under 2 years, and one by accidental drowning.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Included in the total are 3 from tuberculous disease, one from broncho-pneumonia, one from pneumonia (type not distinguished), and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 29·0 per 1,000, and include one from whooping-cough, 4 from tuberculous disease, 3 from broncho-pneumonia, one from bronchitis, and one from diarrhœa of a child under 2 years.

No. 4 South City District (Grand Canal Street).—The deaths (7) are equivalent to an annual rate of 11·0 per 1,000. Tuberculous disease caused 3 deaths, pneumonia (type not distinguished) one death, and bronchitis one death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. Pulmonary tuberculosis caused one death, and there was one death of a child under 2 years from enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·9; Pembroke, 17·4; Blackrock, 28·5; and Kingstown, 27·7. The only death from any of the principal epidemic diseases tabulated for these districts was one from scarlet fever for Rathmines and Rathgar. Of the 17 deaths from all causes for Rathmines and Rathgar one is from influenza, 4 are from pulmonary tuberculosis and 2 are from bronchitis. Included in the 10 deaths from all causes for Pembroke are 4 from tuberculous disease. One of the 5 deaths from all causes for Blackrock is from abdominal tuberculosis. Among the 9 deaths from all causes for Kingstown are one from influenza, one from pulmonary tuberculosis, 2 from diseases of the respiratory system, and one accidental death.

* See Note (*c*) Table II. † See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 22nd February, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Feb. 1,	.	—	—	12	2	.	5	.	1	4	6	1	—	—	.	—	11	.	42
	Feb. 8,	.	—	—	12	.	.	4	.	.	2	7	.	—	—	.	—	8	.	33
	Feb. 15,	.	—	—	9	.	.	10	.	.	6	9	.	—	—	.	—	17	.	51
	Feb. 22,	.	—	—	9	1	.	4	.	.	11	3	.	—	—	.	—	14	.	42
Rathmines and Rathgar Urban District.	Feb. 1,	.	—	—	2	.	.	2	.	.	.	1	.	—	—	—	—	—	—	5
	Feb. 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Feb. 15,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	—	—	—	—	6
	Feb. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Feb. 1,	.	.	.	1	.	.	.	.	.	.	1	.	—	1	—	—	.	—	3
	Feb. 8,	.	.	.	1	.	.	6	.	.	.	.	.	—	1	—	—	.	—	8
	Feb. 15,	.	2	.	1	.	.	.	.	.	.	.	.	—	2	—	—	.	—	5
	Feb. 22,	.	2	.	2	.	.	3	.	.	.	.	.	—	1	—	—	.	—	8
Blackrock Urban District.	Feb. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 22,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	—	—	2
Kingstown Urban District.	Feb. 1,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	1	—	4
	Feb. 8,	.	—	—	.	.	.	1	.	.	1	.	1	—	—	—	—	2	—	5
	Feb. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Feb. 22,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	2	—	3
City of Belfast.	Feb. 1,	.	—	—	13	.	.	9	.	1	3	2	1	—	—	—	—	17	—	46
	Feb. 8,	.	—	—	23	.	.	7	1	.	2	2	1	—	—	—	—	6	—	42
	Feb. 15,	.	—	—	23	.	.	11	.	.	6	6	.	—	—	—	—	7	—	53
	Feb. 22,	.	—	—	24	.	.	6	.	1*	2	13	1	—	—	—	—	10	—	57

* This case has developed typhoid fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd February, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eight cases of enteric fever were admitted to hospital during the week, 2 were discharged, there were 2 deaths, and 31 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 23, 23, and 27.

Two cases of typhus were admitted to hospital during the week, one was discharged, there was one death, and 10 cases remained under treatment at the close of the week.

One case of measles was admitted to hospital during the week, 2 were discharged, and 2 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 4, 3, and 3, respectively.

Twenty cases of scarlet fever were admitted to hospital, 21 were discharged, there was one death, and 128* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 116, 124, and 130, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 16 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 41, 45, and 44, respectively, were 34 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·2), was equal to an average annual death-rate of 17·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·7 per 1,000, the rate for Glasgow being 19·8, and for Edinburgh 15·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd February. From this Report it appears that of a total of 57 cases notified, 25 were phthisis, 21 scarlet fever, 6 diphtheria, and 5 erysipelas. Among the 395 cases of infectious diseases in hospital at the close of the week were 151 cases of scarlet fever, 115 of phthisis, 40 of whooping-cough, 31 of measles, 25 of diphtheria, 9 of erysipelas, 5 of enteric fever, 4 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 22nd February, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 22nd February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	27·0	24·1	1·6	620	554	111	130	3	...	...	11	3	8	4	...	78	24	20	48	94	8	...	10	15	154	17	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	27·2	25·1	1·7	210	194	37	36	1	...	...	...	1	4	2	...	35	13	7	17	22	5	...	4	8	67	6	e 46	28	37·8	0·00	e 54	28	40·6	0·03	e 55	32	44·6	0·32
CITY OF DUBLIN,	308,187	39·0	29·8	25·9	2·0	176	153	32	23	1	...	...	...	...	4	2	...	27	11	4	17	18	5	...	3	7	62	4	f 45·4 g 45·0	34·4 28·0	40·1 38·5	0·00 0·00	f 55·0 g 54·7	32·3 28·6	43·8 41·7	0·09 0·09	f 56·1 g 56·8	34·0 33·0	46·5 45·8	0·25 0·24
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	17·5	22·9	1·3	13	17	3	4	...	...	...	...	1	...	...	..	4	...	1	...	2	...	...	...	...	1	1	...	...	...	...	.	...	...	...	...	...	...	...
Urban Districts. PEMBROKE ...	29,942	19·0	15·7	17·4	.	9	10	1	3	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,161	8·5	5·7	28·5	.	1	5	1	4	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	33·9	27·7	.	11	9	...	2	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	1	1	1	1	45	36	39·9	0.00	52	31	41·4	0·18	52	35	45	0·31
Urban Districts. BELFAST (h) ...	396,000	26·5	28·3	25·4	1·8	215	193	44	42	...	...	...	6	2	1	2	...	17	7	8	17	45	3	...	5	5	57	1	44·8	31·2	39·1	0·00	50·5	32·5	43·2	0·24	54·6	32·0	43·0	0·95
Urban Districts. CORK, ..	76,673	28·6	25·8	23·8	.	38	35	6	12	...	...	...	...	...	...	...	...	6	...	...	2	8	...	...	...	...	9	1	46	31	38·4	0·02	52	35	44·1	0·37	52	36	46·9	0·93
Urban Districts. LONDONDERRY...	41,000	15·9	30·5	19·1	.	24	15	1	4	...	...	...	...	...	...	...	...	2	...	2	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LIMERICK, ...	38,518	16·1	16·2	17·6	1·4	12	13	2	2	...	...	...	1	...	...	...	...	3	...	2	1	1	...	..	...	...	4	3	46·7	28·1	36·2	0·01	56·9	32·1	45·0	0·09	56·2	33·8	45·6	0·49
Urban Districts. WATERFORD, ...	27,464	19·1	32·3	20·9	3·8	17	11	3	3	...	...	...	...	...	2	...	...	1	...	...	1	3	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. GALWAY, ...	13,255	2·5				4	4	1	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	1	...	...	...	..	55	34	46	0·26	54	33	44·3	1·13
Urban Districts. DUNDALK, ...	13,128	9·5				13	5	2	2	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LURGAN, ...	12,553	14·7				7	6	1	3	...	...	...	..	...	...	...	..	1	...	...	1	1	...	...	1	1	...	...	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72
Urban Districts. DROGHEDA, ...	12,501	8·4				4	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LISBURN, ...	12,388	10·9				9	8	2	3	...	...	...	1	...	...	...	...	2	1	...	1	...	...	...	...	...	...	...	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72
Urban Districts. NEWRY, ...	11,963	17·0				5	12	2	1	1	...	...	2	...	...	...	...	1	1	1	2	1	...	...	...	...	3	...	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72
Urban Districts. PORTADOWN, ...	11,727	15·3				6	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	..	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72
Urban Districts. WEXFORD, ...	11,531	22·8				5	4	1	3	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BALLYMENA ..	11,381	9·3				1	7	...	4	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. SLIGO, ...	11,163	3·8				2	5	3	1	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	1	47	26	36·0	0·00	54	32	42	0·17	57	33	44·0	1·53
Urban Districts. KILKENNY, ...	10,514	11·4				6	3	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	..	...	...	...	...	...	45	28	36·3	0·01	53	32	44·4	0·23	55	30	45·1	0·63
Urban Districts. TRALEE, ...	10,300	17·4				5	5	2	1	...	...	...	1	...	...	...	...	...	...	...	1	2	...	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...
Urban Districts. CLONMEL, ...	10,209	7·8				3	3	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWTOWNARDS,	9,587	20·1				5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	44	34	39·7	0·00	51	35	43·3	0·09	52	33	44·3	0·90
Urban Districts. QUEENSTOWN, ...	8,209	14·7				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	46	31	38·4	0·02	52	35	44·1	0·37	52	36	46·9	0·93
Urban Districts. LARNE, ...	8,036	13·4				10	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. COLERAINE, ...	7,785	7·7				4	10	...	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BANGOR, ...	7,776	8·5				2	3	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BRAY, ...	7,691	7·2				2	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. ATHLONE, ...	7,472	6·2				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. ARMAGH, ...	7,356	21·8				3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11	55·0	32·3	43·1	0·72

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 6 deaths of persons (including one under one year old), admitted to hospital from localities outside the Area; one of the 6 deaths was from diarrhœa of a child under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (h) See note (†) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd of February, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	.
Diphtheria,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Influenza,	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	5	9	.	.	1	1	3	.	2	2	1	4	3	.	1	35	2
Tuberculous Disease. { Other Forms,	2	1	1	1	.	.	.	.	3	2	1	.	.	1	1	.	13	.
Cancer,	.	1	1	2	.	.	.	.	.	.	.	.	1	.	1	1	7	.
Diseases of Nervous System,	.	2	1	.	.	.	.	4	.	.	.	.	3	.	.	1	11	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	2	1	.	.	.	1	2	3	.	1	1	.	.	1	14	.
" Respiratory System. { Pneumonia,	3	3	1	3	.	.	.	1	2	3	1	.	.	.	.	.	17	.
" Respiratory System. { Others,	4	2	4	.	.	1	.	4	1	1	1	.	2	.	.	2	22	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	1	.	.	.	.	.	2	.	1	.	1	.	.	.	.	5	1
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	1	1	.	.	.	.	.	3	.	.	.	3	.	.	8	.
" Genito-urinary System,	2	.	1	1	.	.	1	1	1	1	1	.	1	.	.	.	10	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.
Other specified Causes,	1	5	2	4	.	.	.	2	.	6	1	.	2	2	1	.	26	.
Violent Deaths,	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	4	.
Ill-defined, &c. Causes,	.	1	.	.	.	1	.	.	1	1	.	.	.	.	1	1	6	1
Deaths from All Causes	21	23	24	15	.	3	2	21	10	24	7	3	17	10	5	9	194	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	36·6	29·3	44·9	22·2	.	11·5	9·8	27·1	28·4	29·0	11·0	16·0	22·9	17·4	28·5	27·7	25·1	.
	28·1							23·4					22·5					
	25·9																	
Ages at Death. Under 1 year,	4	5	5	3	.	.	.	7	2	5	1	.	3	1	1	.	37	1
1 and under 2 years,	2	.	1	2	.	.	.	.	1	4	.	1	1	2	.	.	14	.
2 " 5 "	2	1	1	1	.	.	.	1	1	1	.	.	1	.	.	.	9	.
5 " 15 "	1	2	1	.	.	1	.	.	.	1	1	.	1	2	.	1	11	.
15 " 25 "	.	2	1	1	.	.	.	.	.	1	.	.	.	.	.	.	5	.
25 " 45 "	3	2	8	2	.	.	1	4	2	2	.	1	5	1	.	1	32	1
45 " 65 "	6	9	2	4	.	1	.	5	3	7	4	1	2	1	.	5	50	4
65 and upwards,	3	2	5	2	.	1	1	4	1	3	1	.	4	3	4	2	36	.
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	1	1	.	.	1	.	.	1	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	2	3	5	.	.	.	2	1	6	2	.	1	2	.	1	30	5
Workhouse Hospitals,	3	4	8	3	.	.	.	10	2	5	.	1	.	1	.	.	37	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 22nd February, 1913.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.	Feb. 25, 1911.	Feb. 24, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 40·9	° 42·6	° 36·3	° 36·3	° 39·0	° 45·5	° 41·2	° 39·2	° 43·4	° 42·9	° 40·7	° 37·8										
ALL CAUSES.	195	206	194	185	209	202	197	228	195	194	200·5	200	12	26	14	9	11	5	33	54	24	12
Enteric Fever, ...	1	2	.	1	2	1	3	1	2	1	1·4	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	3	.	.	.	1	.	3	2	1·2	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	3	1	.	1	.	.	.	1	2	2	1·0	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	5	11	1	1	3	3	7	.	7	4	4·2	4	.	2	1	1	.	.	.	.	.	.
Diphtheria, ...	1	.	.	1	1	.	.	2	2	1	·8	2	.	.	.	2	.	.	.	.	.	.
Croup, ...	.	.	1	1	.	1	.	.	.	.	·3	1	.	.	1	.	.	.	.	.	.	.
Influenza, ...	8	2	4	1	4	10	4	2	7	2	4·4	5	.	.	.	.	.	.	1	2	2	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	2	.	1	1	.	2	1	2	.	·9	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	20	35	29	18	22	19	23	18	20	22·9	37	.	1	3	.	3	2	18	9	1	.
Tuberculous Meningitis, ...	3	1	8	5	8	5	3	4	3	1	4·1	4	.	1	1	1	.	1	.	.	.	.
Abdominal Tuberculosis, ...	3	4	.	.	1	5	2	1	3	.	1·9	4	.	2	2	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										2		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	5	9	6	7	7	9	3	8	1	1	6·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		1	.	.	1	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		3	.	.	.	1	.	1	.	.	1	.
Venereal Diseases, ...	1	.	3	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	11	5	13	7	7	8	14	6	11	9·0	7	.	.	.	.	.	.	1	4	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	.	.	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	1	1	.	.	1	2	2	.	·8	2	.	.	.	.	.	.	.	2	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	2	.	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	4	.	.	.	.	.	.	1	2	1	.
Alcoholism, ...	.	2	1	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										5		6	.	.	.	.	.	.	.	4	.	2
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										11		2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	49	43	41	39	41	55	48	44	38	.	43·9	3	.	.	.	.	1	.	1	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										15		12	.	.	.	.	.	1	2	5	4	.
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	25	31	22	27	38	24	32	38	27	33	29·7	21	.	4	1	.	.	.	1	7	6	2
Broncho-pneumonia, ...	1	9	7	10	8	7	5	15	13	10	8·5	11	.	5	2	2	1	.	.	1	.	.
Lobar pneumonia, ...	.	2	1	.	2	2	.	2	3	4	1·6	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	8	6	3	13	6	7	5	5	7	6·4	6	.	1	.	1	1	.	1	1	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	4	3	4	3	2	3	3	1	1	3·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										3		1	.	.	.	.	.	.	.	1	.	.

EIGHTH WEEK ending Saturday, 22nd February, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 22nd February, 1913.										
													Deaths of Persons of the Ages of									
	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.	Feb. 25, 1911.	Feb. 24, 1912.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 40·9	° 42·6	° 36·3	° 36·3	° 39·0	° 45·5	° 41·2	° 39·2	° 43·4	° 42·9	° 40·7	° 37·8										
Diseases of the Pharynx, Tonsillitis.	.	.	1	.	.	.	1	.	.	1	·3	1	.	.	.	.	1	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	.	—	2	.	1	.	.	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	8	.	5	4	5	1	9	7	5	2	4·6	6	1	3	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards.										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	4	2	—	3	.	.	.	.	.	.	1	1	.	1
Cirrhosis of Liver, ...	.	3	2	.	.	2	1	1	1	1	1·1	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Liver, ...	.	1	1	1	.	.	1	.	1	.	·5	1	.	.	.	.	1	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	2	.	.	2	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	2	7	1	9	4	4	7	1	2	4·2	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										2		3	.	.	.	.	.	.	1	1	1	.
Chronic Bright's Disease, ...										5		6	.	.	.	.	.	.	.	4	1	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	5	5	9	6	7	6	12	10	.	7·7	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										4		2	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	2	.	.	.	.	.	.	.	1	1	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	2	.	4	4	4	3	3	4	3·0	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	3	—	7	4	3	.	.	.	.	.	.	.	.
Old Age, ...	3	9	8	6	4	3	3	12	6	7	6·1	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	2	1	2	1	1	1	5	2	1	1·8	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	1	.	.	.	1	2	.	.	1	.	·5	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	.	.	.	.	2	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	2	1	2	1	1	2	1	1	2	1·7	2	.	.	.	.	.	.	1	1	.	.
Total Deaths from Accident,	7	4	2	4	6	4	3	6	5	3	4·4	4	.	.	.	.	1	.	2	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	1	.	1	.	.	.	.	1	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
Vehicles and Horses, ...	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	5	—	7	.	.	.	.	.	.	1	4	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered.	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210
Average Births in corresponding week of previous 10 years, ...	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203
DEATHS registered, ...	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200
Annual Death-rate per 1,000, ...	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9
Average Deaths in corresponding week of previous 10 years, ...	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201
Ages, Under 5 years, ...	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61
5—15 „ ...	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11
15—25 „ ...	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5
25—45 „ ...	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33
45—65 „ ...	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54
65—75 „ ...	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24
75 and upwards, ...	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.
Scarlet Fever, ...	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1
Whooping-cough, ...	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4
Diphtheria, ...	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2
Influenza, ...	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37
Tuberculous Disease, Other Forms,	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13
Cancer, ...	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7
Diseases of Circulatory System,	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14
Diseases of Respiratory System, Pneumonia,	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17
Diseases of Respiratory System, Others, ...	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22
Diarrhœa and Enteritis, under 2 years, ...	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6
Diarrhœa, 2 years and upwards,	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Violent Deaths, ...	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4
Number of Uncertified Deaths,	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6
Mean Temperature of the Air (Phœnix Park)	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8
Average Mean Temperature in corresponding week of previous 10 years, ...	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7
Rainfall in inches, ...	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd February, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND FEBRUARY, 1913.																											
					AGES.							CAUSES OF DEATH.																		
			Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	200	61	11	5	33	54	24	12	1	.	.	.	1	4	2	.	37	13	7	2	17	22	6	.	4	84	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	1	2	1	.	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	4	1	.	5	8	5	7	.	.	.	.	1	.	.	.	2	.	2	.	3	5	.	.	.	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·4	39	11	4	1	4	12	5	2	1	.	.	.	.	.	2	.	6	2	1	.	3	5	1	.	.	18	.
IV.	GENERAL SERVICE CLASS, ...	154,279	29·7	88	36	5	2	15	23	7	.	.	.	.	.	.	3	.	.	15	8	3	2	10	7	4	.	4	32	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	10	1	1	7	10	7	2	.	.	.	.	.	1	.	.	12	3	.	.	1	5	1	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	1	2	1	.	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	.	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	22,016	16·6	7	.	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	3	.	.	3	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	2	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	1	1	.	.	2	1	5	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	2	1	1	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	4	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	.	2	.	.	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	2	.
	10. Clothing Trades, ...	23,260	11·2	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
	11. Food Supply Trades	9,242	16·9	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·5	16	5	.	.	3	6	2	.	.	.	.	.	.	.	1	.	3	1	.	.	1	4	1	.	.	5	.
	13. Petty Shopkeepers	7,894	26·4	4	1	1	.	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	27·2	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	1
	15. Domestic Servants, ...	36,603	5·7	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	3	1	1	2	3	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	1	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	38·9	67	31	4	1	10	16	5	.	.	.	.	.	.	3	.	.	7	5	2	1	10	7	3	.	4	25	5
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	38	10	1	1	7	10	7	2	.	.	.	.	.	1	.	.	12	3	.	.	1	5	1	.	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa. 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of)	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Jan. 4,	26·2	5·2	15	.	.	.	.	1	1	.	.	.	1	1	1	1	1	.	1	.
		„ 11,	27·9	.	16	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	1	1
		„ 18,	24·4	.	14	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	.	.
		„ 25,	19·2	1·7	11	.	.	.	.	.	.	1	.	1	2	.	.	3	.	.	.	1
		Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
		„ 8,	22·7	.	13	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	.
		„ 15,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
		„ 22,	36·6	1·7	21	.	.	.	.	.	1	.	.	3	2	.	3	4	.	.	1	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Jan. 4,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	2	2	2	.	2	.
		„ 11,	24·2	2·6	19	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	1	.
		„ 18,	28·1	5·1	22	.	.	.	.	1	.	1	.	1	.	.	1	4	2	.	.	2
		„ 25,	20·4	2·6	16	.	.	.	.	.	.	2	.	1	.	.	1	4	.	.	.	.
		Feb. 1,	21·7	2·6	17	.	.	.	.	.	.	.	.	.	2	.	.	9	2	.	.	3
		„ 8,	17·9	1·3	14	.	.	.	1	.	.	.	.	3	1	1	1	1	.	.	1	.
		„ 15,	19·1	1·3	15	.	.	.	1	.	.	.	.	6	1	.	1	.	.	.	.	.
		„ 22,	29·3	2·6	23	.	.	.	.	.	.	1	.	5	1	1	3	2	1	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Jan. 4,	31·8	1·9	17	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1
		„ 11,	22·4	.	12	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
		„ 18,	31·8	1·9	17	1	.	.	.	.	.	.	.	1	2	1	2	2	.	.	.	1
		„ 25,	24·3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	3
		Feb. 1,	20·6	.	11	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
		„ 8,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
		„ 15,	31·8	.	17	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
		„ 22,	44·9	1·9	24	1	.	.	.	.	.	.	.	9	1	1	1	4	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Jan. 4,	25·2	1·5	17	.	.	.	.	.	.	1	.	4	.	3	2	2	.	.	.	1
		„ 11,	26·7	3·0	18	.	.	.	.	.	.	1	.	2	2	1	1	.	.	1	.	.
		„ 18,	23·7	.	16	.	.	.	.	.	.	.	.	3	2	3	.	.	.	.	.	1
		„ 25,	38·5	1·5	26	.	.	.	.	.	1	.	.	4	.	1	3	6	.	.	1	.
		Feb. 1,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
		„ 8,	13·3	1·5	9	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
		„ 15,	23·7	3·0	16	.	.	.	.	.	.	.	.	1	1	2	2	2	2	.	.	.
		„ 22,	22·2	1·5	15	.	.	.	.	.	.	1	.	.	1	2	3	.	.	.	1	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Jan. 4,	29·7	1·3	23	.	.	.	.	.	.	1	.	6	.	1	3	4	.	.	.	.
		„ 11,	20·7	1·3	16	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.
		„ 18,	25·8	2·6	20	.	.	.	.	.	.	2	.	1	.	1	1	4	.	.	.	1
		„ 25,	23·3	2·6	18	.	.	.	.	.	.	1	.	.	.	.	2	5	1	.	.	.
		Feb. 1,	19·4	1·3	15	.	.	.	.	.	1	.	.	4	.	.	1	2	.	.	.	1
		„ 8,	24·5	1·3	19	.	.	.	.	.	1	.	.	5	1	.	.	4	.	.	2	.
		„ 15,	29·7	2·6	23	.	.	.	.	.	.	.	.	2	3	1	.	6	2	.	1	1
		„ 22,	27·1	5·2	21	.	.	.	.	.	2	.	.	3	.	.	1	4	2	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Jan. 4,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.
		„ 11,	28·4	2·8	10	1	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
		„ 18,	25·6	2·8	9	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	1
		„ 25,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
		Feb. 1,	19·9	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
		„ 8,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	2	.	1	1	2	.	.	.
		„ 15,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
		„ 22,	28·4	.	10	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Jan. 4,	26·6	.	22	.	.	.	.	.	.	.	.	5	1	.	1	3	.	.	1	.
		„ 11,	27·8	2·4	23	.	.	.	.	.	.	.	.	2	2	2	2	3	2	.	.	.
		„ 18,	10·9	.	9	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.
		„ 25,	30·2	1·2	25	.	.	.	.	.	.	.	.	3	2	2	1	5	1	.	.	5
		Feb. 1,	19·4	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
		„ 8,	19·4	1·2	16	1	.	.	.	.	.	.	.	3	3	1	4	1	.	.	1	.
		„ 15,	18·1	2·4	15	.	.	.	.	.	1	1	.	3	.	3	1	1	.	.	.	.
		„ 22,	29·0	2·4	24	.	.	.	.	.	1	.	.	2	2	.	3	1	1	.	.	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Jan. 4,	29·9	1·6	19	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	1	2
		„ 11,	17·3	.	11	.	.	.	.	.	.	.	.	4	.	.	3	2	.	.	.	1
		„ 18,	28·3	.	18	.	.	.	.	.	.	.	.	6	.	3	1	2	.	.	.	.
		„ 25,	18·0	.	12	.	.	.	.	.	.	.	.	.	1	.	3	5	.	.	.	1
		Feb. 1,	26·7	4·7	17	.	.	.	.	.	.	.	.	1	.	1	3	5	3	.	.	.
		„ 8,	9·4	1·6	6	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	.
		„ 15,	25·2	.	16	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	.	.
		„ 22,	11·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Jan. 4,	16·1	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	„ 11,	28·2	1·3	21	.	.	.	.	.	.	1	.	.	.	2	1	3	.	.	.	.
	„ 18,	22·9	1·3	17	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	.
	„ 25,	12·1	.	9	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	Feb. 1,	16·1	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
Pop. in 1913 (Est.) 38,769.	„ 8,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.
	„ 15,	22·9	1·3	17	.	.	.	.	.	1	.	.	1	.	3	1	.	.	.	.	1
	„ 22,	22·9	1·3	17	.	.	.	.	1	.	.	.	4	.	1	.	2	.	.	.	1
Pembroke Urban District.	Jan. 4,	10·4	1·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
	„ 11,	12·2	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	„ 18,	17·4	1·7	10	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.
	„ 25,	15·7	.	9	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Pop. in 1913 (Est.) 29,942.	„ 8,	13·9	1·7	8	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 22,	17·4	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.
Kingstown Urban District.	Jan. 4,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 11,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 18,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 25,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 1,	15·4	3·1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
Pop. in 1911 16,941.	„ 8,	24·6	.	8	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	1
	„ 15,	43·1	3·1	14	.	.	.	.	1	.	.	.	1	1	.	3	1	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1
Belfast.	Jan. 4,	23·8	3·2	181	.	.	.	17	1	1	3	.	21	5	5	20	16	2	.	3	2
	„ 11,	21·1	4·2	160	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	3
	„ 18,	20·3	4·1	154	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	2
	„ 25,	24·5	3·0	186	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	2
Pop. in 1913 (Est.) 396,000.	Feb. 1,	22·9	2·9	174	.	.	.	19	1	.	2	.	16	11	4	19	29	.	.	2	4
	„ 8,	23·2	3·0	176	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	3
	„ 15,	19·9	2·1	151	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	.
	„ 22,	25·4	1·8	193	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	1
Cork.	Jan. 4,	27·2	3·4	40	2	.	.	.	.	.	3	.	2	.	4	4	8	.	.	.	2
	„ 11,	19·7	1·4	29	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.
	„ 18,	25·2	.	37	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	.
	„ 25,	21·8	0·7	32	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1
Pop. in 1911 76,673.	Feb. 1,	32·6	.	48	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2
	„ 8,	22·4	.	33	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	1
	„ 15,	29·2	0·7	43	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	2
	„ 22,	23·8	.	35	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	1
Londonderry.	Jan. 4,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
	„ 11,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	.	3	2	.	.	.	3
	„ 18,	16·5	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
	„ 25,	30·5	.	24	.	.	.	.	.	.	.	.	1	2	2	.	5	.	.	.	1
Pop. in 1913 (Est.) 41,000.	Feb. 1,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	.
	„ 8,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 15,	19·1	1·3	15	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	.	1
	„ 22,	19·1	.	15	.	.	.	.	.	.	.	.	2	.	2	.	5	.	.	.	.
Limerick.	Jan. 4,	17·6	1·4	13	.	.	.	1	.	.	.	.	2	.	1	1	3	.	.	.	2
	„ 11,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 18,	13·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	„ 25,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3
Pop. in 1911 38,518.	Feb. 1,	17·6	.	13	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.
	„ 8,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	2
	„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	3
	„ 22,	17·6	1·4	13	.	.	.	1	.	.	.	.	3	.	2	1	1	.	.	.	3
Waterford.	Jan. 4,	30·4	1·9	16	.	.	.	.	.	1	.	.	1	1	2	1	3	.	.	.	.
	„ 11,	28·5	5·7	15	.	.	.	.	.	2	.	.	2	1	.	1	1	1	.	1	2
	„ 18,	32·3	1·9	17	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.	.	1
	„ 25,	19·0	3·8	10	.	.	.	.	.	2	.	.	1	.	1	.	2	.	.	1	1
Pop. in 1911 27,464.	Feb. 1,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	1·9	14	.	.	.	.	.	1	.	.	2	.	.	2	3	.	.	.	.
	„ 15,	26·6	5·7	14	.	.	.	.	.	3	.	.	2	.	.	.	1	.	.	.	1
	„ 22,	20·9	3·8	11	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd February, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT, .	15,879	10	62·4	3·3	19	7	3	2	.	3	4	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	1	1	5	.
Do. 2 do. .	49,500	22	17·9	1·1	17	3	3	1	4	3	3	.	.	.	.	1	.	.	.	1	.	.	1	6	.	.	.	.	9	.
Do. 3 do. .	50,032	25	31·3	5·2	30	6	4	3	5	7	5	.	.	.	3	1	1	.	.	3	1	2	3	3	.	.	.	.	5	1
Do 4 do. .	32,637	23	33·6	.	21	6	2	3	3	4	3	.	.	.	.	.	.	.	.	2	1	1	1	5	.	.	1	1	10	.
Do. 5 do. .	16,112	6	22·7	.	7	1	1	.	2	3	.	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	.	2	.
Do. 6 do. .	37,293	12	22·4	.	16	1	2	1	3	2	7	.	.	.	.	.	.	.	.	2	1	1	2	2	.	.	1	.	5	.
Do. 7 do. .	2,681	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 8 do. .	5,964	.	17·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do. .	24,427	10	29·9	4·3	14	4	1	2	2	1	4	.	.	.	1	.	.	1	.	1	1	1	3	2	.	.	1	1	4	.
Do. 10 do. .	28,958	37	18·0	1·8	10	2	2	1	1	1	3	.	.	.	1	.	.	.	.	1	.	.	.	5	.	.	.	.	2	.
Do. 11 do. .	39,311	26	25·2	2·7	19	4	2	1	1	5	6	.	.	.	.	.	.	1	.	.	1	1	.	6	1	.	1	1	4	.
Do. 12 do. .	38,076	22	30·1	1·4	22	7	2	2	6	3	2	.	.	.	.	.	.	.	.	3	.	1	1	7	1	.	.	1	5	.
Do. 13 do. .	23,233	8	11·2	.	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	.
Do. 14 do. .	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do. .	22,669	14	20·7	2·3	9	2	2	1	1	1	2	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	.	3	.
Total, . . .	386,947	215	25·4	1·8	193‡	44	24	18	29	36	42	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	5	57	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT, .	12,867	7	46·5	.	12	2	1	3	.	3	3	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	5	.
Do 2 do. .	10,701	7	35·1	.	7	2	.	1	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.
Do 3 do. .	9,978	6	10·6	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 4 do. .	8,666	4	17·1	.	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do 5 do. .	6 592	2	33·4	.	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1
Do 6 do. .	10,702	9	9·0	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do. .	16,616	3	16·2	.	5	1	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
Total, . . .	76,122	38	23·8	.	35	6	2	6	1	8	12	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	.	9	1

* See note (‡) at foot of first page. † The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. ‡ See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered, ...	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215
DEATHS registered, ...	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193†
Annual Death-rate per 1,000 of estimated population, ...	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4
AGES, Under 1 year, ...	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44
AGES, 1—5 years, ...	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24
AGES, 5—25 „ ...	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18
AGES, 25—45 „ ...	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29
AGES, 45—65 „ ...	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36
AGES, 65 and upwards, ...	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6
Scarlet Fever, ...	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2
Whooping-cough, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1
Diphtheria, ...	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17
Tuberculous Disease. Other Forms,	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7
Cancer, ...	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8
Diseases of Respiratory System, Pneumonia,	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17
Diseases of Respiratory System, Others, ...	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45
Diarrhœa and Enteritis, under 2 years, ...	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3
Diarrhœa, 2 years and upwards,	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.
Violent Deaths, ...	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5
Number of Uncertified Deaths, ...	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1

† Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Feb. 22,	2,204	1,574	18·2	2	.	69	6	22	14	26*a*
Edinburgh, ...	320,800	„ 22,	111	94	15·3	.	.	.	.	4	.	.
Glasgow, ...	1,021,500	„ 22,	535	388	19·8	1	.	3	1	37	4	4
Calcutta, ...	896,067	Jan. 11,	.	519*b*	30·1	.	1	3	.	.	1	22*a*‡
Bombay, ...	979,445	„ 18,	424	575	30·5	56*	1	3	.	.	.	75‡
Madras, ...	518,660	„ 25,	330	490	49·1	105*	2	3	.	.	.	116‡
Cairo, ...	704,956	Nov. 25,	637	407	30·1	2	.	2	.	?	20†	52*a*
Paris, ...	2,847,229	Feb. 8,	1,013	888	15·9	1	.	17	3	5	7†	21*a*
Brussels, ...	745,380	„ 1,	237	167	11·7	1	.	.	1	.	1†	7*a*
Antwerp, ...	312,884	„ 8,	.	.	.	.	.	.	.	.	.	.
Amsterdam, ...	587,872	„ 1,	267	161	14·3	.	.	1	.	1	3†	4*a*
Copenhagen, ...	468,000	„ 1,	212	144	16·0	.	.	.	.	4	1†	.
Stockholm, ...	368,796	„ 1,	.	92	13·0	.	.	.	2	.	1	4
Christiania, ...	247,488	„ 8,	116	67	14·1	.	.	1	1	.	1	2
St. Petersburg, ...	1,686,000	Jan. 18,	752	719	22·2	13	3	32	15	4	7†	47
Moscow, ...	1,617,157	„ 4,	.	662	21·1	2	1	19	12	3	16†	46
Berlin, ...	2,093,251	„ 18,	822	551	13·7	1	.	5	5	7	6†	18
Hamburg, ...	1,006,748	Feb. 1,	.	275	14·2	.	.	1	1	1	5†	15*a*
Breslau, ...	536,437	„ 1,	.	258	25·1	.	.	4	.	1	1	15
Munich, ...	622,000	„ 1,	.	192	16·1	.	.	3	.	.	1†	8
Vienna (with suburbs),	2,098,225	„ 1,	720	704	17·4	.	.	2	3	5	9†	19*a*
Buda-Pesth, ...	1,087,779	„ 1,	463	342	19·1	3	.	1	8	1	3†	15*a*
Prague and Faubourgs,	489,194	Jan. 18,	151	174	18·5	2	.	2	1	.	3†	5*a*
Trieste, ...	237,192	Feb. 1,	156	123	27·0	3	.	1	.	.	2†	2*a*
Rome, ...	569,809	Oct. 12,	277	154	14·1	4	.	2	.	.	1	13
		„ 19,	259	157	14·4	5	.	1	.	1	3	12
New York, ...	5,372,983	Jan. 25,	2,441	1,461	14·2	2	.	15	19	6	25	32*a*
Philadelphia, ...	1,606,105	Nov. 30,	.	571	16·5	2	.	3	6	6	6	6*a*
Boston, ...	735,399	Feb. 1,	.	252	17·9	.	.	4	.	3	5	4

* Deaths from "fever," including 2 from enteric fever and 4 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Not including 19 deaths from cholera in Calcutta, but including 3 deaths from cholera in Bombay, and 2 in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Including 3 deaths from enteric fever, and 2 from plague.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd February, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
„ „ 1, West, ...	.	1	.	.	1	.	.	2	.	.	.	1	.	5
„ „ 2, ...	.	.	.	.	.	.	.	1	.	.	.	1	.	2
„ „ 3, ...	.	1	1	.	1	.	.	2	1	.	.	1	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	1	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	1	.	.	3	.	.	.	2	.	8
„ „ 2, ...	.	2	.	.	.	.	.	.	.	.	.	5	.	7
„ „ 3, ...	.	.	.	.	1	.	.	1	.	.	.	1	.	3
„ „ 4, ...	.	1	.	.	.	.	.	.	2	.	.	2	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	9	1	.	4	.	.	11	3	.	.	14	.	42

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd February, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd February.			
	Feb. 1.	Feb. 8.	Feb. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	23	23	27	8	2	2	31
Typhus, ...	8	10	10	2	1	1	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	3	3	1	2	.	2
Scarlet Fever, ...	116	124	130	20	21	1	128*
Diphtheria, ...	41	45	44	8	16	2	34
Pneumonia, ...	19	19	27	6	9	1	23

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 22nd February, 1913:—

"For the first time during many months an anticyclone of marked staying power spread across the British Isles from Eastern and Central Europe. Consequently a spell of cold, dry weather and searching easterly winds took the place of the previous week's dampness and fog, and of the winter's stormy, southerly and rain-bearing winds. Frost of considerable intensity held sway over Central Europe and France, strong easterly winds and moderate frost prevailed in England, and the same type of weather in a modified degree was experienced in Ireland. The North of Scotland had calms or light to moderate southerly to westerly winds with cold weather. Over Iceland and Scandinavia the wind blew generally from some westerly point in connection with atmospheric depressions travelling within the Arctic Circle. Owing to the prevalence of clouds, particularly at night, and to the wind being off the sea, no very low temperatures were recorded in Dublin, but inland (at Birr Castle, King's County) the minima in the screen after Sunday were 29°, 27°, 30°, 26°, 33°, and 33°. The easterly wind was bitterly cold in Dublin on Wednesday and Thursday—on the latter day, although the wind was less strong, an overcast sky added to the cheerless severity of the weather. The percentage of relative humidity was unusually low during the prevalence of the high E. winds, and incalculable benefit was in this way conferred on the waterlogged land. In Dublin the mean height of the barometer was 30·324 inches, the range of pressure being between 30·229 inches at 9 a.m. of Thursday (wind, E.N.E.) and 30·428 inches at 9 p.m. of Friday (wind, E.N.E.). The mean temperature was 40·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 39·8°. On Sunday the screened thermometers fell to 34·4°; both on Sunday and Monday they rose to 45·4°. The prevailing winds were E.N.E. No rain fell during the week."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·341 inches. The highest reading (30·429) was on Friday at 9 p.m., air calm, the lowest (30·248) on Wednesday at 9 p.m., wind E.N.E.

The mean temperature for the week was 37·8°, being 2·9° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Saturday, on which day the thermometer registered 46°, and was also lowest on that day, the mercury having fallen to 28°. The mean of the Dry Bulb for the week was 38·5° and of the Wet Bulb, 35·8°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 36·0°, the maximum 46·0°, and the minimum 27·8°; at Glasgow the maximum was 44·2°, the minimum 29·0°, and the mean 37·5°; and at Edinburgh the maximum was 42·4°, the minimum 31·8°, and the mean 36·6°. The rainfall at Greenwich measured 0·04 in.; and at Edinburgh 0·05 in. There was no rainfall recorded at Glasgow

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 16,	30·335	45	32	38·5	41·0	38·9	·85	·0	0·0	·000	Calm.	Calm.
Monday, „ 17,	30·360	45	29	37·0	40·2	38·0	·83	·0	1·6	·000	E.N.E.	E.N.E.
Tuesday, „ 18,	30·365	42	37	39·5	38·2	34·7	·73	·4	4·0	·000	E.	E.
Wednesday, „ 19,	30·280	41	36	38·5	37·4	33·8	·70	·3	5·7	·000	E.N.E.	E.N.E.
Thursday, „ 20,	30·270	39	35	37·0	37·7	34·8	·77	·0	0·0	·000	E.	E.
Friday, „ 21,	30·410	42	32	37·0	35·4	33·5	·84	·0	2·8	·000	E.S.E.	Calm.
Saturday, „ 22,	30·370	46	28	37·0	39·7	36·8	·77	·6	4·1	·000	S.E.	S.E.
Mean, ...	30·341	42·9	32·7	37·8	38·5	35·8	·78	·2	Total 18·2	Total ·000	Prevailing Winds, E. and E.N.E.	

Sunday—Day overcast; night clear. *Monday*—Day bright to overcast; night overcast. *Tuesday*—A fine day, cloudy at intervals; night cloudy. *Wednesday*—A beautiful bright day; night cloudy. *Thursday*—Day overcast; night cloudy. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—Day overcast to bright; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 22nd February, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 16,	41·5	41·7	44·7	45	39	42	0·1	—
Monday „ 17,	43·7	41·3	44·5	45	33	39	0·9	—
Tuesday, „ 18,	39·3	41·5	44·4	44	37	40·5	3·9	—
Wednesday, „ 19,	39·9	40·7	44·4	42	36	39	5·1	—
Thursday, „ 20,	38·2	40·0	44·1	41	35	38	—	—
Friday, „ 21,	39·0	39·8	44·0	43	36	39·5	2·9	—
Saturday, „ 22,	41·3	40·0	43·9	46	38	42	3·9	—
Weekly Mean, .	40·4	40·7	44·3	43·7	36·3	40·0	Total 16·8	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 1ST MARCH, 1913. [No. 9.

General Register Office, Charlemont House,
Dublin, 3rd March, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 23·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 8	Feb. 15	Feb. 22	Mar. 1	
27 Town Districts, (a)	**20·9**	**21·3**	**24·1**	**23·1**	**22·3**
Dublin Reg. Area ...	17·7	21·7	25·1	26·9	22·8
Dublin City ...	18·1	21·0	25·9	28·4	23·3
Belfast	23·2	19·9	25·4	23·4	23·0
Cork	22·4	29·2	23·8	28·6	26·0
Londonderry ...	20·3	19·1	19·1	10·2	17·2
Limerick	16·2	17·6	17·6	16·2	16·9
Waterford	26·6	26·6	20·9	13·3	21·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·8 per 1,000. Amorg the 178 deaths from all causes for Belfast are 5 from measles, and one from each of whooping-cough and diphtheria. One of the 42 deaths from all causes for Cork is from measles. Included in the 7 deaths from all causes for Waterford are 2 from whooping-cough. One of the 4 deaths from all causes for Drogheda is from whooping-cough. Eight of the 11 deaths from all causes for Newry are from measles, and one death from this disease is among the 5 deaths from all causes for Wexford. The 8 deaths from all causes for Tralee include one from measles, and one from diarrhœa of a child under 2 years of age; and one of the 3 deaths for Clonmel is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 256—138 boys and 118 girls—and the deaths to 217—113 males and 104 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·9 per 1,000 of the population. During the nine weeks, ending with Saturday last, the death-rate averaged 22·0, and was 3·3 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 217, represent an annual rate of 28·1 per 1,000; the annual rate for the past nine weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

The total deaths (217) include 2 from enteric fever, one from typhus, 6 from whooping-cough, one from diphtheria, 3 from influenza, and 6 from diarrhœa and enteritis of children under two years. In the 3 preceding weeks deaths from enteric fever were one, 0, and one; deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 2, 2, and 4; deaths from diphtheria were one, one, and 2; deaths from influenza were 3, 2, and 5; and deaths from diarrhœa and enteritis of children under 2 years were 2, 4, and 6, respectively.

Tuberculous disease, which in the 3 preceding weeks caused 32, 34, and 50 deaths, respectively, in the week under notice caused 42 deaths, comprising 34 from pulmonary tuberculosis, 2 from tuberculous meningitis, 2 from abdominal tuberculosis, 2 from tuberculosis of the vertebral column, and 2 from disseminated tuberculosis.

There were 8 deaths from broncho-pneumonia, 4 from lobar pneumonia, and 5 from pneumonia (type not distinguished).

Seven deaths were due to cancer.

Convulsions caused the deaths of 3 children, of whom 2 were infants under one year; prematurity caused 6 deaths, congenital malformations 2 deaths, and congenital debility 2 deaths.

There were 32 deaths due to bronchitis, and 20 to organic diseases of the heart.

Two deaths were caused accidentally.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 80 years.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 12 were under one month old) and 55 were aged 65 years and upwards, including 41 persons aged 70 and upwards; among the latter were 25 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 91 and 97 years, respectively.

One hundred and seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse, 23 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·9 per 1,000; the rate in the City was 28·4 (North City Districts, 29·7; South, 27·0) and in the Suburbs, 22·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·4 (in the North City Districts 2·2, and in the South 2·5), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000, and include one from diphtheria, one from influenza, 3 from tuberculous disease, one from broncho-pneumonia, and one from lobar pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (30) are equal to an annual rate of 38·3 per 1,000. Included in the total are one from enteric fever, one from whooping-cough, 3 from pulmonary tuberculous, one from broncho-pneumonia, one from pneumonia (type not distinguished), 7 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000. Of the total 3 are from pulmonary tuberculosis, 2 from broncho-pneumonia, 2 from bronchitis, and one by accident.

No. 3 North City District (Benburb-street).—The deaths (21) represent an annual rate of 31·1 per 1,000. Typhus and influenza each caused one death; tuberculous disease caused 4 deaths, broncho-pneumonia one death, pneumonia (type not distinguished) one death, bronchitis 4 deaths, and enteritis of a child under 2 years one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 34·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·7. Of the 9 deaths from all causes for Coolock and Drumcondra, part of, one is from pulmonary tuberculosis; and the 3 deaths for Finglas and Glasnevin, part of, comprise one from each of pulmonary tuberculosis, lobar pneumonia and bronchitis.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 33·6 per 1,000, and include one from enteric fever, 8 from tuberculous disease, and 6 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Whooping-cough caused 2 deaths, disseminated tuberculous one death, and bronchitis one death.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·0 per 1,000, and include 2 from whooping-cough, one from influenza, 3 from pulmonary tuberculous, one from broncho-pneumonia, one from pneumonia (type not distinguished), and 3 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. Tuberculous disease caused 2 deaths, broncho-pneumonia one death, bronchitis 3 deaths, and enteritis of a child under 2 years one death.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·7 per 1,000, and include one from bronchitis and one from enteritis of a child under 2 years.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 26·9; Pembroke, 24·4; Blackrock, 22·8; and Kingstown, 6·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough, and one from enteritis of a child under 2 years for Pembroke. Among the 20 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, one from broncho-pneumonia, one from lobar pneumonia, one from pneumonia (type not distinguished), 2 from bronchitis, and one accidental death. Of the 14 deaths from all causes for Pembroke 5 are from tuberculous disease, and 2 from bronchitis. One of the 4 deaths from all causes for Blackrock is from tuberculosis of the vertebral column, and one of the 2 deaths for Kingstown is from pulmonary tuberculosis.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 1st March, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Feb. 8,	.	—	—	12	.	.	4	.	.	2	7	.	—	—	.	—	8	.	33
	Feb. 15,	.	—	—	9	.	.	10	.	.	6	9	.	—	—	.	—	17	.	51
	Feb. 22,	.	—	—	9	1	.	4	.	.	11	3	.	—	—	.	—	14	.	42
	Mar. 1,	.	—	—	6	2	.	3	.	1	4	6	1	—	—	.	—	7	.	30
Rathmines and Rathgar Urban District.	Feb. 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Feb. 15,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	—	—	—	—	6
	Feb. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 1,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Feb. 8,	.	.	.	1	.	.	6	.	.	.	.	.	—	1	—	—	.	—	8
	Feb. 15,	.	2	.	1	.	.	.	.	.	.	.	.	—	2	—	—	.	—	5
	Feb. 22,	.	2	.	2	.	.	3	.	.	.	.	.	—	1	—	—	.	—	8
	Mar. 1,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	6	—	7
Blackrock Urban District.	Feb. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 22,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	—	—	2
	Mar. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Feb. 8,	.	—	—	.	.	.	1	.	.	1	.	1	—	—	—	—	2	—	5
	Feb. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Feb. 22,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	2	—	3
	Mar. 1,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
City of Belfast.	Feb. 8,	.	—	—	23	.	.	7	1	.	2	2	1	—	—	—	—	6	—	42
	Feb. 15,	.	—	—	23	.	.	11	.	.	6	6	.	—	—	—	—	7	—	53
	Feb. 22,	.	—	—	24	.	.	6	.	1*	2	13	1	—	—	—	—	10	—	57
	Mar. 1,	.	—	—	23	.	.	8	.	.	1	4	1	—	—	—	—	11	—	48

* This case has developed typhoid fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st March, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 23, 27, and 31.

Two cases of typhus were admitted to hospital during the week, 5 were discharged, there was one death, and 6 cases remained under treatment at the close of the week.

Three cases of measles were admitted to hospital during the week, one was discharged, and 4 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 3, 3, and 2, respectively.

Fifteen cases of scarlet fever were admitted to hospital, 23 were discharged, and 120* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 124, 130, and 128, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 45, 44, and 34, respectively, were 30 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 7 were discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·8), was equal to an average annual death-rate of 18·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·7 per 1,000, the rate for Glasgow being 21·7, and for Edinburgh 17·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st March. From this Report it appears that of a total of 53 cases notified, 23 were phthisis, 20 scarlet fever, 5 diphtheria, 4 erysipelas, and one puerperal fever. Among the 391 cases of infectious diseases in hospital at the close of the week were 145 cases of scarlet fever, 113 of phthisis, 44 of whooping-cough, 36 of measles, 23 of diphtheria, 9 of erysipelas, 5 of enteric fever, 3 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 1st March, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 1st March, 1913. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 1st March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	30·1	23·1	1·8	693	532	111	124	2	1	...	16	...	11	2	...	77	24	17	45	98	9	...	6	17	164	15	...	...	..	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	33·1	26·9	2·1	256	208	40	52	2	1	...	...	...	6	1	...	31	7	7	15	34	6	...	2	5	98	4	e 54	29	43·7	0·38	e 46	28	37·8	0·00	e 54	28	40·6	0·03
CITY OF DUBLIN,	308,187	39·0	38·1	28·4	2·4	225	168	33	36	2	1	...	...	...	5	1	...	24	5	3	12	29	5	...	1	5	81	3	f 53·2 g 52·9	36·1 31·4	44·8 43·5	0·30 0·41	f 45·4 g 45·0	34·4 28·0	40·1 38·5	0·00 0·00	f 55·0 g 54·7	32·3 28·6	42·8 41·7	0·09 0·09
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	20·2	26·9	.	15	20	5	8	...	...	...	...	...	...	...	..	2	...	1	3	2	...	...	1	...	6	1	...	...	...	...	...	...	...	...	.	...	...	...
PEMBROKE. ...	29,942	19·0	12·2	24·4	3·5	7	14	2	6	...	...	...	...	...	1	...	...	4	1	2	...	2	1	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	17·1	22·8	.	3	4	...	2	...	...	...	...	...	...	..	...	...	1	1	...	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	18·5	6·2	.	6	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	49	36	43·4	0·35	45	36	39·9	0.00	52	31	41·4	0·18
Urban Districts. BELFAST ..	396,000	26·5	30·3	23·4	0·9	230	178	49	32	...	...	...	5	...	1	1	...	29	10	5	21	38	...	...	...	3	31	3	54·5	33·0	43·5	0·19	44·8	31·2	39·1	0·00	50·5	32·5	43·2	0·24
CORK, ..	76,673	28·6	27·9	28·6	0·7	41	42	6	11	...	...	...	1	...	...	...	...	8	3	2	2	9	...	...	...	1	16	3	52	37	44·9	1·08	46	31	38·4	0·02	52	35	44·1	0·37
LONDONDERRY...	41,000	15·9	16·5	10·2	.	13	8	4	1	..	...	...	...	...	...	...	...	1	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	23·0	16·2	1·4	17	12	1	2	...	...	...	...	...	...	...	...	2	...	...	1	2	1	..	...	...	4	...	52·0	27·7	43·5	0·59	46·7	28·1	36·2	0·01	56·9	32·1	45·0	0·09
WATERFORD, ...	27,464	19·1	26·6	13·3	3·8	14	7	1	..	...	...	...	...	...	2	...	...	2	...	...	...	1	...	...	...	2	..	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				6	4	...	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	52	30	41	0·47	...	...	...	...	55	34	46	0·26
DUNDALK, ...	13,128	9·5				5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				5	4	...	1	...	...	...	...	...	...	...	..	...	1	...	...	2	...	...	...	...	...	..	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11
DROGHEDA, ...	12,501	8·4				8	4	...	2	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				8	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11
NEWRY. ...	11,963	17·0				5	11	1	2	...	...	...	8	...	...	...	...	...	...	...	...	1	...	...	2	2	2	...	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11
PORTADOWN, ...	11,727	15·3				6	3	1	..	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11
WEXFORD. ...	11,531	22·8				6	5	1	1	...	...	...	1	...	...	...	...	...	...	1	...	1	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				28	5	...	4	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8				5	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	52	28	42·0	0·49	47	26	36·0	0·00	54	32	42	0·17
KILKENNY, ...	10,514	11·4				1	5	...	2	...	...	...	...	...	...	...	...	...	...	...	1	2	..	...	...	...	2	...	51	29	42·3	0·91	45	28	36·3	0·01	53	32	44·4	0·23
TRALEE, ...	10,300	17·4				5	8	1	2	...	...	...	1	...	...	...	...	...	2	...	1	1	1	...	...	...	2	...	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				1	3	1	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				6	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	1	1	...	50	36	42·8	0·34	44	34	39·7	0·00	51	35	43·3	0·09
QUEENSTOWN, ...	8,209	14·7				3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52	37	44·9	1·08	46	31	38·4	0·02	52	35	44·1	0·37
LARNE, ...	8,036	13·4				5	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				5	6	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ...	7,691	7·2				5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				.	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00	52·0	33·3	43·8	0·11

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under one year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 1st of March, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	.	2	2	.	.	.	1	.	.	6	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	3	3	3	.	1	1	7	.	3	1	.	2	4	.	1	31	3
Tuberculous Disease. { Other Forms,	1	.	.	1	.	.	.	1	1	.	1	.	.	1	1	.	7	1
Cancer,	1	1	.	.	.	1	.	.	.	.	.	.	1	2	1	.	7	.
Diseases of Nervous System,	1	2	1	2	.	.	.	4	1	6	.	.	2	.	1	.	20	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	2	2	1	.	2	.	5	1	.	3	1	2	1	.	1	23	.
" Respiratory System. { Pneumonia,	2	2	2	2	.	.	1	.	.	2	1	.	3	.	.	.	15	2
" Respiratory System. { Others,	.	7	2	4	.	1	1	6	1	3	3	1	2	2	1	.	34	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	2	.	1	.	.	.	.	.	.	1	1	.	1	.	.	6	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	1	2	1	.	.	.	.	2	1	.	1	.	.	.	.	11	1
" Genito-urinary System,	.	.	1	1	.	1	.	1	.	1	2	.	1	.	.	.	8	.
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	5	3	3	.	3	.	1	2	.	3	1	4	.	.	.	26	.
Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
Deaths from All Causes	13	30	17	21	.	9	3	26	10	19	15	5	20	14	4	2	208	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·7	38·3	31·8	31·1	.	34·6	14·7	33·6	28·4	23·0	23·6	26·7	26·9	24·4	22·8	6·2	26·9	.
	29·7							27·0					22·0					
	28·4																	
Ages at Death. { Under 1 year,	2	8	6	3	.	1	.	4	3	2	3	1	5	2	.	.	40	.
1 and under 2 years,	.	1	2	1	.	.	.	1	2	.	1	1	.	.	.	.	9	.
2 " 5 "	.	.	.	1	.	.	2	1	.	3	.	.	1	.	.	.	8	1
5 " 15 "	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
15 " 25 "	2	3	1	1	.	.	.	1	.	.	1	.	1	1	.	.	11	3
25 " 45 "	3	7	3	4	.	1	1	7	.	4	.	.	2	3	.	2	37	1
45 " 65 "	4	5	4	6	.	3	.	9	2	5	3	1	3	2	2	.	49	1
65 and upwards,	2	5	1	5	.	4	.	3	3	5	7	1	8	6	2	.	52	3
Number of Uncertified Deaths,	.	.	1	1	.	.	.	.	1	.	.	.	1	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	8	9	5	3	.	3	3	4	.	2	2	1	6	6	1	.	54	9
Workhouse Hospitals,	3	4	4	8	.	.	.	7	4	6	4	.	.	1	2	1	44	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										9th Averages in Week of the 10 years, 1903–1912.	In the Week ending Saturday, 1st March, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907	Feb. 29, 1908.	Mar. 6, 1909.	Mar. 5, 1910.	Mar. 4, 1911.	Mar. 2, 1912.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 41·0	° 36·1	° 39·2	° 40·6	° 41·8	° 40·4	° 32·8	° 44·0	° 46·5	° 49·4	° 41·2	° 43·7										
ALL CAUSES.	211	201	232	183	228	166	216	208	180	205	203·0	217	12	28	9	9	2	14	38	50	30	25
Enteric Fever, ...	1	3	.	1	.	.	.	2	4	.	1·1	2	.	.	.	.	1	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	3	.	1	1	5	.	7	5	2·3	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	.	.	.	1	1	2	3	·9	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	10	.	4	7	3	3	3	11	3	4·7	6	.	5	.	1	.	.	.	.	.	.
Diphtheria, ...	1	.	2	.	.	2	4	.	.	3	1·2	1	.	1	.	.	.	.	.	.	.	.
Croup, ...	2	.	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	8	5	8	1	5	9	5	5	2	1	4·9	3	.	.	.	.	.	.	.	2	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	1	1	1	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	1	.	.	1	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	3	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	35	27	36	32	30	24	35	28	20	24	29·1	34	.	.	.	1	.	5	20	6	2	.
Tuberculous Meningitis, ...	5	3	4	2	7	6	8	4	3	4	4·6	2	.	.	.	1	.	1	.	.	.	.
Abdominal Tuberculosis, ...	2	.	1	1	1	4	2	.	.	2	1·3	2	.	.	1	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		2	.	.	.	.	.	1	.	.	1	.
Tuberculosis of Joints, ...	7	5	12	15	10	5	6	6	4	.	7·2	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		2	.	.	2	.	.	.	.	.	.	.
Venereal Diseases, ...	2	.	3	2	1	.	.	.	3	2	1·3	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	2	5	5	6	8	6	8	9	5	13	6·7	7	.	.	.	.	.	.	2	4	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	.	.	1	.	.	.	1	2	·5	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	1	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	3	—	2	.	.	.	.	.	.	.	2	.	.
Alcoholism, ...	1	.	.	.	1	2	1	1	.	.	·6	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		1	.	.	.	.	.	1	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										5		11	.	.	.	.	.	.	1	6	4	.
Softening of Brain, ...										1		1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.										1		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										.		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										4		3	2	.	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	52	44	66	40	42	33	39	49	35	1	43·7	3	.	.	.	.	.	2	.	.	.	1
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										21		20	.	.	.	.	.	1	4	7	4	4
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.										2		2	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	.	.	.	1
Bronchitis, ...	33	30	30	24	40	16	34	36	28	34	30·5	32	1	8	1	2	.	1	1	6	9	3
Broncho-pneumonia, ...	2	6	15	5	3	8	12	11	8	9	7·9	8	.	3	2	1	.	.	1	1	.	.
Lobar pneumonia, ...	.	.	.	.	3	.	1	2	2	2	1·0	4	.	.	.	2	.	.	.	1	.	1
Pneumonia (type not distinguished)	3	5	5	11	14	5	6	4	3	8	6·4	5	.	.	.	.	.	.	3	.	1	1
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	1	3	4	3	1	5	3	.	1	2·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	.	.	.	1

NINTH WEEK ending Saturday, 1st March, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 1st March, 1913.										
													Deaths of Persons of the Ages of									
	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.	Mar. 5, 1910.	Mar. 4, 1911.	Mar. 2, 1912.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 41·0	° 36·1	° 39·2	° 40·6	° 41·8	° 40·4	° 32·8	° 44·0	° 46·5	° 49·4	° 41·2	° 43·7										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	4	1	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	5	5	4	1	3	6	3	6	4	4	4·2	6	.	5	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	1	—	6	.	1	1	.	.	.	1	1	1	1
Cirrhosis of Liver, ...	3	3	.	1	1	.	2	3	1	1	1·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	2	.	1	1	2	.	1	2	.	.	·9	1	.	.	.	.	.	.	.	.	1	.
Peritonitis (cause unknown),	2	.	1	.	2	.	.	3	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	6	3	4	5	3	6	3	.	.	3·4	2	.	.	.	.	.	.	1	1	.	.
Acute Nephritis, ...	2	7	3	5	6	8	4	6	4	1	5·0	2	.	.	.	.	.	.	.	1	1	.
Chronic Bright's Disease, ...										4		4	.	.	.	.	.	.	1	2	.	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		2	.	.	.	.	.	.	.	.	.	2
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	.	1	.	1	·3	1	.	.	.	.	.	1	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	2	.	1	1	.	.	.	.	·5	1	.	.	.	.	.	1	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	2	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	1	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	4	5	.	5	6	1	3	1	6	3·3	6	4	2	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	2	—	2	1	1	.	.	.	.	.	.	.	.
Old Age, ...	3	11	2	5	3	3	4	5	5	3	4·4	9	.	.	.	.	.	.	.	1	2	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	4	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	2	3	3	2	.	.	1	.	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	2	1	3	.	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	2	1	2	1	1	3	3	1	3	2·1	2	.	.	.	.	.	.	.	1	.	1
Total Deaths from Accident,	6	6	5	8	3	2	3	4	2	4	4·3	2	.	.	.	.	.	.	.	1	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	2	1	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	5	5	—	3	.	.	.	.	.	.	.	1	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered.	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256
Average Births in corresponding week of previous 10 years, ...	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225
DEATHS registered, ...	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217
Annual Death-rate per 1,000, ...	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1
Average Deaths in corresponding week of previous 10 years, ...	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203
Ages, Under 5 years, ...	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58
5—15 " ...	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2
15—25 " ...	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14
25—45 " ...	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38
45—65 " ...	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50
65—75 " ...	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30
75 and upwards, ...	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25
Deaths from :—																										
Enteric Fever, ...	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.
Scarlet Fever, ...	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.
Whooping-cough, ...	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6
Diphtheria, ...	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1
Influenza, ...	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34
Tuberculous Disease, Other Forms,	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8
Cancer, ...	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7
Diseases of Circulatory System,	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23
Diseases of Respiratory System, Pneumonia,	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17
Diseases of Respiratory System, Others, ...	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34
Diarrhœa and Enteritis, under 2 years, ...	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6
Diarrhœa, 2 years and upwards,	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Violent Deaths, ...	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2
Number of Uncertified Deaths,	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4
Mean Temperature of the Air (Phœnix Park)	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7
Average Mean Temperature in corresponding week of previous 10 years, ...	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2
Rainfall in inches, ...	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st March, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST MARCH, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION. The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	217	58	2	14	38	50	30	25	2	1	.	.	.	6	1	.	34	8	7	3	17	34	6	.	2	96	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	26·9	9	.	.	.	1	2	1	5	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	6	.
II.	MIDDLE CLASS, ...	87,188	19·1	32	6	.	3	3	5	5	10	.	.	.	.	.	.	1	.	2	.	3	.	2	4	.	.	1	19	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·0	36	8	.	4	7	10	6	1	.	.	.	.	.	.	.	.	5	1	2	.	6	6	1	.	.	15	.
IV.	GENERAL SERVICE CLASS, ...	154,279	32·4	96	33	2	6	18	25	8	4	2	1	.	.	.	4	.	.	18	2	2	3	8	14	3	.	1	38	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	44	11	.	1	9	8	10	5	.	.	.	.	.	2	.	.	8	5	.	.	1	8	2	.	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	1	1	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	2	.	.	1	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	4	.	1	1	2	1	2	.	.	.	.	.	.	1	.	1	.	1	.	1	1	.	.	.	6	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	.	.	2	1	1	3	4	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	3	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	3	.
	10. Clothing Trades, ...	23,260	9·0	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	2	.	4	4	5	2	.	.	.	.	.	.	.	.	.	3	.	2	.	3	1	1	.	.	7	.
	13. Petty Shopkeepers	7,894	26·4	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	35·0	9	2	1	1	.	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	6	.
	15. Domestic Servants, ...	36,603	8·5	6	1	.	2	1	1	1	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	1	.	.	5	2	2	.	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	41·2	71	29	1	3	12	20	2	4	2	1	.	.	.	4	.	.	10	1	2	2	6	13	3	.	1	26	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	44	11	.	1	9	8	10	5	.	.	.	.	.	2	.	.	8	5	.	.	1	8	2	.	.	18	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number
Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of)	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Jan. 11,	27·9	.	16	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	1	1
		„ 18,	24·4	.	14	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	.	.
		„ 25,	19·2	1·7	11	.	.	.	.	.	.	1	.	1	2	.	.	3	.	.	.	1
		Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
		„ 8,	22·7	.	13	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	.
		„ 15,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
		„ 22,	36·6	1·7	21	.	.	.	.	.	1	.	.	3	2	.	3	4	.	.	1	1
		Mar. 1,	22·7	1·7	13	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Jan. 11,	24·2	2·6	19	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	1	.
		„ 18,	28·1	5·1	22	.	.	.	.	1	.	1	.	1	.	.	1	4	2	.	.	2
		„ 25,	20·4	2·6	16	.	.	.	.	.	.	2	.	1	.	.	1	4	.	.	.	.
		Feb. 1,	21·7	2·6	17	.	.	.	.	.	.	.	.	.	2	.	.	9	2	.	.	3
		„ 8,	17·9	1·3	14	.	.	.	1	.	.	.	.	3	1	1	1	1	.	.	1	.
		„ 15,	19·1	1·3	15	.	.	.	1	.	.	.	.	6	1	.	1	.	.	.	.	.
		„ 22,	29·3	2·6	23	.	.	.	.	.	.	1	.	5	1	1	3	2	1	.	.	1
		Mar. 1,	38·3	5·1	30	1	.	.	.	.	1	.	.	3	.	1	2	7	2	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Jan. 11,	22·4	.	12	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
		„ 18,	31·8	1·9	17	1	.	.	.	.	.	.	.	1	2	1	2	2	.	.	.	1
		„ 25,	24·3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	3
		Feb. 1,	20·6	.	11	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
		„ 8,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
		„ 15,	31·8	.	17	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
		„ 22,	44·9	1·9	24	1	.	.	.	.	.	.	.	9	1	1	1	4	.	.	.	.
		Mar. 1,	31·8	.	17	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	1	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Jan. 11,	26·7	3·0	18	.	.	.	.	.	.	1	.	2	2	1	1	.	.	1	.	.
		„ 18,	23·7	.	16	.	.	.	.	.	.	.	.	3	2	3	.	.	.	.	.	1
		„ 25,	38·5	1·5	26	.	.	.	.	.	1	.	.	4	.	1	3	6	.	.	1	.
		Feb. 1,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
		„ 8,	13·3	1·5	9	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
		„ 15,	23·7	3·0	16	.	.	.	.	.	.	.	.	1	1	2	2	2	2	.	.	.
		„ 22,	22·2	1·5	15	.	.	.	.	.	.	1	.	.	1	2	3	.	.	.	1	.
		Mar. 1,	31·1	3·0	21	.	1	.	.	.	.	.	.	3	1	.	2	4	1	.	.	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Jan. 11,	20·7	1·3	16	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.
		„ 18,	25·8	2·6	20	.	.	.	.	.	.	2	.	1	.	1	1	4	.	.	.	1
		„ 25,	23·3	2·6	18	.	.	.	.	.	.	1	.	.	.	.	2	5	1	.	.	.
		Feb. 1,	19·4	1·3	15	.	.	.	.	.	1	.	.	4	.	.	1	2	.	.	.	1
		„ 8,	24·5	1·3	19	.	.	.	.	.	1	.	.	5	1	.	.	4	.	.	2	.
		„ 15,	29·7	2·6	23	.	.	.	.	.	.	.	.	2	3	1	.	6	2	.	1	1
		„ 22,	27·1	5·2	21	.	.	.	.	.	2	.	.	3	.	.	1	4	2	.	1	.
		Mar. 1,	33·6	1·3	26	1	.	.	.	.	.	.	.	7	1	.	.	6	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Jan. 11,	28·4	2·8	10	1	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
		„ 18,	25·6	2·8	9	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	1
		„ 25,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
		Feb. 1,	19·9	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
		„ 8,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	2	.	1	1	2	.	.	.
		„ 15,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
		„ 22,	28·4	.	10	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1
		Mar. 1,	28·4	5·7	10	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Jan. 11,	27·8	2·4	23	.	.	.	.	.	.	.	.	2	2	2	2	3	2	.		.
		„ 18,	10·9	.	9	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.		.
		„ 25,	30·2	1·2	25	.	.	.	.	.	.	.	.	3	2	2	1	5	1	.		5
		Feb. 1,	19·4	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
		„ 8,	19·4	1·2	16	1	.	.	.	.	.	.	.	3	3	1	4	1	.	.	1	.
		„ 15,	18·1	2·4	15	.	.	.	.	.	1	1	.	3	.	3	1	1	.	.	.	.
		„ 22,	29·0	2·4	24	.	.	.	.	.	1	.	.	2	2	.	3	1	1	.	.	1
		Mar. 1,	23·0	2·4	19	.	.	.	.	.	2	.	.	3	.	.	2	3	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Jan. 11,	17·3	.	11	.	.	.	.	.	.	.	.	4	.	.	3	2	.	.	.	1
		„ 18,	28·3	.	18	.	.	.	.	.	.	.	.	6	.	3	1	2	.	.	.	.
		„ 25,	18·0	.	12	.	.	.	.	.	.	.	.	.	1	.	3	5	.	.	.	1
		Feb. 1,	26·7	4·7	17	.	.	.	.	.	.	.	.	1	.	1	3	5	3	.	.	.
		„ 8,	9·4	1·6	6	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	.
		„ 15,	25·2	.	16	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	.	.
		„ 22,	11·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
		Mar. 1,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Jan. 11,	28·2	1·3	21	.	.	.	.	.	.	1	.	.	.	2	1	3	.	.	.	.
	„ 18,	22·9	1·3	17	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	.
	„ 25,	12·1	.	9	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	Feb. 1,	16·1	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 8,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.
	„ 15,	22·9	1·3	17	.	.	.	.	.	1	.	.	1	.	3	1	.	.	.	.	1
	„ 22,	22·9	1·3	17	.	.	.	.	1	.	.	.	4	.	1	.	2	.	.	.	1
	Mar. 1,	26·9	.	20	.	.	.	.	.	.	.	.	2	.	1	3	2	.	.	1	1
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Jan. 11,	12·2	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	„ 18,	17·4	1·7	10	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.
	„ 25,	15·7	.	9	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 8,	13·9	1·7	8	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 22,	17·4	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.
	Mar. 1,	24·4	3·5	14	.	.	.	.	.	1	.	.	4	1	2	.	2	1	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Jan. 11,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 18,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 25,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 1,	15·4	3·1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 8,	24·6	.	8	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	1
	„ 15,	43·1	3·1	14	.	.	.	.	1	.	.	.	1	1	.	3	1	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1
	Mar 1,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Jan. 11,	21·1	4·2	160	.	.	.	20	2	.	2	.	20	5	5	18	17	7	1	4	3
	„ 18,	20·3	4·1	154	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	2
	„ 25,	24·5	3·0	186	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	2
	Feb. 1,	22·9	2·9	174	.	.	.	19	1	.	2	.	16	11	4	19	29	.	.	2	4
	„ 8,	23·2	3·0	176	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	3
	„ 15,	19·9	2·1	151	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	.
	„ 22,	25·4	1·8	193	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	1
	Mar. 1,	23·4	0·9	178	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3
Cork. Pop. in 1911 76,673.	Jan. 11,	19·7	1·4	29	1	.	.	.	.	.	.	.	2	.	2	3	3	.	1	.	.
	„ 18,	25·2	.	37	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	.
	„ 25,	21·8	0·7	32	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1
	Feb. 1,	32·6	.	48	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2
	„ 8,	22·4	.	33	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	1
	„ 15,	29·2	0·7	43	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	2
	„ 22,	23·8	.	35	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	1
	Mar. 1,	28·6	0·7	42	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	3
Londonderry. Pop. in 1913 (Est.) 41,000.	Jan. 11,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	.	3	2	.	.	.	3
	„ 18,	16·5	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
	„ 25,	30·5	.	24	.	.	.	.	.	.	.	.	1	2	2	.	5	.	.	.	1
	Feb. 1,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	.
	„ 8,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 15,	19·1	1·3	15	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	.	1
	„ 22,	19·1	.	15	.	.	.	.	.	.	.	.	2	.	2	.	5	.	.	.	.
	Mar. 1,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
Limerick. Pop. in 1911 38,518.	Jan. 11,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 18,	13·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	„ 25,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3
	Feb. 1,	17·6	.	13	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.
	„ 8,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	2
	„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	3
	„ 22,	17·6	1·4	13	.	.	.	1	.	.	.	.	3	.	2	1	1	.	.	.	3
	Mar. 1,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
Waterford. Pop. in 1911 27,464.	Jan. 11,	28·5	5·7	15	.	.	.	.	.	2	.	.	2	1	.	1	1	1	.	1	2
	„ 18,	32·3	1·9	17	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.	.	1
	„ 25,	19·0	3·8	10	.	.	.	.	.	2	.	.	1	.	1	.	2	.	.	1	1
	Feb. 1,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	1·9	14	.	.	.	.	.	1	.	.	2	.	.	2	3	.	.	.	.
	„ 15,	26·6	5·7	14	.	.	.	.	.	3	.	.	2	.	.	.	1	.	.	.	1
	„ 22,	20·9	3·8	11	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.
	Mar. 1,	13·3	3·8	7	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st March, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	12	16·4	.	5	1	.	1	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	29	26·3	.	25	9	.	4	6	4	2	.	.	.	.	.	.	.	.	5	1	2	4	4	.	.	.	.	4	.
Do. 3 do.	50,032	31	25·0	2·1	24	7	5	3	5	4	.	.	.	.	2	.	.	.	.	3	2	.	7	4	.	.	.	1	3	.
Do 4 do.	32,637	21	17·6	.	11	3	2	1	2	.	3	.	.	.	.	.	.	.	.	3	.	.	1	6	.	.	.	.	2	.
Do. 5 do.	16,112	11	38·8	.	12	5	2	1	1	1	2	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	1	6	2
Do. 6 do.	37,293	8	22·4	1·4	16	3	1	.	2	3	7	.	.	.	1	.	.	.	.	.	1	1	1	1	.	.	.	.	1	.
Do. 7 do.	2,681	4	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	17·5	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	12	21·3	.	10	2	.	1	3	3	1	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.	4	.
Do. 10 do.	28,958	17	25·2	3·6	14	1	3	1	4	2	3	.	.	.	2	.	.	.	.	4	.	.	4	2	.	.	.	.	4	.
Do. 11 do.	39,311	23	17·2	.	13	4	2	1	.	4	2	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	.	.	1
Do. 12 do.	38,076	33	35·6	.	26	10	3	4	1	1	7	.	.	.	.	.	.	.	.	1	1	1	.	12	.	.	.	1	3	.
Do. 13 do.	23,233	11	13·5	.	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	29·9	.	13	3	.	3	3	2	2	.	.	.	.	.	.	.	.	4	3	.	.	2	.	.	.	.	1	.
Total,	386,947	230	23·4	0·9	178	49	21	20	30	26	32	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3	31	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	19·4	.	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	1	1
Do 2 do.	10,701	9	60·2	.	12	3	1	1	.	5	2	.	.	.	.	.	.	.	.	2	1	.	1	4	.	.	.	.	5	.
Do 3 do.	9,978	6	21·3	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	1
Do 4 do.	8,666	3	34·2	5·7	6	2	.	1	2	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Do 5 do.	6,592	1	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	5	13·5	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Do. 7 do.	16,616	11	35·7	.	11	1	.	1	.	4	5	.	.	.	.	.	.	.	.	1	1	2	1	3	.	.	.	.	6	.
Total,	76,122	41	28·6	0·7	42	6	2	4	7	12	11	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	1	16	3

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																								
	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered, ...	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230
DEATHS registered, ...	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178
Annual Death-rate per 1,000 of estimated population, ...	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4
AGES, Under 1 year, ...	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49
1—5 years, ...	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21
5—25 ,, ...	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20
25—45 ,, ...	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30
45—65 ,, ...	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26
65 and upwards, ...	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5
Scarlet Fever, ...	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.
Whooping-cough, ...	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1
Diphtheria, ...	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29
Tuberculous Disease. Other Forms,	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10
Cancer, ...	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5
Diseases of Respiratory System, Pneumonia,	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21
Diseases of Respiratory System, Others, ...	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38
Diarrhœa and Enteritis, under 2 years, ...	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.
Diarrhœa, 2 years and upwards,	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.
Violent Deaths, ...	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.
Number of Uncertified Deaths, ...	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Mar. 1,	2,302	1,633	18·8	2	.	69	4	28	8	23*a*
Edinburgh, ...	320,800	„ 1,	116	109	17·7	.	.	1	1	5	.	.
Glasgow, ...	1,021,500	„ 1,	522	425	21·7	2	.	4	2	41	2	3
Calcutta, ...	896,067	Jan. 18,	.	615	35·6	68*	2	4	.	.	1	111‡
Bombay, ...	979,445	„ 25,	413	602	31·9	54*	.	4	.	.	.	64‡
Madras, ...	518,660	Feb. 1,	323	502	50·3	118*	.	2	?	?	?	127‡
Cairo, ...	704,956	Dec. 2,	621	388	28·7	7	.	.	.	?	11†	45*a*
Paris, ...	2,847,229	Feb. 15,	1,000	981	17·6	3	1	35	1	8	3†	14*a*
Brussels, ...	745,380	„ 8,	274	171	11·9	2	1	2	.	1	3†	4*a*
Antwerp, ...	312,884	„ 15,	126	101	16·8	1	.	1	.	1	.	15
Amsterdam, ...	587,872	„ 8,	285	167	14·8	1	.	5	.	.	1†	1*a*
Copenhagen, ...	468,000	„ 8,	225	140	15·6	.	.	.	3	2	.	1
Stockholm, ...	368,796	„ 8,	140	104	14·7	.	.	.	1	2	.	2
Christiania, ...	247,488	„ 15,	130	77	16·2	1	.	1	.	.	1	1
St. Petersburg, ...	1,686,000	Jan. 25,	793	714	22·1	3	2	18	16	4	8†	44
Moscow, ...	1,617,157	„ 11,	.	694	22·4	.	2	12	8	3	19†	52
Berlin, ...	2,095,468	„ 25,	805	592	14·7	1	.	1	7	5	16†	23
Hamburg, ...	1,006,748	Feb. 8,	.	258	13·3	.	.	3	2	1	9†	10*a*
Breslau, ...	536,437	„ 8,	.	182	17·7	.	.	4	1	4	2	14
Munich, ...	622,000	„ 8,	.	177	14·8	.	.	1	1	3	1†	12
Vienna (with suburbs),	2,098,225	„ 8,	684	728	18·0	2	.	2	4	8	10†	30*a*
Buda-Pesth, ...	1,087,779	„ 8,	452	392	21·9	2	.	6	12	1	5†	12*a*
Prague and Faubourgs,	489,194	Jan. 25,	180	194	20·7	2	.	2	3	1	2†	7*a*
Trieste, ...	237,192	Feb. 8,	152	115	25·3	1	.	4	.	.	1†	3*a*
Rome, ...	569,809	Oct. 26,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Feb. 1,	2,601	1,440	13·9	3	.	10	17	6	33	30*a*
Philadelphia, ...	1,606,105	Dec. 28,	.	470	15·2	3	.	3	2	.	10	11*a*
Boston, ...	735,399	Feb. 8,	.	203	14·4	2	.	2	.	3	5	8

* Deaths from "fever," including 4 from enteric fever and 6 from plague in Calcutta, and one from enteric fever and 9 from plague in Bombay.

† Including deaths from croup.

‡ Including 22 deaths from cholera in Calcutta, 8 in Bombay, and 4 in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st March, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	.	1	.	.	.	.	2
„ „ 1, West, ...	.	1	.	.	.	.	.	1	.	.	.	2	.	4
„ „ 2, ...	.	1	.	.	.	.	.	.	2	.	.	1	.	4
„ „ 3, ...	.	1	2	.	.	.	1	3	2	.	.	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	1	.	.	.	.	.	.	2	.	3
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
„ „ 3, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
„ „ 4, ...	.	.	.	.	1	.	.	.	.	1	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	6	2	.	3	.	1	4	6	1	.	7	.	30

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st March, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st March.			
	Feb. 8.	Feb. 15.	Feb. 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	23	27	31	3	3	1	30
Typhus, ...	10	10	10	2	5	1	6
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	3	2	3	1	.	4
Scarlet Fever, ...	124	130	128	15	23	.	120*
Diphtheria, ...	45	44	34	7	10	1	30
Pneumonia, ...	19	27	23	9	7	.	25

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 1st March, 1913:—

"Changeable, but generally favourable and seasonable, weather prevailed. At the beginning and close alike an area of low atmospheric pressure was spreading in over the British Isles from the Atlantic. In the intervening period—Wednesday to Friday a ridge of high pressure moved slowly in an easterly direction across these Islands, France, and the Iberian Peninsula. The week, therefore, began and ended with southerly winds, clouds, and rain or showers, whereas in the interval light N.W. and N. winds or calms prevailed, with generally fine weather. The nights were cold, but the days were mild. The diurnal range of temperature was large at some inland stations—for example, at Birr Castle the thermometer rose on Thursday from 30° to 52°. On the same day, the range at Bath was from 31° to 53°. Rain fell heavily in the S.W. and W. of Ireland on the first two days of the week—at Valentia Observatory, near Cahirciveen, the measurement in the 48 hours ended 7 a.m. of Tuesday was 1·25 inches. As the ridge of high pressure gave place to a low pressure area advancing from the Atlantic on Friday morning, Ireland became covered with fog under a sky over which a thin veil of cirriform cloud was spread. The previous day (Thursday) had been very fine, and the sunshine record at Valentia was as much as 9·1 hours—a very large percentage of the possible duration for a February day. In Dublin the mean height of the barometer was 29·857 inches, the range being from 29·497 inches at 9 a.m. of Tuesday (wind, S.S.E.) to 30·235 inches at 9 a.m. of Friday (wind, W.N.W.). The mean temperature was 44·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·2°. The screened thermometers rose to 53·2° on Tuesday, and fell to 36·1° on the nights of both Thursday and Friday. The prevalent winds were S.E. and W.N.W. Rain fell on 4 days to the amount of ·301 inch, ·149 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·861 inches. The highest reading (30·246) was on Friday at 9 a.m., air calm, the lowest (29·514) on Tuesday at 9 a.m., wind E.S.E.

The mean temperature for the week was 43·7°, being 2·5° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday, on which day the thermometer registered 54°, and was lowest on Friday, the mercury having fallen to 29°. The mean of the Dry Bulb for the week was 43·4° and of the Wet Bulb, 41·7°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·375 inch.

At Greenwich the mean temperature for the week was 41·3°, the maximum 53·0°, and the minimum 24·2°; at Glasgow the maximum was 50·7°, the minimum 28·0°, and the mean 42·0°; and at Edinburgh the maximum was 50·1°, the minimum 30·4°, and the mean 40·2°. The rainfall at Greenwich measured 0·08 in.; at Glasgow 0·26 in.; and at Edinburgh 0·05 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 23,	30·000	45	38	41·5	42·6	38·9	·73	·5	0·0	·000	S.S.E.	S.E.
Monday, „ 24,	29·610	48	41	44·5	45·8	43·4	·84	·5	0·0	·050	S.	S.E.
Tuesday, „ 25,	29·560	54	45	49·5	49·0	47·2	·87	·5	0·0	·135	E.S.E.	S.S.W.
Wednesday, „ 26,	29·720	52	34	43·0	38·6	38·3	·97	·4	3·4	·000	Calm.	Calm.
Thursday, „ 27,	30·030	53	32	42·5	39·4	38·7	·94	·4	4·8	·000	W.	Calm.
Friday, „ 28,	30·220	49	29	39·0	42·9	41·9	·92	·5	0·4	·110	Calm.	Calm.
Saturday, March 1,	29·890	48	44	46·0	45·7	43·7	·86	·7	0·0	·080	S.	S.
Mean, ...	29·861	49·9	37·6	43·7	43·4	41·7	·88	·5	Total 8·6	Total ·375	—	

Sunday—Day overcast; night cloudy. *Monday*—Day overcast, light rain 8.0 to 9.0 p.m.; night overcast, drizzling at intervals from 3.50 to 8.0 a.m. *Tuesday*—Day overcast; night cloudy, heavy rain 9.30 to 11.15 p.m. *Wednesday*—A fine day, cloudy at intervals; night clear. *Thursday*—A beautiful bright day; night clear. *Friday*—Day cloudy, fine; night overcast, drizzling and heavy rain 1.0 to 3.30 a m. *Saturday*—Day overcast, light and heavy rain 10.0 a.m to 1.30 p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 1st March, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 23,	42·1	40·2	43·8	45	38	41·5	—	—
Monday „ 24,	44·6	40·7	43·7	47	38	42·5	—	·127
Tuesday, „ 25,	48·0	42·0	43·7	53	45	49	—	·046
Wednesday, „ 26,	44·0	43·2	43·8	51	40	45·5	0·7	—
Thursday, „ 27,	40·3	42·5	43·9	53	35	44	3·3	—
Friday, „ 28,	40·2	42·3	44·0	50	35	42·5	0·2	—
Saturday, March 1,	46·0	42·9	44·0	48	44	46	—	·120
Weekly Mean,	43·6	42·0	43·8	50	39	44	Total 4·2	Total ·293

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 8TH MARCH, 1913. [No. 10.

General Register Office, Charlemont House,
Dublin, 10th March, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 23·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Feb. 15	Feb. 22	Mar. 1	Mar. 8	Average Rate for 4 weeks.
27 Town Districts, (a)	**21·3**	**24·1**	**23·1**	**23·2**	**22·9**
Dublin Reg. Area ...	21·7	25·1	26·9	23·0	24·2
Dublin City ...	21·0	25·9	28·4	24·5	24·9
Belfast	19·9	25·4	23·4	23·3	23·0
Cork	29·2	23·8	28·6	24·5	26·5
Londonderry ...	19·1	19·1	10·2	14·0	15·6
Limerick	17·6	17·6	16·2	19·0	17·6
Waterford	26·6	20·9	13·3	34·2	23·7

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·7 per 1,000. Among the 177 deaths from all causes for Belfast are 10 from measles, 3 from scarlet fever, one from whooping-cough, and 5 from diarrhœal diseases. The 36 deaths from all causes for Cork include one from each of enteric fever and measles. One of the 14 deaths from all causes for Limerick is from enteric fever. Included in the 18 deaths from all causes for Waterford is one from whooping-cough. The 8 deaths from all causes for Dundalk include one from enteric fever, and one from diarrhœa of a child under 2 years of age. Five of the 11 deaths from all causes for Newry are from measles, and 2 deaths from this disease are among the 9 deaths from all causes for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 193—93 boys and 100 girls—and the deaths to 190—99 males and 91 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·0 per 1,000 of the population. During the ten weeks, ending with Saturday last, the death-rate averaged 22·1, and was 3·2 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 190, represent an annual rate of 24·6 per 1,000; the annual rate for the past ten weeks was 23·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered there was one from each of enteric fever* and typhus, there were 2 from whooping-cough, 3 from influenza, and 3 from diarrhœa and enteritis of children under 2 years of age; in each of the 3 preceding weeks deaths from enteric fever were 0, one, and 2; deaths from typhus were 0, 0, and one; deaths from whooping-cough were 2, 4, and 6; deaths from influenza were 2, 5, and 3; and deaths from diarrhœa and enteritis of children under 2 years were 4, 6, and 6.

The deaths from tuberculosis (21) included 19 from pulmonary tuberculosis, one from tuberculous meningitis, and one from tuberculosis of the vertebral column. In the 3 preceding weeks deaths from all forms of tuberculous disease were 34, 50, and 42 respectively.

There were 13 deaths from broncho-pneumonia, and 11 from pneumonia (type not distinguished).

Thirteen deaths were attributed to cancer.

Convulsions was the cause of death of 3 children, 2 being under one year, and one was between one year and 2 years of age; there was one death from prematurity and one death from congenital debility, both of infants.

Organic diseases of the heart accounted for 19 deaths, and the deaths from bronchitis amounted to 33.

Of 5 deaths from accident or negligence, 2 were from burns or scalds, and 2 deaths from suicide were registered on the Coroner's certificate. One of the latter was by poisoning with prussic acid.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness: these cases include the deaths of 2 children under 5 years of age (including one infant under one year old) and the deaths of 2 persons aged 65 years and upwards.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 7 were under one month old) and 52 were aged 65 years and upwards, including 36 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards, of whom one (a female) was stated to have been aged 91 years.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 25 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·0 per 1,000; the rate in the City was 24·5 (North City Districts, 25·8; South, 23·1) and in the Suburbs, 18·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·7 (in the North City Districts 1·0, and in the South 0·4), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·6 per 1,000, and include one from influenza, 3 from tuberculosis, one from broncho-pneumonia, 4 from pneumonia and 5 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 33·2 per 1,000. The deaths include one from influenza, 3 from pulmonary tuberculosis, 3 from broncho-pneumonia, and 9 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Among the deaths was one from pulmonary tuberculosis; there were 2 from broncho-pneumonia, 3 from bronchitis, one from diarrhœa of a child, and one accidental death by burning.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 20·7 per 1,000. Typhus caused one death; there were 2 deaths from broncho-pneumonia, there was one from pneumonia, and one by accidental burning.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 23·1, and Finglas and Glasnevin, part of, 4·9. One of the 2 deaths for Clontarf and Howth, No. 1, part of, is from broncho-pneumonia. Of the 6 deaths from all causes for Coolock and Drumcondra, part of, 2 are from pneumonia (type not distinguished). The one death from Finglas and Glasnevin, part of, is from whooping-cough.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 22·0 per 1,000, and include one death from whooping-cough, 6 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, 2 from bronchitis, and one suicidal death.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. There was one death from tuberculous disease, and there were 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. Influenza and pulmonary tuberculosis each caused one death; there was one death from broncho-pneumonia, and there were 3 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 29·9 per 1,000. Pulmonary tuberculosis caused 2 deaths, broncho-pneumonia one death, and bronchitis 4 deaths.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·7 per 1,000, and include one from pulmonary tuberculosis, and one from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·5; Pembroke, 8·7; Blackrock, 28·5; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteritis of a child under 2 years of age for each of Rathmines and Pembroke. Among the 16 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, one from pneumonia (type not distinguished), one from bronchitis, and one by suicide. Of the 5 deaths from all causes for Pembroke one is from bronchitis. Included in the 5 deaths from all causes for Blackrock are one from pneumonia (type not distinguished), and one from bronchitis, and of the 7 deaths from all causes for Kingstown, one is from pulmonary tuberculosis, and one is from accidental causes.

* See note (c) Table II.
† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 8th March, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Feb. 15,	.	—	—	9	.	.	10	.	.	6	9	.	—	—	.	—	17	.	51
	Feb. 22,	.	—	—	9	1	.	4	.	.	11	3	.	—	—	.	—	14	.	42
	Mar. 1,	.	—	—	6	2	.	3	.	1	4	6	1	—	—	.	—	7	.	30
	Mar. 8,	.	—	—	10	1	.	3	.	.	5	4	.	—	—	.	—	14	.	37
Rathmines and Rathgar Urban District.	Feb. 15,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	—	—	—	—	6
	Feb. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 1,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Feb. 15,	.	2	.	1	.	.	.	.	.	.	.	.	—	2	—	—	.	—	5
	Feb. 22,	.	2	.	2	.	.	3	.	.	.	.	.	—	1	—	—	.	—	8
	Mar. 1,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	6	—	7
	Mar. 8,	.	.	.	.	.	.	2	.	.	.	1	.	—	1	—	—	.	—	4
Blackrock Urban District.	Feb. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 22,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	—	—	2
	Mar. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Feb. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Feb. 22,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	2	—	3
	Mar. 1,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Mar. 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	2	—	3
City of Belfast.	Feb. 15,	.	—	—	23	.	.	11	.	.	6	6	.	—	—	—	—	7	—	53
	Feb. 22,	.	—	—	24	.	.	6	.	1*	2	13	1	—	—	—	—	10	—	57
	Mar. 1,	.	—	—	23	.	.	8	.	.	1	4	1	—	—	—	—	11	—	48
	Mar. 8,	.	—	—	12	.	.	10	.	.	6	1	.	—	—	—	—	13	—	42

* This case has developed typhoid fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th March, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 31 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 27, 31, and 30.

Three cases of typhus were admitted to hospital during the week, 5 were discharged, and 4 cases remained under treatment at the close of the week.

Four cases of measles were admitted to hospital during the week, 2 were discharged, and 6 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 3, 2, and 4, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 23 were discharged, and 113* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 130, 128, and 120, respectively.

Five cases of diphtheria were admitted to hospital during the week, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 44, 34, and 30, respectively, were 34 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 8 were discharged, there were 4 deaths, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·3), was equal to an average annual death-rate of 17·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow being 21·9, and for Edinburgh 16·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th March. From this Report it appears that of a total of 69 cases notified, 41 were phthisis, 17 scarlet fever, 6 diphtheria, 4 erysipelas, and one enteric fever. Among the 411 cases of infectious diseases in hospital at the close of the week were 143 cases of scarlet fever, 118 of phthisis, 54 of whooping-cough, 36 of measles, 27 of diphtheria, 9 of erysipelas, 7 of chicken-pox, 6 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 8th March, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births.	Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Phthisis.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 8th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd February, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
						Registration—Week ending Saturday, 8th March, 1913. Numbers Registered. Deaths. Caused by Tuberculous Disease. Diseases of the Respiratory System.																							Meteorology. (d)											
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	1,199,180	19·0	25·0	23·2	1·7	574	533	98	137	3	1	...	18	3	4	...	...	57	13	26	61	95	9	1	12	13	151	20	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	25·0	23·0	0·8	193	178	26	48	...	1	...	...	...	2	...	...	19	2	12	23	35	3	...	5	4	67	6	e 56	30	42·9	1·18	e 54	29	43·7	0·38	e 46	28	37·8	0·00
City of Dublin,	308,187	39·0	27·1	24·5	0·7	160	145	23	38	...	1	...	...	...	2	...	...	16	2	8	21	32	1	...	3	2	61	5	f 57·1 g 57·8	32·9 31·0	44·6 43·8	0·96 1·02	f 53·2 g 52·9	36·1 31·4	44·8 43·5	0·30 0·41	f 45·4 g 45·0	34·4 28·0	40·1 38·5	0·00 0·00
Urban Districts. Rathmines & Rathgar.	38,769	22·6	13·4	21·5	1·3	10	16	2	5	...	...	...	...	...	...	...	..	2	...	2	1	1	1	...	1	1	3	1	.	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,942	19·0	20·9	8·7	1·7	12	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	28·5	28·5	.	5	5	...	2	...	...	...	...	...	...	..	...	...	...	1	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	18·5	21·5	.	6	7	...	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	1	1	...	58	35	45·4	0·87	49	36	43·4	0·35	45	36	39·9	0.00
Urban Districts. Belfast ..	396,000	26·5	23·8	23·3	2·5	181	177	40	32	...	..	...	10	3	1	...	...	14	6	6	24	36	4	1	5	6	38	2	53·0	32·5	43·5	0·87	54·5	33·0	43·5	0·19	44·8	31·2	39·1	0·00
Cork, ..	76,673	28·6	17·7	24·5	1·4	26	36	8	8	1	...	...	1	...	...	...	...	8	2	1	4	8	...	...	...	...	13	...	52	34	44·8	1·04	52	37	44·9	1·08	46	31	38·4	0·02
Londonderry ...	41,000	15·9	21·6	14·0	.	17	11	2	1	..	...	...	...	...	...	...	...	2	...	1	...	3	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	33·8	19·0	1·4	25	14	3	5	1	...	...	...	...	...	...	...	2	1	...	...	1	...	..	...	...	5	3	54·0	32·5	43·8	1·09	52·0	27·7	43·5	0·59	46·7	28·1	36·2	0·01
Waterford, ...	27,464	19·1	32·3	34·2	1·9	17	18	2	5	...	.	...	...	...	1	...	...	2	...	3	...	3	...	..	1	1	5	..	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5				12	6	3	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	4	54	27	42	1·58	52	30	41	0·47	...	...	...	...
Dundalk, ...	13,128	9·5				6	8	2	2	1	...	...	...	...	...	...	...	2	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				4	4	...	2	...	..	...	..	...	...	...	...	1	...	...	1	...	...	...	...	...	2	.	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00
Drogheda, ...	12,501	8·4				8	5	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				4	6	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00
Newry, ...	11,963	17·0				9	11	1	1	...	...	...	5	...	...	...	...	...	...	1	1	1	...	...	...	...	4	...	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00
Portadown, ...	11,727	15·3				9	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	.	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00
Wexford, ...	11,531	22·8				8	8	...	4	...	...	...	...	...	...	...	...	2	...	1	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				2	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8				4	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	1	58	33	43·0	1·64	52	28	42·0	0·49	47	26	36·0	0·00
Kilkenny, ...	10,514	11·4				3	5	...	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	2	...	55	30	44·1	0·91	51	29	42·3	0·91	45	28	36·3	0·01
Tralee, ...	10,300	17·4				8	9	4	2	...	...	...	2	...	...	...	...	1	...	1	4	...	..	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				6	4	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				4	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	56	34	43·6	0·84	50	36	42·8	0·34	44	34	39·7	0·00
Queenstown, ...	8,209	14·7				2	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	52	34	44·8	1·04	52	37	44·9	1·08	46	31	38·4	0·02
Larne, ...	8,036	13·4				2	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				3	4	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ...	7,691	7·2				1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				11	2	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32	43·7	29·5	37·4	0·00

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including 4 at 65 years or upwards), admitted to hospital from localities outside the Area; one of the 12 deaths was from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th of March, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	3	1	.	.	.	.	6	.	1	2	1	2	.	.	1	19	.
Tuberculous Disease. — Other Forms,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Cancer,	.	2	.	1	.	.	.	.	.	2	2	1	2	.	1	1	12	1
Diseases of Nervous System,	2	1	.	.	.	3	.	1	3	1	1	.	3	.	.	1	16	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Circulatory System,	.	2	2	3	.	.	.	2	1	1	2	.	2	1	1	1	18	1
" Respiratory System. — Pneumonia,	5	3	2	3	1	2	.	2	.	1	1	1	1	.	1	.	23	1
" Respiratory System. — Others,	5	9	4	1	.	.	.	2	2	3	5	1	1	1	1	.	35	2
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	1	2	1	.	.	.	1	.	1	.	1	1	1	1	2	12	1
" Genito-urinary System,	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	1	2	.	1	.	1	1	1	5	.	2	1	.	.	16	1
Violent Deaths,	.	.	1	1	.	.	.	1	.	.	.	.	1	.	.	1	5	2
Ill-defined, &c. Causes,	1	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Deaths from All Causes	17	26	15	14	2	6	1	17	8	15	19	5	16	5	5	7	178	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·6	33·2	28·1	20·7	19·2	23·1	4·9	22·0	22·7	18·1	29·9	26·7	21·5	8·7	23·5	21·5	23·0	.
	25·8							23·1					18·1					
	24·5																	
Ages at Death. — Under 1 year,	3	3	4	3	1	.	.	2	.	1	4	2	2	1	.	.	26	.
1 and under 2 years,	1	1	1	1	.	.	1	1	1	.	.	.	.	.	1	.	8	.
2 " 5 "	.	1	2	.	.	.	.	.	.	1	.	1	.	1	.	1	7	.
5 " 15 "	2	1	1	1	.	1	.	.	1	.	.	.	.	1	.	1	9	1
15 " 25 "	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	4	2
25 " 45 "	1	3	2	3	1	2	.	9	1	3	3	1	2	.	.	.	31	4
45 " 65 "	6	6	2	2	.	1	.	1	3	3	7	1	7	1	2	3	45	1
65 and upwards,	3	10	3	3	.	1	.	4	2	7	5	.	5	1	2	2	48	4
Number of Uncertified Deaths,	1	2	.	.	.	.	.	.	.	1	1	.	1	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	4	7	.	2	.	4	1	4	1	.	3	1	.	1	33	11
Workhouse Hospitals,	3	4	2	1	.	.	.	6	4	5	8	.	.	.	1	.	34	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 8th March, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.	Mar. 11, 1911.	Mar. 9, 1912.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 41·8	° 38·0	° 42·4	° 46·3	° 43·1	° 37·3	° 38·2	° 43·6	° 41·1	° 44·2	° 41·6	° 42·9										
ALL CAUSES.	200	213	189	187	194	193	223	204	174	218	199·5	190	7	19	8	7	10	6	35	46	34	18
Enteric Fever, ...	3	3	1	.	.	2	3	.	3	2	1·7	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	.	1	.	5	.	7	4	1·9	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	6	.	1	7	2	5	2	4	2	3·1	2	.	.	2	.	.	.	.	.	.	.
Diphtheria, ...	2	.	.	2	1	3	2	1	2	3	1·6	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	.	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	6	4	3	.	7	5	6	2	2	3·6	3	.	.	.	.	.	.	1	1	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	3	.	.	.	1	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	3	1	.	1	.	.	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	.	.	.	1	2	1	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	32	30	25	30	21	24	20	26	17	17	24·2	19	.	.	.	.	1	1	9	8	.	.
Tuberculous Meningitis, ...	3	6	5	3	4	4	2	3	2	6	3·8	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	3	1	1	.	2	2	.	1	1	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	10	11	5	6	7	7	13	8	5	.	7·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	2	1	1	2	2	.	2	1	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	7	3	6	7	6	6	13	8	9	7·2	13	.	.	.	.	.	.	1	7	2	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	2	.	1	.	1	1	·6	1	.	.	.	.	1	.	.	.	.	.
Diabetes, ...	.	3	.	2	1	.	1	2	.	.	·9	1	.	.	.	.	.	.	.	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	.	2	—	2	.	.	.	.	.	.	.	1	1	.
Alcoholism, ...	.	.	3	1	.	.	.	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	4	1	.	.	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										2		7	.	.	.	.	.	.	.	3	3	1
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										.		2	.	.	.	.	.	.	1	1	.	.
Convulsions (non-puerperal),										6		3	.	2	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	47	55	41	40	43	49	57	37	32	1	44·1	2	.	.	.	.	.	1	.	1	.	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										21		19	.	.	.	.	2	1	4	5	6	1
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	21	28	34	24	29	28	32	34	24	41	29·5	33	1	3	2	1	1	.	.	7	12	6
Broncho-pneumonia, ...	3	10	8	8	4	5	12	16	10	15	9·1	13	3	3	2	2	.	.	2	1	.	.
Lobar pneumonia, ...	.	.	2	.	1	.	.	2	3	1	·9	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	11	4	8	10	13	5	5	2	3	9	7·0	11	.	1	.	1	.	2	2	3	1	1
Pleurisy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	2	3	4	2	2	2	1	1	.	2·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										2		4	.	1	.	.	.	.	1	2	.	.

TENTH WEEK ending Saturday, 8th March, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 8th March, 1913.										
													Deaths of Persons of the Ages of									
	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.	Mar. 11, 1911.	Mar. 9, 1912.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 41·8	° 38·0	° 42·4	° 46·3	° 43·1	° 37·3	° 38·2	° 43·6	° 41·1	° 44·2	° 41·6	° 42·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	2	—	4	.	2	1	.	.	.	.	.	1	.
Diarrhœa and Enteritis of Children under 2 years.	1	4	3	4	2	3	5	10	5	6	4·4	3	.	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	3	.	.	.	1	.	1	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	2	—	2	.	1	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	1	1	2	1	.	.	.	.	2	·8	3	.	.	.	.	.	.	2	1	.	.
Other Diseases of Liver, ...	.	1	5	1	2	2	.	2	.	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	2	.	2	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	7	4	8	7	4	7	5	.	.	4·7	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										2		3	.	1	.	.	.	.	1	1	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	4	4	8	3	5	8	5	6	.	4·9	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	2	1	.	1	1	.	.	.	.	1	·6	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	2	.	.	1	.	.	2	.	1	.	·6	2	.	.	.	.	.	.	2	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	2	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	1	5	4	5	6	3	3	9	7	4·4	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	4	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	4	3	5	6	5	4	6	5	7	7	5·2	6	.	.	.	.	.	.	.	.	1	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	3	2	.	.	.	.	.	1	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	4	.	.	.	1	2	.	1	3	2	1·3	2	.	.	.	.	1	.	.	.	1	.
Drowning, ...	2	.	.	.	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	3	3	.	1	4	2	1	1	1	1·9	3	.	.	.	1	.	.	.	1	1	.
Total Deaths from Accident,	9	3	3	.	2	9	2	2	4	3	3·7	5	.	.	.	1	1	.	.	1	2	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	1	1	.	.	.	2	·5	2	.	.	.	.	.	.	1	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	5	—	4	.	.	.	1	1	.	.	1	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912-3—WEEK ENDING																									
	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered.	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193
Average Births in corresponding week of previous 10 years, ...	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223
DEATHS registered, ...	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190
Annual Death-rate per 1,000, ...	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6
Average Deaths in corresponding week of previous 10 years, ...	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200
Ages, Under 5 years, ...	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41
5—15 „ ...	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10
15—25 „ ...	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6
25—45 „ ...	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35
45—65 „ ...	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46
65—75 „ ...	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34
75 and upwards, ...	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18
Deaths from :—																										
Enteric Fever, ...	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.
Scarlet Fever, ...	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.
Whooping-cough, ...	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2
Diphtheria, ...	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.
Influenza, ...	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3
Dysentery, ...	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19
Tuberculous Disease, Other Forms,	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2
Cancer, ...	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13
Diseases of Circulatory System,	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19
Diseases of Respiratory System, Pneumonia,	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24
Diseases of Respiratory System, Others, ...	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37
Diarrhœa and Enteritis, under 2 years, ...	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3
Diarrhœa, 2 years and upwards,	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Violent Deaths, ...	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7
Number of Uncertified Deaths,	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6
Mean Temperature of the Air (Phœnix Park)	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9
Average Mean Temperature in corresponding week of previous 10 years, ...	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6
Rainfall in inches, ...	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th March, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH MARCH, 1913.

Class.	Occupation or Social Position (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	190	41	10	6	35	46	34	18	1	1	.	.	.	2	.	.	19	2	13	3	24	37	3	.	7	78	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	2	1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	1
II.	MIDDLE CLASS, ...	87,188	26·3	44	5	2	3	8	15	6	5	.	.	.	.	.	1	.	.	4	.	2	.	7	4	1	.	2	23	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·0	36	10	1	1	7	10	4	3	.	.	.	.	.	1	.	.	4	.	2	.	4	7	1	.	2	15	.
IV.	GENERAL SERVICE CLASS, ...	154,279	23·7	70	24	6	2	13	7	15	3	1	1	.	.	.	.	.	.	6	2	4	3	10	15	1	.	3	24	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	2	1	.	5	13	9	5	.	.	.	.	.	.	.	.	4	.	4	.	3	11	.	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	28·4	12	2	.	.	2	5	2	1	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	1	8	2
	6. Clerks and Commercial Assistants, ...	30,432	24·0	14	.	2	2	3	5	1	1	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	1	7	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	28·9	15	1	.	1	3	4	3	3	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	2	.	.	2	4	2	1	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	6	.
	10. Clothing Trades, ...	23,260	9·0	4	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	11. Food Supply Trades	9,242	16·9	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	5	.	.	2	5	1	1	.	.	.	.	.	1	.	.	.	.	1	.	2	4	1	.	1	4	.
	13. Petty Shopkeepers	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	27·2	7	2	1	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	3	.
	15. Domestic Servants, ...	36,603	8·5	6	2	1	.	2	.	1	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	30·2	52	18	4	1	10	5	11	3	.	1	.	.	.	.	.	.	4	1	4	3	8	13	.	.	2	16	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	35	2	1	.	5	13	9	5	.	.	.	.	.	.	.	.	4	.	4	.	3	11	.	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Jan. 18,	24·4	.	14	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	.	.
	„ 25,	19·2	1·7	11	.	.	.	.	.	.	1	.	1	2	.	.	3	.	.	.	1
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 8,	22·7	.	13	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	.
	„ 15,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 22,	36·6	1·7	21	.	.	.	.	.	1	.	.	3	2	.	3	4	.	.	1	1
	Mar. 1,	22·7	1·7	13	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.
	„ 8,	29·6	.	17	.	.	.	.	.	.	.	.	2	1	.	5	5	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Jan. 18,	28·1	5·1	22	.	.	.	.	1	.	1	.	1	.	.	1	4	2	.	.	2
	„ 25,	20·4	2·6	16	.	.	.	.	.	.	2	.	1	.	.	1	4	.	.	.	.
	Feb. 1,	21·7	2·6	17	.	.	.	.	.	.	.	.	.	2	.	.	9	2	.	.	3
	„ 8,	17·9	1·3	14	.	.	.	1	.	.	.	.	3	1	1	1	1	.	.	1	.
	„ 15,	19·1	1·3	15	.	.	.	1	.	.	.	.	6	1	.	1	.	.	.	.	.
	„ 22,	29·3	2·6	23	.	.	.	.	.	.	1	.	5	1	1	3	2	1	.	.	1
	Mar. 1,	38·3	5·1	30	1	.	.	.	.	1	.	.	3	.	1	2	7	2	.	.	.
	„ 8,	33·2	.	26	.	.	.	.	.	.	.	.	3	.	2	3	9	.	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Jan. 18,	31·8	1·9	17	1	.	.	.	.	.	.	.	1	2	1	2	2	.	.	.	1
	„ 25,	24·3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	3
	Feb. 1,	20·6	.	11	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	„ 8,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
	„ 15,	31·8	.	17	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
	„ 22,	44·9	1·9	24	1	.	.	.	.	.	.	.	9	1	1	1	4	.	.	.	.
	Mar. 1,	31·8	.	17	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	1	1
	„ 8,	28·1	1·9	15	.	.	.	.	.	.	.	.	1	.	.	2	4	1	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Jan. 18,	23·7	.	16	.	.	.	.	.	.	.	.	3	2	3	.	.	.	.	.	1
	„ 25,	38·5	1·5	26	.	.	.	.	.	1	.	.	4	.	1	3	6	.	.	1	.
	Feb. 1,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
	„ 8,	13·3	1·5	9	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
	„ 15,	23·7	3·0	16	.	.	.	.	.	.	.	.	1	1	2	2	2	2	.	.	.
	„ 22,	22·2	1·5	15	.	.	.	.	.	.	1	.	.	1	2	3	.	.	.	1	.
	Mar. 1,	31·1	3·0	21	.	1	.	.	.	.	.	.	3	1	.	2	4	1	.	.	1
	„ 8,	20·7	1·5	14	.	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Jan. 18,	25·8	2·6	20	.	.	.	.	.	.	2	.	1	.	1	1	4	.	.	.	1
	„ 25,	23·3	2·6	18	.	.	.	.	.	.	1	.	.	.	.	2	5	1	.	.	.
	Feb. 1,	19·4	1·3	15	.	.	.	.	.	1	.	.	4	.	.	1	2	.	.	.	1
	„ 8,	24·5	1·3	19	.	.	.	.	.	1	.	.	5	1	.	.	4	.	.	2	.
	„ 15,	29·7	2·6	23	.	.	.	.	.	.	.	.	2	3	1	.	6	2	.	1	1
	„ 22,	27·1	5·2	21	.	.	.	.	.	2	.	.	3	.	.	1	4	2	.	1	.
	Mar. 1,	33·6	1·3	26	1	.	.	.	.	.	.	.	7	1	.	.	6	.	.	.	.
	„ 8,	22·0	1·3	17	.	.	.	.	.	1	.	.	6	.	.	2	2	.	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Jan. 18,	25·6	2·8	9	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	1
	„ 25,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Feb. 1,	19·9	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	2	.	1	1	2	.	.	.
	„ 15,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 22,	28·4	.	10	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1
	Mar. 1,	28·4	5·7	10	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	1
	„ 8,	22·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Jan. 18,	10·9	.	9	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.
	„ 25,	30·2	1·2	25	.	.	.	.	.	.	.	.	3	2	2	1	5	1	.	.	5
	Feb. 1,	19·4	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 8,	19·4	1·2	16	1	.	.	.	.	.	.	.	3	3	1	4	1	.	.	1	.
	„ 15,	18·1	2·4	15	.	.	.	.	.	1	1	.	3	.	3	1	1	.	.	.	.
	„ 22,	29·0	2·4	24	.	.	.	.	.	1	.	.	2	2	.	3	1	1	.	.	1
	Mar. 1,	23·0	2·4	19	.	.	.	.	.	2	.	.	3	.	.	2	3	.	.	.	.
	„ 8,	18·1	.	15	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Jan. 18,	28·3	.	18	.	.	.	.	.	.	.	.	6	.	3	1	2	.	.	.	.
	„ 25,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	.	3	5	.	.	.	1
	Feb. 1,	26·7	4·7	17	.	.	.	.	.	.	.	.	1	.	1	3	5	3	.	.	.
	„ 8,	9·4	1·6	6	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	.
	„ 15,	25·2	.	16	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	.	.
	„ 22,	11·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
	Mar. 1,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.
	„ 8,	29·9	.	19	.	.	.	.	.	.	.	.	2	.	2	1	5	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Jan. 18,	22·9	1·3	17	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	.
	„ 25,	12·1	.	9	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	Feb. 1,	16·1	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 8,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.
	„ 15,	22·9	1·3	17	.	.	.	.	.	1	.	.	1	.	3	1	.	.	.	.	1
	„ 22,	22·9	1·3	17	.	.	.	.	1	.	.	.	4	.	1	.	2	.	.	.	1
	Mar. 1,	26·9	.	20	.	.	.	.	.	.	.	.	2	.	1	3	2	.	.	1	1
	„ 8,	21·5	1·3	16	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	1	1
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Jan. 18,	17·4	1·7	10	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.
	„ 25,	15·7	.	9	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 8,	13·9	1·7	8	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 22,	17·4	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.
	Mar. 1,	24·4	3·5	14	.	.	.	.	.	1	.	.	4	1	2	.	2	1	.	.	.
	„ 8,	8·7	1·7	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Jan. 18,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 25,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 1,	15·4	3·1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 8,	24·6	.	8	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	1
	„ 15,	43·1	3·1	14	.	.	.	.	1	.	.	.	1	1	.	3	1	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1
	Mar. 1,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 8,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Belfast. Pop. in 1913 (Est.) 396,000.	Jan. 18,	20·3	4·1	154	1	.	.	17	.	1	3	.	13	3	4	16	22	7	2	2	2
	„ 25,	24·5	3·0	186	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	2
	Feb. 1,	22·9	2·9	174	.	.	.	19	1	.	2	.	16	11	4	19	29	.	.	2	4
	„ 8,	23·2	3·0	176	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	3
	„ 15,	19·9	2·1	151	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	.
	„ 22,	25·4	1·8	193	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	1
	Mar. 1,	23·4	0·9	178	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3
	„ 8,	23·3	2·5	177	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	2
Cork. Pop. in 1911 76,673.	Jan. 18,	25·2	.	37	.	.	.	.	.	.	.	.	4	2	.	2	8	.	.	.	.
	„ 25,	21·8	0·7	32	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1
	Feb. 1,	32·6	.	48	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2
	„ 8,	22·4	.	33	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	1
	„ 15,	29·2	0·7	43	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	2
	„ 22,	23·8	.	35	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	1
	Mar. 1,	28·6	0·7	42	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	3
	„ 8,	24·5	1·4	36	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Jan. 18,	16·5	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
	„ 25,	30·5	.	24	.	.	.	.	.	.	.	.	1	2	2	.	5	.	.	.	1
	Feb. 1,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	.
	„ 8,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 15,	19·1	1·3	15	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	.	1
	„ 22,	19·1	.	15	.	.	.	.	.	.	.	.	2	.	2	.	5	.	.	.	.
	Mar. 1,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 8,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.
Limerick. Pop. in 1911 38,518.	Jan. 18,	13·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	„ 25,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3
	Feb. 1,	17·6	.	13	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.
	„ 8,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	2
	„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	3
	„ 22,	17·6	1·4	13	.	.	.	1	.	.	.	.	3	.	2	1	1	.	.	.	3
	Mar. 1,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	„ 8,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	3
Waterford. Pop. in 1911 27,464.	Jan. 18,	32·3	1·9	17	.	.	.	.	.	.	.	.	2	2	.	.	2	1	.	.	1
	„ 25,	19·0	3·8	10	.	.	.	.	.	2	.	.	1	.	1	.	2	.	.	1	1
	Feb. 1,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	1·9	14	.	.	.	.	.	1	.	.	2	.	.	2	3	.	.	.	.
	„ 15,	26·6	5·7	14	.	.	.	.	.	3	.	.	2	.	.	.	1	.	.	.	1
	„ 22,	20·9	3·8	11	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.
	Mar. 1,	13·3	3·8	7	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	34·2	1·9	18	.	.	.	.	.	1	.	.	2	.	3	.	3	.	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th March, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	19·7	.	6	.	2	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 2 do.	49,500	16	29·5	2·1	28	5	7	1	3	6	6	.	.	.	1	.	.	.	.	1	1	1	1	8	1	.	.	.	5	.
Do. 3 do.	50,032	25	16·7	2·1	16	5	5	.	3	1	2	.	.	.	1	.	1	.	.	1	.	.	7	1	.	.	1	1	3	.
Do 4 do.	32,637	27	22·4	4·8	14	4	4	1	2	2	1	.	.	.	3	.	.	.	.	1	.	.	1	7	.	.	.	.	4	1
Do. 5 do.	16,112	8	29·1	3·2	9	2	1	2	2	1	1	.	.	.	.	.	.	.	.	2	.	.	2	.	1	.	1	1	5	.
Do. 6 do.	37,293	16	16·8	1·4	12	1	1	2	3	4	1	.	.	.	.	1	.	.	.	.	2	.	.	3	.	.	1	2	2	.
Do. 7 do.	2,681	2	.	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.	5,964	1	17·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	14	12·8	2·1	6	1	.	1	1	1	2	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	.
Do. 10 do.	28,958	10	36·0	12·6	20	5	5	1	1	4	4	.	.	.	3	2	.	.	.	1	.	1	4	1	2	.	.	.	5	.
Do. 11 do.	39,311	13	22·5	.	17	5	1	2	3	3	3	.	.	.	.	.	.	.	.	2	2	1	3	3	.	.	.	.	5	1
Do. 12 do.	38,076	25	26·0	2·7	19	8	4	.	1	3	3	.	.	.	2	.	.	.	.	1	.	.	2	7	.	.	.	.	3	.
Do. 13 do.	23,233	14	29·2	.	13	2	1	1	.	4	5	.	.	.	.	.	.	.	.	1	.	2	2	4	.	.	.	1	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	5	29·9	.	13	1	1	1	4	4	2	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	4	.
Total,	386,947	181	23·3	2·5	177	40	32	13	26	34	32	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	6	38	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	2	15·5	.	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do 2 do.	10,701	4	70·2	10·0	14	2	5	1	4	2	.	1	.	.	1	.	.	.	.	3	1	.	2	1	.	.	.	.	4	.
Do 3 do.	9,978	6	26·6	.	5	2	.	.	1	.	2	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	2	.
Do 4 do.	8,666	3	5·7	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 5 do.	6 592	1	33·4	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
Do 6 do.	10,702	4	18·0	.	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	1	.
Do. 7 do.	16,616	6	13·0	.	4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	1	.
Total,	76,122	26	24·5	1·4	36	8	6	1	9	4	8	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.	13	.

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered, ...	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181
DEATHS registered, ...	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177
Annual Death-rate per 1,000 of estimated population, ...	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3
AGES, Under 1 year, ...	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40
1—5 years, ...	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32
5—25 „ ...	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13
25—45 „ ...	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26
45—65 „ ...	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34
65 and upwards, ...	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10
Scarlet Fever, ...	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3
Whooping-cough, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1
Diphtheria, ...	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14
Tuberculous Disease. Other Forms,	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3
Cancer, ...	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3
Diseases of Respiratory System, Pneumonia,	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24
Diseases of Respiratory System, Others, ...	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36
Diarrhœa and Enteritis, under 2 years, ...	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4
Diarrhœa, 2 years and upwards,	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1
Violent Deaths, ...	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5
Number of Uncertified Deaths, ...	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Mar. 8,	2,111	1,584	18·3	1	.	67	.	25	9	25*a*
Edinburgh, ...	320,300	,, 8,	127	103	16·8	.	.	.	1	6	.	3
Glasgow, ...	1,021,500	,, 8,	541	428	21·9	1	.	3	1	30	7	8
Calcutta, ...	896,067	Jan. 25,	.	565	32·7	91*	.	6	.	.	.	98‡
Bombay, ...	979,445	Feb. 1,	414	631	33·5	67*	.	1	.	.	.	72‡
Madras, ...	518,660	,, 8,	289	466	46·7	119*	.	2	?	?	?	136‡
Cairo, ...	704,956	Dec. 9,	659	409	30·3	4	.	2	.	?	15†	43*a*
Paris, ...	2,847,229	Feb. 22,	937	1,012	18·2	6	.	29	1	8	3†	15*a*
Brussels, ...	745,380	,, 15,	211	180	12·6	3	.	.	1	1	3†	5
Antwerp, ...	312,884	,, 22,	128	90	15·2	.	.	3	1	1	1	11*a*
Amsterdam, ...	588,443	,, 15,	285	151	13·4	.	.	2	.	.	.	3*a*
Copenhagen, ...	468,000	,, 15,	225	134	14·9	.	.	.	4	3	.	5*a*
Stockholm, ...	368,796	,, 15,	152	112	15·8	.	.	.	.	1	.	1*a*
Christiania, ...	247,488	,, 22,	108	71	14·9	.	.	.	.	.	.	.
St. Petersburg, ...	1,686,000	,, 1,	827	730	22·6	13	1	30	23	3	7†	38
Moscow, ...	1,617,157	Jan. 18,	.	703	22·7	2	.	19	8	4	18	54
Berlin, ...	2,097,340	Feb. 1,	748	586	14·6	.	.	3	4	6	18†	14
Hamburg, ...	1,006,748	,, 15,	.	262	13·5	.	.	6	4	1	11†	8*a*
Breslau, ...	537,701	,, 15,	.	210	20·4	.	.	2	.	2	1	13
Munich, ...	622,000	,, 15,	.	179	15·0	.	.	2	.	1	.	6
Vienna (with suburbs),	2,098,225	,, 15,	804	775	19·2	3	.	9	11	7	13†	34*a*
Buda-Pesth, ...	1,087,779	,, 15,	462	369	20·6	1	.	1	11	.	2†	10*a*
Prague and Faubourgs,	489,194	,, 1	184	187	19·9	.	.	.	2	1	2†	8*a*
Trieste, ...	237,192	,, 15,	137	118	25·9	.	.	2	.	.	2†	2*a*
Rome, ...	575,091	Oct. 26,	297	162	14·7	1	.	3	.	.	1	16
		Nov. 2,	322	146	13·2	2	.	.	.	.	.	15
New York, ...	5,372,983	Feb. 8,	2,571	1,568	15·2	4	.	9	13	8	38†	35*a*
Philadelphia, ...	1,631,960	Jan. 4,	.	574	18·3	3	.	4	3	.	14	9*a*
Boston, ...	735,399	Feb. 15,	.	252	17·9	1	.	2	4	7	1	4

* Deaths from "fever," including 5 from enteric fever and 7 from plague in Calcutta; 2 from enteric fever and 17 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 40 deaths from cholera in Calcutta, 6 in Bombay, and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th March, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	2	.	3
" " 1, West, ...	.	1	1	.	.	.	.	.	.	.	.	5	.	7
" " 2, ...	.	.	.	.	.		.	1	.	.	.	1	.	2
" " 3, ...	.	4	.	.	2	.	.	.	1	.	.	1	.	8
Clontarf and Howth No. 1 (part of),	.	.	.		.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	1	.	.	2	2	.	.	2	.	8
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	.	.	.	.	.	.	1	.	.	.	2	.	3
" " 4, ...	.	2	.	.	.	.	.	1	1	.	.	.	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	10	1	.	3	.	.	5	4	.	.	14	.	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th March, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th March.			
	Feb. 15.	Feb. 22.	Mar. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	27	31	30	7	6	.	31
Typhus, ...	10	10	6	3	5	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	2	4	4	2	.	6
Scarlet Fever, ...	130	128	120	16	23	.	113*
Diphtheria, ...	44	34	30	5	.	1	34
Pneumonia, ...	27	23	25	9	8	4	22

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 8th March, 1913:—

"Very unsettled weather prevailed during this week. A band of high atmospheric pressure stretched from Spain across Central Europe and the Mediterranean to the Black Sea, whereas Atlantic depressions swept across Iceland and the Norwegian Sea to Finmark, their secondaries passing over the British Isles, as V-shaped depressions, at frequent intervals. The deepest of the primary disturbances travelled across Iceland in the course of Tuesday—at 7 a.m. of that day the barometer read 27·84 inches at Reykjavik and at 6 p.m. the very low reading of 27·79 inches was reported from Seydisfjord. Some idea of the steepness of the baric gradient over Northwestern and Western Europe may be gathered from the fact that at the times named the barometer stood at 30·50 inches in Madrid. Strong and squally S.W. and W. winds blew very generally, and from Monday to Friday fresh to strong gales were felt daily—at first on the N. and N.W. shores of the British Isles, afterwards on nearly all the British and Irish coasts. With the dominant S.W. winds, temperature rose considerably for a time—57° was reached in Dublin on Tuesday, 58° in London on Wednesday, and 59° in London on Thursday. But on Wednesday a chill had already reached Scotland and Ireland from the Icelandic region, and on Friday afternoon a blizzard of hail, sleet and snow occurred in Dublin. Thunder and lightning were reported from Scotland on Wednesday, and lightning alone was seen in the North of Ireland on Thursday night. A brisk increase of pressure took place on Saturday, the barometer rising in Dublin to 30·468 inches at 9 p.m., wind, S.W. This was the highest reading of the week, the lowest being 29·509 inches at 4 p.m. of Tuesday (wind, S.W.). The corrected mean temperature was 44·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·6°. On Tuesday the screened thermometers rose to 57·1°, on Saturday they fell to 32·9°, the grass minimum being 30·1°. S.W. and W. winds prevailed. Rain fell on 7 days to the amount of ·956 inch, ·274 inch being recorded on Sunday. Hail, sleet and snow fell on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·896 inches. The highest reading (30·482) was on Saturday at 9 p.m., wind W.S.W., the lowest (29·570) on Tuesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 42·9°, being 1·3° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday, on which day the thermometer registered 56°, and was lowest on Saturday, the mercury having fallen to 30°. The mean of the Dry Bulb for the week was 43·2° and of the Wet Bulb, 41·1°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 1·175 inches.

At Greenwich the mean temperature for the week was 46·7°, the maximum 59·0°, and the minimum 33·4°; at Glasgow the maximum was 52·0°, the minimum 32·0°, and the mean 42·9°; and at Edinburgh the maximum was 52·0°, the minimum 30·4°, and the mean 41·3°. The rainfall at Greenwich measured 0·24 in.; at Glasgow 1·50 ins.; and at Edinburgh 0·91 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 2,	29·805	51	40	45·5	48·1	46·0	·85	·7	6·2	·480	W.S.W.	S.S.W.
Monday, „ 3,	29·845	53	40	46·5	40·9	40·2	·94	·7	1·7	·060	W.N.W.	S.W.
Tuesday, „ 4,	29·595	56	35	45·5	50·3	47·6	·81	·7	2·9	·070	S.W.	W.S.W.
Wednesday, „ 5,	29·850	52	34	43·0	47·0	43·3	·73	·8	4·7	·075	S.W.	S.W.
Thursday, „ 6,	29·790	50	35	42·5	40·6	38·3	·83	·7	2·0	·285	S.W.	W.S.W.
Friday, „ 7,	29·980	44	33	38·5	36·1	34·8	·90	·7	6·3	·150	W.S.W.	W.
Saturday, „ 8,	30·410	47	30	38·5	39·4	37·6	·86	·7	7·3	·055	W.S.W.	W.S.W.
Mean, ...	29·896	50·4	35·3	42·9	43·2	41·1	·85	·7	Total 31·1	Total 1·175	Prevailing Wind, W.S.W.	

Sunday—Day bright a.m. cloudy p.m., showers at intervals 5.30 to 9.0 p.m.; night cloudy, showers at intervals 9.0 p.m. to 6.0 a.m., and heavy rain 6.30 to 9.0 a m. *Monday*—Day cloudy, heavy rain 9.0 to 9.45 a.m.; night clear to overcast. *Tuesday*—Day cloudy, drizzling rain 5.30 to 6.15 p.m., and heavy rain 6.15 to 6.30 p.m. and 8.30 to 8 40 p.m.; night clear heavy shower 11.0 to 11 20 p.m. *Wednesday*—Day bright a m. cloudy p.m.; night cloudy, rain 9.10 to 9.50 p.m. and 1.0 to 1.20 a.m. *Thursday*—Day cloudy, heavy rain at intervals 1.0 to 5 30 p.m.; night clear. *Friday*—Day bright a.m. cloudy p.m., hail, snow, and rain at intervals 1.0 to 6.40 p.m.; night clear. *Saturday*—A beautiful bright day; night overcast, drizzling rain at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 8th March, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 2,	45·0	42·9	44·0	53	41	47	6·3	·290
Monday „ 3,	43·8	44·3	44·0	54	41	47·5	1·7	·080
Tuesday, „ 4,	52·3	44·0	44·2	58	41	49·5	3·3	·060
Wednesday, „ 5,	45·6	44·7	44·5	59	39	49	5·6	·076
Thursday, „ 6,	46·5	44·7	44·7	53	38	45·5	3·6	·240
Friday, „ 7,	40·3	43·3	44·8	46	34	40	6·7	·154
Saturday, „ 8,	37·8	41·9	44·9	47	32	39·5	6·8	·034
Weekly Mean,	44·5	43·7	44·4	53	38	45·4	Total 34·0	Total ·934

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 15TH MARCH, 1913. [No. 11.

General Register Office, Charlemont House
Dublin, 18th March, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 23·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Feb. 22	Mar. 1	Mar. 8	Mar. 15	Average Rate for 4 weeks.
27 Town Districts, (a)	**24·1**	**23·1**	**23·2**	**23·4**	**23·4**
Dublin Reg. Area ...	25·1	26·9	23·0	23·5	24·6
Dublin City ...	25·9	28·4	24·5	25·0	25·9
Belfast	25·4	23·4	23·3	23·7	23·9
Cork	23·8	28·6	24·5	27·9	26·2
Londonderry ...	19·1	10·2	14·0	17·8	15·3
Limerick	17·6	16·2	19·0	19·0	18·0
Waterford	20·9	13·3	34·2	26·6	23·7

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·7 per 1,000. Among the 180 deaths from all causes for Belfast are one from enteric fever, 6 from measles, 2 from diphtheria, and 4 from diarrhœa and enteritis of children under 2 years of age. One of the 41 deaths from all causes for Cork is from measles. Included in the 14 deaths from all causes for Londonderry is one from diphtheria. Among the 14 deaths from all causes for Limerick is one from enteric fever. The 14 deaths from all causes for Waterford include 2 from whooping-cough. One of the 5 deaths from all causes for Galway is from enteric fever. One of the 5 deaths from all causes for Drogheda is from whooping-cough. Included in the 9 deaths from all causes for Newry are 4 from measles. The 7 deaths from all causes for Wexford include one from measles, and one of a child under 2 years of age from diarrhœa. One of the 3 deaths for Tralee is from measles, and the 4 deaths for Larne include one from whooping-cough, and one from diarrhœa of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 234—113 boys and 121 girls—and the deaths to 192—94 males and 98 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·5 per 1,000 of the population. During the eleven weeks, ending with Saturday last, the death-rate averaged 22·2, and was 3·1 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 192, represent an annual rate of 24·8 per 1,000; the annual rate for the past eleven weeks was 23·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

The total deaths (192) include 2 from whooping-cough, 2 from diphtheria, 8 from influenza, and 5 from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks deaths from whooping-cough were 4, 6, and 2; deaths from diphtheria were 2, one, and 0; deaths from influenza were 5, 3, and 3; and deaths from diarrhœa and enteritis of children under 2 years were 6, 6, and 3 respectively.

Tuberculous disease caused 33 deaths, comprising 20 from pulmonary tuberculosis, 4 from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of vertebral column, one from tuberculous abscess, and 5 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 50, 42, and 21 respectively.

Fourteen deaths were due to broncho-pneumonia, 2 to lobar pneumonia, and 8 to pneumonia (type not distinguished).

Cancer caused 14 deaths.

The deaths of 6 infants under one year of age were ascribed to convulsions, 2 to prematurity, 5 to congenital debility, and there was one caused by congenital malformation.

The deaths of 16 persons were attributed to organic diseases of the heart, and bronchitis caused 33 deaths.

There were 2 accidental deaths, one of which was caused by a motor car.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old, and the deaths of 3 persons aged 65 years and upwards.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 13 were under one month old) and 51 were aged 65 years and upwards, including 41 persons aged 70 and upwards; among the latter were 20 aged 75 and upwards.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·5 per 1,000; the rate in the City was 25·0 (North City Districts, 23·3; South, 27·0) and in the Suburbs, 18·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 0·3, and in the South 2·2), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include one from disseminated tuberculosis, one from each of broncho-pneumonia, lobar pneumonia and pneumonia, 3 from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 30·6 per 1,000. Included in the total are one from influenza, 5 from tuberculous disease, 4 from broncho-pneumonia, one from pneumonia, and 5 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000, and include 2 from broncho-pneumonia, 2 from pneumonia, and 3 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 25·2 per 1,000. The total includes one from diphtheria, one from influenza, 4 from tuberculous disease, one from broncho-pneumonia, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·2, and Finglas and Glasnevin, part of, 14·7. One of the 5 deaths from all causes for Coolock and Drumcondra, part of, was from broncho-pneumonia, and included in the 3 deaths for Finglas and Glasnevin, part of, was one from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 33·6 per 1,000, and include 2 from whooping-cough, 2 from influenza, 3 from tuberculous disease, one from broncho-pneumonia, 5 from bronchitis, and one death of a child under 2 years of age from enteritis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Included in the total are 2 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·6 per 1,000. Tuberculous disease caused 5 deaths, broncho-pneumonia 2 deaths, pneumonia 2 deaths, and bronchitis 4 deaths.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000, and include one from diphtheria, 3 from tuberculous disease, one from pneumonia, 3 from bronchitis, and there was one death of a child under 2 years of age from epidemic enteritis, and one accidental death.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. The total includes one from bronchitis, and one death of a child under 2 years from enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·1; Pembroke, 24·4; Blackrock, 17·1; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one of a child under 2 years of age from enteritis for each of Rathmines and Pembroke. Among the 9 deaths from all causes for Rathmines and Rathgar are 2 from bronchitis. Included in the 14 deaths from all causes for Pembroke are one from influenza, 3 from tuberculous disease, and one from each of broncho-pneumonia, lobar pneumonia and bronchitis. One of the 3 deaths for Blackrock is from pulmonary tuberculosis, and among the 8 deaths from all causes for Kingstown are 3 from influenza, one from broncho-pneumonia, and 2 from bronchitis.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 15th March, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Feb. 22,	.	—	—	9	1	.	4	.	.	11	3	.	—	—	.	—	14	.	42
	Mar. 1,	.	—	—	6	2	.	3	.	1	4	6	1	—	—	.	—	7	.	30
	Mar. 8,	.	—	—	10	1	.	3	.	.	5	4	.	—	—	.	—	14	.	37
	Mar. 15,	.	—	—	8	4	.	5	.	1	5	11	.	—	—	.	—	13	.	47
Rathmines and Rathgar Urban District.	Feb. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 1,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
	Mar. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Feb. 22,	.	2	.	2	.	.	3	.	.	.	.	.	—	1	—	—	.	—	8
	Mar. 1,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	6	—	7
	Mar. 8,	.	.	.	.	.	.	2	.	.	.	1	.	—	1	—	—	.	—	4
	Mar. 15,	.	.	.	3	.	.	.	.	.	.	.	.	—	1	—	—	.	—	4
Blackrock Urban District.	Feb. 22,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	—	—	2
	Mar. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Feb. 22,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	2	—	3
	Mar. 1,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Mar. 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	2	—	3
	Mar. 15,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
City of Belfast.	Feb. 22,	.	—	—	24	.	.	6	.	1*	2	13	1	—	—	—	—	10	—	57
	Mar. 1,	.	—	—	23	.	.	8	.	.	1	4	1	—	—	—	—	11	—	48
	Mar. 8,	.	—	—	12	.	.	10	.	.	6	1	.	—	—	—	—	13	—	42
	Mar. 15,	.	—	—	23	.	.	6	.	1	2	9	.	—	—	—	—	18	—	59

* This case has developed typhoid fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th March, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital during the week, 5 were discharged, there were 2 deaths, and 31 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 31, 30, and 31.

Four cases of typhus were admitted to hospital during the week, one was discharged, and 7 cases remained under treatment at the close of the week.

One case of measles was discharged from hospital during the week, and 5 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 2, 4, and 6, respectively.

Thirteen cases of scarlet fever were admitted to hospital, 17 were discharged, and 109* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 128, 120, and 113, respectively.

Four cases of diphtheria were admitted to hospital during the week, 12 were discharged and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 34, 30, and 34 respectively, were 25 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 26 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·6), was equal to an average annual death-rate of 17·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·8 per 1,000, the rate for Glasgow being 20·6, and for Edinburgh 16·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th March. From this Report it appears that of a total of 69 cases notified, 31 were phthisis, 20 scarlet fever, 8 diphtheria, 8 erysipelas, one enteric fever, and one cerebro-spinal fever. Among the 408 cases of infectious diseases in hospital at the close of the week were 136 cases of scarlet fever, 120 of phthisis, 42 of whooping-cough, 42 of measles, 29 of diphtheria, 12 of erysipelas, 6 of chicken-pox, 6 of enteric fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 15th March, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 15th March, 1913. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 15th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ..	1,199,180	19·0	28·1	23·4	1·7	646	539	101	131	3	...	...	13	...	6	5	...	59	34	21	50	86	11	...	7	13	178	15	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	30·3	23·5	1·2	234	182	6	50	...	...	...	...	..	2	2	...	17	11	11	24	34	5	...	2	5	55	7	e 51	24	41·1	0·45	e 56	30	42·9	1·18	e 51	29	43·7	0·38
City of Dublin,	308,187	39·0	34·0	25·0	1·2	201	148	29	37	...	...	...	...	...	2	2	...	14	10	9	21	29	3	...	2	5	48	6	f 51·4 g 52·3	32·3 28·0	43·9 42·4	0·37 0·37	f 57·1 g 57·8	32·9 31·0	44·6 43·8	0·96 1·02	f 53·2 g 52·9	36·1 31·4	44·8 43·5	0·30 0·41
Urban Districts. Rathmines & Rathgar.	38,769	22·6	14·8	12·1	1·3	11	9	3	2	...	...	...	...	...	...	...	..	...	...	1	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,942	19·0	19·2	24·4	1·7	11	14	4	5	...	...	...	...	...	...	...	...	2	1	1	2	1	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	28·5	17·1	.	5	3	...	2	...	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	18·5	24·6	.	6	8	...	4	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	1	53	31	44·7	0·22	53	35	45·4	0·87	49	36	43·4	0·35
Urban Districts. Belfast ..	396,000	26·5	29·2	23·7	1·7	222	180	40	32	1	...	...	6	...	...	2	...	28	7	4	18	28	4	...	4	6	62	1	52	30	41·5	0·96	53·0	32·5	43·5	0·87	51·5	33·0	43·5	0·19
Cork, ..	76,673	28·6	28·6	27·9	0·7	42	41	3	10	...	...	...	1	...	...	...	...	4	5	3	3	5	...	...	1	...	20	1	51	35	44·2	0·84	52	34	44·8	1·04	52	37	44·9	1·08
Londonderry...	41,000	15·9	22·9	17·8	1·3	18	14	4	3	..	...	...	...	...	...	1	...	1	1	...	...	3	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,518	16·1	14·9	19·0	1·4	11	14	...	1	1	...	...	...	...	...	...	...	1	...	1	...	3	...	...	...	...	7	...	51·6	27·6	42·2	0·84	54·0	32·5	43·8	1·09	52·0	27·7	43·5	0·59
Waterford, ...	27,464	19·1	24·7	26·6	3·8	13	14	3	6	...	.	...	...	...	2	...	...	1	1	...	..	3	...	...	...	...	4	3	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,255	2·5				10	5	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	53	30	41	1·25	54	27	42	1·58	52	30	41	0·47
Dundalk, ...	13,128	9·5				7	7	2	...	...	...	...	...	...	...	...	...	4	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				8	4	...	2	...	..	...	..	...	...	...	..	...	...	...	...	2	...	...	...	...	2	.	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32
Drogheda, ...	12,501	8·4				12	5	1	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				5	6	2	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32
Newry. ...	11,963	17·0				3	9	1	3	...	...	...	4	...	...	...	...	1	...	...	1	2	...	...	...	...	3	...	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32
Portadown, ...	11,727	15·3				4	2	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	49·8	30·0	41·3	0·89	51·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32
Wexford. ...	11,531	22·8				4	7	2	3	...	...	...	1	...	...	...	...	...	2	...	...	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8				3	6	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	...	51	24	40·0	1·53	58	33	43·0	1·64	52	28	42·0	0·49
Kilkenny, ...	10,514	11·4				3	3	...	9	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	51	28	41·6	0·62	55	30	44·1	0·91	51	29	42·3	0·91
Tralee, ...	10,300	17·4				7	3	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	..	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				5	10	...	9	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	10	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				7	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	50	31	40·8	0·62	56	34	43·6	0·84	50	36	42·8	0·34
Queenstown, ...	8,209	14·7				1	6	1	2	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	2	...	51	35	44·2	0·84	52	34	44·8	1·04	52	37	44·9	1·08
Larne, ...	8,036	13·4				12	4	2	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				4	4	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ...	7,691	7·2				2	1	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91	51·7	35·1	43·6	0·32
Armagh, ...	7,356	21·8				4	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...												

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one at 81 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th of March, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	1	.	.	.	2	.	.	.	.	.	1	.	3	8	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	4	.	2	.	.	1	1	.	4	2	.	.	2	1	.	17	3
Tuberculous Disease. — Other Forms,	1	1	.	2	.	.	.	2	2	1	1	.	.	1	.	.	11	2
Cancer,	1	.	.	1	2	.	.	1	.	2	2	.	1	1	.	.	11	3
Diseases of Nervous System,	.	2	.	.	.	.	.	3	.	1	1	1	2	1	.	.	11	1
" Organs of Special Sense,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	.	1	2	.	2	1	2	.	2	3	1	1	2	1	.	18	1
" Respiratory System. — Pneumonia,	3	5	4	1	.	1	.	1	1	4	1	.	.	2	.	1	24	.
" Respiratory System. — Others,	3	5	4	3	.	.	.	5	1	4	3	1	2	1	.	2	34	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	.	.	.	.	.	.	1	.	.	1	1	1	1	.	.	5	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	1	1	1	.	.	.	.	.	1	.	.	.	1	.	.	5	.
" Genito-urinary System,	.	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Other specified Causes,	2	4	.	2	.	2	.	6	2	2	1	.	1	.	1	.	23	.
Violent Deaths,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.
Deaths from All Causes	11	24	11	17	2	5	3	26	6	22	17	4	9	14	3	8	182	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	30·6	20·6	25·2	19·2	19·2	14·7	33·6	17·1	26·6	26·7	21·4	12·1	24·4	17·1	24·6	23·5	.
	23·3							27·0					18·7					
	25·0																	
Ages at Death. — Under 1 year,	1	6	.	3	.	1	.	7	3	6	1	1	3	4	.	.	36	.
1 and under 2 years,	.	1	1	.	.	.	1	1	.	1	.	1	.	.	.	.	6	.
2 " 5 "	3	1	1	3	.	1	.	1	.	.	1	.	1	.	.	.	12	.
5 " 15 "	.	1	.	.	.	.	.	.	1	2	1	.	.	1	.	.	6	.
15 " 25 "	.	1	1	1	.	.	.	.	2	1	1	.	.	.	.	.	7	2
25 " 45 "	1	5	1	4	.	.	1	4	.	1	3	.	.	1	1	2	24	1
45 " 65 "	1	4	5	3	2	.	.	7	.	8	3	.	3	3	.	2	41	3
65 and upwards,	5	5	2	3	.	3	1	6	.	3	7	2	2	5	2	4	50	1
Number of Uncertified Deaths,	1	1	.	.	.	.	.	1	.	2	.	1	.	.	.	1	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	1	3	.	1	.	3	.	3	7	.	1	4	1	.	29	8
Workhouse Hospitals,	2	4	.	6	.	.	.	8	.	5	.	.	.	1	.	.	26	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 15th March, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.	Mar. 18, 1911.	Mar. 16, 1912.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 45·3	° 42·6	° 43·5	° 43·3	° 43·8	° 41·0	° 39·6	° 39·8	° 38·0	° 44·6	° 42·2	° 41·1										
ALL CAUSES.	212	213	182	173	203	191	232	149	170	257	198·2	192	13	23	6	12	6	9	25	47	31	20
Enteric Fever, ...	2	1	1	3	1	1	3	1	1	3	1·7	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	4	4	.	5	.	5	.	7	7	3·3	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	13	.	2	5	.	4	1	4	10	4·1	2	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	3	1	1	2	1	2	1	1	.	5	1·7	2	.	.	.	2	.	.	.	.	.	.
Croup, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	5	5	1	4	7	5	7	2	4	4·1	8	.	.	.	.	.	.	2	2	2	2
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	1	.	1	2	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	2	.	.	1	.	2	.	.	2	·8	1	1	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	26	27	23	28	29	35	15	28	28	25·9	20	.	.	1	.	1	4	7	7	.	.
Tuberculous Meningitis, ...	13	5	4	5	6	2	2	7	5	2	5·1	4	.	.	.	1	1	1	1	.	.	.
Abdominal Tuberculosis, ...	3	2	.	1	1	2	5	.	1	2	1·7	2	.	.	.	.	1	.	1	.	.	.
Tuberculosis of the Vertebral Column.										1		1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of Joints, ...	11	4	8	6	7	3	4	3	2	.	5·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		1	.	.	.	.	.	.	1	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		5	.	.	.	1	1	1	1	1	.	.
Venereal Diseases, ...	2	2	3	1	5	.	1	.	1	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	5	6	6	8	11	11	5	6	7	7·2	14	.	.	.	.	1	.	2	8	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	1	1	1	.	.	1	1	.	.	·6	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	1	—	3	.	.	.	1	.	.	.	.	2	.
Alcoholism, ...	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										6		4	.	.	.	.	.	.	1	2	.	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										7		6	3	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	49	39	48	49	34	41	39	37	40	6	42·4	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		2	.	.	.	.	.	.	.	1	1	.
Organic Diseases of the Heart,										20		16	.	.	.	.	.	1	1	5	6	3
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	28	36	13	20	30	23	43	23	20	42	27·8	33	.	5	.	2	.	.	2	12	8	4
Broncho-pneumonia, ...	6	4	6	5	4	7	13	7	5	21	7·8	14	.	5	3	2	.	.	1	2	.	1
Lobar pneumonia, ...	.	1	1	1	1	1	3	1	2	1	1·2	2	.	1	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	11	8	2	4	6	8	10	4	7	11	7·1	8	.	.	.	.	.	1	2	4	1	.
Pleurisy, ...										3		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	1	2	1	3	2	5	3	3	1	2·6	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.										1		.	.	.	.	.	.	.	.	.	.	.

ELEVENTH WEEK ending Saturday, 15th March, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 15th March, 1913.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.	Mar. 18, 1911.	Mar. 16, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 45·3	° 42·6	° 43·5	° 43·3	° 43·8	° 41·0	° 39·6	° 39·8	° 38·0	° 44·6	° 42·2	° 41·1										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	3	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	1	1	4	4	5	2	4	4	6	4	3·8	5	1	3	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	3		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	1	2	1	.	1	.	.	.	3	·9	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Liver, ...	.	5	.	1	.	1	2	.	.	2	1·1	1	.	.	.	.	.	1	.	.	.	.
Peritonitis (cause unknown),	1	.	.	1	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	9	4	6	7	6	7	1	2	.	1	4·3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										6		4	.	.	.	.	.	.	1	.	1	2
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	5	6	8	7	5	7	4	5	.	5·8	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	1	1	.	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	9	3	5	6	3	1	8	2	3	4·3	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	8	—	5	2	3	.	.	.	.	.	.	.	.
Old Age, ...	8	6	10	3	3	4	8	2	10	5	5·9	7	.	.	.	.	.	.	.	.	2	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	.	—	3	2	.	1	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	1	.	.	1	1	.	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	.	1	1	1	.	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	2	1	1	4	5	2	.	2	1	2·0	2	.	.	.	1	.	.	.	.	1	.
Total Deaths from Accident,	4	5	2	2	5	8	3	1	5	2	3·7	2	.	.	.	1	.	.	.	.	1	.
Included in above are Deaths in connection with—																						
Railways, ...	1	.	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	1	.	.	2	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	.	4	—	3	.	.	.	.	.	.	.	.	3	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered.	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234
Average Births in corresponding week of previous 10 years, ...	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200
DEATHS registered, ...	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192
Annual Death-rate per 1,000, ...	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8
Average Deaths in corresponding week of previous 10 years, ...	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198
Ages, Under 5 years, ...	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54
5—15 „ ...	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6
15—25 „ ...	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9
25—45 „ ...	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25
45—65 „ ...	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47
65—75 „ ...	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31
75 and upwards, ...	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20
Deaths from :—																										
Enteric Fever, ...	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Scarlet Fever, ...	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.
Whooping-cough, ...	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2
Diphtheria, ...	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2
Influenza, ...	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8
Dysentery, ...	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20
Tuberculous Disease, Other Forms,	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13
Cancer, ...	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14
Diseases of Circulatory System,	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19
Diseases of Respiratory System, Pneumonia,	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24
Diseases of Respiratory System, Others, ...	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34
Diarrhœa and Enteritis, under 2 years, ...	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5
Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2
Number of Uncertified Deaths,	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7
Mean Temperature of the Air (Phœnix Park)	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1
Average Mean Temperature in corresponding week of previous 10 years, ...	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2
Rainfall in inches, ...	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	95	·78	·88	·85	·91

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the week ending Saturday, 15th March, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH MARCH, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	192	54	6	9	25	47	31	20	.	.	.	.	.	2	2	.	20	13	14	6	24	34	5	.	2	70	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	29·9	10	.	.	.	2	3	2	3	.	.	.	.	.	.	.	.	1	.	3	.	.	1	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	10·8	18	4	.	1	2	6	3	2	.	.	.	.	.	.	.	.	2	2	3	.	1	2	1	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	23·1	49	11	3	4	9	10	5	7	.	.	.	.	.	.	.	.	6	4	3	2	7	10	1	.	.	16	2
IV.	GENERAL SERVICE CLASS, ...	154,279	29·4	87	35	3	3	9	17	14	6	.	.	.	.	.	1	2	.	4	5	3	4	16	14	3	.	2	33	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	4	.	1	3	11	7	2	.	.	.	.	.	1	.	.	7	2	2	.	.	7	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	46·8	7	.	.	.	2	2	2	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	9·5	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	5·1	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	2	.	1	2	2	2	1	.	.	.	.	.	.	.	.	2	2	.	.	1	2	1	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	3	2	.	2	1	1	1	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	6	.
	10. Clothing Trades, ...	23,260	22·4	10	3	1	2	1	1	.	2	.	.	.	.	.	.	.	.	1	1	1	1	1	2	1	.	.	2	2
	11. Food Supply Trades	9,242	11·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	3	.	2	3	5	4	2	.	.	.	.	.	.	.	.	2	1	1	.	3	6	.	.	.	6	.
	13. Petty Shopkeepers	7,894	26·4	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	23·3	6	1	.	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.
	15. Domestic Servants, ...	36,603	10·0	7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	39·9	11	7	.	.	1	2	1	.	.	.	.	.	.	.	1	.	.	1	.	1	3	3	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	36·6	63	24	3	1	6	14	10	5	.	.	.	.	.	1	1	.	2	4	2	3	10	10	2	.	2	26	5
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	28	4	.	1	3	11	7	2	.	.	.	.	.	1	.	.	7	2	2	.	.	7	.	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Jan. 25,	19·2	1·7	11	.	.	.	.	.	.	1	.	1	2	.	.	3	.	.	.	1
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 8,	22·7	.	13	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	.
	„ 15,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 22,	56·6	1·7	21	.	.	.	.	.	1	.	.	3	2	.	3	4	.	.	1	1
	Mar. 1,	22·7	1·7	13	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.
	„ 8,	29·6	.	17	.	.	.	.	.	.	.	.	2	1	.	5	5	.	.	.	1
	„ 15,	19·2	.	11	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Jan. 25,	20·4	2·6	16	.	.	.	.	.	.	2	.	1	.	.	1	4	.	.	.	.
	Feb. 1,	21·7	2·6	17	.	.	.	.	.	.	.	.	.	2	.	.	9	2	.	.	3
	„ 8,	17·9	1·3	14	.	.	.	1	.	.	.	.	3	1	1	1	1	.	.	1	.
	„ 15,	19·1	1·3	15	.	.	.	1	.	.	.	.	6	1	.	1	.	.	.	.	.
	„ 22,	29·3	2·6	23	.	.	.	.	.	.	1	.	5	1	1	3	2	1	.	.	1
	Mar. 1,	38·3	5·1	30	1	.	.	.	.	1	.	.	3	.	1	2	7	2	.	.	.
	„ 8,	33·2	.	26	.	.	.	.	.	.	.	.	3	.	2	3	9	.	.	.	2
	„ 15,	30·6	.	24	.	.	.	.	.	.	.	.	4	1	.	5	5	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Jan. 25,	24·3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	3
	Feb. 1,	20·6	.	11	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	„ 8,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
	„ 15,	31·8	.	17	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
	„ 22,	44·9	1·9	24	1	.	.	.	.	.	.	.	9	1	1	1	4	.	.	.	.
	Mar. 1,	31·8	.	17	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	1	1
	„ 8,	28·1	1·9	15	.	.	.	.	.	.	.	.	1	.	.	2	4	1	.	1	.
	„ 15,	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Jan. 25,	38·5	1·5	26	.	.	.	.	.	1	.	.	4	.	1	3	6	.	.	1	.
	Feb. 1,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
	„ 8,	13·3	1·5	9	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
	„ 15,	23·7	3·0	16	.	.	.	.	.	.	.	.	1	1	2	2	2	2	.	.	.
	„ 22,	22·2	1·5	15	.	.	.	.	.	.	1	.	.	1	2	3	.	.	.	1	.
	Mar. 1,	31·1	3·0	21	.	1	.	.	.	.	.	.	3	1	.	2	4	1	.	.	1
	„ 8,	20·7	1·5	14	.	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1	.
	„ 15,	25·2	1·5	17	.	.	.	.	.	.	1	.	2	2	1	1	3	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Jan. 25,	23·3	2·6	18	.	.	.	.	.	.	1	.	.	.	.	2	5	1	.	.	.
	Feb. 1,	19·4	1·3	15	.	.	.	.	.	1	.	.	4	.	.	1	2	.	.	.	1
	„ 8,	24·5	1·3	19	.	.	.	.	.	1	.	.	5	1	.	.	4	.	.	2	.
	„ 15,	29·7	2·6	23	.	.	.	.	.	.	.	.	2	3	1	.	6	2	.	1	1
	„ 22,	27·1	5·2	21	.	.	.	.	.	2	.	.	3	.	.	1	4	2	.	1	.
	Mar. 1,	33·6	1·3	26	1	.	.	.	.	.	.	.	7	1	.	.	6	.	.	.	.
	„ 8,	22·0	1·3	17	.	.	.	.	.	1	.	.	6	.	.	2	2	.	.	1	.
	„ 15,	33·6	3·9	26	.	.	.	.	.	2	.	.	1	2	1	1	5	1	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Jan. 25,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Feb. 1,	19·9	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	2	.	1	1	2	.	.	.
	„ 15,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 22,	28·4	.	10	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1
	Mar. 1,	28·4	5·7	10	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	1
	„ 8,	22·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 15,	17·1	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Jan. 25,	30·2	1·2	25	.	.	.	.	.	.	.	.	3	2	2	1	5	1	.	.	5
	Feb. 1,	19·4	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 8,	19·4	1·2	16	1	.	.	.	.	.	.	.	3	3	1	4	1	.	.	1	.
	„ 15,	18·1	2·4	15	.	.	.	.	.	1	1	.	3	.	3	1	1	.	.	.	.
	„ 22,	29·0	2·4	24	.	.	.	.	.	1	.	.	2	2	.	3	1	1	.	.	1
	Mar. 1,	23·0	2·4	19	.	.	.	.	.	2	.	.	3	.	.	2	3	.	.	.	.
	„ 8,	18·1	.	15	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	1
	„ 15,	26·6	.	22	.	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	2
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Jan. 25,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	.	3	5	.	.	.	1
	Feb. 1,	26·7	4·7	17	.	.	.	.	.	.	.	.	1	.	1	3	5	3	.	.	.
	„ 8,	9·4	1·6	6	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	.
	„ 15,	25·2	.	16	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	.	.
	„ 22,	11·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
	Mar. 1,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.
	„ 8,	29·9	.	19	.	.	.	.	.	.	.	.	2	.	2	1	5	.	.	.	1
	„ 15,	26·7	3·1	17	.	.	.	.	.	.	1	.	2	1	2	1	3	1	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Jan. 25,	12·1	.	9	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	Feb. 1,	16·1	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 8,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.
	„ 15,	22·9	1·3	17	.	.	.	.	.	1	.	.	1	.	3	1	.	.	.	.	1
	„ 22,	22·9	1·3	17	.	.	.	.	1	.	.	.	4	.	1	.	2	.	.	.	1
Pop. in 1913 (Est.) 38,769.	Mar. 1,	26·9	.	20	.	.	.	.	.	.	.	.	2	.	1	3	2	.	.	1	1
	„ 8,	21·5	1·3	16	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	1	1
	„ 15,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
Pembroke Urban District.	Jan. 25,	15·7	.	9	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 8,	13·9	1·7	8	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 22,	17·4	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.
Pop. in 1913 (Est.) 29,942.	Mar. 1,	24·4	3·5	14	.	.	.	.	.	1	.	.	4	1	2	.	2	1	.	.	.
	„ 8,	8·7	1·7	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 15,	24·4	1·7	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
Kingstown Urban District.	Jan. 25,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 1,	15·4	3·1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 8,	24·6	.	8	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	1
	„ 15,	43·1	3·1	14	.	.	.	.	1	.	.	.	1	1	.	3	1	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1
Pop. in 1911 16,941.	Mar. 1,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 8,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	„ 15,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
Belfast.	Jan. 25,	24·5	3·0	186	.	.	.	13	4	.	2	.	12	6	5	18	34	4	.	6	2
	Feb. 1,	22·9	2·9	174	.	.	.	19	1	.	2	.	16	11	4	19	29	.	.	2	4
	„ 8,	23·2	3·0	176	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	3
	„ 15,	19·9	2·1	151	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	.
Pop. in 1913 (Est.) 396,000.	„ 22,	25·4	1·8	193	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	1
	Mar. 1,	23·4	0·9	178	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3
	„ 8,	23·3	2·5	177	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	2
	„ 15,	23·7	1·7	180	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	1
Cork.	Jan. 25,	21·8	0·7	32	.	.	.	.	1	.	.	.	5	2	1	4	5	.	.	.	1
	Feb. 1,	32·6	.	48	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2
	„ 8,	22·4	.	33	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	1
	„ 15,	29·2	0·7	43	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	2
Pop. in 1911 76,673.	„ 22,	23·8	.	35	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	1
	Mar. 1,	28·6	0·7	42	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	3
	„ 8,	24·5	1·4	36	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.
	„ 15,	27·9	0·7	41	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	1
Londonderry.	Jan. 25,	30·5	.	24	.	.	.	.	.	.	.	.	1	2	2	.	5	.	.	.	1
	Feb. 1,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	.
	„ 8,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 15,	19·1	1·3	15	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	.	1
Pop. in 1913 (Est.) 41,000.	„ 22,	19·1	.	15	.	.	.	.	.	.	.	.	2	.	2	.	5	.	.	.	.
	Mar. 1,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 8,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.
	„ 15,	17·8	1·3	14	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.
Limerick.	Jan. 25,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3
	Feb. 1,	17·6	.	13	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.
	„ 8,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	2
	„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	3
Pop. in 1911 38,518.	„ 22,	17·6	1·4	13	.	.	.	1	.	.	.	.	3	.	2	1	1	.	.	.	3
	Mar. 1,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	„ 8,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	3
	„ 15,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
Waterford.	Jan. 25,	19·0	3·8	10	.	.	.	.	.	2	.	.	1	.	1	.	2	.	.	1	1
	Feb. 1,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	1·9	14	.	.	.	.	.	1	.	.	2	.	.	2	3	.	.	.	.
	„ 15,	26·6	5·7	14	.	.	.	.	.	3	.	.	2	.	.	.	1	.	.	.	1
Pop. in 1911 27,464.	„ 22,	20·9	3·8	11	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.
	Mar. 1,	13·3	3·8	7	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	34·2	1·9	18	.	.	.	.	.	1	.	.	2	.	3	.	3	.	.	1	.
	„ 15,	26·6	3·8	14	.	.	.	.	.	2	.	.	1	1	.	.	3	.	.	.	3

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th March, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	2	29·6	.	9	1	2	1	2	2	1	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2	.
Do. 2 do.	49,500	27	20·0	2·1	19	3	1	2	1	7	5	.	.	.	2	.	.	.	.	2	.	.	.	4	.	.	1	1	7	.
Do. 3 do.	50,032	33	25·0	.	24	8	2	4	3	3	4	.	.	.	.	.	.	.	.	4	1	2	4	3	.	.	1	1	4	.
Do 4 do.	32,637	17	36·7	8·0	23	8	.	2	4	6	3	.	.	.	2	.	.	.	.	3	1	1	.	2	3	.	.	.	13	.
Do. 5 do.	16,112	6	38·8	3·2	12	3	2	1	1	2	3	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	6	1
Do. 6 do.	37,293	14	22·4	.	16	3	.	2	3	5	3	.	.	.	.	.	.	.	.	3	.	1	1	3	.	.	.	.	7	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	35·0	8·7	4	1	1	.	1	.	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 9 do.	24,427	22	12·8	.	6	1	1	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.	.
Do. 10 do.	28,958	17	14·4	.	8	3	.	1	2	2	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.	1	.
Do. 11 do.	39,311	20	15·9	.	12	5	.	1	3	1	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	2	.
Do. 12 do.	38,076	40	34·2	1·4	25	3	4	5	4	7	2	.	.	.	.	.	.	1	.	5	3	.	3	5	.	.	2	2	10	.
Do. 13 do.	23,233	12	11·2	2·2	5	.	1	2	.	.	2	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	39·1	4·6	17	1	3	.	4	5	4	.	.	.	1	.	.	.	.	3	.	.	1	4	1	.	.	1	8	.
Total,	386,947	222	23·7	1·7	180	40	17	21	29	41	32	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	6	62	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	4	11·6	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Do 2 do.	10,701	9	50·1	5·0	10	1	4	.	2	2	1	.	.	.	1	.	.	.	.	.	2	.	1	1	.	.	.	.	1	.
Do 3 do.	9,978	6	26·6	.	5	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	3	1
Do 4 do.	8,666	6	22·8	.	4	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do 5 do.	6 592	2	25·0	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do 6 do.	10,702	8	13·5	.	3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Do. 7 do.	16,616	7	42·2	.	13	1	1	7	.	1	3	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	1	.	9	.
Total,	76,122	42	27·9	0·7	41	3	8	8	3	9	10	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	.	20	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered, ...	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222
DEATHS registered, ...	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180
Annual Death-rate per 1,000 of estimated population, ...	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7
AGES, Under 1 year, ...	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40
1—5 years, ...	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17
5—25 „ ...	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21
25—45 „ ...	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29
45—65 „ ...	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41
65 and upwards, ...	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32
Deaths from :—																										
Enteric Fever, ...	1	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6
Scarlet Fever, ...	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.
Whooping-cough, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.
Diphtheria, ...	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28
Tuberculous Disease. Other Forms,	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7
Cancer, ...	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4
Diseases of Respiratory System, Pneumonia,	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18
Diseases of Respiratory System, Others, ...	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28
Diarrhœa and Enteritis, under 2 years, ...	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4
Diarrhœa, 2 years and upwards,		3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.
Violent Deaths, ...	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4
Number of Uncertified Deaths, ...	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Mar. 15,	2,172	1,526	17·6	.	.	77	3	24	5	18*a*
Edinburgh, ...	320,300	„ 15,	139	108	16·8	.	.	.	1	2	.	1
Glasgow, ...	1,021,500	„ 15,	568	404	20·6	.	.	6	3	39	4	7
Calcutta, ...	896,067	Feb. 1,	.	549	31·8	88*	.	8	.	.	1†	106‡
Bombay, ...	979,445	„ 8,	345	609	32·3	87*	3	5	.	.	.	65‡
Madras, ...	518,660	„ 15,	312	490	49·1	119*	.	7	?	?	?	136‡
Cairo, ...	704,956	Dec. 16,	703	392	29·0	3	.	.	1	?	9†	33*a*
Paris, ...	2,847,229	Mar. 1,	902	1,071	19·2	4	.	27	7	14	1†	15*a*
Brussels, ...	745,380	Feb. 22,	213	188	13·1	.	.	1	1	3	.	8
Antwerp, ...	312,884	Mar. 1,	110	80	13·3	.	.	3	1	4	.	7*a*
Amsterdam, ...	588,443	Feb. 22,	294	167	14·8	.	.	1	1	2	3	.
Copenhagen, ...	468,000	„ 22,	215	119	13·3	.	.	1	1	1	1†	3*a*
Stockholm, ...	368,796	„ 22,	147	87	12·3	.	.	.	.	.	.	2*a*
Christiania, ...	247,488	Mar. 1,	98	58	12·2	.	.	.	.	.	1	2
St. Petersburg, ...	1,686,000	Feb. 8,	716	745	23·0	9	.	21	19	5	12†	42
Moscow, ...	1,635,800	Jan. 25,	.	730	23·3	1	.	16	13	4	19	42
Berlin, ...	2,098,215	Feb. 8,	835	573	14·2	1	.	1	12	6	13†	17
Hamburg, ...	1,006,748	„ 22,	.	262	13·5	.	.	2	2	2	14†	7*a*
Breslau, ...	535,872	„ 22,	.	210	20·4	.	.	10	.	4	2	16
Munich, ...	627,010	„ 22,	.	173	14·3	.	.	1	.	.	1	6
Vienna (with suburbs),	2,098,225	„ 22,	722	775	19·2	1	.	4	5	9	8†	29*a*
Buda-Pesth, ...	930,666	„ 22,	499	351	19·6	.	.	5	14	.	7†	5*a*
Prague and Faubourgs,	489,194	„ 8	174	205	21·9	1	.	1	2	2	1†	8*a*
Trieste, ...	237,192	„ 22,	154	123	27·0	1	.	4	.	2	.	1*a*
Rome, ...	575,091	Nov. 9,	274	155	14·1	.	.	.	.	.	.	12
		„ 16,	356	180	16·3	2	.	.	1	.	1	13
New York, ...	5,372,983	Feb. 15,	2,394	1,732	16·8	4	.	8	10	8	38†	25*a*
Philadelphia, ...	1,631,960	Jan. 11	.	613	19·5	1	.	9	2	1	4†	10*a*
		„ 18,	.	507	16·2	3	.	8	4	1	10	6
Boston, ...	735,399	Feb. 22,	.	253	17·9	3	.	4	3	1	6	5

* Deaths from "fever," including 6 from enteric fever and 9 from plague in Calcutta, 3 from enteric fever and 26 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 23 deaths from cholera in Calcutta, 4 in Bombay, and one in Madras

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th March, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 1, West, ...	.	2	4	.	1	.	.	2	.	.	.	.	.	9
" " 2, ...	.	.	.	.	.	.	.	2	1	.	.	.	.	3
" " 3, ...	.	1	.	.	1	.	1	.	4	.	.	2	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	2	.	.	1	3	.	.	6	.	13
" " 2, ...	.	.	.	.	.	.	.	.	2	.	.	2	.	4
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
" " 4, ...	.	1	.	.	1	.	.	.	.	.	.	2	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	8	4	.	5	.	1	5	11	.	.	13	.	47

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th March, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th March.			
	Feb. 22.	Mar. 1.	Mar. 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	31	30	31	7	5	2	31
Typhus, ...	10	6	4	4	1	.	7
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	4	6	.	1	.	5
Scarlet Fever, ...	128	120	113	13	17	.	109*
Diphtheria, ...	34	30	34	4	12	1	25
Pneumonia, ...	23	25	22	9	4	1	26

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 15th March, 1913:—

"Very little change took place during this week in the relative distribution of atmospheric pressure over the Atlantic Ocean and Western and Central Europe. Atmospheric depressions of considerable magnitude still passed eastwards from Iceland to Northern Russia, their secondaries crossed the British Isles in an easterly or north-easterly direction, and a broad band of high pressure (30·3 inches to 30·6 inches) stretched from the Azores across Central Europe to the Black Sea. On Sunday morning the barometer readings ranged from 30·73 inches at Brest to 28·87 inches at Reykjavik, Iceland. The day was windy and dull with showers in the early morning and at night. By Monday morning the central area of low pressure had reached the north-western coast of Norway, the barometer being down to 28·73 inches at Bodö but up to 30·71 inches at Belfort, in the east of France. Fresh to strong westerly gales had swept over the north of Ireland, Scotland and the adjoining islands during Sunday and on Monday morning. Finer weather prevailed on Monday and Tuesday, and Wednesday morning broke with a frost in Central England. In Ireland, after a brief cold spell, a S.W. wind, clouds, and a higher temperature attended a V-shaped depression which advanced from the Atlantic. At 7 a.m. of Thursday its 'trough' stretched from Bodö (N.W. Norway) to the North of Spain. At the hour named a frost prevailed in parts of Ireland (including Dublin) and the N.E. of Scotland. During Friday and Saturday the barometer was very unsteady. Hail-showers fell on Friday afternoon, and a very heavy though brief snowstorm passed over Dublin at 6·40 a.m. of Saturday. In this City the mean height of the barometer was 30·009 inches, pressure ranging between 30·381 inches at 9 p.m. of Tuesday (wind, W.) and 29·519 inches at 9 p.m. of Saturday (wind, S.W.). The corrected mean temperature was 43·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. was 43·7°. On Wednesday the screened thermometers rose to 51·4°, on Thursday they fell to 32·3°. The prevailing winds were S.W. and W. The rainfall was ·367 inch on 5 days, including ·199 inch on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·030 inches. The highest reading (30·388) was on Tuesday at 9 p.m., air calm, the lowest (29·557) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 41·1°, being 1·1° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday, Wednesday, and Friday, on which days the thermometer registered 51°, and was lowest on Thursday, the mercury having fallen to 24°. The mean of the Dry Bulb for the week was 42·0° and of the Wet Bulb, 40·8°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·450 inch.

At Greenwich the mean temperature for the week was 45·4°, the maximum 56·2°, and the minimum 29·0°; at Glasgow the maximum was 49·0°, the minimum 31·9°, and the mean 41·8°; and at Edinburgh the maximum was 49·4°, the minimum 32·0°, and the mean 40·7°. The rainfall at Greenwich measured 0·28 in.; at Glasgow 0·98 in.; and at Edinburgh 0·40 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 9,	30·215	50	41	45·5	47·6	46·5	·93	·7	0·0	·060	S.W.	W.S.W.
Monday, „ 10,	30·250	50	42	46·0	45·4	44·2	·91	·7	0·0	·080	W.S.W.	S.E.
Tuesday, „ 11,	30·310	51	31	41·0	40·4	38·7	·85	·7	8·2	·000	W.	Calm
Wednesday, „ 12,	30·145	51	28	39·5	42·1	40·6	·89	·4	3·0	·000	S.S.W.	W.N.W.
Thursday, „ 13,	29·810	50	24	37·0	42·8	42·3	·96	·7	0·2	·030	Calm.	S.W.
Friday, „ 14,	29·725	51	34	42·5	39·0	37·5	·86	·6	2·6	·110	S.W.	W.S.W.
Saturday, „ 15,	29·755	43	30	36·5	36·9	36·1	·94	·8	3·4	·170	S.W.	S.W.
Mean, ...	30·030	49·4	32·9	41·1	42·0	40·8	·91	·7	Total 17·4	Total ·450	Prevailing Wind, S.W.	

Sunday—Day overcast; night cloudy, drizzling and heavy rain 10.30 p.m. to 12.30 a.m. *Monday*—Day overcast, drizzling rain 5.30 to 8.15 p.m.; night overcast, drizzling rain 11.25 p.m. to 3.0 a m. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—A dull day, rain 7.45 to 9 0 p.m.; night overcast to clear, rain 9.0 to 9.40 p.m. *Friday*—Day cloudy, rain at intervals a.m. and p.m.; night cloudy. *Saturday*—Day cloudy, rain at intervals p.m.; night cloudy, rain and snow at intervals.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 15th March, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 9,	46·7	42·4	44·7	51	40	45·5	—	·047
Monday „ 10,	46·6	43·7	44·7	51	43	47	—	·022
Tuesday, „ 11,	47·1	44·8	44·7	51	27	39	7·6	—
Wednesday, „ 12,	45·8	44·0	44·1	52	37	44·5	3·3	—
Thursday, „ 13,	42·4	43·5	44·9	51	31	41	0·3	·014
Friday, „ 14,	45·7	43·9	44·9	53	35	44	3·4	·082
Saturday, „ 15,	37·8	43·1	44·9	45	32	38·5	3·7	·186
Weekly Mean,	44·6	43·6	44·7	50·6	35	42·8	Total 18·3	Total ·351

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 22ND MARCH, 1913. [No. 12.

General Register Office, Charlemont House,
Dublin, 25th March, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 1	Mar. 8	Mar. 15	Mar. 22	
27 Town Districts, (a)	**23·1**	**23·2**	**23·4**	**21·7**	**22·8**
Dublin Reg. Area ...	26·9	23·0	23·5	21·6	23·7
Dublin City ...	28·4	24·5	25·0	22·8	25·2
Belfast	23·4	23·3	23·7	25·0	23·8
Cork	28·6	24·5	27·9	21·1	25·5
Londonderry ...	10·2	14·0	17·8	11·4	13·4
Limerick	16·2	19·0	19·0	20·3	18·6
Waterford	13·3	34·2	26·6	3·8	19·5

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 190 deaths from all causes for Belfast are 5 from measles, 2 from scarlet fever, one from diphtheria, and 3 from diarrhœal diseases. Two of the 31 deaths from all causes for Cork are from measles. One of the 2 deaths for Waterford is from whooping-cough. Among the 12 deaths from all causes for Newry are 6 from measles. One death from measles is among the 3 deaths from all causes for Wexford. The 6 deaths from all causes for Sligo include 2 from enteric fever and one from diphtheria. One of the 2 deaths for Kilkenny is from enteric fever; and the 2 deaths for Bray include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 218—120 boys and 98 girls—and the deaths to 178—82 males and 96 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·6 per 1,000 of the population. During the twelve weeks, ending with Saturday last, the death-rate averaged 22·2, and was 3·1 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 178, represent an annual rate of 23·0 per 1,000; the annual rate for the past twelve weeks was 23·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

The total deaths (178) include 3 from enteric fever, one from typhus, 2 from whooping-cough, 6 from influenza, and 4 from diarrhœa and enteritis of children under 2 years. In the 3 preceding weeks deaths from enteric fever were 2, one, and 0; deaths from typhus were one, one, and 0; deaths from whooping-cough were 6, 2, and 2; deaths from influenza were 3, 3, and 8; and deaths from diarrhœa and enteritis of children under 2 years of age were 6, 3, and 5 respectively.

Tuberculous disease caused 28 deaths, comprising 20 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, one from tuberculosis of the vertebral column, 2 from tuberculosis of joints, one from tuberculosis of uterus, and one from disseminated tuberculosis. In the 3 weeks preceding deaths from tuberculous disease were 42, 21, and 33, respectively.

Nine deaths were due to broncho-pneumonia, 3 to lobar pneumonia, and 6 to pneumonia (type not distinguished).

Five deaths were caused by cancer.

The deaths of 4 infants under one year of age were ascribed to convulsions, 5 to prematurity, one to congenital malformation, and 3 to congenital debility.

Bronchitis caused 28 deaths, and organic diseases of the heart 13 deaths.

One death was caused by accidental burns.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the death of one person aged 74 years.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 11 were under one month old) and 39 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 92, and 92 years respectively.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions: of this number 12 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000; the rate in the City was 22·8 (North City Districts, 23·0; South, 22·7) and in the Suburbs, 17·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·9, and in the South 1·4), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000, and include one from influenza, 3 from pulmonary tuberculosis, 2 from pneumonia, and 3 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 31·9 per 1,000. Included in the total are one from each of enteric fever, and typhus, 4 from tuberculous disease, one from broncho-pneumonia, one from pneumonia, 7 from bronchitis, and one from enteritis of a child under 2 years.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. The total includes one from influenza, 2 from bronchitis, and one from enteritis of a child under 2 years.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 19·3 per 1,000, and include one from whooping-cough, 3 from pulmonary tuberculosis, one from lobar pneumonia, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 26·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 4·9. Included in the 7 deaths from all causes for Coolock and Drumcondra, part of, are one from each of enteric fever, pulmonary tuberculosis and bronchitis.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 28·4 per 1,000. The total includes one from influenza, 5 from tuberculous disease, 2 from broncho-pneumonia, one from lobar pneumonia, and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·8 per 1,000. Enteric fever caused one death, tuberculous disease 3 deaths, broncho-pneumonia one death, pneumonia one death, and bronchitis 4 deaths.

No. 3 South City District (Peter-street).—The deaths (12) are equal to an annual rate of 14·5 per 1,000, and include one from whooping-cough, 3 from tuberculous disease, one from bronchitis, and one from enteritis of a child under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000. Broncho-pneumonia caused one death, bronchitis 4 deaths, and enteritis of a child under 2 years, one death.

New Kilmainham District.—The only death for this district (equal to an annual rate of 5·3 per 1,000) was from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·8; Pembroke, 15·7; Blackrock, 34.2; and Kingstown, 27·7. There were no deaths from any of the principal epidemic diseases tabulated for these districts during the week. Included in the 8 deaths from all causes for the first-named district are one from influenza, 2 from pulmonary tuberculosis, and one from each of broncho-pneumonia and pneumonia. Among the 9 deaths from all causes for Pembroke are one from influenza, 2 from broncho-pneumonia, and one from each of lobar pneumonia and bronchitis. The 6 deaths from all causes for Blackrock include one from influenza and one from pneumonia, and one of the 9 deaths from all causes for Kingstown is from bronchitis.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 22nd March, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 1,	.	—	—	6	2	.	3	.	1	4	6	1	—	—	.	—	7	.	30
	Mar. 8,	.	—	—	10	1	.	3	.	.	5	4	.	—	—	.	—	14	.	37
	Mar. 15,	.	—	—	8	4	.	5	.	1	5	11	.	—	—	.	—	13	.	47
	Mar. 22,	.	—	—	7	.	.	5	.	1	8	1	.	—	—	.	—	8	.	30
Rathmines and Rathgar Urban District.	Mar. 1,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
	Mar. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Mar. 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Mar. 1,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	6	—	7
	Mar. 8,	.	.	.	.	.	.	2	.	.	.	1	.	—	1	—	—	.	—	4
	Mar. 15,	.	.	.	3	.	.	.	.	.	.	.	.	—	1	—	—	.	—	4
	Mar. 22,	.	1	.	.	.	.	4	.	.	.	.	.	—	.	—	—	.	—	5
Blackrock Urban District.	Mar. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Mar. 1,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Mar. 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	2	—	3
	Mar. 15,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
City of Belfast.	Mar. 1,	.	—	—	23	.	.	8	.	.	1	4	1	—	—	—	—	11	—	48
	Mar. 8,	.	—	—	12	.	.	10	.	.	6	1	.	—	—	—	—	13	—	42
	Mar. 15,	.	—	—	23	.	.	6	.	1	2	9	.	—	—	—	—	18	—	59
	Mar. 22,	.	—	—	18	.	.	4	.	.	2	1	.	—	—	—	—	6	—	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd March, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital during the week, one was discharged, there were 2 deaths, and 35 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 30, 31, and 31.

One case of typhus was admitted to hospital during the week, there was one death, and 7 cases remained under treatment at the close of the week.

Three cases of measles were admitted to hospital during the week, 5 were discharged, and 3 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 4, 6, and 5, respectively.

Ten cases of scarlet fever were admitted to hospital, 27 were discharged, and 92* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 120, 113, and 109, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 2 were discharged and there were two deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 30, 34, and 25 respectively, were 33 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 17·2), was equal to an average annual death-rate of 16·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·4 per 1,000, the rate for Glasgow being 19·5, and for Edinburgh 17·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd March. From this Report it appears that of a total of 54 cases notified, 30 were phthisis, 14 scarlet fever, 6 diphtheria, 3 erysipelas, and one enteric fever. Among the 396 cases of infectious diseases in hospital at the close of the week were 133 cases of scarlet fever, 111 of phthisis, 44 of measles, 40 of whooping-cough, 30 of diphtheria, 11 of erysipelas, 7 of chicken-pox, 6 of enteric fever, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 22nd March, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 22nd March, 1913. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 8th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	23·7	21·7	1·6	546	499	104	110	6	1	...	14	2	4	2	...	49	21	14	54	84	7	1	4	13	143	14	° ...	° ...	° ..	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	28·2	21·6	1·3	218	167	34	37	3	1	...	...	..	2	...	...	20	5	5	17	30	4	...	...	1	67	3	e 49	21	39·5	0·29	e 51	24	41·1	0·45	e 56	30	42·9	1·18
CITY OF DUBLIN,	308,187	39·0	32·8	22·8	1·7	194	135	33	24	3	1	...	...	...	2	...	...	18	5	4	11	28	4	...	...	1	58	2	f 50·1 g 48·9	28·1 24·6	41·1 40·6	0·19 0·26	f 51·4 g 52·3	32·3 28·0	43·9 42·4	0·37 0·37	f 57·1 g 57·8	32·9 31·0	44·6 43·8	0·96 1·02
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	6·7	10·8	·	5	8	1	3	...	...	...	...	...	...	...	..	2	...	...	2	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,942	19·0	13·9	15·7	·	8	9	...	5	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK. ...	9,161	8·5	28·5	34·2	·	5	6	...	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	18·5	27·7	·	6	9	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	1	49	27	39·9	0·17	53	31	44·7	0·22	58	35	45·4	0·87
Urban Districts. BELFAST ..	396,000	26·5	26·7	25·0	1·4	203	190	49	30	...	...	...	5	2	...	1	...	18	9	5	27	36	2	1	4	10	42	...	51·0	24·5	38·7	0·71	52	30	41·5	0·96	53·0	32·5	43·5	0·87
CORK, ..	76,673	28·6	10·2	21·1	1·4	15	31	4	7	...	...	...	2	...	...	...	...	4	4	3	2	2	...	...	...	...	15	1	49	31	41·6	0·89	51	35	44·2	0·84	52	34	44·8	1·04
LONDONDERRY...	41,000	15·9	21·6	11·4	·	17	9	1	5	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	9·5	20·3	·	7	15	4	5	...	...	...	...	...	...	...	...	1	...	...	...	6	...	..	...	...	6	3	49·4	26	40	0·74	51·6	27·6	42·2	0·84	54·0	32·5	43·8	1·09
WATERFORD, ...	27,464	19·1	17·1	3·8	1·9	9	2	...	1	...	·	...	...	...	1	...	...	...	...	...	..	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				4	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	50	28	40·5	1·85	53	30	41	1·25	54	27	42	1·58
DUNDALK, ...	13,128	9·5				3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				8	6	1	1	...	..	...	..	...	...	...	..	1	2	...	...	1	...	...	...	...	...	...	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91
DROGHEDA, ...	12,501	8·4				3	7	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				8	4	...	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91
NEWRY, ...	11,963	17·0				4	12	4	3	...	...	...	6	...	...	...	...	1	...	...	...	1	...	...	...	1	2	...	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91
PORTADOWN, ...	11,727	15·3				2	8	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91
WEXFORD. ...	11,531	22·8				10	3	1	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				2	4	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				3	6	...	...	2	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	5	...	52	27	38·0	1·30	51	24	40·0	1·53	58	33	43·0	1·64
KILKENNY, ...	10,514	11·4				3	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	49	23	39·6	0·76	51	28	41·6	0·62	55	30	41·1	0·91
TRALEE. ...	10,300	17·4				5	4	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				2	4	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				3	4	1	2	...	...	...	...	...	...	...	...	...	...	...	..	2	...	...	...	...	..	1	49	28	38·7	0·67	50	31	40·8	0·62	56	34	43·6	0·84
QUEENSTOWN, ...	8,209	14·7				2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	49	31	41·6	0·89	51	35	44·2	0·84	52	34	44·8	1·04
LARNE, ...	8,036	13·4				4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				4	4	...	4	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				1	2	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	1	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89	54·7	31·0	42·5	0·91

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 11 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd of March, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3	.
Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	1	.	.	.	.	1	.	.	.	.	1	1	1	.	6	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	3	.	3	.	1	.	4	2	1	.	1	2	.	.	.	20	.
Tuberculous Disease. { Other Forms,	.	1	.	.	.	.	.	1	1	2	.	.	.	.	.	.	5	3
Cancer,	2	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	5	.
Diseases of Nervous System,	1	3	.	1	.	1	.	1	2	2	2	.	2	1	1	1	18	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	3	.	.	1	.	.	.	1	1	.	.	.	2	3	13	1
" Respiratory System. { Pneumonia,	2	2	.	1	.	.	.	3	2	.	1	.	2	3	1	.	17	1
" Respiratory System. { Others,	3	8	3	1	.	1	.	3	4	1	4	.	.	1	.	1	30	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	1	1	.	.	.	.	.	.	1	1	.	.	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	3	.
" Digestive System. { Others,	2	1	.	2	.	.	.	.	.	.	1	.	.	.	.	2	8	2
" Genito-urinary System,	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	3	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	2	4	3	.	2	1	4	.	2	4	.	.	1	.	2	25	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	3	.
Deaths from All Causes	14	25	12	13	.	7	1	22	14	12	14	1	8	9	6	9	167	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·4	31·9	22·4	19·3	.	26·9	4·9	28·4	39·8	14·5	22·0	5·3	10·8	15·7	34·2	27·7	21·6	.
	23·0							22·7					17·6					
	22·8																	
Ages at Death. { Under 1 year,	3	4	.	4	.	2	.	7	2	5	6	.	1	.	.	.	34	1
1 and under 2 years,	.	1	1	2	.	.	.	.	.	1	.	.	.	1	.	.	6	.
2 " 5 "	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.	.	5	.
5 " 15 "	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15 " 25 "	1	2	.	1	.	1	1	1	4	1	.	1	1	.	.	.	14	1
25 " 45 "	3	8	5	3	.	1	.	4	2	.	2	.	1	.	1	2	32	4
45 " 65 "	5	7	.	2	.	2	.	5	1	1	4	.	2	2	3	4	38	3
65 and upwards,	1	3	6	.	.	1	.	3	4	4	2	.	3	5	2	3	37	2
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	4	2	4	.	2	.	3	4	3	4	.	3	.	.	1	33	9
Workhouse Hospitals,	1	5	4	.	.	.	1	7	6	3	2	.	.	1	2	2	34	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 22nd March, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907	Mar. 21, 1908.	Mar. 27, 1909.	Mar. 26, 1910.	Mar. 25, 1911.	Mar. 23, 1912.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·0	° 43·6	° 43·8	° 40·3	° 43·9	° 37·7	° 43·5	° 43·4	° 41·7	° 40·8	° 42·5	° 39·5										
ALL CAUSES.	225	235	169	193	174	193	216	185	214	203	200·7	178	11	24	6	5	1	15	36	41	20	19
Enteric Fever, ...	3	.	1	.	.	1	1	1	2	1	1·0	3	.	.	.	.	.	3	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	5	4	.	3	1	6	1	3	6	3·1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	4	.	.	.	.	1	.	.	1	2	·8	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	6	5	1	.	7	1	2	2	6	.	3·0	2	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	2	2	.	1	1	.	1	1	1	3	1·2	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	2	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	4	4	1	4	8	4	6	1	1	3·4	6	.	.	.	.	.	.	2	1	2	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	.	1	.	.	1	1	.	1	·6	2	.	.	.	.	.	.	2	.	.	.
Other Epidemic Diseases, ...	.	5	1	.	.	2	.	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	2	.	.	.	2	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	30	36	37	32	24	26	22	26	32	30	29·5	20	.	.	.	.	.	4	9	6	1	.
Tuberculous Meningitis, ...	10	4	1	5	5	6	3	4	6	.	4·4	2	.	1	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	.	1	1	2	1	.	1	2	2	1	1·1	1	.	1	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of Joints, ...	9	4	3	4	7	6	3	4	7	.	5·0	2	.	.	.	.	.	.	1	1	.	.
Tuberculosis of other Organs,										.		1	.	.	.	.	.	.	1	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	2	2	1	2	.	.	1	1	1	1·0	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	6	10	8	11	6	8	9	6	10	4	7·8	5	.	.	.	.	.	.	1	3	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	2	.	.	.	.	2	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Diabetes, ...	.	1	2	.	1	.	.	2	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	2	.	—	1	.	.	.	.	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	2	1	.	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										5		4	.	.	.	.	.	.	.	2	1	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		2	.	.	.	.	.	.	1	.	1	.
Epilepsy, ...										.		1	.	.	.	.	.	1	.	.	.	.
Convulsions (non-puerperal),										5		5	3	1	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	56	47	37	49	28	46	49	32	50	4	45·5	6	.	.	.	.	.	.	3	3	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										20		13	.	.	.	.	.	.	3	6	2	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	22	29	17	31	28	22	44	32	24	41	29·0	28	.	6	1	.	.	1	4	8	6	2
Broncho-pneumonia, ...	5	6	5	6	12	8	9	6	5	14	7·6	9	.	5	.	1	.	.	.	1	2	.
Lobar pneumonia, ...	.	2	1	.	2	.	5	1	.	2	1·3	3	.	.	1	.	.	.	.	1	1	.
Pneumonia (type not distinguished)	8	2	4	7	8	9	11	7	8	6	7·0	6	.	1	.	.	.	2	1	1	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	5	4	1	2	2	1	4	3	.	2·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		2	.	.	.	.	.	.	2	.	.	.

TWELFTH WEEK ending Saturday, 22nd March, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 22nd March, 1913.										
													Deaths of Persons of the Ages of									
	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 27, 1909.	Mar. 26, 1910.	Mar. 25, 1911.	Mar. 23, 1912.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·0	° 43·6	° 43·8	° 40·3	° 43·9	° 37·7	° 43·5	° 43·4	° 41·7	° 40·8	° 42·5	° 39·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	1	.	.	.	.	3	·4	1	.	.	.	.	1	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	3	—	4	.	.	1	1	.	.	1	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	4	2	1	6	4	3	5	3	8	2	4·0	4	.	2	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									1	1		3	.	.	.	1	.	.	.	.	.	2
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	1	—	2	.	.	.	.	.	.	1	1	.	.
Cirrhosis of Liver, ...	.	.	2	1	.	1	.	1	.	.	·5	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Liver, ...	2	1	1	2	.	2	1	3	.	.	1·2	1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	10	5	7	5	5	4	11	.	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										.		1	.	.	.	.	.	1	.	.	.	.
Chronic Bright's Disease, ...										3		2	.	.	.	.	.	.	.	2	.	.
Urinary Calculi, ...										1		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	11	5	5	2	7	12	6	6	.	6·6	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		1	.	.	.	.	.	1	.	.	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	.	1	.	.	.	2	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	1	1	.	2	.	.	1	.	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	1	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	5	6	4	2	4	2	1	3	3	4	3·4	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	8	—	3	2	1	.	.	.	.	.	.	.	.
Old Age, ...	6	11	4	3	2	8	2	5	7	4	5·2	10	.	.	.	.	.	.	.	.	1	9
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	1	—	2	1	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	1	1	.	.	.	1	2	.	·7	1	.	.	.	.	.	.	.	.	.	1
Drowning, ...	1	2	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	1	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	5	3	.	1	3	.	2	.	1	1	1·6	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	7	6	2	4	4	.	2	1	4	1	3·1	1	.	.	.	.	.	.	.	.	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	6	—	3	.	.	1	.	.	.	.	.	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered.	186	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218
Average Births in corresponding week of previous 10 years, ...	249	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220
DEATHS registered, ...	141	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178
Annual Death-rate per 1,000, ...	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0
Average Deaths in corresponding week of previous 10 years, ...	163	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201
Ages, Under 5 years, ...	36	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46
5—15 " ...	6	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1
15—25 " ...	10	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15
25—45 " ...	23	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36
45—65 " ...	36	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41
65—75 " ...	15	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20
75 and upwards, ...	15	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19
Deaths from :—																										
Enteric Fever, ...	1	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
Scarlet Fever, ...	2	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.
Whooping-cough, ...	.	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2
Diphtheria, ...	2	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.
Influenza, ...	1	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6
Dysentery, ...	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	18	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20
Tuberculous Disease, Other Forms,	7	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8
Cancer, ...	14	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5
Diseases of Circulatory System,	17	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14
Diseases of Respiratory System, Pneumonia,	9	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18
Diseases of Respiratory System, Others, ...	18	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30
Diarrhœa and Enteritis, under 2 years, ...	2	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4
Diarrhœa, 2 years and upwards,	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	4	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1
Number of Uncertified Deaths,	3	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3
Mean Temperature of the Air (Phœnix Park)	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5
Average Mean Temperature in corresponding week of previous 10 years, ...	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5
Rainfall in inches, ...	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285
Mean Humidity of the Air, complete Saturation 1·0, ...	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd March, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND MARCH, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	178	46	1	15	36	41	20	19	3	1	.	.	.	2	.	.	20	8	5	5	18	30	4	.	1	81	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	3	1	2	5	6	3	6	1	.	.	.	.	.	.	.	3	1	1	1	3	1	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·5	37	10	.	3	6	10	4	4	1	.	.	.	.	.	.	.	5	3	2	.	4	10	1	.	.	11	.
IV.	GENERAL SERVICE CLASS, ...	154,279	25·0	74	26	.	8	14	16	6	4	1	1	.	.	.	2	.	.	9	3	1	4	9	11	1	.	.	32	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	7	.	2	10	7	6	4	.	.	.	.	.	.	.	.	3	1	1	.	2	7	2	.	1	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	.	.	1	.	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	3	1	1	1	.	.	1	1	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	.	.	1	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	1	1	1	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	2	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	3	.
	10. Clothing Trades, ...	23,260	6·7	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.
	11. Food Supply Trades	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	5	.	1	3	6	2	2	.	.	.	.	.	.	.	.	1	2	1	.	2	6	.	.	.	7	.
	13. Petty Shopkeepers	7,894	26·4	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	10·0	7	.	.	2	3	1	1	.	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	.	.	1	3	2	1	1	.	1	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	25	.	5	8	10	4	3	.	.	.	.	.	2	.	.	6	2	.	4	4	9	1	.	.	27	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	36	7	.	2	10	7	6	4	.	.	.	.	.	.	.	.	3	1	1	.	2	7	2	.	1	19	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Feb. 1,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
		„ 8,	22·7	.	13	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	.
		„ 15,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
		„ 22,	36·6	1·7	21	.	.	.	.	.	1	.	.	3	2	.	3	4	.	.	1	1
		Mar. 1,	22·7	1·7	13	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.
		„ 8,	29·6	.	17	.	.	.	.	.	.	.	.	2	1	.	5	5	.	.	.	1
		„ 15,	19·2	.	11	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.	1	1
		„ 22,	24·4	.	14	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Feb. 1,	21·7	2·6	17	.	.	.	.	.	.	.	.	.	2	.	.	9	2	.	.	3
		„ 8,	17·9	1·3	14	.	.	.	1	.	.	.	.	3	1	1	1	1	.	.	1	.
		„ 15,	19·1	1·3	15	.	.	.	1	.	.	.	.	6	1	.	1	.	.	.	.	.
		„ 22,	29·3	2·6	23	.	.	.	.	.	.	1	.	5	1	1	3	2	1	.	.	1
		Mar. 1,	38·3	5·1	30	1	.	.	.	.	1	.	.	3	.	1	2	7	2	.	.	.
		„ 8,	33·2	.	26	.	.	.	.	.	.	.	.	3	.	2	3	9	.	.	.	2
		„ 15,	30·6	.	24	.	.	.	.	.	.	.	.	4	1	.	5	5	.	.	.	1
		„ 22,	31·9	3·8	25	1	1	.	.	.	.	.	.	3	1	.	2	8	1	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Feb. 1,	20·6	.	11	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
		„ 8,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
		„ 15,	31·8	.	17	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
		„ 22,	44·9	1·9	24	1	.	.	.	.	.	.	.	9	1	1	1	4	.	.	.	.
		Mar. 1,	31·8	.	17	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	1	1
		„ 8,	28·1	1·9	15	.	.	.	.	.	.	.	.	1	.	.	2	4	1	.	1	.
		„ 15,	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	.	.
		„ 22,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Feb. 1,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
		„ 8,	13·3	1·5	9	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
		„ 15,	23·7	3·0	16	.	.	.	.	.	.	.	.	1	1	2	2	2	2	.	.	.
		„ 22,	22·2	1·5	15	.	.	.	.	.	.	1	.	.	1	2	3	.	.	.	1	.
		Mar. 1,	31·1	3·0	21	.	1	.	.	.	.	.	.	3	1	.	2	4	1	.	.	1
		„ 8,	20·7	1·5	14	.	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1	.
		„ 15,	25·2	1·5	17	.	.	.	.	.	.	1	.	2	2	1	1	3	.	.	.	.
		„ 22,	19·3	1·5	13	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Feb. 1,	19·4	1·3	15	.	.	.	.	.	1	.	.	4	.	.	1	2	.	.	.	1
		„ 8,	24·5	1·3	19	.	.	.	.	.	1	.	.	5	1	.	.	4	.	.	2	.
		„ 15,	29·7	2·6	23	.	.	.	.	.	.	.	.	2	3	1	.	6	2	.	1	1
		„ 22,	27·1	5·2	21	.	.	.	.	.	2	.	.	3	.	.	1	4	2	.	1	.
		Mar. 1,	33·6	1·3	26	1	.	.	.	.	.	.	.	7	1	.	.	6	.	.	.	.
		„ 8,	22·0	1·3	17	.	.	.	.	.	1	.	.	6	.	.	2	2	.	.	1	.
		„ 15,	33·6	3·9	26	.	.	.	.	.	2	.	.	1	2	1	1	5	1	.	.	1
		„ 22,	28·4	.	22	.	.	.	.	.	.	.	.	4	1	2	3	3	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Feb. 1,	19·9	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
		„ 8,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	2	.	1	1	2	.	.	.
		„ 15,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
		„ 22,	28·4	.	10	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1
		Mar. 1,	28·4	5·7	10	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	1
		„ 8,	22·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
		„ 15,	17·1	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
		„ 22,	39·8	2·8	14	1	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Feb. 1,	19·4	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
		„ 8,	19·4	1·2	16	1	.	.	.	.	.	.	.	3	3	1	4	1	.	.	1	.
		„ 15,	18·1	2·4	15	.	.	.	.	.	1	1	.	3	.	3	1	1	.	.	.	.
		„ 22,	29·0	2·4	24	.	.	.	.	.	1	.	.	2	2	.	3	1	1	.	.	1
		Mar. 1,	23·0	2·4	19	.	.	.	.	.	2	.	.	3	.	.	2	3	.	.	.	.
		„ 8,	18·1	.	15	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	1
		„ 15,	26·6	.	22	.	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	2
		„ 22,	14·5	2·4	12	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Feb. 1,	26·7	4·7	17	.	.	.	.	.	.	.	.	1	.	1	3	5	3	.	.	.
		„ 8,	9·4	1·6	6	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	.
		„ 15,	25·2	.	16	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	.	.
		„ 22,	11·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
		Mar. 1,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.
		„ 8,	29·9	.	19	.	.	.	.	.	.	.	.	2	.	2	1	5	.	.	.	1
		„ 15,	26·7	3·1	17	.	.	.	.	.	.	1	.	2	1	2	1	3	1	.	1	.
		„ 22,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Feb. 1,	16·1	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 8,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.
	„ 15,	22·9	1·3	17	.	.	.	.	.	1	.	.	1	.	3	1	.	.	.	.	1
	„ 22,	22·9	1·3	17	.	.	.	.	1	.	.	.	4	.	1	.	2	.	.	.	1
	Mar. 1,	26·9	.	20	.	.	.	.	.	.	.	.	2	.	1	3	2	.	.	1	1
	„ 8,	21·5	1·3	16	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	1	1
	„ 15,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 22,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Feb. 1,	13·9	.	8	.	.	.	..	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 8,	13·9	1·7	8	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 22,	17·4	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.
	Mar. 1,	24·4	3·5	14	.	.	.	.	.	1	.	.	4	1	2	.	2	1	.	.	.
	„ 8,	8·7	1·7	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 15,	24·4	1·7	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Feb. 1,	15·4	3·1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 8,	24·6	.	8	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	1
	„ 15,	43·1	3·1	14	.	.	.	.	1	.	.	.	1	1	.	3	1	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1
	Mar. 1,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 8,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	„ 15,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	Feb. 1,	22·9	2·9	174	.	.	..	19	1	.	2	.	16	11	4	19	29	.	.	2	4
	„ 8,	23·2	3·0	176	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	3
	„ 15,	19·9	2·1	151	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	.
	„ 22,	25·4	1·8	193	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	1
	Mar. 1,	23·4	0·9	178	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3
	„ 8,	23·3	2·5	177	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	2
	„ 15,	23·7	1·7	180	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	1
	„ 22,	25·0	1·4	190	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	.
Cork. Pop. in 1911 76,673.	Feb. 1,	32·6	.	48	.	.	.	.	.	.	.	.	6	2	2	4	8	.	.	1	2
	„ 8,	22·4	.	33	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	1
	„ 15,	29·2	0·7	43	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	2
	„ 22,	23·8	.	35	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	1
	Mar. 1,	28·6	0·7	42	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	3
	„ 8,	24·5	1·4	36	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.
	„ 15,	27·9	0·7	41	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	1
	„ 22,	21·1	1·4	31	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Feb. 1,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	1	.	5	.	.	.	.
	„ 8,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 15,	19·1	1·3	15	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	.	1
	„ 22,	19·1	.	15	.	.	.	.	.	.	.	.	2	.	2	.	5	.	.	.	.
	Mar. 1,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 8,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.
	„ 15,	17·8	1·3	14	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.
	„ 22,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Limerick. Pop. in 1911 38,518.	Feb. 1,	17·6	.	13	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.
	„ 8,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	2
	„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	3
	„ 22,	17·6	1·4	13	.	.	.	1	.	.	.	.	3	.	2	1	1	.	.	.	3
	Mar. 1,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	„ 8,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	3
	„ 15,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 22,	20·3	.	15	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	3
Waterford. Pop. in 1911 27,464.	Feb. 1,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	1·9	14	.	.	.	.	.	1	.	.	2	.	.	2	3	.	.	.	.
	„ 15,	26·6	5·7	14	.	.	.	.	.	3	.	.	2	.	.	.	1	.	.	.	1
	„ 22,	20·9	3·8	11	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.
	Mar. 1,	13·3	3·8	7	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	34·2	1·9	18	.	.	.	.	.	1	.	.	2	.	3	.	3	.	.	1	.
	„ 15,	26·6	3·8	14	.	.	.	.	.	2	.	.	1	1	.	.	3	.	.	.	3
	„ 22,	3·8	1·9	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd March, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	11	19·7	.	6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	1	.
Do. 2 do.	49,500	32	19·0	.	18	5	1	1	2	4	5	.	.	.	.	.	.	.	.	2	1	1	3	4	.	.	1	1	4	.
Do. 3 do.	50,032	21	35·4	1·0	34	10	3	1	7	7	6	.	.	.	.	1	.	.	.	3	1	1	10	4	.	.	.	2	7	.
Do 4 do.	32,637	21	32·0	3·2	20	7	1	2	3	2	5	.	.	.	1	1	.	.	.	.	2	.	1	5	.	.	1	2	8	.
Do. 5 do.	16,112	6	38·8	3·2	12	2	4	.	3	2	1	.	.	.	1	.	.	.	.	.	3	.	2	.	.	.	1	1	4	.
Do. 6 do.	37,293	10	19·6	.	14	4	1	4	1	3	1	.	.	.	.	.	.	.	.	3	1	.	2	4	.	.	.	.	1	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	8·7	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	13	17·1	.	8	3	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	3	.
Do. 10 do.	28,958	20	23·4	5·4	13	2	2	3	1	3	2	.	.	.	2	.	.	.	.	3	.	.	.	.	.	1	.	.	3	.
Do. 11 do.	39,311	11	27·9	2·7	21	3	3	3	2	5	5	.	.	.	.	.	.	1	.	2	.	1	2	2	1	.	1	1	2	.
Do. 12 do.	38,076	32	31·5	1·4	23	7	3	2	2	6	3	.	.	.	.	.	.	.	.	2	.	1	2	9	1	.	.	1	3	.
Do. 13 do.	23,233	13	13·5	.	6	.	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	32·2	2·3	14	3	2	1	4	4	.	.	.	.	1	.	.	.	.	3	.	.	3	2	.	.	.	.	6	.
Total,	386,947	203	25·0	1·4	190	49	23	19	29	40	30	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	10	42	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	11·6	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do 2 do.	10,701	2	35·1	5·0	7	1	.	3	.	1	2	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
Do 3 do.	9,978	3	26·6	.	5	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	2	.
Do 4 do.	8,666	2	28·5	5·7	5	.	2	.	1	1	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do 5 do.	6 592	.	8·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	3	22·5	.	5	.	.	2	1	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	1
Do. 7 do.	16,616	2	16·2	.	5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	4	.
Total,	76,122	15	21·1	1·4	31	4	4	6	5	5	7	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	.	15	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered, ...	181	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203
DEATHS registered, ...	105	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190
Annual Death-rate per 1,000 of estimated population, ...	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0
AGES, Under 1 year, ...	21	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49
1—5 years, ...	8	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23
5—25 „ ...	15	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19
25—45 „ ...	15	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29
45—65 „ ...	32	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40
65 and upwards, ...	14	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5
Scarlet Fever, ...	2	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2
Whooping-cough, ...	.	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.
Diphtheria, ...	1	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18
Tuberculous Disease. Other Forms,	9	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9
Cancer, ...	2	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4	5
Diseases of Respiratory System, Pneumonia,	5	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27
Diseases of Respiratory System, Others, ...	12	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36
Diarrhœa and Enteritis, under 2 years, ...	3	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2
Diarrhœa, 2 years and upwards,	3	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1
Violent Deaths, ...	3	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4
Number of Uncertified Deaths, ...	.	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Mar. 22,	1,968	1,490	17·2	.	.	69	4	23	8	25*a*
Edinburgh, ...	320,300	„ 22,	105	109	17·8	.	.	.	1	7	.	2
Glasgow, ...	1,021,500	„ 22,	505	382	19·5	.	.	4	3	33	1	8
Calcutta, ...	896,067	Feb. 8,	.	515	29·8	89*	2	4	.	.	1†	94‡
Bombay, ...	979,445	„ 15,	393	656	34·8	87*	5	3	.	.	.	80‡
Madras, ...	518,660	„ 22,	231	443	44·1	88*	.	2	?	?	?	124‡
Cairo, ...	704,956	Dec. 23,	675	383	28·3	4	1	.	.	?	13†	42*a*
Paris, ...	2,847,229	Mar. 8,	1,033	1,124	20·2	5	.	30	3	5	3†	20*a*
Brussels, ...	767,252	„ 1,	267	218	14·7	.	.	.	1	1	3†	6
Antwerp, ...	308,618	„ 8,	132	108	18·2	1	.	2	2	1	1	16*a*
Amsterdam, ...	588,443	„ 1,	274	160	14·2	1	.	3	.	.	3†	3*a*
Copenhagen, ...	468,000	„ 1,	247	128	14·3	.	.	.	2	3	1†	3*a*
Stockholm, ...	368,798	„ 1,	167	85	12·0	.	.	.	.	.	1	1*a*
Christiania, ...	247,488	„ 8,	136	79	16·6	.	.	.	.	.	.	2
St. Petersburg, ...	1,686,000	Feb. 15,	938	661	20·4	8	1	17	19	3	.	32
Moscow, ...	1,635,800	„ 1,	.	791	25·2	1	.	24	18	5	15	35
Berlin, ...	2,095,645	„ 15,	801	581	14·5	1	.	5	4	6	10†	12
Hamburg, ...	1,006,748	Mar. 1,	430	291	15·3	.	.	4	6	1	9†	14*a*
Breslau, ...	536,437	„ 1,	.	225	21·8	.	.	9	.	6	1	16
Munich, ...	627,010	„ 1,	.	186	15·4	1	.	.	.	1	.	4
Vienna (with suburbs),	2,098,225	„ 8,	744	767	19·0	2	.	5	2	6	9†	27*a*
Buda-Pesth, ...	930,666	„ 1,	517	389	21·7	1	.	3	11	.	9†	11*a*
Prague and Faubourgs,	489,194	Feb. 15,	182	157	16·7	1	.	1	3	2	4†	11*a*
Trieste, ...	237,192	Mar. 1,	148	133	29·2	.	.	3	1	2	.	2*a*
Rome, ...	575,091	Nov. 23,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Feb. 22,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,631,960	Jan. 25,	.	488	15·5	3	.	2	4	.	14	16*a*
		Feb. 1,	.	514	16·4	4	.	6	2	2	4	13
Boston, ...	735,399	Mar. 1,	.	284	20·1	2	.	4	2	3	4	5

* Deaths from "fever," including 8 from enteric fever and 8 from plague in Calcutta, 2 from enteric fever and 20 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 30 deaths from cholera in Calcutta, 5 in Bombay, and one in Madras

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd March, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West, ...	.	1	.	.	2	.	1	.	.	.	.	.	.	4
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
„ „ 3, ...	.	3	.	.	.	.	.	1	.	.	.	1	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	1	.	.	1	.	.	.	3	.	5
„ „ 2, ...	.	1	.	.	.	.	.	1	.	.	.	.	.	2
„ „ 3, ...	.	.	.	.	2	.	.	1	.	.	.	2	.	5
„ „ 4, ...	.	.	.	.	.	.	.	2	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	5	.	1	8	1	.	.	8	.	30

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd March, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd March.			
	Mar. 1.	Mar. 8.	Mar. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	31	31	7	1	2	35
Typhus, ...	6	4	7	1	.	1	7
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	6	5	3	5	.	3
Scarlet Fever, ...	120	113	109	10	27	.	92*
Diphtheria, ...	30	34	25	12	2	2	33
Pneumonia, ...	25	22	26	8	8	1	25

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 22nd March, 1913:—

"Cold and unsettled weather lasted through this week. The distribution of atmospheric pressure was cyclonic, and the British Isles lay in a trough of low pressure of a depth by no means usual in March. Sunday morning found the barometer below 29·2 inches in a depression centred on the Ocean between the Faeroe and the Shetlands, but above 30·5 inches at the Azores. In Dublin the day broke with snow lying on the ground and fresh W.S.W. to S.W. winds. By Monday morning a cyclonic system had developed over East Anglia, and its cold northerly winds were blowing with considerable force in the north and west of Scotland and the north of Ireland. A fresh to strong S.W. gale prevailed at the same time in the Straits of Dover. Showers of rain, sleet and hail fell at many stations. This disturbance travelled north-eastwards to Sweden, growing steadily deeper, so that the barometer fell to 28·6 inches in the south of that country on Tuesday morning. At this time a still more serious depression threatened the western shores of Ireland and Scotland, and at 7 a.m. of Wednesday the barometer fell to 28·36 inches at Castlebay, Barra Island. At 4 a.m. it had been as low as 28·70 inches even in Dublin. Gales sprang up on all coasts and showers of rain, sleet and hail alternated with finer brighter spells. At Southport gusts at the rate of 77 miles an hour were registered. Thunder and lightning occurred in the south. The barometer recovered very slowly until Saturday, when the sky became overcast and the wind backed from S.S.W. to S.E., as another depression advanced towards the English Channel from the Atlantic. In a tolerably calm interval on Monday night a sharp frost occurred in most parts of the British Islands—21° in the screen was recorded at Buxton; 23° at North Shields, Harrogate, and Darwen; 25° at Nottingham, Blackpool, and Birr Castle; 28° at several stations, including Dublin. In this last-named City the mean height of the barometer was 29·278 inches, the range of pressure being from 29·757 inches at 9 p.m. of Monday (wind, N.N.W.) to 28·700 inches about 4 a.m. of Wednesday (wind, S.W.). The corrected mean temperature was 41·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·3°. On Tuesday the screened thermometers fell to 28·1°, on Saturday they rose to 50·9°. The prevailing winds were W. and S.W. Rain fell in measurable quantity on 5 days to the amount of ·190 inch, ·127 inch being measured on Tuesday. Sleet fell on Sunday and Monday, hail on Wednesday, Thursday, and Friday. Lightning was seen on Thursday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·312 inches. The highest reading (29·796) was on Monday at 9 p.m., wind N.W., the lowest (28·992) on Wednesday at 9 a.m., wind W S.W.

The mean temperature for the week was 39·5°, being 3·0° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Saturday, on which day the thermometer registered 49°, and was lowest on Tuesday, the mercury having fallen to 21°. The mean of the Dry Bulb for the week was 39·6° and of the Wet Bulb, 37·5°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·285 inch.

At Greenwich the mean temperature for the week was 43·0°, the maximum 56·8°, and the minimum 28·2°; and at Edinburgh the maximum was 49·4°, the minimum 24·8°, and the mean 37·5°. The rainfall at Greenwich measured 1·42 ins.; and at Edinburgh 1·05 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 16,	29·525	43	31	37·0	36·3	34·8	·86	·7	6·7	·000	S.W.	S.W.
Monday, " 17,	29·620	43	32	37·5	35·5	33·6	·83	·6	3·9	·020	W.	N.W
Tuesday, " 18,	29·355	45	21	33·0	40·1	37·1	·77	·7	1·4	·160	Calm.	S.
Wednesday, " 19,	29·035	48	36	42·0	39·0	37·6	·88	·8	6·6	·055	W.S.W.	W.S.W.
Thursday, " 20,	29·155	47	35	41·0	40·2	38·0	·83	·7	4·0	·050	S.W.	S.S.W.
Friday, " 21,	29·220	47	37	42·0	42·7	40·6	·83	·5	1·2	·000	S.S.W.	S.S.W.
Saturday, " 22,	29·275	49	39	44·0	43·4	41·1	·83	·5	0·8	·000	S.S.E.	Calm.
Mean, ...	29·312	46·0	33·0	39·5	39·6	37·5	·83	·6	Total 24·6	Total ·285	Prevailing Winds, S.W. & S.S.W.	

Sunday—A beautiful bright day; night clear. *Monday*—Day cloudy, drizzling rain 11.45 a.m. to 1.0 p.m.; night clear. *Tuesday*—Day cloudy, showers at intervals a.m. and p.m.; night cloudy. *Wednesday*—A fine day, heavy shower 5.10 to 5.25 p.m.; night cloudy, showers at intervals 4.0 to 7.0 a.m. *Thursday*—Day cloudy, heavy showers at intervals p.m.; night clear. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—A dull day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 22nd March, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 16,	38·4	42·2	44·9	43·8	32·0	37·9	8·0	—
Monday " 17,	39·0	42·0	44·9	44·7	32·5	38·6	4·7	—
Tuesday, " 18,	36·3	41·1	44·8	44·8	41·8	43·3	1·2	·138
Wednesday, " 19,	43·1	41·9	44·7	39·9	37·2	38·5	7·1	·04
Thursday, " 20,	40·8	42·6	44·4	40·8	32·1	36·4	4·3	—
Friday, " 21,	45·2	42·0	44·5	43·8	40·0	41·9	1·1	—
Saturday, " 22,	46·8	42·0	44·3	41·7	39·8	40·7	—	·01
Weekly Mean, .	41·4	42·0	44·6	42·8	36·5	39·6	Total 26·4	Total ·188

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33588. Wt. P. 360-45/139. 375. 1. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 29TH MARCH, 1913. [No. 13.

General Register Office, Charlemont House,
Dublin, 31*st March,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 23·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 8	Mar. 15	Mar. 22	Mar. 29	
27 Town Districts, (a)	**23·2**	**23·4**	**21·7**	**23·8**	**23·0**
Dublin Reg. Area ...	23·0	23·5	21·6	24·2	23·1
Dublin City ...	24·5	25·0	22·8	25·0	24·3
Belfast	23·3	23·7	25·0	24·5	24·1
Cork	24·5	27·9	21·1	22·4	24·0
Londonderry ...	14·0	17·8	11·4	20·3	15·9
Limerick	19·0	19·0	20·3	27·1	21·4
Waterford	34·2	26·6	3·8	32·3	24·2

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·1 per 1,000. Among the 186 deaths from all causes for Belfast are 8 from measles, one from each of scarlet fever and diphtheria, and 3 from diarrhœal diseases. Among the 33 deaths from all causes for Cork are one from enteric fever, 2 from measles, and one from diarrhœa. Two of the 17 deaths from all causes for Waterford are from whooping-cough. One of the 2 deaths for Lisburn is from enteric fever. Included in the 8 deaths from all causes for Newry are 5 from measles, and one from diarrhœa of a child under 2 years of age. One of the 2 deaths for Wexford is from measles, and one of the 9 deaths from all causes for Tralee is from the same disease. Among the 8 deaths from all causes for Larne is one from each of whooping-cough and diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—129 boys and 101 girls—and the deaths to 196—107 males and 89 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*). For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·2 per 1,000 of the population. During the thirteen weeks, ending with Saturday last, the death-rate averaged 22·3, and was 3·0 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 196, represent an annual rate of 25·4 per 1,000; the annual rate for the past thirteen weeks was 23·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·6 per 1,000 of the mean population for all deaths registered.

The total deaths (196) include one* from enteric fever, 7 from whooping-cough, 6 from diphtheria, 6 from influenza, and 5* from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks deaths from enteric fever were one, 0, and 3; deaths from whooping-cough were 2, 2, and 2; deaths from diphtheria were 0, 2, and 0; deaths from influenza were 3, 8, and 6; and deaths from diarrhœa and enteritis of children under 2 years were 3, 5, and 4 respectively.

Tuberculous disease caused 29 deaths, comprising 22 from pulmonary tuberculosis, 2 from tuberculous meningitis, 3 from abdominal tuberculosis, and 2 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 21, 33, and 28, respectively.

There were 12 deaths from broncho-pneumonia, 3 from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Twelve deaths were caused by cancer.

The deaths of 4 infants under one year of age were ascribed to convulsions, 3 to premature birth, 4 to congenital malformations, and 4 to congenital debility.

Bronchitis caused 31 deaths, and organic diseases of the heart 16 deaths.

There were 4 accidental deaths, 2 of which were by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 persons aged 65 years and upwards.

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 9 were under one month old) and 52 were aged 65 years and upwards, including 35 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 90, and 114 years respectively.

Eighty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 31 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·2 per 1,000; the rate in the City was 25·0 (North City Districts, 20·7; South, 29·9) and in the Suburbs, 21·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·2 (in the North City Districts 1·0, and in the South 3·6), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000, and include 2 from influenza, 2 from pulmonary tuberculosis, and 4 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·1 per 1,000. The total includes one from pulmonary tuberculosis, 2 from broncho-pneumonia, one from pneumonia, and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. The total includes one from each of influenza, pulmonary tuberculosis, broncho-pneumonia, and lobar pneumonia.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 22·2 per 1,000, and include 2 from whooping-cough, 2 from tuberculous disease, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 23·1 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 14·7. Among the 6 deaths from all causes for Coolock and Drumcondra, part of, are 2 from pulmonary tuberculosis and one from enteritis of a child under 2 years of age; and one of the 3 deaths for Finglas and Glasnevin, part of, is from tuberculous peritonitis.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 28·4 per 1,000. Whooping-cough caused one death, tuberculous disease 4 deaths, broncho-pneumonia one death, lobar pneumonia one death, bronchitis 5 deaths, enteritis under 2 years of age one death, and there was one accidental death.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·0 per 1,000, and include one from diphtheria, one from pulmonary tuberculosis, one from lobar pneumonia, and 4 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·7 per 1,000. The total includes 2 from whooping-cough, one from diphtheria, 8 from tuberculous disease, 2 from broncho-pneumonia, one from pneumonia, 6 from bronchitis, and there was one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000. Whooping-cough caused one death, tuberculous peritonitis one death, and broncho-pneumonia 2 deaths, and bronchitis 5 deaths.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·7 per 1,000. Whooping-cough caused one death, and there were 2 deaths of children under 2 years of age from enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·2; Pembroke, 22·6; Blackrock, 28.5; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diphtheria for each of Pembroke and Blackrock. Among the 15 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis, 3 from broncho-pneumonia, and 2 from bronchitis. Included in the 13 deaths from all causes for Pembroke are one from influenza, 2 from disseminated tuberculosis, one from broncho-pneumonia, and one from bronchitis. One of the 5 deaths from all causes for Blackrock is from influenza; and included in the 6 deaths from all causes for Kingstown are one from each of influenza, pulmonary tuberculosis, and pneumonia, and 2 deaths from accidental drowning.

* See note (*c*) Table II.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 29th March, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 8,	.	—	—	10	1	.	3	.	.	5	4	.	—	—	.	—	14	.	37
	Mar. 15,	.	—	—	8	4	.	5	.	1	5	11	.	—	—	.	—	13	.	47
	Mar. 22,	.	—	—	7	.	.	5	.	1	8	1	.	—	—	.	—	8	.	30
	Mar. 29,	.	—	—	8	1	.	10	.	1	2	.	.	—	—	.	—	12	.	34
Rathmines and Rathgar Urban District.	Mar. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
	Mar. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Mar. 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 29,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Mar. 8,	.	.	.	.	.	.	2	.	.	.	1	.	—	1	—	—	.	—	4
	Mar. 15,	.	.	.	3	.	.	.	.	.	.	.	.	—	1	—	—	.	—	4
	Mar. 22,	.	1	.	.	.	.	4	.	.	.	.	.	—	.	—	—	.	—	5
	Mar. 29,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	—	—	4	—	7
Blackrock Urban District.	Mar. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 29,	.	—	—	2	.	.	26	.	.	.	.	.	—	—	.	—	—	—	28
Kingstown Urban District.	Mar. 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	2	—	3
	Mar. 15,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	Mar. 29,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	3	—	5
City of Belfast.	Mar. 8,	.	—	—	12	.	.	10	.	.	6	1	.	—	—	—	—	13	—	42
	Mar. 15,	.	—	—	23	.	.	6	.	1	2	9	.	—	—	—	—	18	—	59
	Mar. 22,	.	—	—	18	.	.	4	.	.	2	1	.	—	—	—	—	6	—	31
	Mar. 29,	.	—	—	20	.	.	8	.	.	1	5	.	—	—	—	—	6	—	40

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th March, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 32 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 31, 31, and 35.

Two cases of typhus were admitted to hospital during the week, one was discharged, and 8 cases remained under treatment at the close of the week.

Four cases of measles were admitted to hospital during the week, and 7 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 6, 5, and 3, respectively.

Fifteen cases of scarlet fever were admitted to hospital, 9 were discharged, and 98* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 113, 109, and 92, respectively.

Thirty-three cases of diphtheria were admitted to hospital during the week, 10 were discharged and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 34, 25, and 33 respectively, were 52 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 3 were discharged, there were 3 deaths, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·4), was equal to an average annual death-rate of 16·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 17·6, and for Edinburgh 15·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th March. From this Report it appears that of a total of 51 cases notified, 23 were phthisis, 16 scarlet fever, 5 diphtheria, and 7 erysipelas. Among the 399 cases of infectious diseases in hospital at the close of the week were 130 cases of scarlet fever, 110 of phthisis, 53 of measles, 46 of whooping-cough, 28 of diphtheria, 12 of erysipelas, 6 of enteric fever, 4 of chicken-pox, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 29th March, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 29th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
Total of 27 Town Districts, ..	1,199,180	19·0	29·7	23·8	2·1	683	547	99	126	2	...	...	17	1	10	8	...	70	24	24	47	77	8	3	14	21	171	19	...	...	...	...	...	...	..	...	...	...	...	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	29·8	24·2	2·2	230	187	29	49	...	...	...	...	...	7	6	...	22	7	10	18	34	4	...	4	5	78	4	c 52	25	41·1	0·46	c 49	21	39·5	0·29	c 51	24	41·1	0·45
City of Dublin,	308,187	39·0	33·7	25·0	2·2	199	148	27	36	...	...	...	...	...	7	2	...	18	5	7	13	29	4	...	2	3	70	4	f 52·2 g 51·9	33·6 28·4	43·9 42·2	0·54 0·50	f 50·1 g 48·9	28·1 24·6	41·1 40·6	0·19 0·26	f 51·4 g 52·3	32·3 28·0	43·9 42·4	0·37 0·37
Urban Districts. Rathmines & Rathgar.	38,769	22·6	16·1	20·2	.	12	15	1	6	...	...	...	...	...	...	...	..	3	...	1	3	3	...	...	...	...	1	...	..	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	29,942	19·0	12·2	22·6	3·5	7	13	...	4	...	...	...	...	...	...	2	...	...	2	2	1	2	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	11·4	28·5	11·4	2	5	1	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	30·8	18·5	.	10	6	...	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	2	2	...	...	52	33	43·8	0·43	49	27	39·9	0·17	53	31	44·7	0·22
Urban Districts. Belfast ..	396,000	26·5	29·6	24·5	1·7	225	186	42	31	...	...	...	8	1	...	1	...	33	4	8	19	22	2	1	9	14	49	2	54·5	29·0	42·6	0·31	51·0	24·5	38·7	0·71	52	30	41·5	0·96
Cork, ..	76,673	28·6	22·4	22·4	2·7	33	33	4	6	1	...	...	2	...	...	...	...	2	4	1	3	2	...	1	1	2	13	1	53	36	44·9	0·72	49	31	41·6	0·89	51	35	44·2	0·84
Londonderry...	41,000	15·9	25·4	20·3	.	20	16	2	4	...	...	...	...	...	...	...	...	2	...	...	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	60·9	27·1	.	45	20	3	6	...	...	...	...	...	...	...	...	1	1	...	...	3	...	..	...	...	10	2	55·2	30·2	43·3	0·63	49·4	26	40	0·74	51·6	27·6	42·2	0·84
Waterford, ...	27,464	19·1	30·4	32·3	3·8	16	17	4	4	...	...	...	...	...	2	...	...	4	1	2	...	2	...	...	...	...	7	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5				8	8	2	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	4	55	32	44·3	0·32	50	28	40·5	1·85	53	30	41	1·25
Dundalk, ...	13,128	9·5				3	6	3	1	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				2	7	1	2	...	...	...	..	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89
Drogheda, ...	12,501	8·4				6	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				6	2	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89
Newry, ...	11,963	17·0				6	8	3	...	...	...	...	5	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89
Portadown, ...	11,727	15·3				2	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Wexford, ...	11,531	22·8				10	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				2	5	1	1	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	56	27	42·0	0·14	52	27	38·0	1·30	51	24	40·0	1·53
Sligo, ...	11,163	3·8				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1	54	29	43·7	0·55	49	23	39·6	0·76	51	28	41·6	0·62
Kilkenny, ...	10,514	11·4				11	6	...	4	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Tralee, ...	10,300	17·4				1	9	...	4	...	...	...	1	...	...	...	...	1	1	...	1	2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				10	5	1	1	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	...	50	34	42·5	0·38	49	28	38·7	0·67	50	31	40·8	0·62
Queenstown, ...	8,209	14·7				4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	53	36	44·9	0·72	49	31	41·6	0·89	51	35	44·2	0·84
Larne, ...	8,036	13·4				8	8	3	2	...	...	...	...	...	1	1	...	2	...	1	...	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine. ...	7,785	7·7				7	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				6	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				7	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				7	2	...	2	...	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	1	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69	49·8	30·0	41·3	0·89

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under one year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area; among the 9 deaths there was one from enteric fever, and one from enteritis of a child under 2 years. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 29th of March, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	2	.	.	.	1	.	2	1	1	.	.	.	.	7	.
Diphtheria,	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	6	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	6	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	2	1	1	1	.	2	.	3	1	7	.	.	3	.	.	1	22	.
Tuberculous Disease. Other Forms,	.	.	.	1	.	.	1	1	.	1	1	.	.	2	.	.	7	.
Cancer,	.	.	1	1	.	.	.	1	2	1	1	.	1	2	.	.	10	2
Diseases of Nervous System,	.	4	1	3	.	1	1	.	.	.	1	.	.	1	.	.	12	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	1	3	.	.	1	1	2	1	3	1	.	2	.	.	.	17	.
" Respiratory System. Pneumonia,	.	3	2	.	.	.	.	2	1	3	2	.	3	1	.	1	18	1
" Respiratory System. Others,	4	4	.	1	.	.	.	5	4	6	5	.	3	2	.	.	34	.
" Digestive System. Diarrhœa and Enteritis, under 2 years,	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	.	4	1
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. Others,	.	1	1	.	.	.	.	.	.	1	.	.	.	1	.	1	5	1
" Genito-urinary System,	1	.	.	1	.	.	.	1	.	1	1	.	1	.	.	.	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	3	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	1	1	3	.	1	.	2	3	.	1	1	1	1	2	.	19	.
Violent Deaths,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	4	.
Ill-defined, &c. Causes,	1	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.	6	1
Deaths from All Causes	14	15	12	15	.	3	3	22	13	27	16	5	15	13	5	6	187	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·4	19·1	22·4	22·2	.	23·1	14·7	28·4	37·0	32·7	25·2	26·7	20·2	22·6	28·5	18·5	24·2	.
	20·7							29·9					21·4					
	25·0																	
Ages at Death. Under 1 year,	1	4	3	4	.	1	.	6	3	2	.	3	1	.	1	.	29	1
1 and under 2 years,	.	.	.	1	.	.	.	1	.	2	3		.	2	1	.	10	.
2 " 5 "	.	.	1	.	.	.	.	1	1	2	1	1	.	1	.	.	8	.
5 " 15 "	1	.	1	1	.	1	.	1	.	2	.	.	.	1	1	.	9	.
15 " 25 "	.	1	1	3	.	.	1	.	.	2	1	.	.	1	.	3	13	1
25 " 45 "	3	2	3	1	.	1	.	5	2	6	.	.	4	1	1	1	30	1
45 " 65 "	2	7	1	1	.	1	2	4	3	6	5	.	4	3	.	.	39	3
65 and upwards,	7	1	2	4	.	2	.	4	4	5	6	1	6	4	1	2	49	3
Number of Uncertified Deaths,	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	3	5	.	1	.	4	3	6	4	.	1	4	2	.	39	6
Workhouse Hospitals,	3	3	.	3	.	1	.	7	5	11	5	.	.	1	.	.	39	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 29th March, 1913.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.				5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
	Apr. 4, 1903.	Apr. 2, 1904.	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.	Apr. 1, 1911.	Mar. 30, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.						
Mean Temperature.	45·1°	42·1°	44·8°	39·4°	47·2°	43·9°	43·8°	39·7°	42·7°	48·3°	43·7°	41·1°										
ALL CAUSES.	204	219	192	198	189	211	204	168	177	236	199·8	196	9	21	10	8	9	14	31	42	33	19
Enteric Fever, ...	2	2	1	3	.	.	.	4	1	.	1·3	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	2	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	1		.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	4	.	4	.	9	.	2	7	3·0	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	1	.	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	11	.	2	4	3	6	1	5	2	3·6	7	.	3	2	2	.	.	.	.	.	.
Diphtheria, ...	6	.	1	3	1	1	4	.	1	6	2·3	6	.	.	3	1	2	.	.	.	.	.
Croup, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	2	4	2	2	14	2	6	2	2	3·8	6	.	.	.	.	.	1	1	.	2	2
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	1	.	.	.	2	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	27	45	25	27	27	29	14	16	15	25·2	22	.	.	.	.	2	4	14	2	.	.
Tuberculous Meningitis, ...	4	7	4	5	2	3	2	2	7	5	4·1	2	.	.	.	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	2	4	2	1	2	2	.	.	4	2	1·9	3	.	.	2	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	9	6	7	9	7	4	12	2	2	1	6·5	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										6		2	.	.	.	1	.	.	.	1	.	.
Venereal Diseases, ...	3	.	1	3	.	1	1	2	.	1	1·2	1	.	.	.	.	.	.	.	1	.	.
Cancer, ...	9	3	4	4	8	7	4	14	13	9	7·5	12	.	.	.	.	.	.	.	9	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	2	.	1	1	1	.	1	2	.	.	·8	1	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	3	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	4	3	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	1	.	1	2	.	1	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		1	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										9		3	.	.	.	.	.	.	.	1	2	.
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										7		4	.	4	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	43	38	37	47	29	46	44	37	44	5	41·1	5	.	.	.	.	.	1	1	2	.	1
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										19		16	.	.	.	.	2	1	3	7	1	2
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										3		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	26	31	22	25	27	35	23	22	21	41	27·3	31	.	3	1	1	.	.	.	10	10	6
Broncho-pneumonia, ...	3	9	4	2	13	9	8	6	11	21	8·6	12	.	3	.	2	.	1	1	2	2	1
Lobar pneumonia, ...	1	3	1	3	5	1	2	1	1	3	2·1	3	.	.	.	.	.	.	2	.	.	1
Pneumonia (type not distinguished)	7	11	7	5	6	7	6	7	1	12	6·9	4	.	.	.	.	.	1	1	.	2	.
Pleurisy, ...										2		2	.	.	.	.	.	.	2	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	3	2	2	4	3	2	1	3	3	3·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										1		.	.	.	.	.	.	.	.	.	.	.

THIRTEENTH WEEK ending Saturday, 29th March, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 29th March, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 4, 1903.	Apr. 2, 1904.	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.	Apr. 1, 1911.	Mar. 30, 1912.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 45·1	° 42·1	° 44·8	° 39·4	° 47·2	° 43·9	° 43·8	° 39·7	° 42·7	° 48·3	° 43·7	° 41·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	3	—	3	.	1	.	.	.	.	1	.	1	.
Diarrhœa and Enteritis of Children under 2 years.	5	2	6	4	4	2	8	.	2	1	3·6	5	2	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									1	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	1		1	.	.	.	1	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	1	.	.	.	2	.	1	1	2	·7	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	2	3	2	1	1	1	.	2	.	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1	13	4	15	6	3	5	4	1	2	5·4	2	.	.	.	.	.	.	1	1	.	.
Acute Nephritis, ...	2	6	5	3	2	11	10	8	2	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		5	.	.	.	.	.	.	1	3	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	2	.	.	1	2	1	1	2	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	.	—	3	.	.	1	.	.	1	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	2	—	4	3	1	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	3	3	2	6	4	7	3	1	3·3	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	3	—	4	1	3	.	.	.	.	.	.	1	5
Old Age, ...	6	8	7	3	4	5	4	6	7	6	5·6	6	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	1	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	1	.	1	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	.	1	.	3	2	1	1	2	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	2	1	.	.	.	.	.	1	1	·6	2	.	.	.	.	.	2	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	1	1	4	1	.	.	4	2	3	2·0	2	.	.	.	.	.	.	1	.	1	.
Total Deaths from Accident,	7	4	3	5	5	3	3	5	5	4	4·4	4	.	.	.	.	.	2	1	.	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	7	5	—	7	.	.	.	.	1	.	.	1	4	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912-3—WEEK ENDING																									
	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered.	240	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230
Average Births in corresponding week of previous 10 years, ...	195	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232
DEATHS registered, ...	136	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196
Annual Death-rate per 1,000, ...	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4
Average Deaths in corresponding week of previous 10 years, ...	159	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200
Ages, Under 5 years, ...	28	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48
5—15 „ ...	5	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9
15—25 „ ...	6	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14
25—45 „ ...	18	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31
45—65 „ ...	43	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42
65—75 „ ...	27	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33
75 and upwards, ...	9	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19
Deaths from :—																										
Enteric Fever, ...	2	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.
Whooping-cough, ...	2	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7
Diphtheria, ...	1	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6
Influenza, ...	1	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6
Dysentery, ...	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	18	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22
Tuberculous Disease, Other Forms,	4	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7
Cancer, ...	15	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12
Diseases of Circulatory System,	16	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17
Diseases of Respiratory System, Pneumonia,	7	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19
Diseases of Respiratory System, Others, ...	12	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34
Diarrhœa and Enteritis, under 2 years, ...	1	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5
Diarrhœa, 2 years and upwards,	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	4	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4
Number of Uncertified Deaths,	7	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4
Mean Temperature of the Air (Phœnix Park)	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1
Average Mean Temperature in corresponding week of previous 10 years, ...	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7
Rainfall in inches, ...	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th March, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH MARCH, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	196	48	9	14	31	42	33	19	1	.	.	.	.	7	6	.	22	7	12	4	19	34	5	.	4	75	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	.	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	22·7	38	6	4	4	3	7	8	6	1	.	.	.	.	1	3	.	2	.	1	1	3	6	.	.	2	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·6	31	9	2	4	5	8	3	.	.	.	.	.	.	2	.	.	7	1	4	1	3	3	.	.	.	10	.
IV.	GENERAL SERVICE CLASS, ...	154,279	26·4	78	26	3	6	15	14	9	5	.	.	.	.	.	3	3	.	6	3	4	2	11	10	2	.	2	32	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	42	7	.	.	8	11	10	6	.	.	.	.	.	1	.	.	7	3	2	.	1	14	3	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	30·8	13	3	1	2	.	.	4	3	.	.	.	.	.	1	2	.	.	.	1	.	1	1	.	.	2	5	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	3	.	1	3	2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	.	3	1	.	2	1	3	1	.	.	.	.	.	1	.	1	.	.	.	2	1	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	4	1	.	2	5	1	.	.	.	.	.	.	2	.	.	2	1	3	1	.	.	.	.	.	4	.
	10. Clothing Trades, ...	23,260	9·0	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	3	.	2	2	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3	2	.	.	.	3	.
	13. Petty Shopkeepers	7,894	13·2	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	27·2	7	1	.	2	1	1	1	1	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	.	.	1	.
	15. Domestic Servants, ...	36,603	11·4	8	2	.	.	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	5	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	2	.	.	1	1	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	33·1	57	21	3	4	13	9	6	1	.	.	.	.	.	2	3	.	4	2	4	2	8	7	2	.	1	22	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	42	7	.	.	8	11	10	6	.	.	.	.	.	1	.	.	7	3	2	.	1	14	3	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Feb. 8,	22·7	.	13	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	.
	„ 15,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 22,	36·6	1·7	21	.	.	.	.	.	1	.	.	3	2	.	3	4	.	.	1	1
	Mar. 1,	22·7	1·7	13	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.
	„ 8,	29·6	.	17	.	.	.	.	.	.	.	.	2	1	.	5	5	.	.	.	1
	„ 15,	19·2	.	11	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.	1	1
	„ 22,	24·4	.	14	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	.
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Feb. 8,	17·9	1·3	14	.	.	.	1	.	.	.	.	3	1	1	1	1	.	.	1	.
	„ 15,	19·1	1·3	15	.	.	.	1	.	.	.	.	6	1	.	1	.	.	.	.	.
	„ 22,	29·3	2·6	23	.	.	.	.	.	.	1	.	5	1	1	3	2	1	.	.	1
	Mar. 1,	38·3	5·1	30	1	.	.	.	.	1	.	.	3	.	1	2	7	2	.	.	.
	„ 8,	33·2	.	26	.	.	.	.	.	.	.	.	3	.	2	3	9	.	.	.	2
	„ 15,	30·6	.	24	.	.	.	.	.	.	.	.	4	1	.	5	5	.	.	.	1
	„ 22,	31·9	3·8	25	1	1	.	.	.	.	.	.	3	1	.	2	8	1	.	.	1
	„ 29,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Feb. 8,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
	„ 15,	31·8	.	17	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
	„ 22,	44·9	1·9	24	1	.	.	.	.	.	.	.	9	1	1	1	4	.	.	.	.
	Mar. 1,	31·8	.	17	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	1	1
	„ 8,	28·1	1·9	15	.	.	.	.	.	.	.	.	1	.	.	2	4	1	.	1	.
	„ 15,	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	.	.
	„ 22,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	„ 29,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Feb. 8,	13·3	1·5	9	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
	„ 15,	23·7	3·0	16	.	.	.	.	.	.	.	.	1	1	2	2	2	2	.	.	.
	„ 22,	22·2	1·5	15	.	.	.	.	.	.	1	.	.	1	2	3	.	.	.	1	.
	Mar. 1,	31·1	3·0	21	.	1	.	.	.	.	.	.	3	1	.	2	4	1	.	.	1
	„ 8,	20·7	1·5	14	.	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1	.
	„ 15,	25·2	1·5	17	.	.	.	.	.	.	1	.	2	2	1	1	3	.	.	.	.
	„ 22,	19·3	1·5	13	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.
	„ 29,	22·2	3·0	15	.	.	.	.	.	2	.	.	1	1	1	.	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Feb. 8,	24·5	1·3	19	.	.	.	.	.	1	.	.	5	1	.	.	4	.	.	2	.
	„ 15,	29·7	2·6	23	.	.	.	.	.	.	.	.	2	3	1	.	6	2	.	1	1
	„ 22,	27·1	5·2	21	.	.	.	.	.	2	.	.	3	.	.	1	4	2	.	1	.
	Mar. 1,	33·6	1·3	26	1	.	.	.	.	.	.	.	7	1	.	.	6	.	.	.	.
	„ 8,	22·0	1·3	17	.	.	.	.	.	1	.	.	6	.	.	2	2	.	.	1	.
	„ 15,	33·6	3·9	26	.	.	.	.	.	2	.	.	1	2	1	1	5	1	.	.	1
	„ 22,	28·4	.	22	.	.	.	.	.	.	.	.	4	1	2	3	3	.	.	.	.
	„ 29,	28·4	2·6	22	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	1	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Feb. 8,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	2	.	1	1	2	.	.	.
	„ 15,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 22,	28·4	.	10	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1
	Mar. 1,	28·4	5·7	10	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	1
	„ 8,	22·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 15,	17·1	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 22,	39·8	2·8	14	1	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	.
	„ 29,	37·0	2·8	13	.	.	.	.	.	.	1	.	1	.	2	1	4	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Feb. 8,	19·4	1·2	16	1	.	.	.	.	.	.	.	3	3	1	4	1	.	.	1	.
	„ 15,	18·1	2·4	15	.	.	.	.	.	1	1	.	3	.	3	1	1	.	.	.	.
	„ 22,	29·0	2·4	24	.	.	.	.	.	1	.	.	2	2	.	3	1	1	.	.	1
	Mar. 1,	23·0	2·4	19	.	.	.	.	.	2	.	.	3	.	.	2	3	.	.	.	.
	„ 8,	18·1	.	15	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	1
	„ 15,	26·6	.	22	.	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	2
	„ 22,	14·5	2·4	12	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.
	„ 29,	32·7	3·6	27	.	.	.	.	.	2	1	.	7	1	1	3	6	.	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Feb. 8,	9·4	1·6	6	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	.
	„ 15,	25·2	.	16	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	.	.
	„ 22,	11·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
	Mar. 1,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.
	„ 8,	29·9	.	19	.	.	.	.	.	.	.	.	2	.	2	1	5	.	.	.	1
	„ 15,	26·7	3·1	17	.	.	.	.	.	.	1	.	2	1	2	1	3	1	.	1	.
	„ 22,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	.	1
	„ 29,	25·2	1·6	16	.	.	.	.	.	1	.	.	.	1	1	2	5	.	.	.	2

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Feb. 8,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.
	„ 15,	22·9	1·3	17	.	.	.	.	.	1	.	.	1	.	3	1	.	.	.	.	1
	„ 22,	22·9	1·3	17	.	.	.	.	1	.	.	.	4	.	1	.	2	.	.	.	1
	Mar. 1,	26·9	.	20	.	.	.	.	.	.	.	.	2	.	1	3	2	.	.	1	1
	„ 8,	21·5	1·3	16	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	1	1
	„ 15,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 22,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
	„ 29,	20·2	.	15	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Feb. 8,	13·9	1·7	8	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 22,	17·4	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.
	Mar. 1,	24·4	3·5	14	.	.	.	.	.	1	.	.	4	1	2	.	2	1	.	.	.
	„ 8,	8·7	1·7	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 15,	24·4	1·7	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
	„ 29,	22·6	3.5	13	.	.	.	.	.	.	2	.	.	2	2	1	2	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Feb. 8,	24·6	.	8	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	1
	„ 15,	43·1	3·1	14	.	.	.	.	1	.	.	.	1	1	.	3	1	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1
	Mar. 1,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 8,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	„ 15,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Belfast. Pop. in 1913 (Est.) 396,000.	Feb. 8,	23·2	3·0	176	.	.	.	14	.	.	4	.	19	10	5	15	20	5	.	7	3
	„ 15,	19·9	2·1	151	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	.
	„ 22,	25·4	1·8	193	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	1
	Mar. 1,	23·4	0·9	178	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3
	„ 8,	23·3	2·5	177	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	2
	„ 15,	23·7	1·7	180	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	1
	„ 22,	25·0	1·4	190	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	.
	„ 29,	24·5	1·7	186	.	.	.	8	1	.	1	.	33	4	8	19	22	2	1	9	2
Cork. Pop. in 1911 76,673.	Feb. 8,	22·4	.	33	.	.	.	.	.	.	.	.	3	1	1	1	7	.	.	.	1
	„ 15,	29·2	0·7	43	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	2
	„ 22,	23·8	.	35	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	1
	Mar. 1,	28·6	0·7	42	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	3
	„ 8,	24·5	1·4	36	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.
	„ 15,	27·9	0·7	41	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	1
	„ 22,	21·1	1·4	31	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	1
	„ 29,	22·4	2·7	33	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Feb. 8,	20·3	.	16	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.
	„ 15,	19·1	1·3	15	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	.	1
	„ 22,	19·1	.	15	.	.	.	.	.	.	.	.	2	.	2	.	5	.	.	.	.
	Mar. 1,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 8,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.
	„ 15,	17·8	1·3	14	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.
	„ 22,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 29,	20·3	.	16	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
Limerick. Pop. in 1911 38,518.	Feb. 8,	16·2	.	12	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	2
	„ 15,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	3
	„ 22,	17·6	1·4	13	.	.	.	1	.	.	.	.	3	.	2	1	1	.	.	.	3
	Mar. 1,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	„ 8,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	3
	„ 15,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 22,	20·3	.	15	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	3
	„ 29,	27·1	.	20	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	2
Waterford. Pop. in 1911 27,464.	Feb. 8,	26·6	1·9	14	.	.	.	.	.	1	.	.	2	.	.	2	3	.	.	.	.
	„ 15,	26·6	5·7	14	.	.	.	.	.	3	.	.	2	.	.	.	1	.	.	.	1
	„ 22,	20·9	3·8	11	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.
	Mar. 1,	13·3	3·8	7	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	34·2	1·9	18	.	.	.	.	.	1	.	.	2	.	3	.	3	.	.	1	.
	„ 15,	26·6	3·8	14	.	.	.	.	.	2	.	.	1	1	.	.	3	.	.	.	3
	„ 22,	3·8	1·9	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	32·3	3·8	17	.	.	.	.	.	2	.	.	4	1	2	.	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th March, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	4	32·8	.	10	5	.	.	2	1	2	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	1	1	1	.
Do. 2 do.	49,500	21	30·5	1·1	29	4	4	3	7	6	5	.	.	.	1	.	.	.	.	7	.	.	2	7	.	.	2	2	11	.
Do. 3 do.	50,032	23	30·2	3·1	29	8	4	6	3	6	2	.	.	.	2	.	.	1	.	9	1	1	2	1	.	.	2	3	11	1
Do 4 do.	32,637	26	27·2	4·8	17	6	3	2	.	4	2	.	.	.	1	1	.	.	.	1	.	1	1	2	1	.	.	.	7	.
Do. 5 do.	16,112	10	32·4	3·2	10	2	1	1	4	.	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	3	3	1	.
Do. 6 do.	37,293	16	15·4	.	11	2	.	1	3	2	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	26·2	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do.	24,427	16	14·9	.	7	2	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	1	.
Do. 10 do.	28,958	24	14·4	5·4	8	1	3	2	1	.	1	.	.	.	3	.	.	.	.	1	.	.	.	1	.	.	1	1	2	.
Do. 11 do.	39,311	27	15·9	.	12	1	1	2	3	2	3	.	.	.	.	.	.	.	.	5	.	3	1	.	.	.	.	.	3	.
Do. 12 do.	38,076	34	26·0	1·4	19	3	3	3	5	3	2	.	.	.	.	.	.	.	.	2	1	.	1	4	.	1	.	1	5	.
Do. 13 do.	23,233	8	33·7	.	15	3	.	.	2	3	7	.	.	.	.	.	.	.	.	1	.	1	4	2	.	.	.	.	1	1
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	36·8	2·3	16	4	2	1	2	6	1	.	.	.	.	.	.	.	.	4	.	1	3	.	1	.	.	1	3	.
Total,	386,947	225	24·5	1·7	186	42	21	21	33	38	31	.	.	.	8	1	.	1	.	33	4	8	19	22	2	1	9	14	49	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	8	11·6	.	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do 2 do.	10,701	4	40·1	10·0	8	.	2	1	1	3	1	.	.	.	2	.	.	.	.	.	2	.	1	.	.	.	1	2	4	.
Do 3 do.	9,978	8	42·6	5·3	8	1	1	2	1	3	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.	1	.	.	3	1
Do 4 do.	8,666	7	11·4	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do 5 do.	6,592	.	8·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	2	18·0	.	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	4	22·7	3·2	7	1	1	.	2	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Total,	76,122	33	22·4	2·7	33	4	5	3	4	11	6	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	2	13	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered, ...	233	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225
DEATHS registered, ...	112	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186
Annual Death-rate per 1,000 of estimated population, ...	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5
AGES, Under 1 year, ...	18	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42
1—5 years, ...	15	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21
5—25 „ ...	13	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21
25—45 „ ...	16	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33
45—65 „ ...	27	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38
65 and upwards, ...	23	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8
Scarlet Fever, ...	2	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1
Whooping-cough, ...	.	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.
Diphtheria, ...	.	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	11	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33
Tuberculous Disease. Other Forms,	4	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4
Cancer, ...	7	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4	5	8
Diseases of Respiratory System, Pneumonia,	8	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19
Diseases of Respiratory System, Others, ...	9	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22
Diarrhœa and Enteritis, under 2 years, ...	8	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2
Diarrhœa, 2 years and upwards,	1	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1
Violent Deaths, ...	6	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9
Number of Uncertified Deaths, ...	2	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Mar. 29,	2,277	1,510	17·4	.	.	71	1	22	12	18
Edinburgh, ...	320,300	„ 29,	130	92	15·0	.	.	.	.	3	.	.
Glasgow, ...	1,021,500	„ 29,	603	344	17·6	1	.	4	2	29	3	9
Calcutta, ...	896,067	Feb. 15,	.	502	29·1	82*	3	4	.	.	3†	75‡
Bombay, ...	979,445	„ 22,	375	559	29·7	82*	4	4	.	.	.	72‡
Madras, ...	518,660	Mar. 1,	291	429	43·0	92*	.	7	?	?	?	110
Cairo, ...	704,956	Dec. 31,	672	536*	39·6	6	1	1	.	?	14†	54*a*
Paris, ...	2,847,229	Mar. 15,	1,008	1,045	18·8	5	.	28	2	5	4†	17*a*
Brussels, ...	767,252	„ 8,	256	255	17·8	1	.	4	.	6	3†	8
Antwerp, ...	308,618	„ 15,	120	82	13·9	.	.	1	1	2	.	9*a*
Amsterdam, ...	589,106	„ 8,	269	157	13·9	.	.	1	.	1	3†	.
Copenhagen, ...	468,000	„ 8,	205	154	17·2	.	.	.	.	1	.	2*a*
Stockholm, ...	368,798	„ 8,	165	108	15·2	.	.	.	.	3	.	.
Christiania, ...	247,488	„ 15,	115	62	15·5	.	.	.	.	.	.	1
St. Petersburg, ...	1,686,000	Feb. 22,	905	712	22·0	11	.	17	16	5	9	42*a*
Moscow, ...	1,635,800	„ 8,	.	738	23·5	1	.	14	14	4	23	51
Berlin, ...	2,097,719	„ 22,	834	565	14·0	.	.	1	5	7	8†	19
Hamburg, ...	1,006,748	Mar. 8,	.	301	15·5	1	.	4	3	2	14†	16*a*
Breslau, ...	536,437	„ 8,	.	199	19·3	.	.	3	.	1	2	9
Munich, ...	622,000	„ 8,	.	202	16·9	.	.	1	.	.	1†	6
Vienna (with suburbs),	2,098,225	„ 15,	762	799	18·6	.	.	9	5	7	13†	39*a*
Buda-Pesth, ...	193,252	„ 8,	473	377	21·1	.	.	2	10	2	7†	7*a*
Prague and Faubourgs,	489,194	Feb. 22,	188	189	20·1	.	.	2	2	1	1†	9*a*
Trieste, ...	237,192	Mar. 8,	142	139	30·6	4	.	1	.	1	.	.
Rome, ...	575,091	Nov. 23,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Feb. 22,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,631,960	„ 8,	.	522	16·3	1	.	5	3	1	15	10
Boston, ...	735,399	Mar. 8,	.	279	19·8	2	.	2	1	2	3	4

* Deaths from "fever," including 2 from enteric fever and 14 from plague in Calcutta, one from enteric fever and 31 from plague in Bombay, and one from enteric fever in Madras, and one death from plague in Cairo.

† Including deaths from croup.

‡ Including 33 deaths from cholera in Calcutta, and 4 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th March, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	1	.	.	.	.	2	.	3
" " 1, West, ...	.	.	1	.	2	.	.	.	.	.	.	.	.	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
" " 3, ...	.	2	.	.	.	.	.	.	.	.	.	2	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	3	.	.	.	.	.	.	1	.	5
" " 2, ...	.	1	.	.	1	.	.	.	.	.	.	2	.	4
" " 3, ...	.	1	.	.	4	.	.	1	.	.	.	1	.	7
" " 4, ...	.	3	.	.	.	.	.	1	.	.	.	2	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	8	1	.	10	.	1	2	.	.	.	12	.	34

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th March, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th March.			
	Mar. 8.	Mar. 15.	Mar. 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	31	31	35	4	7	.	32
Typhus, ...	4	7	7	2	1	.	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	5	3	4	.	.	7
Scarlet Fever, ...	113	109	92	15	9	.	98*
Diphtheria, ...	34	25	33	33	10	4	52
Pneumonia, ...	22	26	25	8	3	3	27

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 29th March, 1913:—

"With the exception of Friday, which was chiefly dull and wet, this week was fine, seasonable, and springlike. On Sunday afternoon indeed, there were heavy showers of rain and hail in Dublin, but the weather was very fine from that day onward to Friday morning, save for slight showers on the evenings of Wednesday and Thursday. On Sunday morning (Easter Day) a deep depression was centred over Berwickshire—the barometer being down to 28·95 inches at North Shields (wind, S.S.W.), and 29·03 inches at both Leith and Aberdeen (wind, N.N.W.). This system had travelled from the mouth of the English Channel northeastwards across England during the previous 24 hours, thunderstorms, heavy rains, and severe S.W. gales attending its progress. Even in London the force of the wind was of unusual violence, gusts of 63 to 67 miles an hour being registered at Kew Observatory late on Saturday evening, March 22. Monday broke fair and frosty in Ireland, the screened thermometer reading as low as 29° at Birr Castle at 7 a.m. The day proved beautiful in this country, a wave of high pressure moving northeastwards over the British Islands in the wake of Sunday's depression and in advance of a new disturbance spreading towards France from the Peninsula. This last system reached East Anglia on Thursday morning, causing wet weather in the S.E. and E. of England. But it was soon overshadowed by a larger and much deeper disturbance, the centre of which with pressure below 28·7 inches (S.S. 'Baltic,' 28·67 inches, in long. 16° W., lat. 50° N.) at 7 a.m. of Friday, March 28th, lay about 200 miles to the westward of the Kerry Coast. Dull, wet weather accompanied this disturbance. On Saturday, a subsidiary depression advanced over England from the Bay of Biscay. In Dublin the mean height of the barometer was 29·733 inches, pressure ranging from 30·276 inches at 9 a.m. of Tuesday (wind, E.S.E.) to 29·065 inches at 2 p.m. of Friday (wind, S.E.). The corrected mean temperature was 43·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·2°. The screened thermometers rose to 52·2° on Tuesday, having fallen to 33·6° during the previous night. After Sunday S.E. winds prevailed. A solar halo was seen about 3 p.m. of Saturday. The rainfall was ·542 inch on 3 days, ·251 inch being recorded on Friday. Hail fell on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·751 inches. The highest reading (30·286) was on Tuesday at 9 a.m., air calm, the lowest (29·135) on Friday at 9 a.m., wind E.

The mean temperature for the week was 41·1°, being 2·6° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Thursday, on which day the thermometer registered 52°, and was lowest on Tuesday, the mercury having fallen to 25°. The mean of the Dry Bulb for the week was 42·5° and of the Wet Bulb, 40·7°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·455 inch.

At Greenwich the mean temperature for the week was 43·4°, the maximum 56·7°, and the minimum 29·0°; at Glasgow the maximum was 55·0°, the minimum 31·5°, and the mean 42·0°; and at Edinburgh the maximum was 49·7°, the minimum 32·0°, and the mean 40·0°. The rainfall at Greenwich measured 0·49 ins.; at Glasgow 0·39 ins.; and at Edinburgh 0·82 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 23,	29·585	51	36	43·5	42·3	40·5	·88	·4	6·2	·080	W.	Calm.
Monday, „ 24,	30·170	49	28	38·5	38·8	36·3	·80	·0	8·2	·000	Calm.	Calm.
Tuesday, „ 25,	30·245	51	25	38·0	39·2	37·2	·87	·0	3·8	·000	Calm.	Calm.
Wednesday, „ 26,	29·915	47	28	37·5	42·8	40·6	·83	·1	6·7	·000	S.E.	E.S.E.
Thursday, „ 27,	29·535	52	38	45·0	45·8	44·3	·90	·5	5·4	·130	S.S.E.	E.S.E.
Friday, „ 28,	29·235	50	40	45·0	42·7	41·7	·92	·2	0·0	·245	E.	Calm.
Saturday, „ 29,	29·570	51	30	40·5	46·0	44·0	·86	·5	7·2	·000	E.S.E.	N.
Mean, ...	29·751	50·1	32·1	41·1	42·5	40·7	·87	·2	Total 37·5	Total ·455	—	

Sunday—Day bright a.m., cloudy p.m.; heavy rain 3 0 to 3.30 p.m.; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—A fine bright day; night clear. *Thursday*—Day cloudy, drizzling rain 7.15 to 7.30 p.m.; night clear to overcast, heavy rain 7.30 to 9.0 a.m. *Friday*—Day overcast, drizzling and heavy rain 9.0 a.m. to 2.0 p.m.; night clear. *Saturday*—A beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 29th March, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 23,	45·2	42·7	44·5	48·1	33·4	40·75	6·2	·095
Monday „ 24,	41·7	42·9	44·3	52·0	37·1	44·55	7·8	—
Tuesday, „ 25,	48·2	42·8	44·4	52·0	30·4	41·2	5·0	—
Wednesday, „ 26,	44·9	42·9	44·5	44·9	39·7	42·3	8·1	—
Thursday, „ 27,	47·2	43·3	44·4	47·2	40·6	43·9	5·1	·145
Friday, „ 28,	44·6	44·0	44·4	44·6	43·9	44·25	·3	·19
Saturday, „ 29,	—	48·1	44·6	48·1	44·8	46·45	7·6	—
Weekly Mean,	—	43·8	44·4	48·1	38·6	43·3	Total 40·1	Total ·43

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 360-45/139. 375. 4. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] QUARTER ENDING SATURDAY, 29TH MARCH, 1913. [NO. 13A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,742 statute acres, and the population, estimated to the middle of 1913, 403,000, there were registered during the thirteen weeks ended on Saturday, 29th March, 1913, 2,891 births—1,509 boys and 1,382 girls—being equal to an annual ratio of 1 in 34·9, or 28·7 in every 1,000 of the population.

The number of births registered in the city was 2,481, equivalent to an annual rate of 32·2 in every 1,000 of the population; and in the urban districts named above, 410, equal to an annual rate of 17·3 in every 1,000 of the population.

There were registered in London during the same period 28,946 births—being equal to an annual birth-rate of 25·6 in every 1,000 of the estimated population; in Glasgow there were registered 7,283, being equal to 28·5 per 1,000; and in Edinburgh, 1,665—a number affording an annual birth-rate of 20·8 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (134) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,242, are equivalent to an annual rate of 22·3 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 25·3. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,376—1,213 males and 1,163 females—affording an annual ratio of 1 in 42·4 or 23·6 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the first quarter of the ten years, 1903–1912, in the Dublin Registration Area was 26·5 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 935, representing an annual mortality of 22·9 in every 1,000 of the population; and the number in the south city districts was 861, equivalent to a rate of 23·8 per 1,000. In the urban districts the number of deaths registered was 446, being equal to an annual death-rate of 18·8 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 19,705—a number equal to an annual rate of mortality of 17·4 in every 1,000 of the inhabitants; in Glasgow the number was 5,129, equal to 20·1 in every 1,000; and in Edinburgh, 1,347, affording an annual death-rate of 16·8 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 140, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·39.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1903–1912:—

Names of Diseases.	No. of Deaths in March Quarter, 1913.	Average No. of Deaths in March Quarters, 1903–1912.
Enteric Fever, ...	11	18
Typhus, ...	3	1
Small-pox, ...	–	–
Measles, ...	3	32
Scarlet Fever, ...	5	11
Whooping-cough, ...	34	45
Diphtheria, ...	25	18

Enteric Fever.—There were 11 deaths from enteric fever, the average of such deaths for the corresponding period in the 10 years, 1903–1912, being 18. In each of the three preceding quarters deaths from enteric fever were 10, 8, and 18. Of the 11 deaths, 5 appertained to north Dublin city, 4 to south Dublin city, and 2 were of persons admitted to institutions from without the Dublin Registration Area. In Table I. it may be seen that 29 cases of enteric fever were under treatment in Dublin hospitals at the close of the preceding quarter; 73 cases were admitted during the period under review, 61 were discharged; there were 9 deaths, and 32 cases were under treatment on the 29th March, 1913.

Typhus.—Three deaths from typhus were registered, all being of inhabitants of the Dublin Registration Area. Altogether 24 cases were treated in hospitals, and of this number 13 were discharged, 3 died, and 8 were still under treatment at the close of the quarterly period.

Small-pox.—There was no record of mortality from small-pox during the period under notice.

Measles.—Deaths from measles, which numbered 158 in the June quarter of 1912, declined to 56 in the September quarter of that year, and again declined to 13 in the December quarter; and in the period now under notice only 3 deaths were registered, the average for the 10 years, 1903-12, being 32.

Scarlet Fever.—The number of deaths from scarlet fever was 5, the average being 11. In the three quarters preceding such deaths were 21, 14, and 12 respectively. Of the deaths 3 appertained to north Dublin city, one to Rathmines and Rathgar, and one to Kingstown. The Hospital Statistics, Table I., show that 112 cases of scarlet fever were under treatment at the close of the preceding quarter, 241 cases were admitted during the quarter under notice, 250 cases were discharged, and 98† cases remained under treatment at its close.

Whooping-cough.—The death-rate represented by 34 deaths from whooping-cough was 0·34 per 1,000 of the population of the area estimated to the middle of the year 1913. The average number of deaths for the corresponding period of the previous 10 years was 45. Of the total deaths, 8 belonged to north Dublin city, 22 to south Dublin city, one to Rathmines and Rathgar urban district, and 3 to Pembroke urban district. In the 3 preceding quarterly periods deaths from whooping-cough were 21, 18, and 13.

* See note (*) p. 208*h*. † See note (*) at foot of Table I.

Diphtheria.—The mortality from diphtheria, 25 deaths, equals an annual rate of 0·25 per 1,000, and shows an increase of 7 over the average, 18. The deaths appertain as follow :—to north Dublin city, 10 ; to south Dublin city, 9 ; to Rathmines and Rathgar, one ; to Pembroke, 3 ; and to Blackrock, 2. During the quarter 143 cases of diphtheria were admitted to hospitals, 124 were discharged therefrom, and 52 remained under treatment, as compared with 55 under treatment at the close of the preceding quarter.

Diarrhœal Diseases.—Of 59 deaths, 57 were of children under 2 years of age from diarrhœa and enteritis. The latter number is equivalent to an annual death-rate of 0·57 per 1,000.

Influenza.—The deaths from influenza, 43 in number, represent an annual rate of 0·43 per 1,000 and are 3 under the average (46) for the corresponding quarter of the 10 years, 1903–1912. In the three preceding quarters deaths from influenza numbered, 30, 7, and 13 respectively.

Cerebro-spinal Fever.—There was no death registered from this disease in the period under notice.

Pneumonia.—In the aggregate 214 deaths, equal to an annual rate of 2·12 per 1,000, were assigned to pneumonia. The total includes 112 deaths from broncho-pneumonia, 23 deaths from lobar pneumonia, and 79 deaths from pneumonia (type not distinguished).

Tuberculosis.—There were altogether 397 deaths from all forms of tuberculous disease, representing an annual death rate from this disease of 3·94 per 1,000. The total is one above the corresponding figure for March quarter, 1912, and includes 297 deaths from pulmonary tuberculosis, 37 deaths from tuberculous meningitis, 23 deaths from abdominal tuberculosis, 6 deaths from tuberculosis of the vertebral column, 7 from tuberculosis of joints, 5 deaths from tuberculosis of other organs, and 22 deaths from disseminated tuberculosis. The following figures represent the rates in the Dublin Registration Area. For the city, 4·06 per 1,000 ; for the north city, 3·55 per 1,000 ; for the south city, 4·64 per 1,000 ; for the urban district of Rathmines and Rathgar, 1·75 per 1,000 ; for Pembroke urban district, 2·81 per 1,000 ; for Blackrock, 2·62 per 1,000 ; and for Kingstown, 1·89 per 1,000, of the respective estimated populations of those areas.

Cancer.—Attributed to cancer there were 129 deaths, which number corresponds to an annual rate of 1·28 per 1,000 of the estimated population of the area.

Diseases of Brain and Nervous System.—Of 196 deaths grouped under this heading, 41 were from convulsions of infants under one year. The total (196) represents an annual rate of 1·95 per 1,000.

Diseases of the Circulatory System.—The deaths, 231, equal an annual rate of 2·29 per 1,000, include 9 deaths from acute endocarditis and 202 deaths from organic diseases of the heart.

Bronchitis.—Amounting to a total of 338 deaths, with a rate of 3·35 per 1,000, bronchitis caused about 14 per cent. of the total deaths from all causes registered.

Congenital Malformations, Premature Birth, Congenital Debility.—There were 18 deaths of infants from congenital deformities, 64 from premature birth, and 59 from congenital debility.

Violence.—*Accidental.*—There were 46 deaths assigned to accidental causes or negligence. The total includes 15 deaths from burns and scalds (of these 4 were of children under 5 years of age) ; 6 were by drowning, and 3 were by poison or poisonous vapours.

Homicide.—The death of one person was attributed to homicide.

Suicide.—There were 2 deaths by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th March, 1913.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	29	73	61	9	32
Typhus, ...	–	24	13	3	8
Small-pox, ...	–	–	–	–	–
Measles, ...	1	23	17	–	7
Scarlet Fever, ...	112	241	250	5	98*
Diphtheria, ...	55	143	124	22	52
Pneumonia, ...	19	104	79	17	27

* Exclusive of 17 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 69 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 69 cases, 36 (or 52·2 per cent.) were deaths of children under 5 years of age; these 36 deaths form 5·7 per cent. of the total number of deaths of children of that age-period. Of the deaths of 162 infants under one month old registered, there were 18 (or 11·1 per cent.) regarding which the cause was uncertified.

From Table II., on page 208*f*, it will be seen that, excluding 134 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,242, equal to an annual rate of 22·3 per 1,000 of the estimated population, and that 135 of these deaths, representing an annual rate of 1·3 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 23·3 per 1,000, and for the urban districts 18·8 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·5, and in the urban districts 0·8, the rates for the several districts varying from 0·0 in Clontarf and Howth, No. 1, part of, to 3·7 in New Kilmainham, the 40 deaths from all causes for that district including 2 from whooping-cough, one from diphtheria, and 6 from diarrhœa and enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 208*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 22·4 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 15·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·8; and in the "General Service Class" it was 23·2.

AGES.—Of the 2,376 persons whose deaths were registered in the Dublin Registration Area during the quarter, 634 were under 5 years of age, including 433 infants under one year of age, the latter representing a rate of 149·8 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 62·0 in every 1,000 children at that age (according to the Census of 1911); 83 were between the ages of 5 and 15, representing an annual rate of 4·7 per 1,000 persons at that age-period; 128 were between the ages of 15 and 25, equivalent to an annual rate of 6·4 per 1,000; the total number under 25 years being equal to an annual mortality of 17·6 per 1,000 of the population at that age-period (according to the Census of 1911); 400, or 12·8 per 1,000 persons, were between 25 and 45; 565, or 38·3 per 1,000, between 45 and 65; 333, or 78·9 per 1,000, between 65 and 75; and 233, or 166·7 per 1,000, were aged 75 and upwards, including 22 persons aged 90 and upwards, of whom 3 (a male and 2 females) was stated to have been aged 101, 109 and 114 years respectively.

PUBLIC INSTITUTIONS.—Of the 2,376 deaths recorded during the quarter, 1,022 or 43·0 per cent., occurred in public institutions, viz., 566 in the various hospitals, prisons, and lunatic asylums; 184 in the North Dublin Union Workhouse; 257 in the South Dublin Union Workhouse; and 15 (those of persons admitted from within the Dublin registration area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 41·4°. At Greenwich, for the quarter, it was 42·3°; at Glasgow, 40·3°; and at Edinburgh, 39·1°.

The rainfall at Dublin during the thirteen weeks measured 7·16 inches; at Greenwich, 5·95 inches; at Glasgow, 10·96 inches; and at Edinburgh, 6·86 inches.

† See note (*) p. 208*h*.

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phœnix Park, Dublin,* for the thirteen weeks ended 29th March 1913.

Prepared in the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1913. Week Ended.	Barometer. Mean at 32° F. Mean Sea Level and Standard Gravity. Lat. 45°.	Barometer. Difference from Average.	Thermometer. Mean of Maximum A.	Thermometer. Mean of Minimum B.	Thermometer. Mean of A. and B.	Thermometer. Difference from Average.	Thermometer. Highest.	Thermometer. Lowest.	Hygrometer. Mean of Dry Bulb.	Hygrometer. Mean of Wet Bulb.	Hygrometer. Mean Humidity.	Ozone. 1·0	Bright Sunshine. Mean Daily Amount in Hours.	Bright Sunshine. Difference from Average.	Bright Sunshine. Percentage of Possible.	Rainfall. Total Amount.	Rainfall. Difference from Average.	Rainfall. Number of Days.	Wind. Mean Velocity Recorded in Metres per Second.
	Inches.		° F	° F	° F		° F	° F	° F	° F	Per cent.		Hours.	Hours.	Per cent.	Inches.	Inches.		m. p. s.
January 4th, ...	29·749	—	49·0	38·1	43·6	—	52	36	44·1	42·0	84	0·7	1·6	−0·2	22	·08	—	2	5·0
„ 11th, ...	29·666	—	50·6	39·6	45·1	—	55	26	45·6	43·9	88	0·5	0·3	−1·5	4	·87	—	6	4·4
„ 18th, ...	29·472	—	43·1	28·3	35·7	—	48	19	36·2	35·0	89	0·3	2·2	+0·3	28	·75	—	5	2·6
„ 25th, ...	29·595	—	48·3	35·6	42·0	—	56	27	41·7	40·7	92	0·4	1·7	−0·3	21	1·43	—	5	3·6
February 1st, ...	29·696	—	47·0	33·4	40·2	—	52	29	39·3	37·6	86	0·4	2·0	−0·2	23	·92	—	5	3·3
„ 8th, ...	29·794	—	51·6	37·6	44·6	—	55	32	45·5	43·5	86	0·8	1·1	−1·3	12	·32	—	7	6·6
„ 15th, ...	30·446	—	49·4	31·7	40·6	—	54	28	39·4	38·8	95	0·1	0·9	−1·6	9	·03	—	1	1·4
„ 22nd, ...	30·342	—	42·9	32·7	37·8	—	46	28	38·5	35·8	78	0·2	2·6	−0·2	26	·00	—	0	2·9
March 1st, ...	29·861	—	49·9	37·6	43·8	—	54	29	43·4	41·7	88	0·5	1·2	−1·9	11	·38	—	4	1·2
„ 8th, ...	29·897	—	50·4	35·3	42·9	—	56	30	43·2	41·1	85	0·7	4·4	+0·9	40	1·18	—	7	5·8
„ 15th, ...	30·030	—	49·4	32·9	41·2	—	51	24	42·0	40·8	91	0·7	2·5	−1·3	22	·45	—	5	4·3
„ 22nd, ...	29·298	—	46·0	33·0	39·5	—	49	21	39·6	37·5	83	0·6	3·5	−0·7	29	.29	—	4	4·6
„ 29th, ...	29·751	—	50·1	32·1	41·1	—	52	25	42·5	40·7	87	0·2	5·4	+0·9	43	·46	—	3	2·4
Mean, ...	29·815	−·105	48·3	34·5	41·4	+0·5	56	19	41·6	39·9	87	0·5	2·3	−0·5	22	7·16	+1·00	54	3·9

* Height above Mean Sea Level, Station H=155 feet; Barometer Hb = 159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the three calendar months January to March.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 29th March, 1913,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1913.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.	QUARTER (13 WEEKS) ENDED 29TH MARCH, 1913. DEATHS.								CAUSED BY																	Number of Uncertified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E.,	29,908	23·3	0·8	174	38	5	8	9	8	30	40	36	.	.	.	.	1	2	2	.	24	9	7	23	33	1	.	5	5
" 1, W.,	40,871	26·0	2·3	266	56	11	10	7	19	46	63	54	2	1	.	2	1	1	4	.	32	8	7	25	56	12	.	4	10
" 2,	27,883	27·4	0·7	191	36	12	7	6	8	44	45	33	2	.	.	.	.	.	.	.	21	6	7	19	27	3	.	4	8
" 3,	35,185	23·6	1·7	208	44	9	14	8	15	36	44	38	.	2	.	.	1	4	4	.	24	10	15	21	22	3	1	4	3
CLONTARF AND HOWTH, No. 1, part of.	5,431	5·9	.	8	2	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of,	13,550	16·2	0·6	55	9	.	2	3	3	6	11	21	1	.	.	.	.	.	.	.	5	.	1	7	8	1	.	.	.
FINGLAS AND GLASNEVIN, part of,	10,617	12·4	0·4	33	2	2	2	1	4	8	7	7	.	.	.	.	.	1	.	.	3	3	1	2	2	.	.	.	.
South City.																													
SOUTH CITY, No. 1,	40,366	26·6	2·1	268	60	16	12	6	6	55	55	58	1	.	.	.	.	8	4	.	42	9	7	16	54	7	1	7	6
" 2,	18,341	26·4	2·0	121	27	7	3	4	8	21	28	23	2	.	.	.	.	3	1	.	12	12	3	9	26	3	.	.	5
" 3,	43,110	22·7	1·4	245	47	15	13	10	11	35	62	52	1	.	.	.	.	7	2	.	38	15	15	22	39	5	.	3	9
" 4,	33,171	22·5	1·2	187	33	8	5	7	11	21	51	51	.	.	.	.	.	2	1	.	26	8	11	19	40	7	.	3	8
NEW KILMAINHAM,	9,754	16·4	3·7	40	11	4	2	1	3	5	9	5	.	.	.	.	.	2	1	.	6	.	2	2	6	6	.	.	2
Urban Districts:																													
RATHMINES AND RATHGAR,	38,769	18·9	0·6	183	30	5	4	5	6	27	42	64	.	.	.	.	1	1	1	.	17	.	15	17	22	3	.	5	6
PEMBROKE,	29,942	16·2	1·2	121	23	9	5	5	4	13	22	40	.	.	.	.	.	3	3	.	15	6	9	12	11	3	.	4	.
BLACKROCK,	9,161	21·8	0·9	50	5	2	.	1	.	6	12	24	.	.	.	.	.	.	2	.	3	3	4	4	6	.	.	.	1
KINGSTOWN,	16,941	21·7	0·5	92	.	4	4	5	4	14	27	34	.	.	.	1	1	.	.	.	6	2	3	8	11	.	.	4	6
Total City. North,	163,445	22·9	1·3	935	187	39	43	34	58	171	214	189	5	3	.	2	3	8	10	.	109	36	42	98	148	20	1	17	26
Total City. South,	144,742	23·8	1·8	861	178	50	35	28	39	137	205	189	4	.	.	.	.	22	9	.	124	44	38	68	165	28	1	13	30
Total City. North and South,	308,187	23·3	1·5	1,796	365	89	78	62	97	308	419	378	9	3	.	2	3	30	19	.	233	80	80	166	313	48	2	30	56
Total Urban Districts,	94,813	18·8	0·8	446	58	20	13	16	14	60	103	162	.	.	.	1	2	4	6	.	41	11	31	41	50	6	.	13	13
Total Registration Area,	403,000	22·3	1·3	2,242	423	109	91	78	111	368	522	540	9	3	.	3	5	34	25	.	274	91	111	207	363	54	2	43	69
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				134	10	.	1	5	17	32	43	26	2	.	.	.	.	.	.	.	23	9	18	7	7	3	.	6	.

* See note (*) on page 208h

† See note (*) on page 208i.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 29th March, 1913;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 29TH MARCH, 1913. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS, ...	397,957	23·9	2,376	634	83	128	400	565	333	233	11	3	.	3	5	34	25	.	297	100	129	48	214	370	57	2	49	1,029	69
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	22·4	82	.	1	2	13	21	17	28	.	.	.	.	.	.	.	.	6	1	12	.	4	11	.	.	.	48	1
II.	MIDDLE CLASS, ...	101,798	15·1	384	58	16	28	59	85	64	74	4	.	.	.	2	4	4	.	33	10	27	3	30	44	5	1	11	206	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·8	483	128	18	38	82	129	56	32	3	.	.	2	1	5	8	.	61	24	34	10	45	69	14	.	5	202	18
IV.	GENERAL SERVICE CLASS, ...	167,479	23·2	971	371	44	43	163	194	108	48	4	3	.	1	2	20	13	.	110	39	35	34	118	146	25	1	31	389	40
V.	INMATES OF WORKHOUSES, ...	5,602	—	456	77	4	17	83	136	88	51	.	.	.	.	.	5	.	.	87	26	21	1	17	100	13	.	2	184	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,868	29·0	57	.	1	2	13	15	12	14	.	.	.	.	.	.	.	.	6	.	9	.	2	8	.	.	.	32	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	18·4	25	.	.	.	.	6	5	14	.	.	.	.	.	.	.	.	.	1	3	.	2	3	.	.	.	16	1
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	14·7	35	5	.	1	2	11	7	9	.	.	.	.	.	.	.	.	2	.	3	.	2	2	1	.	1	24	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	15·6	98	17	3	2	15	21	21	19	.	.	.	.	.	2	2	.	7	2	7	1	5	11	1	.	5	55	3
	6. Clerks and Commercial Assistants, ...	33,249	13·2	110	30	4	11	27	21	7	10	2	.	.	.	2	2	1	.	12	3	5	2	14	13	1	.	3	50	4
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	33,827	16·7	141	6	9	14	15	32	29	36	2	.	.	.	.	.	1	.	12	5	12	.	9	18	2	1	2	77	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	15·3	45	13	4	4	8	10	4	2	1	.	.	.	.	1	3	.	7	2	1	.	7	2	1	.	.	20	.
	9. Building and Furnishing Trades, ...	28,823	17·5	126	42	6	9	17	32	14	6	1	.	.	1	.	2	2	.	16	6	10	5	12	11	5	.	1	54	8
	10. Clothing Trades, ...	20,026	14·4	72	17	2	10	14	16	7	6	.	.	.	.	.	.	1	.	16	7	7	2	4	11	2	.	.	22	4
	11. Food Supply Trades, ...	8,952	13·9	31	11	2	2	4	7	3	2	.	.	.	1	.	1	.	.	3	.	1	.	3	2	1	.	2	17	2
	12. Other Trades and Callings ranking with Trades, ...	32,070	22·2	178	38	2	13	34	56	24	11	.	.	.	.	1	1	2	.	18	7	13	.	18	39	5	.	2	72	1
	13. Petty Shopkeepers, ...	6,772	18·3	31	7	2	.	5	8	4	5	1	.	.	.	.	.	.	.	1	2	2	3	1	4	.	.	.	17	3
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	22·5	73	16	5	5	8	15	19	5	.	.	.	.	1	2	1	.	8	4	4	.	8	10	.	.	1	34	1
	15. Domestic Servants, ...	36,041	8·7	78	21	1	8	15	15	12	6	2	.	.	.	.	1	.	.	17	3	4	2	14	6	1	.	1	27	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	25·5	98	37	3	3	21	22	8	4	.	1	.	1	.	2	1	.	12	5	3	3	11	16	2	.	5	36	4
	17. Hawkers, Porters, Labourers, &c., ...	103,081	28·0	722	297	35	27	119	142	69	33	2	2	.	.	1	15	11	.	73	27	24	29	85	114	22	1	24	292	34
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	456	77	4	17	83	136	88	51	.	.	.	.	.	5	.	.	87	26	21	1	17	100	13	.	2	184	.

Twenty-seven Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin registration area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 22·1 per 1,000 persons, the respective rates for the several districts being as follow ranging in order from the lowest to the highest :—Bray, 10·4 ; Athlone, 11·2 ; Bangor, 14·4 ; Queenstown, 15·1 ; Armagh, 16·3 ; Portadown, 17·4 ; Galway, 17·5 ; Limerick, 17·7 ; Londonderry, 17·9 ; Sligo, 19·0 ; Ballymena, 19·0 ; Drogheda, 19·2 ; Larne, 19·4 ; Lisburn, 20·0 ; Kilkenny, 20·5 ; Wexford, 20·8 ; Dundalk, 21·3 ; Clonmel, 21·9 ; Dublin Registration Area, 22·3 ; Lurgan, 22·9 ; Newtownards, 22·9 ; Belfast, 23·1 ; Waterford, 23·2 ; Coleraine, 24·2 ; Cork, 25·0 ; Newry, 34·4, and Tralee, 34·6.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 27 districts is 1·8 per 1,000 of the population, the rates varying from 0·0 in 4 of the districts to 13·0 in Newry, the 103 deaths from all causes for that district including 2 from enteric fever, 36 from measles, and one from diarrhœa or enteritis of a child under 2 years of age.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-six provincial urban districts* already named, and tables IV. and V. give in detail the results of the registration for the quarter :—

Enteric Fever.—The 19 deaths appertain as follow :—To Belfast 3 ; to Cork 5 ; to Limerick 2 ; to Galway 2 ; to Dundalk one ; to Lisburn one ; to Newry 2 ; to Sligo 2 ; and to Kilkenny one.

Typhus.—There was one death from typhus in Galway.

Measles.—Of 216 deaths from measles, 144 belonged to Belfast ; 8 to Cork ; 2 to Limerick ; 3 to Dundalk ; one to Lisburn ; 36 to Newry ; 4 to Wexford ; one to Ballymena ; and 17 to Tralee.

Scarlet Fever.—There were 20 deaths in Belfast ; one in each of Cork, Lurgan, Wexford, Sligo, and Bangor ; and 2 in Kilkenny.

Whooping-cough.—Six deaths belonged to Belfast ; 19 to Waterford ; 5 to Drogheda ; 2 to each of Clonmel and Larne, and one to Bray.

Diphtheria.—Of 31 deaths, 24 appertained to Belfast, 3 to Cork, one to Londonderry ; one to Lurgan, one to Sligo, and one to Larne.

Diarrhœa and Enteritis.—Of a total of 62 deaths, there were 44 of children under 2 years of age belonging to Belfast.

Phthisis.—The annual death-rate from phthisis for the 27 towns in the aggregate, was 2·5 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·7 per 1,000, for Belfast county borough 2·6 per 1,000, and for the urban districts collectively (exclusive of Dublin Registration Area and Belfast), it was 2·1 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 29th March, 1913,** in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Registration—Quarter (13 weeks) ended Saturday, 29th March, 1913. Annual Rate per 1,000 persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.†	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 27 Town Districts, ...	1,199,180	19·0	27·9	22·1	1·8	8,353	6,633	1,242	1,588	28	4	...	219	32	69	56	...	742	266	266	592	1,027	116	15	116	226	2,046	232
Dublin Registration Area:—Total	403,000	29·3	28·7	22·3	1·3	2,891	2,242	423	540	9	3	...	3	5	34	25	...	274	91	111	207	363	54	2	43	59	888	69
Urban Districts. City of Dublin, ...	308,187	39·0	32·2	23·3	1·5	2,481	1,796	365	378	9	3	...	2	3	30	19	...	233	80	80	166	313	48	2	30	48	771	56
Rathmines and Rathgar, ...	38,769	22·6	16·2	18·9	0·6	157	183	30	64	...	...	...	...	1	1	1	...	17	...	15	17	22	3	...	5	2	42	6
Pembroke, ...	29,942	19·0	17·5	16·2	1·2	131	121	23	40	...	...	...	...	...	3	3	...	15	6	9	12	11	3	...	4	4	41	...
Blackrock, ...	9,161	8·5	15·3	21·8	0·9	35	50	5	24	...	...	...	...	...	...	2	...	3	3	4	4	6	...	...	...	...	15	1
Kingstown, ...	16,941	11·6	20·5	21·7	0·5	87	92	...	34	...	...	...	1	1	...	...	...	6	2	3	8	11	...	...	4	5	19	6
Urban Districts. Belfast, ...	396,000	26·5	28·7	23·1	2·5	2,842	2,286‡	482	417	3	..	...	144	20	6	24	...	253	87	71	245	372	44	7	55	110	616	25
Cork, ...	76,673	28·6	23·7	25·0	1·0	455	480	72	126	5	...	...	8	1	...	3	...	62	27	21	40	79	...	2	3	14	195	15
Londonderry, ...	41,000	15·9	28·0	17·9	0·2	287	183	33	52	...	...	...	...	...	...	1	...	16	7	11	9	35	1	...	...	6	8	6
Limerick, ...	38,518	16·1	27·6	17·7	0·5	266	170	23	43	2	...	...	2	...	...	...	...	22	3	6	4	33	1	...	...	6	59	27
Waterford, ...	27,464	19·1	27·5	23·2	3·1	189	159	30	43	...	...	...	...	...	19	...	...	20	6	8	5	25	2	...	3	5	54	11
Galway, ...	13,255	2·5	26·6	17·5	1·2	88	58	10	22	2	1	...	...	...	...	...	...	3	...	2	3	7	...	1	1	1	17	15
Dundalk, ...	13,128	9·5	25·9	21·3	2·1	85	70	18	13	1	...	...	3	...	...	...	...	11	2	1	7	...	3	...	1	4	13	1
Lurgan, ...	12,553	14·7	27·1	22·9	0·6	85	72	6	28	...	...	...	...	1	...	1	...	5	6	1	5	10	...	...	2	2	14	3
Drogheda, ...	12,501	8·4	27·2	19·2	1·6	85	60	9	18	...	...	...	...	...	5	...	...	3	3	2	5	5	...	...	1	3	17	6
Lisburn, ...	12,388	10·9	29·4	20·0	1·0	91	62	11	25	1	...	...	1	...	...	...	...	8	2	3	6	2	...	1	1	5	8	...
Newry, ...	11,963	17·0	24·7	34·4	13·0	74	103	21	22	2	...	...	36	...	...	...	...	5	2	2	4	8	1	...	2	4	23	6
Portadown, ...	11,727	15·3	25·9	17·4	...	76	51	11	13	...	...	...	...	...	...	...	...	7	3	2	1	7	...	...	...	...	...	1
Wexford, ...	11,531	22·8	31·2	20·8	2·1	90	60	7	29	...	...	...	4	1	...	...	...	7	5	3	3	14	1	...	...	...	11	6
Ballymena, ...	11,381	9·3	25·0	19·0	0·4	71	54	8	17	...	...	...	1	...	...	...	...	3	1	4	10	7	...	...	...	...	7	3
Sligo, ...	11,163	3·8	21·9	19·0	2·1	61	53	12	16	2	...	...	...	1	...	1	...	2	1	2	2	8	...	2	...	...	21	8
Kilkenny, ...	10,514	11·4	20·9	20·5	1·1	55	54	5	19	1	...	...	...	2	...	...	...	4	1	2	4	14	...	...	...	...	22	6
Tralee, ...	10,300	17·4	26·8	34·6	7·8	69	89	17	20	...	...	...	17	...	...	...	...	8	8	2	16	9	3	...	...	...	21	2
Clonmel, ...	10,209	7·8	21·9	21·9	1·2	56	56	9	12	...	...	...	...	...	2	...	...	7	2	1	...	...	1	...	...	1	25	4
Newtownards, ...	9,587	20·1	33·8	22·9	0·4	81	55	8	21	...	...	...	...	...	...	...	...	5	1	5	6	11	1	...	2	1	4	2
Queenstown, ...	8,209	14·7	22·9	15·1	...	47	31	5	12	...	...	...	...	...	..	...	...	1	1	1	3	3	...	...	...	1	4	3
Larne, ...	8,036	13·4	41·3	19·4	3·0	83	39	8	8	...	...	...	...	...	2	1	...	6	3	2	2	3	3	...	1	2	7	...
Coleraine, ...	7,785	7·7	25·7	24·2	...	50	47	5	27	...	...	...	...	...	...	...	...	3	1	1	2	2	...	...	1	2	3	...
Bangor, ...	7,776	8·5	19·5	14·4	0·5	38	28	1	15	...	...	...	...	1	...	...	...	2	...	...	2	5	...	...	...	...	...	...
Bray, ...	7,691	7·2	17·7	10·4	0·5	34	20	...	12	...	...	...	...	...	1	...	...	2	...	1	...	...	...	...	...	...	...	1
Athlone, ...	7,472	6·2	33·2	11·2	...	62	21	5	4	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	7	1
Armagh, ...	7,356	21·8	22·8	16·3	0·5	42	30	3	14	...	...	...	...	...	...	...	...	3	...	1	1	5	1	...	...	...	2	11

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1913; that for each of the other districts is the population according to the Census of 1911.

† See note (*) on page 208*h*.

‡ Including 3 deaths from cerebro-spinal fever or cerebro-spinal meningitis.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 29th March, 1913,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of **1911,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	122	28·7	2·5	114	26	16	10	17	20	25	.	.	.	6	.	.	2	.	17	2	2	11	23	2	.	5	9	35	.
Do. 2 do.	49,500	345	23·0	1·9	285	53	40	30	42	62	58	.	.	.	9	3	.	5	.	32	5	5	22	53	6	1	7	10	82	3
Do. 3 do.	50,032	344	22·8	2·5	285	65	47	28	38	67	40	.	.	.	20	2	4	1	.	35	9	11	48	34	3	1	7	14	58	3
Do. 4 do.	32,637	357	29·3	4·5	239	73	37	23	32	34	40	.	.	.	26	3	1	1	.	21	7	4	15	45	6	.	5	8	102	2
Do. 5 do.	16,112	116	35·7	3·7	144	39	26	12	23	26	18	1	.	.	6	.	.	3	.	6	14	8	17	14	4	1	10	11	53	5
Do. 6 do.	37,293	167	20·1	1·4	187	27	15	14	37	53	41	.	.	.	9	1	.	2	.	17	7	11	23	29	1	.	5	8	43	.
Do. 7 do.	2,681	17	14·9	3·0	10	4	1	1	.	3	1	.	.	.	.	.	1	.	.	.	1	.	2	.	1	.	.	.	3	.
Do. 8 do.	5,964	29	19·5	0·7	29	7	3	1	6	7	5	1	.	.	.	.	.	.	.	5	1	.	2	6	.	.	.	.	8	.
Do. 9 do.	24,427	188	20·3	2·5	124	25	15	9	18	35	22	.	.	.	6	3	.	2	.	15	5	3	20	19	3	1	3	6	31	2
Do. 10 do.	28,958	239	22·8	3·9	165	27	28	18	25	33	34	.	.	.	17	3	.	2	.	17	3	3	19	29	5	1	2	7	42	2
Do. 11 do.	39,311	256	18·0	1·2	177	36	27	17	25	37	35	.	.	.	4	2	.	3	.	27	12	8	18	23	3	.	5	6	34	2
Do. 12 do.	38,076	374	26·8	2·8	255	59	41	29	35	50	41	1	.	.	15	1	.	3	.	24	13	7	16	64	5	2	4	18	62	1
Do. 13 do.	23,233	142	15·8	0·7	92	13	8	12	15	16	28	.	.	.	3	1	.	.	.	13	.	5	12	16	.	.	2	6	9	4
Do. 14 do.	175	1	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	145	31·8	5·1	180	28	36	18	31	38	29	.	.	.	23	1	.	.	.	24	8	4	20	17	5	.	.	7	54	1
Total	386,947	2,842	23·1	2·5	2,286‡	482	340	222	344	481	417	3	.	.	144	20	6	24	.	253	87	71	245	372	44	7	55	110	616	25
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	68	18·3	.	59	7	3	5	9	10	25	.	.	.	.	.	.	.	.	10	.	4	5	3	.	.	.	1	23	2
Do. 2 do.	10,701	71	35·9	4·9	96	15	20	13	12	24	12	3	.	.	6	.	.	3	.	10	7	3	9	15	.	1	1	4	29	2
Do. 3 do.	9,978	76	27·7	0·8	69	12	5	12	14	16	10	1	.	.	.	.	.	.	.	14	4	.	7	17	.	1	.	3	32	3
Do. 4 do.	8,666	58	24·9	0·9	54	11	7	1	9	11	15	.	.	.	2	.	.	.	.	5	2	4	7	13	.	.	.	1	22	1
Do. 5 do.	6,592	30	20·6	0·6	34	7	2	5	3	9	8	.	.	.	.	1	.	.	.	5	2	2	1	7	.	.	1	1	19	2
Do. 6 do	10,702	62	22·4	.	60	5	4	7	9	13	22	.	.	.	.	.	.	.	.	7	6	2	3	7	.	.	.	1	21	2
Do. 7 do	16,616	90	26·0	0·2	108	15	3	17	16	23	34	1	.	.	.	.	.	.	.	11	6	6	8	17	.	.	1	3	49	3
Total,	76,122	455	25·0	1·0	480	72	44	60	72	106	126	5	.	.	8	1	.	3	.	62	27	21	40	79	.	2	3	14	195	15

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
6th May, 1913.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.
† See note (*) on page 208*h*. ‡ See note (‡) on page 208*i*.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 34135. Wt. P. 589.— . 375. 4. 1913. Sch. C 9.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 5TH APRIL, 1913. [No. 14.

General Register Office, Charlemont House,
Dublin, 7th April, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 23·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Mar. 15	Mar. 22	Mar. 29	April 5	Average Rate for 4 weeks.
27 Town Districts, (a)	**23·4**	**21·7**	**23·8**	**23·3**	**23·0**
Dublin Reg. Area ...	23·5	21·6	24·2	27·9	24·3
Dublin City ...	25·0	22·8	25·0	28·1	25·2
Belfast	23·7	25·0	24·5	21·2	23·6
Cork	27·9	21·1	22·4	18·4	22·5
Londonderry ...	17·8	11·4	20·3	22·9	18·1
Limerick	19·0	20·3	27·1	14·9	20·3
Waterford	26·6	3·8	32·3	24·7	21·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·8 per 1,000. Among the 161 deaths from all causes for Belfast are 2 from each of measles, scarlet fever, and whooping-cough, and 4 from diarrhœa and enteritis of children under 2 years of age. Included in the 27 deaths from all causes for Cork are 2 from measles and one from diarrhœa. Three of the 13 deaths from all causes for Waterford are from whooping-cough. Among the 12 deaths from all causes for Newry are 4 from measles, and 4 deaths from this disease are included in the 13 deaths from all causes for Wexford. Two of the 3 deaths for Tralee are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 299—149 boys and 150 girls—and the deaths to 232—118 males and 114 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria dysentery, and diarrhœal diseases.

(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·9 per 1,000 of the population. During the fourteen weeks, ending with Saturday last, the death-rate averaged 22·7, and was 2·6 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 232, represent an annual rate of 30·0 per 1,000; the annual rate for the past fourteen weeks was 24·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

The total deaths (232) include one from typhus, one from scarlet fever, 2 from whooping-cough, 5* from diphtheria, 5 from influenza, and 7 from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks deaths from typhus were 0, one, and 0; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 2, 2, and 7; deaths from diphtheria were 2, 0, and 6; deaths from influenza were 8, 6, and 6; and deaths from diarrhœa and enteritis of children under 2 years of age were 5, 4, and 5 respectively.

Tuberculous disease caused 43 deaths, comprising 37 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from tuberculous adenitis, and 3 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 33, 28, and 29, respectively.

There were 14 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 9 from pneumonia (type not distinguished).

Cancer caused 9 deaths.

The deaths of 2 infants under one year of age were ascribed to convulsions, 6 to premature birth, 6 to congenital debility, and one to congenital malformation.

Bronchitis caused 21 deaths, and there were 21 deaths due to organic diseases of the heart.

There were 5 accidental deaths, including one by drowning and one, that of a child aged 2 years, by burns.

One death by suicide was registered.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 14 were under one month old) and 56 were aged 65 years and upwards, including 45 persons aged 70 and upwards; among the latter were 26 aged 75 and upwards, of whom 2 (females) were stated to have been aged 92 and 93 years respectively.

One hundred and seven of the deaths registered during the week occurred in hospitals and other public institutions: of this number 15 took place in the North Dublin Union Workhouse, 28 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·9 per 1,000; the rate in the City was 28·1 (North City Districts, 28·7; South, 27·4) and in the Suburbs, 27·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·2 (in the North City Districts 2·2, and in the South 2·2), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000, and include one from typhus, 3 from pulmonary tuberculosis, 2 from bronchitis, and one from enteritis of a child under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (29) are equal to an annual rate of 37·0 per 1,000. Diphtheria caused one death, pulmonary tuberculosis 4 deaths, broncho-pneumonia one death, bronchitis 3 deaths, and there was one death of a child under 2 years from enteritis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000, and include one from whooping-cough, 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (21) represent an annual rate of 31·1 per 1,000. Diphtheria caused one death, pulmonary tuberculosis 5 deaths, bronchitis 2 deaths, and there was one death under 2 years of age from enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 38·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 34·6, and Finglas and Glasnevin, part of, 4·9. Included in the 4 deaths from all causes for the first-named district was one from each of influenza and bronchitis; and among the 9 deaths from all causes for Coolock and Drumcondra, part of, are 2 from broncho-pneumonia, one from lobar pneumonia, 2 from pneumonia, and 2 from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 22·0 per 1,000. Scarlet fever and diphtheria each caused one death, tuberculous disease 4 deaths, broncho-pneumonia one death, enteritis under 2 years of age one death, and there was one death by drowning.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000, and include 4 deaths from pulmonary tuberculosis, one from broncho-pneumonia, one from lobar pneumonia, and one from enteritis under 2 years.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·7 per 1,000. Included in the total are 7 from tuberculous disease, 2 from broncho-pneumonia, one from pneumonia, 3 from bronchitis, one from enteritis under 2 years of age, and one by accidental burns.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000, and include one from whooping-cough, 3 from pulmonary tuberculosis, one from broncho-pneumonia, one from pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (7) are equal to an annual rate of 37·4 per 1,000. Pulmonary tuberculosis caused one death, and there was one death from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 26·1; Blackrock, 34·2; and Kingstown, 46·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteritis under 2 years for Rathmines and Rathgar, and one from diphtheria for Blackrock. Among the 14 deaths from all causes for Rathmines and Rathgar are 2 from influenza, 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, and one death by suicide. The 15 deaths from all causes for Pembroke include one from influenza, 5 from tuberculous disease, one from broncho-pneumonia, one from pneumonia, and 3 from bronchitis. Among the 15 deaths from all causes for Kingstown are one from influenza, 2 from tuberculous disease, one from broncho-pneumonia, 4 from pneumonia, and one from bronchitis.

* See note (*c*) Table II.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 5th April, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 15,	.	—	—	8	4	.	5	.	1	5	11	.	—	—	.	—	13	.	47
	Mar. 22,	.	—	—	7	.	.	5	.	1	8	1	.	—	—	.	—	8	.	30
	Mar. 29,	.	—	—	8	1	.	10	.	1	2	.	.	—	—	.	—	12	.	34
	Apr. 5,	.	—	—	6	6	.	8	.	.	1	9	.	—	—	.	—	7	.	37
Rathmines and Rathgar Urban District.	Mar. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Mar. 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 29,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	Apr. 5,	.	—	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	7
Pembroke Urban District.	Mar. 15,	.	.	.	3	.	.	.	.	.	.	.	.	—	1	—	—	.	—	4
	Mar. 22,	.	1	.	.	.	.	4	.	.	.	.	.	—	.	—	—	.	—	5
	Mar. 29,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	—	—	4	—	7
	Apr. 5,	.	4	.	.	.	.	.	.	.	.	.	.	—	3	—	—	.	—	7
Blackrock Urban District.	Mar. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 29,	.	—	—	2	.	.	26	.	.	.	.	.	—	—	.	—	—	—	28
	Apr. 5,	.	—	—	1	.	.	6	.	.	.	.	.	—	—	.	—	—	—	7
Kingstown Urban District.	Mar. 15,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	Mar. 29,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	3	—	5
	Apr. 5,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	—	2
City of Belfast.	Mar. 15,	.	—	—	23	.	.	6	.	1	2	9	.	—	—	—	—	18	—	59
	Mar. 22,	.	—	—	18	.	.	4	.	.	2	1	.	—	—	—	—	6	—	31
	Mar. 29,	.	—	—	20	.	.	8	.	.	1	5	.	—	—	—	—	6	—	40
	Apr. 5,	.	—	—	37	.	.	5	.	3	2	6	.	—	—	—	—	13	—	66

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th April, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Two cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 28 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 31, 35, and 32.

Six cases of typhus were admitted to hospital during the week, there was one death, and 13 cases remained under treatment at the close of the week.

Two cases of measles were admitted to hospital during the week, 2 were discharged, and 7 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 5, 3, and 7, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 25 were discharged, there was one death, and 88* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 109, 92, and 98, respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, 11 were discharged and there were 7 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 25, 33, and 52 respectively, were 49 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 29 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·3), was equal to an average annual death-rate of 15·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 18·7, and for Edinburgh 15·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th April. From this Report it appears that of a total of 40 cases notified, 20 were phthisis, 13 scarlet fever, 4 erysipelas, and 3 diphtheria. Among the 419 cases of infectious diseases in hospital at the close of the week were 131 cases of scarlet fever, 116 of phthisis, 63 of measles, 49 of whooping-cough, 29 of diphtheria, 13 of erysipelas, 6 of enteric fever, 5 of chicken-pox, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 5th April, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 5th April, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by: Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 5th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	32·4	23·3	1·8	746	535	109	132	...	1	...	14	3	5	6	...	61	17	16	63	79	11	1	8	19	169	21	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	38·7	27·9	1·9	299	216	35	54	...	1	...	...	1	2	4	...	36	6	6	25	20	7	...	3	3	91	4	e 56	29	44·2	0·10	e 52	25	41·1	0·46	e 49	21	39·5	0·29
CITY OF DUBLIN,	308,187	39·0	42·8	28·1	2·2	253	166	25	35	...	1	...	...	1	2	3	...	29	4	4	16	16	6	...	2	2	76	2	f 55·3 g 57·2	38·0 31·0	46·8 45·5	0·13 0·09	f 52·2 g 51·9	33·6 28·4	43·9 42·2	0·54 0·50	f 50·1 g 48·9	28·1 24·6	41·1 40·6	0·19 0·26
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	21·5	18·8	1·3	16	14	4	5	...	...	...	...	...	...	...	..	2	...	1	2	...	1	...	1	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,942	19·0	22·6	26·1	.	13	15	2	6	...	...	...	...	...	...	...	...	4	1	..	2	3	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	22·8	34·2	5·7	4	6	1	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	40·0	46·2	.	13	15	3	6	...	...	...	...	...	...	...	...	1	1	1	5	1	...	...	...	...	2	1	57	34	46·4	0·37	52	33	43·8	0·43	49	27	39·9	0·17
Urban Districts. BELFAST ..	396,000	26·5	30·3	21·2	1·3	230	161	46	30	...	...	...	2	2	...	2	...	10	4	4	26	38	4	...	5	11	48	...	56	29	46·0	0·12	54·5	29·0	42·6	0·31	51·0	24·5	38·7	0·71
CORK, ..	76,673	28·6	32·0	18·4	2·0	47	27	6	6	...	...	...	2	...	...	...	...	3	1	...	2	5	...	1	...	3	11	2	56	38	45·6	0·05	53	36	44·9	0·72	49	31	41·6	0·89
LONDONDERRY ...	41,000	15·9	29·3	22·9	.	23	18	4	6	...	...	...	...	...	...	...	...	1	1	2	..	6	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	23·0	14·9	.	17	11	3	3	...	...	...	...	...	...	...	...	1	...	1	...	...	...	..	...	...	1	4	55·0	33·6	45·5	0·35	55·2	30·2	43·3	0·63	49·4	26	40	0·74
WATERFORD, ...	27,464	19·1	21·7	24·7	5·7	13	13	1	6	...	...	...	...	...	3	...	...	4	...	...	1	...	...	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				9	5	1	1	...	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	...	1	...	56	34	46	0·24	55	32	44·3	0·32	50	28	40·5	1·85
DUNDALK, ...	13,128	9·5				6	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				14	4	...	1	...	...	...	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69
DROGHEDA, ...	12,501	8·4				6	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				8	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69
NEWRY, ...	11,963	17·0				7	12	1	4	...	...	...	1	...	...	...	...	1	...	...	1	1	...	...	..	1	1	2	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69
PORTADOWN, ...	11,727	15·3				7	8	4	2	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	1	...	2	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69
WEXFORD, ...	11,531	22·8				3	13	1	4	...	...	...	4	...	...	...	...	...	1	...	1	2	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				3	6	1	3	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				7	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	58	32	44·0	0·51	56	27	42·0	0·14	52	27	38·0	1·30
KILKENNY, ...	10,514	11·4				6	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	1	1	56	31	45·7	0·56	54	29	43·7	0·55	49	23	39·6	0·76
TRALEE. ...	10,300	17·4				16	3	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				4	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				.	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54	32	44·0	0·11	50	34	42·5	0·38	49	28	38·7	0·67
QUEENSTOWN, ...	8,209	14·7				1	1	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	56	38	45·6	0·65	53	36	44·9	0·72	49	31	41·6	0·89
LARNE, ...	8,036	13·4				4	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				5	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY. ..	7,691	7·2				4	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				1	3	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	1	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19	50·1	26·7	39·0	0·69

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 16 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area; one of the 16 deaths was from diphtheria.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th of April, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	B. ACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Diphtheria,	.	1	.	1	.	.	.	1	.	.	.	.	.	.	1	.	4	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	1	.	.	.	.	.	.	.	2	1	.	1	5	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	4	2	5	.	.	.	3	4	4	3	1	2	4	.	1	36	1
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	1	.	3	.	.	.	1	.	1	6	.
Cancer,	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	6	3
Diseases of Nervous System,	.	4	1	2	1	.	.	.	1	4	1	2	2	1	1	1	21	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	7	3	.	1	1	.	2	.	1	1	1	.	1	2	1	21	4
" Respiratory System. { Pneumonia,	.	1	2	.	.	5	.	1	2	3	2	.	2	2	.	5	25	.
" Respiratory System. { Others,	2	3	1	2	1	2	.	.	.	3	1	1	.	3	.	1	20	1
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	1	1	.	1	.	.	.	1	1	1	.	.	1	.	.	.	7	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	2	.	2	1	.	.	.	.	.	.	2	.	.	.	.	.	7	2
" Genito-urinary System,	1	1	.	3	.	.	1	3	.	1	.	2	1	1	.	.	14	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	4	.	3	.	1	.	.	2	4	3	.	2	.	1	3	23	1
Violent Deaths,	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	3	3
Ill-defined, &c. Causes,	2	1	.	3	.	.	.	2	.	1	.	.	.	.	.	.	9	.
Deaths from All Causes	14	29	12	21	4	9	1	17	10	27	15	7	14	15	6	15	216	16
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·4	37·0	22·4	31·1	38·4	34·6	4·9	22·0	28·4	32·7	23·6	37·4	18·8	26·1	34·2	46·2	27·9	.
	28·7							27·4					27·5					
	28·1																	
Ages at Death. Under 1 year,	2	6	2	4	.	.	.	1	3	5	2	.	4	2	1	3	35	.
1 and under 2 years,	1	1	1	1	.	1	.	2	2	4	.	.	.	.	.	2	15	.
2 " 5 "	.	.	.	1	.	.	.	.	.	4	1	2	.	.	.	.	8	.
5 " 15 "	.	2	.	.	.	.	.	1	.	1	.	.	.	.	1	.	5	1
15 " 25 "	1	.	1	3	.	.	.	1	.	.	1	.	.	.	1	1	9	1
25 " 45 "	3	5	2	3	.	1	.	5	4	3	4	.	3	3	.	1	37	5
45 " 65 "	3	9	6	2	2	5	.	6	.	3	4	4	2	4	1	2	53	7
65 and upwards,	4	6	.	7	2	2	1	1	1	7	3	1	5	6	2	6	54	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	6	3	5	1	1	.	5	.	5	7	.	4	4	1	.	44	16
Workhouse Hospitals,	5	4	1	4	.	1	.	7	2	11	3	3	.	2	2	2	47	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										14th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 5th April, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 11, 1903.	Apr. 9, 1904.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.	Apr. 8, 1911.	Apr. 6, 1912.	Averages in	Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 48·0	° 45·9	° 44·2	° 42·9	° 42·1	° 44·7	° 44·5	° 41·7	° 39·4	° 48·4	° 44·2	° 44·2										
ALL CAUSES.	174	226	190	159	219	207	205	186	191	205	196·2	232	14	21	15	8	6	10	42	60	30	26
Enteric Fever, ...	4	3	1	.	.	1	2	1	3	2	1·7	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	1		.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	4	.	1	3	1	6	.	1	11	3·0	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	.	1	.	.	1	1	·5	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	2	8	1	2	8	1	7	.	3	2	3·4	2	.	1	1	.	.	.	.	.	.	.
Diphtheria, ...	2	2	1	.	3	.	1	1	4	4	1·8	5	.	.	1	1	2	.	1	.	.	.
Croup, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	5	2	2	5	7	3	3	2	4	3·6	5	.	.	.	.	.	.	.	1	1	3
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	34	31	23	29	30	24	21	29	25	26·5	37	.	.	2	.	.	6	16	12	1	.
Tuberculous Meningitis, ...	4	2	3	3	8	7	5	1	2	3	3·8	2	.	1	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	.	3	4	2	1	6	6	.	4	.	2·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										3		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	9	11	10	13	5	7	9	4	1	8·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										2		1	.	.	1	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		3	.	.	.	1	2	.	.	.	.	.
Venereal Diseases, ...	1	3	2	3	.	.	2	2	1	1	1·5	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	2	11	10	4	5	13	10	7	11	11	8·4	9	.	.	.	.	.	.	2	3	2	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	3	1	3	3	.	.	1	.	1	.	1·2	1	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	3	—	2	.	.	.	.	1	.	1	.	.	.
Alcoholism, ...	1	2	1	.	.	2	2	1	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	3	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		2	.	.	.	1	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										4		10	.	.	.	.	.	.	.	4	5	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		2	.	.	.	.	.	.	.	2	.	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										2		3	2	.	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	40	38	46	40	49	43	32	46	37	2	39·6	4	.	.	.	1	.	.	1	2	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		3	.	.	.	.	.	.	.	2	1	.
Organic Diseases of the Heart,										13		21	.	.	.	.	.	.	1	12	6	2
Embolism and Thrombosis (including Cerebral)										2		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.										1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	32	29	23	22	29	24	31	32	21	31	27·4	21	.	2	2	.	.	.	1	5	7	4
Broncho-pneumonia, ...	3	5	8	4	10	3	10	8	9	24	8·4	14	.	2	3	1	.	1	1	3	1	2
Lobar pneumonia, ...	1	1	.	1	2	1	.	1	2	2	1·1	2	.	.	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished)	5	10	3	3	5	11	10	8	7	5	6·7	9	1	1	2	.	.	.	1	1	1	2
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	5	2	2	1	4	1	2	6	2	.	2·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

FOURTEENTH WEEK ending Saturday, 5th April, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 5th April, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 11, 1903.	Apr. 9, 1904.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.	Apr. 8, 1911.	Apr. 6, 1912.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 48·0	° 45·9	° 44·2	° 42·9	° 42·1	° 44·7	° 44·5	° 41·7	° 39·4	° 48·4	° 44·2	° 44·2										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	3	—	5	.	1	.	.	.	1	1	2	.	.
Diarrhœa and Enteritis of Children under 2 years.	5	2	4	2	3	6	3	7	6	2	4·3	7	.	7	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									3	.		1	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	.	—	1	.	1	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	1	.	1	1	1	1	1	2	.	·8	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	.	3	2	3	.	1	.	1	.	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	16	9	6	6	7	3	2	1	1	5·4	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	2	6	4	5	6	9	8	4	5	1	5·5	2	.	.	.	1	.	.	1	.	.	.
Chronic Bright's Disease, ...										3		9	.	.	.	.	.	.	2	4	1	2
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		3	.	.	.	.	.	.	.	.	1	2
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	.	.	1	·2	2	.	.	.	.	.	1	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	2	.	1	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	.	—	1	.	.	.	.	.	.	1	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	2	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	5	1	.	3	4	3	3	3	1	2·5	6	6	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	2	4	—	6	3	3	.	.	.	.	.	.	1	4
Old Age, ...	4	3	5	2	5	5	4	3	6	8	4·5	5	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	.	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	.	.	.	.	2	1	3	1	·9	1	.	.	.	1	.	.	.	.	.	.
Drowning, ...	1	.	.	1	1	.	1	1	1	.	·6	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	2	.	2	.	1	2	1	3	1·3	3	.	.	.	.	.	.	3	.	.	.
Total Deaths from Accident,	3	2	2	1	3	1	4	5	6	4	3·1	5	.	.	.	1	.	.	4	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	1	1	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	1	7	—	9	.	.	2	.	.	.	1	3	2	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered.	195	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299
Average Births in corresponding week of previous 10 years, ...	189	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204
DEATHS registered, ...	161	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232
Annual Death-rate per 1,000, ...	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0
Average Deaths in corresponding week of previous 10 years, ...	157	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196
Ages, Under 5 years, ...	46	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58
5—15 „ ...	7	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6
15—25 „ ...	9	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10
25—45 „ ...	28	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42
45—65 „ ...	32	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60
65—75 „ ...	21	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30
75 and upwards, ...	18	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26
Deaths from :—																										
Enteric Fever, ...	1	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1
Whooping-cough, ...	.	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2
Diphtheria, ...	3	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5
Influenza, ...	1	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5
Dysentery, ...	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	22	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37
Tuberculous Disease, Other Forms,	2	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6
Cancer, ...	12	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9
Diseases of Circulatory System,	17	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25
Diseases of Respiratory System, Pneumonia,	18	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25
Diseases of Respiratory System, Others, ...	16	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21
Diarrhœa and Enteritis, under 2 years, ...	5	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7
Diarrhœa, 2 years and upwards,	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	10	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6
Number of Uncertified Deaths,	3	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4
Mean Temperature of the Air (Phœnix Park)	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2
Average Mean Temperature in corresponding week of previous 10 years, ...	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2
Rainfall in inches, ...	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th April, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH APRIL, 1913. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	232	58	6	10	42	60	30	26	.	1	.	.	1	2	5	.	37	6	9	3	25	21	7	.	6	109	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	26·9	9	1	1	.	.	1	1	5	.	.	.	.	.	.	1	.	.	.	1	.	1	1	1	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	28·1	47	4	2	.	7	16	8	10	.	.	.	.	.	.	1	.	2	.	5	.	8	2	1	.	2	26	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	21·7	46	12	.	4	7	12	5	6	.	.	.	.	.	1	.	.	10	.	1	1	4	5	1	.	1	22	.
IV.	GENERAL SERVICE CLASS, ...	154,279	28·1	83	33	1	4	19	14	8	4	.	1	.	.	1	1	3	.	12	1	1	2	12	9	1	.	3	36	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	47	8	2	2	9	17	8	1	.	.	.	.	.	.	.	.	13	5	1	.	.	4	3	.	.	21	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	53·5	8	1	1	.	.	1	1	4	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	22,016	28·4	12	1	.	.	2	4	1	4	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	8	.
	6. Clerks and Commercial Assistants, ...	30,432	24·0	14	2	.	.	1	6	3	2	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	9	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	32·8	17	.	1	.	4	5	3	4	.	.	.	.	.	.	1	.	.	.	4	.	2	2	.	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	42·2	8	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	1	3	.
	9. Building and Furnishing Trades, ...	29,801	24·5	14	6	.	.	3	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3	1	1	.	.	7	.
	10. Clothing Trades, ...	23,260	11·2	5	1	.	1	.	2	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	2	.
	11. Food Supply Trades	9,242	16·9	3	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	1	.	1	3	4	2	4	.	.	.	.	.	.	.	.	5	.	1	.	.	2	.	.	.	7	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	23·3	6	2	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	3	.
	15. Domestic Servants, ...	36,603	10·0	7	2	.	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	3	.	.	5	1	.	1	.	.	.	.	.	.	1	.	1	.	.	1	2	1	.	.	1	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	34·8	60	26	1	3	9	11	7	3	.	1	.	.	1	1	2	.	9	1	1	1	8	7	1	.	.	27	4
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	47	8	2	2	9	17	8	1	.	.	.	.	.	.	.	.	13	5	1	.	.	4	3	.	.	21	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Feb. 15,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 22,	36·6	1·7	21	.	.	.	.	.	1	.	.	3	2	.	3	4	.	.	1	1
	Mar. 1,	22·7	1·7	13	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.
	„ 8,	29·6	.	17	.	.	.	.	.	.	.	.	2	1	.	5	5	.	.	.	1
	„ 15,	19·2	.	11	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.	1	1
	„ 22,	24·4	.	14	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	.
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.
	Apr. 5,	24·4	3·5	14	.	1	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Feb. 15,	19·1	1·3	15	.	.	.	1	.	.	.	.	6	1	.	1	.	.	.	.	.
	„ 22,	29·3	2·6	23	.	.	.	.	.	.	1	.	5	1	1	3	2	1	.	.	1
	Mar. 1,	38·3	5·1	30	1	.	.	.	.	1	.	.	3	.	1	2	7	2	.	.	.
	„ 8,	33·2	.	26	.	.	.	.	.	.	.	.	3	.	2	3	9	.	.	.	2
	„ 15,	30·6	.	24	.	.	.	.	.	.	.	.	4	1	.	5	5	.	.	.	1
	„ 22,	31·9	3·8	25	1	1	.	.	.	.	.	.	3	1	.	2	8	1	.	.	1
	„ 29,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	.	.
	Apr. 5,	37·0	2·6	29	.	.	.	.	.	.	1	.	4	.	2	1	3	1	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Feb. 15,	31·8	.	17	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
	„ 22,	44·9	1·9	24	1	.	.	.	.	.	.	.	9	1	1	1	4	.	.	.	.
	Mar. 1,	31·8	.	17	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	1	1
	„ 8,	28·1	1·9	15	.	.	.	.	.	.	.	.	1	.	.	2	4	1	.	1	.
	„ 15,	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	.	.
	„ 22,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	„ 29,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.
	Apr. 5,	22·4	1·9	12	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Feb. 15,	23·7	3·0	16	.	.	.	.	.	.	.	.	1	1	2	2	2	2	.	.	.
	„ 22,	22·2	1·5	15	.	.	.	.	.	.	1	.	.	1	2	3	.	.	.	1	.
	Mar. 1,	31·1	3·0	21	.	1	.	.	.	.	.	.	3	1	.	2	4	1	.	.	1
	„ 8,	20·7	1·5	14	.	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1	.
	„ 15,	25·2	1·5	17	.	.	.	.	.	.	1	.	2	2	1	1	3	.	.	.	.
	„ 22,	19·3	1·5	13	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.
	„ 29,	22·2	3·0	15	.	.	.	.	.	2	.	.	1	1	1	.	1	.	.	.	.
	Apr. 5,	31·1	3·0	21	.	.	.	.	.	.	1	.	5	.	.	.	2	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Feb. 15,	29·7	2·6	23	.	.	.	.	.	.	.	.	2	3	1	.	6	2	.	1	1
	„ 22,	27·1	5·2	21	.	.	.	.	.	2	.	.	3	.	.	1	4	2	.	1	.
	Mar. 1,	33·6	1·3	26	1	.	.	.	.	.	.	.	7	1	.	.	6	.	.	.	.
	„ 8,	22·0	1·3	17	.	.	.	.	.	1	.	.	6	.	.	2	2	.	.	1	.
	„ 15,	33·6	3·9	26	.	.	.	.	.	2	.	.	1	2	1	1	5	1	.	.	1
	„ 22,	28·4	.	22	.	.	.	.	.	.	.	.	4	1	2	3	3	.	.	.	.
	„ 29,	28·4	2·6	22	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	1	2
	Apr. 5,	22·0	3·9	17	.	.	.	.	1	.	1	.	3	1	.	1	.	1	.	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Feb. 15,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 22,	28·4	.	10	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1
	Mar. 1,	28·4	5·7	10	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	1
	„ 8,	22·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 15,	17·1	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 22,	39·8	2·8	14	1	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	.
	„ 29,	37·0	2·8	13	.	.	.	.	.	.	1	.	1	.	2	1	4	.	.	.	.
	Apr. 5,	28·4	2·8	10	.	.	.	.	.	.	.	.	4	.	.	2	.	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Feb. 15,	18·1	2·4	15	.	.	.	.	.	1	1	.	3	.	3	1	1	.	.	.	.
	„ 22,	29·0	2·4	24	.	.	.	.	.	1	.	.	2	2	.	3	1	1	.	.	1
	Mar. 1,	23·0	2·4	19	.	.	.	.	.	2	.	.	3	.	.	2	3	.	.	.	.
	„ 8,	18·1	.	15	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	1
	„ 15,	26·6	.	22	.	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	2
	„ 22,	14·5	2·4	12	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.
	„ 29,	32·7	3·6	27	.	.	.	.	.	2	1	.	7	1	1	3	6	.	.	1	.
	Apr. 5,	32·7	1·2	27	.	.	.	.	.	.	.	.	4	3	.	3	3	1	.	1	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Feb. 15,	25·2	.	16	.	.	.	.	.	.	.	.	2	3	2	2	3	.	.	.	.
	„ 22,	11·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
	Mar. 1,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.
	„ 8,	29·9	.	19	.	.	.	.	.	.	.	.	2	.	2	1	5	.	.	.	1
	„ 15,	26·7	3·1	17	.	.	.	.	.	.	1	.	2	1	2	1	3	1	.	1	.
	„ 22,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	.	1
	„ 29,	25·2	1·6	16	.	.	.	.	.	1	.	.	.	1	1	2	5	.	.	.	2
	Apr. 5,	23·6	1·6	15	.	.	.	.	.	1	.	.	3	.	1	2	1	.	.	.	.

*See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*; also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Feb. 15,	22·9	1·3	17	.	.	.	.	.	1	.	.	1	.	3	1	.	.	.	.	1
	„ 22,	22·9	1·3	17	.	.	.	.	1	.	.	.	4	.	1	.	2	.	.	.	1
	Mar. 1,	26·9	.	20	.	.	.	.	.	.	.	.	2	.	1	3	2	.	.	1	1
	„ 8,	21·5	1·3	16	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	1	1
	„ 15,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
Pop. in 1913 (Est.) 38,769.	„ 22,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
	„ 29,	20·2	.	15	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	.
	Apr. 5,	18·8	1·3	14	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	1	1
Pembroke Urban District.	Feb. 15,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 22,	17·4	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.
	Mar. 1,	24·4	3·5	14	.	.	.	.	.	1	.	.	4	1	2	.	2	1	.	.	.
	„ 8,	8·7	1·7	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 15,	24·4	1·7	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
Pop. in 1913 (Est.) 29,942.	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
	„ 29,	22·6	3·5	13	.	.	.	.	.	.	2	.	.	2	2	1	2	.	.	.	.
	Apr. 5,	26·1	.	15	.	.	.	.	.	.	.	.	4	1	.	2	3	.	.	.	.
Kingstown Urban District.	Feb. 15,	43·1	3·1	14	.	.	.	.	1	.	.	.	1	1	.	3	1	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1
	Mar. 1,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 8,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	„ 15,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
Pop. in 1911 16,941.	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	Apr. 5,	46·2	.	15	.	.	.	.	.	.	.	.	1	1	1	5	1	.	.	.	1
Belfast.	Feb. 15,	19·9	2·1	151	1	.	.	4	4	1	1	.	13	4	7	13	29	4	1	4	.
	„ 22,	25·4	1·8	193	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	1
	Mar. 1,	23·4	0·9	178	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3
	„ 8,	23·3	2·5	177	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	2
Pop. in 1913 (Est.) 396,000.	„ 15,	23·7	1·7	180	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	1
	„ 22,	25·0	1·4	190	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	.
	„ 29,	24·5	1·7	186	.	.	.	8	1	.	1	.	33	4	8	19	22	2	1	9	2
	Apr. 5,	21·2	1·3	161	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	.
Cork.	Feb. 15,	29·2	0·7	43	.	.	.	1	.	.	.	.	8	2	1	6	6	.	.	.	2
	„ 22,	23·8	.	35	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	1
	Mar. 1,	28·6	0·7	42	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	3
	„ 8,	24·5	1·4	36	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.
Pop. in 1911 76,673.	„ 15,	27·9	0·7	41	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	1
	„ 22,	21·1	1·4	31	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	1
	„ 29,	22·4	2·7	33	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	1
	Apr. 5,	18·4	2·0	27	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	2
Londonderry.	Feb. 15,	19·1	1·3	15	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	.	1
	„ 22,	19·1	.	15	.	.	.	.	.	.	.	.	2	.	2	.	5	.	.	.	.
	Mar. 1,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 8,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.
Pop. in 1913 (Est.) 41,000.	„ 15,	17·8	1·3	14	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.
	„ 22,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 29,	20·3	.	16	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	Apr. 5,	22·9	.	18	.	.	.	.	.	.	.	.	1	1	2	.	6	.	.	.	.
Limerick.	Feb. 15,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	3
	„ 22,	17·6	1·4	13	.	.	.	1	.	.	.	.	3	.	2	1	1	.	.	.	3
	Mar. 1,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	„ 8,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	3
Pop. in 1911 38,518.	„ 15,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 22,	20·3	.	15	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	3
	„ 29,	27·1	.	20	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	2
	Apr. 5,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4
Waterford.	Feb. 15,	26·6	5·7	14	.	.	.	.	.	3	.	.	2	.	.	.	1	.	.	.	1
	„ 22,	20·9	3·8	11	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.
	Mar. 1,	13·3	3·8	7	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	34·2	1·9	18	.	.	.	.	.	1	.	.	2	.	3	.	3	.	.	1	.
Pop. in 1911 27,464.	„ 15,	26·6	3·8	14	.	.	.	.	.	2	.	.	1	1	.	.	3	.	.	.	3
	„ 22,	3·8	1·9	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	32·3	3·8	17	.	.	.	.	.	2	.	.	4	1	2	.	.	.	.	.	1
	Apr. 5,	24·7	5·7	13	.	.	.	.	.	3	.	.	4	.	.	1	.	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th April, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	36·1	3·3	11	5	2	.	2	2	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.	.	2	4	.
Do. 2 do.	49,500	26	22·1	.	21	6	3	1	3	6	2	.	.	.	.	.	.	.	.	1	.	.	5	6	.	.	2	2	6	.
Do. 3 do.	50,032	36	15·6	2·1	15	3	1	2	.	2	7	.	.	.	.	1	.	1	.	.	.	2	2	6	.	.	.	.	3	.
Do 4 do.	32,637	17	35·1	1·6	22	6	3	3	5	2	3	.	.	.	.	.	.	.	.	4	.	.	2	3	1	.	1	1	12	.
Do. 5 do.	16,112	12	22·7	3·2	7	2	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	5	.
Do. 6 do.	37,293	11	15·4	.	11	3	1	.	1	4	2	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	1	2	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	17·5	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 9 do.	24,427	14	19·2	2·1	9	4	2	.	1	2	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.	.	1	1	1	.
Do. 10 do.	28,958	24	28·8	1·8	16	9	1	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	6	2	1	.	.	3	.	.
Do. 11 do.	39,311	23	22·5	1·3	17	5	2	3	.	1	6	.	.	.	.	1	.	.	.	1	.	1	3	5	.	.	.	.	4	.
Do. 12 do.	38,076	24	20·5	.	15	1	3	1	3	2	5	.	.	.	.	.	.	.	.	2	3	1	2	5	.	.	.	.	4	.
Do. 13 do.	23,233	10	9·0	.	4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	22	25·3	4·6	11	1	4	1	.	4	1	.	.	.	.	.	.	1	.	1	.	.	2	1	1	.	.	.	4	.
Total,	386,947	230	21·2	1·3	161	46	23	12	17	33	30	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	11	48	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	7·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,701	14	15·0	.	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	2	.
Do 3 do.	9,978	7	42·6	5·3	8	1	2	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	3	1
Do 4 do.	8,636	5	34·2	11·4	6	2	.	.	2	1	1	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.
Do 5 do.	6 592	1	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	8	9·0	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 7 do.	16,616	7	16·2	.	5	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1
Total,	76,122	47	18·4	2 0	27	6	3	3	6	3	6	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	3	11	2

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912-3—WEEK ENDING																									
	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered, ...	211	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230
DEATHS registered, ...	135	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161
Annual Death-rate per 1,000 of estimated population, ...	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	21·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2
AGES, Under 1 year, ...	22	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46
1—5 years, ...	19	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23
5—25 ,, ...	19	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12
25—45 ,, ...	21	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17
45—65 ,, ...	36	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33
65 and upwards, ...	18	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2
Scarlet Fever, ...	4	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2
Whooping-cough, ...	.	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.
Diphtheria, ...	3	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10
Tuberculous Disease. Other Forms,	7	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4
Cancer, ...	7	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4	5	8	4
Diseases of Respiratory System, Pneumonia,	11	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26
Diseases of Respiratory System, Others, ...	10	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38
Diarrhœa and Enteritis, under 2 years, ...	5	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4
Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.
Violent Deaths, ...	2	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5
Number of Uncertified Deaths, ...	2	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Apr. 5,	2,291	1,416	16·3	2	.	65	5	16	6	17*a*
Edinburgh, ...	320,300	„ 5,	111	95	15·5	1	.	.	.	7	.	1
Glasgow, ...	1,021,500	„ 5,	627	367	18·7	1	.	4	2	22	3	8
Calcutta, ...	896,067	Feb. 22,	.	547	31·7	86*	2	2	.	.	3†	132‡
Bombay, ...	979,445	Mar. 1,	353	622	33·0	93*	4	3	.	.	.	71‡
Madras, ...	518,660	„ 8,	264	399	40·0	86*	1	6	?	?	?	107
Cairo, ...	704,956	Jan. 7,	695	388	28·7	2	1	.	.	?	7†	27*a*
Paris, ...	2,847,229	Mar. 22,	1,103	1,025	18·4	4	.	45	5	6	5†	24*a*
Brussels, ...	767,252	„ 15,	259	196	13·3	1	.	1	.	2	1†	6
Antwerp, ...	308,618	„ 22,	136	93	15·7	1	.	1	.	1	.	12*a*
Amsterdam, ...	589,106	„ 15,	268	155	13·7	.	.	5	.	3	1†	3*a*
Copenhagen, ...	468,000	„ 15,	215	132	14·7	.	.	.	1	2	1†	3*a*
Stockholm, ...	368,798	„ 15,	167	126	17·8	.	.	.	.	.	1	2*a*
Christiania, ...	247,488	„ 22,	144	77	16·2	.	.	.	1	.	.	7
St. Petersburg, ...	1,686,000	„ 1,	989	714	22·1	2	.	21	17	4	6	10*a*
Moscow, ...	1,635,800	Feb. 15,	.	742	23·7	1	1	21	17	11	23	61
Berlin, ...	2,099,099	Mar. 1,	885	579	14·4	1	.	5	3	5	7†	21
Hamburg, ...	1,006,748	„ 15,	.	288	14·9	.	.	6	4	3	9†	8*a*
Breslau, ...	538,311	„ 15,	.	203	19·7	.	.	2	.	3	2	10
Munich, ...	622,000	„ 15,	.	183	15·3	.	.	5	.	1	1†	3
Vienna (with suburbs),	2,098,225	„ 22,	707	757	18·8	.	.	13	4	12	2†	24*a*
Buda-Pesth, ...	1,184,272	„ 15,	402	388	21·7	2	.	3	16	.	9†	16*a*
Prague and Faubourgs,	489,194	„ 1,	181	200	21·3	1	.	2	.	1	1†	6*a*
Trieste, ...	237,192	„ 15,	150	126	27·7	.	1	5	.	1	1†	.
Rome, ...	575,091	Nov. 23,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Mar. 1,	2,526	1,836	17·8	4	.	11	20	6	52	28*a*
Philadelphia, ...	1,631,960	„ 15,	.	576	18·4	2	.	8	5	.	14	13
Boston, (*b*)	735,399	„ 15,	.	246	17·4	.	.	.	10	.	1	4

* Deaths from "fever," including 7 from enteric fever and 10 from plague in Calcutta, 3 from enteric fever and 47 from plague in Bombay, and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 48 deaths from cholera in Calcutta, and 3 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th April, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	4	.	.	.	.	.	.	.	.	.	.	5
" " 1, West, ...	.	.	2	.	1	.	.	.	.	.	.	.	.	3
" " 2, ...	.	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 3, ...	.	1	.	.	1	.	.	.	1	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	1	.	.	.	5	.	.	5	.	12
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
" " 3, ...	.	.	.	.	4	.	.	.	.	.	.	1	.	5
" " 4, ...	.	3	.	.	.	.	.	1	.	.	.	.	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	6	.	8	.	.	1	9	.	.	7	.	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th April, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th April.			
	Mar. 15.	Mar. 22.	Mar. 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	31	35	32	2	6	.	28
Typhus, ...	7	7	8	6	.	1	13
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	3	7	2	2	.	7
Scarlet Fever, ...	109	92	98	16	25	1	88*
Diphtheria, ...	25	33	52	15	11	7	49
Pneumonia, ...	26	25	27	10	7	1	29

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 5th April, 1913:—

"Ireland enjoyed favourable springlike weather during the greater part of this week. The period opened with a shallow atmospheric depression lying on the Irish Sea. Its feeble N.W. winds soon ceased to blow, and whereas the thermometer had fallen in the early morning hours to 33° in the screen at Birr Castle, a maximum of 53° was reached in the daytime at that station and 55° in Dublin. A V.-shaped shallow depression crossed Ireland in the early morning hours of Monday. Its passage was attended by a moderate rainfall, but only ·006 inch was measured in Dublin. Tuesday was a cool day and in the afternoon local hail-showers occurred—in this City only a few pellets of hail fell at 4·50 p.m. Wednesday was changeable in connection with a far-stretching but not deep depression on the Atlantic to the west and north-west of Ireland. This system caused a moderate and genial rainfall in Ireland and Wales. A marked change now took place in the distribution of atmospheric pressure and consequently in the weather also. An area of high barometer spread northwestwards from Denmark to the Norwegian Sea, while a depression developed over Spain and France. Fresh to strong N.E. winds set in all over North-western Europe, attended with fine but cold weather in Ireland and Scotland, whereas clouds and rain prevailed in England and on the Continent. At 7 a.m. of Friday the thermometer stood as low as 32° at Nairn, in Scotland, 33° at Birr Castle, and 34° at Wick. The strong, cold N.E. winds held to the close of the week. On Saturday especially the gusts were at times of gale-force. There was the usual east-wind haze at the same time. In Dublin the mean height of the barometer was 29·952 inches, pressure ranging from 29·610 inches at 9 a.m. of Sunday (wind, W.N.W.) to 30·358 inches at 9 a.m. of Friday (wind, N.E.). The corrected mean temperature was 46·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·7°. The screened thermometers rose to 55·3° on Sunday, and fell to 38·0° on Tuesday. The wind was at first W.N.W., then S.E., and finally N.E. Rain fell on 2 days to the amount of ·127 inch, of which ·121 inch was measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·964 inches. The highest reading (30·371) was on Friday at 9 a.m., wind N.N.E., the lowest (29·640) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 44·2°, being equal to the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday, on which day the thermometer registered 56°, and was lowest on Tuesday and Wednesday, the mercury having fallen to 29°. The mean of the Dry Bulb for the week was 43·9° and of the Wet Bulb, 42·0°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·100 inch.

At Greenwich the mean temperature for the week was 45·5°, the maximum 57·0°, and the minimum 33·0°; at Glasgow the maximum was 56·0°, the minimum 31·3°, and the mean 44·9°; and at Edinburgh the maximum was 53·2°, the minimum 34·8°, and the mean 43·8°. The rainfall at Greenwich measured 0·33 in.; at Glasgow 0·14 in.; and at Edinburgh 0·05 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 30,	29·685	56	40	48·0	45·9	43·7	·84	·5	9·8	·030	W.	S.S.W.
Monday, „ 31,	29·735	52	31	41·5	38·7	37·6	·92	·4	5·3	·000	W.	Calm.
Tuesday, April 1,	29·865	52	29	40·5	35·8	34·9	·96	·4	5·2	·000	W.	Calm.
Wednesday, „ 2,	29·800	52	29	40·5	46·8	44·3	·83	·7	1·6	·070	Calm.	S.S.E.
Thursday, „ 3,	30·185	53	43	48·0	46·2	44·6	·87	·4	5·6	·000	S.E.	N.N.E.
Friday, „ 4,	30·320	52	36	44·0	45·9	43·3	·82	·7	4·8	·000	N.N.E.	N.E.
Saturday, „ 5,	30·160	53	41	47·0	48·1	45·7	·83	·7	11·2	·000	N.E.	N.E.
Mean, ...	29·964	52·9	35·6	44·2	43·9	42·0	·87	·5	Total 43·5	Total ·100	Prevailing Wind, N.E.	

Sunday—A beautiful bright day; night cloudy, showers at intervals 3.30 to 6.0 a.m. *Monday*—A fine day, cloudy at intervals; night clear. *Tuesday*—Day cloudy a.m. bright p.m.; night clear. *Wednesday*—Day cloudy, showers at intervals a.m. and p.m.; night cloudy, drizzling rain 9.0 to 9.15 p.m., 10.0 to 10.15 p.m., and 12.0 m.n. to 3.30 a.m. *Thursday*—A fine day, cloudy at intervals; night clear. *Friday*—A fine day, cloudy at intervals; night clear. *Saturday*—A beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 5th April, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 30,	47·3	45·1	44·7	51·8	40·5	46·2	8·7	·005
Monday „ 31,	45·0	45·8	44·8	52·2	33·7	43·0	5·0	—
Tuesday, April 1,	42·2	45·3	45·0	52·2	36·0	44·1	5·1	—
Wednesday, „ 2,	48·1	45·0	45·2	51·6	39·1	45·4	1·4	·1
Thursday, „ 3,	51·0	45·6	45·2	53·1	31·0	42·1	6·5	—
Friday, „ 4,	48·4	46·1	45·2	52·4	38·6	45·5	5·0	—
Saturday, „ 5,	47·7	46·0	45·5	52·5	41·0	46·8	9·7	—
Weekly Mean, .	47·1	45·6	45·1	52·3	37·1	44·7	Total 41·4	Total ·105

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 360-45/139. 375. 4. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 12TH APRIL, 1913. [No. 15.

General Register Office, Charlemont House,
Dublin, 14*th April,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Mar. 15	Mar. 22	Mar. 29	April 12	Average Rate for 4 weeks.
27 Town Districts, (a)	**21·7**	**23·8**	**23·3**	**22·5**	**22·8**
Dublin Reg. Area ...	21·6	24·2	27·9	27·2	25·2
Dublin City ...	22·8	25·0	28·1	29·9	26·4
Belfast	25·0	24·5	21·2	19·6	22·6
Cork	21·1	22·4	18·4	24·5	21·6
Londonderry ...	11·4	20·3	22·9	14·0	17·2
Limerick	20·3	27·1	14·9	19·0	20·3
Waterford	3·8	32·3	24·7	20·9	20·4

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·7 per 1,000. Among the 149 deaths from all causes for Belfast are 2 from measles, 2 from scarlet fever, one from diphtheria, and 4 from diarrhœal diseases. Included in the 36 deaths from all causes for Cork is one from measles. Of the 10 deaths from all causes for Newry 3 are from measles, and all of the 8 deaths registered for Wexford are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 283—145 boys and 138 girls—and the deaths to 216—105 males and 111 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·2 per 1,000 of the population. During the fifteen weeks, ending with Saturday last, the death-rate averaged 23·0, and was 2·2 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 216, represent an annual rate of 27·9 per 1,000; the annual rate for the past fifteen weeks was 24·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

Of the 216 deaths from all causes, 3 were from scarlet fever, 3 from whooping-cough, 4 from diphtheria, 4 from influenza, and 6* from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks deaths from scarlet fever were 0, 0, and one; deaths from whooping-cough were 2, 7, and 2; deaths from diphtheria were 0, 6, and 5; deaths from influenza were 6, 6, and 5; and deaths from diarrhœa and enteritis of children under 2 years of age were 4, 5, and 7 respectively.

Thirty-four deaths were caused by tuberculous disease, comprising 24 deaths from pulmonary tuberculosis, 6 from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from disseminated tuberculosis. In each of the 3 preceding weeks deaths from tuberculous disease numbered 28, 29 and 43.

Broncho-pneumonia caused 10 deaths; lobar pneumonia, one death; and pneumonia (type not distinguished), 3 deaths.

There were 14 deaths from cancer.

Six deaths of infants under one year of age were attributed to convulsions, 6 to premature birth, and 7 to congenital debility.

There were 30 deaths from bronchitis, and 20 deaths from organic diseases of the heart.

Accidental deaths numbered 4, including one death by burns and one by drowning.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 infants under one year of age, and the deaths of 4 persons aged 65 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 19 were under one month old) and 59 were aged 65 years and upwards, including 43 persons aged 70 and upwards; among the latter were 20 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Eighty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, and 30 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·2 per 1,000; the rate in the City was 29·9 (North City Districts, 26·5; South, 33·9) and in the Suburbs, 18·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 1·3, and in the South 2·9), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000, and include one from pulmonary tuberculosis, 2 from broncho-pneumonia, one from pneumonia (type not distinguished), one from bronchitis, and one death from enteritis of a child under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (31) are equal to an annual rate of 39·5 per 1,000. Included in the total are 6 from tuberculous disease, 2 from broncho-pneumonia, one from lobar pneumonia, and 4 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26·2 per 1,000. Tuberculous disease caused 2 deaths.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 23·7 per 1,000, and include one death from scarlet fever, 3 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one from pneumonia (type not distinguished), and one death from diarrhœa of a child under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·4, and Finglas and Glasnevin, part of, 19·6. One of the 4 deaths from all causes for Coolock and Drumcondra, part of, is from bronchitis; and of the 4 deaths from all causes for Finglas and Glasnevin, part of, 2 are from tuberculous disease and one is from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 28·4 per 1,000, and include 2 from whooping-cough, 6 from tuberculous disease, 3 from bronchitis, one from enteritis of a child under 2 years, and there was one death by drowning.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000. Whooping-cough caused one death, pulmonary tuberculosis 3 deaths, and there was one accidental death.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·7 per 1,000. Included in the total are one from scarlet fever, one from influenza, 5 from tuberculous disease, 3 from broncho-pneumonia, and 3 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (30) are equivalent to an annual rate of 47·2 per 1,000, and include one from scarlet fever, one from influenza, 3 from tuberculous disease, one from broncho-pneumonia, 10 from bronchitis, one from enteritis of a child under 2 years, and one death by accidental burns.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. The total includes 2 deaths from bronchitis and one death of a child aged under 2 years from enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 17·4; Blackrock, 22·8; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts are one from diphtheria for Rathmines and Rathgar, and 3 from diphtheria for Blackrock. Among the 12 deaths from all causes for Rathmines and Rathgar are one from influenza, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis. Of the 10 deaths from all causes for Pembroke one is from tuberculous peritonitis, and 2 are from bronchitis. One of the 4 deaths from all causes for Blackrock is from pneumonia (type not distinguished).

* See note (c) Table II.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 12th April, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 22,	.	—	—	7	.	.	5	.	1	8	1	.	—	—	.	—	8	.	30
	Mar. 29,	.	—	—	8	1	.	10	.	1	2	.	.	—	—	.	—	12	.	34
	Apr. 5,	.	—	—	6	6	.	8	.	.	1	9	.	—	—	.	—	7	.	37
	Apr. 12,	.	—	—	7	2	.	9	.	1	4	9	.	—	—	.	—	16	.	48
Rathmines and Rathgar Urban District.	Mar. 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 29,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	Apr. 5,	.	—	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	7
	Apr. 12,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Mar. 22,	.	1	.	.	.	.	4	.	.	.	.	.	—	.	—	—	.	—	5
	Mar. 29,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	—	—	4	—	7
	Apr. 5,	.	4	.	.	.	.	.	.	.	.	.	.	—	3	—	—	.	—	7
	Apr. 12,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	—	—	.	—	1
Blackrock Urban District.	Mar. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 29,	.	—	—	2	.	.	26	.	.	.	.	.	—	—	.	—	—	—	28
	Apr. 5,	.	—	—	1	.	.	6	.	.	.	.	.	—	—	.	—	—	—	7
	Apr. 12,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Mar. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	Mar. 29,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	3	—	5
	Apr. 5,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	—	2
	Apr. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Mar. 22,	.	—	—	18	.	.	4	.	.	2	1	.	—	—	—	—	6	—	31
	Mar. 29,	.	—	—	20	.	.	8	.	.	1	5	.	—	—	—	—	6	—	40
	Apr. 5,	.	—	—	37	.	.	5	.	3	2	6	.	—	—	—	—	13	—	66
	Apr. 12,	.	—	—	25	.	.	8	.	.	.	5	.	—	—	—	—	9	—	47

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th April, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, one was discharged, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 35, 32, and 28.

Three cases of typhus were admitted to hospital during the week, 3 were discharged, and 13 cases remained under treatment at the close of the week.

Six cases of measles were admitted to hospital during the week, 5 were discharged, and 8 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 3, 7, and 7 respectively.

Fifteen cases of scarlet fever were admitted to hospital, 16 were discharged, there were 2 deaths, and 85* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 92, 98, and 88 respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 33, 52, and 49 respectively, were 55 at the close of last week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 7 were discharged, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·9), was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 18·0, and for Edinburgh 15·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th April. From this Report it appears that of a total of 44 cases notified, 20 were phthisis, 19 scarlet fever, 3 diphtheria, and 2 erysipelas. Among the 418 cases of infectious diseases in hospital at the close of the week were 132 cases of scarlet fever, 118 of phthisis, 60 of measles, 50 of whooping-cough, 29 of diphtheria, 8 of erysipelas, 6 of enteric fever, 5 of chicken-pox, and one of cerebro-spinal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 12th April, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 12th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th March, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	31·1	22·5	1·7	716	517	88	135	...	...	...	14	5	3	5	...	66	24	28	36	73	10	2	10	10	158	17	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	36·6	27·2	2·1	283	210	45	59	...	...	...	...	3	3	4	...	24	10	14	14	32	5	1	3	3	76	12	e 60	32	45·4	0·25	e 56	29	44·2	0·10	e 52	25	41·1	0·46
CITY OF DUBLIN,	308,187	39·0	40·3	29·9	2·0	238	177	43	49	...	...	...	...	3	3	...	...	22	9	11	12	29	5	1	3	2	66	10	f 58·1 g 59·2	40·2 35·0	47·2 46·1	0·27 0·27	f 55·3 g 57·2	38·0 31·0	46·8 45·5	0·13 0·09	f 52·2 g 51·9	33·6 28·4	43·9 42·2	0·54 0·50
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	17·5	16·1	1·3	13	12	...	4	...	...	...	...	...	...	1	..	2	...	2	1	1	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE ...	29,942	19·0	26·1	17·4	.	15	10	1	1	...	...	...	...	...	...	...	...	...	1	1	...	2	...	...	...	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK....	9,161	8·5	5·7	22·8	17·1	1	4	...	1	...	...	...	...	...	...	3	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN,...	16,941	11·6	49·2	21·5	.	16	7	1	4	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	1	1	56	41	46·8	0·11	57	34	46·4	0·37	52	33	43·8	0·43
Urban Districts. BELFAST ..	396,000	26·5	28·7	19·6	1·2	218	149	24	25	...	...	...	2	2	...	1	...	18	9	9	11	20	3	1	2	2	35	1	58·8	33·0	46·6	0·53	56	29	46·0	0·12	54·5	29·0	42·6	0·31
CORK, ..	76,673	28·6	31·3	24·5	0·7	46	36	2	11	...	...	...	1	...	...	...	...	8	1	1	3	5	...	...	1	2	15	1	58	37	47·4	0·01	56	38	45·6	0·65	53	36	44·9	0·72
LONDONDERRY...	41,000	15·9	38·2	14·0	.	30	11	1	6	...	...	...	...	...	...	...	...	2	...	...	3	4	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	24·4	19·0	.	18	14	3	1	...	...	...	...	...	...	...	...	4	...	...	...	3	...	..	...	...	4	3	59	31	46·5	0·00	55·0	33·6	45·5	0·35	55·2	30·2	43·3	0·63
WATERFORD, ...	27,464	19·1	20·9	20·9	.	11	11	1	5	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				9	5	...	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	3	...	60	33	48	0·00	56	34	46	0·24	55	32	44·3	0·32
DUNDALK, ...	13,128	9·5				4	5	...	1	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				7	4	1	1	...	...	...	..	...	...	...	..	1	...	...	...	1	...	...	...	...	...	...	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19
DROGHEDA, ...	12,501	8·4				2	6	...	1	...	...	...	...	...	...	...	...	3	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				8	6	1	2	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	1	...	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19
NEWRY, ...	11,963	17·0				11	10	5	2	...	...	...	3	...	...	...	...	...	...	1	...	1	1	...	..	...	1	...	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19
PORTADOWN, ...	11,727	15·3				6	5	...	2	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	1	1	...	...	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27	52·9	31·0	42·8	·19
WEXFORD. ...	11,531	22·8				8	8	...	...	...	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				4	4	...	2	...	...	...	...	...	...	...	...	1	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				2	1	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	59	29	45·0	0·46	58	32	44·0	0·51	56	27	42·0	0·14
KILKENNY, ...	10,514	11·4				5	7	...	4	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	4	...	59	35	46·4	0·07	56	31	45·7	0·56	54	29	43·7	0·55
TRALEE, ...	10,300	17·4				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	1	..	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				6	6	1	2	..	...	...	...	...	...	...	...	...	...	1	...	2	...	...	2	1	3	...	52	37	44·7	0·33	54	32	44·0	0·11	50	34	42·5	0·38
QUEENSTOWN, ...	8,209	14·7				9	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	58	37	47·4	0·01	56	38	45·6	0·65	53	36	44·9	0·72
LARNE, ...	8,036	13·4				11	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				3	6	3	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27	52·9	31·0	42·8	0·19

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 6 deaths of persons (including 2 under one year old), admitted to hospital from localities outside the Area; one of the 6 deaths was from enteritis of a child under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th of April, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Whooping-cough,	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	5	1	3	.	.	1	3	3	4	1	.	2	.	.	.	24	.
Tuberculous Disease. { Other Forms,	.	1	1	.	.	.	1	3	.	1	2	.	.	1	.	.	10	.
Cancer,	.	.	2	2	.	.	.	4	1	1	1	.	2	1	.	.	14	.
Diseases of Nervous System,	1	3	.	3	.	.	.	.	.	5	6	.	.	3	.	.	21	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	3	3	.	1	2	1	2	2	1	1	.	2	.	.	2	22	.
" Respiratory System. { Pneumonia,	3	3	.	2	.	.	.	.	.	3	1	.	1	.	1	.	14	.
" Respiratory System. { Others,	1	6	.	.	.	1	1	4	1	3	10	2	1	2	.	.	32	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	1	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.	5	1
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	2	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	6	.
" Genito-urinary System,	.	1	1	1	.	.	.	.	2	4	.	.	1	.	.	1	11	.
Puerperal Septicæmia, etc.,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	5	3	2	.	1	.	1	.	1	3	.	.	1	.	1	20	2
Violent Deaths,	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	3	1
Ill-defined, &c. Causes,	.	3	1	1	.	.	.	.	1	.	1	.	1	1	.	1	10	.
Deaths from All Causes	13	31	14	16	1	4	4	22	12	27	30	3	12	10	4	7	210	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·7	39·5	26·2	23·7	9·6	15·4	19·6	28·4	34·1	32·7	47·2	16·0	16·1	17·4	22·8	21·5	27·2	.
	26·5							33·9					18·1					
	29·9																	
Ages at Death. { Under 1 year,	5	5	2	6	.	1	.	6	1	4	11	2	.	1	.	1	45	2
Ages at Death. { 1 and under 2 years,	.	2	1	.	.	.	.	.	1	3	.	.	.	.	.	.	7	1
Ages at Death. { 2 " 5 "	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	4	.
Ages at Death. { 5 " 15 "	.	.	.	1	.	.	.	1	.	.	5	.	1	.	2	.	10	.
Ages at Death. { 15 " 25 "	1	2	2	.	.	.	.	2	.	2	1	.	2	.	.	.	12	.
Ages at Death. { 25 " 45 "	2	4	1	2	.	.	2	3	3	3	1	.	.	2	.	1	24	.
Ages at Death. { 45 " 65 "	1	5	3	5	1	1	2	5	3	7	3	1	5	6	.	1	49	3
Ages at Death. { 65 and upwards,	4	13	5	2	.	2	.	5	4	6	8	.	4	1	1	4	59	.
Number of Uncertified Deaths,	1	1	1	.	.	.	1	.	2	.	4	.	.	.	1	1	12	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	3	3	4	.	.	.	3	1	3	5	.	2	4	1	1	33	4
Workhouse Hospitals.	1	7	2	2	.	.	1	8	3	9	7	1	2	.	.	.	43	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 12th April, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 18, 1903.	Apr. 16, 1904.	Apr. 15, 1905.	Apr. 14, 1906.	Apr. 13, 1907.	Apr. 11, 1908.	Apr. 17, 1909.	Apr. 16, 1910.	Apr. 15, 1911.	Apr. 13, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 37·3	° 47·3	° 43·1	° 44·2	° 42·7	° 41·6	° 48·6	° 43·0	° 43·7	° 43·9	° 43·5	° 45·4										
ALL CAUSES.	186	186	167	174	207	178	220	183	174	216	189·1	216	19	28	8	4	10	12	24	52	39	20
Enteric Fever, ...	3	.	1	1	1	.	1	1	1	.	·9	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	4	1	7	4	6	.	7	14	4·7	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	3	.	1	.	.	1	1	.	4	.	1·0	3	.	.	.	1	2	.	.	.	.	.
Whooping-cough, ...	1	11	3	3	7	1	11	2	6	2	4·7	3	.	2	1	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	2	.	2	.	3	1	1·0	4	.	.	.	1	3	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	4	2	.	5	5	4	5	.	3	3·0	4	.	.	.	.	.	.	.	1	2	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	1	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	1	2	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	3	1	.	.	.	.	1	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	32	19	21	27	21	24	22	22	21	25	23·4	24	.	.	.	1	.	7	11	5	.	.
Tuberculous Meningitis, ...	5	4	1	1	2	4	5	5	1	3	3·1	6	.	1	1	.	3	1	.	.	.	.
Abdominal Tuberculosis, ...	4	5	3	1	1	2	2	.	1	3	2·2	2	.	.	.	.	.	.	2	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	11	3	6	7	4	14	4	1	1	6·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		2	.	1	.	.	.	1	.	.	.	.
Venereal Diseases, ...	2	.	1	2	1	.	1	1	2	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	6	9	9	7	7	11	10	8	8	8·3	14	.	.	.	.	.	.	1	7	2	4
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	1	2	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	4	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	3	3	—	2	.	.	1	.	.	.	.	.	1	.
Alcoholism, ...	1	1	1	.	.	1	.	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		4	.	1	1	1	1	.	.	.		.
Cerebral Hæmorrhage, Apoplexy.										3		5	.	.	.	.	.	.	1	4	.	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		3	.	.	.	.	.	.	.	2	1	.
Epilepsy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										5		7	4	2	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	42	37	40	40	49	31	44	37	32	6	39·3	4	.	.	.	.	.	.	1	2	1	.
Pericarditis, ...										.		1	.	.	.	.	.	.	.	.	.	1
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										16		20	.	.	.	.	.	1	2	8	7	2
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										3		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	17	23	15	28	31	29	30	39	22	30	26·4	30	1	4	1	.	.	.	1	10	8	5
Broncho-pneumonia, ...	2	3	1	6	10	7	9	7	12	15	7·2	10	2	3	.	.	.	.	.	2	1	2
Lobar pneumonia, ...	.	.	1	.	1	3	.	3	2	3	1·3	1	.	.	.	.	.	.	.	.	1	.
Pneumonia (type not distinguished)	12	5	9	16	6	9	14	3	5	9	8·8	3	.	.	.	.	.	.	1	1	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	4	7	1	3	2	2	.	3	1	2·6	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	.	.	1	.

FIFTEENTH WEEK ending Saturday, 12th April, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 12th April, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 18, 1903.	Apr. 16, 1904.	Apr. 15, 1905.	Apr. 14, 1906.	Apr. 13, 1907.	Apr. 11, 1908.	Apr. 17, 1909.	Apr. 16, 1910.	Apr. 15, 1911.	Apr. 13, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 37·3	° 47·3	° 43·1	° 44·2	° 42·7	° 41·6	° 48·6	° 43·0	° 43·7	° 43·9	° 43·5	° 45·4										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	6	1	—	2	.	1	.	.	.	.	.	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	2	2	3	2	2	4	4	4	5	6	3·7	6	1	5	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	2		1	.	.	.	.	.	.	.	1	.	.
Enteritis 2 years and upwards									1	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	.	1	.	.	.	.
Cirrhosis of Liver, ...	2	1	.	2	1	1	2	.	.	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	1	.	1	1	3	.	1	1	1	1·0	2	.	.	.	.	.	.	.	2	.	.
Peritonitis (cause unknown),	1	.	1	.	.	.	1	2	2	.	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1	2	8	3	5	6	2	6	.	2	3·5	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	9	8	2	8	5	5	3	3	.	5·6	4	.	1	.	.	.	.	1	1	1	.
Chronic Bright's Disease, ...										6		6	.	.	.	.	.	.	.	2	3	1
Urinary Calculi, ...										.		1	.	.	.	.	.	.	.	1	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	1	.	1	·2	1	.	.	.	.	.	1	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	1	.	.	.	1	1	.	1	·4	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	.	—	1	.	.	1	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	7	5	3	5	3	4	4	2	2	3·6	6	6	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	5	5	—	7	1	6	.	.	.	.	.	.	3	2
Old Age, ...	1	6	5	6	4	3	4	7	4	4	4·4	5	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	4	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	.	2	.	1	.	2	.	.	·7	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	.	.	.	.	1	1	1	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	3	2	1	1	3	2	1	1	.	1·8	1	.	.	.	.	.	.	.	1	.	.
Total Deaths from Accident,	5	4	2	3	2	5	3	3	1	.	2·8	4	1	.	.	.	1	.	1	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	2	2	.	.	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	1	4	—	10	1	.	1	.	.	.	1	1	4	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered.	201	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283
Average Births in corresponding week of previous 10 years, ...	208	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210
DEATHS registered, ...	164	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216
Annual Death-rate per 1,000, ...	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9
Average Deaths in corresponding week of previous 10 years, ...	163	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189
Ages, Under 5 years, ...	45	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59
5—15 „ ...	6	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10
15—25 „ ...	8	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12
25—45 „ ...	29	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24
45—65 „ ...	42	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52
65—75 „ ...	21	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39
75 and upwards, ...	13	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20
Deaths from :—																										
Enteric Fever, ...	2	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3
Whooping-cough, ...	1	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3
Diphtheria, ...	3	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4
Influenza, ...	1	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4
Dysentery, ...	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	26	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24
Tuberculous Disease, Other Forms,	8	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10
Cancer, ...	8	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14
Diseases of Circulatory System,	15	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22
Diseases of Respiratory System, Pneumonia,	13	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14
Diseases of Respiratory System, Others, ...	18	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32
Diarrhœa and Enteritis, under 2 years, ...	7	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6
Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1
Violent Deaths, ...	4	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4
Number of Uncertified Deaths,	4	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12
Mean Temperature of the Air (Phœnix Park)	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4
Average Mean Temperature in corresponding week of previous 10 years, ...	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5
Rainfall in inches, ...	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th April, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH APRIL, 1913. Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	216	59	10	12	24	52	39	20	.	.	.	.	3	3	4	.	24	10	14	7	14	32	6	1	4	94	12
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	26·9	9	.	.	.	.	4	3	2	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	14·4	24	1	3	1	3	6	4	6	.	.	.	.	.	.	2	.	2	2	2	.	3	1	.	1	.	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	23·6	50	10	1	3	6	16	11	3	.	.	.	.	.	.	2	.	7	4	5	1	6	4	1	.	.	20	4
IV.	GENERAL SERVICE CLASS, ...	154,279	29·7	88	37	6	6	6	16	12	5	.	.	.	.	3	3	.	.	7	3	4	5	3	15	2	.	4	39	8
V.	INMATES OF WORKHOUSES, ...	6,024	—	45	11	.	2	9	10	9	4	.	.	.	.	.	.	.	.	8	1	2	1	1	10	3	.	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	24·9	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	11·8	5	.	1	.	1	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	1	2	1	1	1	.	2	.	.	.	.	.	.	1	.	2	1	1	.	1	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	.	.	1	3	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	24·5	14	5	.	1	.	7	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3	2	1	.	.	6	.
	10. Clothing Trades, ...	23,260	24·7	11	.	.	2	1	5	3	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	7	2
	11. Food Supply Trades	9,242	28·2	5	2	1	.	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.	.	.	.	1	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	1	.	.	3	2	6	2	.	.	.	.	.	.	.	.	2	.	4	.	.	2	.	.	.	6	1
	13. Petty Shopkeepers	7,894	19·8	3	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	27·2	7	3	.	.	1	1	1	1	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	11·4	8	2	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	7·2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	41·2	71	32	6	6	5	12	9	1	.	.	.	.	2	3	.	.	7	3	2	2	1	14	2	.	4	31	8
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	45	11	.	2	9	10	9	4	.	.	.	.	.	.	.	.	8	1	2	1	1	10	3	.	.	19	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Feb. 22,	36·6	1·7	21	.	.	.	.	.	1	.	.	3	2	.	3	4	.	.	1	1
	Mar. 1,	22·7	1·7	13	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.
	„ 8,	29·6	.	17	.	.	.	.	.	.	.	.	2	1	.	5	5	.	.	.	1
	„ 15,	19·2	.	11	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.	1	1
	„ 22,	24·4	.	14	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	.
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.
	Apr. 5,	24·4	3·5	14	.	1	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
	„ 12,	22·7	1·7	13	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Feb. 22,	29·3	2·6	23	.	.	.	.	.	.	1	.	5	1	1	3	2	1	.	.	1
	Mar. 1,	38·3	5·1	30	1	.	.	.	.	1	.	.	3	.	1	2	7	2	.	.	.
	„ 8,	33·2	.	26	.	.	.	.	.	.	.	.	3	.	2	3	9	.	.	.	2
	„ 15,	30·6	.	24	.	.	.	.	.	.	.	.	4	1	.	5	5	.	.	.	1
	„ 22,	31·9	3·8	25	1	1	.	.	.	.	.	.	3	1	.	2	8	1	.	.	1
	„ 29,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	.	.
	Apr. 5,	37·0	2·6	29	.	.	.	.	.	.	1	.	4	.	2	1	3	1	.	.	.
	„ 12,	39·5	.	31	.	.	.	.	.	.	.	.	5	1	.	3	6	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Feb. 22,	44·9	1·9	24	1	.	.	.	.	.	.	.	9	1	1	1	4	.	.	.	.
	Mar. 1,	31·8	.	17	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	1	1
	„ 8,	28·1	1·9	15	.	.	.	.	.	.	.	.	1	.	.	2	4	1	.	1	.
	„ 15,	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	.	.
	„ 22,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	„ 29,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.
	Apr. 5,	22·4	1·9	12	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	.	.
	„ 12,	26·2	1·9	14	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Feb. 22,	22·2	1·5	15	.	.	.	.	.	.	1	.	.	1	2	3	.	.	.	1	.
	Mar. 1,	31·1	3·0	21	.	1	.	.	.	.	.	.	3	1	.	2	4	1	.	.	1
	„ 8,	20·7	1·5	14	.	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1	.
	„ 15,	25·2	1·5	17	.	.	.	.	.	.	1	.	2	2	1	1	3	.	.	.	.
	„ 22,	19·3	1·5	13	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.
	„ 29,	22·2	3·0	15	.	.	.	.	.	2	.	.	1	1	1	.	1	.	.	.	.
	Apr. 5,	31·1	3·0	21	.	.	.	.	.	.	1	.	5	.	.	.	2	1	.	.	.
	„ 12,	23·7	3·0	16	.	.	.	.	1	.	.	.	3	.	2	2	.	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Feb. 22,	27·1	5·2	21	.	.	.	.	.	2	.	.	3	.	.	1	4	2	.	1	.
	Mar. 1,	33·6	1·3	26	1	.	.	.	.	.	.	.	7	1	.	.	6	.	.	.	.
	„ 8,	22·0	1·3	17	.	.	.	.	.	1	.	.	6	.	.	2	2	.	.	1	.
	„ 15,	33·6	3·9	26	.	.	.	.	.	2	.	.	1	2	1	1	5	1	.	.	1
	„ 22,	28·4	.	22	.	.	.	.	.	.	.	.	4	1	2	3	3	.	.	.	.
	„ 29,	28·4	2·6	22	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	1	2
	Apr. 5,	22·0	3·9	17	.	.	.	.	1	.	1	.	3	1	.	1	.	1	.	1	1
	„ 12,	28·4	3·9	22	.	.	.	.	.	2	.	.	3	3	4	.	4	1	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Feb. 22,	28·4	.	10	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1
	Mar. 1,	28·4	5·7	10	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	1
	„ 8,	22·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 15,	17·1	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 22,	39·8	2·8	14	1	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	.
	„ 29,	37·0	2·8	13	.	.	.	.	.	.	1	.	1	.	2	1	4	.	.	.	.
	Apr. 5,	28·4	2·8	10	.	.	.	.	.	.	.	.	4	.	.	2	.	1	.	.	.
	„ 12,	34·1	2·8	12	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	1	2
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Feb. 22,	29·0	2·4	24	.	.	.	.	.	1	.	.	2	2	.	3	1	1	.	.	1
	Mar. 1,	23·0	2·4	19	.	.	.	.	.	2	.	.	3	.	.	2	3	.	.	.	.
	„ 8,	18·1	.	15	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	1
	„ 15,	26·6	.	22	.	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	2
	„ 22,	14·5	2·4	12	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.
	„ 29,	32·7	3·6	27	.	.	.	.	.	2	1	.	7	1	1	3	6	.	.	1	.
	Apr. 5,	32·7	1·2	27	.	.	.	.	.	.	.	.	4	3	.	3	3	1	.	1	1
	„ 12,	32·7	1·2	27	.	.	.	.	1	.	.	.	4	1	1	3	3	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Feb. 22,	11·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
	Mar. 1,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.
	„ 8,	29·9	.	19	.	.	.	.	.	.	.	.	2	.	2	1	5	.	.	.	1
	„ 15,	26·7	3·1	17	.	.	.	.	.	.	1	.	2	1	2	1	3	1	.	1	.
	„ 22,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	.	1
	„ 29,	25·2	1·6	16	.	.	.	.	.	1	.	.	.	1	1	2	5	.	.	.	2
	Apr. 5,	23·6	1·6	15	.	.	.	.	.	1	.	.	3	.	1	2	1	.	.	.	.
	„ 12,	47·2	3·1	30	.	.	.	.	1	.	.	.	1	2	1	1	10	1	.	1	4

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysenteery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Feb. 22,	22·9	1·3	17	.	.	.	.	1	.	.	.	4	.	1	.	2	.	.	.	1
	Mar. 1,	26·9	.	20	.	.	.	.	.	.	.	.	2	.	1	3	2	.	.	.	1
	„ 8,	21·5	1·3	16	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	1	1
	„ 15,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 22,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
Pop. in 1913 (Est.) 38,769.	„ 29,	20·2	.	15	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	.
	Apr. 5,	18·8	1·3	14	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	1	1
	„ 12,	16·1	1·3	12	.	.	.	.	.	.	1	.	2	.	2	1	1	.	.	.	.
Pembroke Urban District.	Feb. 22,	17·4	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.
	Mar. 1,	24·4	3·5	14	.	.	.	.	.	1	.	.	4	1	2	.	2	1	.	.	.
	„ 8,	8·7	1·7	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 15,	24·4	1·7	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
Pop. in 1913 (Est.) 29,942.	„ 29,	22·6	3·5	13	.	.	.	.	.	.	2	.	.	2	2	1	2	.	.	.	.
	Apr. 5,	26·1	.	15	.	.	.	.	.	.	.	.	4	1	.	2	3	.	.	.	.
	„ 12,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
Kingstown Urban District.	Feb. 22,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1
	Mar. 1,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 8,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	„ 15,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pop. in 1911 16,941.	„ 29,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	Apr. 5,	46·2	.	15	.	.	.	.	.	.	.	.	1	1	1	5	1	.	.	.	1
	„ 12,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Belfast.	Feb. 22,	25·4	1·8	193	.	.	.	6	2	1	2	.	17	7	8	17	45	3	.	5	1
	Mar. 1,	23·4	0·9	178	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3
	„ 8,	23·3	2·5	177	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	2
	„ 15,	23·7	1·7	180	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	1
Pop. in 1913 (Est.) 396,000.	„ 22,	25·0	1·4	190	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	.
	„ 29,	24·5	1·7	186	.	.	.	3	1	.	1	.	33	4	8	19	22	2	1	9	2
	Apr. 5,	21·2	1·3	161	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	.
	„ 12,	19·6	1·2	149	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	1
Cork.	Feb. 22,	23·8	.	35	.	.	.	.	.	.	.	.	6	.	.	2	8	.	.	.	1
	Mar. 1,	28·6	0·7	42	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	3
	„ 8,	24·5	1·4	36	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.
	„ 15,	27·9	0·7	41	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	1
Pop. in 1911 76,673.	„ 22,	21·1	1·4	31	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	1
	„ 29,	22·4	2·7	33	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	1
	Apr. 5,	18·4	2·0	27	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	2
	„ 12,	24·5	0·7	36	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	1
Londonderry.	Feb. 22,	19·1	.	15	.	.	.	.	.	.	.	.	2	.	2	.	5	.	.	.	.
	Mar. 1,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 8,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.
	„ 15,	17·8	1·3	14	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.
Pop. in 1913 (Est.) 41,000.	„ 22,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 29,	20·3	.	16	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	Apr. 5,	22·9	.	18	.	.	.	.	.	.	.	.	1	1	2	.	6	.	.	.	.
	„ 12,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.
Limerick.	Feb. 22,	17·6	1·4	13	.	.	.	1	.	.	.	.	3	.	2	1	1	.	.	.	3
	Mar. 1,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	„ 8,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	3
	„ 15,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
Pop. in 1911 38,518.	„ 22,	20·3	.	15	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	3
	„ 29,	27·1	.	20	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	2
	Apr. 5,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4
	„ 12,	19·0	.	14	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	3
Waterford.	Feb. 22,	20·9	3·8	11	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.
	Mar. 1,	13·3	3·8	7	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	34·2	1·9	18	.	.	.	.	.	1	.	.	2	.	3	.	3	.	.	1	.
	„ 15,	26·6	3·8	14	.	.	.	.	.	2	.	.	1	1	.	.	3	.	.	.	3
Pop. in 1911 27,464.	„ 22,	3·8	1·9	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	32·3	3·8	17	.	.	.	.	.	2	.	.	4	1	2	.	.	.	.	.	1
	Apr. 5,	24·7	5·7	13	.	.	.	.	.	3	.	.	4	.	.	1	.	.	.	.	2
	„ 12,	20·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th April, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	13·1	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	1	.	.
Do. 2 do.	49,500	18	25·3	2·1	24	2	.	4	8	4	6	.	.	.	1	1	.	.	.	3	.	.	1	2	.	.	.	.	9	.
Do. 3 do.	50,032	19	26·1	2·1	25	1	6	.	4	5	9	.	.	.	.	.	.	.	.	.	2	2	.	4	1	1	.	.	1	1
Do 4 do.	32,637	33	22·4	1·6	14	5	1	1	4	.	3	.	.	.	.	.	.	.	.	2	1	.	.	4	1	.	.	.	3	.
Do. 5 do.	16,112	12	19·4	3·2	6	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1	.
Do. 6 do.	37,293	14	23·8	.	17	3	3	1	1	7	2	.	.	.	.	.	.	.	.	1	1	1	2	3	.	.	.	.	5	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	18	21·3	.	10	3	.	.	3	3	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	1	1	.
Do. 10 do.	28,958	14	16·2	1·8	9	4	.	2	2	1	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
Do. 11 do.	39,311	29	21·2	1·3	16	1	2	4	4	5	.	.	.	.	.	1	.	.	.	5	.	2	2	.	.	.	.	.	4	.
Do. 12 do.	38,076	34	9·6	.	7	1	.	1	4	1	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	.	.	3	.
Do. 13 do.	23,233	5	9·0	2·2	4	.	1	.	1	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	27·6	.	12	1	.	3	2	4	2	.	.	.	.	.	.	.	.	3	1	3	1	1	.	.	.	.	6	.
Total,	386,947	218	19·6	1·2	149	24	15	18	35	32	25	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	2	35	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	7	7·8	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do 2 do.	10,701	9	55·2	.	11	.	.	2	.	4	5	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	6	.
Do 3 do.	9,978	6	31·9	.	6	1	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1
Do 4 do.	8,686	7	28·5	5·7	5	.	1	1	2	1	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	1	2	1	.
Do 5 do.	6 592	2	50·1	.	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	2	.
Do 6 do.	10,702	7	9·0	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 7 do.	16,616	8	13·0	.	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Total,	76,122	46	24·5	0·7	36	2	1	5	6	11	11	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	2	15	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912-3—WEEK ENDING																									
	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered, ...	212	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218
DEATHS registered, ...	107	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149
Annual Death-rate per 1,000 of estimated population, ...	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6
AGES, Under 1 year, ...	19	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24
1—5 years, ...	13	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15
5—25 „ ...	12	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18
25—45 „ ...	15	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35
45—65 „ ...	25	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32
65 and upwards, ...	23	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2
Scarlet Fever, ...	1	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2
Whooping-cough, ...	.	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.
Diphtheria, ...	.	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18
Tuberculous Disease. Other Forms,	3	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9
Cancer, ...	9	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	5	4	5	8	4	9
Diseases of Respiratory System, Pneumonia,	9	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11
Diseases of Respiratory System, Others, ...	16	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20
Diarrhœa and Enteritis, under 2 years, ...	3	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3
Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1
Violent Deaths, ...	2	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2
Number of Uncertified Deaths, ...	2	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Apr. 12,	2,035	1,287	14·9	1	.	74	4	15	11	16*a*
Edinburgh, ...	320,300	„ 12,	132	94	15·3	.	.	1	.	8	.	.
Glasgow, ...	1,021,500	„ 12,	564	352	18·0	.	.	5	1	25	5	5
Calcutta, ...	896,067	Mar. 1,	.	512	29·7	48*	7	9	.	.	.	126‡
Bombay, ...	979,445	„ 8,	328	648	34·4	112*	7	14	.	.	.	75‡
Madras, ...	518,660	„ 15,	276	401	40·2	88*	1	10	?	?	?	96‡
Cairo, ...	704,956	Jan. 14,	662	421	31·1	4	.	4	.	?	11†	37*a*
Paris, ...	2,847,229	Mar. 29,	860	956	17·1	1	.	27	2	9	4†	22*a*
Brussels, ...	767,252	„ 22,	258	211	14·3	.	.	2	.	2	1†	10
Antwerp, ...	312,884	„ 29,	113	85	14·2	1	.	2	3	.	.	10*a*
Amsterdam, ...	589,106	„ 22,	279	145	12·8	1	.	1	.	1	.	2*a*
Copenhagen, ...	468,000	„ 22,	218	143	15·9	.	.	.	2	2	.	2*a*
Stockholm, ...	368,798	„ 22,	168	93	13·1	.	.	.	.	.	.	2*a*
Christiania, ...	247,488	„ 29,	115	72	15·1	.	.	.	.	.	.	2
St. Petersburg, ...	1,686,000	„ 8,	1,212	676	20·9	4	.	26	15	3	3	43*a*
Moscow, ...	1,635,800	Feb. 22,	.	860	27·4	3	.	29	13	2	30†	62
Berlin, ...	2,099,755	Mar. 8,	832	624	15·5	.	.	4	5	8	11†	22
Hamburg, ...	1,006,755	„ 22,	.	277	14·3	2	.	5	3	2	3†	11*a*
Breslau, ...	538,311	„ 22,	.	208	20·1	.	.	2	.	1	.	20
Munich, ...	622,000	„ 22,	.	199	16·7	.	.	3	.	1	2†	6
Vienna (with suburbs),	2,098,225	„ 29,	842	733	18·2	1	.	17	5	7	13†	36*a*
Buda-Pesth, ...	1,184,272	„ 22,	521	373	20·8	1	.	3	14	.	1†	9*a*
Prague and Faubourgs,	489,194	„ 8,	193	200	21·3	.	.	1	1	.	3†	8*a*
Trieste, ...	237,192	„ 22,	158	104	22·9	.	.	2	.	.	1†	1
Rome, ...	575,091	Nov. 23,	284	185	16·8	4	.	1	1	.	1	14
New York, ...	5,372,983	Mar. 8,	2,869	1,723	16·7	5	.	12	24	8	39†	36*a*
Philadelphia, ...	1,631,960	„ 22,	.	611	19·5	1	.	6	4	.	9	12
Boston, (*b*)	735,399	„ 22,	.	228	18·4	.	.	2	1	.	5	2

* Deaths from "fever," including 2 from enteric fever and 14 from plague in Calcutta, 4 from enteric fever and 58 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 66 deaths from cholera in Calcutta, one in Bombay and 3 in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th April, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
" " 1, West, ...	.	1	.	.	.	.	.	.	1	.	.	2	.	4
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	2	.	3
" " 3, ...	.	2	1	.	1	.	1	1	1	.	.	2	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	1	.	.	.	3	.	.	5	.	11
" " 2, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	1	.	.	5	.	.	.	.	.	.	2	.	8
" " 4, ...	.	1	.	.	1	.	.	1	1	.	.	3	.	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	2	.	.	.	.	2
Total, ...	.	7	2	.	9	.	1	4	9	.	.	16	.	48

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th April, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th April.			
	Mar. 22.	Mar. 29.	April 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	35	32	28	3	1	.	30
Typhus, ...	7	8	13	3	3	.	13
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	7	7	6	5	.	8
Scarlet Fever, ...	92	98	88	15	16	2	85*
Diphtheria, ...	33	52	49	15	9	.	55
Pneumonia, ...	25	27	29	11	7	.	33

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 12th April, 1913:—

"The general atmospheric movements over Europe during this week were from the northward, and so the weather was chiefly on the cold side, owing to a prevalence of winds from polar quarters. Speaking broadly, the weather was finer in Ireland than in Great Britain and most other places, but even in this country clouds and rain prevailed on and after Thursday. On Sunday morning an anticyclone, in which the barometer stood slightly above 30·4 inches, was centred off the south coast of Iceland. Over central France at the same time a depression (29·60 inches) was moving in a north-easterly direction. This distribution of pressure caused N.E. winds over the British Isles—strong in force over England. There was little change by Monday, except that the French depression had passed on to Germany. The weather remained very fine in Ireland, the diurnal range of temperature being large inland—at Birr Castle from 58° to 32°. The Icelandic anticyclone now began to move southwards, passing over the Atlantic outside the western shores of Ireland in the interval between Tuesday and Friday. Along its north-eastern face, a depression with secondaries travelled in a S.S.E. direction from Spitzbergen in the course of the same period. These disturbances carried winter in their train, and on Friday considerable snowfalls were reported from Scotland and a great part of England. In Ireland only genial rains fell, giving a marvellous impetus to spring-growth. On Saturday morning temperature varied from 46° in Cornwall and 45° at Valentia to 30° at Aberdeen; frost was general throughout Scandinavia and Germany and—37° was reported from Spitzbergen. In Dublin the mean height of the barometer was 30·102 inches, the range of pressure being from 30·274 inches at 9 a.m. of Wednesday (wind, N.) to 29·762 inches at 4 p.m. of Friday (wind, W.). The corrected mean temperature was 47·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·3°. The screened thermometers rose to 58·1° on Tuesday, having fallen to 40·2° during the previous night, when the grass minimum was 35·9. N.E. and N.W. winds prevailed. Rain fell on the last three days to the amount of ·267 inch, of which ·168 inch was entered to Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·116 inches. The highest reading (30·298) was on Wednesday at 9 p.m., wind W., the lowest (29·843) on Friday at 9 p.m., wind W.N.W.

The mean temperature for the week was 45·4°, being 1·9 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday, on which day the thermometer registered 60°, and was also lowest on that day, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 45·2° and of the Wet Bulb, 43·0°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·250 inch.

At Greenwich the mean temperature for the week was 42·0°, the maximum 55·0°, and the minimum 33·2°; at Glasgow the maximum was 60·8°, the minimum 30·0°, and the mean 42·3°; and at Edinburgh the maximum was 53·6°, the minimum 30·9°, and the mean 40·4°. The rainfall at Greenwich measured 0·53 in.; at Glasgow 0·57 in.; and at Edinburgh 0·43 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 6,	30·045	52	38	45·0	46·2	41·6	·67	·6	9·5	·000	N.E.	Calm.
Monday, „ 7,	30·155	49	33	41·0	41·8	40·0	·87	·4	4·5	·000	N.E.	N.N.E.
Tuesday, „ 8,	30·260	60	32	46·0	46·0	44·7	·91	·5	8·9	·000	Calm.	Calm.
Wednesday, „ 9,	30·290	52	43	47·5	45·9	44·4	·89	·6	0·1	·000	N.	W.
Thursday, „ 10,	30·135	51	45	48·0	47·3	46·1	·93	·8	0·0	·130	W.	W.N.W.
Friday, „ 11,	29·890	50	42	46·0	45·5	43·7	·87	·8	1·5	·100	W.	W.N.W.
Saturday, „ 12,	30·040	48	40	44·0	43·5	40·8	·80	·2	3·0	·020	N.W.	Calm.
Mean, ...	30·116	51·7	39·0	45·4	45·2	43·0	·85	·6	Total 27·5	Total ·250	—	

Sunday—A beautiful bright day; night clear. *Monday*—Day cloudy, fine; night clear. *Tuesday*—A beautiful bright day; night cloudy. *Wednesday*—Day overcast; night cloudy. *Thursday*—Day overcast, drizzling and heavy rain at intervals 4.0 to 9.0 p.m.; night overcast to cloudy, rain 9.0 to 9.40 p.m. *Friday*—Day cloudy, drizzling rain at intervals a.m. and p.m.; night cloudy, rain 3.30 to 4.0 a.m. *Saturday*—Day overcast to bright, drizzling rain 9.15 to 11.0 a.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 12th April, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 6,	48·4	46·1	46·6	51·8	39·1	45·45	8·3	—
Monday „ 7,	43·5	46·0	45·8	49·9	38·6	44·25	3·1	—
Tuesday, „ 8,	47·1	45·4	45·8	59·0	38·7	48·85	7·6	—
Wednesday, „ 9,	46·3	47·0	45·9	52·2	32·1	42·15	·1	—
Thursday, „ 10,	—	47·0	46·0	52·2	—	—	—	·05
Friday, „ 11,	48·2	47·1	46·1	51·0	42·9	46·95	1·0	·15
Saturday, „ 12,	45·8	46·5	46·2	48·4	28·7	38·55	4·5	·05
Weekly Mean, .	—	46·4	46·1	52·07	—	—	Total 24·6	Total ·25

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 360–45/139. 375. 4. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 19TH APRIL, 1913. [No. 16.

General Register Office, Charlemont House,
Dublin, 21*st April,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 29	April 5	April 12	April 19	
27 Town Districts, (a)	**23·8**	**23·3**	**22·5**	**20·9**	**22·6**
Dublin Reg. Area ...	24·2	27·9	27·2	24·1	25·8
Dublin City ...	25·0	28·1	29·9	25·2	27·0
Belfast	24·5	21·2	19·6	16·9	20·6
Cork	22·4	18·4	24·5	22·4	21·9
Londonderry ...	20·3	22·9	14·0	12·7	17·5
Limerick	27·1	14·9	19·0	29·8	22·7
Waterford	32·3	24·7	20·9	11·4	22·3

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·9 per 1,000. Among the 128 deaths from all causes for Belfast are 4 from measles, 3 from scarlet fever, and one from diphtheria. Included in the 10 deaths from all causes for Londonderry are 2 from diphtheria. One of the 6 deaths from all causes for Waterford is from whooping-cough. Among the 10 deaths from all causes for Newry are 2 from measles. Ten of the 14 deaths from all causes for Wexford are from measles, and one death from this disease is among the 6 deaths from all causes for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—109 boys and 101 girls—and the deaths to 201—98 males and 103 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·1 per 1,000 of the population. During the sixteen weeks, ending with Saturday last, the death-rate averaged 23·1, and was 2·1 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 201, represent an annual rate of 26·0 per 1,000; the annual rate for the past sixteen weeks was 24·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

The total deaths (201) include one death each from typhus and measles, 5 deaths from whooping-cough, 2 from diphtheria, 4 from influenza, and 8 deaths from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks deaths from typhus numbered 0, one, and 0; deaths from measles were 0, 0, and 0; deaths from whooping-cough were 7, 2, and 3; deaths from diphtheria were 6, 5, and 4; deaths from influenza were 6, 5, and 4; and deaths from diarrhœa and enteritis of children under 2 years of age numbered 5, 7, and 6 respectively.

There were 33 deaths from tuberculous disease, including 19 from pulmonary tuberculosis, 4 from tuberculous meningitis, 4 from abdominal tuberculosis, 3 from tuberculosis of joints, 2 from tuberculosis of other organs, and one death from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 29, 43 and 34 respectively.

Six deaths were caused by broncho-pneumonia, and 6 by pneumonia (type not distinguished).

Cancer was the cause of 6 deaths.

Deaths from convulsions of infants under one year of age numbered 6, deaths from premature birth 5, and deaths from congenital debility, 5.

Bronchitis caused 20 deaths, and organic diseases of the heart 14 deaths.

There were 4 accidental deaths.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age, and the deaths of 3 persons aged 65 years and upwards.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 13 were under one month old) and 51 were aged 65 years and upwards, including 40 persons aged 70 and upwards; among the latter were 20 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 92 years respectively.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·1 per 1,000; the rate in the City was 25·2 (North City Districts, 23·3; South, 27·4) and in the Suburbs, 20·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·2 (in the North City Districts 2·9, and in the South 1·4), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000, and include one from typhus, 2 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 21·7 per 1,000. Included in the total are one from whooping-cough, 2 from pulmonary tuberculosis, one from broncho-pneumonia, 2 from diarrhœa and enteritis of children under 2 years, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 33·7 per 1,000. Tuberculous disease caused 5 deaths, pneumonia one death, bronchitis 3 deaths, and diarrhœa and enteritis of children under 2 years 3 deaths.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·3 per 1,000. Whooping-cough, diphtheria, and influenza each caused one death, and there were 3 deaths from tuberculous disease.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 67·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8, and Finglas and Glasnevin, part of, 34·4. Of the 7 deaths from all causes for Finglas and Glasnevin, part of, 2 are from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 31·0 per 1,000, and include 2 from whooping-cough, 6 from tuberculous disease, one from broncho-pneumonia, 2 from pneumonia, and 4 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Diphtheria caused one death, tuberculous disease caused 4 deaths, and there was one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000, and include 2 from tuberculous disease, 2 from broncho-pneumonia, 3 from bronchitis, one from enteritis of a child under 2 years, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Included in the total are one from influenza, one from broncho-pneumonia, and 4 from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000, and include one death from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·9; Pembroke, 20·9; Blackrock, 11·4; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and 2 from diarrhœa and enteritis of children under 2 years for Pembroke, and one from whooping-cough for Rathmines and Rathgar. Included among the 17 deaths from all causes for the last-named district are 2 from influenza and 2 from bronchitis. Of the 12 deaths from all causes for Pembroke one is from pneumonia and 2 are from bronchitis. One of the 2 deaths for Blackrock is from pulmonary tuberculosis; and of the 6 deaths from all causes for Kingstown one is from pneumonia.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 19th April, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 29,	.	—	—	8	1	.	10	.	1	2	.	.	—	—	.	—	12	.	34
	Apr. 5,	.	—	—	6	6	.	8	.	.	1	9	.	—	—	.	—	7	.	37
	Apr. 12,	.	—	—	7	2	.	9	.	1	4	9	.	—	—	.	—	16	.	48
	Apr. 19,	.	—	—	9	1	.	8	.	1	4	4	.	—	—	.	—	7	.	34
Rathmines and Rathgar Urban District.	Mar. 29,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	Apr. 5,	.	—	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	7
	Apr. 12,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Mar. 29,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	—	—	4	—	7
	Apr. 5,	.	4	.	.	.	.	.	.	.	.	.	.	—	3	—	—	.	—	7
	Apr. 12,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	—	—	.	—	1
	Apr. 19,	.	2	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	4
Blackrock Urban District.	Mar. 29,	.	—	—	2	.	.	26	.	.	.	.	.	—	—	.	—	—	—	28
	Apr. 5,	.	—	—	1	.	.	6	.	.	.	.	.	—	—	.	—	—	—	7
	Apr. 12,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Mar. 29,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	3	—	5
	Apr. 5,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	—	2
	Apr. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Mar. 29,	.	—	—	20	.	.	8	.	.	1	5	.	—	—	—	—	6	—	40
	Apr. 5,	.	—	—	37	.	.	5	.	3	2	6	.	—	—	—	—	13	—	66
	Apr. 12,	.	—	—	25	.	.	8	.	.	.	5	.	—	—	—	—	9	—	47
	Apr. 19,	.	—	—	23	.	.	7	.	1	3	1	1	—	—	—	—	8	—	44

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th April, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 27 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 32, 28, and 30.

Two cases of typhus were discharged from hospital during the week, there was one death, and 10 cases remained under treatment at the close of the week.

Eleven cases of measles were admitted to hospital during the week, 3 were discharged, and 16 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 7, 7, and 8 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 23 were discharged, there was one death, and 77* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 98, 88, and 85 respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 6 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 52, 49, and 55 respectively, were 59 at the close of last week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 40 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·4), was equal to an average annual death-rate of 15·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·7 per 1,000, the rate for Glasgow being 17·3, and for Edinburgh 16·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th April. From this Report it appears that of a total of 50 cases notified, 26 were phthisis, 15 scarlet fever, 5 diphtheria, 2 erysipelas, one enteric fever, and one cerebro-spinal fever. Among the 390 cases of infectious diseases in hospital at the close of the week were 123 cases of scarlet fever, 113 of phthisis, 52 of whooping-cough, 47 of measles, 26 of diphtheria, 7 of enteric fever, 7 of chicken-pox, and 4 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 19th April, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 19th April, 1913. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 19th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
Total of 27 Town Districts, ...	1,199,180	19·0	28·7	20·9	1·9	661	481	78	124	...	1	...	18	3	6	5	...	50	22	18	31	64	10	...	8	14	155	22	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:—Total. (c) ...	403,000	29·3	27·2	24·1	2·2	210	186	31	51	...	1	...	1	...	5	2	...	16	12	6	11	22	8	...	2	4	70	9	e 54	31	44·5	0·62	e 60	32	45·4	0·25	e 56	29	44·2	0·10
City of Dublin,	308,187	39·0	30·5	25·2	2·2	180	149	29	31	...	1	...	...	...	4	2	...	15	12	4	9	18	6	...	2	4	63	8	f 55·2 g 54·7	38·8 35·0	46·3 45·5	0·43 0·55	f 58·1 g 59·2	40·2 35·0	47·2 46·1	0·27 0·27	f 55·3 g 57·2	38·0 31·0	46·8 45·5	0·13 0·09
Urban Districts. Rathmines & Rathgar.	38,769	22·6	16·1	22·9	1·3	12	17	1	9	...	...	...	...	...	1	...	..	...	...	2	...	2	...	...	...	...	5	...	..	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,942	19·0	15·7	20·9	5·2	9	12	1	5	...	...	...	1	...	...	...	...	...	...	...	1	2	2	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock....	9,161	8·5	5·7	11·4	.	1	2	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown....	16,941	11·6	24·6	18·5	.	8	6	...	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	55	37	46·1	0·25	56	41	46·8	0·11	57	34	46·4	0·37
Belfast ..	396,000	26·5	30·5	16·9	1·1	232	128	16	26	...	...	...	4	3	...	1	...	16	7	7	11	12	...	...	3	5	40	3	55	33	43·3	0·72	58·8	33·0	46·6	0·53	56	29	46·0	0·12
Cork, ..	76,673	28·6	17·7	22·4	0·7	26	33	9	9	...	...	...	...	...	...	...	...	1	...	...	2	9	1	...	...	1	12	2	54	38	45·6	0·80	58	37	47·4	0·01	56	38	45·6	0·65
Londonderry...	41,000	15·9	44·5	12·7	2·5	35	10	3	3	...	...	...	...	...	...	2	...	2	1	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,518	16·1	32·5	29·8	.	24	22	...	4	...	...	...	...	...	...	...	...	5	...	...	...	7	...	..	1	2	10	2	54·0	29·6	44·4	1·15	59	31	46·5	0·00	55·0	33·6	45·5	0·35
Waterford, ...	27,464	19·1	28·5	11·4	1·9	15	6	1	3	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	1	.	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,255	2·5				6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	56	33	44	1·15	60	33	48	0·00	56	34	46	0·24
Dundalk, ...	13,128	9·5				10	8	...	4	...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	...	...	3	.	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				4	4	1	1	...	...	...	..	...	...	...	..	...	...	1	...	1	...	...	...	...	1	...	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27
Drogheda, ...	12,501	8·4				2	5	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				9	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27
Newry. ...	11,963	17·0				6	10	2	3	...	...	...	2	...	...	...	...	2	...	...	1	2	...	...	...	...	...	...	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27
Portadown, ...	11,727	15·3				5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27
Wexford. ...	11,531	22·8				5	14	2	1	...	...	...	10	...	...	...	...	2	...	...	..	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				24	7	2	2	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8				7	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	1	1	...	56	32	43·0	1·46	59	29	45·0	0·46	58	32	44·0	0·51
Kilkenny, ...	10,514	11·4				.	9	2	3	...	...	...	...	...	...	...	...	1	...	...	2	1	...	...	...	...	2	1	54	33	44·8	0·72	59	35	46·4	0·07	56	31	45·7	0·56
Tralee. ...	10,300	17·4				9	6	...	2	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	.	...	...	...	...	...	...	...	...	...	...	..	...
Clonmel, ...	10,209	7·8				5	7	1	3	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				3	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	53	36	43·4	0·67	52	37	44·7	0·33	54	32	44·0	0·11
Queenstown, ...	8,209	14·7				3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	54	38	45·6	0·80	58	37	47·4	0·01	56	38	45·6	0·65
Larne, ...	8,036	13·4				7	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine. ...	7,785	7·7				3	5	1	2	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				1	4	1	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				7	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				.	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				3	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	1	1	1	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39	55·8	32·5	45·1	0·27

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 15 deaths of persons admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th of April, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	1	.	.	.	2	.	.	.	.	1	.	.	.	5	.
Diphtheria,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	2	2	1	.	.	2	5	1	.	.	1	.	.	1	.	16	3
Tuberculous Disease. { Other Forms,	1	.	3	2	.	.	.	1	3	2	.	.	.	.	.	.	12	2
Cancer,	.	.	.	.	2	.	.	.	.	1	1	.	2	.	.	.	6	.
Diseases of Nervous System,	3	3	.	2	1	1	2	2	2	4	2	.	4	2	1	1	30	4
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" Circulatory System,	.	.	1	1	2	.	1	1	1	1	2	1	2	.	.	4	17	1
" Respiratory System. { Pneumonia,	1	1	1	.	.	.	.	3	.	2	1	.	.	1	.	1	11	1
" Respiratory System. { Others,	1	.	3	.	.	.	.	5	1	3	4	1	2	2	.	.	22	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	2	3	.	.	.	.	.	.	1	.	.	.	2	.	.	8	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	1	2	.	1	.	.	2	.	1	.	1	.	.	.	.	9	.
" Genito-urinary System,	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	7	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	2	.	1	1	.	1	3	2	2	5	.	2	2	.	.	22	1
Violent Deaths,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	2
Ill-defined, &c. Causes,	1	1	.	.	.	.	1	.	.	2	1	.	2	1	.	.	9	.
Deaths from All Causes	12	17	18	11	7	1	7	24	11	20	17	4	17	12	2	6	186	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·9	21·7	33·7	16·3	67·2	3·8	34·4	31·0	31·3	24·2	26·7	21·4	22·9	20·9	11·4	18·5	24·1	.
	23·3							27·4					20·3					
	25·2																	
Ages at Death. { Under 1 year,	1	5	5	4	.	.	1	3	3	3	4	.	1	1	.	.	31	.
1 and under 2 years,	.	2	1	.	.	.	.	2	1	1	.	.	.	3	.	.	10	1
2 " 5 "	1	.	.	1	.	.	.	1	1	1	1	.	1	1	.	.	8	2
5 " 15 "	.	.	1	1	1	.	1	2	1	.	.	.	1	1	.	.	9	.
15 " 25 "	1	3	1	1	1	.	2	.	.	1	.	.	.	.	.	.	10	5
25 " 45 "	4	4	3	.	1	.	.	7	3	3	1	2	1	.	.	.	29	4
45 " 65 "	1	3	5	2	4	.	1	3	1	4	5	2	4	1	.	2	38	3
65 and upwards,	4	.	2	2	.	1	2	6	1	7	6	.	9	5	2	4	51	.
Number of Uncertified Deaths,	.	1	.	1	.	.	1	.	1	.	4	.	.	1	.	.	9	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	8	5	3	2	.	1	6	1	5	1	1	5	2	.	.	41	12
Workhouse Hospitals,	4	1	7	.	1	.	.	4	4	4	2	2	.	.	.	.	29	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 19th April, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 25, 1903.	Apr. 23, 1904.	Apr. 22, 1905.	Apr. 21, 1906.	Apr. 20, 1907.	Apr. 18, 1908.	Apr. 24, 1909.	Apr. 23, 1910.	Apr. 22, 1911.	Apr. 20, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 40·0	° 46·0	° 44·0	° 44·3	° 42·5	° 42·6	° 48·9	° 49·6	° 50·5	° 48·1	° 45·7	° 44·5										
ALL CAUSES.	189	178	179	215	215	183	194	200	196	217	196·6	201	13	18	11	10	9	15	33	41	31	20
Enteric Fever, ...	1	.	.	2	.	.	1	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	4	3	10	3	3	.	11	13	5·1	1	.	.	.	.	1	.	.	.	.	.
Scarlet Fever, ...	2	.	.	.	.	2	.	.	1	2	·7	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	5	4	.	7	3	6	5	.	2	3·3	5	.	1	2	1	1	.	.	.	.	.
Diphtheria, ...	2	1	1	.	.	.	.	2	4	4	1·4	2	.	.	.	2	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	.	3	3	5	5	9	2	3	11	4·4	4	.	.	.	.	.	.	.	.	2	2
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	1	2	.	.	.	2	1	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	26	31	18	30	22	20	31	33	30	26·8	19	.	.	.	1	.	4	10	3	1	.
Tuberculous Meningitis, ...	6	3	3	5	5	6	1	5	2	4	4·0	4	.	2	.	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	.	.	4	4	.	1	2	2	2	1·6	4	.	1	.	.	1	2	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	8	8	8	2	7	10	7	11	4	.	6·8	3	.	.	.	1	.	1	.	1	.	.
Tuberculosis of other Organs,										.		2	.	.	.	.	.	1	1	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		1	.	.	1	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	.	2	.	.	2	.	3	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9	7	4	13	10	9	10	11	7	11	9·1	6	.	.	.	.	.	.	.	4	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	.	.	.	.	.	1	.	·3	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	9	1	—	2	.	.	.	.	.	.	.	2	.	.
Alcoholism, ...	2	.	.	.	.	.	1	.	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	3	1	2	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		7	.	.	.	3	2	1	1	.	.	.
Cerebral Hæmorrhage, Apoplexy.										6		10	.	.	.	.	.	.	4	3	2	1
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		4	.	.	.	.	.	1	.	2	.	1
Epilepsy, ...										2		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										6		8	3	3	1	.	1	.	.	.	.	.
Other Diseases of Nervous System.	43	38	39	55	45	50	35	49	31	2	42·3	4	.	.	.	.	.	2	1	.	1	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										16		14	.	.	.	.	.	1	3	5	4	1
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	1	.		.
Other Diseases of Circulatory System.										1		3	.	.	.	.	.	.	.	2	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	28	24	22	36	29	16	22	21	26	21	24·5	20	.	.	.	.	.	.	1	4	10	5
Broncho-pneumonia, ...	1	7	6	7	12	2	5	10	7	17	7·4	6	.	1	2	1	.	.	.	.	2	.
Lobar pneumonia, ...	.	1	1	3	3	2	3	.	2	2	1·7	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	12	3	16	8	12	16	10	7	6	9·4	6	.	.	.	.	1	.	.	5	.	.
Pleurisy, ...										2		1	.	.	.	.				1		
Pulmonary Congestion, Pulmonary Apoplexy	5	3	.	7	2	.	3	1	.	.	2·5	.	.	.	.	.	.	.	.			.
Other Diseases of Respiratory System.										2		1	.	.	.	.	.	.	.	1	.	

SIXTEENTH WEEK ending Saturday, 19th April, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years, 1903-1912.	In the Week ending Saturday, 19th April, 1913.									
												—	Deaths of Persons of the Ages of								
													0—5.								
	Apr. 25, 1903.	Apr. 23, 1904.	Apr. 22, 1905.	Apr. 21, 1906.	Apr. 20, 1907.	Apr. 18, 1908.	Apr. 24, 1909.	Apr. 23, 1910.	Apr. 22, 1911.	Apr. 20, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 40·0	° 46·0	° 44·0	° 44·3	° 42·5	° 42·6	° 48·9	° 49·6	° 50·5	° 48·1	° 45·7	° 44·5									
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	2	—	5	.	1	1	.	.	.	1	.	1	1
Diarrhœa and Enteritis of Children under 2 years.	1	4	4	4	3	2	4	5	3	1	3·1	8	1	5	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	1	3	2	.	1	1	.	1	1	1·0	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...	.	1	2	2	1	1	2	1	.	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	.	1	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	6	8	5	6	2	5	3	.	.	4·1	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	5	5	8	3	3	7	9	3	5	.	5·5	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...									3	3		6	.	.	.	.	.	.	2	3	.	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		1	.	.	.	.	.	.	1	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	1	.	.	.	.	.	.	.
Premature Birth, ...	4	3	3	2	3	5	6	5	2	2	3·5	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	3	—	5	1	4	.	.	.	.	.	.	.	.
Old Age, ...	8	3	5	6	5	7	4	4	7	6	5·5	4	.	.	.	.	.	.	.	.	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	2	—	4	3	.	1	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	1	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	.	1	.	.	.	3	.	·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	4	2	4	1	3	.	1	3	2	2·2	4	.	.	.	.	.	2	2	.	.	.
Total Deaths from Accident,	3	4	4	4	3	4	.	2	6	2	3·2	4	.	.	.	.	.	2	2	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	.	.	.	1	1	.	·3	1	.	.	.	.	.	1	.	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	1	9	—	9	.	.	.	.	.	.	.	1	4	4

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered.	205	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210
Average Births in corresponding week of previous 10 years, ...	200	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222
DEATHS registered, ...	154	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201
Annual Death-rate per 1,000, ...	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0
Average Deaths in corresponding week of previous 10 years, ...	156	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197
Ages, Under 5 years, ...	33	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52
5—15 " ...	8	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9
15—25 " ...	9	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15
25—45 " ...	33	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33
45—65 " ...	40	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41
65—75 " ...	24	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31
75 and upwards, ...	7	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20
Deaths from :—																										
Enteric Fever, ...	2	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1
Scarlet Fever, ...	2	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.
Whooping-cough, ...	1	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5
Diphtheria, ...	2	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2
Influenza, ...	.	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4
Dysentery, ...	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	22	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19
Tuberculous Disease, Other Forms,	4	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14
Cancer, ...	14	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6
Diseases of Circulatory System,	14	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18
Diseases of Respiratory System, Pneumonia,	13	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12
Diseases of Respiratory System, Others, ...	20	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22
Diarrhœa and Enteritis, under 2 years, ...	4	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8
Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Violent Deaths, ...	2	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4
Number of Uncertified Deaths,	3	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9
Mean Temperature of the Air (Phœnix Park)	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5
Average Mean Temperature in corresponding week of previous 10 years, ...	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7
Rainfall in inches, ...	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·83	·85	·91	·83	·87	·87	·85	·80

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th April, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH APRIL, 1913.																											
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	26·3	201	52	9	15	33	41	31	20	.	1	.	1	.	5	2	.	19	14	6	8	12	22	8	.	4	99	9
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17·8	5	.	1	.	.	.	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	101,798	17·9	35	5	3	4	3	9	5	6	.	.	.	.	.	1	.	.	2	3	2	.	.	3	2	.	1	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	26·5	55	17	.	4	9	12	8	5	.	1	.	.	.	1	.	.	5	4	1	4	5	4	1	.	2	27	3
IV.	GENERAL SERVICE CLASS, ...	167,479	23·0	74	27	3	6	12	11	9	6	.	.	.	.	.	3	2	.	9	4	2	4	4	7	3	.	1	35	6
V.	INMATES OF WORKHOUSES, ...	5,602	—	32	3	2	1	9	9	6	2	.	.	.	.	.	.	.	.	3	3	1	.	3	8	2	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13·3	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	28·7	3	.	1	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	24·8	12	1	.	1	.	6	3	1	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	9	.
	6. Clerks and Commercial Assistants, ...	33,249	9·4	6	2	.	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	23·1	15	2	2	1	2	2	1	5	.	.	.	.	.	.	.	.	1	2	2	.	.	2	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	17·7	4	1	.	.	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	28,823	39·8	22	9	.	1	.	7	3	2	.	.	.	.	.	1	.	.	1	2	1	1	3	2	.	.	1	10	2
	10. Clothing Trades, ...	20,026	20·8	8	3	.	2	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	1	.	.	2	.
	11. Food Supply Trades	8,952	11·6	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	27·6	17	3	.	1	6	1	4	2	.	.	.	.	.	.	.	.	1	2	.	1	.	1	.	.	1	11	1
	13. Petty Shopkeepers	6,772	15·4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20·1	5	1	.	1	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	3	1
	15. Domestic Servants, ...	36,041	11·6	8	1	.	2	2	.	1	2	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	13·6	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	28·8	57	24	3	3	7	11	6	3	.	.	.	.	.	2	2	.	8	3	2	4	3	5	3	.	1	24	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	32	3	2	1	9	9	6	2	.	.	.	.	.	.	.	.	3	3	1	.	3	8	2	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Dis. Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Mar. 1,	22·7	1·7	13	.	.	.	.	.	.	1	.	2	1	1	2	.	.	.	.	.
	„ 8,	29·6	.	17	.	.	.	.	.	.	.	.	2	1	.	5	5	.	.	.	1
	„ 15,	19·2	.	11	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.	1	1
	„ 22,	24·4	.	14	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	.
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.
	Apr. 5,	24·4	3·5	14	.	1	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
	„ 12,	22·7	1·7	13	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	1
	„ 19,	20·9	1·7	12	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Mar. 1,	38·3	5·1	30	1	.	.	.	.	1	.	.	3	.	1	2	7	2	.	.	.
	„ 8,	33·2	.	26	.	.	.	.	.	.	.	.	3	.	2	3	9	.	.	.	2
	„ 15,	30·6	.	24	.	.	.	.	.	.	.	.	4	1	.	5	5	.	.	.	1
	„ 22,	31·9	3·8	25	1	1	.	.	.	.	.	.	3	1	.	2	8	1	.	.	1
	„ 29,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	.	.
	Apr. 5,	37·0	2·6	29	.	.	.	.	.	.	1	.	4	.	2	1	3	1	.	.	.
	„ 12,	39·5	.	31	.	.	.	.	.	.	.	.	5	1	.	3	6	.	.	.	1
	„ 19,	21·7	3·8	17	.	.	.	.	.	1	.	.	2	.	.	1	.	2	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Mar. 1,	31·8	.	17	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	1	1
	„ 8,	28·1	1·9	15	.	.	.	.	.	.	.	.	1	.	.	2	4	1	.	1	.
	„ 15,	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	.	.
	„ 22,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	„ 29,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.
	Apr. 5,	22·4	1·9	12	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	.	.
	„ 12,	26·2	1·9	14	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	1
	„ 19,	33·7	5·6	18	.	.	.	.	.	.	.	.	2	3	.	1	3	3	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Mar. 1,	31·1	3·0	21	.	1	.	.	.	.	.	.	3	1	.	2	4	1	.	.	1
	„ 8,	20·7	1·5	14	.	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1	.
	„ 15,	25·2	1·5	17	.	.	.	.	.	.	1	.	2	2	1	1	3	.	.	.	.
	„ 22,	19·3	1·5	13	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.
	„ 29,	22·2	3·0	15	.	.	.	.	.	2	.	.	1	1	1	.	1	.	.	.	.
	Apr. 5,	31·1	3 0	21	.	.	.	.	.	.	1	.	5	.	.	.	2	1	.	.	.
	„ 12,	23·7	3·0	16	.	.	.	.	1	.	.	.	3	.	2	2	.	1	.	.	.
	„ 19,	16·3	3·0	11	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Mar. 1,	33·6	1·3	26	1	.	.	.	.	.	.	.	7	1	.	.	6	.	.	.	.
	„ 8,	22·0	1·3	17	.	.	.	.	.	1	.	.	6	.	.	2	2	.	.	1	.
	„ 15,	33·6	3·9	26	.	.	.	.	.	2	.	.	1	2	1	1	5	1	.	.	1
	„ 22,	28·4	.	22	.	.	.	.	.	.	.	.	4	1	2	3	3	.	.	.	.
	„ 29,	28·4	2·6	22	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	1	2
	Apr. 5,	22·0	3·9	17	.	.	.	.	1	.	1	.	3	1	.	1	.	1	.	1	1
	„ 12,	28·4	3·9	22	.	.	.	.	.	2	.	.	3	3	4	.	4	1	.	1	.
	„ 19,	31·0	2·6	24	.	.	.	.	.	2	.	.	5	1	.	3	5	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Mar. 1,	28·4	5·7	10	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	1
	„ 8,	22·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 15,	17·1	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 22,	39·8	2·8	14	1	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	.
	„ 29,	37·0	2·8	13	.	.	.	.	.	.	1	.	1	.	2	1	4	.	.	.	.
	Apr. 5,	28·4	2·8	10	.	.	.	.	.	.	.	.	4	.	.	2	.	1	.	.	.
	„ 12,	34·1	2·8	12	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	1	2
	„ 19,	31·3	2·8	11	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Mar. 1,	23·0	2·4	19	.	.	.	.	.	2	.	.	3	.	.	2	3	.	.	.	.
	„ 8,	18·1	.	15	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	1
	„ 15,	26·6	.	22	.	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	2
	„ 22,	14·5	2·4	12	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.
	„ 29,	32·7	3·6	27	.	.	.	.	.	2	1	.	7	1	1	3	6	.	.	1	.
	Apr. 5,	32·7	1·2	27	.	.	.	.	.	.	.	.	4	3	.	3	3	1	.	1	1
	„ 12,	32·7	1·2	27	.	.	.	.	1	.	.	.	4	1	1	3	3	.	.	.	.
	„ 19,	24·2	1·2	20	.	.	.	.	.	.	.	.	.	2	1	2	3	1	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Mar. 1,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.
	„ 8,	29·9	.	19	.	.	.	.	.	.	.	.	2	.	2	1	5	.	.	.	1
	„ 15,	26·7	3·1	17	.	.	.	.	.	.	1	.	2	1	2	1	3	1	.	1	.
	„ 22,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	.	1
	„ 29,	25·2	1·6	16	.	.	.	.	.	1	.	.	.	1	1	2	5	.	.	.	2
	Apr. 5,	23·6	1·6	15	.	.	.	.	.	1	.	.	3	.	1	2	1	.	.	.	.
	„ 12,	47·2	3·1	30	.	.	.	.	1	.	.	.	1	2	1	1	10	1	.	1	4
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	4

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Mar. 1,	26·9	.	20	.	.	.	.	.	.	.	.	2	.	1	3	2	.	.	1	1
	„ 8,	21·5	1·3	16	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	1	1
	„ 15,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 22,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
	„ 29,	20·2	.	15	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	.
Pop. in 1913 (Est.) 38,769.	Apr. 5,	18·8	1·3	14	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	1	1
	„ 12,	16·1	1·3	12	.	.	.	.	.	.	1	.	2	.	2	1	1	.	.	.	.
	„ 19,	22·9	1·3	17	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.
Pembroke Urban District.	Mar. 1,	24·4	3·5	14	.	.	.	.	.	1	.	.	4	1	2	.	2	1	.	.	.
	„ 8,	8·7	1·7	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 15,	24·4	1·7	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
	„ 29,	22·6	3·5	13	.	.	.	.	.	.	2	.	.	2	2	1	2	.	.	.	.
Pop. in 1913 (Est.) 29,942.	Apr. 5,	26·1	.	15	.	.	.	.	.	.	.	.	4	1	.	2	3	.	.	.	.
	„ 12,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	„ 19,	20·9	5·2	12	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	1
Kingstown Urban District.	Mar. 1,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 8,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	„ 15,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Pop. in 1911 16,941.	Apr. 5,	46·2	.	15	.	.	.	.	.	.	.	.	1	1	1	5	1	.	.	.	1
	„ 12,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Belfast.	Mar. 1,	23·4	0·9	178	.	.	.	5	.	1	1	.	29	10	5	21	38	.	.	.	3
	„ 8,	23·3	2·5	177	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	2
	„ 15,	23·7	1·7	180	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	1
	„ 22,	25·0	1·4	190	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	.
Pop. in 1913 (Est.) 396,000.	„ 29,	24·5	1·7	186	.	.	.	8	1	.	1	.	33	4	8	19	22	2	1	9	2
	Apr. 5,	21·2	1·3	161	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	.
	„ 12,	19·6	1·2	149	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	1
	„ 19,	16·9	1·1	128	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	3
Cork.	Mar. 1,	28·6	0·7	42	.	.	.	1	.	.	.	.	8	3	2	2	9	.	.	.	3
	„ 8,	24·5	1·4	36	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.
	„ 15,	27·9	0·7	41	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	1
	„ 22,	21·1	1·4	31	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	1
Pop. in 1911 76,673.	„ 29,	22·4	2·7	33	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	1
	Apr. 5,	18·4	2·0	27	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	2
	„ 12,	24·5	0·7	36	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	1
	„ 19,	22·4	0·7	33	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	2
Londonderry.	Mar. 1,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 8,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.
	„ 15,	17·8	1·3	14	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.
	„ 22,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Pop. in 1913 (Est.) 41,000.	„ 29,	20·3	.	16	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	Apr. 5,	22·9	.	18	.	.	.	.	.	.	.	.	1	1	2	.	6	.	.	.	.
	„ 12,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.
	„ 19,	12·7	2·5	10	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	.
Limerick.	Mar. 1,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	„ 8,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	3
	„ 15,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 22,	20·3	.	15	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	3
Pop. in 1911 38,518.	„ 29,	27·1	.	20	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	2
	Apr. 5,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4
	„ 12,	19·0	.	14	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	3
	„ 19,	29·8	.	22	.	.	.	.	.	.	.	.	5	.	.	.	7	.	.	1	2
Waterford.	Mar. 1,	13·3	3·8	7	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	1
	„ 8,	34·2	1·9	18	.	.	.	.	.	1	.	.	2	.	3	.	3	.	.	1	.
	„ 15,	26·6	3·8	14	.	.	.	.	.	2	.	.	1	1	.	.	3	.	.	.	3
	„ 22,	3·8	1·9	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
Pop. in 1911 27,464.	„ 29,	32·3	3·8	17	.	.	.	.	.	2	.	.	4	1	2	.	.	.	.	.	1
	Apr. 5,	24·7	5·7	13	.	.	.	.	.	3	.	.	4	.	.	1	.	.	.	.	2
	„ 12,	20·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	„ 19,	11·4	1·9	6	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th April, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	2	23·0	.	7	1	1	1	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4	1
Do. 2 do.	49,500	31	14·7	.	14	1	.	.	6	4	3	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1	2	.
Do. 3 do.	50,032	24	20·8	1·0	20	3	2	2	7	3	3	.	.	.	.	1	.	.	.	5	1	.	5	3	.	.	.	1	6	.
Do 4 do.	32,637	36	20·8	.	13	2	1	3	.	4	3	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	7	.
Do. 5 do.	16,112	10	16·2	3·2	5	1	1	1	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 6 do.	37,293	20	14·0	.	10	1	1	.	1	1	6	.	.	.	.	.	.	.	.	.	.	2	1	3	.	.	1	1	1	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	26·2	.	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.
Do. 9 do.	24,427	14	14·9	2.1	7	.	1	1	1	3	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	2	.
Do. 10 do.	28,958	23	18·0	1·8	10	2	2	3	.	3	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	.	.	4	.
Do. 11 do.	39,311	26	11·9	1·3	9	1	1	2	2	2	1	.	.	.	.	1	.	.	.	1	1	1	1	.	.	.	.	.	2	1
Do. 12 do.	38,076	19	17·8	1·4	13	.	2	3	4	3	1	.	.	.	1	.	.	.	.	1	2	.	1	1	.	.	1	1	4	.
Do. 13 do.	23,233	13	20·2	2·2	9	.	1	.	.	4	4	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	18·4	2·3	8	3	.	.	1	1	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
Total,	386,947	232	16·9	1·1	128	16	13	17	26	30	26	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	5	40	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	3·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,701	4	50·1	.	10	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3	1
Do 3 do.	9,978	2	26·6	.	5	.	2	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	2	.
Do 4 do.	8,666	1	11·4	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do 5 do.	6,592	1	25·0	.	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	2	13·5	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 7 do.	16,616	11	29·2	3·2	9	2	2	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	3	1
Total,	76,122	26	22·4	0·7	33	9	5	.	3	7	9	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	1	12	2

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered, ...	196	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232
DEATHS registered, ...	126	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128
Annual Death-rate per 1,000 of estimated population, ...	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9
AGES, Under 1 year, ...	18	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16
1—5 years, ...	16	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13
5—25 „ ...	12	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17
25—45 „ ...	15	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26
45—65 „ ...	36	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30
65 and upwards, ...	29	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4
Scarlet Fever, ...	1	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3
Whooping-cough, ...	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.
Diphtheria, ...	1	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	24	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16
Tuberculous Disease. Other Forms,	2	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7
Cancer, ...	9	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	5	4	5	8	4	9	7
Diseases of Respiratory System, Pneumonia,	10	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11
Diseases of Respiratory System, Others, ...	20	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12
Diarrhœa and Enteritis, under 2 years, ...	.	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.
Diarrhœa, 2 years and upwards,	.	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.
Violent Deaths, ...	1	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3
Number of Uncertified Deaths, ...	1	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Apr. 19,	2,235	1,424	16·4	1	.	64	3	26	11	18*a*
Edinburgh, ...	320,300	„ 19,	114	100	16·3	.	.	.	.	8	1	.
Glasgow, ...	1,021,500	„ 19,	636	339	17·3	2	.	8	1	23	2	6
Calcutta, ...	896,067	Mar. 8,	.	538	31·2	91*	2	6	.	.	.	108‡
Bombay	979,445	„ 15,	317	698	37·1	170*	9	10	.	.	.	75‡
Madras	518,660	„ 22,	259	412	41·3	96*	2	7	?	?	?	114‡
Cairo, ...	704,956	Jan. 28,	695	412	30·5	4	.	.	.	?	15†	35*a*
Paris, ...	2,847,229	Apr. 5,	973	974	17·5	2	.	32	1	9	4†	17*a*
Brussels, ...	767,252	Mar. 29,	222	228	15·5	.	.	5	1	4	.	6
Antwerp, ...	312,884	Apr. 5,	123	82	13·8	.	.	4	.	1	.	13*a*
Amsterdam, ...	589,106	Mar. 29,	248	140	11·2	.	.	.	.	1	1†	2*a*
Copenhagen, ...	468,000	„ 29,	257	157	17·5	.	.	.	3	4	.	8*a*
Stockholm, ...	368,798	„ 29,	140	90	12·7	.	.	.	.	.	.	2*a*
Christiania, ...	247,488	Apr. 5,	96	63	13·2	.	.	.	1	.	3	1
St. Petersburg, ...	1,686,000	Mar. 15,	1,190	742	22·9	7	.	19	16	6	5	47*a*
Moscow, ...	1,635,800	„ 8,	.	741	23·6	1	.	36	14	5	19†	44
Berlin, ...	2,094,079	„ 15,	804	615	15·3	.	.	9	4	5	6†	15
Hamburg, ...	1,006,748	„ 29,	.	285	14·7	1	.	4	1	6	7†	12*a*
Breslau, ...	538,311	„ 29,	.	192	18·6	.	.	7	.	3	.	13
Munich, ...	622,000	„ 29,	.	185	15·5	.	.	2	.	3	5†	8
Vienna (with suburbs),	2,098,225	Apr. 5,	655	691	17·0	.	.	13	6	10	9†	32*a*
Buda-Pesth, ...	1,184,272	Mar. 29,	475	358	20·0	2	.	4	13	.	2†	14*a*
Prague and Faubourgs,	489,194	„ 15,	171	186	19·8	1	.	1	1	.	5†	7*a*
Trieste, ...	237,192	„ 29,	142	126	27·7	1	.	3	.	.	.	3*a*
Rome, ...	575,091	Nov. 30,	313	191	17·3	1	.	.	1	.	.	10
New York, ...	5,372,983	Mar. 15,	2,688	1,848	17·9	4	.	27	19	11	39†	44*a*
Philadelphia, ...	1,631,960	„ 1,	.	649	20·7	2	.	4	1	1	12	18*a*
Boston, (*b*)	735,399	„ 29,	.	218	15·5	.	.	4	1	2	4	2

* Deaths from "fever," including 2 from enteric fever and 27 from plague in Calcutta, 3 from enteric fever and 103 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 42 deaths from cholera in Calcutta, 2 in Bombay and 3 in Madras

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th April, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West, ...	.	2	.	.	1	.	.	1	.	.	.	.	.	4
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
„ „ 3, ...	.	.	.	.	1	.	.	.	2	.	.	3	.	6
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	.	.	1	.	1	.	.	1	.	5
„ „ 2, ...	.	.	.	.	2	.	.	.	.	.	.	1	.	3
„ „ 3, ...	.	.	.	.	3	.	.	1	1	.	.	.	.	5
„ „ 4, ...	.	.	.	.	1	.	.	2	.	.	.	1	.	4
New Kilmainham, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Total, ...	.	9	1	.	8	.	1	4	4	.	.	7	.	34

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th April, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th April.			
	Mar. 29.	April. 5.	April 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	32	28	30	3	6	.	27
Typhus, ...	8	13	13	.	2	1	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	7	7	8	11	3	.	16
Scarlet Fever, ...	98	88	85	16	23	1	77*
Diphtheria, ...	52	49	55	13	6	3	59
Pneumonia, ...	27	29	33	13	5	1	40

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 19th April, 1913:—

"The weather of this week was changeable and unsettled, cold, showery and windy. As during the winter-months, so in this period, an area of very low atmospheric pressure was centred over Iceland and the adjacent ocean, while the barometer stood high in the neighbourhood of the Azores. The depression in the far North-west threw off secondary systems from time to time, and these kept the weather in the British Isles, France, and the Low Countries in a changeable state which was remarkable even for April. Sunday was the finest day of the week, because the barometer was uniformly rather high over Ireland (30 inches) and England (30·1 inches). But even at that time a depression was advancing upon Iceland from Greenland. By Monday morning the high pressure area had been shifted to Germany, and gradients for S.W. winds had become established over Great Britain and Ireland. On Tuesday morning the barometer ranged from 28·50 inches at Reykjavik, in Iceland, to 30·20 inches at Berlin and Munich. Rain and squally S.W. winds prevailed in Ireland and later on in England. On Wednesday morning the centre of the depression had reached the Faeroe—Thorshavn reporting a barometer reading of 28·52 inches at 7 a.m. Heavy hail squalls passed over Ireland, and fresh S.W. gales were felt in the English Channel. The primary disturbance afterwards moved back to Iceland, while numerous secondaries travelled eastwards across the British Isles, causing squalls, showers, hail-storms and—at many stations in the west and south—thunder and lightning. Between 12 noon and 1 p.m. of Saturday, when the main depression lay off the east of Scotland, heavy hail fell in Dublin. In this City the mean height of the barometer was 29 595 inches, the range of pressure being from 30·053 inches at 9 a.m. of Sunday (wind, calm) to 29·160 inches at 2 a.m. of Wednesday (wind, W.). The corrected mean temperature was 46·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. was 46·0°. On Sunday the screened thermometers fell to 38·8°, on Monday they rose to 55·2°. S.W. and W. to N.W. winds prevailed. Rain fell daily to the amount of ·427 inch, ·211 inch being measured on Tuesday. Hail fell on Wednesday, Thursday and Saturday. Lunar halos were seen on Wednesday and Thursday, a solar halo on Friday. Strong winds were felt on 4 days."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·606 inches. The highest reading (30·059) was on Sunday at 9 a.m., wind calm, the lowest (29·233) on Tuesday at 9 p.m., wind S.W.

The mean temperature for the week was 44·5°, being 1·2 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Monday and Tuesday, on which days the thermometer registered 54°, and was lowest on Sunday, the mercury having fallen to 31°. The mean of the Dry Bulb for the week was 44·9° and of the Wet Bulb, 42·0°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The rainfall during the week measured 0·620 inch.

At Greenwich the mean temperature for the week was 44·4°, the maximum 57·9°, and the minimum 29·0°; at Glasgow the maximum was 51·8°, the minimum 34·0°, and the mean 43·7; and at Edinburgh the maximum was 50·2°, the minimum 32·3°, and the mean 42·1°. The rainfall at Greenwich measured 0·50 in.; at Glasgow 1·52 ins.; and at Edinburgh 0·65 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 13,	30·030	54	31	42·5	43·8	41·1	·81	·4	3·0	·015	Calm.	Calm.
Monday, „ 14,	29·855	54	38	46·0	47·9	45·3	·83	·6	1·0	·000	S.W.	W.S.W.
Tuesday, „ 15,	29·510	51	40	45·5	48·6	45·3	·78	·8	0·4	·340	S.S.W.	S.W.
Wednesday, „ 16,	29·340	50	39	44·5	42·0	39·4	·81	·8	6·2	·100	W.	S.W.
Thursday, „ 17,	29·485	49	36	42·5	42·9	40·0	·79	·7	7·2	·015	W.	S.W.
Friday, „ 18,	29·420	51	40	45·5	46·9	44·1	·81	·8	0·7	·115	W.S.W.	W.
Saturday, „ 19,	29·605	51	39	45·0	42·5	39·1	·75	·7	11·4	·035	W.	W.
Mean, ...	29·606	51·4	37·6	44·5	44·9	42·0	·80	·7	Total 29·9	Total ·620	Prevailing Wind, W.	

Sunday—Day cloudy, fine; night cloudy, showers at intervals a.m. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—A dull day, light and heavy rain at intervals a.m and p.m.; night overcast, drizzling rain 9.0 p.m. to 12.0 m.n., and heavy rain 3.0 to 3.35 a.m. *Wednesday*—Day cloudy, sleet and hail showers at intervals a.m.; night cloudy, rain 1.30 to 2.0 a.m. *Thursday*—A beautiful bright day; night cloudy, showers 12.10 to 1.30 a.m. and 3.0 to 3.20 a.m. *Friday*—A dull day; night cloudy, rain 6.0 to 8.50 p.m. and 12.0 m.n. to 12.30 a.m. *Saturday*—A beautiful bright day, showers at intervals a.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 19th April, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 13,	47·1	46·8	46·2	54	31·8	43	3·2	·005
Monday „ 14,	50·9	47·2	46·4	55	44	49·5	0·1	·020
Tuesday, „ 15,	49·1	47·2	46·6	52	41	46·5	0·4	·200
Wednesday, „ 16,	43·0	47·6	46·7	51	—	—	5·9	·072
Thursday, „ 17,	43·9	46·9	46·8	50	37	43·5	5·8	·037
Friday, „ 18,	48·3	46·9	46·9	52	30	41	0·7	084
Saturday, „ 19,	46·1	47·1	47·0	52	39	45·5	10·5	·022
Weekly Mean, .	46·9	47·1	46·7	52·3	—	—	Total 26·6	Total ·440

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 360-45/139. 375. 4. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 26TH APRIL, 1913. [No. 17.

General Register Office, Charlemont House,
Dublin, 28th April, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending April 5	April 12	April 19	April 26	Average Rate for 4 weeks.
27 Town Districts, (a)	**23·3**	**22·5**	**20·9**	**21·3**	**22·0**
Dublin Reg. Area ...	27·9	27·2	24·1	24·5	25·9
Dublin City ...	28·1	29·9	25·2	26·9	27·5
Belfast	21·2	19·6	16·9	20·4	19·5
Cork	18·4	24·5	22·4	23·8	22·3
Londonderry ...	22·9	14·0	12·7	17·8	16·9
Limerick	14·9	19·0	29·8	16·2	20·0
Waterford	24·7	20·9	11·4	17·1	18·5

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·2 per 1,000. Among the 155 deaths from all causes for Belfast are one from measles, 2 from each of scarlet fever and whooping-cough, one from diphtheria, and 3 from diarrhœal diseases. Two of the 9 deaths from all causes for Waterford are from whooping-cough. Three of the 9 deaths from all causes for Wexford are from measles. The 2 deaths for Kilkenny include one from enteric fever, and the 6 deaths from all causes for Tralee include one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 249—135 boys and 114 girls—and the deaths to 209—101 males and 108 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 20) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·5 per 1,000 of the population. During the seventeen weeks, ending with Saturday last, the death-rate averaged 23·2, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 209, represent an annual rate of 27·0 per 1,000; the annual rate for the past seventeen weeks was 24·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·3 per 1,000 of the mean population for all deaths registered.

Among the 209 deaths are one from scarlet fever, 2 from whooping-cough, one from diphtheria, 7 from influenza, and 5 from diarrhœa and enteritis of children under 2 years of age. In the three preceding weeks deaths from scarlet fever were one, 3, and 0; deaths from whooping-cough were 2, 3, and 5; deaths from diphtheria were 5, 4, and 2; deaths from influenza were 5, 4, and 4; and deaths from diarrhœa and enteritis of children under 2 years of age numbered 7, 6, and 8, respectively.

Tuberculous disease caused 42 deaths, including 35 from pulmonary tuberculosis, 3 from tuberculous meningitis, one from abdominal tuberculosis, 2 from tuberculosis of other organs, and one from disseminated tuberculosis. The number of deaths from tuberculous disease in the three preceding weeks was 43, 34, and 33, respectively.

There were 8 deaths from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Deaths from cancer numbered 15.

Seven deaths of infants under one year of age were caused by convulsions, 4 by premature birth, and 3 by congenital debility.

To organic diseases of the heart 12 deaths were attributed, and to bronchitis 27 deaths.

There were 2 accidental deaths, including one caused by burns. One death by suicide was recorded.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 infants under one year of age, and the deaths of 2 persons aged 65 years and upwards.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 13 were under one month old) and 52 were aged 65 years and upwards, including 37 persons aged 70 and upwards; among the latter were 20 aged 75 and upwards, of whom 2 (females) were stated to have been aged 91 and 93 years respectively.

Ninety-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate in the City was 26·9 (North City Districts, 25·2; South, 28·8) and in the Suburbs, 16·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 1·0, and in the South 1·4), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,000, and include 2 from pulmonary tuberculosis, one from bronchitis, and one from enteritis of a child under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 23·0 per 1,000. Included in the total are one from scarlet fever, 3 from pulmonary tuberculosis, one from pneumonia, 4 from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Pulmonary tuberculosis, broncho-pneumonia, and bronchitis each caused one death.

No. 3 North City District (Benburb-street).—The deaths (27) represent an annual rate of 40·0 per 1,000. Influenza caused one death, there were 6 deaths from tuberculous disease, one from broncho-pneumonia, 2 from pneumonia, 3 from bronchitis, one from epidemic diarrhœa of a child under 2 years, one accidental death, and one death by suicide.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·9, and Finglas and Glasnevin, part of, 19·6. The one death for Clontarf and Howth, No. 1, part of, was from lobar pneumonia. Of the 7 deaths from all causes for Coolock and Drumcondra, part of, 3 were from pulmonary tuberculosis; and of the 4 deaths for Finglas and Glasnevin, part of, 3 were from diseases of the respiratory system.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 28·4 per 1,000. Influenza caused one death, tuberculous disease 6 deaths, bronchitis 5 deaths, and there were 2 deaths of children under 2 years from diarrhœa and enteritis.

No. 2 South City District (Castle-street).—The deaths (16) are equal to an annual rate of 45·5 per 1,000, and include one death from tuberculous meningitis, 2 from broncho-pneumonia, one from pneumonia, 2 from bronchitis, and one from diarrhœa of a child under 2 years.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. Included in the total are one from influenza, 6 from tuberculous disease, and 2 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000. Whooping-cough caused one death, tuberculous disease caused 3 deaths, broncho-pneumonia one death, and there were 3 deaths from bronchitis.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 32·1 per 1,000. Tuberculous disease caused 2 deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 19·2; Blackrock, 11·4; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of whooping-cough and diphtheria for Pembroke. Among the 12 deaths from all causes for Rathmines and Rathgar are 3 from influenza, 2 from tuberculous disease, and one from bronchitis. Of the 11 deaths from all causes for Pembroke one is from influenza, 2 are from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis; and of the 5 deaths from all causes for Kingstown 2 are from diseases of the respiratory system.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 26th April, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Apr. 5,	.	—	—	6	6	.	8	.	.	1	9	.	—	—	.	—	7	.	37
	Apr. 12,	.	—	—	7	2	.	9	.	1	4	9	.	—	—	.	—	16	.	48
	Apr. 19,	.	—	—	9	1	.	8	.	1	4	4	.	—	—	.	—	7	.	34
	Apr. 26,	.	—	—	18	3	.	10	.	.	1	2	.	—	—	.	—	22	.	56
Rathmines and Rathgar Urban District.	Apr. 5,	.	—	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	7
	Apr. 12,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 26,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Apr. 5,	.	4	.	.	.	.	.	.	.	.	.	.	—	3	—	—	.	—	7
	Apr. 12,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	—	—	.	—	1
	Apr. 19,	.	2	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	4
	Apr. 26,	.	2	.	1	.	.	2	.	.	.	.	.	—	.	—	—	.	—	5
Blackrock Urban District.	Apr. 5,	.	—	—	1	.	.	6	.	.	.	.	.	—	—	.	—	—	—	7
	Apr. 12,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Apr. 5,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	—	2
	Apr. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
City of Belfast.	Apr. 5,	.	—	—	37	.	.	5	.	3	2	6	.	—	—	—	—	13	—	66
	Apr. 12,	.	—	—	25	.	.	8	.	.	.	5	.	—	—	—	—	9	—	47
	Apr. 19,	.	—	—	23	.	.	7	.	1	3	1	1	—	—	—	—	8	—	44
	Apr. 26,	.	—	—	30	.	.	4	.	1	8	3	2	—	—	—	—	22	—	70

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th April, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of enteric fever were admitted to hospital during the week, 5 were discharged, there was one death, and 27 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 28, 30, and 27.

Three cases of typhus were admitted to hospital during the week, 2 were discharged, and 11 cases remained under treatment at the close of the week.

Four cases of measles were admitted to hospital during the week, 4 were discharged, and 16 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 7, 8, and 16 respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 11 were discharged, and 87* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 88, 85, and 77 respectively.

Twenty-two cases of diphtheria were admitted to hospital during the week, 14 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 49, 55, and 59 respectively, were 66 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 14 were discharged, there were 2 deaths, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 14·8), was equal to an average annual death-rate of 14·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 14·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th April. From this Report it appears that of a total of 34 cases notified, 22 were phthisis, 8 scarlet fever, 3 erysipelas, and one diphtheria. Among the 379 cases of infectious diseases in hospital at the close of the week were 116 cases of phthisis, 111 of scarlet fever, 58 of measles, 46 of whooping-cough, 26 of diphtheria, 6 of chicken-pox, 4 of enteric fever, and 4 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 26th April, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

	TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 26th April, 1913. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 26th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
	TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	29·3	21·3	1·2	673	491	73	119	1	...	...	5	3	6	2	...	67	15	23	38	59	7	3	11	16	151	26	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
	DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	32·2	24·5	1·2	249	189	30	48	...	...	...	...	1	2	1	...	30	7	11	11	29	5	...	3	5	77	12	e 59	30	45·9	0·91	e 54	31	44·5	0·62	e 60	32	45·4	0·25
	CITY OF DUBLIN,	308,187	39·0	37·6	26·9	1·2	222	159	26	35	...	...	...	...	1	1	...	...	27	6	9	10	24	5	...	3	4	67	9	f 57·7 g 58·8	35·7 34·0	47·3 46·5	0·78 0·86	f 55·2 g 54·7	38·8 35·0	46·3 45·5	0·43 0·55	f 58·1 g 59·2	40·2 35·0	47·2 46·1	0·27 0·27
Urban Districts.	RATHMINES & RATHGAR.	38,769	22·6	8·1	16·1	.	6	12	2	6	...	...	...	...	...	...	...	..	1	1	...	...	1	...	...	...	1	4	2	...	...	...	...	..	...	...	...	...	...	...	...	...
Urban Districts.	PEMBROKE. ...	29,942	19·0	17·4	19·2	3·5	10	11	1	5	...	...	...	...	...	1	1	...	2	...	...	1	1	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BLACKROCK, ...	9,161	8·5	11·4	11·4	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	KINGSTOWN, ...	16,941	11·6	27·7	15·4	.	9	5	1	1	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	1	57	36	47·8	0·84	55	37	46·1	0·25	56	41	46·8	0·11
Urban Districts.	BELFAST ..	396,000	26·5	30·7	20·4	1·2	233	155	30	27	...	...	...	1	2	2	1	...	20	6	8	14	17	1	2	5	7	39	1	61·0	34·8	49·1	0·73	55	33	43·3	0·72	58·8	33·0	46·6	0·53
Urban Districts.	CORK, ..	76,673	28·6	17·7	23·8	.	26	35	5	7	...	...	...	...	...	...	...	...	4	...	1	2	4	...	...	...	1	12	2	60	34	47·2	2·76	54	38	45·6	0·80	58	37	47·4	0·01
Urban Districts.	LONDONDERRY...	41,000	15·9	38·2	17·8	.	30	14	1	5	...	...	...	...	...	...	...	...	2	...	...	1	3	...	...	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	LIMERICK. ...	38,518	16·1	29·8	16·2	.	22	12	..	3	...	...	...	...	...	...	...	..	5	...	...	2	2	...	..	...	...	2	2	60·2	29·6	46·8	1·28	54·0	29·6	44·4	1·15	59	31	46·5	0·00
Urban Districts.	WATERFORD, ...	27,464	19·1	24·7	17·1	3·8	13	9	1	1	...	...	...	...	...	2	...	...	1	1	...	2	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	GALWAY, ...	13,255	2·5				11	7	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	3	60	33	47	1·21	56	33	44	1·15	60	33	48	0·00
Urban Districts.	DUNDALK, ...	13,128	9·5				2	5	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	LURGAN, ...	12,553	14·7				15	4	...	...	...	...	...	...	...	...	...	..	...	1	...	...	1	...	...	...	...	...	...	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39
Urban Districts.	DROGHEDA, ...	12,501	8·4				.	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	LISBURN, ...	12,388	10·9				7	5	1	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39
Urban Districts.	NEWRY. ...	11,963	17·0				3	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39
Urban Districts.	PORTADOWN, ...	11,727	15·3				8	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39
Urban Districts.	WEXFORD. ...	11,531	22·8				4	9	...	1	...	...	...	3	...	...	...	...	...	...	...	3	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BALLYMENA ..	11,381	9·3				3	5	...	2	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	SLIGO, ...	11,163	3·8				2	4	1	3	...	...	...	...	...	...	...	...	...	..	1	...	...	..	...	...	...	...	3	60	27	46·0	1·19	56	32	43·0	1·46	59	29	45·0	0·46
Urban Districts.	KILKENNY, ...	10,514	11·4				7	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	62	30	48·0	1·58	54	33	44·8	0·72	59	35	46·4	0·07
Urban Districts.	TRALEE. ...	10,300	17·4				4	6	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	..	...	...	...	...	...	...	...	...	...	...
Urban Districts.	CLONMEL, ...	10,209	7·8				3	6	...	2	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWTOWNARDS,	9,587	20·1				7	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54	37	45·9	1·19	53	36	43·4	0·67	52	37	44·7	0·33
Urban Districts.	QUEENSTOWN, ...	8,209	14·7				6	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	60	34	47·2	2·76	54	38	45·6	0·80	58	37	47·4	0·01
Urban Districts.	LARNE, ...	8,036	13·4				3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	COLERAINE. ...	7,785	7·7				5	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BANGOR, ...	7,776	8·5				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BRAY, ..	7,691	7·2				.	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	ATHLONE, ...	7,472	6·2				7	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	ARMAGH, ...	7,356	21·8				1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69	59·2	31·9	45·5	0·39

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 20 deaths of persons (including 4 at 65 years or upwards) admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th of April, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Croup,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Influenza,	.	.	.	1	.	.	.	1	.	1	.	.	3	1	.	.	7	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	3	1	5	.	3	.	5	.	5	2	1	1	2	.	.	30	5
Tuberculous Disease. { Other Forms,	.	.	.	1	.	.	.	1	1	1	1	1	1	.	.	.	7	.
Cancer,	.	1	.	3	.	2	.	.	1	2	.	.	.	.	1	1	11	4
Diseases of Nervous System,	2	.	3	1	.	1	.	.	1	3	1	1	1	1	.	1	16	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Circulatory System,	1	2	1	4	.	.	1	1	1	2	.	1	2	1	.	1	18	.
" Respiratory System. { Pneumonia,	.	1	1	3	1	.	.	.	3	.	1	.	.	1	.	.	11	2
" Respiratory System. { Others,	1	4	1	3	.	.	3	5	2	2	3	.	1	1	1	2	29	2
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	1	.	.	1	.	.	.	2	1	.	.	.	.	.	.	.	5	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	2	1	1	1	.	.	.	1	.	2	2	.	.	2	.	.	12	2
" Genito-urinary System,	.	1	.	.	.	.	.	1	2	1	.	1	.	.	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
" Locomotor System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
Other specified Causes,	1	1	2	1	.	1	.	5	2	1	4	1	1	.	.	.	20	.
Violent Deaths,	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Ill-defined, &c. Causes,	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	4	.
Deaths from All Causes	10	18	12	27	1	7	4	22	16	20	16	6	12	11	2	5	189	20
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·4	23·0	22·4	40·0	9·6	26·9	19·6	28·4	45·5	24·2	25·2	32·1	16·1	19·2	11·4	15·4	24·5	.
	25·2							28·8					16·5					
	26·9																	
Ages at Death. { Under 1 year,	1	1	3	7	.	1	.	3	2	2	5	1	2	1	.	1	30	.
1 and under 2 years,	1	1	1	2	.	.	.	.	2	.	2	.	.	.	.	.	9	.
2 " 5 "	1	1	.	1	.	.	.	.	1	1	.	.	.	.	.	.	5	.
5 " 15 "	.	1	1	2	.	.	.	1	.	1	1	.	.	1	.	.	8	1
15 " 25 "	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	.	7	2
25 " 45 "	2	5	2	2	.	3	.	8	2	2	2	1	2	3	1	.	35	8
45 " 65 "	3	4	2	8	1	1	1	2	5	8	5	1	2	1	.	3	47	5
65 and upwards,	2	5	3	4	.	2	2	7	4	3	1	2	6	5	1	1	48	4
Number of Uncertified Deaths,	1	.	2	.	.	1	1	.	1	1	1	1	2	.	.	1	12	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	6	4	10	.	1	.	6	5	1	5	.	4	4	1	.	49	19
Workhouse Hospitals.	3	2	3	5	.	.	.	7	1	5	1	.	.	1	.	.	28	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 26th April, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 2, 1903.	Apr. 30, 1904.	Apr. 29, 1905.	Apr. 28, 1906.	Apr. 27, 1907.	Apr. 25, 1908.	May 1, 1909.	Apr. 30, 1910.	Apr. 29, 1911.	Apr. 27, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 47·1	° 48·9	° 46·8	° 41·9	° 49·8	° 39·0	° 45·6	° 43·6	° 50·5	° 47·2	° 46·0	° 45·9										
ALL CAUSES.	201	158	165	174	262	168	179	193	181	192	187·3	209	13	17	9	5	9	9	43	52	32	20
Enteric Fever, ...	2	1	1	1	1	.	.	2	.	3	1·1	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	2	1	10	3	2	.	5	16	4·2	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	.	.	1	1	.	.	1	·5	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	3	1	2	15	2	13	4	2	2	4·5	2	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	.	2	1	.	.	.	1	1	·6	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Influenza, ...	2	2	1	1	5	3	3	3	.	2	2·2	7	1	.	.	.	.	.	1	1	1	3
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	1	.	.	1	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	1	2	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	1	1	.	.	.	.	2	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	19	21	22	34	27	27	25	22	17	23·7	35	.	1	1	1	3	5	18	5	1	.
Tuberculous Meningitis, ...	1	4	2	2	4	3	1	6	5	1	2·9	3	1	.	.	1	.	.	1	.	.	.
Abdominal Tuberculosis, ...	1	1	1	.	6	.	2	.	3	1	1·5	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	10	9	7	8	10	9	3	6	2	.	6·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		2	.	.	.	.	.	.	1	1	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		1	.	.	.	.	.	1	.	.	.	.
Venereal Diseases, ...	1	1	2	3	1	.	1	2	.	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	10	6	5	10	5	8	7	11	9	9	8·0	15	.	.	.	.	.	.	2	6	5	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	1	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	1	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Diabetes, ...	.	1	.	2	.	1	.	2	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	2	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	.	1	—	2	.	1	.	.	1	.	.	.	.	.
Alcoholism, ...	.	.	1	.	.	.	2	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	2	2	2	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										4		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										3		2	.	.	.	.	.	.	.	.	1	1
Softening of Brain, ...										2		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		3	.	.	.	.	.	.	1	1	1	.
Epilepsy, ...										.		1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),										5		7	2	5	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	41	28	51	36	55	42	34	42	44	1	41·4	3	.	.	1	.	.	.	2	.	.	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										19		12	.	.	.	.	.	1	2	4	5	.
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Circulatory System.										2		5	.	.	.	.	.	.	1	3	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	27	23	18	21	31	19	25	22	15	23	22·4	27	.	1	2	.	.	.	1	8	7	8
Broncho-pneumonia, ...	5	5	7	2	5	4	3	6	7	11	5·5	8	.	2	2	.	.	.	2	.	1	1
Lobar pneumonia, ...	2	.	.	3	1	1	2	3	1	.	1·3	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	8	12	7	12	6	4	9	8	10	8	8·4	4	.	.	.	.	1	.	.	3	.	.
Pleurisy, ...										1		.	.	.	.	.				.		.
Pulmonary Congestion, Pulmonary Apoplexy.	3	4	.	2	2	3	3	3	1	.	2·3	1	.	.	.	.	.		1		.	.
Other Diseases of Respiratory System.										1		3	.	.	.	.	.	1	.	1	1	.

SEVENTEENTH WEEK ending Saturday. 26th April, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 26th April, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 2, 1903.	Apr. 30, 1904.	Apr. 29, 1905.	Apr. 28, 1906.	Apr. 27, 1907.	Apr. 25, 1908.	May 1, 1909.	Apr. 30, 1910.	Apr. 29, 1911.	Apr. 27, 1912.		—	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 47·1	° 48·9	° 46·8	° 41·9	° 49·8	° 39·0	° 45·6	° 43·6	° 50·5	° 47·2	° 46·0	° 45·9										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	5	1	—	4	.	.	1	.	.	.	.	1	1	1
Diarrhœa and Enteritis of Children under 2 years.	3	1	6	8	5	2	.	4	4	7	4·3	5	1	2	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									1	1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	2	.	.	.	.	.	1	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	1	—	3	.	.	.	.	.	.	.	2	1	.
Cirrhosis of Liver, ...	3	3	.	.	1	1	2	4	.	2	1·6	3	.	.	.	.	.	.	1	2	.	.
Other Diseases of Liver, ...	1	.	1	.	1	2	2	.	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	1	.	1	.	.	·2	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Digestive System.	11	2	3	6	9	7	5	6	1	1	5·1	1	.	.	.	.	.	.	.	.	1	.
Acute Nephritis, ...	8	7	4	8	4	6	7	5	.	.	6·0	1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...									6	4		5	.	.	.	.	.	.	2	3	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	1		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	.		1	.	.	.	.	.	.		1	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	.	.	1	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	.	—	3	.	1	.	.	.	.	.	2	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	3	.	.	.	.	.	.	2	1	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	4	1	1	9	1	7	5	5	5	4·1	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	3	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	7	1	4	5	9	2	3	4	7	1	4·3	6	.	.	.	.	.	.	.	.	2	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	3	—	3	2	.	.	1	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	.	3	1	1	1	1	2	1·0	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	1	.	.	.	1	.	1	2	1	2	·8	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	4	1	3	1	2	1	4	2	2·1	1	.	.	.	.	.	.	.	1	.	.
Total Deaths from Accident,	3	2	4	1	7	2	4	4	8	6	4·1	2	.	.	.	.	1	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	1	.	2	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	1	.	.	.	1	·3	1	.	.	.	.	.	.	.	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	6	7	—	4	.	.	.	.	.	.	.	2	2	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912-3—WEEK ENDING																									
	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered.	211	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249
Average Births in corresponding week of previous 10 years, ...	217	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212
DEATHS registered, ...	147	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209
Annual Death-rate per 1,000, ...	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0
Average Deaths in corresponding week of previous 10 years, ...	171	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187
Ages, Under 5 years, ...	46	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44
5—15 " ...	7	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9
15—25 " ...	8	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9
25—45 " ...	27	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43
45—65 " ...	27	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52
65—75 " ...	19	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32
75 and upwards, ...	13	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20
Deaths from :—																										
Enteric Fever, ...	2	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever, ...	3	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1
Whooping-cough, ...	1	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2
Diphtheria, ...	2	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1
Influenza, ...	.	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7
Dysentery, ...	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35
Tuberculous Disease, Other Forms,	6	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7
Cancer, ...	13	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15
Diseases of Circulatory System,	7	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18
Diseases of Respiratory System, Pneumonia,	9	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13
Diseases of Respiratory System, Others, ...	28	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31
Diarrhœa and Enteritis, under 2 years, ...	5	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5
Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Violent Deaths, ...	4	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3
Number of Uncertified Deaths,	3	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12
Mean Temperature of the Air (Phœnix Park)	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9
Average Mean Temperature in corresponding week of previous 10 years, ...	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0
Rainfall in inches, ...	·300	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th April, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH APRIL, 1913.

CLASS	OCCUPATION OR SOCIAL POSITION. The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	27·4	209	44	9	9	43	52	32	20	.	.	.	.	1	2	1	.	35	7	15	7	13	31	5	.	3	89	12
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	24·9	7	.	.	.	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.
II.	MIDDLE CLASS, ...	101,798	25·6	50	7	1	2	12	14	8	6	.	.	.	.	.	2	.	.	6	2	7	1	5	9	.	.	.	18	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	20·2	42	12	2	5	7	13	3	.	.	.	.	.	.	.	1	.	7	3	.	5	2	2	1	.	2	19	8
IV.	GENERAL SERVICE CLASS, ...	167,479	25·2	81	22	6	2	17	15	10	9	.	.	.	.	1	.	.	.	16	2	3	1	5	13	3	.	1	36	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	29	3	.	.	6	9	9	2	.	.	.	.	.	.	.	.	6	.	5	.	.	6	1	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	33·1	5	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19·2	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	20·7	10	2	.	.	1	5	2	.	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	33,249	29·8	19	5	1	2	6	2	3	.	.	.	.	.	.	1	.	.	4	1	2	1	2	3	.	.	.	5	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	27·7	18	.	.	.	5	4	3	6	.	.	.	.	.	.	.	.	2	.	3	.	2	5	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	1
	9. Building and Furnishing Trades, ...	28,823	21·7	12	6	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	1	6	4
	10. Clothing Trades, ...	20,026	10·4	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1
	11. Food Supply Trades	8,952	11·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	29·3	18	4	2	2	1	7	2	.	.	.	.	.	.	.	1	.	4	2	.	1	1	2	1	.	1	5	1
	13. Petty Shopkeepers	6,772	23·1	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	32·1	8	2	.	.	2	2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	4	.
	15. Domestic Servants, ...	36,041	7·2	5	1	.	.	.	.	3	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	13·6	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	32·4	64	19	5	2	13	12	7	6	.	.	.	.	.	.	.	.	13	2	2	1	4	11	3	.	1	27	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	29	3	.	.	6	9	9	2	.	.	.	.	.	.	.	.	6	.	5	.	.	6	1	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Mar. 8,	29·6	.	17	.	.	.	.	.	.	.	.	2	1	.	5	5	.	.	.	1
	„ 15,	19·2	.	11	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.	1	1
	„ 22,	24·4	.	14	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	.
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.
	Apr. 5,	24·4	3·5	14	.	1	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
	„ 12,	22·7	1·7	13	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	1
	„ 19,	20·9	1·7	12	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 26,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Mar. 8,	33·2	.	26	.	.	.	.	.	.	.	.	3	.	2	3	9	.	.	.	2
	„ 15,	30·6	.	24	.	.	.	.	.	.	.	.	4	1	.	5	5	.	.	.	1
	„ 22,	31·9	3·8	25	1	1	.	.	.	.	.	.	3	1	.	2	8	1	.	.	1
	„ 29,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	.	.
	Apr. 5,	37·0	2·6	29	.	.	.	.	.	.	1	.	4	.	2	1	3	1	.	.	.
	„ 12,	39·5	.	31	.	.	.	.	.	.	.	.	5	1	.	3	6	.	.	.	1
	„ 19,	21·7	3·8	17	.	.	.	.	.	1	.	.	2	.	.	1	.	2	.	1	1
	„ 26,	23·0	1·2	18	.	.	.	.	1	.	.	.	3	.	1	1	4	.	.	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Mar. 8,	28·1	1·9	15	.	.	.	.	.	.	.	.	1	.	.	2	4	1	.	1	.
	„ 15,	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	.	.
	„ 22,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	„ 29,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.
	Apr. 5,	22·4	1·9	12	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	.	.
	„ 12,	26·2	1·9	14	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	1
	„ 19,	33·7	5·6	18	.	.	.	.	.	.	.	.	2	3	.	1	3	3	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Mar. 8,	20·7	1·5	14	.	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1	.
	„ 15,	25·2	1·5	17	.	.	.	.	.	.	1	.	2	2	1	1	3	.	.	.	.
	„ 22,	19·3	1·5	13	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.
	„ 29,	22·2	3·0	15	.	.	.	.	.	2	.	.	1	1	1	.	1	.	.	.	.
	Apr. 5,	31·1	3·0	21	.	.	.	.	.	.	1	.	5	.	.	.	2	1	.	.	.
	„ 12,	23·7	3·0	16	.	.	.	.	1	.	.	.	3	.	2	2	.	1	.	.	.
	„ 19,	16·3	3·0	11	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1
	„ 26,	40·0	1·5	27	.	.	.	.	.	.	.	.	5	1	3	3	3	1	.	2	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Mar. 8,	22·0	1·3	17	.	.	.	.	.	1	.	.	6	.	.	2	2	.	.	1	.
	„ 15,	33·6	3·9	26	.	.	.	.	.	2	.	.	1	2	1	1	5	1	.	.	1
	„ 22,	28·4	.	22	.	.	.	.	.	.	.	.	4	1	2	3	3	.	.	.	.
	„ 29,	28·4	2·6	22	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	1	2
	Apr. 5,	22·0	3·9	17	.	.	.	.	1	.	1	.	3	1	.	1	.	1	.	1	1
	„ 12,	28·4	3·9	22	.	.	.	.	.	2	.	.	3	3	4	.	4	1	.	1	.
	„ 19,	31·0	2·6	24	.	.	.	.	.	2	.	.	5	1	.	3	5	.	.	.	.
	„ 26,	28·4	2·6	22	.	.	.	.	.	.	.	.	5	1	.	.	5	2	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Mar. 8,	22·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	„ 15,	17·1	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 22,	39·8	2·8	14	1	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	.
	„ 29,	37·0	2·8	13	.	.	.	.	.	.	1	.	1	.	2	1	4	.	.	.	.
	Apr. 5,	28·4	2·8	10	.	.	.	.	.	.	.	.	4	.	.	2	.	1	.	.	.
	„ 12,	34·1	2·8	12	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	1	2
	„ 19,	31·3	2·8	11	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	1
	„ 26,	45·5	2·8	16	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Mar. 8,	18·1	.	15	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.	.	1
	„ 15,	26·6	.	22	.	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	2
	„ 22,	14·5	2·4	12	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.
	„ 29,	32·7	3·6	27	.	.	.	.	.	2	1	.	7	1	1	3	6	.	.	1	.
	Apr. 5,	32·7	1·2	27	.	.	.	.	.	.	.	.	4	3	.	3	3	1	.	1	1
	„ 12,	32·7	1·2	27	.	.	.	.	1	.	.	.	4	1	1	3	3	.	.	.	.
	„ 19,	24·2	1·2	20	.	.	.	.	.	.	.	.	.	2	1	2	3	1	.	1	.
	„ 26,	24·2	.	20	.	.	.	.	.	.	.	.	5	1	2	.	2	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Mar. 8,	29·9	.	19	.	.	.	.	.	.	.	.	2	.	2	1	5	.	.	.	1
	„ 15,	26·7	3·1	17	.	.	.	.	.	.	1	.	2	1	2	1	3	1	.	1	.
	„ 22,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	.	1
	„ 29,	25·2	1·6	16	.	.	.	.	.	1	.	.	.	1	1	2	5	.	.	.	2
	Apr. 5,	23·6	1·6	15	.	.	.	.	.	1	.	.	3	.	1	2	1	.	.	.	.
	„ 12,	47·2	3·1	30	.	.	.	.	1	.	.	.	1	2	1	1	10	1	.	1	4
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	4
	„ 26,	25·2	1·6	16	.	.	.	.	.	1	.	.	2	1	.	1	3	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Mar. 8,	21·5	1·3	16	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	1	1
	„ 15,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 22,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
	„ 29,	20·2	.	15	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	.
	Apr. 5,	18·8	1·3	14	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	1	1
	„ 12,	16·1	1·3	12	.	.	.	.	.	.	1	.	2	.	2	1	1	.	.	.	.
	„ 19,	22·9	1·3	17	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.
	„ 26,	16·1	.	12	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Mar. 8,	8·7	1·7	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 15,	24·4	1·7	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
	„ 29,	22·6	3·5	13	.	.	.	.	.	.	2	.	.	2	2	1	2	.	.	.	.
	Apr. 5,	26·1	.	15	.	.	.	.	.	.	.	.	4	1	.	2	3	.	.	.	.
	„ 12,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	„ 19,	20·9	5·2	12	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	1
	„ 26,	19·2	3·5	11	.	.	.	.	.	1	1	.	2	.	.	1	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Mar. 8,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	„ 15,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	Apr. 5,	46·2	.	15	.	.	.	.	.	.	.	.	1	1	1	5	1	.	.	.	1
	„ 12,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	Mar. 8,	23·3	2·5	177	.	.	.	10	3	1	.	.	14	6	6	24	36	4	1	5	2
	„ 15,	23·7	1·7	180	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	1
	„ 22,	25·0	1·4	190	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	.
	„ 29,	24·5	1·7	186	.	.	.	8	1	.	1	.	33	4	8	19	22	2	1	9	2
	Apr. 5,	21·2	1·3	161	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	.
	„ 12,	19·6	1·2	149	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	1
	„ 19,	16·9	1·1	128	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	3
	„ 26,	20·4	1·2	155	.	.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	1
Cork. Pop. in 1911 76,673.	Mar. 8,	24·5	1·4	36	1	.	.	1	.	.	.	.	8	2	1	4	8	.	.	.	.
	„ 15,	27·9	0·7	41	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	1
	„ 22,	21·1	1·4	31	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	1
	„ 29,	22·4	2·7	33	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	1
	Apr. 5,	18·4	2·0	27	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	2
	„ 12,	24·5	0·7	36	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	1
	„ 19,	22·4	0·7	33	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	2
	„ 26,	23·8	.	35	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	2
Londonderry. Pop. in 1913 (Est.) 41,000.	Mar. 8,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.
	„ 15,	17·8	1·3	14	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.
	„ 22,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 29,	20·3	.	16	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	Apr. 5,	22·9	.	18	.	.	.	.	.	.	.	.	1	1	2	.	6	.	.	.	.
	„ 12,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.
	„ 19,	12·7	2·5	10	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	.
	„ 26,	17·8	.	14	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	.
Limerick. Pop. in 1911 38,518.	Mar. 8,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	3
	„ 15,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 22,	20·3	.	15	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	3
	„ 29,	27·1	.	20	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	2
	Apr. 5,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4
	„ 12,	19·0	.	14	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	3
	„ 19,	29·8	.	22	.	.	.	.	.	.	.	.	5	.	.	.	7	.	.	1	2
	„ 26,	16·2	.	12	.	.	.	.	.	.	.	.	5	.	.	2	2	.	.	.	2
Waterford. Pop. in 1911 27,464.	Mar. 8,	34·2	1·9	18	.	.	.	.	.	1	.	.	2	.	3	.	3	.	.	1	.
	„ 15,	26·6	3·8	14	.	.	.	.	.	2	.	.	1	1	.	.	3	.	.	.	3
	„ 22,	3·8	1·9	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	32·3	3·8	17	.	.	.	.	.	2	.	.	4	1	2	.	.	.	.	.	1
	Apr. 5,	24·7	5·7	13	.	.	.	.	.	3	.	.	4	.	.	1	.	.	.	.	2
	„ 12,	20·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	„ 19,	11·4	1·9	6	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 26,	17·1	3·8	9	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th April, 1913 Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	12	9·9	3·3	3	.	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.
Do. 2 do.	49,500	35	26·3	.	25	6	4	4	2	3	6	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	.	.	4	.
Do. 3 do.	50,032	34	24·0	2·1	23	4	4	.	3	10	2	.	.	.	.	.	1	.	.	3	1	1	.	3	.	1	.	1	4	.
Do 4 do.	32,637	20	24·0	3·2	15	5	3	1	2	2	2	.	.	.	.	1	1	.	.	.	1	1	2	2	.	.	.	.	6	.
Do. 5 do.	16,112	7	25·9	3·2	8	2	1	.	3	1	1	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.	4	.
Do. 6 do.	37,293	19	19·6	.	14	3	.	1	5	2	3	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	2	2	1	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	43·7	8·7	5	1	.	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	1	.	3	.
Do. 9 do.	24,427	16	14·9	.	7	1	.	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	1
Do. 10 do.	28,958	19	16·2	.	9	1	.	.	1	2	5	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	3	.
Do. 11 do.	39,311	28	21·2	2·7	16	4	3	2	3	3	1	.	.	.	.	1	.	.	.	2	2	3	1	1	.	1	.	.	1	.
Do. 12 do.	38,076	28	19·2	.	14	2	.	6	2	1	3	.	.	.	.	.	.	.	.	2	.	.	2	4	.	.	.	2	5	.
Do. 13 do.	23,233	8	15·7	.	7	1	.	2	1	2	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	5	20·7	.	9	.	1	.	1	4	3	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	1	5	.
Total,	386,947	233	20·4	1·2	155	30	17	22	24	35	27	.	.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	7	39	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	2	19·4	.	5	.	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do 2 do.	10,701	3	30·1	.	6	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	2
Do 3 do.	9,978	3	21·3	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 4 do.	8,666	2	28·5	.	5	.	.	1	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	4	.
Do 5 do.	6,592	1	41·7	.	5	2	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
Do 6 do.	10,702	7	22·5	.	5	.	.	1	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 7 do.	16,616	8	16·2	.	5	1	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	3	.
Total,	76,122	26	23·8	.	35	5	4	3	4	12	7	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	1	12	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered, ...	191	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233
DEATHS registered, ...	126	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155
Annual Death-rate per 1,000 of estimated population, ...	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4
AGES, Under 1 year, ...	20	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30
1—5 years, ...	22	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17
5—25 „ ...	14	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22
25—45 „ ...	20	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24
45—65 „ ...	30	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35
65 and upwards, ...	20	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27
Deaths from :—																										
Enteric Fever, ...	.	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	12	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1
Scarlet Fever, ...	2	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2
Whooping-cough, ...	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2
Diphtheria, ...	1	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20
Tuberculous Disease. Other Forms,	7	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6
Cancer, ...	8	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4	5	8	4	9	7	8
Diseases of Respiratory System, Pneumonia,	8	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14
Diseases of Respiratory System, Others, ...	14	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17
Diarrhœa and Enteritis, under 2 years, ...	5	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1
Diarrhœa, 2 years and upwards,	.	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2
Violent Deaths, ...	3	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5
Number of Uncertified Deaths, ...	.	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Apr. 26,	2,204	1,285	14·8	1	.	46	4	26	4	23*a*
Edinburgh, ...	320,300	„ 26,	133	89	14·5	.	.	.	.	3	.	.
Glasgow, ...	1,021,500	„ 26,	659	372	19·0	1	.	8	2	18	2	9
Calcutta, ...	896,067	Mar. 15,	.	584	33·8	99*	9	13	.	.	.	99‡
Bombay, ...	979,445	„ 22,	342	714	37·9	190*	10	8	.	.	.	69‡
Madras, ...	518,660	„ 29,	355	430	43·1	93*	1	13	?	?	?	114‡
Cairo, ...	704,956	Feb. 4,	692	431	31·9	5	1	1	.	?	5†	19*a*
Paris, ...	2,847,229	Apr. 12,	916	964	17·3	4	.	21	6	5	8†	26*a*
Brussels, ...	767,252	„ 5,	244	191	12·9	2	.	4	1	1	.	11*a*
Antwerp, ...	312,884	„ 12,	115	79	13·2	.	.	2	.	1	.	12*a*
Amsterdam, ...	589,106	„ 5,	267	131	11·6	.	.	5	1	1	.	2*a*
Copenhagen, ...	468,000	„ 5,	195	151	16·8	.	.	.	1	3	.	6*a*
Stockholm, ...	368,798	„ 5,	170	97	13·4	.	.	.	.	1	.	.
Christiania, ...	247,488	„ 12,	105	64	13·4	.	.	.	.	.	.	.
St. Petersburg, ...	1,686,000	Mar. 22,	790	702	21·7	11	1	16	20	2	6	53*a*
Moscow, ...	1,635,800	„ 15,	.	805	25·7	1	.	21	18	5	25†	53
Berlin, ...	2,093,417	„ 22,	844	638	15·9	.	.	8	8	4	10†	19*a*
Hamburg, ...	1,006,748	Apr. 5,	.	250	12·9	1	.	2	1	3	5†	15*a*
Breslau, ...	538,311	„ 5,	.	203	19·7	1	.	7	.	5	.	14
Munich, ...	622,000	„ 5,	.	182	15·3	.	.	2	.	1	.	5
Vienna (with suburbs),	2,115,254	„ 12,	784	699	17·2	.	.	10	6	4	7†	26*a*
Buda-Pesth, ...	1,184,272	„ 5,	472	391	21·8	1	.	2	22	.	7†	12*a*
Prague and Faubourgs,	489,194	Mar. 22,	173	177	18·9	.	.	.	.	1	5†	7*a*
Trieste, ...	237,192	Apr. 5,	129	109	24·0	.	1	1	1	.	1†	2*a*
Rome, ...	575,091	Dec. 7,	311	194	17·6	.	.	1	4	.	2	14
New York, ...	5,372,983	Mar. 22,	2,755	1,685	16·4	9	.	24	20	5	36†	36*a*
Philadelphia, ...	1,631,960	„ 8,	.	608	19·4	1	.	8	5	3	9	15*a*
Boston, (*b*)	735,399	Apr. 5,	.	207	14·7	.	.	3	.	2	3	4

* Deaths from "fever," including 5 from enteric fever and 36 from plague in Calcutta, and 4 from enteric fever and 119 from plague in Bombay.

† Including deaths from croup.

‡ Including 35 deaths from cholera in Calcutta, one in Bombay and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th April, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	2	.	.	.	.	.	.	.	.	1	.	3
" " 1, West, ...	.	2	.	.	1	.	.	.	2	.	.	2	.	7
" " 2, ...	.	1	.	.	2	.	.	.	.	.	.	2	.	5
" " 3, ...	.	2	.	.	.	.	.	.	.	.	.	4	.	6
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	2	.	.	.	.	.	.	.	.	3
South City No. 1, ...	.	5	.	.	2	.	.	.	.	.	.	1	.	8
" " 2, ...	.	2	1	.	1	.	.	1	.	.	.	3	.	8
" " 3, ...	.	1	.	.	1	.	.	.	.	.	.	6	.	8
" " 4, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	2	.	3
Total, ...	.	18	3	.	10	.	.	1	2	.	.	22	.	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th April, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th April.			
	April. 5.	April. 12.	April 19.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	28	30	27	6	5	1	27
Typhus, ...	13	13	10	3	2	.	11
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	7	8	16	4	4	.	16
Scarlet Fever, ...	88	85	77	21	11	.	87*
Diphtheria, ...	49	55	59	22	14	1	66
Pneumonia, ...	29	33	40	9	14	2	33

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 26th April, 1913:—

"On Sunday afternoon and on and after Thursday the weather was unsettled. The week opened with a very fine spell, and from Monday afternoon until Thursday morning conditions were all that could be desired—springlike as to mildness, dry and bright. In the London district the thermometer rose in the shade to 67° on Tuesday, 66° on Wednesday, and 67° or 68° on Thursday. At Bath 68° was touched on Wednesday, and next day Nairn, in the extreme N.E. of Scotland, and Nottingham reported a reading of 66°. In Ireland the warmth in the daytime was not so marked, but at Birr Castle the thermometer rose to 60° on Monday, 59° on Tuesday, and 61° on Wednesday. The Dublin readings on the same days were 56°, 58° and 58° respectively. The fine weather on Sunday morning was related to a tongue of relatively high atmospheric pressure which stretched across Ireland from Portugal. It soon disappeared as a depression moved in from the Atlantic, causing clouds and rain, which latter was heavy in the south of Ireland—·82 inch being measured at Valentia and ·70 at Roche's Point, Cork. The depression filled up when it reached the Bay of Biscay on Tuesday morning. On Wednesday the barometer was uniformly rather high over the British Islands—at 7 a.m. the readings varied only between 30·04 inches at Dungeness and 30·18 inches at Valentia. Quiet, fine weather resulted. Next morning a depression arrived off the west of Ireland, spreading thence over the whole Kingdom. It caused fresh winds and rain. On Friday afternoon a much more energetic disturbance advanced upon Ireland, and a snowstorm and gale of wind in the afternoon plunged this country into midwinter. A still deeper barometric depression arrived on Saturday, the barometer falling in Dublin to 28·800 inches at 4 p.m. After a squally, showery day the evening proved fine, dry and cold. In Dublin the mean height of the barometer was 29·656 inches, the range being from 30·188 inches at 9 p.m. of Tuesday (wind, E.N.E.) to 28·800 inches at 4 p.m. of Saturday (wind, S.S.W.). The corrected mean temperature was 47·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·6°. On Tuesday the screened thermometers rose to 57·7°, on Saturday they fell to 35·7°. The wind was variable in direction and force. Rain fell on 4 days to the amount of ·783 inch, ·282 inch being measured on Friday. On that day snow and sleet fell abundantly."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·671 inches. The highest reading (30·219) was on Tuesday at 9 p.m., air calm, the lowest (29·046) on Saturday at 9 a.m., wind S.E.

The mean temperature for the week was 45·9°, being 0·1 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday and Wednesday, on which days the thermometer registered 59°, and was lowest on Saturday, the mercury having fallen to 30°. The mean of the Dry Bulb for the week was 46·2° and of the Wet Bulb, 44·1°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The rainfall during the week measured 0·905 inch.

At Greenwich the mean temperature for the week was 50·6°, the maximum 67·2°, and the minimum 33·1°; at Glasgow the maximum was 61·2°, the minimum 37·7°, and the mean 49·2; and at Edinburgh the maximum was 62·2°, the minimum 36·8°, and the mean 48·1°. The rainfall at Greenwich measured 0·32 in.; at Glasgow 0·33 ins.; and at Edinburgh 0·20 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 20,	29·830	53	34	43·5	46·9	43·6	·78	·4	8·6	·335	W.	E.S.E.
Monday, „ 21,	29·825	55	43	49·0	48·0	47·1	·94	·1	5·0	·000	E.S.E.	N.
Tuesday, „ 22,	30·190	59	34	46·5	48·9	48·1	·95	·0	2·0	·000	Calm.	Calm.
Wednesday, „ 23,	29·995	59	41	50·0	47·5	45·4	·86	·3	6·3	·000	Calm.	Calm.
Thursday, „ 24,	29·520	56	41	48·5	47·9	45·9	·86	·6	0·3	·050	S.S.E.	W.
Friday, „ 25,	29·280	51	33	42·0	42·6	39·0	·75	·8	4·8	·240	S.S.W.	S.W.
Saturday, „ 26,	29·060	53	30	41·5	41·9	39·7	·83	·6	2·4	·280	S.E.	S.W.
Mean, ...	29·671	55·1	36·6	45·9	46·2	44·1	·85	·4	Total 29·4	Total ·905	—	

Sunday—A fine bright day, heavy rain 5.45 to 9.0 p.m.; night cloudy, heavy rain 9.0 to 10.0 p.m. and 3.30 to 4.15 a.m. *Monday*—Day cloudy, fine; night clear. *Tuesday*—Day cloudy, fine; night overcast. *Wednesday*—A fine day, cloudy at intervals; night cloudy. *Thursday*—A dull day, showers at intervals a.m. and p.m.; night cloudy. *Friday*—Day cloudy, heavy showers of snow and rain p.m.; night overcast, showers at intervals. *Saturday*—Day cloudy, showers at intervals from 9.30 a.m. to 2.30 p.m.; night cloudy, heavy rain at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 26th April, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 20,	48·0	46·5	46·9	53	37	45	8·6	·24
Monday „ 21,	50·4	47·6	46·9	54	41	47·5	3·3	—
Tuesday, „ 22,	52·3	48·6	47·0	59	43	51	2·1	—
Wednesday, „ 23,	54·0	49·8	47·1	56	43	49·5	4·6	—
Thursday, „ 24,	50·8	50·2	47·3	57	45	51	0·5	—
Friday, „ 25,	50·8	49·3	47·7	53	34	43·5	3·8	·26
Saturday, „ 26,	44·5	47·7	47·8	55	35	45	2·7	·23
Weekly Mean, .	50·1	48·5	47·2	55·3	39·7	47·5	Total 25·6	Total ·73

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 360-45/139. 375. 4. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 3RD MAY, 1913. [No. 18.

General Register Office, Charlemont House,
Dublin, 5th May, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending April 12	April 19	April 26	May 3	Average Rate for 4 weeks.
27 Town Districts, (a)	**22·5**	**20·9**	**21·3**	**18·5**	**20·8**
Dublin Reg. Area ...	27·2	24·1	24·5	16·8	23·1
Dublin City ...	29·9	25·2	26·9	16·6	24·6
Belfast	19·6	16·9	20·4	18·7	18·9
Cork	24·5	22·4	23·8	26·5	24·3
Londonderry ...	14·0	12·7	17·8	16·5	15·3
Limerick	19·0	29·8	16·2	14·9	20·0
Waterford	20·9	11·4	17·1	17·1	16·6

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 0·9 per 1,000. Among the 142 deaths from all causes for Belfast are one from enteric fever, 2 from scarlet fever, and one from dysentery. One of the 39 deaths from all causes for Cork was from measles. Three of the 16 deaths from all causes for Wexford are from measles, and one of the 6 deaths from all causes for Kilkenny is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 276—147 boys and 129 girls—and the deaths to 143—76 males and 67 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·8 per 1,000 of the population. During the eighteen weeks, ending with Saturday last, the death-rate averaged 22·8, and was 2·2 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 143, represent an annual rate of 18·5 per 1,000; the annual rate for the past eighteen weeks was 24·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·2 per 1,000 of the mean population for all deaths registered.

The 143 deaths include one from enteric fever, one from whooping-cough, 2 from diphtheria, 2 from influenza, and 3 deaths from diarrhœa and enteritis of children under 2 years of age. In the three preceding weeks deaths from enteric fever were 0, 0 and 0; deaths from whooping-cough were 3, 5, and 2; deaths from diphtheria were 4, 2, and one; deaths from influenza were 4, 4, and 7; and deaths from diarrhœa and enteritis of children under 2 years of age were 6, 8, and 5, respectively.

All forms of tuberculous disease which, in the three preceding weeks, caused 34, 33, and 42 deaths respectively, fell to 29 in the week under notice, the latter including 24 deaths from pulmonary tuberculosis and 5 from tuberculous meningitis.

Two deaths were caused by broncho-pneumonia, and 4 by pneumonia (type not distinguished).

There were 6 deaths from cancer.

Four deaths of infants under one year were attributed to convulsions, 6 to premature birth, and 2 to congenital debility.

There were 7 deaths from organic diseases of the heart, and 17 from bronchitis.

Two deaths were caused by accident, including one caused by drowning.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case was that of an infant under one year old.

Forty of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 14 were under one month old) and 39 were aged 65 years and upwards, including 28 persons aged 70 and upwards; among the latter were 22 aged 75 and upwards, of whom 2 (a male and a female) were stated to have been each aged 90 years.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·8 per 1,000; the rate in the City was 16·6 (North City Districts, 15·0; South, 18·4) and in the Suburbs, 17·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 0·8 (in the North City Districts 1·6 and in the South 0·4), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·4 per 1,000 and include 2 from pulmonary tuberculosis and one from each of broncho-pneumonia, bronchitis, and enteritis of a child under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 21·7 per 1,000. Included in the total are 2 from pulmonary tuberculosis, one from pneumonia, 2 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 15·0 per 1,000. Pulmonary tuberculosis caused one death and bronchitis caused 3 deaths.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000. Tuberculous disease caused 2 deaths and pneumonia one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·7, and Finglas and Glasnevin, part of, 4·9. One of the 2 deaths from all causes for the first-named district was from tuberculous meningitis. The 2 deaths for Coolock and Drumcondra, part of, include one from pulmonary tuberculosis; and the only death for Finglas and Glasnevin, part of, was from pneumonia.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·7 per 1,000, and include 5 from tuberculous disease and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Diphtheria caused one death, pulmonary tuberculosis 2 deaths, and bronchitis one death.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·7 per 1,000. Included in the total are 2 from pulmonary tuberculosis, one from broncho-pneumonia, and 3 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000, and include 2 from tuberculous disease and 4 from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000, and include one from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·8; Pembroke, 20·9; Blackrock, 22·8; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of enteric fever and diphtheria for Pembroke, and one from whooping-cough for Kingstown. Among the 8 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis. Included in the 12 deaths from all causes for Pembroke are 2 from influenza and one from pulmonary tuberculosis. Two of the 4 deaths for Blackrock are from tuberculous disease; and the 8 deaths from all causes for Kingstown include one from pulmonary tuberculosis, one from pneumonia, and 2 accidental deaths.

* See Columns 10–17 and 23–24 of Table II

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 3rd May, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Apr. 12,	.	—	—	7	2	.	9	.	1	4	9	.	—	—	.	—	16	.	48
	Apr. 19,	.	—	—	9	1	.	8	.	1	4	4	.	—	—	.	—	7	.	34
	Apr. 26,	.	—	—	18	3	.	10	.	.	1	2	.	—	—	.	—	22	.	56
	May 3,	.	—	—	13	4	.	6	.	.	5	5	1	—	—	.	—	18	.	52
Rathmines and Rathgar Urban District.	Apr. 12,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 19,	.	—	—	.	..	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 26,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	May 3,	.	—	—	1	.	.	5	.	.	1	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Apr. 12,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	—	—	.	—	1
	Apr. 19,	.	2	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	4
	Apr. 26,	.	2	.	1	.	.	2	.	.	.	.	.	—	.	—	—	.	—	5
	May 3,	.	5	.	1	.	.	1	.	.	.	.	.	—	1	—	—	2	—	10
Blackrock Urban District.	Apr. 12,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	May 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	May 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Apr. 12,	.	—	—	25	.	.	8	.	.	.	5	.	—	—	—	—	9	—	47
	Apr. 19,	.	—	—	23	.	.	7	.	1	3	1	1	—	—	—	—	8	—	44
	Apr. 26,	.	—	—	30	.	.	4	.	1	8	3	2	—	—	—	—	22	—	70
	May 3,	.	—	—	46	.	.	8	.	1	9	8	.	—	—	—	—	14	—	86

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd May, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 30, 27, and 27.

Four cases of typhus were admitted to hospital during the week, 2 were discharged, and 13 cases remained under treatment at the close of the week.

Ten cases of measles were admitted to hospital during the week, 11 were discharged, and 15 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 8, 16, and 16 respectively.

Nineteen cases of scarlet fever were admitted to hospital, 18 were discharged, and 88* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 85, 77, and 87 respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 17 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 55, 59, and 66 respectively, were 60 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·2), was equal to an average annual death-rate of per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 19·1, and for Edinburgh 16·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd May. From this Report it appears that of a total of 56 cases notified, 29 were phthisis, 17 scarlet fever, 5 erysipelas, and 5 diphtheria. Among the 390 cases of infectious diseases in hospital at the close of the week were 118 cases of phthisis, 115 of scarlet fever, 61 of measles, 50 of whooping-cough, 24 of diphtheria, 6 of chicken-pox, 5 of erysipelas, and 4 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 3rd May, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 3rd May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	31·5	18·5	0·9	725	425	69	130	2	...	...	4	2	2	2	1	50	18	14	36	61	7	1	9	12	133	14	° ...	° ...	° ..	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,000	29·3	35·7	16·8	1·0	276	130	30	36	1	...	...	...	...	1	2	...	22	5	4	6	20	3	1	2	3	55	1	e 59·0	34·0	47·1	1·10	e 59	30	45·9	0·91	e 54	31	44·5	0·62
CITY OF DUBLIN,	308,187	39·0	40·1	16·6	0·8	237	98	25	26	...	...	...	...	...	...	1	...	17	4	3	5	19	3	1	...	1	46	..	f 58·2 g 58·0	40·1 38·0	48·7 47·9	1·42 1·36	f 57·7 g 58·8	35·7 34·0	47·3 46·5	0·78 0·86	f 55·2 g 54·7	38·8 35·0	46·3 45·5	0·43 0·55
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	18·8	10·8	.	14	8	1	3	...	...	...	...	...	...	...	..	2	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,942	19·0	31·3	20·9	3·5	18	12	3	5	1	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	.	22·8	.	.	4	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	21·5	24·6	3·1	7	8	1	1	...	...	...	...	...	1	...	...	1	...	...	1	...	...	...	2	2	3	...	59	40	48·2	1·48	57	36	47·8	0·84	55	37	46·1	0·25
Urban Districts. BELFAST ..	396,000	26·5	30·4	18·7	0·5	231	142	18	38	1	...	...	...	2	...	...	1	18	8	5	18	23	...	...	3	4	48	1	59·0	34·0	47·0	1·79	61·0	34·8	49·1	0·73	55	33	45·3	0·72
CORK, ..	76,673	28·6	22·4	26·5	0·7	33	39	5	14	...	...	...	1	...	...	...	...	3	2	3	4	4	...	...	...	...	15	1	53	41	46·8	1·01	60	34	47·2	2·76	54	38	45·6	0·80
LONDONDERRY...	41,000	15·9	31·8	16·5	.	25	13	2	5	...	...	...	...	...	...	...	...	2	...	...	1	3	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	58·2	14·9	.	43	11	1	3	...	...	...	...	...	...	...	..	..	...	1	2	1	...	..	3	4	...	1	55·0	34·1	46·0	1·48	60·2	29·6	46·8	1·28	54·0	29·6	44·4	1·15
WATERFORD, ...	27,464	19·1	38·0	17·1	1·9	20	9	...	3	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	39	47	0·66	60	33	47	1·21	56	33	44	1·15
DUNDALK, ...	13,128	9·5				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				6	5	1	3	...	...	...	..	...	...	...	..	...	...	...	1	1	...	...	...	...	...	1	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69
DROGHEDA, ...	12,501	8·4				9	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				2	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69
NEWRY, ...	11,963	17·0				2	5	1	1	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	1	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69
PORTADOWN, ...	11,727	15·3				7	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69
WEXFORD, ...	11,531	22·8				11	16	1	3	...	...	...	3	...	...	...	...	1	1	1	2	1	...	...	...	...	1	4	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				3	9	1	5	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				3	5	...	2	...	...	...	...	...	...	...	...	1	..	...	...	...	1	...	...	...	2	1	57	34	46·0	1·54	60	27	46·0	1·19	56	32	43·0	1·46
KILKENNY, ...	10,514	11·4				4	6	1	4	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	2	...	57	36	47·4	1·72	62	30	48·0	1·58	54	33	44·8	0·72
TRALEE, ...	10,300	17·4				7	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				10	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	57	37	46·1	1·60	54	37	45·9	1·19	53	36	43·4	0·67
QUEENSTOWN, ...	8,209	14·7				3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	53	41	46·8	1·91	60	34	47·2	2·76	54	38	45·6	0·80
LARNE, ...	8,036	13·4				6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				3	4	1	2	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				4	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96	54·7	36·7	44·3	0·69

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 13 deaths of persons (including 3 at 65 years or upwards) admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 3rd of May, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	2	2	1	1	.	1	.	4	2	2	1	1	2	1	1	1	22	2
Tuberculous Disease. Other Forms,	.	.	.	1	1	.	.	1	.	.	1	.	.	.	1	.	5	.
Cancer,	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	4	2
Diseases of Nervous System,	.	2	.	1	.	.	.	1	.	2	.	.	2	.	.	.	8	4
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	1	2	.	.	.	1	.	.	1	.	2	.	.	.	9	1
" Respiratory System. Pneumonia,	1	1	.	1	.	.	1	.	.	1	.	.	.	.	.	1	6	.
" Respiratory System. Others,	1	2	3	.	.	.	.	3	1	4	5	.	.	1	.	.	20	.
" Digestive System. Diarrhœa and Enteritis, under 2 years,	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.
" Digestive System. Others,	.	1	1	.	.	.	.	2	.	1	.	.	.	.	.	1	6	2
" Genito-urinary System,	.	.	.	.	1	.	.	1	.	1	1	.	1	2	.	.	7	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	4	4	.	.	.	1	.	2	2	2	3	1	.	3	2	.	24	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.
Ill-defined, &c. Causes,	.	.	1	1	.	.	.	.	1	.	.	.	.	1	.	.	4	.
Deaths from All Causes	10	17	8	7	2	2	1	16	8	13	12	2	8	12	4	8	130	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·4	21·7	15·0	10·4	19·2	7·7	4·9	20·7	22·7	15·7	18·9	10·7	10·8	20·9	22·8	24·6	16·8	.
	15·0							18·4					17·6					
	16·6																	
Ages at Death. Under 1 year,	3	6	1	.	.	.	.	3	1	6	3	2	1	3	.	1	30	.
1 and under 2 years,	.	1	2	1	1	.	.	1	.	.	.	.	.	.	.	.	6	.
2 " 5 "	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	1	4	.
5 " 15 "	.	.	.	1	.	.	.	1	1	1	1	.	1	1	1	1	9	.
15 " 25 "	.	.	.	1	.	.	.	1	.	.	.	.	2	.	2	2	8	2
25 " 45 "	1	3	.	2	.	.	1	4	1	1	1	.	.	1	.	1	16	4
45 " 65 "	2	4	2	.	1	1	.	3	1	4	.	.	1	1	.	1	21	4
65 and upwards,	4	2	3	2	.	1	.	3	3	1	7	.	3	5	1	1	36	3
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	3	2	3	.	1	.	6	2	2	1	.	1	3	.	1	29	11
Workhouse Hospitals,	1	2	2	2	.	.	.	1	2	5	5	2	.	2	.	2	26	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 3rd May, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 9, 1903.	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.	May 6, 1911.	May 4, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 47·0	° 46·7	° 46·4	° 44·3	° 44·1	° 48·5	° 50·4	° 46·1	° 49·6	° 47·9	° 47·1	° 47·1										
ALL CAUSES.	192	178	164	191	205	175	153	136	176	208	177·8	143	14	16	6	4	9	10	20	25	17	22
Enteric Fever, ...	3	2	3	1	.	1	.	1	1	.	1·2	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	4	.	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	3	.	3	1	2	.	8	15	3·6	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	.	.	.	.	.	1	4	·7	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	11	1	1	10	3	4	1	3	4	4·2	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	.	.	2	.	.	2	4	·9	2	.	.	.	2	.	.	.	.	.	.
Croup, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	1	2	2	2	2	3	1	3	1	2·0	2	.	.	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	1	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	2	.	.	.	3	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	22	25	36	39	16	23	14	21	26	24·9	24	.	1	1	.	1	5	7	8	1	.
Tuberculous Meningitis, ...	3	2	2	3	3	3	3	4	4	4	3·1	5	.	.	1	.	4	.	.	.	.	.
Abdominal Tuberculosis, ...	1	3	3	2	1	3	.	2	.	4	1·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	7	6	10	10	8	3	5	2	.	6·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	2	2	2	4	.	.	.	2	1·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	4	8	6	3	6	8	6	6	8	6·1	6	.	.	.	.	.	.	.	5	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	.	.	2	.	2	.	1	·6	1	.	.	.	.	.	.	.	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	3	1	—	5	1	.	.	.	.	1	.	1	1	1
Alcoholism, ...	2	.	2	.	1	.	.	1	.	2	·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		2	.	.	1	.	.	1	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										1		1	.	.	.	.	.	.	.	.	1	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		1	.	.	.	.	.	.	1	.	.	.
Epilepsy, ...										.		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										5		4	2	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	48	45	35	33	41	35	30	33	29	3	35·3	3	.	.	.	.	1	.	.	1	.	1
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										9		7	.	.	.	.	.	1	3	2	1	.
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.										1		2	.	.	.	.	.	.	1	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	16	15	16	33	16	22	13	17	31	24	20·3	17	.	3	2	.	.	.	.	2	6	4
Broncho-pneumonia, ...	2	8	4	11	5	10	9	3	6	14	7·2	2	1	1	.	.	.	.	.	.	.	.
Lobar pneumonia, ...	1	1	.	2	1	3	2	1	.	2	1·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	10	8	8	8	9	9	7	4	16	8	8·7	4	.	.	.	.	1	.	3	.	.	.
Pleurisy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	2	4	3	3	2	.	.	2	2	2·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		3	.	1	.	.	.	.	1	.	.	1

EIGHTEENTH WEEK ending Saturday, 3rd May, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 3rd May, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	May 9, 1903.	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.	May 6, 1911.	May 4, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 47·0	° 46·7	° 46·4	° 44·3	° 44·1	° 48·5	° 50·4	° 46·1	° 49·6	° 47·9	° 47·1	° 47·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	3	2	—	4	.	1	.	1	.	.	1	1	.	.
Diarrhœa and Enteritis of Children under 2 years.									4	4		3	.	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,	2	3	2	.	7	5	2	7	2	.	4·0	1	.	.	.	.	.	.	.	1	.	.
Enteritis 2 years and upwards									2	.		2	.	.	.	1	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	3	—	1	.	1	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	.	2	4	2	1	1	2	.	.	1·3	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	3	2	1	2	1	1	2	4	.	1	1·7	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	2	.	1	.	.	.	2	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	3	4	5	4	6	8	1	1	2	3·9	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									2	7		6	.	.	.	.	.	.	.	2	2	2
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	7	3	8	8	6	7	5	.	.	6·1	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	.		2	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	2	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	4	—	1	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	.	—	2	.	2	.	.	.	.	.	.	.	.
Premature Birth, ...	4	5	2	2	3	3	6	2	2	6	3·5	6	6	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	2	—	2	2	.	.	.	.	.	.	.	.	.
Old Age, ...	3	5	3	5	5	3	2	3	4	4	3·7	7	.	.	.	.	.	.	.	.	1	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	.	1	1	2	2	2	2	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	1	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	4	2	2	6	1	2	3	1	2	2·4	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	2	5	2	3	7	3	4	6	3	4	3·9	2	.	.	.	.	.	1	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ...	—	—	—	—	—	—	—	—	4	10	—	4	.	.	1	.	.	.	.	.	1	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered.	185	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276
Average Births in corresponding week of previous 10 years, ...	211	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260
DEATHS registered, ...	151	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143
Annual Death-rate per 1,000, ...	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5
Average Deaths in corresponding week of previous 10 years, ...	175	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178
Ages, Under 5 years, ...	36	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40
5—15 „ ...	5	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9
15—25 „ ...	7	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10
25—45 „ ...	31	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20
45—65 „ ...	36	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25
65—75 „ ...	24	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17
75 and upwards, ...	12	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22
Deaths from :—																										
Enteric Fever, ...	2	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.
Scarlet Fever, ...	.	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.
Whooping-cough, ...	.	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1
Diphtheria, ...	4	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2
Influenza, ...	.	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2
Dysentery, ...	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	20	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24
Tuberculous Disease, Other Forms,	4	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5
Cancer, ...	14	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6
Diseases of Circulatory System,	22	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10
Diseases of Respiratory System, Pneumonia	9	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6
Diseases of Respiratory System, Others, ...	20	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20
Diarrhœa and Enteritis, under 2 years, ...	5	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Violent Deaths, ...	4	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2
Number of Uncertified Deaths,	1	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1
Mean Temperature of the Air (Phœnix Park)	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1
Average Mean Temperature in corresponding week of previous 10 years, ...	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1
Rainfall in inches, ...	·515	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100
Mean Humidity of the Air, complete Saturation 1·0, ...	·89	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd May, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD MAY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	18·7	143	40	9	10	20	25	17	22	1	.	.	.	.	1	2	.	24	5	6	4	6	20	3	1	2	68	1
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10·7	3	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	11·3	22	5	2	1	1	6	4	3	.	.	.	.	.	.	.	.	2	2	1	.	1	1	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13·9	29	5	1	3	7	5	5	3	.	.	.	.	.	.	1	.	8	1	.	1	3	2	.	.	1	12	.
IV.	GENERAL SERVICE CLASS, ...	167,479	19·0	61	24	5	5	8	10	3	6	1	.	.	.	.	1	1	.	9	2	3	3	2	10	2	1	1	25	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	28	6	1	.	4	4	5	8	.	.	.	.	.	.	.	.	5	.	2	.	.	7	1	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	19·9	3	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	10·3	5	1	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	9·4	6	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	13·9	9	1	1	1	1	3	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	28,823	14·5	8	1	.	.	3	2	2	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	1	3	.
	10. Clothing Trades, ...	20,026	20·8	8	3	.	1	2	1	.	1	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	.	2	.
	11. Food Supply Trades	8,952	5·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	19·5	12	1	1	2	2	2	3	1	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.	7	.
	13. Petty Shopkeepers	6,772	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	12·1	3	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,041	10·1	7	1	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	6·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	24·8	49	21	3	4	8	9	1	3	.	.	.	.	.	1	1	.	8	2	2	2	2	9	1	1	1	19	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	28	6	1	.	4	4	5	8	.	.	.	.	.	.	.	.	5	.	2	.	.	7	1	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Mar. 15,	19·2	.	11	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.	1	1
	„ 22,	24·4	.	14	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	.
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.
	Apr. 5,	24·4	3·5	14	.	1	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
	„ 12,	22·7	1·7	13	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	1
	„ 19,	20·9	1·7	12	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 26,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	May 3,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Mar. 15,	30·6	.	24	.	.	.	.	.	.	.	.	4	1	.	5	5	.	.	.	1
	„ 22,	31·9	3·8	25	1	1	.	.	.	.	.	.	3	1	.	2	8	1	.	.	1
	„ 29,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	.	.
	Apr. 5,	37·0	2·6	29	.	.	.	.	.	.	1	.	4	.	2	1	3	1	.	.	.
	„ 12,	39·5	.	31	.	.	.	.	.	.	.	.	5	1	.	3	6	.	.	.	1
	„ 19,	21·7	3·8	17	.	.	.	.	.	1	.	.	2	.	.	1	.	2	.	1	1
	„ 26,	23·0	1·3	18	.	.	.	.	1	.	.	.	3	.	1	1	4	.	.	1	.
	May 3,	21·7	3·8	17	.	.	.	.	.	.	.	.	2	.	.	1	2	2	1	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Mar. 15,	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	.	.
	„ 22,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	„ 29,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.
	Apr. 5,	22·4	1·9	12	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	.	.
	„ 12,	26·2	1·9	14	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	1
	„ 19,	33·7	5·6	18	.	.	.	.	.	.	.	.	2	3	.	1	3	3	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2
	May 3,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Mar. 15,	25·2	1·5	17	.	.	.	.	.	.	1	.	2	2	1	1	3	.	.	.	.
	„ 22,	19·3	1·5	13	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.
	„ 29,	22·2	3·0	15	.	.	.	.	.	2	.	.	1	1	1	.	1	.	.	.	.
	Apr. 5,	31·1	3·0	21	.	.	.	.	.	.	1	.	5	.	.	.	2	1	.	.	.
	„ 12,	23·7	3·0	16	.	.	.	.	1	.	.	.	3	.	2	2	.	1	.	.	.
	„ 19,	16·3	3·0	11	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1
	„ 26,	40·0	1·5	27	.	.	.	.	.	.	.	.	5	1	3	3	3	1	.	2	.
	May 3,	10·4	.	7	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Mar. 15,	33·6	3·9	26	.	.	.	.	.	2	.	.	1	2	1	1	5	1	.	.	1
	„ 22,	28·4	.	22	.	.	.	.	.	.	.	.	4	1	2	3	3	.	.	.	.
	„ 29,	28·4	2·6	22	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	1	2
	Apr. 5,	22·0	3·9	17	.	.	.	.	1	.	1	.	3	1	.	1	.	1	.	1	1
	„ 12,	28·4	3·9	22	.	.	.	.	.	2	.	.	3	3	4	.	4	1	.	1	.
	„ 19,	31·0	2·6	24	.	.	.	.	.	2	.	.	5	1	.	3	5	.	.	.	.
	„ 26,	28·4	2·6	22	.	.	.	.	.	.	.	.	5	1	.	.	5	2	.	.	.
	May 3,	20·7	.	16	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Mar. 15,	17·1	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 22,	39·8	2·8	14	1	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	.
	„ 29,	37·0	2·8	13	.	.	.	.	.	.	1	.	1	.	2	1	4	.	.	.	.
	Apr. 5,	28·4	2·8	10	.	.	.	.	.	.	.	.	4	.	.	2	.	1	.	.	.
	„ 12,	34·1	2·8	12	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	1	2
	„ 19,	31·3	2·8	11	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	1
	„ 26,	45·5	2·8	16	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1
	May 3,	22·7	2·8	8	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Mar. 15,	26·6	.	22	.	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	2
	„ 22,	14·5	2·4	12	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.
	„ 29,	32·7	3·6	27	.	.	.	.	.	2	1	.	7	1	1	3	6	.	.	1	.
	Apr. 5,	32·7	1·2	27	.	.	.	.	.	.	.	.	4	3	.	3	3	1	.	1	1
	„ 12,	32·7	1·2	27	.	.	.	.	1	.	.	.	4	1	1	3	3	.	.	.	.
	„ 19,	24·2	1·2	20	.	.	.	.	.	.	.	.	.	2	1	2	3	1	.	1	.
	„ 26,	24·2	.	20	.	.	.	.	.	.	.	.	5	1	2	.	2	.	.	.	1
	May 3,	15·7	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Mar. 15,	26·7	3·1	17	.	.	.	.	.	.	1	.	2	1	2	1	3	1	.	1	.
	„ 22,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	.	1
	„ 29,	25·2	1·6	16	.	.	.	.	.	1	.	.	.	1	1	2	5	.	.	.	2
	Apr. 5,	23·6	1·6	15	.	.	.	.	.	1	.	.	3	.	1	2	1	.	.	.	.
	„ 12,	47·2	3·1	30	.	.	.	.	1	.	.	.	1	2	1	1	10	1	.	1	4
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	4
	„ 26,	25·2	1·6	16	.	.	.	.	.	1	.	.	2	1	.	1	3	.	.	.	1
	May 3,	18·9	.	12	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Mar. 15,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 22,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
	„ 29,	20·2	.	15	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	.
	Apr. 5,	18·8	1·3	14	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	1	1
	„ 12,	16·1	1·3	12	.	.	.	.	.	.	1	.	2	.	2	1	1	.	.	.	.
	„ 19,	22·9	1·3	17	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.
	„ 26,	16·1	.	12	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	May 3,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Mar. 15,	24·4	1·7	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
	„ 29,	22·6	3·5	13	.	.	.	.	.	.	2	.	.	2	2	1	2	.	.	.	.
	Apr. 5,	26·1	.	15	.	.	.	.	.	.	.	.	4	1	.	2	3	.	.	.	.
	„ 12,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	„ 19,	20·9	5·2	12	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	1
	„ 26,	19·2	3·5	11	.	.	.	.	.	1	1	.	2	.	.	1	1	.	.	.	.
	May 3,	20·9	3·5	12	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1
Kingstown Urban District. Pop. in 1911 16,941.	Mar. 15,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 22,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	Apr. 5,	46·2	.	15	.	.	.	.	.	.	.	.	1	1	1	5	1	.	.	.	1
	„ 12,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1
	May 3,	24·6	3·1	8	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.
Belfast. Pop. in 1913 (Est.) 396,000.	Mar. 15,	23·7	1·7	180	1	.	.	6	.	.	2	.	28	7	4	18	28	4	.	4	1
	„ 22,	25·0	1·4	190	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	.
	„ 29,	24·5	1·7	186	.	.	.	8	1	.	1	.	33	4	8	19	22	2	1	9	2
	Apr. 5,	21·2	1·3	161	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	.
	„ 12,	19·6	1·2	149	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	1
	„ 19,	16·9	1·1	128	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	3
	„ 26,	20·4	1·2	155	.	.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	1
	May 3,	18·7	0·5	142	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	1
Cork. Pop. in 1911 76,673.	Mar. 15,	27·9	0·7	41	.	.	.	1	.	.	.	.	4	5	3	3	5	.	.	1	1
	„ 22,	21·1	1·4	31	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	1
	„ 29,	22·4	2·7	33	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	1
	Apr. 5,	18·4	2·0	27	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	2
	„ 12,	24·5	0·7	36	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	1
	„ 19,	22·4	0·7	33	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	2
	„ 26,	23·8	.	35	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	2
	May 3,	26·5	0·7	39	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Mar. 15,	17·8	1·3	14	.	.	.	.	.	.	1	.	1	1	.	.	3	.	.	.	.
	„ 22,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 29,	20·3	.	16	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	Apr. 5,	22·9	.	18	.	.	.	.	.	.	.	.	1	1	2	.	6	.	.	.	.
	„ 12,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.
	„ 19,	12·7	2·5	10	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	.
	„ 26,	17·8	.	14	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	.
	May 3,	16·5	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
Limerick. Pop. in 1911 38,518.	Mar. 15,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 22,	20·3	.	15	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	3
	„ 29,	27·1	.	20	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	2
	Apr. 5,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4
	„ 12,	19·0	.	14	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	3
	„ 19,	29·8	.	22	.	.	.	.	.	.	.	.	5	.	.	.	7	.	.	1	2
	„ 26,	16·2	.	12	.	.	.	.	.	.	.	.	5	.	.	2	2	.	.	.	2
	May 3,	14·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1
Waterford. Pop. in 1911 27,464.	Mar. 15,	26·6	3·8	14	.	.	.	.	.	2	.	.	1	1	.	.	3	.	.	.	3
	„ 22,	3·8	1·9	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	32·3	3·8	17	.	.	.	.	.	2	.	.	4	1	2	.	.	.	.	.	1
	Apr. 5,	24·7	5·7	13	.	.	.	.	.	3	.	.	4	.	.	1	.	.	.	.	2
	„ 12,	20·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	„ 19,	11·4	1·9	6	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 26,	17·1	3·8	9	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.
	May 3,	17·1	1·9	9	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd May, 1913 Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	23·0	.	7	1	.	2	1	2	1	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	5	.
Do. 2 do.	49,500	23	16·9	.	16	.	2	2	5	4	3	.	.	.	.	.	.	.	.	3	.	.	3	2	.	.	.	.	7	.
Do. 3 do.	50,032	34	24·0	2·1	23	5	2	3	4	7	2	1	.	.	.	1	.	.	.	2	1	1	6	2	.	.	1	.	6	.
Do 4 do.	32,637	28	22·4	.	14	3	.	3	3	2	3	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	8	.
Do. 5 do.	16,112	4	12·9	.	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
Do. 6 do.	37,293	18	15·4	1·4	11	.	1	.	2	3	5	.	.	.	.	.	.	.	1	2	.	1	1	.	.	.	.	.	3	.
Do. 7 do.	2,681	.	58·3	.	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 8 do.	5,964	7	52·5	.	6	2	.	2	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	8	10·7	.	5	.	1	.	2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1	3	.
Do. 10 do.	28,958	22	21·6	.	12	1	1	.	2	3	5	.	.	.	.	.	.	.	.	.	.	2	2	4	.	.	.	.	1	1
Do. 11 do.	39,311	25	18·6	1·3	14	2	1	5	2	.	4	.	.	.	.	1	.	.	.	1	1	.	.	3	.	.	1	1	6	.
Do. 12 do.	38,076	27	16·4	.	12	1	1	1	2	2	5	.	.	.	.	.	.	.	.	.	2	.	1	6	.	.	.	2	3	.
Do. 13 do.	23,233	15	13·5	.	6	1	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	13	20·7	.	9	2	1	1	1	4	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	.	5	.
Total,	386,947	231	18·7	0·5	142	18	11	19	26	30	38	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	4	48	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	31·0	.	8	.	2	.	1	1	4	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	5	.
Do 2 do.	10,701	4	20·1	.	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	5	16·0	.	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1
Do 4 do.	8,666	3	34·2	.	6	.	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do 5 do.	6 592	5	16·7	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	1	45·0	.	10	1	.	.	3	2	4	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	6	.
Do. 7 do.	16,616	12	19·5	3·2	6	2	.	4	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Total,	76,122	33	26·5	0·7	39	5	4	4	5	7	14	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	.	15	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered, ...	202	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231
DEATHS registered, ...	126	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142
Annual Death-rate per 1,000 of estimated population, ...	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7
AGES, Under 1 year, ...	19	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18
1—5 years, ...	23	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11
5—25 „ ...	19	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19
25—45 „ ...	19	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26
45—65 „ ...	25	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30
65 and upwards, ...	21	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38
Deaths from :—																										
Enteric Fever, ...	.	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.
Scarlet Fever, ...	2	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2
Whooping-cough, ...	.	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.
Diphtheria, ...	.	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease. Phthisis, ...	16	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18
Tuberculous Disease. Other Forms,	7	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8
Cancer, ...	2	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4	5	8	4	9	7	8	5
Diseases of Respiratory System, Pneumonia,	15	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18
Diseases of Respiratory System, Others, ...	22	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23
Diarrhœa and Enteritis, under 2 years, ...	.	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.
Diarrhœa, 2 years and upwards,	.	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.
Violent Deaths, ...	2	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3
Number of Uncertified Deaths, ...	1	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	May 3,	2,098	1,230	14·2	3	.	44	3	27	11	24*a*
Edinburgh, ...	320,300	„ 3,	147	99	16·1	.	.	2	.	5	..	1
Glasgow, ...	1,021,500	„ 3,	595	373	19·1	1	.	16	5	24	5	6
Calcutta, ...	896,067	Mar. 22,	.	541	31·3	100*	3	4	.	.	1†	85‡
Bombay, ...	979,445	„ 29,	315	722	38·3	182*	11	10	.	.	.	56
Madras, ...	518,660	Apr. 5,	324	379	38·0	84*	1	3	?	?	?	104
Cairo, ...	704,956	Feb. 11,	657	443	32·8	5	.	3	1	?	11†	39*a*
Paris, ...	2,847,229	Apr. 19,	1,025	947	17·0	17	.	23	3	8	4†	20*a*
Brussels, ...	767,252	„ 12,	256	203	13·8	.	.	3	1	2	.	3*a*
Antwerp, ...	312,884	„ 19,	.	.	.	.	.	.	.	.	.	.
Amsterdam, ...	589,106	„ 12,	240	129	11·6	.	.	2	.	2	1†	3*a*
Copenhagen, ...	468,000	„ 12,	229	135	15·0	.	.	1	1	.	.	6*a*
Stockholm, ...	368,798	„ 12,	179	93	12·9	.	.	.	.	2	1	1*a*
Christiania, ...	247,488	„ 19,	159	57	12·0	.	.	.	.	.	4	1
St. Petersburg, ...	1,686,000	Mar. 29,	886	662	20·5	5	1	12	14	1	5	46*a*
Moscow, ...	1,635,800	„ 22,	.	737	23·5	3	.	13	20	11	16	52
Berlin, ...	2,091,024	„ 29,	774	571	14·2	.	.	5	7	1	7†	22
Hamburg, ...	1,006,748	Apr. 12,	.	270	13·9	1	.	1	7	2	6†	10*a*
Breslau, ...	538,311	„ 12,	.	185	17·9	.	.	4	1	1	4	12
Munich, ...	622,000	„ 12,	.	186	15·6	.	.	2	1	.	.	7*a*
Vienna (with suburbs),	2,115,254	„ 19,	764	705	17·3	.	.	9	12	14	13†	28*a*
Buda-Pesth, ...	1,184,272	„ 12,	454	361	20·2	1	.	6	11	.	5†	7*a*
Prague and Faubourgs,	489,194	Mar. 29,	193	172	18·3	1	.	3	2	2	.	9*a*
Trieste, ...	237,192	Apr. 12,	129	86	18·9	.	.	1	1	.	.	1*a*
Rome, ...	575,091	Dec. 14,	288	187	17·0	1	.	3	.	.	.	13
New York, ...	5,372,983	Mar. 29,	2,572	1,660	16·1	2	.	16	20	8	35†	47*a*
Philadelphia, ...	1,631,960	„ 15,	.	601	19·2	4	.	8	3	2	7	12*a*
Boston, (*b*)	735,399	Apr. 12,	.	210	15·0	.	.	2	.	3	4	7

* Deaths from "fever," including 11 from enteric fever and 43 from plague in Calcutta, 2 from enteric fever and 130 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 39 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd May, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	4	.	1	.	.	1	.	.	.	3	.	10
" " 1, West, ...	.	.	.	.	1	.	.	1	1	.	.	3	.	6
" " 2, ...	.	2	.	.	.	.	.	.	1	.	.	2	.	5
" " 3, ...	.	2	.	.	1	.	.	1	1	.	.	1	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	1	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	.	.	.	1	1	.	.	1	.	5
" " 2, ...	.	2	.	.	1	.	.	.	.	.	.	1	.	4
" " 3, ...	.	2	.	.	1	.	.	.	1	.	.	5	.	9
" " 4, ...	.	1	.	.	.	.	.	1	.	1	.	1	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	13	4	.	6	.	.	5	5	1	.	18	.	52

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd May, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd May.			
	April. 12.	April. 19.	April 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	27	27	4	7	.	24
Typhus, ...	13	10	11	4	2	.	13
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	16	16	10	11	.	15
Scarlet Fever, ...	85	77	87	19	18	.	88*
Diphtheria, ...	55	59	66	12	17	1	60
Pneumonia, ...	33	40	33	5	9	1	28

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir JOHN MOORE, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 3rd May, 1913:—

"Although there were brief spells of fine springlike weather, the general character of this week was unsettled. In Dublin rain fell daily in larger or smaller quantities, and a rain-storm occurred on Tuesday night, the measurements in and near the capital ranging between eight-tenths of an inch and slightly over an inch (1·01 inches at Crooksling, Brittas, and ·95 inch at Cheverstown Convalescent Home, Clondalkin, and at Belfort House, Dundrum). The atmospheric depression which caused this downpour had spread northwards from the Bay of Biscay to the Irish Sea in the interval from Tuesday morning to Wednesday morning, and in connection with it severe thunderstorms visited the southern and south-eastern districts of England in the course of Tuesday evening or the following night. It is noteworthy that the temperature gradient was unusually steep over Western and Central Europe both before and after this disturbance—in Berlin, for instance, the thermometer rose to 82° on Sunday, 81° on Monday, 82° on Tuesday and the two following days. Compare with these high readings the maximal temperatures recorded in Dublin, namely, 54°, 56°, 54°, 58°, 56° and 57°—on Saturday the maximum was 53°. At the beginning of the week a large and complex depression was withdrawing from the Irish shores to the upper part of the Atlantic. The barometer was still as low as 28·75 inches some 60 miles off the Mayo coast at 7 a.m.—it had been down to 28·54 inches at Malin Head the previous evening. In the afternoon of Sunday thunder and hail-storms passed over many parts of Ireland. Similar weather occurred on Thursday, when a thunderstorm with hail visited this country—as seen from Dublin, the storm clouds were magnificent between 5.30 p.m. and 6 p.m. Friday proved fine, but rain again set in at night in connection with a V.-shaped depression, and the week closed with a cloudy, cool, showery day. In Dublin the mean height of the barometer was 29·648 inches, the range being from 29·085 inches at 9 a.m. of Sunday (wind, W.) to 29·917 inches at 9 a.m. of Friday (wind, W.S.W.). The corrected mean temperature was 48·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·5°. On Sunday the screened thermometers fell to 40·1°, on Wednesday they rose to 58·2°. The prevailing wind was S.W. Rain fell daily to the large amount of 1·422 inches, of which ·852 inch was measured on Tuesday. Hail fell on Sunday and (near Dublin) on Thursday, when it was accompanied by thunder."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·669 inches. The highest reading (29·938) was on Friday at 9 a.m., wind W.S.W., the lowest (29·086) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 47·1°, being equal to the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Wednesday, on which day the thermometer registered 59°, and was lowest on Tuesday, the mercury having fallen to 34°. The mean of the Dry Bulb for the week was 46·7° and of the Wet Bulb, 43·9°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 1·100 inches.

At Greenwich the mean temperature for the week was 52·0°, the maximum 64·9°, and the minimum 39·6°; and at Edinburgh the maximum was 57·7°, the minimum 39·0°, and the mean 47·8°. The rainfall at Greenwich measured 0·60 in.; and at Edinburgh 0·64 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 27,	29·190	53	36	44·5	41·2	39·7	·89	·7	5·4	·065	Calm.	S.S.E.
Monday, „ 28,	29·575	56	40	48·0	48·8	44·1	·71	·7	7·4	·000	S.S.W.	S.S.W.
Tuesday, „ 29,	29·865	55	34	44·5	48·4	45·5	·83	·6	2·8	·840	S.	N.N.E.
Wednesday, „ 30,	29·765	59	42	50·5	46·9	44·4	·83	·5	6·7	·000	W.S.W.	Calm.
Thursday, May 1,	29·880	58	35	46·5	47·3	44·7	·81	·5	4·8	·000	W.S.W.	Calm.
Friday, „ 2,	29·825	57	39	48·0	48·5	45·0	·77	·8	1·6	·135	W.S.W.	S.S.W.
Saturday, „ 3,	29·585	54	41	47·5	45·9	43·9	·87	·7	1·4	·030	W.N.W.	W.N.W.
Mean, ...	29·669	56·0	38·1	47·1	46·7	43·9	·82	·6	Total 30·1	Total 1·100	Prevailing Winds, S.S.W. & W.S.W.	

Sunday—Day cloudy, heavy rain 9.0 to 10.0 a.m., 12.0 to 12.20 p.m., 12.45 to 1.20 p.m., and 7.0 to 8.0 p.m.; night clear. *Monday*—A fine day, cloudy at intervals; night clear. *Tuesday*—Day cloudy to overcast, heavy rain 4.30 to 9.0 p.m.; night overcast, drizzling and heavy rain 9.0 p.m. to 6.0 a.m. *Wednesday*—A fine day, cloudy at intervals; night clear. *Thursday*—Day cloudy, fine; night overcast to clear. *Friday*—Day cloudy, fine; night overcast, drizzling and heavy rain 11.30 p.m. to 3.30 a.m. *Saturday*—Day cloudy, heavy showers at intervals 5.0 to 8.30 p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 3rd May, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 27,	41·0	47·8	47·8	55	37	46	5·5	·22
Monday „ 28,	52·1	48·0	47·8	56	42	49	7·2	·11
Tuesday, „ 29,	53·5	48·2	47·9	54	41	47·5	1·4	·82
Wednesday, „ 30,	50·0	48·4	47·9	60	41	50·5	7·4	—
Thursday, May 1,	49·3	49·7	47·9	56	44	50	3·8	·03
Friday, „ 2,	50·7	49·8	48·0	57	42	49·5	1·0	·23
Saturday, „ 3,	51·2	50·1	48·0	54	42	48	1·3	·03
Weekly Mean,	49·7	48·9	47·9	56	41	48·6	Total 27·6	Total 1·44

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 360-45/139. 375. 4. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 10TH MAY, 1913. [No. 19.

General Register Office, Charlemont House,
Dublin, 13*th May,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending April 19	April 26	May 3	May 10	Average Rate for 4 weeks.
27 Town Districts, (a)	**20·9**	**21·3**	**18·5**	**19·3**	**20·0**
Dublin Reg. Area ...	24·1	24·5	16·8	20·4	21·4
Dublin City ...	25·2	26·9	16·6	23·9	23·1
Belfast	16·9	20·4	18·7	17·1	18·3
Cork	22·4	23·8	26·5	23·8	24·1
Londonderry ...	12·7	17·8	16·5	5·1	13·0
Limerick	29·8	16·2	14·9	24·4	21·3
Waterford	11·4	17·1	17·1	20·9	16·6

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·2 per 1,000. Among the 130 deaths from all causes for Belfast are one from enteric fever, 2 from measles, 6 from scarlet fever, and 2 from diarrhœal diseases. Of the 18 deaths from all causes for Limerick one is from enteric fever. Included in the 11 deaths from all causes for Waterford is one from measles. One of the 5 deaths from all causes for Newry is from measles, and 5 of the 15 deaths from all causes for Wexford are also from this disease. One of the 3 deaths for Tralee is from measles, and one of the 8 deaths from all causes for Bray is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—109 boys and 105 girls—and the deaths to 173—84 males and 89 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*). For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·4 per 1,000 of the population. During the nineteen weeks, ending with Saturday last, the death-rate averaged 22·7, and was 2·2 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 173, represent an annual rate of 22·4 per 1,000; the annual rate for the past nineteen weeks was 24·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

There was one death from enteric fever, also one death from whooping-cough, 2 deaths from influenza, and 3 deaths from diarrhœa and enteritis of children under 2 years of age included in the total number of deaths registered. In the three preceding weeks deaths from enteric fever were 0, 0, and one; deaths from whooping-cough were 5, 2, and one; deaths from influenza were 4, 7, and 2; and deaths from diarrhœa and enteritis of children under 2 years of age were 8, 5, and 3, respectively.

The deaths from tuberculosis amounted to 34, and include 24 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, 2 from tuberculosis of joints, and 5 from disseminated tuberculosis. In each of the three weeks before deaths from all forms of tuberculosis were 33, 42, and 29.

There were 8 deaths from broncho-pneumonia, and 5 from pneumonia (type not distinguished).

Thirteen deaths were assigned to cancer.

Among the causes of deaths of infants under one year, 2 were attributed to convulsions, 3 to congenital malformations, 8 to premature birth, and 2 to congenital debility.

Organic diseases of the heart were accountable for the deaths of 18 persons, and there were 17 deaths from bronchitis.

Of 3 deaths referred to accident, one was by burning of a child aged 9 years and 9 months.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including one infant under one year old), and the death of one person aged 73 years.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 17 were under one month old) and 39 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·4 per 1,000; the rate in the City was 23·9 (North City Districts, 26·2; South, 21·3) and in the Suburbs, 9·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 0·6, and in the South 1·4), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (23) are equal to an annual rate of 40·1 per 1,000, and include one death from enteric fever, 7 deaths from tuberculosis, 2 deaths from broncho-pneumonia, one death from bronchitis, and 2 deaths from accidental circumstances.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 29·3 per 1,000. Among the deaths there was one from influenza, 4 from tuberculosis, one from broncho-pneumonia, one from bronchitis, and one from diarrhœa.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000. Pulmonary tuberculosis caused 4 deaths, there was one death from pneumonia, and there were 2 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 20·7 per 1,000. There were 3 deaths from tuberculosis, one death from broncho-pneumonia, 2 deaths from pneumonia, and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·7, and Finglas and Glasnevin, part of, 4·9. Of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, one is from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·8 per 1,000, and include one death from disseminated tuberculosis, one death from broncho-pneumonia, one death from pneumonia, 2 deaths from bronchitis, and 2 deaths of infants under 2 years of age from diarrhœa and enteritis.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 8·5 per 1,000. The 3 deaths include one from bronchitis and one from enteritis of a child under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. There were 2 deaths from tuberculosis, one death from broncho-pneumonia, and 2 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (18) are equivalent to an annual rate of 28·3 per 1,000. Of the deaths one was from whooping-cough, 3 were from tuberculosis, one was from pneumonia, and there were 4 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. There was no death from epidemic disease or tuberculosis registered in this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 5·2; Blackrock, 17·1; and Kingstown, 12·3. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Among the 7 deaths from all causes for Rathmines and Rathgar are one from influenza and one from bronchitis. One of the 3 deaths from all causes for Pembroke is from pulmonary tuberculosis. Included in the 3 deaths from all causes for Blackrock are 2 from pulmonary tuberculosis; and of the 4 deaths from all causes for Kingstown there is one from each of broncho-pneumonia and bronchitis.

* See Columns 10–17 and 23–24 of Table II

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 10th May, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Apr. 19,	.	—	—	9	1	.	8	.	1	4	4	.	—	—	.	—	7	.	34
	Apr. 26,	.	—	—	18	3	.	10	.	.	1	2	.	—	—	.	—	22	.	56
	May 3,	.	—	—	13	4	.	6	.	.	5	5	1	—	—	.	—	18	.	52
	May 10,	.	—	—	15	.	.	23	.	1	6	3	.	—	—	.	—	18	.	66
Rathmines and Rathgar Urban District.	Apr. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Apr. 26,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	May 3,	.	—	—	1	.	.	5	.	.	1	.	.	—	—	—	—	—	—	7
	May 10,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Apr. 19,	.	2	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	4
	Apr. 26,	.	2	.	1	.	.	2	.	.	.	.	.	—	.	—	—	.	—	5
	May 3,	.	5	.	1	.	.	1	.	.	.	.	.	—	1	—	—	2	—	10
	May 10,	.	4	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	6
Blackrock Urban District.	Apr. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	May 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	May 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
City of Belfast.	Apr. 19,	.	—	—	23	.	.	7	.	1	3	1	1	—	—	—	—	8	—	44
	Apr. 26,	.	—	—	30	.	.	4	.	1	8	3	2	—	—	—	—	22	—	70
	May 3,	.	—	—	46	.	.	8	.	1	9	8	.	—	—	—	—	14	—	86
	May 10,	.	—	—	57	.	.	5	.	.	3	2	.	—	—	—	—	8	—	75

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th May, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 5 were discharged, there was one death, and 22 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 27, 27, and 24.

Two cases of typhus were discharged from hospital during the week, and 11 cases remained under treatment at the close of the week.

Ten cases of measles were admitted to hospital during the week, 3 were discharged, and 22 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 16, 16, and 15 respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 13 were discharged, and 99* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 77, 87, and 88 respectively.

Nineteen cases of diphtheria were admitted to hospital during the week, 20 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 59, 66, and 60 respectively, were 58 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 11 were discharged, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·6), was equal to an average annual death-rate of 13·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 13·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th May. From this Report it appears that of a total of 37 cases notified, 23 were phthisis, 7 scarlet fever, 5 diphtheria, and 2 erysipelas. Among the 361 cases of infectious diseases in hospital at the close of the week were 119 cases of phthisis, 101 of scarlet fever, 53 of measles, 46 of whooping-cough, 26 of diphtheria, 6 of chicken-pox, 3 of erysipelas, and 3 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 10th May, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Phthisis.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 10th May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th April, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
							Registration—Week ending Saturday, 10th May, 1913. Numbers Registered. Deaths. Caused by (Tuberculous Disease; Diseases of the Respiratory System)																																				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	1,199,180	19·0	27·4	19·3	1·2	629	443	68	109	3	...	...	10	6	2	...	...	55	28	25	38	56	5	2	6	9	132	19	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c) ...	403,000	29·3	27·7	20·4	0·8	214	158	24	39	1	...	...	...	...	1	...	...	20	8	12	12	20	3	1	2	1	59	6	e 57	32	45·4	2·03	e 59	34	47·1	1·10	e 59	30	45·9	0·91
City of Dublin,	308,187	39·0	30·8	23·9	1·0	182	141	24	35	1	...	...	...	...	1	...	...	17	8	11	11	18	3	1	2	1	57	6	f 57·1 g 56·2	33·2 33·4	46·7 46·2	1·60 1·54	f 58·2 g 58·0	40·1 38·0	48·7 47·9	1·42 1·36	f 57·7 g 58·8	35·7 34·0	47·3 46·5	0·78 0·86
Urban Districts. Rathmines & Rathgar.	38,769	22·6	22·9	9·4	.	17	7	...	3	...	...	...	...	...	...	...	..	...	...	1	...	1	...	...	...	...	1	...	..	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,942	19·0	10·4	5·2	.	6	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	17·1	17·1	.	3	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	18·5	12·3	.	6	4	..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	55	38	46·8	1·35	59	40	48·2	1·48	57	36	47·8	0·84
Urban Districts. Belfast ..	396,000	26·5	33·2	17·1	1·4	252	130	23	22	1	..	...	2	6	...	...	...	16	9	5	12	16	1	1	4	7	30	...	56·0	32·5	46·6	2·09	59·0	34·0	47·0	1·79	61·0	34·8	49·1	0·73
Cork, ..	76,673	28·6	19·0	23·8	0·7	28	35	5	10	...	...	...	...	...	...	...	...	9	2	2	3	6	1	...	...	...	18	1	53	40	46·9	1·92	53	41	46·8	1·01	60	34	47·2	2·76
Londonderry ...	41,000	15·9	19·1	5·1	.	15	4	..	2	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	16·2	24·4	1·4	12	18	1	7	1	...	...	...	...	...	...	..	...	1	...	...	3	...	..	...	1	7	3	54·7	35·8	46·3	1·58	55·0	34·1	46·0	1·48	60·2	29·6	46·8	1·28
Waterford, ...	27,464	19·1	15·2	20·9	1·9	8	11	3	3	...	..	...	1	...	...	...	..	2	...	...	1	...	...	...	...	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5				4	.	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	37	46	1·49	55	39	47	0·66	60	33	47	1·21
Dundalk, ...	13,128	9·5				3	2	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				4	2	1	1	...	..	...	..	...	...	...	..	...	...	1	...	...	...	...	...	...	2	...	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96
Drogheda, ...	12,501	8·4				8	7	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				12	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	..	...	...	...	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96
Newry, ...	11,963	17·0				6	5	1	...	...	...	...	1	...	...	...	...	...	1	1	...	1	...	...	...	...	1	...	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96
Portadown, ...	11,727	15·3				8	6	1	1	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96
Wexford, ...	11,531	22·8				11	15	4	3	...	...	...	5	...	...	...	...	1	1	...	...	4	...	...	...	...	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				9	8	...	...	...	...	...	...	...	...	...	...	1	1	...	2	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8				3	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	..	..	57	34	46·0	1·60	57	34	46·0	1·54	60	27	46·0	1·19
Kilkenny, ...	10,514	11·4				3	2	...	2	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	1	1	54	33	46·2	1·61	57	36	47·4	1·72	62	30	48·0	1·58
Tralee, ...	10,300	17·4				2	3	1	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	..	...
Clonmel, ...	10,209	7·8				3	9	...	3	..	...	...	...	...	...	...	...	1	1	1	...	3	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				1	2	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53	35	46·0	1·16	57	37	46·1	1·60	54	37	45·9	1·19
Queenstown, ...	8,209	14·7				5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	53	40	46·9	1·92	53	41	46·8	1·01	60	34	47·2	2·76
Larne, ...	8,036	13·4				2	.	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine. ...	7,785	7·7				5	5	...	2	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				.	8	2	3	...	...	...	...	...	1	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				1	3	...	1	...	...	...	...	...	...	...	..	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				8	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46	60·0	33·7	47·6	0·96

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 15 deaths of persons (including 3 under one year old) admitted to hospital from localities outside the Area.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 10th of May, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	6	2	4	1	1	.	.	.	.	1	2	.	.	1	2	.	20	4
Tuberculous Disease. { Other Forms,	1	2	.	2	.	.	.	1	.	1	1	.	.	.	.	.	8	2
Cancer,	5	2	.	.	2	.	.	1	.	.	.	1	1	.	.	.	12	1
Diseases of Nervous System,	2	2	2	2	.	.	.	4	.	2	1	.	1	.	.	1	17	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	1	1	3	.	1	1	2	.	1	3	2	2	.	.	1	20	1
" Respiratory System. { Pneumonia,	2	1	1	3	.	.	.	2	.	1	1	.	.	.	.	1	12	1
" Respiratory System. { Others,	1	2	2	2	.	.	.	3	1	3	4	.	1	.	.	1	20	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	3	1	.	.	.	.	.	.	2	.	.	1	.	.	7	.
" Genito-urinary System,	.	.	1	.	.	.	.	3	.	1	.	.	.	.	.	.	5	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	8	1	.	.	1	.	1	1	5	2	.	.	1	.	.	21	3
Violent Deaths,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
Deaths from All Causes	23	23	16	14	3	2	1	20	3	15	18	3	7	3	3	4	158	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	40·1	29·3	29·9	20·7	28·8	7·7	4·9	25·8	8·5	18·1	28·3	16·0	9·4	5·2	17·1	12·3	20·4	.
	26·2							21·3					9·3					
	23·9																	
Ages at Death. { Under 1 year,	2	6	1	1	.	1	.	3	2	6	2	.	.	.	.	.	24	3
Ages at Death. { 1 and under 2 years,	1	1	1	1	.	.	.	1	.	1	1	.	.	.	.	1	8	1
Ages at Death. { 2 " 5 "	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Ages at Death. { 5 " 15 "	2	2	.	.	.	.	.	2	.	1	1	.	.	.	.	.	8	2
Ages at Death. { 15 " 25 "	2	.	1	.	.	.	.	.	.	.	2	1	.	.	.	.	6	2
Ages at Death. { 25 " 45 "	4	4	5	2	.	.	.	4	.	3	4	1	.	2	2	2	33	2
Ages at Death. { 45 " 65 "	9	6	1	5	2	.	1	4	.	2	2	.	4	.	.	1	37	5
Ages at Death. { 65 and upwards,	3	4	6	4	1	1	.	6	1	2	6	1	3	.	1	.	39	.
Number of Uncertified Deaths,	.	3	.	1	.	.	.	.	1	1	.	.	.	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	5	5	5	1	.	.	3	.	5	5	.	1	1	.	.	36	14
Workhouse Hospitals,	3	5	3	2	.	.	.	3	1	3	2	1	.	.	.	.	23	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday May 16, 1903.	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.	May 14, 1910.	May 13, 1911.	May 11, 1912.	Averages in 19th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 10th May, 1913. —	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 48·1	° 49·7	° 49·9	° 50·2	° 50·3	° 52·5	° 45·8	° 44·7	° 52·6	° 56·1	° 50·0	° 45·4										
ALL CAUSES.	175	173	181	165	195	199	153	180	170	203	179·4	173	17	10	9	3	10	8	35	42	24	15
Enteric Fever, ...	1	2	1	3	1	1	2	3	1	.	1·5	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	4	.	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	2	4	1	6	2	3	.	17	14	5·4	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	.	.	1	.	1	1	5	1·0	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	10	.	1	8	1	5	1	2	.	3·1	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	1	3	.	.	3	3	1·2	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	7	2	2	2	3	5	4	3	2	4	3·4	2	.	.	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	2	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	1	.	.	2	.	.	2	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	1	.	.	1	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	24	19	19	18	16	26	17	31	17	24	21·1	24	.	.	1	.	2	6	11	4	.	.
Tuberculous Meningitis, ...	.	3	4	1	2	2	1	.	1	4	1·8	2	.	.	1	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	3	1	.	2	.	1	3	1	.	1·2	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	7	8	9	7	9	2	6	4	.	6·0	2	.	.	.	.	1	.	.	1	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										4		5	.	1	1	.	2	.	.	1	.	.
Venereal Diseases, ...	2	1	1	2	2	.	1	1	1	1	1·2	3	1	1	1	.	.	.	.	.	.	.
Cancer, ...	9	12	8	5	12	15	7	10	5	10	9·3	13	.	.	.	.	.	.	2	9	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	2	4	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	3	.	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	1	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	1	1	1	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.										5		9	.	.	.	.	.	.	1	2	5	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		3	.	.	.	.	.	.	.	2	.	1
Epilepsy, ...										3		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										4		2	.	.	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	38	32	44	31	41	41	41	30	34	2	37·3	2	.	.	.	.	.	.	1	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		3	.	.	.	.	.	.	1	2	.	.
Organic Diseases of the Heart,										21		18	.	.	.	.	.	2	2	6	1	7
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	2	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	21	20	22	27	21	27	16	26	16	27	22·3	17	.	.	.	.	.	.	1	6	9	1
Broncho-pneumonia, ...	7	1	6	7	6	6	5	8	6	8	6·0	8	2	1	2	.	1	.	1	.	1	
Lobar pneumonia, ...	2	1	1	1	3	.	1	1	4	4	1·8	.	.	.	.	.	.	.	.	.	.	
Pneumonia (type not distinguished)	4	6	8	10	7	9	7	5	5	10	7·1	5	.	1	.	.	.	.	2	.	1	1
Pleurisy, ...										.		1	.	.	.	.	.	.	1	.		
Pulmonary Congestion, Pulmonary Apoplexy.	1	1	3	4	2	3	2	1	2	.	1·9	.	.	.	.	.	.	.	.	.		
Other Diseases of Respiratory System.										.		2	.	.	.	.	.	.	1	.	1	.

NINETEENTH WEEK ending Saturday, 10th May, 1913, with, as far as practicable, the deaths from each cause in 90 3-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 10th May, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	May 16, 1903.	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.	May 14, 1910.	May 13, 1911.	May 11, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 48·1	° 49·7	° 49·9	° 50·2	° 50·3	° 52·5	° 45·8	° 44·7	° 52·6	° 56·1	° 50·0	° 45·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	6	2	—	2	.	.	.	2	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	3	.	3	3	5	3	2	2	1	4	2·6	3	1	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		1	.	.	.	.	.	.	.	1	.	.
Enteritis 2 years and upwards									.	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	2	.	.	.	.	1	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	1	4	.	.	1	.	2	3	.	1·1	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...	3	3	2	1	2	2	.	1	.	2	1·6	1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	1	2	2	1	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	5	6	5	4	5	4	6	1	1	4.4	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									1	.		2	.	.	.	.	1	.	1	.	.	.
Chronic Bright's Disease, ...									5	3		3	.	.	.	.	.	.	1	1	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	7	5	6	9	10	7	11	4	1	.	7·1	1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	1		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	1	2	.	1	.	.	.	.	.	1	·5	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	.	1	.	1	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	1	—	2	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	3	2	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	5	2	2	4	4	5	3	7	5	4·1	8	8	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	.	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	5	10	5	3	3	5	3	4	4	3	4.5	2	.	.	.	.	.	.	.	.	1	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	3	.	—	3	3	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	2	.	.	.	.	4	.	1	·8	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	.	.	1	.	1	1	1	1	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	2	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	1	1	2	5	1	4	.	5	2·1	2	.	.	.	.	.	.	2	.	.	.
Total Deaths from Accident,	1	2	4	1	5	7	2	9	.	7	3·8	3	.	.	.	.	1	.	2	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	2	1	2	.	1	.6	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	.	7	—	3	.	.	1	.	.	.	1	.	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered.	196	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214
Average Births in corresponding week of previous 10 years, ...	201	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237
DEATHS registered, ...	156	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143	173
Annual Death-rate per 1,000, ...	20·3	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4
Average Deaths in corresponding week of previous 10 years, ...	178	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179
Ages, Under 5 years, ...	36	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39
5—15 „ ...	7	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10
15—25 „ ...	6	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8
25—45 „ ...	28	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35
45—65 „ ...	28	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42
65—75 „ ...	32	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24
75 and upwards, ...	19	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15
Deaths from :—																										
Enteric Fever, ...	2	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.
Scarlet Fever, ...	.	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.	.
Whooping-cough, ...	2	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1
Diphtheria, ...	.	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.
Influenza, ...	1	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2
Dysentery, ...	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	15	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24
Tuberculous Disease, Other Forms,	9	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10
Cancer, ...	7	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13
Diseases of Circulatory System,	25	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21
Diseases of Respiratory System, Pneumonia	13	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13
Diseases of Respiratory System, Others, ...	18	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20
Diarrhœa and Enteritis, under 2 years, ...	3	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Violent Deaths, ...	7	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3
Number of Uncertified Deaths,	6	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6
Mean Temperature of the Air (Phœnix Park)	43·0	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37·8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4
Average Mean Temperature in corresponding week of previous 10 years, ...	42·5	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0
Rainfall in inches, ...	·180	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·88	·88	·85	·83	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th May, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH MAY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION. The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	22·7	173	39	10	8	35	42	24	15	1	.	.	.	.	1	.	.	24	10	13	2	13	20	3	1	3	82	6
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	101,798	12·8	25	6	3	1	3	6	3	3	.	.	.	.	.	.	.	.	3	1	3	.	1	2	.	.	1	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	26·5	55	10	1	3	12	15	9	5	.	.	.	.	.	.	.	.	8	2	6	2	3	8	1	.	2	23	3
IV.	GENERAL SERVICE CLASS, ...	167,479	20·2	65	16	5	3	16	14	6	5	1	.	.	.	.	1	.	.	8	5	4	.	8	6	.	1	.	31	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	5	1	1	4	6	5	2	.	.	.	.	.	.	.	.	5	2	.	.	1	4	2	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	14·5	7	4	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	33,249	4·7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	20·0	13	1	3	1	1	4	2	1	.	.	.	.	.	.	.	.	2	1	3	.	.	1	.	.	1	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	1	.	.
	9. Building and Furnishing Trades, ...	28,823	23·5	13	3	.	1	3	1	3	2	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.	8	2
	10. Clothing Trades, ...	20,026	23·4	9	.	.	.	4	2	2	1	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	.	.	3	.
	11. Food Supply Trades	8,952	5·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	39·0	24	3	1	1	4	9	4	2	.	.	.	.	.	.	.	.	2	1	3	.	2	6	.	.	1	9	1
	13. Petty Shopkeepers	6,772	23·1	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	16·1	4	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.
	15. Domestic Servants, ...	36,041	7·2	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	17·0	5	2	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	25·8	51	13	5	2	12	12	4	3	1	.	.	.	.	1	.	.	6	4	4	.	6	4	.	1	.	24	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	24	5	1	1	4	6	5	2	.	.	.	.	.	.	.	.	5	2	.	.	1	4	2	.	.	10	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Mar. 22,	24·4	.	14	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	.
	„ 29,	24·4	.	14	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.
	Apr. 5,	24·4	3·5	14	.	1	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
	„ 12,	22·7	1·7	13	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	1
	„ 19,	20·9	1·7	12	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 26,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	May 3,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	„ 10,	40·1	1·7	23	1	.	.	.	.	.	.	.	6	1	5	2	1	.	.	2	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Mar. 22,	31·9	3·8	25	1	1	.	.	.	.	.	.	3	1	.	2	8	1	.	.	1
	„ 29,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	.	.
	Apr. 5,	37·0	2·6	29	.	.	.	.	.	.	1	.	4	.	2	1	3	1	.	.	.
	„ 12,	39·5	.	31	.	.	.	.	.	.	.	.	5	1	.	3	6	.	.	.	1
	„ 19,	21·7	3·8	17	.	.	.	.	.	1	.	.	2	.	.	1	.	2	.	1	1
	„ 26,	23·0	1·3	18	.	.	.	.	1	.	.	.	3	.	1	1	4	.	.	1	.
	May 3,	21·7	3·8	17	.	.	.	.	.	.	.	.	2	.	.	1	2	2	1	.	.
	„ 10,	29·3	1·3	23	.	.	.	.	.	.	.	.	2	2	2	1	2	.	1	.	3
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Mar. 22,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	„ 29,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.
	Apr. 5,	22·4	1·9	12	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	.	.
	„ 12,	26·2	1·9	14	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	1
	„ 19,	33·7	5·6	18	.	.	.	.	.	.	.	.	2	3	.	1	3	3	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2
	May 3,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 10,	29·9	.	16	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Mar. 22,	19·3	1·5	13	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.
	„ 29,	22·2	3·0	15	.	.	.	.	.	2	.	.	1	1	1	.	1	.	.	.	.
	Apr. 5,	31·1	3·0	21	.	.	.	.	.	.	1	.	5	.	.	.	2	1	.	.	.
	„ 12,	23·7	3·0	16	.	.	.	.	1	.	.	.	3	.	2	2	.	1	.	.	.
	„ 19,	16·3	3·0	11	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1
	„ 26,	40·0	1·5	27	.	.	.	.	.	.	.	.	5	1	3	3	3	1	.	2	.
	May 3,	10·4	.	7	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 10,	20·7	.	14	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Mar. 22,	28·4	.	22	.	.	.	.	.	.	.	.	4	1	2	3	3	.	.	.	.
	„ 29,	28·4	2·6	22	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	1	2
	Apr. 5,	22·0	3·9	17	.	.	.	.	1	.	1	.	3	1	.	1	.	1	.	1	1
	„ 12,	28·4	3·9	22	.	.	.	.	.	2	.	.	3	3	4	.	4	1	.	1	.
	„ 19,	31·0	2·6	24	.	.	.	.	.	2	.	.	5	1	.	3	5	.	.	.	.
	„ 26,	28·4	2·6	22	.	.	.	.	.	.	.	.	5	1	.	.	5	2	.	.	.
	May 3,	20·7	.	16	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
	„ 10,	25·8	2·6	20	.	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Mar. 22,	39·8	2·8	14	1	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	.
	„ 29,	37·0	2·8	13	.	.	.	.	.	.	1	.	1	.	2	1	4	.	.	.	.
	Apr. 5,	28·4	2·8	10	.	.	.	.	.	.	.	.	4	.	.	2	.	1	.	.	.
	„ 12,	34·1	2·8	12	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	1	2
	„ 19,	31·3	2·8	11	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	1
	„ 26,	45·5	2·8	16	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1
	May 3,	22·7	2·8	8	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.
	„ 10,	8·5	2·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Mar. 22,	14·5	2·4	12	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.
	„ 29,	32·7	3·6	27	.	.	.	.	.	2	1	.	7	1	1	3	6	.	.	1	.
	Apr. 5,	32·7	1·2	27	.	.	.	.	.	.	.	.	4	3	.	3	3	1	.	1	1
	„ 12,	32·7	1·2	27	.	.	.	.	1	.	.	.	4	1	1	3	3	.	.	.	.
	„ 19,	24·2	1·2	20	.	.	.	.	.	.	.	.	.	2	1	2	3	1	.	1	.
	„ 26,	24·2	.	20	.	.	.	.	.	.	.	.	5	1	2	.	2	.	.	.	1
	May 3,	15·7	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.
	„ 10,	18·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Mar. 22,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	.	1
	„ 29,	25·2	1·6	16	.	.	.	.	.	1	.	.	.	1	1	2	5	.	.	.	2
	Apr. 5,	23·6	1·6	15	.	.	.	.	.	1	.	.	3	.	1	2	1	.	.	.	.
	„ 12,	47·2	3·1	30	.	.	.	.	1	.	.	.	1	2	1	1	10	1	.	1	4
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	4
	„ 26,	25·2	1·6	16	.	.	.	.	.	1	.	.	2	1	.	1	3	.	.	.	1
	May 3,	18·9	.	12	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.
	„ 10,	28·3	1·6	18	.	.	.	.	.	1	.	.	2	1	.	1	4	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Mar. 22,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
	„ 29,	20·2	.	15	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	.
	Apr. 5,	18·8	1·3	14	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	1	1
	„ 12,	16·1	1·3	12	.	.	.	.	.	.	1	.	2	.	2	1	1	.	.	.	.
	„ 19,	22·9	1·3	17	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.
	„ 26,	16·1	.	12	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	May 3,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 10,	9·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Mar. 22,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
	„ 29,	22·6	3·5	13	.	.	.	.	.	.	2	.	.	2	2	1	2	.	.	.	.
	Apr. 5,	26·1	.	15	.	.	.	.	.	.	.	.	4	1	.	2	3	.	.	.	.
	„ 12,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	„ 19,	20·9	5·2	12	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	1
	„ 26,	19·2	3·5	11	.	.	.	.	.	1	1	.	2	.	.	1	1	.	.	.	.
	May 3,	20·9	3·5	12	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1
	„ 10,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Mar. 22,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	Apr. 5,	46·2	.	15	.	.	.	.	.	.	.	.	1	1	1	5	1	.	.	.	1
	„ 12,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1
	May 3,	24·6	3·1	8	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.
	„ 10,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Mar. 22,	25·0	1·4	190	.	.	.	5	2	.	1	.	18	9	5	27	36	2	1	4	.
	„ 29,	24·5	1·7	186	.	.	.	8	1	.	1	.	33	4	8	19	22	2	1	9	2
	Apr. 5,	21·2	1·3	161	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	.
	„ 12,	19·6	1·2	149	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	1
	„ 19,	16·9	1·1	128	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	3
	„ 26,	20·4	1·2	155	.	.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	1
	May 3,	18·7	0·5	142	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	1
	„ 10,	17·1	1·4	130	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	.
Cork. Pop. in 1911 76,673.	Mar. 22,	21·1	1·4	31	.	.	.	2	.	.	.	.	4	4	3	2	2	.	.	.	1
	„ 29,	22·4	2·7	33	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	1
	Apr. 5,	18·4	2·0	27	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	2
	„ 12,	24·5	0·7	36	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	1
	„ 19,	22·4	0·7	33	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	2
	„ 26,	23·8	.	35	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	2
	May 3,	26·5	0·7	39	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	1
	„ 10,	23·8	0·7	35	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Mar. 22,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 29,	20·3	.	16	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	Apr. 5,	22·9	.	18	.	.	.	.	.	.	.	.	1	1	2	.	6	.	.	.	.
	„ 12,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.
	„ 19,	12·7	2·5	10	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	.
	„ 26,	17·8	.	14	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	.
	May 3,	16·5	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 10,	5·1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
Limerick. Pop. in 1911 38,518.	Mar. 22,	20·3	.	15	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	3
	„ 29,	27·1	.	20	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	2
	Apr. 5,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4
	„ 12,	19·0	.	14	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	3
	„ 19,	29·8	.	22	.	.	.	.	.	.	.	.	5	.	.	.	7	.	.	1	2
	„ 26,	16·2	.	12	.	.	.	.	.	.	.	.	5	.	.	2	2	.	.	.	2
	May 3,	14·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1
	„ 10,	24·4	1·4	18	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3
Waterford. Pop. in 1911 27,464.	Mar. 22,	3·8	1·9	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	„ 29,	32·3	3·8	17	.	.	.	.	.	2	.	.	4	1	2	.	.	.	.	.	1
	Apr. 5,	24·7	5·7	13	.	.	.	.	.	3	.	.	4	.	.	1	.	.	.	.	2
	„ 12,	20·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	„ 19,	11·4	1·9	6	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 26,	17·1	3·8	9	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.
	May 3,	17·1	1·9	9	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 10,	20·9	1·9	11	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th May, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	16·4	6·6	5	1	2	1	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.
Do. 2 do.	49,500	27	21·1	1·1	20	1	2	5	5	2	5	.	.	.	.	.	.	.	.	4	1	.	1	.	.	1	1	.	6	.
Do. 3 do.	50,032	34	24·0	2·1	23	4	2	7	2	6	2	.	.	.	.	2	.	.	.	3	4	1	1	4	.	.	.	.	5	.
Do 4 do.	32,637	30	22·4	1·6	14	6	1	2	1	1	3	.	.	.	1	.	.	.	.	1	.	1	2	1	.	.	1	1	5	.
Do. 5 do.	16,112	15	19·4	.	6	1	.	.	2	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.
Do. 6 do.	37,293	9	14·0	.	10	1	1	.	1	5	2	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	17·5	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	21	12·8	.	6	2	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 10 do.	28,958	27	18·0	1·8	10	3	1	2	2	2	.	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	3	1	.
Do. 11 do.	39,311	32	13·3	4·0	10	2	2	4	1	1	.	.	.	.	.	3	.	.	.	.	1	.	.	1	.	.	1	2	3	.
Do. 12 do.	38,076	28	11·0	1·4	8	.	2	.	2	1	3	.	.	.	.	1	.	.	.	.	1	.	3	1	.	.	.	.	4	.
Do. 13 do.	23,233	7	11·2	.	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	25·3	.	11	1	.	3	.	3	4	.	.	.	.	.	.	.	.	2	1	.	1	3	.	.	.	.	3	.
Total,	386,947	252	17·1	1·4	130	23	13	25	21	26	22	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	7	30	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	7·8	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do 2 do.	10,701	5	30·1	.	6	.	.	1	1	2	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	4	.
Do 3 do.	9,978	5	31·9	5·3	6	2	2	.	1	.	1	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.	3	.
Do 4 do.	8,666	1	39·9	.	7	1	3	.	1	1	1	.	.	.	.	.	.	.	.	2	2	.	1	2	.	.	.	.	4	.
Do 5 do.	6,592	1	33·4	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do 6 do.	10,702	5	9·0	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Do. 7 do.	16,616	8	26·0	.	8	1	.	2	.	2	3	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	4	.
Total,	76,122	28	23·8	0·7	35	5	6	4	4	6	10	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	.	18	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered, ...	184	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252
DEATHS registered, ...	121	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130
Annual Death-rate per 1,000 of estimated population, ...	16·1	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1
AGES, Under 1 year, ...	24	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23
AGES, 1—5 years, ...	18	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13
AGES, 5—25 „ ...	11	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25
AGES, 25—45 „ ...	14	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21
AGES, 45—65 „ ...	29	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26
AGES, 65 and upwards, ...	25	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22
Deaths from :—																										
Enteric Fever, ...	.	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	9	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2
Scarlet Fever, ...	1	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6
Whooping-cough, ...	1	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.
Diphtheria, ...	1	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. Phthisis, ...	11	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16
Tuberculous Disease. Other Forms,	2	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9
Cancer, ...	5	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4	5	8	4	9	7	8	5	5
Diseases of Respiratory System, Pneumonia,	10	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12
Diseases of Respiratory System, Others, ...	20	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16
Diarrhœa and Enteritis, under 2 years, ...	4	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1
Diarrhœa, 2 years and upwards,	.	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1
Violent Deaths, ...	5	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4
Number of Uncertified Deaths, ...	3	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	May 10,	2,167	1,176	13·6	3	.	37	3	21	3	27*a*
Edinburgh, ...	320,300	„ 10,	144	83	13·5	.	.	.	.	4	.	1
Glasgow, ...	1,021,500	„ 10,	536	343	17·5	.	.	12	2	26	6	11
Calcutta, ...	896,067	Mar. 29,	.	615	35·6	126*	4	7	.	.	.	143‡
Bombay, ...	979,445	Apr. 5,	311	726	38·5	198*	13	13	.	.	.	56‡
Madras, ...	518,660	„ 12,	368	432	43·3	91*	1	10	?	?	?	112
Cairo, ...	704,956	Feb. 18,	623	450	33·3	5	.	2	2	?	3†	41*a*
Paris, ...	2,847,229	Apr. 26,	1,034	982	17·6	14	.	40	4	4	4†	18*a*
Brussels, ...	767,252	„ 19,	263	172	11·7	1	.	2	.	3	1†	11*a*
Antwerp, ...	312,884	„ 26,	116	73	12·2	.	.	2	1	.	.	8
Amsterdam, ...	589,645	„ 19,	234	136	12·0	1	.	3	.	.	.	2*a*
Copenhagen, ...	468,000	„ 19,	258	121	13·5	.	.	.	1	1	.	3*a*
Stockholm, ...	368,798	„ 19,	165	95	13·1	.	.	.	.	.	.	.
Christiania, ...	247,488	„ 26,	121	70	14·7	.	.	.	1	.	.	1
St. Petersburg, ...	1,686,000	„ 5,	654	642	19·9	7	.	14	10	5	4	54*a*
Moscow, ...	1,635,800	Mar. 29,	.	739	23·6	1	.	21	20	5	13†	59
Berlin, ...	2,087,215	Apr. 5,	797	563	14·1	.	.	4	5	4	8†	27
Hamburg, ...	1,006,748	„ 19,	.	294	15·2	1	.	2	1	5	9†	17*a*
Breslau, ...	537,442	„ 19,	.	216	21·0	.	.	1	.	2	.	10
Munich, ...	622,000	„ 19,	.	190	15·9	.	.	3	.	2	.	5*a*
Vienna (with suburbs),	2,115,254	„ 26,	712	677	16·6	.	.	16	3	14	6†	38*a*
Buda-Pesth, ...	1,102,991	„ 19,	508	380	21·2	2	.	3	20	1	3†	14*a*
Prague and Faubourgs,	489,194	„ 5,	201	176	18·8	2	.	1	1	1	2†	5*a*
Trieste, ...	239,703	„ 19,	114	110	23·9	.	.	1	1	1	.	4*a*
Rome, ...	575,091	Dec. 21,	276	241	21·8	3	.	2	.	.	2	11
New York, ...	5,372,983	Apr. 5,	2,678	1,512	14·7	4	.	25	22	5	38†	46*a*
Philadelphia, ...	1,631,960	Mar. 22,	.	535	17·1	1	.	8	3	.	7	7*a*
Boston, ...	735,399	Apr. 19,	.	226(*b*)	16·2	.	.	5	6	1	4	8

* Deaths from "fever," including 7 from enteric fever and 50 from plague in Calcutta, 2 from enteric fever and 140 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 64 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th May, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	1	.	.	.	2	.	4
„ „ 1, West, ...	.	1	.	.	.	.	.	.	2	.	.	1	.	4
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
„ „ 3, ...	.	1	.	.	.	.	.	2	.	.	.	3	.	6
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1, ...	.	3	.	.	19	.	.	.	.	.	.	4	.	26
„ „ 2, ...	.	4	.	.	1	.	.	1	.	.	.	1	.	7
„ „ 3, ...	.	2	.	.	.	.	1	.	1	.	.	1	.	5
„ „ 4, ...	.	1	.	.	2	.	.	1	.	.	.	1	.	5
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	4	.	5
Total, ...	.	15	.	.	23	.	1	6	3	.	.	18	.	66

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th May, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th May.			
	April 19.	April 26.	May 3.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	27	27	24	4	5	1	22
Typhus, ...	10	11	13	.	2	.	11
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	16	16	15	10	3	.	22
Scarlet Fever, ...	77	87	88	24	13	.	99*
Diphtheria, ...	59	66	60	19	20	1	58
Pneumonia, ...	40	33	28	4	11	.	21

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 10th May, 1913:—

"May has opened inauspiciously with a spell of very broken, cold, stormy, wet weather. The atmosphere has been in a very troubled, unstable condition over Northwestern Europe and the adjoining portions of the North Atlantic Ocean. On the other hand the barometer has been high and comparatively steady both in the neighbourhood of the Azores (until Saturday) and over Northern Europe (throughout). In the intervening regions the weather was very unsettled, especially on Thursday and Friday when severe S.E. gales prevailed in Ireland, Wales, and Scotland. The nights were very cold for the time of year—especially at Birr Castle, King's County, at which station the minima in the screen were 37°, 34°, 39°, 36°, 42°, 39° and 43°. Even in the City of Dublin the corresponding readings were as low as 38°, 39°, 41°, 38°, 44°, 42° and 46°. On Monday night a curiously shaped narrow trough of low barometric pressure crossed Ireland in an easterly direction. Its accompanying rainfall was very heavy—·88 inch at Birr, ·72 inch at Roche's Point, Cork, and ·67 inch in Dublin. By Wednesday morning another circular depression reached the West coast of Ireland. This was speedily joined by another system from the Bay of Biscay, and pressure gave way to 29·00 inches at Roche's Point at 7 a.m. of Thursday. A fresh to strong S.E. gale resulted and rain fell in large quantities. At 6 p.m. the disturbance was centred off the Mayo coast, Blacksod Point reporting the low barometer reading of 28·86 inches at that hour. The same depression hovered off the W. and S.W. shores of Ireland to the close of the week, keeping the weather in a changeable showery state until Saturday afternoon, which was fine and dry. Friday evening also was fair. In Dublin the mean height of the barometer was only 29·521 inches, the range being from 29·780 inches at 9 p.m. of Sunday (wind, N.) to 29·063 inches at 1 p.m. of Thursday (wind, S.E.). The corrected mean temperature was 46·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·8°. The screened thermometers fell to 38·2° on Sunday and again on Wednesday, but rose to 57·1° on Saturday. The dominant wind was S.S.E. The rainfall was 1·604 inches on 6 days, ·668 inch being measured on Monday. The Dublin Mountains were snow-clad above the 2,000-feet level on Tuesday morning."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·535 inches. The highest reading (29·786) was on Sunday at 9 p.m., air calm, the lowest (29·186) on Thursday at 9 a.m., wind E.

The mean temperature for the week was 45·4°, being 4·6 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Saturday, on which day the thermometer registered 57°, and was lowest on Wednesday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 46·2° and of the Wet Bulb, 43·7°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 2·025 inches.

At Greenwich the mean temperature for the week was 49·9°, the maximum 63·2°, and the minimum 36·3°; and at Edinburgh the maximum was 57·1°, the minimum 39·7°, and the mean 46·6°. The rainfall at Greenwich measured 0·62 in.; and at Edinburgh 0·49 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1918. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 4,	29·730	55	36	45·5	47·1	43·3	·74	·5	7·4	·000	N.W.	Calm.
Monday, " 5,	29·665	54	33	43·5	46·8	43·5	·79	·7	9·6	·770	Calm.	E.S.E.
Tuesday, " 6,	29·520	47	39	43·0	40·6	39·7	·93	·5	1·7	·160	W.N.W.	S.S.W.
Wednesday, " 7,	29·455	52	32	42·0	44·7	41·9	·81	·5	4·5	·435	S.E.	Calm.
Thursday, " 8,	29·300	53	36	44·5	46·1	43·9	·84	·7	2·8	·575	E.	S.S.E.
Friday, " 9,	29·480	55	42	48·5	48·2	45·2	·79	·7	3·2	·060	E.S.E.	S.S.E.
Saturday, " 10,	29·595	57	45	51·0	50·0	48·3	·88	·7	3·0	·025	S.E.	S.E.
Mean, ...	29·535	53·3	37·6	45·4	46·2	43·7	·83	·6	Total 32·2	Total 2·025	Prevailing Wind, S.E.	

Sunday—A beautiful bright day; night clear. *Monday*—A beautiful bright day till 5 p.m., light and heavy rain 6.20 to 9.0 p.m.; night overcast, drizzling and heavy rain 9.0 p.m. to 9.0 a.m. *Tuesday*—Day cloudy, drizzling and heavy rain 9.0 a.m. to 1.0 p.m.; night cloudy, showers 3.5 to 3.30 a.m. *Wednesday*—Day cloudy, heavy rain at intervals 1.0 to 6.30 p.m.; night cloudy, drizzling and heavy rain 4.0 to 9.0 a.m. *Thursday*—Day cloudy, drizzling and heavy rain 9.0 a.m. to 2.0 p.m. and 6.0 to 6.15 p.m.; night cloudy. *Friday*—Day cloudy, showers at intervals a.m. and p.m.; night cloudy, drizzling rain 5.50 to 6.50 a.m. *Saturday*—Day cloudy, light showers at intervals; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 10th May, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 4,	49·6	49·1	48·4	55	37	46	7·2	—
Monday " 5,	49·8	49·0	48·5	54	37	45·5	10·0	·69
Tuesday, " 6,	41·9	49·0	48·6	46	40	43	0·7	·07
Wednesday, " 7,	50·0	48·7	48·6	52	36	44	3·7	·33
Thursday, " 8,	48·4	48·6	48·6	52	43	47·5	3·8	·42
Friday, " 9,	50·2	48·4	48·6	56	42	49	3·2	·06
Saturday, " 10,	50·7	48·7	48·6	56	45	50·5	3·4	—
Weekly Mean, .	48·7	48·8	48·6	53	40	46·5	Total 32·0	Total 1·57

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 360-45/139. 375. 4. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 17TH MAY, 1913. [No. 20.

General Register Office, Charlemont House,
Dublin, 19*th May,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199 180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending April 26	May 3	May 10	May 17	Average Rate for 4 weeks.
27 Town Districts, (a)	**21·3**	**18·5**	**19·3**	**18·1**	**19·3**
Dublin Reg. Area ...	24·5	16·8	20·4	17·9	19·9
Dublin City ...	26·9	16·6	23·9	17·4	21·2
Belfast	20·4	18·7	17·1	18·2	18·6
Cork	23·8	26·5	23·8	21·1	23·8
Londonderry ...	17·8	16·5	5·1	14·0	13·4
Limerick	16·2	14·9	24·4	9·5	16·3
Waterford	17·1	17·1	20·9	20·9	19·0

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·4 per 1,000. Among the 138 deaths from all causes for Belfast are one from enteric fever, one from measles, 4 from scarlet fever, one from diphtheria, and 3 from diarrhœal diseases. Of the 31 deaths from all causes for Cork one is from measles. One death from enteric fever is included in the 7 deaths from all causes for Limerick. Among the 11 deaths from all causes for Waterford is one from whooping-cough. One of the 4 deaths from all causes for Lisburn is from measles. Included in the 9 deaths from all causes for Newry is one from measles. Of the 13 deaths from all causes for Wexford 5 are from measles, and of the 4 deaths for Kilkenny one is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 200—111 boys and 89 girls—and the deaths to 151—81 males and 70 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·9 per 1,000 of the population. During the twenty weeks, ending with Saturday last, the death-rate averaged 22·4, and was 2·2 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 151, represent an annual rate of 19·5 per 1,000; the annual rate for the past twenty weeks was 23·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Deaths from all causes, registered, included 3 from whooping-cough, one from each of measles and diphtheria, 5 from diarrhœa and enteritis of children under 2 years, and 2 deaths from influenza. In each of the three preceding weeks deaths from whooping-cough were 2, one, and one; deaths from measles were 0, 0, and 0; deaths from diphtheria were one, 2, and 0; deaths from diarrhœa and enteritis of children under 2 years were 5, 3, and 3; and deaths from influenza were 7, 2, and 2.

Tuberculosis, which had accounted for 42, 29, and 34 deaths in each of the 3 preceding weeks caused 33 deaths in the week under notice; the latter figure includes 23 deaths from pulmonary tuberculosis, 3 deaths from tuberculous meningitis, 3 deaths from abdominal tuberculosis, one death from tuberculous disease in a joint, and 3 deaths from disseminated tuberculosis.

Of 12 deaths from pneumonia, 6 were from broncho-pneumonia, one from lobar pneumonia, and 5 from pneumonia (type not distinguished).

There were 6 deaths from cancer.

Among the causes of deaths of infants under one year of age, there were 2 from convulsions, one from a congenital malformation, 3 from premature birth, and 5 from congenital debility.

Twelve deaths were from organic diseases of the heart, and 16 deaths were from bronchitis.

Of 3 accidental deaths 2 were by vehicles and horses.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year of age.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 6 were under one month old) and 34 were aged 65 years and upwards, including 28 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom one (a female) was stated to have been aged 94 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000; the rate in the City was 17·4 (North City Districts, 17·9; South, 16·9) and in the Suburbs, 19·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·6, and in the South 1·8), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include 2 deaths from tuberculous disease, one from pneumonia, and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·5 per 1,000. Pulmonary tuberculosis caused 4 deaths, there was one death from broncho-pneumonia, 3 deaths from bronchitis, 2 deaths from diarrhœa and enteritis of children under 2 years, and 2 deaths from accidental causes.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. The deaths include one from whooping-cough, 4 from tuberculous disease, one from broncho-pneumonia, and one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·8 per 1,000. Among the deaths was one from influenza, 3 from tuberculous disease, one from pneumonia, and one from enteritis of a child under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8, and Finglas and Glasnevin, part of, 9·8. One of the 2 deaths for Finglas and Glasnevin, part of, is from disseminated tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 16·8 per 1,000. Tuberculous disease caused 3 deaths, there was one death from broncho-pneumonia, one death from bronchitis, and one death from diarrhœa of a child under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Pulmonary tuberculosis caused 4 deaths, there was one death from bronchitis, and one death from enteritis of a child under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000, and include one death from diphtheria, 2 deaths from tuberculous disease, 2 deaths from pneumonia, and 4 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 12·6 per 1,000. Whooping-cough caused 2 deaths, there were 2 deaths from pulmonary tuberculosis, and one death from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000. There was no death from any of the principal epidemic diseases or from tuberculosis registered in this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·5; Pembroke, 15·7; Blackrock, 17·1; and Kingstown, 21·5. The only death from any of the principal epidemic diseases tabulated for these districts is one from measles for Blackrock. Among the 16 deaths from all causes for Rathmines and Rathgar are one from influenza and one from pulmonary tuberculosis Of the 9 deaths from all causes for Pembroke 3 are from tuberculous disease, 2 from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia. One of the 3 deaths from all causes for Blackrock is from bronchitis, and there is one accidental death; and of the 7 deaths from all causes for Kingstown there is one each from tuberculosis of the mesenteric glands, broncho-pneumonia, and bronchitis.

* See Columns 10–17 and 23–24 of Table II

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 17th May, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Apr. 26,	.	—	—	18	3	.	10	.	.	1	2	.	—	—	.	—	22	.	56
	May 3,	.	—	—	13	4	.	6	.	.	5	5	1	—	—	.	—	18	.	52
	May 10,	.	—	—	15	.	.	23	.	1	6	3	.	—	—	.	—	18	.	66
	May 17,	.	—	—	18	.	.	9	.	.	.	3	.	—	—	.	—	17	.	47
Rathmines and Rathgar Urban District.	Apr. 26,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	May 3,	.	—	—	1	.	.	5	.	.	1	.	.	—	—	—	—	—	—	7
	May 10,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	May 17,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Apr. 26,	.	2	.	1	.	.	2	.	.	.	.	.	—	.	—	—	.	—	5
	May 3,	.	5	.	1	.	.	1	.	.	.	.	.	—	1	—	—	2	—	10
	May 10,	.	4	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	6
	May 17,	.	13	.	.	.	.	.	.	.	.	.	.	—	4	—	—	.	—	17
Blackrock Urban District.	Apr. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	May 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	May 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	May 17,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Apr. 26,	.	—	—	30	.	.	4	.	1	8	3	2	—	—	—	—	22	—	70
	May 3,	.	—	—	46	.	.	8	.	1	9	8	.	—	—	—	—	14	—	86
	May 10,	.	—	—	57	.	.	5	.	.	3	2	.	—	—	—	—	8	—	75
	May 17,	.	—	—	37	.	.	4	.	.	1	4	1	—	—	—	—	4	—	51

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th May, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of enteric fever was admitted to hospital during the week, 4 were discharged, and 19 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 27, 24, and 22.

One case of typhus was discharged from hospital during the week, and 10 cases remained under treatment at the close of the week.

Nine cases of measles were admitted to hospital during the week, 11 were discharged, and 20 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 16, 15, and 22 respectively.

Twelve cases of scarlet fever were admitted to hospital, 21 were discharged, and 90* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 87, 88, and 99 respectively.

Eight cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 66, 60, and 58 respectively, were 58 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 9 were discharged, there were 2 deaths, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·0), was equal to an average annual death-rate of 12·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow being 17·4, and for Edinburgh 13·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th May. From this Report it appears that of a total of 45 cases notified, 21 were phthisis, 12 scarlet fever, 7 diphtheria, 4 enteric fever, and one erysipelas. Among the 351 cases of infectious diseases in hospital at the close of the week were 111 cases of phthisis, 100 of scarlet fever, 49 of measles, 42 of whooping-cough, 25 of diphtheria, 8 of chicken-pox, 6 of enteric fever, and 2 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 17th May, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 17th May, 1913. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 17th May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ..	1,199,180	19·0	27·9	18·1	1·4	642	416	59	104	3	...	...	10	4	4	2	...	58	28	16	27	51	7	3	9	14	134	13	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total. (c.) ...	403,000	29·3	25·9	17·9	1·4	200	138	24	32	...	...	...	1	...	3	1	...	20	10	6	12	17	5	1	3	2	51	2	e 62	31	50·0	0·44	e 57	32	45·4	2·03	e 59	34	47·1	1·10
City of Dublin,	308,187	39·0	27·7	17·4	1·7	164	103	20	18	...	...	...	...	...	3	1	...	17	8	4	7	15	5	1	2	2	42	2	f 63·1 g 61	41·1 36	52·0 51·0	0·62 0·56	f 57·1 g 56·2	38·2 33·4	46·7 46·2	1·60 1·54	f 58·2 g 58·0	40·1 38·0	48·7 47·9	1·42 1·36
Urban Districts. Rathmines & Rathgar.	38,769	22·6	21·5	21·5	.	16	16	...	10	...	...	...	...	...	...	...	..	1	...	2	...	...	...	...	...	...	5	...	...	...	...	...	..	...	...	...	...	...	...	...	...
Pembroke. ...	29,942	19·0	13·9	15·7	.	8	9	2	2	...	...	...	...	...	...	...	...	2	1	...	4	...	...	...	...	...	4	..	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	11·4	17·1	5·7	2	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	30·8	21·5	.	10	7	2	2	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	60	43	51·2	0·46	55	38	46·8	1·35	59	40	48·2	1·48
Belfast ..	396,000	26·5	29·4	18·2	1·3	223	138	21	16	1	...	...	1	4	...	1	...	25	11	3	12	13	2	1	3	5	43	1	58	37	50·7	0·11	56·0	32·5	46·6	2·09	59·0	34·0	47·0	1·79
Cork, ..	76,673	28·6	29·2	21·1	0·7	43	31	2	8	...	...	...	1	...	...	...	...	6	1	3	1	6	...	...	...	...	13	...	63	43	52·8	0·39	53	40	46·9	1·92	53	41	46·8	1·01
Londonderry...	41,000	15·9	36·9	14·0	.	29	11	1	5	...	...	...	...	...	...	...	...	1	...	1	...	4	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	21·7	9·5	1·4	16	7	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	65·0	41·5	52·4	0·28	54·7	35·8	46·3	1·58	55·0	34·1	46·0	1·48
Waterford, ...	27,464	19·1	24·7	20·9	1·9	13	11	1	3	...	...	...	...	...	1	...	...	2	...	1	...	2	...	...	1	1	6	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5				6	4	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	1	65	45	53	0·51	55	37	46	1·49	55	39	47	0·66
Dundalk, ...	13,128	9·5				6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				6	2	..	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46
Drogheda, ...	12,501	8·4				9	5	...	5	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				5	4	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46
Newry, ...	11,963	17·0				4	9	2	3	...	...	...	1	...	...	...	...	...	1	1	...	1	...	...	...	1	...	1	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46
Portadown, ...	11,727	15·3				12	3	..	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46
Wexford. ...	11,531	22·8				5	13	2	6	...	...	...	5	...	...	...	...	...	1	...	...	2	...	...	...	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				3	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8				2	8	1	4	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	5	1	60	35	50·0	0·28	57	34	46·0	1·60	57	34	46·0	1·54
Kilkenny, ...	10,514	11·4				4	4	...	3	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	1	66	39	52·4	0·35	54	33	46·2	1·64	57	36	47·4	1·72
Tralee, ...	10,300	17·4				9	5	...	3	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	..	2		...	...	..	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				14	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	59	40	49·3	0·07	53	35	46·0	1·16	57	37	46·1	1·60
Queenstown, ...	8,209	14·7				6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	.	63	43	52·8	0·39	53	40	46·9	1·92	53	41	46·8	1·01
Larne, ...	8,036	13·4				9	4	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine. ...	7,785	7·7				.	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				10	6	1	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04	57·2	35·9	47·5	1·46

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 13 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 17th of May, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	4	2	2	.	.	.	2	4	1	2	.	1	2	.	.	20	3
Tuberculous Disease. — Other Forms,	2	.	2	1	.	.	1	1	.	1	.	.	.	1	.	1	10	.
Cancer,	.	1	.	2	.	.	.	.	1	.	.	.	2	.	.	.	6	.
Diseases of Nervous System,	3	1	.	.	.	1	1	.	.	2	.	.	4	1	.	1	14	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	.	1	.	.	.	1	.	1	1	1	3	.	.	2	12	2
" Respiratory System. — Pneumonia,	1	1	1	1	.	.	.	1	.	2	.	.	.	4	.	1	12	.
" Respiratory System. — Others,	2	3	1	.	1	.	.	1	2	4	1	.	.	.	1	1	17	1
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	2	.	1	.	.	.	1	1	.	.	.	.	.	.	.	5	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	1	.	1	.	.	.	2	.	1	.	.	.	1	.	.	6	.
" Genito-urinary System,	.	.	1	.	1	.	.	.	.	.	1	.	2	.	.	1	6	3
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	3	2	.	.	.	.	3	.	3	1	1	3	.	.	.	18	1
Violent Deaths,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Deaths from All Causes	11	20	10	10	2	1	2	13	8	16	8	2	16	9	3	7	138	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	25·5	18·7	14·8	19·2	3·8	9·8	16·8	22·7	19·4	12·6	10·7	21·5	15·7	17·1	21·5	17·9	.
	17·9							16·9					19·2					
	17·4																	
Ages at Death. — Under 1 year,	1	3	4	1	.	.	.	3	.	6	2	.	.	2	.	2	24	1
1 and under 2 years,	.	1	.	1	.	.	.	1	1	2	1	.	.	.	1	.	8	.
2 " 5 "	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	4	.
5 " 15 "	.	.	1	1	.	.	.	1	.	1	.	1	.	.	.	.	5	.
15 " 25 "	1	2	.	1	.	.	.	.	1	1	1	.	.	1	.	.	8	.
25 " 45 "	1	5	2	1	.	.	1	3	1	2	1	.	2	2	2	1	24	8
45 " 65 "	6	6	1	3	1	1	.	1	2	3	1	.	4	2	.	2	33	2
65 and upwards,	2	3	.	2	1	.	1	3	2	1	2	1	10	2	.	2	32	2
Number of Uncertified Deaths,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	1	4	1	.	.	3	1	3	1	1	3	3	.	.	28	13
Workhouse Hospitals,	2	3	1	.	.	.	1	4	5	2	2	.	2	1	.	.	23	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 17th May, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 23, 1903.	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.	May 20, 1911.	May 18, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 50·2	° 49·3	° 50·1	° 46·8	° 47·3	° 50·1	° 50·2	° 51·4	° 49·5	° 49·4	° 49·4	° 50·0										
ALL CAUSES.	173	173	149	169	208	155	176	131	129	149	161·2	151	6	19	8	4	5	8	32	35	18	16
Enteric Fever, ...	2	3	.	.	.	.	4	.	1	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	4	.	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	2	.	2	2	.	.	4	8	2·1	1	.	.	.	.	.	.	1	.	.	.
Scarlet Fever, ...	1	1	.	.	.	.	.	1	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	5	1	.	4	2	4	1	4	2	2·4	3	.	1	1	.	1	.	.	.	.	.
Diphtheria, ...	.	1	.	2	1	2	1	.	1	2	1·0	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	2	.	4	7	5	2	1	.	2·4	2	.	.	.	.	.	.	.	2	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	2	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	.	.	2	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	2	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	24	23	18	16	29	22	17	15	25	17	20·6	23	.	.	.	2	1	4	13	2	1	.
Tuberculous Meningitis, ...	6	4	4	4	5	4	3	1	3	1	3·5	3	.	2	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	1	.	3	1	.	.	1	4	1·3	3	.	.	.	.	1	1	.	1	.	.
Tuberculosis of the Vertebral Column.									1	3		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	2	3	5	12	12	3	8	8	.	.	5·9	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	1		3	.	1	.	.	.	.	1	1	.	.
Venereal Diseases, ...	1	1	3	2	2	.	1	1	1	2	1·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	11	6	15	11	6	6	3	6	7	7·7	6	.	.	.	.	.	.	.	2	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	3	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	2	.	.	.	1	3	1	·7	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	.	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	3	3	—	3	.	.	.	.	1	.	1	.	.	1
Alcoholism, ...	1	1	1	1	1	1	1	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									3	2		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									3	5		4	.	.	.	.	.	.	.	3	1	.
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									2	1		4	.	.	.	.	.	.	.	3	.	1
Epilepsy, ...									.	.		1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),									1	2		2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	39	38	41	42	46	40	41	29	.	.	36·1	4	.	.	.	.	.	.	2	1	.	1
Pericarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									6	15		12	.	.	.	.	1	1	1	4	2	3
Embolism and Thrombosis (including Cerebral)									.	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									1	1		2	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	20	19	14	13	16	21	21	15	14	16	16·9	16	.	1	2	1	.	.	1	6	3	2
Broncho-pneumonia, ...	3	9	3	2	7	4	5	5	7	10	5·5	6	.	2	.	.	.	.	1	1	1	1
Lobar pneumonia, ...	1	.	2	1	5	.	2	2	.	2	1·5	1	.	.	.	.	.	.	.	.	1	.
Pneumonia (type not distinguished)	7	6	3	10	11	10	9	6	5	6	7·3	5	.	1	.	.	.	.	2	2	.	.
Pleurisy, ...									.	1		2	.	.	.	.	.	.	1	.	1	.
Pulmonary Congestion, Pulmonary Apoplexy.	5	2	3	2	3	1	5	1	1	1	2·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	1		.	.	.	.	.	.	.	.	.	.	.

TWENTIETH WEEK ending Saturday, 17th May, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 17th May, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	May 23, 1903.	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.	May 20, 1911.	May 18, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 50·2	° 49·3	° 50·1	° 46·8	° 47·3	° 50·1	° 50·2	° 51·4	° 49·5	° 49·4	° 49·4	° 50·0										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	3	4	—	2	.	1	.	.	.	1	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	2	6	4	2	4	1	2	6	3	1	3·3	5	.	3	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		1	.	.	.	.	.	.	.	1	.	.
Enteritis 2 years and upwards									1	1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—		.	—	1	.	.	1	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	1	2	2	2	1	2	1	.	.	1·3	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	3	.	4	1	2	1	.	.	1	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	5	5	4	8	1	7	3	.	1	3.7	2	.	1	.	.	.	.	.	.	1	.
Acute Nephritis, ...	3	7	5	5	7	7	4	7	.	.	5·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									4	.		7	.	.	.	.	.	.	2	1	3	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									3	.		2	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	2	.	.	1	1	1	1	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	.	—	1	.	.	1	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	2	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	7	2	2	7	2	4	4	4	4	3	3·9	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	2	—	5	1	4	.	.	.	.	.	.	.	.
Old Age, ...	8	8	7	6	3	1	2	3	3	5	4.6	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	.	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	1	1	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	3	2	2	2	2	4	.	.	1	2·0	3	.	.	.	.	.	1	2	.	.	.
Total Deaths from Accident,	5	3	5	4	2	3	4	.	1	3	3·0	3	.	.	.	.	.	1	2	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	.	.	.	.	1	.	.	1	·3	2	.	.	.	.	.	1	1	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	.	.	1	1	.	.	.3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	2	—	1	.	.	.	.	.	.	1	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered.	179	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200
Average Births in corresponding week of previous 10 years, ...	185	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217
DEATHS registered, ...	162	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143	173	151
Annual Death-rate per 1,000, ...	21·1	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5
Average Deaths in corresponding week of previous 10 years, ...	179	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161
Ages, Under 5 years, ...	48	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37
5—15 " ...	4	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5
15—25 " ...	10	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8
25—45 " ...	28	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32
45—65 " ...	37	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35
65—75 " ...	18	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18
75 and upwards, ...	17	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16
Deaths from :—																										
Enteric Fever, ...	1	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1
Scarlet Fever, ...	1	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.	.	.
Whooping-cough, ...	1	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3
Diphtheria, ...	1	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1
Influenza, ...	1	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23
Tuberculous Disease, Other Forms,	10	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10
Cancer, ...	6	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6
Diseases of Circulatory System,	13	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14
Diseases of Respiratory System, Pneumonia	17	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12
Diseases of Respiratory System, Others, ...	19	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18
Diarrhœa and Enteritis, under 2 years, ...	8	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1
Violent Deaths, ...	1	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3
Number of Uncertified Deaths,	6	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2
Mean Temperature of the Air (Phœnix Park)	47·8	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0
Average Mean Temperature in corresponding week of previous 10 years, ...	41·4	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4
Rainfall in inches, ...	·225	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·88	·85	·86	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th May, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH MAY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	19·8	151	37	5	8	32	35	18	16	.	.	.	1	.	3	1	.	23	10	6	2	12	18	5	1	3	66	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10·7	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	16·4	32	3	1	1	11	8	2	6	.	.	.	1	.	.	.	.	3	2	3	.	1	1	.	1	1	19	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	17·8	37	8	2	4	6	9	5	3	.	.	.	.	.	2	1	.	5	2	2	.	2	5	1	.	2	15	.
IV.	GENERAL SERVICE CLASS, ...	167,479	17·4	56	22	1	1	10	8	10	4	.	.	.	.	.	1	.	.	8	3	1	2	9	8	2	.	.	22	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	23	4	1	2	5	8	1	2	.	.	.	.	.	.	.	.	7	2	.	.	.	4	2	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13·3	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	27·4	5	.	.	.	3	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	22·8	11	.	.	.	6	2	1	2	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	1	.	6	.
	6. Clerks and Commercial Assistants, ...	33,249	12·5	8	2	.	1	2	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	12·3	8	1	1	.	.	3	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	14·5	8	2	1	1	.	2	2	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	1	4	.
	10. Clothing Trades, ...	20,026	20·8	8	1	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	4	.
	11. Food Supply Trades	8,952	17·5	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	19·5	12	2	1	2	3	3	1	.	.	.	.	.	.	.	1	.	3	1	.	.	1	1	.	.	1	4	.
	13. Petty Shopkeepers	6,772	23·1	3	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	4·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	15. Domestic Servants, ...	36,041	14·5	10	3	.	.	2	1	4	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	33·9	10	5	.	.	1	3	.	1	.	.	.	.	.	.	.	.	1	.	.	1	3	2	2	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	17·7	35	14	1	1	6	4	6	3	.	.	.	.	.	1	.	.	4	3	.	.	6	5	.	.	.	16	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	23	4	1	2	5	8	1	2	.	.	.	.	.	.	.	.	7	2	.	.	.	4	2	.	.	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases,*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1913 (Est.) 29,908.	Mar. 29,	24·4	.	14	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.
	Apr. 5,	24·4	3·5	14	.	1	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
	„ 12,	22·7	1·7	13	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	1
	„ 19,	20·9	1·7	12	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 26,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	May 3,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	„ 10,	40·1	1·7	23	1	.	.	.	.	.	.	.	6	1	5	2	1	.	.	2	.
	„ 17,	19·2	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1913 (Est.) 40,871.	Mar. 29,	19·1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	4	.	.	.	.
	Apr. 5,	37·0	2·6	29	.	.	.	.	.	.	1	.	4	.	2	1	3	1	.	.	.
	„ 12,	39·5	.	31	.	.	.	.	.	.	.	.	5	1	.	3	6	.	.	.	1
	„ 19,	21·7	3·8	17	.	.	.	.	.	1	.	.	2	.	.	1	.	2	.	1	1
	„ 26,	23·0	1·3	18	.	.	.	.	1	.	.	.	3	.	1	1	4	.	.	1	.
	May 3,	21·7	3·8	17	.	.	.	.	.	.	.	.	2	.	.	1	2	2	1	.	.
	„ 10,	29·3	1·3	23	.	.	.	.	.	.	.	.	2	2	2	1	2	.	1	.	3
	„ 17,	25·5	3·8	20	.	.	.	.	.	.	.	.	4	.	1	1	3	2	1	2	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1913 (Est.) 27,883.	Mar. 29,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.
	Apr. 5,	22·4	1·9	12	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	.	.
	„ 12,	26·2	1·9	14	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	1
	„ 19,	33·7	5·6	18	.	.	.	.	.	.	.	.	2	3	.	1	3	3	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2
	May 3,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 10,	29·9	.	16	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 17,	18·7	1·9	10	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1913 (Est.) 35,185.	Mar. 29,	22·2	3·0	15	.	.	.	.	.	2	.	.	1	1	1	.	1	.	.	.	.
	Apr. 5,	31·1	3 0	21	.	.	.	.	.	.	1	.	5	.	.	.	2	1	.	.	.
	„ 12,	23·7	3·0	16	.	.	.	.	1	.	.	.	3	.	2	2	.	1	.	.	.
	„ 19,	16·3	3·0	11	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1
	„ 26,	40·0	1·5	27	.	.	.	.	.	.	.	.	5	1	3	3	3	1	.	2	.
	May 3,	10·4	.	7	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 10,	20·7	.	14	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	.	1
	„ 17,	14·8	1·5	10	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1913. (Est.) 40,366.	Mar. 29,	28·4	2·6	22	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	1	2
	Apr. 5,	22·0	3·9	17	.	.	.	.	1	.	1	.	3	1	.	1	.	1	.	1	1
	„ 12,	28·4	3·9	22	.	.	.	.	.	2	.	.	3	3	4	.	4	1	.	1	.
	„ 19,	31·0	2·6	24	.	.	.	.	.	2	.	.	5	1	.	3	5	.	.	.	.
	„ 26,	28·4	2·6	22	.	.	.	.	.	.	.	.	5	1	.	.	5	2	.	.	.
	May 3,	20·7	.	16	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
	„ 10,	25·8	2·6	20	.	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	.
	„ 17,	16·8	1·3	13	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
South City, No. 2. (Office, Castle-street.) Pop. in 1913 (Est.) 18,341.	Mar. 29,	37·0	2·8	13	.	.	.	.	.	.	1	.	1	.	2	1	4	.	.	.	.
	Apr. 5,	28·4	2·8	10	.	.	.	.	.	.	.	.	4	.	.	2	.	1	.	.	.
	„ 12,	34·1	2·8	12	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	1	2
	„ 19,	31·3	2·8	11	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	1
	„ 26,	45·5	2·8	16	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1
	May 3,	22·7	2·8	8	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.
	„ 10,	8·5	2·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	„ 17,	22·7	2·8	8	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1913 (Est.) 43,110.	Mar. 29,	32·7	3·6	27	.	.	.	.	.	2	1	.	7	1	1	3	6	.	.	1	.
	Apr. 5,	32·7	1·2	27	.	.	.	.	.	.	.	.	4	3	.	3	3	1	.	1	1
	„ 12,	32·7	1·2	27	.	.	.	.	1	.	.	.	4	1	1	3	3	.	.	.	.
	„ 19,	24·2	1·2	20	.	.	.	.	.	.	.	.	.	2	1	2	3	1	.	1	.
	„ 26,	24·2	.	20	.	.	.	.	.	.	.	.	5	1	2	.	2	.	.	.	1
	May 3,	15·7	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.
	„ 10,	18·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1
	„ 17,	19·4	1·2	16	.	.	.	.	.	.	1	.	1	1	.	2	4	.	.	.	1
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1913 (Est.) 33,171.	Mar. 29,	25·2	1·6	16	.	.	.	.	.	1	.	.	.	1	1	2	5	.	.	.	2
	Apr. 5,	23·6	1·6	15	.	.	.	.	.	1	.	.	3	.	1	2	1	.	.	.	.
	„ 12,	47·2	3·1	30	.	.	.	.	1	.	.	.	1	2	1	1	10	1	.	1	4
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	4
	„ 26,	25·2	1·6	16	.	.	.	.	.	1	.	.	2	1	.	1	3	.	.	.	1
	May 3,	18·9	.	12	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.
	„ 10,	28·3	1·6	18	.	.	.	.	.	1	.	.	2	1	.	1	4	.	.	.	.
	„ 17,	12·6	3·1	8	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*; also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Mar. 29,	20·2	.	15	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	.
	Apr. 5,	18·8	1·3	14	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	1	1
	„ 12,	16·1	1·3	12	.	.	.	.	.	.	1	.	2	.	2	1	1	.	.	.	.
	„ 19,	22·9	1·3	17	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.
	„ 26,	16·1	.	12	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
Pop. in 1913 (Est.) 38,769.	May 3,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 10,	9·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 17,	21·5	.	16	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
Pembroke Urban District.	Mar. 29,	22·6	3·5	13	.	.	.	.	.	.	2	.	.	2	2	1	2	.	.	.	.
	Apr. 5,	26·1	.	15	.	.	.	.	.	.	.	.	4	1	.	2	3	.	.	.	.
	„ 12,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	„ 19,	20·9	5·2	12	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	1
	„ 26,	19·2	3·5	11	.	.	.	.	.	1	1	.	2	.	.	1	1	.	.	.	.
Pop. in 1913 (Est.) 29,942.	May 3,	20·9	3·5	12	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1
	„ 10,	5·2	..	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.
Kingstown Urban District.	Mar. 29,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	Apr. 5,	46·2	.	15	.	.	.	.	.	.	.	.	1	1	1	5	1	.	.	.	1
	„ 12,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1
Pop. in 1911 16,941.	May 3,	24·6	3·1	8	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.
	„ 10,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 17,	21·5	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
Belfast.	Mar. 29,	21·5	1·7	186	.	.	.	8	1	.	1	.	33	4	8	19	22	2	1	9	2
	Apr. 5,	21·2	1·3	161	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	.
	„ 12,	19·6	1·2	149	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	1
	„ 19,	16·9	1·1	128	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	3
Pop. in 1913 (Est.) 396,000.	„ 26,	20·4	1·2	155	.	.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	1
	May 3,	18·7	0·5	142	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	1
	„ 10,	17·1	1·4	130	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	.
	„ 17,	18·2	1·3	138	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	1
Cork.	Mar. 29,	22·4	2·7	33	1	.	.	2	.	.	.	.	2	4	1	3	2	.	1	1	1
	Apr. 5,	18·4	2·0	27	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	2
	„ 12,	24·5	0·7	36	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	1
	„ 19,	22·4	0·7	33	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	2
Pop. in 1911 76,673.	„ 26,	23·8	.	35	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	2
	May 3,	26·5	0·7	39	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	1
	„ 10,	23·8	0·7	35	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	1
	„ 17,	21·1	0·7	31	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.
Londonderry.	Mar. 29,	20·3	.	16	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	Apr. 5,	22·9	.	18	.	.	.	.	.	.	.	.	1	1	2	.	6	.	.	.	.
	„ 12,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.
	„ 19,	12·7	2·5	10	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	.
Pop. in 1913 (Est.) 41,000.	„ 26,	17·8	.	14	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	.
	May 3,	16·5	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 10,	5·1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 17,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.
Limerick.	Mar. 29,	27·1	.	20	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	2
	Apr. 5,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4
	„ 12,	19·0	.	14	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	3
	„ 19,	29·8	.	22	.	.	.	.	.	.	.	.	5	.	.	.	7	.	.	1	2
Pop. in 1911 38,518.	„ 26,	16·2	.	12	.	.	.	.	.	.	.	.	5	.	.	2	2	.	.	.	2
	May 3,	14·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1
	„ 10,	24·4	1·4	18	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3
	„ 17,	9·5	1·4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Waterford.	Mar. 29,	32·3	3·8	17	.	.	.	.	.	2	.	.	4	1	2	.	.	.	.	.	1
	Apr. 5,	24·7	5·7	13	.	.	.	.	.	3	.	.	4	.	.	1	.	.	.	.	2
	„ 12,	20·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	„ 19,	11·4	1·9	6	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
Pop. in 1911 27,464.	„ 26,	17·1	3·8	9	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.
	May 3,	17·1	1·9	9	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 10,	20·9	1·9	11	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	2
	„ 17,	20·9	1·9	11	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	1	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th May, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	4	16·4	.	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	4	.
Do. 2 do.	49,500	24	14·7	1·1	14	2	1	2	2	2	5	.	.	.	.	.	.	.	.	3	1	1	.	.	1	.	.	.	1	.
Do. 3 do.	50,032	33	16·7	2·1	16	3	3	5	.	3	2	.	.	.	.	1	.	.	.	2	2	.	2	2	.	1	.	.	5	.
Do 4 do.	32,637	23	16·0	1·6	10	4	.	.	4	2	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.	.	.	6	.
Do. 5 do.	16,112	9	22·7	.	7	.	1	.	1	4	1	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	1	2	.
Do. 6 do.	37,293	13	15·4	1·4	11	1	1	2	2	3	2	1	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	1	4	1
Do. 7 do.	2,681	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	14	29·9	4·3	14	3	5	.	3	2	1	.	.	.	.	.	.	1	.	1	1	.	1	.	1	.	.	.	5	.
Do. 10 do.	28,958	18	12·6	1·8	7	.	1	.	4	2	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	4	.
Do. 11 do.	39,311	22	14·6	2·7	11	1	1	2	2	3	2	.	.	.	.	2	.	.	.	1	.	1	1	1	.	.	.	.	4	.
Do. 12 do.	38,076	31	28·8	.	22	2	4	2	4	8	2	.	.	.	.	.	.	.	.	3	4	1	1	4	.	.	.	1	6	.
Do. 13 do.	23,233	12	15·7	.	7	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	1	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	15	27·6	.	12	4	1	3	4	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.	.	.	.	.	.
Total,	386,947	223	18·2	1·3	138	21	22	18	27	34	16	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	5	43	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	10	27·1	.	7	.	2	.	2	1	2	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	.	2	.
Do 2 do.	10,701	3	15·0	5·0	3	.	1	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 3 do.	9,978	5	21·3	.	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Do 4 do.	8,666	8	17·1	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do 5 do.	6 592	1	25·0	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do 6 do.	10,702	9	22·5	.	5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	3	.
Do. 7 do.	16,616	7	19·5	.	6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	4	.
Total,	76,122	43	21·1	0·7	31	2	3	3	4	11	8	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.	13	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered, ...	166	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223
DEATHS registered, ...	138	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138
Annual Death-rate per 1,000 of estimated population, ...	18·4	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2
AGES, Under 1 year, ...	18	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21
1—5 years, ...	26	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22
5—25 „ ...	15	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18
25—45 „ ...	18	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27
45—65 „ ...	34	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34
65 and upwards, ...	27	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16
Deaths from :—																										
Enteric Fever, ...	.		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	13	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1
Scarlet Fever, ...	2	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4
Whooping-cough, ...	.	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.
Diphtheria, ...	.	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease. Phthisis, ...	18	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25
Tuberculous Disease. Other Forms,	6	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11
Cancer, ...	5	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4	5	8	4	9	7	8	5	5	3
Diseases of Respiratory System, Pneumonia,	13	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12
Diseases of Respiratory System, Others, ...	23	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13
Diarrhœa and Enteritis, under 2 years, ...	2	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2
Diarrhœa, 2 years and upwards,	1	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1
Violent Deaths, ...	2	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3
Number of Uncertified Deaths, ...	2	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912–3 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	May 17,	2,013	1,038	12·0	.	.	39	1	19	3	23*a*
Edinburgh, ...	320,300	„ 17,	129	81	13·2	1	.	.	1	8	.	1
Glasgow, ...	1,021,500	„ 17,	588	341	17·4	1	.	13	3	18	.	7
Calcutta, ...	896,067	Apr. 5,	.	688	39·9	168*	5	10	.	.	1†	147‡
Bombay, ...	979,445	„ 12,	294	821	43·6	280*	18	6	.	.	.	53
Madras, ...	518,660	„ 19,	327	368	36·9	65*	1	6	?	?	?	97
Cairo, ...	704,956	Feb. 25,	642	461	34·1	1	.	6	1	?	7†	38*a*
Paris, ...	2,847,229	May 3,	949	954	17·1	8	.	35	4	6	8†	24*a*
Brussels, ...	767,252	Apr. 26,	255	186	12·6	.	.	3	.	.	.	12*a*
Antwerp, ...	308,618	May 3,	109	93	15·7	1	.	2	.	3	1	2*a*
Amsterdam, ...	589,645	Apr. 26,	271	150	12·3	1	.	2	.	3	1	2*a*
Copenhagen, ...	468,000	„ 26,	216	163	18·2	.	.	1	2	4	1	3*a*
Stockholm, ...	376,171	„ 26,	146	107	14·8	.	.	.	.	1	.	1
Christiania, ...	247,488	May 3,	113	65	13·7	.	.	.	2	1	2	.
St. Petersburg, ...	1,686,000	Apr. 12,	840	692	21·4	8	2	17	12	6	3	68*a*
Moscow, ...	1,635,800	„ 5,	.	802	25·6	1	2	25	14	6	19†	72
Berlin, ...	2,073,760	„ 12,	720	589	14·8	.	.	.	4	8	7†	22
Hamburg, ...	1,006,748	„ 26,	.	291	15·0	2	.	1	3	4	9†	14*a*
Breslau, ...	537,442	„ 26,	.	190	18·4	.	.	2	2	2	4	10
Munich, ...	622,000	„ 26,	.	190	15·9	.	.	.	1	3	1†	13*a*
Vienna (with suburbs),	2,115,254	May 3,	727	641	15·8	.	.	11	10	9	8†	36*a*
Buda-Pesth, ...	1,102,991	Apr. 26,	465	344	19·2	1	.	6	18	2	6†	12*a*
Prague and Faubourgs,	489,194	„ 12,	193	169	18·0	1	.	.	3	.	2†	4*a*
Trieste, ...	239,703	„ 26,	120	86	18·7	1	1	2	.	.	1†	1*a*
Rome, ...	575,091	Dec. 28,	305	209	18·9	1	.	1	3	2	.	8
		Jan. 4,	345	186	16·9	.	.	2	.	.	1	7
New York, ...	5,372,983	Apr. 12,	2,475	1,460	14·2	1	.	14	16	9	38†	30*a*
Philadelphia, ...	1,631,960	Mar. 29,	.	545	17·4	2	.	12	3	1	12	10*a*
Boston, ...	735,399	Apr. 26,	.	206(*b*)	14·6	.	.	4	5	2	1	7

* Deaths from "fever," including 11 from enteric fever and 96 from plague in Calcutta, 3 from enteric fever and 212 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 97 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th May, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	2	.	.	.	.	3
„ „ 1, West, ...	.	3	.	.	.	.	.	.	1	.	.	3	.	7
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	4	.	4
„ „ 3, ...	.	1	.	.	1	.	.	.	.	.	.	5	.	7
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	4	.	.	3	.	.	.	.	.	.	.	.	7
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	2	.	3
„ „ 3, ...	.	1	.	.	3	.	.	.	.	.	.	2	.	6
„ „ 4, ...	.	4	.	.	1	.	.	.	.	.	.	1	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	18	.	.	9	.	.	.	3	.	.	17	.	47

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th May, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th May.			
	April 26.	May 3.	May 10.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	27	24	22	1	4	.	19
Typhus, ...	11	13	11	.	1	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	16	15	22	9	11	.	20
Scarlet Fever, ...	87	88	99	12	21	.	90*
Diphtheria, ...	66	60	58	8	7	1	58
Pneumonia, ...	33	28	21	8	9	2	18

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 17th May, 1913:—

"Except on Monday, which was a deplorably wet Bank-Holiday in South-Eastern Ireland, Wales, and a considerable part of England, the weather was favourable and vegetation made rapid progress. On Sunday the thermometer rose to 63·1° in the screen in Dublin, but in the evening cirrus cloud spread over the western sky, heralding the approach to the Irish shores of a depression from the Atlantic. This system was centred over Cork and Kerry on Monday morning. Its easterly winds blew freshly along the Leinster coast-line, and rain fell in Dublin to the amount of ·622 inch in connection with the disturbance which finally moved southwards over the Bay of Biscay and dispersed. An area of high barometric pressure (30·4 inches and upwards) covered the Norwegian Sea on Tuesday morning. This system spread gradually southwards over Scotland and Ireland, causing N.E. breezes and very fine, dry and bright weather. English weather, on the other hand, was influenced by shallow depressions lying over France and Spain. It was cool and dry, but stormy along the coast-line of the English Channel—at Portland Bill, Dungeness and Dover gales from N.E. were felt on Thursday. On Friday morning a band of high pressure stretched across Ireland and England from the Atlantic to the North Sea, but a depression was already spreading southwards from the Norwegian Sea and Scandinavia to the North Sea. This system caused a renewal of cool, rather showery weather on Saturday, with brisk N.W. winds. In Dublin the mean height of the barometer was 30·054 inches, the range of pressure being from 29·739 inches at 9 a.m. of Sunday (wind, S.S.W.) to 30·332 inches at 9 p.m. of Wednesday (wind, N.N.E.). The corrected mean temperature was 52·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·8°. On Sunday the screened thermometers rose to 63·1°, on Friday they fell to 41·1°. The prevalent wind was N.E. Rain fell on 3 days to the amount of ·623 inch, of which ·457 inch was measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·074 inches. The highest reading (30·347) was on Tuesday at 9 p.m., air calm, the lowest (29·753) on Sunday at 9 a.m., wind S.S.W.

The mean temperature for the week was 50·0°, being 0·6 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday, on which day the thermometer registered 62°, and was lowest on Friday, the mercury having fallen to 31°. The mean of the Dry Bulb for the week was 49·6° and of the Wet Bulb, 47·0°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·440 inch.

At Greenwich the mean temperature for the week was 53·7°, the maximum 70·6°, and the minimum 39·4°; and at Edinburgh the maximum was 63·6°, the minimum 38·0°, and the mean 46·6°. The rainfall at Greenwich measured 0·05 in.; and at Edinburgh 0·18 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 11,	29·810	62	47	54·5	52·2	48·1	·76	·8	8·8	·080	S.S.W.	S.E.
Monday, " 12,	29·890	56	47	51·5	49·3	48·6	·93	·4	0·0	·360	E.	Calm.
Tuesday, " 13,	30·275	59	48	53·5	52·7	50·6	·86	·4	2·5	·000	N.E.	Calm.
Wednesday, " 14,	30·330	58	40	49·0	50·5	47·6	·81	·4	7·5	·000	N.	N.N.E.
Thursday, " 15,	30·305	53	39	46·0	44·7	42·4	·85	·4	7·7	·000	N.E.	Calm.
Friday, " 16,	30·055	61	31	46·0	49·3	47·0	·84	·4	10·9	·000	Calm.	Calm.
Saturday, " 17,	29·855	57	42	49·5	48·2	44·8	·77	·5	7·2	·000	W.N.W.	W.
Mean, ...	30·074	58·0	42·0	50·0	49·6	47·0	·83	·5	Total 44·6	Total ·440	—	

Sunday—A beautiful bright day; night cloudy, drizzling and heavy rain 6.0 to 9.0 a.m. *Monday*—Day overcast, drizzling and heavy rain 9.0 a.m. to 5.45 p.m.; night overcast. *Tuesday*—Day cloudy, fine; night overcast to clear. *Wednesday*—A fine day, cloudy at intervals; night cloudy. *Thursday*—Day cloudy a.m., bright p.m.; night clear. *Friday*—A beautiful bright day; night cloudy. *Saturday*—A fine day, cloudy at intervals; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 17th May, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 11,	55·9	50·0	48·6	63	47	55	7·5	·147
Monday, " 12,	49·6	51·1	48·7	51	47	49	0·0	·430
Tuesday, " 13,	53·1	51·0	48·9	59	48	53·5	2·7	—
Wednesday, " 14,	51·8	52·0	49·0	59	45	52	8·2	—
Thursday, " 15,	52·0	52·6	49·1	53	45	49	8·5	—
Friday, " 16,	53·7	52·1	49·6	59	40	49·5	10·9	—
Saturday, " 17,	52·7	53·8	49·6	58	46	52	8·5	—
Weekly Mean, .	52·7	51·8	49·1	57·4	45·4	51·4	Total 46·3	Total ·577

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 360-45/139. 375. 4. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED BY ALEX. THOM & Co., LIMITED,
FOR
SIR ROWLAND BAILEY, C.B., M.V.O., the King's Printer of Acts of Parliament.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 24TH MAY, 1913. [No. 21.

General Register Office, Charlemont House,
Dublin, 26th May, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending May 3	May 10	May 17	May 24	Average Rate for 4 weeks.
27 Town Districts, (a)	**18·5**	**19·3**	**18·1**	**19·2**	**18·8**
Dublin Reg. Area ...	16·8	20·4	17·9	21·5	19·2
Dublin City ...	16·6	23·9	17·4	21·7	19·9
Belfast	18·7	17·1	18·2	17·0	17·8
Cork	26·5	23·8	21·1	27·2	24·6
Londonderry ...	16·5	5·1	14·0	11·4	11·8
Limerick	14·9	24·4	9·5	21·7	17·6
Waterford	17·1	20·9	20·9	22·8	20·4

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·3 per 1,000. Among the 129 deaths from all causes for Belfast are 4 from measles, one from diphtheria, and 3 from diarrhœal diseases. Included in the 12 deaths from all causes for Waterford are one from whooping-cough and one from diarrhœa of a child under 2 years. The 7 deaths from all causes for Newry include one from enteric fever and 2 from measles. Three of the 6 deaths from all causes for Wexford are from measles, and one of the 5 deaths from all causes for Larne is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—104 boys and 94 girls—and the deaths to 175—92 males and 83 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·5 per 1,000 of the population. During the twenty-one weeks, ending with Saturday last, the death-rate averaged 22·4, and was 2·1 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 175, represent an annual rate of 22·6 per 1,000; the annual rate for the past twenty-one weeks was 23·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·7 per 1,000 of the mean population for all deaths registered.

The total deaths include one death from each of enteric fever, typhus,* measles, and diphtheria, 2 deaths from whooping-cough, 6 deaths from diarrhœa and enteritis of children under 2 years of age, and 2 deaths from influenza. In each of the three weeks preceding deaths from enteric fever were one, one, and 0; deaths from typhus were 0, 0, and 0; deaths from measles were 0, 0, and one; deaths from diphtheria were 2, 0, and one; deaths from whooping-cough were one, one, and 3; deaths from diarrhœa and enteritis of children under 2 years were 3, 3, and 5; and deaths from influenza were 2, 2, and 2.

Deaths from all forms of tuberculous disease, which had been 29, 34, and 33 respectively in each of the 3 preceding weeks were 30 in the week under notice; the latter figure includes 22 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, one from tuberculosis of the vertebral column, one from tuberculosis of other organs, and 3 from disseminated tuberculosis.

There were 4 deaths from broncho-pneumonia, one from lobar pneumonia, and 8 from pneumonia (type not distinguished).

The deaths of 12 persons were attributed to cancer.

Convulsions caused the deaths of 2 infants under one year of age, there was one death of an infant from a congenital malformation, 2 deaths from premature birth, and 9 deaths from congenital debility.

Organic diseases of the heart caused the deaths of 13 persons, and there were 18 deaths from bronchitis.

There was one death from suicide registered on the certificate of the Coroner.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 7 were under one month old) and 42 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 17 aged 75 and upwards, of whom one (a female) was stated to have been aged 96 years.

Fifty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·5 per 1,000; the rate in the City was 21·7 (North City Districts, 21·4; South, 22·0) and in the Suburbs, 20·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 1·6, and in the South 1·4), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000. Of the deaths one was caused by pneumonia, and there was one suicidal death.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 17·9 per 1,000. Tuberculous disease caused 3 deaths, there was one death from broncho-pneumonia, 3 from bronchitis, and one from diarrhœa of an infant.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Pulmonary tuberculosis caused 4 deaths, broncho-pneumonia one death, and bronchitis 2 deaths.

No. 3 *North City District* (Benburb-street).—The deaths (22) represent an annual rate of 32·6 per 1,000, and include one death from enteric fever, one from influenza, 5 from tuberculous disease, one from pneumonia, one from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·2, and Finglas and Glasnevin, part of, 19·6. The one death registered for Clontarf and Howth, No. 1, part of, is that of a child under 2 years of age from enteritis.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·3 per 1,000. There were 4 deaths from tuberculous disease, one from pneumonia, and 2 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 39·8 per 1,000, and include 2 deaths from tuberculous disease, 2 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 21·8 per 1,000. The deaths include one from whooping-cough, 4 from tuberculous disease, one from lobar pneumonia, 2 from pneumonia, and 2 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. Among the deaths there was one from diphtheria, there were 2 from pulmonary tuberculosis, one from pneumonia, and one from bronchitis.

New Kilmainham District.—There were no deaths registered for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 31·3; Blackrock, 17·1; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of measles and whooping-cough for Pembroke. Of the 12 deaths from all causes for Rathmines and Rathgar 4 are from tuberculous disease. Among the 18 deaths from all causes for Pembroke there is one from each of pulmonary tuberculosis, broncho-pneumonia, and pneumonia, and 2 are from bronchitis. One of the 3 deaths from all causes for Blackrock is from broncho-pneumonia. Included in the 5 deaths from all causes for Kingstown are one from influenza and one from pneumonia.

* See note (c) Table II † See Columns 10–17 and 23–24 of Table II

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 24th May, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 3,	.	—	—	13	4	.	6	.	.	5	5	1	—	—	.	—	18	.	52
	May 10,	.	—	—	15	.	.	23	.	1	6	3	.	—	—	.	—	18	.	66
	May 17,	.	—	—	18	.	.	9	.	.	.	3	.	—	—	.	—	17	.	47
	May 24,	.	—	—	17	1	.	3	.	2	7	3	.	—	—	.	—	14	.	47
Rathmines and Rathgar Urban District.	May 3,	.	—	—	1	.	.	5	.	.	1	.	.	—	—	—	—	—	—	7
	May 10,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	May 17,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	May 24,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	May 3,	.	5	.	1	.	.	1	.	.	.	.	.	—	1	—	—	2	—	10
	May 10,	.	4	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	6
	May 17,	.	13	.	.	.	.	.	.	.	.	.	.	—	4	—	—	.	—	17
	May 24,	.	7	.	4	.	.	.	.	.	1	.	.	—	1	—	—	.	—	13
Blackrock Urban District.	May 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	May 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	May 17,	.	—	—	.	.	.	1	.	.		.	.	—	—	—	—	.	—	1
	May 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	May 3,	.	—	—	46	.	.	8	.	1	9	8	.	—	—	—	—	14	—	86
	May 10,	.	—	—	57	.	.	5	.	.	3	2	.	—	—	—	—	8	—	75
	May 17,	.	—	—	37	.	.	4	.	.	1	4	1	—	—	—	—	4	—	51
	May 24,	.	—	—	37	.	.	2	.	.	7	2	.	—	—	—	—	11	—	59

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th May, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, one was discharged, there were 2 deaths, and 19 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 24, 22, and 19.

One case of typhus was admitted to hospital during the week, 2 were discharged, there was one death, and 8 cases remained under treatment at the close of the week.

Two cases of measles were admitted to hospital during the week, 4 were discharged, and 18 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 15, 22, and 20 respectively.

Twelve cases of scarlet fever were admitted to hospital, 13 were discharged, and 89* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 88, 99, and 90 respectively.

Eight cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 60, 58, and 58 respectively, were 56 at the close of last week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·4), was equal to an average annual death-rate of 13·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 15·9, and for Edinburgh 15·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th May. From this Report it appears that of a total of 53 cases notified, 19 were phthisis, 17 diphtheria, 16 scarlet fever, and one erysipelas. Among the 375 cases of infectious diseases in hospital at the close of the week were 113 cases of phthisis, 100 of scarlet fever, 61 of measles, 42 of whooping-cough, 38 of diphtheria, 6 of enteric fever, 5 of chicken-pox, and 2 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 24th May, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 24th May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	26·1	19·2	1·3	601	442	67	115	2	...	...	10	...	4	2	...	62	26	19	33	46	11	1	11	21	124	11	...	...	..	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	25·6	21·5	1·4	198	166	28	41	1	...	...	1	...	2	1	...	21	8	12	13	20	6	...	1	5	48	3	e 66	38	52·8	0·22	e 62	31	50·0	0·44	e 57	32	45·4	2·03
CITY OF DUBLIN,	308,187	39·0	28·4	21·7	1·5	168	128	23	26	1	...	...	...	...	1	1	...	17	7	9	9	17	6	...	1	4	40	2	f 67·2 g 68·9	41·2 39·2	54·1 54·0	0·24 0·15	f 63·1 g 61	41·1 36	52·0 51·0	0·62 0·56	f 57·1 g 56·2	38·2 33·4	46·7 46·2	1·60 1·54
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	10·8	16·1	.	8	12	...	5	...	...	...	...	...	...	...	..	3	1	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	..	...	...	...
PEMBROKE. ...	29,942	19·0	17·4	31·3	3·5	10	18	4	5	...	...	...	1	...	1	...	...	1	...	2	2	2	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	17·1	17·1	.	3	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	27·7	15·4	.	9	5	1	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	...	65	41	53·4	0·10	60	43	51·2	0·46	55	38	46·8	1·35
Urban Districts. BELFAST ..	396,000	26·5	27·4	17·0	1·1	208	129	23	31	...	...	...	4	...	...	1	...	25	8	3	11	10	2	1	3	7	30	1	62	36	50·1	0·74	58	37	50·7	0·11	56·0	32·5	46·6	2·09
CORK, ..	76,673	28·6	26·5	27·2	.	39	40	...	13	...	...	...	...	...	...	...	...	8	1	2	4	5	...	...	...	1	20	...	59	45	51·3	0·53	63	43	52·8	0·39	53	40	46·9	1·92
LONDONDERRY...	41,000	15·9	35·6	11·4	.	28	9	...	5	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	16·2	21·7	1·4	12	16	3	4	...	...	...	...	...	...	...	...	2	...	...	1	3	1	..	...	1	6	2	64·3	40·1	52·7	0·34	65·0	41·5	52·4	0·28	54·7	35·8	46·3	1·58
WATERFORD, ...	27,464	19·1	17·1	22·8	3·8	9	12	2	3	...	...	...	...	...	1	...	...	2	1	...	...	...	1	...	2	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				8	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	62	44	53	0·72	65	45	53	0·51	55	37	46	1·49
DUNDALK, ...	13,128	9·5				4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				7	5	..	2	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	1	1	3	...	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04
DROGHEDA, ...	12,501	8·4				4	10	2	2	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				6	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	..	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04
NEWRY. ...	11,963	17·0				1	7	2	...	1	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04
PORTADOWN, ...	11,727	15·3				9	1	..	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04
WEXFORD. ...	11,531	22·8				10	6	...	2	...	...	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8				3	6	1	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	2	2	68	40	52·0	0·89	60	35	50·0	0·28	57	34	46·0	1·60
KILKENNY, ...	10,514	11·4				8	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	...	66	40	54·1	0·30	66	39	52·4	0·35	54	33	46·2	1·64
TRALEE. ...	10,300	17·4				7	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				7	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	68	38	51·0	0·38	59	40	49·3	0·07	53	35	46·0	1·16
QUEENSTOWN, ...	8,209	14·7				2	2	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	59	45	51·3	0·53	63	43	52·8	0·39	53	40	46·9	1·92
LARNE, ...	8,036	13·4				6	5	2	...	...	...	...	...	...	1	...	...	...	1	..	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				9	4	1	2	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				1	3	...	...	...	...	...	...	...	...	..	...	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				.	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28	56·0	33·9	45·4	2·04

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 9 deaths of persons (including one at 65 years) admitted to hospital from localities outside the Area; one of the 9 deaths was from typhus.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 24th of May, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	2	4	4	.	.	.	2	.	3	2	.	3	1	.	.	21	1
Tuberculous Disease. Other Forms,	.	1	.	1	.	.	.	2	2	1	.	.	1	.	.	.	8	.
Cancer,	.	1	.	2	.	.	.	3	.	2	1	.	1	2	.	.	12	.
Diseases of Nervous System,	.	1	2	1	.	1	1	.	1	2	2	.	4	1	.	.	16	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Circulatory System,	.	.	.	.	.	2	1	4	2	1	.	.	1	3	1	2	17	1
" Respiratory System. Pneumonia,	1	1	1	1	.	.	.	1	.	3	1	.	.	2	1	1	13	.
" Respiratory System. Others,	1	4	2	1	.	2	.	2	2	2	1	.	.	2	1	.	20	2
" Digestive System. Diarrhœa and Enteritis, under 2 years,	.	1	.	2	1	.	.	.	2	.	.	.	.	.	.	.	6	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	1	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	5	.
" Genito-urinary System,	1	1	1	3	.	.	1	.	4	.	1	.	1	.	.	.	13	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	4	.	2	3	.	.	.	2	1	3	2	.	.	3	.	1	21	.
Violent Deaths,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	2	.	.	.	.	1	1	.	.	5	.
Deaths from All Causes	9	14	12	22	1	5	4	18	14	18	11	.	12	18	3	5	166	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·7	17·9	22·4	32·6	9·6	19·2	19·6	23·3	39·8	21·8	17·3	.	16·1	31·3	17·1	15·4	21·5	.
	21·4							22·0					20·9					
	21·7																	
Ages at Death. Under 1 year,	1	3	1	4	1	1	.	2	4	5	1	.	.	4	.	1	28	.
1 and under 2 years,	.	.	.	2	.	.	.	.	2	.	1	.	.	2	.	.	7	.
2 " 5 "	1	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	.
5 " 15 "	1	.	1	1	.	.	1	1	1	1	.	.	.	1	.	.	8	1
15 " 25 "	.	1	1	1	.	.	.	2	.	.	1	.	.	.	.	.	6	.
25 " 45 "	2	2	2	5	.	1	3	1	.	4	2	.	3	2	.	.	27	3
45 " 65 "	2	4	4	4	.	3	.	5	6	3	4	.	4	4	1	1	45	4
65 and upwards,	2	3	3	5	.	.	.	7	1	4	1	.	5	5	2	3	41	1
Number of Uncertified Deaths,	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	2	2	3	.	.	2	2	2	5	3	.	.	2	1	.	24	8
Workhouse Hospitals,	.	2	2	4	.	.	.	3	2	3	3	.	2	1	.	2	24	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday May 30, 1903.	May 28, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.	May 28, 1910.	May 27, 1911.	May 25, 1912.	Averages in 21st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 24th May, 1913. —	Deaths of Persons of the Ages of Under 1 month.	1 month and under 1 year. (0—5.)	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 53·3	° 50·5	° 50·5	° 47·3	° 45·0	° 52·8	° 53·8	° 55·1	° 55·3	° 48·4	° 51·2	° 52·8										
ALL CAUSES.	170	163	143	173	203	176	175	160	158	154	167·5	175	7	21	7	4	9	6	30	49	25	17
Enteric Fever, ...	1	1	1	.	1	.	2	1	1	.	·8	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	6	1	.	.	6	9	2·3	1	.	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	2	.	.	.	1	.	.	2	1	·8	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	4	1	3	10	1	6	.	1	2	3·0	2	.	1	1	.	.	.	.	.	.	.
Diphtheria, ...	.	.	1	.	.	.	4	.	.	1	·6	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	.	.	1	2	2	.	2	2	1·2	2	.	.	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	2	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	1	1	.	1	1	1	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	29	26	33	22	27	26	18	14	22	20	23·7	22	.	.	.	.	.	2	12	6	2	.
Tuberculous Meningitis, ...	5	6	1	.	4	6	5	3	5	2	3·7	2	.	.	1	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	5	5	1	2	2	1	1	3	3	3	2·6	1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	1		1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of Joints, ...	4	8	6	5	11	5	7	5	.	.	5·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									1	2		1	.	.	1	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									.	1		3	.	2	1	.	.	.	.	.	.	.
Venereal Diseases, ...	.	1	3	1	.	1	.	1	1	1	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	13	6	5	8	11	14	11	10	11	5	9·4	12	.	.	.	.	.	.	2	5	3	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	2	.	.	.	.	.	.	1	.	·3	1	.	1	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	.	2	3	1	.	2	1	2	1·2	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	2	.	.	.	.	1	.	.	1	.	.
Alcoholism, ...	.	.	1	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	2	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	2		2	.	1	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									7	5		6	.	.	.	.	.	.	.	5	1	.
Softening of Brain, ...									.	1		1	.	.	.	.	.	.	.	.	.	1
Paralysis, without specified cause.									2	4		2	.	.	.	.	.	.	1	.	.	1
Epilepsy, ...									.	.		2	.	.	.	.	1	.	.	1	.	.
Convulsions (non-puerperal),									5	5		2	1	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	39	36	38	48	33	45	38	41	5	5	39·2	3	.	.	.	.	.	.	.	1	1	1
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		4	.	.	.	.	.	.	1	2	1	.
Organic Diseases of the Heart,									18	11		13	.	.	.	.	.	.	2	8	2	1
Embolism and Thrombosis (including Cerebral)									1	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									.	2		1	.	.	.	.	.	.	.	.	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	1	1	.	.	.	.	.	.	.	.	.
Bronchitis, ...	11	14	9	23	22	14	19	15	14	12	15·3	18	.	1	.	.	1	1	.	7	3	5
Broncho-pneumonia, ...	2	4	4	3	8	1	7	3	3	6	4·1	4	.	1	1	.	.	.	.	.	2	.
Lobar pneumonia, ...	1	2	.	2	4	.	.	.	.	.	·9	1	.	.	.	.	.	.	.	.	.	1
Pneumonia (type not distinguished)	7	7	5	8	13	10	10	5	3	6	7·4	8	.	.	.	1	2	1	1	3	.	.
Pleurisy, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	6	2	1	3	1	2	.	3	.	1	2·1	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.									.	1		2	.	.	.	.	.	.	2	.	.	.

TWENTY-FIRST WEEK ending Saturday, 24th May, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 24th May, 1913.									
												—	Deaths of Persons of the Ages of								
													0—5.								
	May 30, 1903.	May 28, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.	May 28, 1910.	May 27, 1911.	May 25, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 53·3	° 50·5	° 50·5	° 47·3	° 45·0	° 52·8	° 53·8	° 55·1	° 55·3	° 48·4	° 51·2	° 52·8										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	3	3	—	2	.	.	.	1	.	.	.	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	4	2	2	4	1	5	2	4	3	4	3·3	6	.	5	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	3	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	1	.	.	1	3	.	3	2	1	1·2	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Liver, ...	2	.	.		1	.	.	3	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	1	2	.	.	.	1	1	.	·5	1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	6	6	3	9	2	10	5	7	2	1	5·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									.	1		3	.	.	.	.	1	1	1	.	.	.
Chronic Bright's Disease, ...									4	3		10	.	.	.	.	.	.	5	4	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	5	1	6	8	6	7	6	.	.	5·4	1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									3	.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	1	1	1	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	3	—	1	.	.	1	.	.	.	.	.	.	.
Premature Birth, ...	3	5	7	2	6	2	6	8	4	3	4·6	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	.	—	9	2	7	.	.	.	.	.	.	.	.
Old Age, ...	3	4	2	1	4	3	3	2	4	2	2.8	4	.	.	.	.	.	.	.	.	3	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	2	—	2	1	.	.	.	.	.	.	.	1	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	1	2	1	2	1	.	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	4	.	1	2	1	.	.	.	2	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	1	3	1	2	2	4	2	2	1	2·1	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	8	2	5	5	4	6	5	2	5	2	4·4	.	.	.	.	.	.	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	2	.	3	1	1	.	1	1	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	1	.	.	1	.	.	1	.	.	4	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	3	—	5	.	.	.	.	.	.	.	1	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered.	197	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198
Average Births in corresponding week of previous 10 years, ...	209	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211
DEATHS registered, ...	158	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175
Annual Death-rate per 1,000, ...	20·6	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6
Average Deaths in corresponding week of previous 10 years, ...	186	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168
Ages, Under 5 years, ...	36	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39
5—15 „ ...	7	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9
15—25 „ ...	6	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6
25—45 „ ...	31	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30
45—65 „ ...	36	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49
65—75 „ ...	27	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25
75 and upwards, ...	15	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17
Deaths from :—																										
Enteric Fever, ...	2	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Scarlet Fever, ...	1	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.
Whooping-cough, ...	.	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2
Diphtheria, ...	.	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1
Influenza, ...	2	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	24	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22
Tuberculous Disease, Other Forms,	11	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8
Cancer, ...	8	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12
Diseases of Circulatory System,	15	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18
Diseases of Respiratory System, Pneumonia	10	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13
Diseases of Respiratory System, Others, ...	20	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22
Diarrhœa and Enteritis, under 2 years, ...	2	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.
Violent Deaths, ...	2	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1
Number of Uncertified Deaths,	4	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3
Mean Temperature of the Air (Phœnix Park)	36·7	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8
Average Mean Temperature in corresponding week of previous 10 years, ...	42·1	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2
Rainfall in inches, ...	·790	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·85	·86	·85	·88	·84	·88	·90	·92	·87	·86	95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS of SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the week ending Saturday, 24th May, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH MAY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	22·9	175	39	9	6	30	49	25	17	1	1	.	1	.	2	1	.	22	8	12	2	13	22	6	.	1	83	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	21·3	6	.	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	..	1	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	101,798	19·5	38	2	4	.	8	9	7	8	.	.	.	.	.	.	.	.	3	1	2	.	4	10	.	.	.	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	22·6	47	11	3	2	9	15	6	1	1	.	.	.	.	.	.	.	6	4	4	.	2	5	1	.	1	23	1
IV.	GENERAL SERVICE CLASS, ...	167,479	18·4	59	21	2	4	6	14	6	6	.	1	.	1	.	2	1	.	7	1	4	2	5	5	3	.	.	27	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	25	5	.	.	6	10	3	1	.	.	.	.	.	.	.	.	6	2	1	.	1	2	2	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19·2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	16·6	8	.	2	.	2	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	18·8	12	2	.	.	3	2	2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	4	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	24·7	16	.	2	.	2	6	3	3	.	.	.	.	.	.	.	.	2	1	1	.	2	3	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	26·6	6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	4	1
	9. Building and Furnishing Trades, ...	28,823	21·7	12	2	1	.	4	3	2	.	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	7	.
	10. Clothing Trades, ...	20,026	13·0	5	3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	3	.
	11. Food Supply Trades	8,952	17·5	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	22·8	14	2	1	.	2	6	3	.	.	.	.	.	.	.	.	.	.	2	3	.	.	3	.	.	1	5	.
	13. Petty Shopkeepers	6,772	53·9	7	2	.	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,041	14·5	10	3	.	1	.	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	7	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	13·6	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	21·8	43	17	2	3	5	9	4	3	.	1	.	1	.	2	1	.	6	1	2	2	5	3	2	.	.	17	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	25	5	.	.	6	10	3	1	.	.	.	.	.	.	.	.	6	2	1	.	1	2	2	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Apr. 5,	24·4	3·5	14	.	1	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
	„ 12,	22·7	1·7	13	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	1
	„ 19,	20·9	1·7	12	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 26,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	May 3,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	„ 10,	40·1	1·7	23	1	.	.	.	.	.	.	.	6	1	5	2	1	.	.	2	.
	„ 17,	19·2	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	1
	„ 24,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Apr. 5,	37·0	2·6	29	.	.	.	.	.	.	1	.	4	.	2	1	3	1	.	.	.
	„ 12,	39·5	.	31	.	.	.	.	.	.	.	.	5	1	.	3	6	.	.	.	1
	„ 19,	21·7	3·8	17	.	.	.	.	.	1	.	.	2	.	.	1	.	2	.	1	1
	„ 26,	23·0	1·3	18	.	.	.	.	1	.	.	.	3	.	1	1	4	.	.	1	.
	May 3,	21·7	3·8	17	.	.	.	.	.	.	.	.	2	.	.	1	2	2	1	.	.
	„ 10,	29·3	1·3	23	.	.	.	.	.	.	.	.	2	2	2	1	2	.	1	.	3
	„ 17,	25·5	3·8	20	.	.	.	.	.	.	.	.	4	.	1	1	3	2	1	2	.
	„ 24,	17·9	1·3	14	.	.	.	.	.	.	.	.	2	1	1	1	4	1	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Apr. 5,	22·4	1·9	12	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	.	.
	„ 12,	26·2	1·9	14	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	1
	„ 19,	33·7	5·6	18	.	.	.	.	.	.	.	.	2	3	.	1	3	3	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2
	May 3,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 10,	29·9	.	16	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 17,	18·7	1·9	10	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	.
	„ 24,	22·4	.	12	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Apr. 5,	31·1	3·0	21	.	.	.	.	.	.	1	.	5	.	.	.	2	1	.	.	.
	„ 12,	23·7	3·0	16	.	.	.	.	1	.	.	.	3	.	2	2	.	1	.	.	.
	„ 19,	16·3	3·0	11	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1
	„ 26,	40·0	1·5	27	.	.	.	.	.	.	.	.	5	1	3	3	3	1	.	2	.
	May 3,	10·4	.	7	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 10,	20·7	.	14	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	.	1
	„ 17,	14·8	1·5	10	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.
	„ 24,	32·6	4·4	22	1	.	.	.	.	.	.	.	4	1	2	1	1	2	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Apr. 5,	22·0	3·9	17	.	.	.	.	1	.	1	.	3	1	.	1	.	1	.	1	1
	„ 12,	28·4	3·9	22	.	.	.	.	.	2	.	.	3	3	4	.	4	1	.	1	.
	„ 19,	31·0	2·6	24	.	.	.	.	.	2	.	.	5	1	.	3	5	.	.	.	.
	„ 26,	28·4	2·6	22	.	.	.	.	.	.	.	.	5	1	.	.	5	2	.	.	.
	May 3,	20·7	.	16	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
	„ 10,	25·8	2·6	20	.	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	.
	„ 17,	16·8	1·3	13	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
	„ 24,	23·3	.	18	.	.	.	.	.	.	.	.	2	2	3	1	2	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Apr. 5,	28·4	2·8	10	.	.	.	.	.	.	.	.	4	.	.	2	.	1	.	.	.
	„ 12,	34·1	2·8	12	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	1	2
	„ 19,	31·3	2·8	11	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	1
	„ 26,	45·5	2·8	16	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1
	May 3,	22·7	2·8	8	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.
	„ 10,	8·5	2·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	„ 17,	22·7	2·8	8	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.
	„ 24,	39·8	5·7	14	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 48,110.	Apr. 5,	32·7	1·2	27	.	.	.	.	.	.	.	.	4	3	.	3	3	1	.	1	1
	„ 12,	32·7	1·2	27	.	.	.	.	1	.	.	.	4	1	1	3	3	.	.	.	.
	„ 19,	24·2	1·2	20	.	.	.	.	.	.	.	.	.	2	1	2	3	1	.	1	.
	„ 26,	24·2	.	20	.	.	.	.	.	.	.	.	5	1	2	.	2	.	.	.	1
	May 3,	15·7	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.
	„ 10,	18·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1
	„ 17,	19·4	1·2	16	.	.	.	.	.	.	1	.	1	1	.	2	4	.	.	.	1
	„ 24,	21·8	1·2	18	.	.	.	.	.	1	.	.	3	1	2	3	2	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Apr. 5,	23·6	1·6	15	.	.	.	.	.	1	.	.	3	.	1	2	1	.	.	.	.
	„ 12,	47·2	3·1	30	.	.	.	.	1	.	.	.	1	2	1	1	10	1	.	1	4
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	4
	„ 26,	25·2	1·6	16	.	.	.	.	.	1	.	.	2	1	.	1	3	.	.	.	1
	May 3,	18·9	.	12	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.
	„ 10,	28·3	1·6	18	.	.	.	.	.	1	.	.	2	1	.	1	4	.	.	.	.
	„ 17,	12·6	3·1	8	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Apr. 5,	18·8	1·3	14	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	1	1
	„ 12,	16·1	1·3	12	.	.	.	.	.	.	1	.	2	.	2	1	1	.	.	.	.
	„ 19,	22·9	1·3	17	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.
	„ 26,	16·1	.	12	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	May 3,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 10,	9·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 17,	21·5	.	16	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 24,	16·1	.	12	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Apr. 5,	26·1	.	15	.	.	.	.	.	.	.	.	4	1	.	2	3	.	.	.	.
	„ 12,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	„ 19,	20·9	5·2	12	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	1
	„ 26,	19·2	3·5	11	.	.	.	.	.	1	1	.	2	.	.	1	1	.	.	.	.
	May 3,	20·9	3·5	12	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1
	„ 10,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.
	„ 24,	31·3	3·5	18	.	.	.	1	.	1	.	.	1	.	2	2	2	.	.	.	1
Kingstown Urban District. Pop. in 1911 16,941.	Apr. 5,	46·2	.	15	.	.	.	.	.	.	.	.	1	1	1	5	1	.	.	.	1
	„ 12,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1
	May 3,	24·6	3·1	8	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.
	„ 10,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 17,	21·5	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Apr. 5,	21·2	1·3	161	.	.	.	2	2	.	2	.	10	4	4	26	38	4	.	5	.
	„ 12,	19·6	1·2	149	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	1
	„ 19,	16·9	1·1	128	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	3
	„ 26,	20·4	1·2	155	.	.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	1
	May 3,	18·7	0·5	142	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	1
	„ 10,	17·1	1·4	130	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	.
	„ 17,	18·2	1·3	138	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	1
	„ 24,	17·0	1·1	129	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	1
Cork. Pop. in 1911 76,673.	Apr. 5,	18·4	2·0	27	.	.	.	2	.	.	.	.	3	1	.	2	5	.	1	.	2
	„ 12,	24·5	0·7	36	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	1
	„ 19,	22·4	0·7	33	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	2
	„ 26,	23·8	.	35	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	2
	May 3,	26·5	0·7	39	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	1
	„ 10,	23·8	0·7	35	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	1
	„ 17,	21·1	0·7	31	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.
	„ 24,	27·2	.	40	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Apr. 5,	22·9	.	18	.	.	.	.	.	.	.	.	1	1	2	.	6	.	.	.	.
	„ 12,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.
	„ 19,	12·7	2·5	10	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	.
	„ 26,	17·8	.	14	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	.
	May 3,	16·5	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 10,	5·1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 17,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.
	„ 24,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1
Limerick. Pop. in 1911 38,518.	Apr. 5,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4
	„ 12,	19·0	.	14	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	3
	„ 19,	29·8	.	22	.	.	.	.	.	.	.	.	5	.	.	.	7	.	.	1	2
	„ 26,	16·2	.	12	.	.	.	.	.	.	.	.	5	.	.	2	2	.	.	.	2
	May 3,	14·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1
	„ 10,	24·4	1·4	18	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3
	„ 17,	9·5	1·4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	„ 24,	21·7	1·4	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	2
Waterford. Pop. in 1911 27,464.	Apr. 5,	24·7	5·7	13	.	.	.	.	.	3	.	.	4	.	.	1	.	.	.	.	2
	„ 12,	20·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	„ 19,	11·4	1·9	6	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 26,	17·1	3·8	9	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.
	May 3,	17·1	1·9	9	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 10,	20·9	1·9	11	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	2
	„ 17,	20·9	1·9	11	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	1	1
	„ 24,	22·8	3·8	12	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	2	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th May, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate*: Certain Epidemic Diseases.†	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	26·3	.	8	3	.	1	1	1	2	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.	1
Do. 2 do.	49,500	16	15·8	2·1	15	.	2	4	5	2	2	.	.	.	1	.	.	.	.	7	.	.	2	.	.	1	.	.	5	.
Do. 3 do.	50,032	37	17·7	1·0	17	4	3	2	4	.	4	.	.	.	1	.	.	.	.	2	1	.	2	2	.	.	1	1	6	.
Do 4 do.	32,637	20	19·2	.	12	1	2	2	2	1	4	.	.	.	.	.	.	.	.	3	.	.	1	3	.	.	.	.	5	.
Do. 5 do.	16,112	5	16·2	.	5	.	1	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	1	2	.
Do. 6 do.	37,293	15	14·0	.	10	2	.	1	.	3	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	13	25·6	.	12	2	.	1	4	1	4	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.	.	.
Do. 10 do.	28,958	16	25·2	1·8	14	2	2	2	4	.	4	.	.	.	1	.	.	.	.	4	1	1	1	1	.	.	.	2	1	.
Do. 11 do.	39,311	22	11·9	1·3	9	5	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
Do. 12 do.	38,076	26	13·7	1·4	10	2	3	.	2	2	1	.	.	.	.	.	.	1	.	.	1	.	2	1	.	.	.	1	3	.
Do. 13 do.	23,233	14	13·5	.	6	1	1	1	3	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	1	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	23·0	4·6	11	1	2	2	.	4	2	.	.	.	1	.	.	.	.	1	2	.	.	1	1	.	.	.	6	.
Total,	386,947	208	17·0	1·1	129	23	16	16	28	15	31	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	7	30	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	15·5	.	4	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,701	11	20·1	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	4	.
Do 3 do.	9,978	3	10·6	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do 4 do.	8,666	3	28·5	.	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	3	.
Do 5 do.	6 592	2	16·7	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do 6 do.	10,702	6	36·0	.	8	.	.	.	4	3	1	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	3	.
Do. 7 do.	16,616	9	48·7	.	15	.	3	.	5	3	4	.	.	.	.	.	.	.	.	3	.	1	2	1	.	.	.	.	9	.
Total,	76,122	39	27·2	.	40	.	3	3	12	9	13	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	1	20	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered, ...	174	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208
DEATHS registered, ...	139	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129
Annual Death-rate per 1,000 of estimated population, ...	18·5	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0
AGES, Under 1 year, ...	22	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23
1—5 years, ...	22	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16
5—25 „ ...	18	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16
25—45 „ ...	15	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28
45—65 „ ...	31	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15
65 and upwards, ...	31	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31
Deaths from :—																										
Enteric Fever, ...		.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	15	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4
Scarlet Fever, ...	.	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.
Whooping-cough, ...	.	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.
Diphtheria, ...	2	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculous Disease. Phthisis, ...	13	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25
Tuberculous Disease. Other Forms,	7	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8
Cancer, ...	7	10	8	8	2	5	5	4	5	4	5	7	8	5	3	4	5	8	4	9	7	8	5	5	3	3
Diseases of Respiratory System, Pneumonia,	8	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11
Diseases of Respiratory System, Others, ...	20	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10
Diarrhœa and Enteritis, under 2 years, ...	5	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2
Diarrhœa, 2 years and upwards,	1	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1
Violent Deaths, ...	4	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3
Number of Uncertified Deaths, ...	2	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	May 24,	2,329	1,157	13·4	1	.	42	4	22	7	15*a*
Edinburgh, ...	320,300	„ 24,	119	95	15.5	.	.	.	.	5	.	.
Glasgow, ...	1,021,500	„ 24,	556	312	15.9	.	.	14	1	14	3	7
Calcutta, ...	896,067	Apr. 12,	.	631	36·6	134*	5	18	.	.	1†	145‡
Bombay, ...	979,445	„ 19,	290	874	46·4	298*	15	14	.	.	1†	58‡
Madras, ...	518,660	„ 26,	353	372	37·3	74*	1	5	?	?	?	89
Cairo, ...	710,514	Mar. 4,	657	401	29·4	1	.	11	.	?	5†	34*a*
Paris, ...	2,847,229	May 10,	948	913	16·4	5	.	21	3	5	5†	18*a*
Brussels, ...	767,252	„ 3,	244	183	12·4	1	.	3	.	1	.	9*a*
Antwerp, ...	312,884	„ 10,	129	71	11·8	.	.	3	.	4	2†	11*a*
Amsterdam, ...	589,645	„ 3,	266	156	13·1	2	.	3	.	2	.	2*a*
Copenhagen, ...	468,000	„ 3,	196	137	15·3	.	.	1	1	7	1	3*a*
Stockholm, ...	376,171	„ 3,	132	82	11·3	.	1	.	.	1	.	2
Christiania, ...	247,488	„ 10,	118	58	12·2	.	.	.	.	.	2	3
St. Petersburg, ...	1,686,000	Apr. 19,	849	703	21·7	7	.	13	9	2	4	70*a*
Moscow, ...	1,635,800	„ 12,	.	777	24·8	1	.	27	20	7	11†	66
Berlin, ...	2,072,141	„ 19,	763	589	14·8	.	.	4	4	4	12†	22
Hamburg, ...	1,006,748	May 3,	.	319	16·5	2	.	4	3	7	4†	18
Breslau, ...	537,442	„ 3,	.	226	21·9	.	.	2	1	1	2	14
Munich, ...	622,000	„ 3,	.	186	15·6	.	.	.	1	4	.	11*a*
Vienna (with suburbs),	2,115,254	„ 10,	680	702	17·3	2	.	12	7	5	9†	57*a*
Buda-Pesth, ...	1,102,991	„ 3,	426	355	19·8	.	.	13	12	1	6†	9*a*
Prague and Faubourgs,	489,194	Apr. 19,	177	197	21·0	2	.	1	.	2	2†	9*a*
Trieste, ...	239,703	May 3,	142	93	20·2	.	.	.	.	2	1†	3*a*
Rome, ...	575,091	Jan. 11,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Apr. 19,	2,630	1,567	15·2	5	.	23	25	7	36†	44*a*
Philadelphia, ...	1,631,960	„ 5,	.	517	16·5	1	.	11	4	1	4	14*a*
Boston, ...	735,399	May 3,	.	200(*b*)	14·2	.	.	1	3	5	3	11

* Deaths from "fever," including 13 from enteric fever and 62 from plague in Calcutta, 3 from enteric fever and 240 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 61 deaths from cholera in Calcutta, and 2 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th May, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	6	.	.	.	.	.	.	1	.	.	.	.	7
" " 1, West, ...	.	.	.	.	.	.	1	2	.	.	.	2	.	5
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	4	.	5
" " 3, ...	.	2	.	.	.	.	.	.	.	.	.	3	.	5
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	1	.	.	.	1	1	1	.	.	1	.	6
" " 2, ...	.	1	.	.	.	.	.	1	.	.	.	1	.	3
" " 3, ...	.	2	.	.	1	.	.	1	.	.	.	3	.	7
" " 4, ...	.	2	.	.	2	.	.	1	.	.	.	.	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	17	1	.	3	.	2	7	3	.	.	14	.	47

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th May, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th May.			
	May 3.	May 10.	May 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	22	19	3	1	2	19
Typhus, ...	13	11	10	1	2	1	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	15	22	20	2	4	.	18
Scarlet Fever, ...	88	99	90	12	13	.	89*
Diphtheria, ...	60	58	58	8	9	1	56
Pneumonia, ...	28	21	18	11	3	1	25

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 24th May, 1913:—

"At the opening of the week the weather was cold and bracing, the wind blowing freshly from N.W. in connection with a large and rather deep depression central on the sea between Scotland and Norway. At 7 a.m. of Sunday the barometer readings ranged from 29·20 inches at Lerwick, in the Shetlands, to 30·27 inches at Isafjord (N.W. of Iceland) and 30·32 inches at Horta (Azores). Very little change occurred until Monday afternoon when a shallow but far-stretching depression spread over Scotland and Ireland from the Atlantic. The wind backed towards S.W. and temperature rose. By Wednesday morning the Atlantic depression had covered Ireland and Scotland, whereas England remained within the sphere of influence of an anticyclone centred over the Continent. In the course of the day named heavy showers, hail-storms, and in places thunder and lightning occurred in Ireland, the Isle of Man, and the southwest of Scotland. Shortly after 1 p.m. hail fell heavily in Dublin and thunder was heard at Greystones, Co. Wicklow. A new anticyclone now began to spread north-eastwards from the Azores; but its warm, moist S.W. winds being chilled on reaching Ireland led to clouds and, on Friday, to several hours of gentle rainfall. Saturday was altogether summerlike, temperature rising in Dublin to 67·2°, although the sky was generally clouded. In this City the mean height of the barometer was 29·992 inches, the range of pressure being from 29·770 inches at 9 a.m. of Wednesday (wind, W.S.W.) to 30·219 inches at 9 a.m. of Saturday (wind, W.). The corrected mean temperature was 54·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·6°. The screened thermometers rose to 67·2° on Saturday, having fallen to 41·2° on Monday. The prevalent winds were W.N.W. and W.S.W. Rain fell on 3 days to the amount of ·239 inch, ·210 inch being measured on Wednesday, when hail fell."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·004 inches. The highest reading (30·221) was on Saturday at 9 a.m., wind W.S.W., the lowest (29·773) on Wednesday at 9 a.m., wind S.W.

The mean temperature for the week was 52·8°, being 1·6 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Saturday, on which day the thermometer registered 66°, and was lowest on Monday, the mercury having fallen to 38°. The mean of the Dry Bulb for the week was 51·9° and of the Wet Bulb, 49·1°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·220 inch.

At Greenwich the mean temperature for the week was 54·4°, the maximum 74·9°, and the minimum 37·1°; at Glasgow the maximum was 63·0°, the minimum 38·5°, and the mean 49·9°; and at Edinburgh the maximum was 61·5°, the minimum 36·0°, and the mean 49·6°. The rainfall at Greenwich measured 0·02 in.; at Glasgow 0·59 in.; and at Edinburgh 0·23 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 18,	29·960	56	39	47·5	46·7	42·5	·74	·6	12·7	·000	N.W.	W.
Monday, " 19,	30·010	57	38	47·5	49·3	45·9	·78	·6	8·2	·005	W.	Calm.
Tuesday, " 20,	29·915	60	49	54·5	52·1	48·0	·76	·6	2·9	·000	W.S.W.	S.S.W.
Wednesday, " 21,	29·815	59	45	52·0	50·2	46·7	·78	·7	5·3	·190	S.W.	W.S.W.
Thursday, " 22,	29·990	61	43	52·0	52·9	51·6	·92	·6	0·3	·005	W.S.W.	W.S.W.
Friday, " 23,	30·115	62	51	56·5	54·1	53·5	·95	·6	0·1	·020	W.S.W.	W.S.W.
Saturday, " 24,	30·220	66	53	59·5	58·1	55·3	·83	·4	1·5	·000	W.S.W.	S.S.W.
Mean, ...	30·004	60·1	45·4	52·8	51·9	49·1	·82	·6	Total 31·0	Total ·220	Prevailing Wind, W.S.W.	

Sunday—A beautiful bright day; night clear. *Monday*—A fine day, light clouds at intervals, drizzling rain 7.25 to 7.45 p.m.; night overcast, drizzling 3.5 to 3.40 a.m. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day cloudy, showers at intervals a.m. and p.m.; night cloudy. *Thursday*—A dull day; night cloudy, drizzling rain 7.30 p.m. to 9.0 a.m. and 10.0 to 10.15 p.m. *Friday*—Day overcast, light rain 9.0 to 10.0 a.m.; night overcast. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 24th May, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 18,	51·4	52·8	49·9	57	40	48·5	12·8	—
Monday, " 19,	50·5	51·9	50·0	58	40	49·0	9·7	—
Tuesday, " 20,	54·2	52·7	50·2	62	50	56·0	3·9	—
Wednesday, " 21,	58·9	53·2	50·3	61	47	54·0	6·5	·182
Thursday, " 22,	52·5	53·0	50·2	62	45	53·5	0·4	—
Friday, " 23,	52·7	53·6	50·5	63	51	57·0	0·1	·023
Saturday, " 24,	65·5	54·3	50·8	68	56	62·0	3·0	—
Weekly Mean, .	55·1	53·1	50·3	61·6	47·0	54·3	Total 36·4	Total ·205

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 1–74/139. 375. 3. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 31ST MAY, 1913. [No. 22.

General Register Office, Charlemont House,
Dublin, 2nd June, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending May 10	Week ending May 17	Week ending May 24	Week ending May 31	Average Rate for 4 weeks.
27 Town Districts, (a)	**19·3**	**18·1**	**19·2**	**16·6**	**18·3**
Dublin Reg. Area ...	20·4	17·9	21·5	16·0	18·9
Dublin City ...	23·9	17·4	21·7	16·1	19·8
Belfast	17·1	18·2	17·0	16·7	17·3
Cork	23·8	21·1	27·2	17·0	22·3
Londonderry ...	5·1	14·0	11·4	11·4	10·5
Limerick	24·4	9·5	21·7	20·3	19·0
Waterford	20·9	20·9	22·8	15·2	19·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 0·6 per 1,000. Among the 127 deaths from all causes for Belfast are 2 from measles and 2 from scarlet fever. One of the 25 deaths from all causes for Cork is from measles. Included in the 8 deaths from all causes for Waterford is one from measles, and the only death for Wexford is also from this disease. One of the 4 deaths from all causes for Kilkenny is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 246—131 boys and 115 girls—and the deaths to 139—60 males and 79 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·0 per 1,000 of the population. During the twenty-two weeks, ending with Saturday last, the death-rate averaged 22·1, and was 2·1 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 139, represent an annual rate of 18·0 per 1,000; the annual rate for the past twenty-two weeks was 23·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·4 per 1,000 of the mean population for all deaths registered.

The total (139) includes 2 from enteric fever, 2* from measles, one* from scarlet fever, and 2 deaths of children under 2 years of age from diarrhœa and enteritis. In the three previous weeks deaths from enteric fever were one, 0, and one; deaths from measles were 0, one, and one; deaths from scarlet fever were 0, 0, and 0; and deaths from diarrhœa and enteritis of children under 2 years were 3, 5, and 6 respectively.

Tuberculous disease caused 25 deaths, comprising 20 from pulmonary tuberculosis, 3 from tuberculous meningitis, one from tuberculosis of the vertebral column, and one from tuberculous nephritis. In the 3 previous weeks deaths from tuberculous disease were 34, 33, and 30 respectively.

There were 5 deaths from broncho-pneumonia, 2 from lobar pneumonia, and one from pneumonia (type not distinguished).

The deaths of 15 persons were due to cancer.

Convulsions caused the deaths of 2 infants under one year of age, there were 2 deaths of infants from congenital malformations, 6 from premature birth, and 6 from congenital debility.

Organic diseases of the heart caused the deaths of 9 persons, and there were 8 deaths from bronchitis.

There were 2 accidental deaths, and one death by suicide was registered on the Coroner's certificate.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year old, and the death of one person aged 71 years.

Thirty-one of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 11 were under one month old) and 34 were aged 65 years and upwards, including 28 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom 2 (females) were stated to have been each aged 92 years.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·0 per 1,000; the rate in the City was 16·1 (North City Districts, 16·3; South, 15·9) and in the Suburbs, 15·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·7 (in the North City Districts 1·0, and in the South 0·4), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000, and include one from enteric fever, one from pulmonary tuberculosis, one from enteritis of a child under 2 years, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·2 per 1,000. Enteric fever caused one death, pulmonary tuberculosis 4 deaths, broncho-pneumonia one death, and bronchitis 3 deaths.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 15·0 per 1,000. Pulmonary tuberculosis caused one death and broncho-pneumonia one death.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000. There was one death from pulmonary tuberculosis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 4·9.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 18·1 per 1,000, and include 4 from pulmonary tuberculosis, one from each of broncho-pneumonia, lobar pneumonia, pneumonia, bronchitis, and diarrhœa under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Tuberculous meningitis caused one death.

No. 3 South City District (Peter-street).—The deaths (10) are equal to an annual rate of 12·1 per 1,000. Tuberculous disease caused 4 deaths, broncho-pneumonia one death, and bronchitis one death.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000, and include one from pulmonary tuberculosis, one from lobar pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. Of the total one was caused by broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 22·6; Blackrock, 0·0; and Kingstown, 6·2. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Pembroke. Of the 14 deaths from all causes for Rathmines and Rathgar 3 were from pulmonary tuberculosis, and there was one death by suicide. Of the 13 deaths from all causes for Pembroke one was from tuberculous disease; and of the 2 deaths for Kingstown one was from pulmonary tuberculosis.

* See note (*c*) Table II. † See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 31st May, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 10,	.	—	—	15	.	.	23	.	1	6	3	.	—	—	.	—	18	.	66
	May 17,	.	—	—	18	.	.	9	.	.	.	3	.	—	—	.	—	17	.	47
	May 24,	.	—	—	17	1	.	3	.	2	7	3	.	—	—	.	—	14	.	47
	May 31,	.	—	—	14	3	.	3	.	.	3	1	.	—	—	.	—	14	.	38
Rathmines and Rathgar Urban District.	May 10,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	May 17,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	May 24,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	May 31,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	May 10,	.	4	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	6
	May 17,	.	13	.	.	.	.	.	.	.	.	.	.	—	4	—	—	.	—	17
	May 24,	.	7	.	4	.	.	.	.	.	1	.	.	—	1	—	—	.	—	13
	May 31,	.	1	.	2	.	.	1	.	.	1	.	.	—	2	—	—	.	—	7
Blackrock Urban District.	May 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 31,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	.	—	—	—	4
Kingstown Urban District.	May 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	May 17,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	May 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 31,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	May 10,	.	—	—	57	.	.	5	.	.	3	2	.	—	—	—	—	8	—	75
	May 17,	.	—	—	37	.	.	4	.	.	1	4	1	—	—	—	—	4	—	51
	May 24,	.	—	—	37	.	.	2	.	.	7	2	.	—	—	—	—	11	—	59
	May 31,	.	—	—	41	.	.	5	.	.	2	2	.	—	—	—	—	14	—	64

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st May, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 23 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 22, 19, and 19.

Four cases of typhus were admitted to hospital during the week, 4 were discharged, and 8 cases remained under treatment at the close of the week.

Three cases of measles were admitted to hospital during the week, 3 were discharged, there was one death, and 17 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 22, 20, and 18 respectively.

Twenty-eight cases of scarlet fever were admitted to hospital, 16 were discharged, there was one death, and 100* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 99, 90, and 89 respectively.

Ten cases of diphtheria were admitted to hospital during the week, and 10 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 58, 58, and 56 respectively, were 56 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 7 were discharged, there were 2 deaths, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·9), was equal to an average annual death-rate of 13·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow being 17·4, and for Edinburgh 14·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st May. From this Report it appears that of a total of 46 cases notified, 19 were scarlet fever, 17 phthisis, 8 diphtheria, and 2 erysipelas. Among the 373 cases of infectious diseases in hospital at the close of the week were 108 cases of phthisis, 106 of scarlet fever, 60 of measles, 40 of diphtheria, 37 of whooping-cough, 5 of enteric fever, 5 of chicken-pox, and 2 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 31st May, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 31st May, 1913. Air Temperature. Absolute Highest.	Week ending 31st May, 1913. Air Temperature. Absolute Lowest.	Week ending 31st May, 1913. Air Temperature. Mean.	Week ending 31st May, 1913. Rainfall in Inches.	Week ending 24th May, 1913. Air Temperature. Absolute Highest.	Week ending 24th May, 1913. Air Temperature. Absolute Lowest.	Week ending 24th May, 1913. Air Temperature. Mean.	Week ending 24th May, 1913. Rainfall in Inches.	Week ending 17th May, 1913. Air Temperature. Absolute Highest.	Week ending 17th May, 1913. Air Temperature. Absolute Lowest.	Week ending 17th May, 1913. Air Temperature. Mean.	Week ending 17th May, 1913. Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	30·4	16·6	0·6	699	382	71	90	3	...	...	6	2	...	...	...	58	16	19	23	36	2	...	4	4	137	13	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL. (c.) ...	403,000	29·3	31·8	16·0	0·6	246	124	24	32	2	...	...	1	...	...	...	...	18	4	13	8	11	2	...	2	1	58	3	e 65	39	53·9	0·14	e 66	38	52·8	0·22	e 62	31	50·0	0·44
CITY OF DUBLIN,	308,187	39·0	36·5	16·1	0·7	216	95	16	23	2	...	...	...	...	...	...	...	14	3	10	8	10	2	...	1	...	45	2	f 67·1 g 67·9	46·8 42·0	57·3 55·6	0·08 0·09	f 67·2 g 68·9	41·2 39·2	54·1 54·0	0·24 0·15	f 63·1 g 61	41·1 36	52·0 51·0	0·62 0·56
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	12·1	18·8	.	9	14	2	5	...	...	...	...	...	...	...	..	3	...	1	...	1	...	...	1	1	8	...	..	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PEMBROKE. ...	29,942	19·0	26·1	22·6	1·7	15	13	5	4	...	...	...	1	...	...	...	...	...	1	2	...	...	...	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,161	8·5	5·7	.	.	1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	15·4	6·2	.	5	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	68	47	57·0	0·11	65	41·	53·4	0·10	60	43	51·2	0·46
Urban Districts. BELFAST ..	396,000	26·5	30·5	16·7	0·5	232	127	28	20	...	...	...	2	2	...	...	...	19	7	1	9	9	...	...	2	3	35	2	69	39	47·2	0·36	62	36	50·1	0·74	58	37	50·7	0·11
Urban Districts. CORK, ..	76,673	28·6	29·2	17·0	0·7	43	25	5	1	...	...	...	1	...	...	...	...	5	...	1	4	3	...	...	...	...	8	2	59	46	53·1	·74	59	45	51·3	0·53	63	43	52·8	0·39
Urban Districts. LONDONDERRY...	41,000	15·9	21·6	11·4	.	17	9	1	2	...	...	...	...	...	...	...	...	2	3	1	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LIMERICK. ...	38,518	16·1	59·6	20·3	.	44	15	2	6	...	...	...	...	...	...	...	..	4	...	...	...	4	...	..	...	...	8	1	69	41	54·4	0·57	64·3	40·1	52·7	0·34	65·0	41·5	52·4	0·28
Urban Districts. WATERFORD, ...	27,464	19·1	20·9	15·2	1·9	11	8	1	4	...	...	...	1	...	...	...	...	1	...	1	...	1	...	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. GALWAY. ...	13,255	2·5				7	9	2	2	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	9	...	66	41	56	0·44	62	44	53	0·72	65	45	53	0·51
Urban Districts. DUNDALK, ...	13,128	9·5				7	5	2	1	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	..	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LURGAN, ...	12,553	14·7				.	..	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	65·7	40·7	51·7	0·87	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28
Urban Districts. DROGHEDA, ...	12,501	8·4				2	5	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LISBURN, ...	12,388	10·9				5	6	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	..	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28
Urban Districts. NEWRY. ...	11,963	17·0				5	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28
Urban Districts. PORTADOWN, ...	11,727	15·3				9	1	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28
Urban Districts. WEXFORD. ...	11,531	22·8				8	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BALLYMENA ..	11,381	9·3				6	6	1	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. SLIGO. ...	11,163	3·8				5	7	...	3	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	1	63	35	52·0	0·80	68	40	52·0	0·89	60	35	50·0	0·28
Urban Districts. KILKENNY, ...	10,514	11·4				11	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	...	68	42	51·8	0·84	66	40	54·1	0·30	66	39	52·4	0·35
Urban Districts. TRALEE. ...	10,300	17·4				5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	.	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. CLONMEL, ...	10,209	7·8				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWTOWNARDS,	9,587	20·1				2	5	1	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	63	43	52·9	0·40	68	38	51·0	0·38	59	40	49·3	0·07
Urban Districts. QUEENSTOWN, ...	8,209	14·7				3	4	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	..	59	46	53·1	0·74	59	45	51·3	0·53	63	43	52·8	0·39
Urban Districts. LARNE, ...	8,036	13·4				4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. COLERAINE. ...	7,785	7·7				6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BANGOR, ...	7,776	8·5				5	3	...	1	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BRAY, ..	7,691	7·2				3	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. ATHLONE, ...	7,472	6·2				7	4	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. ARMAGH, ...	7,356	21·8				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40	63·0	36·1	50·7	0·28

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 15 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area; the 15 deaths include one from each of measles and scarlet fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 31st of May, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	4	1	1	.	.	.	4	.	2	1	.	3	.	.	1	18	2
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	4	1
Cancer,	1	3	.	2	.	.	.	1	.	1	2	.	1	2	.	.	13	2
Diseases of Nervous System,	1	1	2	.	.	1	1	2	1	.	1	.	.	.	.	.	10	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	.	3	.	.	.	.	.	.	.	1	1	2	3	.	.	12	1
" Respiratory System. { Pneumonia,	.	1	1	.	.	.	.	3	.	1	1	1	.	.	.	.	8	.
" Respiratory System. { Others,	1	3	.	1	.	.	.	1	.	2	2	.	1	.	.	.	11	2
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	3	.	.	.	1	.	1	1	.	.	.	.	.	.	.	6	4
" Genito-urinary System,	.	1	1	.	.	.	.	.	1	2	1	.	1	.	.	.	7	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of the Skin and Cellular Tissue,	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Other specified Causes,	4	2	.	3	.	.	.	.	1	.	2	1	3	5	.	1	22	.
Violent Deaths,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes	14	19	8	7	.	2	1	11	5	10	12	3	14	13	.	2	124	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·4	24·2	15·0	10·4	.	7·7	4·9	18·1	14·2	12·1	18·9	16·0	18·8	22·6	.	6·2	16·0	.
	16·3							15·9					15·9					
	16·1																	
Ages at Death. Under 1 year,	7	1	.	2	.	.	.	2	2	1	1	.	2	5	.	1	24	1
1 and under 2 years,	.	1	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	.
2 " 5 "	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
5 " 15 "	.	1	.	.	.	1	.	.	.	2	.	.	.	.	.	.	4	2
15 " 25 "	1	2	.	1	.	.	.	1	.	.	1	.	2	.	.	.	8	2
25 " 45 "	2	2	3	1	.	.	.	2	.	3	1	1	4	2	.	.	21	6
45 " 65 "	1	8	4	1	.	.	.	4	3	.	5	.	1	2	.	1	30	1
65 and upwards,	3	4	1	2	.	1	1	2	.	3	4	2	5	4	.	.	32	2
Number of Uncertified Deaths,	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	7	4	1	.	.	1	2	1	2	3	.	6	4	.	1	34	13
Workhouse Hospitals.	4	3	1	2	.	.	.	5	1	3	3	.	2	.	.	.	24	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										22nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 31st May, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	June 6, 1903.	June 4, 1904.	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.	June 4, 1910.	June 3, 1911.	June 1, 1912.	Averages in	—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 53·3	° 56·2	° 56·4	° 55·7	° 52·9	° 54·2	° 53·2	° 50·6	° 56·2	° 51·1	° 54·0	° 53·9										
ALL CAUSES.	177	150	145	154	181	126	147	135	150	153	151·8	139	11	14	4	2	6	10	27	31	20	14
Enteric Fever, ...	3	2	.	.	1	.	3	.	1	.	1·0	2	.	.	.	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	5	3	2	4	2	2	.	3	12	3·5	2	.	1	.	.	1	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	1	2	2	1	·7	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	9	3	3	8	.	4	2	4	1	3·5	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	.	.	.	2	.	.	1	3	·7	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	2	2	3	2	1	3	.	.	2	1·7	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	1	.	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	.	1	1	.	.	.	.	2	.	·6	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	16	23	23	20	14	13	18	17	22	19	18·5	20	.	.	.	.	.	6	11	3	.	.
Tuberculous Meningitis, ...	4	1	1	3	3	5	1	2	4	8	3·2	3	.	1	.	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	.	1	.	1	4	4	2	3	4	.	1·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	1		1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of Joints, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	4	7	4	4	5	7	10	.	.	5·0	1	.	.	.	.	.	.	1	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	2		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	2	.	.	1	3	.	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	6	7	10	6	4	8	10	9	13	8·1	15	.	.	.	.	.	.	3	8	4	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	1	.	.	1	.	1	·4	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	2	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	4	2	—	1	.	.	.	.	.	.	.	.	.	1
Alcoholism, ...	.	.	.	1	.	4	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	3	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									4	1		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									2	3		4	.	.	.	.	.	.	.	3	1	.
Softening of Brain, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									5	5		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									.	7		3	.	2	.	.	1	.	.	.	.	.
Other Diseases of Nervous System.	42	33	29	32	45	26	32	28	3	.	32·4	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	1		2	.	.	.	.	.	.	1	1	.	.
Organic Diseases of the Heart,									12	13		9	.	.	.	.	.	1	.	3	4	1
Embolism and Thrombosis (including Cerebral)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									.	.		2	.	.	.	.	.	.	.	1	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	1	.	.	.	.	.	.	.	.
Bronchitis, ...	21	14	9	13	22	12	12	11	14	11	13·9	8	.	.	2	.	.	.	1	2	1	2
Broncho-pneumonia, ...	7	1	5	3	9	7	7	2	1	9	5·1	5	.	.	2	.	.	.	1	1	1	
Lobar pneumonia, ...	2	1	2	.	3	.	1	2	5	.	1·6	2	.	.	.	.	.	.	.	1	.	1
Pneumonia (type not distinguished)	10	8	9	7	11	8	8	4	4	3	7·2	1	.	.	.	1	.	.	.	.		.
Pleurisy, ...									.	.		2	.	.	.	.	.	.	1		.	1
Pulmonary Congestion, Pulmonary Apoplexy.	3	1	4	2	2	1	3	2	.	.	2·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									1	1		2	.	.	.	.	.	.	.		1	1

TWENTY-SECOND WEEK ending Saturday, 31st May, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years, 1903-1912.	In the Week ending Saturday, 31st May, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	June 6, 1903.	June 4, 1904.	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.	June 4, 1910.	June 3, 1911.	June 1, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 53·3	° 56·2	° 56·4	° 55·7	° 52·9	° 54·2	° 53·2	° 50·6	° 56·2	° 51·1	° 54·0	° 53·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	1	—	2	.	.	.	.	.	.	1	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	5	1	3	4	.	5	2	5	10	3	4·0	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	2	.	—	2	.	.	.	.	1	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	1	—	4	.	2	.	.	.	.	.	1	.	1
Cirrhosis of Liver, ...	3	.	.	1	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	3	1	2	2	1	1	1	2	1	1·6	2	.	.	.	.	.	.	.	1	.	1
Peritonitis (cause unknown),	.	.	1	1	1	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	9	3	9	5	2	3	3	.	.	4·0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	5	6	6	7	9	6	7	7	.	1	6·4	1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...									1	6		5	.	.	.	.	.	.	1	2	2	.
Urinary Calculi, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	1		1	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	.	2	.	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	1	.	.	.	1	.	2	.	·5	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	.	—	3	1	1	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	1	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	.	—	2	1	1	.	.	.	.	.	.	.	.
Premature Birth, ...	6	2	2	3	3	2	.	6	.	.	2·4	6	6	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	2	—	6	3	3	.	.	.	.	.	.	.	.
Old Age, ...	2	5	1	1	4	1	4	2	3	2	2·5	5	.	.	.	.	.	.	.	.	2	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	1	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	.	.	2	.	.	2	2	.	·8	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	3	.	3	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	2	3	2	1	4	2	3	.	1	2·0	2	.	.	.	.	.	.	1	.	.	1
Total Deaths from Accident,	4	3	6	2	6	5	2	5	2	1	3·6	2	.	.	.	.	.	.	1	.	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	7	—	1	.	.	.	.	.	.	.	1	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered.	199	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246
Average Births in corresponding week of previous 10 years, ...	182	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245
DEATHS registered, ...	176	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139
Annual Death-rate per 1,000, ...	22·9	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0
Average Deaths in corresponding week of previous 10 years, ...	183	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152
Ages, Under 5 years, ...	57	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31
5—15 „ ...	8	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6
15—25 „ ...	12	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10
25—45 „ ...	23	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27
45—65 „ ...	42	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31
65—75 „ ...	20	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20
75 and upwards, ...	14	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14
Deaths from :—																										
Enteric Fever, ...	1	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2
Scarlet Fever, ...	1	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1
Whooping-cough, ...	1	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.
Diphtheria, ...	2	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.
Influenza, ...	1	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	15	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20
Tuberculous Disease, Other Forms,	10	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5
Cancer, ...	8	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15
Diseases of Circulatory System,	22	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13
Diseases of Respiratory System, Pneumonia	13	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8
Diseases of Respiratory System, Others, ...	24	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13
Diarrhœa and Enteritis, under 2 years, ...	5	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2
Diarrhœa, 2 years and upwards,	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.
Violent Deaths, ...	2	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3
Number of Uncertified Deaths,	9	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3
Mean Temperature of the Air (Phœnix Park)	44·7	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9
Average Mean Temperature in corresponding week of previous 10 years, ...	41·6	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0
Rainfall in inches, ...	·100	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·86	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st May, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31ST MAY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	18·2	139	31	6	10	27	31	20	14	2	.	.	2	1	.	.	.	20	5	15	3	8	13	2	.	3	65	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS, ...	101,798	15·9	31	1	3	3	3	5	7	9	1	.	.	1	.	.	.	.	2	1	6	.	.	4	.	.	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13·5	28	6	1	3	7	8	2	1	1	.	.	1	.	.	.	.	4	.	2	2	4	2	.	.	1	11	.
IV.	GENERAL SERVICE CLASS, ...	167,479	16·8	54	20	2	2	13	11	4	2	.	.	.	.	1	.	.	.	6	4	5	1	3	4	1	.	1	28	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	4	.	2	4	7	7	2	.	.	.	.	.	.	.	.	8	.	2	.	1	3	1	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c....	25,199	16·6	8	.	.	2	1	1	2	2	1	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	4·7	3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	26·2	17	1	2	1	1	3	2	7	.	.	.	1	.	.	.	.	1	.	2	.	.	4	.	.	1	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	9·0	5	2	.	.	.	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	10. Clothing Trades, ...	20,026	20·8	8	.	1	2	2	2	1	.	1	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	1	2	.
	11. Food Supply Trades	8,952	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	16·3	10	3	.	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	6	.
	13. Petty Shopkeepers	6,772	15·4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20·1	5	2	.	1	1	.	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	7·2	5	2	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	20·3	6	3	.	.	1	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	19·2	38	13	2	1	11	9	1	1	.	.	.	.	.	.	.	.	4	4	3	1	2	3	.	.	1	20	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	26	4	.	2	4	7	7	2	.	.	.	.	.	.	.	.	8	.	2	.	1	3	1	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Apr. 12,	22·7	1·7	13	.	.	.	.	.	.	.	.	1	.	.	8	1	1	.	.	1
	„ 19,	20·9	1·7	12	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 26,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	May 3,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	„ 10,	40·1	1·7	23	1	.	.	.	.	.	.	.	6	1	5	2	1	.	.	2	.
	„ 17,	19·2	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	1
	„ 24,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
	„ 31,	24·4	3·5	14	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Apr. 12,	39·5	.	31	.	.	.	.	.	.	.	.	5	1	.	3	6	.	.	.	1
	„ 19,	21·7	3·8	17	.	.	.	.	.	1	.	.	2	.	.	1	.	2	.	1	1
	„ 26,	23·0	1·3	18	.	.	.	.	1	.	.	.	3	.	1	1	4	.	.	1	.
	May 3,	21·7	3 8	17	.	.	.	.	.	.	.	.	2	.	.	1	2	2	1	.	.
	„ 10,	29·3	1·3	23	.	.	.	.	.	.	.	.	2	2	2	1	2	.	1	.	3
	„ 17,	25·5	3·8	20	.	.	.	.	.	.	.	.	4	.	1	1	3	2	1	2	.
	„ 24,	17·9	1·3	14	.	.	.	.	.	.	.	.	2	1	1	1	4	1	.	.	.
	„ 31,	24·2	1·3	19	1	.	.	.	.	.	.	.	4	.	3	1	3	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Apr. 12,	26·2	1·9	14	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	1
	„ 19,	33·7	5·6	18	.	.	.	.	.	.	.	.	2	3	.	1	3	3	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2
	May 3,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 10,	29·9	.	16	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 17,	18·7	1·9	10	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	.
	„ 24,	22·4	.	12	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1
	„ 31,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Apr. 12,	23·7	3·0	16	.	.	.	.	1	.	.	.	3	.	2	2	.	1	.	.	.
	„ 19,	16·3	3·0	11	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1
	„ 26,	40·0	1·5	27	.	.	.	.	.	.	.	.	5	1	3	3	3	1	.	2	.
	May 3,	10·4	.	7	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 10,	20·7	.	14	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	.	1
	„ 17,	14·8	1·5	10	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.
	„ 24,	32·6	4·4	22	1	.	.	.	.	.	.	.	4	1	2	1	1	2	.	.	.
	„ 31,	10·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Apr. 12,	28·4	3·9	22	.	.	.	.	.	2	.	.	3	3	4	.	4	1	.	1	.
	„ 19,	31·0	2·6	24	.	.	.	.	.	2	.	.	5	1	.	3	5	.	.	.	.
	„ 26,	28·4	2·6	22	.	.	.	.	.	.	.	.	5	1	.	.	5	2	.	.	.
	May 3,	20·7	.	16	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
	„ 10,	25·8	2·6	20	.	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	.
	„ 17,	16·8	1·3	13	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
	„ 24,	23·3	.	18	.	.	.	.	.	.	.	.	2	2	3	1	2	.	.	.	.
	„ 31,	18·1	1·3	14	.	.	.	.	.	.	.	.	4	.	1	3	1	1	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Apr. 12,	34·1	2·8	12	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	1	2
	„ 19,	31·3	2·8	11	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	1
	„ 26,	45·5	2·8	16	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1
	May 3,	22·7	2·8	8	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.
	„ 10,	8·5	2·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	„ 17,	22·7	2·8	8	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.
	„ 24,	39·8	5·7	14	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.
	„ 31,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Apr. 12,	32·7	1·2	27	.	.	.	.	1	.	.	.	4	1	1	3	3	.	.	.	.
	„ 19,	24·2	1·2	20	.	.	.	.	.	.	.	.	.	2	1	2	3	1	.	1	.
	„ 26,	24·2	.	20	.	.	.	.	.	.	.	.	5	1	2	.	2	.	.	.	1
	May 3,	15·7	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.
	„ 10,	18·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1
	„ 17,	19·4	1·2	16	.	.	.	.	.	.	1	.	1	1	.	2	4	.	.	.	1
	„ 24,	21·8	1·2	18	.	.	.	.	.	1	.	.	3	1	2	3	2	.	.	.	.
	„ 31,	12·1	.	10	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Apr. 12,	47·2	3·1	30	.	.	.	.	1	.	.	.	1	2	1	1	10	1	.	1	4
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	4
	„ 26,	25·2	1·6	16	.	.	.	.	.	1	.	.	2	1	.	1	3	.	.	.	1
	May 3,	18·9	.	12	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.
	„ 10	28·3	1·6	18	.	.	.	.	.	1	.	.	2	1	.	1	4	.	.	.	.
	„ 17,	12·6	3·1	8	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	„ 31,	18·9	.	12	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Apr. 12,	16·1	1·3	12	.	.	.	.	.	.	1	.	2	.	2	1	1	.	.	.	.
	„ 19,	22·9	1·3	17	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.
	„ 26,	16·1	.	12	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	May 3,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 10,	9·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 17,	21·5	.	16	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
Pop. in 1913 (Est.) 38,769.	„ 24,	16·1	.	12	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.
	„ 31,	18·8	.	14	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	.
Pembroke Urban District.	Apr. 12,	17·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	„ 19,	20·9	5·2	12	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	1
	„ 26,	19·2	3·5	11	.	.	.	.	.	1	1	.	2	.	.	1	1	.	.	.	.
	May 3,	20·9	3·5	12	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1
	„ 10,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Pop. in 1913 (Est.) 29,942.	„ 17,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.
	„ 24,	31·3	3·5	18	.	.	.	1	.	1	.	.	1	.	2	2	2	.	.	.	1
	„ 31,	22·6	1·7	13	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	1
Kingstown Urban District.	Apr. 12,	21·5	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1
	May 3,	24·6	3·1	8	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.
	„ 10,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Pop. in 1911 16,941.	„ 17,	21·5	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 31,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Belfast.	Apr. 12,	19·6	1·2	149	.	.	.	2	2	.	1	.	18	9	9	11	20	3	1	2	1
	„ 19,	16·9	1·1	128	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	3
	„ 26,	20·4	1·2	155	.	.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	1
	May 3,	18·7	0·5	142	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	1
Pop. in 1913 (Est.) 396,000.	„ 10,	17·1	1·4	130	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	.
	„ 17,	18·2	1·3	138	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	1
	„ 24,	17·0	1·1	129	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	1
	„ 31,	16·7	0·5	127	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	2
Cork.	Apr. 12,	24·5	0·7	36	.	.	.	1	.	.	.	.	8	1	1	3	5	.	.	1	1
	„ 19,	22·4	0·7	33	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	2
	„ 26,	23·8	.	35	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	2
	May 3,	26·5	0·7	39	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	1
Pop. in 1911 76,673.	„ 10,	23·8	0·7	35	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	1
	„ 17,	21·1	0·7	31	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.
	„ 24,	27·2	.	40	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	.
	„ 31,	17·0	0·7	25	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	2
Londonderry.	Apr. 12,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	3	4	.	.	.	.
	„ 19,	12·7	2·5	10	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	.
	„ 26,	17·8	.	14	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	.
	May 3,	16·5	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
Pop. in 1913 (Est.) 41,000.	„ 10,	5·1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 17,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.
	„ 24,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1
	„ 31,	11·4	.	9	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
Limerick.	Apr. 12,	19·0	.	14	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	3
	„ 19,	29·8	.	22	.	.	.	.	.	.	.	.	5	.	.	.	7	.	.	1	2
	„ 26,	16·2	.	12	.	.	.	.	.	.	.	.	5	.	.	2	2	.	.	.	2
	May 3,	14·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1
Pop. in 1911 38,518.	„ 10,	24·4	1·4	18	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3
	„ 17,	9·5	1·4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	„ 24,	21·7	1·4	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	2
	„ 31,	20·3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	1
Waterford.	Apr. 12,	20·9	.	11	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	„ 19,	11·4	1·9	6	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 26,	17·1	3·8	9	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.
	May 3,	17·1	1·9	9	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
Pop. in 1911 27,464.	„ 10,	20·9	1·9	11	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	2
	„ 17,	20·9	1·9	11	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	1	1
	„ 24,	22·8	3·8	12	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	2	.
	„ 31,	15·2	1·9	8	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st May, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	17	16·4	.	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
Do. 2 do.	49,500	31	8·4	.	8	1	.	3	1	2	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	1	3	.
Do. 3 do.	50,032	20	22·9	2·1	22	5	4	4	3	3	3	.	.	.	2	.	.	.	.	2	4	.	1	1	.	.	.	.	2	1
Do 4 do.	32,637	36	24·0	.	15	3	1	3	2	4	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	4	.
Do. 5 do.	16,112	5	29·1	.	9	6	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	8	.
Do. 6 do.	37,293	35	18·2	.	13	4	1	4	1	1	2	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	.	2	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Do. 9 do.	24,427	9	12·8	.	6	.	2	1	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 10 do.	28,958	13	14·4	1·8	8	2	1	1	1	2	1	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	1	.
Do. 11 do.	39,311	16	10·6	1·3	8	.	2	1	1	2	2	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 12 do.	38,076	31	16·4	.	12	3	2	1	1	3	2	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	1	3	.
Do. 13 do.	23,233	7	18·0	.	8	.	.	1	.	4	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	3	1
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	25·3	.	11	3	.	2	2	3	1	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	5	.
Total,	386,947	232	16·7	0·5	127	28	14	23	15	27	20	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	3	35	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	8	15·5	.	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Do 2 do.	10,701	6	25·1	5·0	5	1	2	.	.	2	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do 3 do.	9,978	3	26·6	.	5	1	2	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.
Do 4 do.	8,666	6	22·8	.	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Do 5 do.	6,592	5	16·7	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	3	9·0	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 7 do.	16,616	6	9·7	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Total,	76,122	43	17·0	0·7	25	5	6	2	1	10	1	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	.	8	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered, ...	217	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232
DEATHS registered, ...	177	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127
Annual Death-rate per 1,000 of estimated population, ...	23·5	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7
AGES, Under 1 year, ...	32	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28
1—5 years, ...	29	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14
5—25 „ ...	12	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23
25—45 „ ...	26	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15
45—65 „ ...	50	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27
65 and upwards, ...	28	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20
Deaths from :—																										
Enteric Fever, ...	.	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	13	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2
Scarlet Fever, ...	4	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2
Whooping-cough, ...	.	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.
Diphtheria, ...	.	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19
Tuberculous Disease. Other Forms,	5	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7
Cancer, ...	10	8	8	2	5	5	4	5	4	5	7	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1
Diseases of Respiratory System, Pneumonia,	22	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9
Diseases of Respiratory System, Others, ...	30	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9
Diarrhœa and Enteritis, under 2 years, ...	3	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.
Diarrhœa, 2 years and upwards,	1	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.
Violent Deaths, ...	3	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2
Number of Uncertified Deaths, ...	2	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	May 31,	2,154	1,116	12·9	2	.	32	4	30	12	20*a*
Edinburgh, ...	320,300	„ 31,	137	88	14·3	.	.	.	1	4	.	1
Glasgow, ...	1,021,500	„ 31,	582	341	17 4	3	.	19	5	20	1	6
Calcutta, ...	896,067	Apr. 19,	.	578	33·5	162*	6	5	.	2	.	119‡
Bombay.	979,445	„ 26,	326	779	41·3	249*	16	7	.	.	.	57‡
Madras.	518,660	May 3,	337	376	37·7	87*	.	4	?	?	?	85
Cairo, ...	710,514	Mar. 11,	613	432	31·7	5	.	5	2	?	5†	40*a*
Paris, ...	2,847,229	May 17,	894	855	15·3	8	.	21	7	6	1†	17*a*
Brussels.	767,252	„ 10,	258	161	10·9	.	.	.	.	2	2†	9*a*
Antwerp, ...	312,884	„ 17,	133	62	10·3	.	.	4	.	.	2†	7*a*
Amsterdam, ...	589,645	„ 10,	277	127	11·2	.	.	2	1	2	.	2*a*
Copenhagen. ...	468,000	„ 10,	201	176	19·6	.	.	1	.	11	.	9
Stockholm, ...	376,171	„ 10,	161	91	12·6	.	.	.	.	.	.	2
Christiania, ...	247,488	„ 17,	90	57	12·0	.	.	1	.	.	.	1
St. Petersburg, ...	1,686,000	Apr. 26,	620	657	20·3	13	.	10	5	9	5	78*a*
Moscow, ...	1,635,800	„ 19,	.	820	26·1	2	1	33	34	10	28†	69
Berlin, ...	2,076,419	„ 26,	780	590	14·8	.	.	3	5	5	9†	24
Hamburg, ...	1,006,748	May 10,	.	229	11·8	1	.	2	5	5	6†	19
Breslau, ...	537,442	„ 10,	.	187	18·1	.	.	3	.	1	1	8
Munich, ...	622,000	„ 10,	.	167	14·0	.	.	.	.	.	2†	8*a*
Vienna (with suburbs),	2,115,254	„ 17,	709	713	17·5	2	.	12	7	8	3†	36*a*
Buda-Pesth, ...	930,666	„ 10,	486	380	21·2	.	.	10	22	1	8†	11*a*
Prague and Faubourgs,	489,194	Apr. 26,	190	166	17·7	.	.	3	1	2	4†	7*a*
Trieste, ...	239,703	May 10,	112	92	20·0	.	.	1	.	.	.	4*a*
Rome, ...	579,285	Jan. 11,	299	243	21·9	2	1	2	.	.	2	9
		„ 18,	354	270	24·3	1	.	12	.	.	.	15
New York, ...	5,372,983	Apr. 26,	2,331	1,677	16·3	3	.	26	11	11	42†	45*a*
Philadelphia, ...	1,631,960	„ 12,	.	475	15·1	5	.	12	2	1	15	14*a*
Boston, ...	735,399	May 10,	.	230(*b*)	16·3	.	.	1	3	1	4	3

* Deaths from "fever," including 13 from enteric fever and 63 from plague in Calcutta, 4 from enteric fever and 195 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 58 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st May, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	2	.	.	.	.	.	.	.	.	1	.	4
" " 1, West, ...	.	.	.	.	.	.	.	1	.	.	.	1	.	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	3	.	3
" " 3, ...	.	1	.	.	.	.	.	1	.	.	.	2	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	1	.	.	1	.	3
South City No. 1, ...	.	3	.	.	1	.	.	.	.	.	.	2	.	6
" " 2, ...	.	.	1	.	.	.	.	.	.	.	.	1	.	2
" " 3, ...	.	3	.	.	2	.	.	.	.	.	.	3	.	8
" " 4, ...	.	2	.	.	.	.	.	1	.	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	14	3	.	3	.	.	3	1	.	.	14	.	38

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st May, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st May.			
	May 10.	May 17.	May 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	19	19	6	2	.	23
Typhus, ...	11	10	8	4	4	.	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	22	20	18	3	3	1	17
Scarlet Fever, ...	99	90	89	28	16	1	100*
Diphtheria, ...	58	58	56	10	10	.	56
Pneumonia, ...	21	18	25	7	7	2	23

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 31st May, 1913:—

"Generally favourable, summerlike weather prevailed during the greater part of this week in most districts. But the most striking feature in the weather of the period was the semitropical heat which was experienced in the south-east of England, more particularly in the London area—at Greenwich Observatory the maxima in the screen were 81°, 84°, 84°, 81°, 81°, 80°, and 63° respectively. This is a very unusual record, even for the last week in May. As commonly happens in periods of early summer heat, dense sea fogs enveloped the southern and western coasts of the British Isles. During the first two days the barometer stood high over England and Ireland (30·2 inches and upwards), whereas a shallow depression (29·7 inches) moved along the southern shores of Iceland in an easterly direction. On Tuesday a shallow thunderstorm depression formed over the greater part of England and the Low Countries. This system caused local severe storms of thunder and hail in those regions. On Wednesday an ordinary large but at first shallow depression spread over Ireland and Scotland from the Atlantic, causing cloudy, cooler, and showery weather. The secondaries of this system passed across France and England on Thursday, and in the course of Thursday night and the early morning of Friday violent thunderstorms visited London and the neighbouring districts. The primary depression was centred over Ireland on Friday. It had then grown much deeper, the barometer falling below 29·3 inches. The system thence passed northwards, carrying broken weather and thunderstorms to Scotland. The week closed with lower temperature and a fresh atmosphere. In Dublin the mean height of the barometer was 29·912 inches, the range of pressure being from 30·276 inches at 9 a.m. of Monday (wind, N.N.E.) to 29·309 inches at 9 p.m. of Friday (wind, S.). The corrected mean temperature was 57·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·2°. The screened thermometers rose to 67·1° on Sunday, and fell to 46·8° on Saturday. The prevalent winds were E. and S.W. Rain fell on 2 days to the amount of ·080 inch, ·070 inch being measured for Thursday and ·010 inch for Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·922 inches. The highest reading (30·285) was on Monday at 9 a.m., wind N.E., the lowest (29·311) on Friday at 9 p.m., wind S.S.W.

The mean temperature for the week was 53·9°, being 0·1 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday, on which day the thermometer registered 65°, and was lowest on Tuesday, the mercury having fallen to 39°. The mean of the Dry Bulb for the week was 55·0° and of the Wet Bulb, 51·9°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0·140 inch.

At Greenwich the mean temperature for the week was 64·9°, the maximum 84·1°, and the minimum 45·2°; at Glasgow the maximum was 75·0°, the minimum 40·5°, and the mean 55·5°; and at Edinburgh the maximum was 73·7°, the minimum 43·5°, and the mean 54·3°. The rainfall at Greenwich measured 0·40 in.; at Glasgow 0·17 in.; and at Edinburgh 0·10 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 25,	30·240	65	51	58·0	61·0	56·8	·77	·2	4·0	·000	S.W.	Calm.
Monday, " 26,	30·260	60	43	51·5	52·2	49·3	·82	·2	10·0	·000	N.E.	Calm.
Tuesday, " 27,	30·105	60	39	49·5	53·2	49·6	·78	·2	7·4	·000	E.N.E.	Calm.
Wednesday, " 28,	29·870	62	48	55·0	56·8	54·3	·85	·4	0·0	·000	S.S.W.	S.S.W.
Thursday, " 29,	29·770	58	51	54·5	55·5	53·8	·91	·1	0·0	·115	Calm.	S.E.
Friday, " 30,	29·405	62	49	55·5	55·8	52·4	·79	·5	2·0	·010	S.E.	S.S.W.
Saturday, " 31,	29·805	61	45	53·0	50·6	47·0	·77	·4	11·0	·015	S.W.	Calm.
Mean, ...	29·922	61·1	46·6	53·9	55·0	51·9	·81	·3	Total 34·4	Total ·140	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—A beautiful bright day; night clear. *Tuesday*—A fine day, cloudy at midday; night cloudy. *Wednesday*—Day overcast; night cloudy. *Thursday*—Day overcast, drizzling rain 10.0 a.m. to 3.0 p.m. and 6.0 to 7.40 p.m.; night cloudy. *Friday*—Day cloudy, light showers p.m.; night cloudy. *Saturday*—A beautiful bright day, heavy shower 8.30 to 8.50 p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 31st May, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 25,	59·7	55·7	50·9	67	54	60·5	7·9	—
Monday, " 26,	58·0	56·9	51·1	62	50	56·0	8·7	—
Tuesday, " 27,	58·0	57·0	51·5	60	47	53·5	8·8	—
Wednesday, " 28,	58·7	57·0	51·8	64	52	58·0	0·0	—
Thursday, " 29,	54·8	56·7	52·0	59	52	55·5	0·1	·070
Friday, " 30,	59·0	56·1	52·2	63	51	57·0	2·9	—
Saturday, " 31,	55·7	55·9	52·5	61	45	53·0	10·0	—
Weekly Mean, .	57·7	56·5	51·7	62·3	50·1	56·2	Total 38·4	Total ·070

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 1-74/139. 375. 3. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 7TH JUNE, 1913. [No. 23.

General Register Office, Charlemont House,
Dublin, 9*th June,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending May 17	May 24	May 31	June 7	Average Rate for 4 weeks.
27 Town Districts, (*a*)	**18·1**	**19·2**	**16·6**	**17·1**	**17 7**
Dublin Reg. Area ...	17·9	21·5	16·0	15·9	17·8
Dublin City ...	17·4	21·7	16·1	16·9	18·0
Belfast	18·2	17·0	16·7	17·1	17·3
Cork	21·1	27·2	17·0	15·0	20·1
Londonderry ...	14·0	11·4	11·4	22·9	14·9
Limerick	9·5	21·7	20·3	16·2	16·9
Waterford	20·9	22·8	15·2	28·5	21·8

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·3 per 1,000. Among the 130 deaths from all causes for Belfast are 5 from measles, 3 from scarlet fever, and 4 from diarrhœa and enteritis of children under 2 years of age. One of the 18 deaths from all causes for Londonderry is from measles. Included in the 15 deaths from all causes for Waterford are 3 from whooping-cough. One of the 5 deaths from all causes for Drogheda is from whooping-cough. The 6 deaths from all causes for Tralee include one from measles and one from diarrhœa of a child under 2 years, and among the 10 deaths from all causes for Newtownards are one from measles and one from diarrhœa of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—106 boys and 111 girls—and the deaths to 134—61 males and 73 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·9 per 1,000 of the population. During the twenty-three weeks, ending with Saturday last, the death-rate averaged 21·8, and was 2·2 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 134, represent an annual rate of 17·3 per 1,000; the annual rate for the past twenty-three weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·2 per 1,000 of the mean population for all deaths registered.

There were included in the total deaths registered one from each of enteric fever, measles, and diphtheria, 3 from whooping-cough, 3 from diarrhœa and enteritis of children under 2 years of age, one death from influenza, and there was one death from cerebro-spinal fever. In each of the three weeks preceding deaths from enteric fever were 0, one, and 2; deaths from measles were one, one, and 2; deaths from whooping-cough were 3, 2, and 0; deaths from diphtheria were one, one, and 0; deaths from diarrhœa and enteritis of children under 2 years were 5, 6, and 2; deaths from influenza were 2, 2, and 0; and deaths from cerebro-spinal fever 0, 0, and 0.

Of 25 deaths from tuberculosis, 20 were from pulmonary disease, one from tuberculous meningitis, one from abdominal tuberculosis, 2 from tuberculosis of joints, and one from disseminated tuberculosis. In each of the 3 weeks preceding deaths from all forms of tuberculosis were 33, 30, and 25.

There were 3 deaths from broncho-pneumonia, one from lobar pneumonia, and 5 from pneumonia (type not distinguished).

The deaths of 9 persons were assigned to cancer.

There were 4 deaths of infants from convulsions, 2 from congenital malformations, 3 from congenital debility and 3 from premature birth.

Twelve deaths were caused by organic heart diseases, and 11 by bronchitis.

Of 4 deaths from accident or negligence, one was of a child between the ages of one and 2 years from scalds.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age, and the deaths of 2 persons aged 65 years and upwards.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 13 were under one month old) and 21 were aged 65 years and upwards, including 17 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 7 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·9 per 1,000; the rate in the City was 16·9 (North City Districts, 17·5; South, 16·2) and in the Suburbs, 12·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 1·3, and in the South 1·1), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000. There were 5 deaths from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·1 per 1,000. Enteric fever and whooping-cough each caused one death, there was one death from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, 2 deaths from bronchitis, and one death from enteritis of a child under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000. Tuberculous disease caused 4 deaths, broncho-pneumonia and pneumonia each one death, and there was one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 17·8 per 1,000. Pulmonary tuberculosis caused 3 deaths, there was one death from lobar pneumonia, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 9·8. The one death for Coolock and Drumcondra, part of, was from accidental violence; and of the 2 deaths for Finglas and Glasnevin, part of, one was that of a child under 2 years from gastro-enteritis.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 12·9 per 1,000, and include 3 deaths from tuberculous disease, 2 from bronchitis, and one from gastro-enteritis of a child.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. There was one death from pulmonary tuberculosis, one from pneumonia, and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. Pulmonary tuberculosis caused 4 deaths, broncho-pneumonia one death, and bronchitis 2 deaths.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. Whooping-cough and diphtheria each caused one death, and there was one death from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000. There was no death from epidemic disease or tuberculous disease registered during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·8; Pembroke, 19·2; Blackrock, 11·4; and Kingstown, 6·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles for Pembroke and one from whooping-cough for Kingstown. Among the 8 deaths from all causes for Rathmines and Rathgar are one from influenza and one from pulmonary tuberculosis. Included in the 11 deaths from all causes for Pembroke are 2 from pulmonary tuberculosis.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 7th June, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 17,	.	—	—	18	.	.	9	.	.	.	3	.	—	—	.	—	17	.	47
	May 24,	.	—	—	17	1	.	3	.	2	7	3	.	—	—	.	—	14	.	47
	May 31,	.	—	—	14	3	.	3	.	.	3	1	.	—	—	.	—	14	.	38
	June 7,	.	—	—	15	4	.	8	.	1	6	1	.	—	—	.	—	19	.	54
Rathmines and Rathgar Urban District.	May 17,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	May 24,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	May 31,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	May 17,	.	13	.	.	.	.	.	.	.	.	.	.	—	4	—	—	.	—	17
	May 24,	.	7	.	4	.	.	.	.	.	1	.	.	—	1	—	—	.	—	13
	May 31,	.	1	.	2	.	.	1	.	.	1	.	.	—	2	—	—	.	—	7
	June 7,	.	2	.	2	.	.	.	.	.	.	.	.	—	2	—	—	.	—	6
Blackrock Urban District.	May 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 31,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	.	—	—	—	4
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	May 17,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	May 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 31,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	2	—	3
City of Belfast.	May 17,	.	—	—	37	.	.	4	.	.	1	4	1	—	—	—	—	4	—	51
	May 24,	.	—	—	37	.	.	2	.	.	7	2	.	—	—	—	—	11	—	59
	May 31,	.	—	—	41	.	.	5	.	.	2	2	.	—	—	—	—	14	—	64
	June 7,	.	—	—	26	.	.	3	.	1	2	3	.	—	—	—	—	11	—	46

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th June, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 21 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 19, 19, and 23.

Four cases of typhus were admitted to hospital during the week, 4 were discharged, and 8 cases remained under treatment at the close of the week.

Two cases of measles were admitted to hospital during the week, 9 were discharged, and 10 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 20, 18, and 17 respectively.

Fifteen cases of scarlet fever were admitted to hospital, 17 were discharged, and 98* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 90, 89, and 100 respectively.

Nine cases of diphtheria were admitted to hospital during the week, 22 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 58, 56, and 56 respectively, were 42 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 9 were discharged, there were 2 deaths, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 11·6), was equal to an average annual death-rate of 12·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·9 per 1,000, the rate for Glasgow being 16·0, and for Edinburgh 16·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th June. From this Report it appears that of a total of 74 cases notified, 31 were phthisis, 23 scarlet fever, 12 diphtheria, 6 erysipelas, and 2 enteric fever. Among the 370 cases of infectious diseases in hospital at the close of the week were 110 cases of scarlet fever, 105 of phthisis, 49 of measles, 45 of diphtheria, 30 of whooping-cough, 6 of chicken-pox, 6 of erysipelas, and 5 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 7th June, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 7th June, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 27 Town Districts, ..	1,199,180	19·0	29·0	17·1	1·3	667	393	66	79	1	...	...	9	3	7	1	...	64	16	19	24	38	10	...	6	11	114	12
Dublin Registration Area:—Total, (c.) ...	403,000	29·3	28·1	15·9	1·2	217	123	25	19	1	...	...	1	...	3	1	...	20	4	9	8	13	3	...	2	5	50	7
City of Dublin.	308,187	39·0	31·6	16·9	1·2	187	100	20	11	1	...	...	...	...	2	1	...	17	4	8	8	13	3	...	2	5	44	6
Urban Districts. Rathmines & Rathgar.	38,769	22·6	14·8	10·8	.	11	8	1	4	...	...	...	...	...	...	...	..	1	...	1	...	...	...	...	...	...	2	1
Pembroke. ...	29,942	19·0	20·9	19·2	1·7	12	11	4	3	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	4	...
Blackrock, ...	9,161	8·5	5·7	11·4	.	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	18·5	6·2	3·1	6	2	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Belfast ..	396,000	26·5	31·7	17·1	1·6	241	130	21	26	...	...	...	5	3	...	...	...	23	8	4	5	15	4	...	2	2	32	1
Cork, ..	76,673	28·6	23·1	15·0	.	34	22	2	5	...	...	...	...	...	...	...	...	3	1	1	4	2	...	...	...	...	6	...
Londonderry ...	41,000	15·9	21·6	22·9	1·3	17	18	2	6	...	...	...	1	...	...	...	...	1	1	2	...	3	...	...	...	...	2	1
Limerick. ...	38,518	16·1	19·0	16·2	1·4	14	12	1	3	...	...	...	...	...	...	...	..	2	1	...	...	...	1	..	...	...	3	...
Waterford, ...	27,464	19·1	17·1	28·5	5·7	9	15	4	2	...	.	...	...	...	3	...	.	4	...	...	...	...	...	...	1	2	1	...
Galway. ...	13,255	2·5				9	6	..	3	...	...	...	..	...	...	...	...	...	...	1	...	...	...	...	1	1	4	...
Dundalk, ...	13,128	9·5				10	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	..	..	1	..
Lurgan, ...	12,553	14·7				8	3	...	1	...	..	...	...	...	...	...	..	1	...	...	...	1	...	...	...	...	...	...
Drogheda, ...	12,501	8·4				9	5	1	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	4	...
Lisburn, ...	12,388	10·9				4	7	2	2	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	1	..
Newry. ...	11,963	17·0				5	3	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
Portadown. ...	11,727	15·3				9	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Wexford. ...	11,531	22·8				7	5	1	...	...	...	...	...	...	...	...	...	...	...	..	1	1	...	...	...	...	...	1
Ballymena ..	11,381	9·3				21	3	...	...	..	.	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...
Sligo. ...	11,163	3·8				3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
Kilkenny, ...	10,514	11·4				5	6	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	4	...
Tralee. ...	10,300	17·4				3	6	2	...	...	...	...	1	...	...	...	...	1	...	...	1	...	1	...	...	...	1	...
Clonmel, ...	10,209	7·8				4	1	1	...	..	...	...	...	...	...	...	..	...	...	...	...	.	...	..	...	...	...	1
Newtownards,	9,587	20·1				10	10	2	2	...	...	...	1	...	...	...	...	2	...	...	1	2	1	...	...	...	...	...
Queenstown, ...	8,209	14·7				3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Larne, ...	8,036	13·4				12	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...
Coleraine. ...	7,785	7·7				3	4	...	1	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	1	1
Bangor, ...	7,776	8·5				2	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...
Bray, ..	7,691	7·2				2	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				3	1	...	...	...	...	..	...	...	...	..	...	...	...	...	...	...	...	...	...	..	1	...
Armagh, ...	7,356	21·8				3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

Towns and Districts.	Meteorology. (d) Week ending 7th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ..	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
Dublin Registration Area:—Total, (c.) ...	e 65	37	52·9	0·56	e 65	39	53·9	0·14	e 66	38	52·8	0·22
City of Dublin.	f 65·2 / g 63·8	46·0 / 41·0	55·1 / 54·0	0·37 / 0·34	f 67·1 / g 67·9	46·8 / 42·0	57·3 / 55·6	0·08 / 0·09	f 67·2 / g 68·0	41·2 / 39·2	54·1 / 54·0	0·24 / 0·15
Urban Districts. Rathmines & Rathgar.	...	...	...	...	.	...	...	...	...	...	...	...
Pembroke. ...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	65	45	54·5	0·25	68	47	57·0	0·11	65	41	53·4	0·10
Urban Districts. Belfast ..	66	41	53·6	0·44	69	39	47·2	0·36	62	36	50·1	0·74
Cork, ..	59	43	52·0	1·15	59	46	53·1	·74	59	45	51·3	0·53
Londonderry ...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	63·8	36·4	52·6	1·26	69	41	54·4	0·57	64·3	40·1	52·7	0·34
Waterford, ...	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	65	42	54	0·88	66	41	56	0·44	62	14	53	0·72
Dundalk, ...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	65	43	53·3	0·50	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40
Drogheda, ...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	65	43	53·3	0·50	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40
Newry. ...	65	43	53·3	0·50	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40
Portadown. ...	65	43	53·3	0·50	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40
Wexford. ...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	63	39	52·0	0·71	63	35	52·0	0·80	68	40	52·0	0·89
Kilkenny, ...	63	40	47·5	1·14	68	42	54·8	0·84	66	40	54·1	0·30
Tralee. ...	...	...	..	...	...	...	...	...	...	...	...	...
Clonmel, ...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	62	44	52·8	0·42	63	43	52·9	0·40	68	38	51·0	0·38
Queenstown, ...	59	43	52·0	1·15	59	46	53·1	0·74	59	45	51·3	0·53
Larne, ...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine. ...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	65	43	53·3	0·50	65·7	40·7	54·7	0·87	68·5	36·5	51·8	0·40

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 11 deaths of persons (including 2 under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of June, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	4	1	2	3	.	.	.	2	1	4	.	.	1	2	.	.	20	.
Tuberculous Disease. — Other Forms,	1	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	4	1
Cancer,	.	.	2	1	.	.	.	1	1	1	.	2	1	.	.	.	9	.
Diseases of Nervous System,	.	1	2	1	1	.	.	1	1	1	.	.	.	1	.	.	9	3
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	2	3	.	.	.	1	1	2	2	.	1	3	.	1	17	.
" Respiratory System. — Pneumonia,	1	2	2	1	.	.	.	.	1	1	.	.	.	.	.	.	8	1
" Respiratory System. — Others,	1	2	1	.	.	.	1	2	3	2	1	.	.	.	.	.	13	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	3	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Genito-urinary System,	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	3	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other specified Causes,	1	1	1	2	.	.	.	.	2	1	3	.	2	4	.	.	19	2
Violent Deaths,	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2	2
Ill-defined, &c. Causes,	.	4	.	.	.	.	.	.	.	1	.	.	2	.	.	.	7	.
Deaths from All Causes	8	15	16	12	1	1	2	10	10	14	9	2	8	11	2	2	123	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	19·1	29·9	17·8	9·6	3·8	9·8	12·9	28·4	16·9	14·1	10·7	10·8	19·2	11·4	6·2	15·9	.
	17·5							16·2					12·6					
	16·9																	
Ages at Death. — Under 1 year,	3	3	1	.	.	.	1	3	2	5	2	.	1	4	.	.	25	2
1 and under 2 years,	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	1
2 " 5 "	2	2	1	.	.	.	.	.	.	1	1	.	.	.	.	1	8	.
5 " 15 "	.	2	.	.	.	.	.	.	1	2	.	.	.	.	.	.	5	1
15 " 25 "	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	4	2
25 " 45 "	1	2	6	5	1	.	.	1	2	1	2	1	2	2	1	.	27	2
45 " 65 "	.	4	4	3	.	1	1	5	4	4	2	1	1	1	1	.	32	1
65 and upwards,	.	1	3	4	.	.	.	1	.	1	1	.	4	3	.	1	19	2
Number of Uncertified Deaths,	.	2	1	1	.	.	.	.	2	.	.	.	1	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	.	5	4	.	1	.	3	4	3	5	.	2	4	.	.	31	11
Workhouse Hospitals,	.	3	5	4	.	.	.	2	2	2	1	.	.	.	.	.	19	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 7th June, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	June 13, 1903.	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.	June 11, 1910.	June 10, 1911.	June 8, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 52·9	° 53·1	° 50·8	° 56·1	° 52·7	° 54·4	° 50·1	° 57·8	° 55·6	° 51·5	° 53·5	° 52·9										
ALL CAUSES.	172	143	148	142	180	134	151	133	149	170	152·2	134	13	14	4	8	6	6	29	33	11	10
Enteric Fever, ...	2	1	.	.	.	1	1	.	.	.	·5	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	3	.	6	3	1	1	4	14	3·3	1	.	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	.	.	1	1	.	2	3	·9	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	5	1	2	1	4	3	4	1	1	2	2·4	3	.	.	.	3	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	1	2	.	.	4	.	·7	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	2	2	6	2	6	.	.	1	2·2	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	1	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	2	1	1	.	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	.	.	2	.	1	.	·4	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	30	15	17	16	18	24	15	25	20	20·0	20	.	2	1	1	1	3	6	6	.	.
Tuberculous Meningitis, ...	6	2	3	4	6	3	5	4	4	4	4·1	1	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	4	7	2	2	2	3	1	1	3	1	2·6	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	5	10	7	8	8	1	2	.	.	4·7	2	.	.	.	.	.	1	1	.	.	.
Tuberculosis of other Organs,									1	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									.	2		1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	2	.	1	.	2	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	9	14	6	10	10	5	6	12	8	8·6	9	.	.	.	.	.	.	1	7	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	1	1	1	.	.	.	2	.	·6	2	.	.	.	.	.	.	1	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	2	1	—	2	.	.	.	.	.	.	2	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	2	—	2	.	.	.	.	.	.	.	1	1	.
Alcoholism, ...	1	1	.	1	1	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.	.	.
Simple Meningitis, ...									5	1		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									4	4		2	.	.	.	.	.	.	1	.	.	1
Softening of Brain, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									2	1		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...									.	1		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),									1	4		4	3	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	42	29	34	51	48	26	31	36	4	6	36·1	2	.	.	.	.	.	.	1	.	1	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	1		1	.	.	.	.	1	.	.	.	.	.
Organic Diseases of the Heart,									11	14		12	.	.	.	.	.	.	5	3	2	2
Embolism and Thrombosis (including Cerebral)									.	.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.									1	3		3	.	.	.	.	.	.	1	1	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	13	14	12	9	16	13	9	16	13	19	13·4	11	1	3	.	.	1	.	1	3	1	1
Broncho-pneumonia, ...	3	1	3	3	7	4	2	3	4	7	3·7	3	.	.	.	3	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	.	.	3	.	1	2	1	4	1·1	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	11	12	3	3	8	5	6	5	3	7	6·3	5	.	1	.	.	.	.	1	3		.
Pleurisy, ...									.	1		1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	3	2	1	1	2	2	1	1	1	1	1·9	.	.	.	.	.	.	.	.	.		
Other Diseases of Respiratory System.									2	1		1	.	.	.	.	.	.	.	1		.

TWENTY-THIRD WEEK ending Saturday, 7th June, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 7th June, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	June 13, 1903.	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.	June 11, 1910.	June 10, 1911.	June 8, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 52·9	° 53·1	° 50·8	° 56·1	° 52·7	° 54·4	° 50·1	° 57·8	° 55·6	° 51·5	° 53·5	° 52·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	3	—	1	.	.	.	.	.	.	.	.	1	.
Diarrhœa and Enteritis of Children under 2 years.	1	1	1	1	1	3	2	7	1	.	1·8	3	.	2	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	3	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	.	2	3	2	1	1	.	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	1	1	.	2	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	3	.	2	.	1	.	1	2	3	1	1·3	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	3	3	8	3	3	1	2	4	.	2	2·9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									3	3		4	.	.	.	.	.	.	1	2	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	5	5	4	6	11	3	5	5	.	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	2	.	.	.	.	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	.	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	5	4	7	2	4	8	2	2	4	4·2	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	1	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	4	1	4	3	.	2	8	4	7	5	3·8	5	.	.	.	.	.	.	.	.	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	2	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	1	.	.	1	1	1	.	1	·7	1	.	.	1	.	.	.	.	.	.	.
Drowning, ...	1	.	1	1	3	1	.	.	1	1	·9	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	1	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	.	3	2	1	.	1	5	1	3	2·0	3	.	.	.	.	.	.	2	1	.	.
Total Deaths from Accident,	6	2	5	3	5	3	2	6	2	5	3·9	4	.	.	1	.	.	.	2	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	.	.	.	.	.	2	·3	2	.	.	.	.	.	.	2	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	4	—	7	2	.	.	1	.	.	2	.	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered.	184	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217
Average Births in corresponding week of previous 10 years, ...	211	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222
DEATHS registered, ...	142	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134
Annual Death-rate per 1,000, ...	18·5	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3
Average Deaths in corresponding week of previous 10 years, ...	179	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152
Ages, Under 5 years, ...	35	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39
5—15 " ...	4	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6
15—25 " ...	7	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6
25—45 " ...	25	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29
45—65 " ...	31	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33
65—75 " ...	20	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11
75 and upwards, ...	20	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1
Scarlet Fever, ...	1	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.
Whooping-cough, ...	1	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3
Diphtheria, ...	.	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1
Influenza, ...	2	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20
Tuberculous Disease, Other Forms,	8	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5
Cancer, ...	9	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9
Diseases of Circulatory System,	9	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17
Diseases of Respiratory System, Pneumonia	17	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9
Diseases of Respiratory System, Others, ...	19	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13
Diarrhœa and Enteritis, under 2 years, ...	2	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3
Diarrhœa, 2 years and upwards,	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
Violent Deaths, ...	2	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4
Number of Uncertified Deaths,	7	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7
Mean Temperature of the Air (Phœnix Park)	46·4	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9
Average Mean Temperature in corresponding week of previous 10 years, ...	41·9	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5
Rainfall in inches, ...	·595	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th June, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Registration of Deaths, Week ending Saturday, 7th June, 1913. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	17·6	134	39	6	6	29	33	11	10	1	.	.	1	.	3	1	.	20	5	9	4	9	13	3	.	4	61	7
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	3·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	101,798	12·3	24	5	1	3	7	3	3	2	.	.	.	.	.	.	.	.	1	2	2	1	2	1	1	.	2	12	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13·0	27	7	2	1	3	7	3	4	.	.	.	.	.	1	.	.	5	2	2	.	2	3	.	.	.	12	1
IV.	GENERAL SERVICE CLASS, ...	167,479	19·6	63	26	3	2	13	14	2	3	1	.	.	1	.	2	1	.	10	1	3	3	5	5	2	.	2	27	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	19	1	.	.	5	9	3	1	.	.	.	.	.	.	.	.	4	.	2	.	.	4	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	10·3	5	1	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	1
	6. Clerks and Commercial Assistants, ...	33,249	7·8	5	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	17·0	11	3	.	2	3	1	2	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	2	4	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8·9	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	18·1	10	3	1	1	1	2	2	.	.	.	.	.	.	1	.	.	1	1	1	.	2	2	.	.	.	2	.
	10. Clothing Trades, ...	20,026	2·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	11. Food Supply Trades	8,952	17·5	3	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	17·9	11	3	1	.	.	4	1	2	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.	.	5	.
	13. Petty Shopkeepers	6,772	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20·1	5	1	2	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	15. Domestic Servants, ...	36,041	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	1	2	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	25·3	50	21	1	1	11	11	2	3	.	.	.	1	.	2	1	.	9	.	3	2	4	3	2	.	1	22	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	19	1	.	.	5	9	3	1	.	.	.	.	.	.	.	.	4	.	2	.	.	4	.	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Apr. 19,	20·9	1·7	12	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 26,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	May 3,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	„ 10,	40·1	1·7	23	1	.	.	.	.	.	.	.	6	1	5	2	1	.	.	2	.
	„ 17,	19·2	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	1
	„ 24,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
	„ 31,	24·4	3·5	14	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
	June 7,	13·9	.	8	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Apr. 19,	21·7	3·8	17	.	.	.	.	.	1	.	.	2	.	.	1	.	2	.	1	1
	„ 26,	23·0	1·3	18	.	.	.	.	1	.	.	.	3	.	1	1	4	.	.	1	.
	May 3,	21·7	3 8	17	.	.	.	.	.	.	.	.	2	.	.	1	2	2	1	.	.
	„ 10,	29·3	1·3	23	.	.	.	.	.	.	.	.	2	2	2	1	2	.	1	.	3
	„ 17,	25·5	3·8	20	.	.	.	.	.	.	.	.	4	.	1	1	3	2	1	2	.
	„ 24,	17·9	1·3	14	.	.	.	.	.	.	.	.	2	1	1	1	4	1	.	.	.
	„ 31,	24·2	1·3	19	1	.	.	.	.	.	.	.	4	.	3	1	3	.	.	.	.
	June 7,	19·1	3·8	15	1	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Apr. 19,	33·7	5·6	18	.	.	.	.	.	.	.	.	2	3	.	1	3	3	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2
	May 3,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 10,	29·9	.	16	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 17,	18·7	1·9	10	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	.
	„ 24,	22·4	.	12	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1
	„ 31,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	June 7,	29·9	.	16	.	.	.	.	.	.	.	.	2	2	2	2	1	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Apr. 19,	16·3	3·0	11	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1
	„ 26,	40·0	1·5	27	.	.	.	.	.	.	.	.	5	1	3	3	3	1	.	2	.
	May 3,	10·4	.	7	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 10,	20·7	.	14	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	.	1
	„ 17,	14·8	1·5	10	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.
	„ 24,	32·6	4·4	22	1	.	.	.	.	.	.	.	4	1	2	1	1	2	.	.	.
	„ 31,	10·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	June 7,	17·8	.	12	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	1	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Apr. 19,	31·0	2·6	24	.	.	.	.	.	2	.	.	5	1	.	3	5	.	.	.	.
	„ 26,	28·4	2·6	22	.	.	.	.	.	.	.	.	5	1	.	.	5	2	.	.	.
	May 3,	20·7	.	16	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
	„ 10,	25·8	2·6	20	.	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	.
	„ 17,	16·8	1·3	13	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
	„ 24,	23·3	.	18	.	.	.	.	.	.	.	.	2	2	3	1	2	.	.	.	.
	„ 31,	18·1	1·3	14	.	.	.	.	.	.	.	.	4	.	1	3	1	1	.	.	.
	June 7,	12·9	1·3	10	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Apr. 19,	31·3	2·8	11	.	.	.	.	.	.	1	.	1	3	.	.	1	.	.	.	1
	„ 26,	45·5	2·8	16	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1
	May 3,	22·7	2·8	8	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.
	„ 10,	8·5	2·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	„ 17,	22·7	2·8	8	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.
	„ 24,	39·8	5·7	14	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.
	„ 31,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	June 7,	28·4	.	10	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	2
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Apr. 19,	24·2	1·2	20	.	.	.	.	.	.	.	.	.	2	1	2	3	1	.	1	.
	„ 26,	24·2	.	20	.	.	.	.	.	.	.	.	5	1	2	.	2	.	.	.	1
	May 3,	15·7	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.
	„ 10,	18·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1
	„ 17,	19·4	1·2	16	.	.	.	.	.	.	1	.	1	1	.	2	4	.	.	.	1
	„ 24,	21·8	1·2	18	.	.	.	.	.	1	.	.	3	1	2	3	2	.	.	.	.
	„ 31,	12·1	.	10	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.
	June 7,	16·9	.	14	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Apr. 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	4
	„ 26,	25·2	1·6	16	.	.	.	.	.	1	.	.	2	1	.	1	3	.	.	.	1
	May 3,	18·9	.	12	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.
	„ 10	28·3	1·6	18	.	.	.	.	.	1	.	.	2	1	.	1	4	.	.	.	.
	„ 17,	12·6	3·1	8	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	„ 31,	18·9	.	12	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	June 7,	14·1	3·1	9	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Apr. 19,	22·9	1·3	17	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.
	„ 26,	16·1	.	12	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	May 3,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 10,	9·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 17,	21·5	.	16	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 24,	16·1	.	12	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.
	„ 31,	18·8	.	14	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	.
	June 7,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Apr. 19,	20·9	5·2	12	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	1
	„ 26,	19·2	3·5	11	.	.	.	.	.	1	1	.	2	.	.	1	1	.	.	.	.
	May 3,	20·9	3·5	12	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1
	„ 10,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.
	„ 24,	31·3	3·5	18	.	.	.	1	.	1	.	.	1	.	2	2	2	.	.	.	1
	„ 31,	22·6	1·7	13	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	1
	June 7,	19·2	1·7	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Apr. 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 26,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1
	May 3,	24·6	3·1	8	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.
	„ 10,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 17,	21·5	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 31,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June 7,	6·2	3·1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Apr. 19,	16·9	1·1	128	.	.	.	4	3	.	1	.	16	7	7	11	12	.	.	3	3
	„ 26,	20·4	1·2	155	.	.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	1
	May 3,	18·7	0·5	142	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	1
	„ 10,	17·1	1·4	130	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	.
	„ 17,	18·2	1·3	138	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	1
	„ 24,	17·0	1·1	129	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	1
	„ 31,	16·7	0·5	127	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	2
	June 7,	17·1	1·6	130	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	1
Cork. Pop. in 1911 76,673.	Apr. 19,	22·4	0·7	33	.	.	.	.	.	.	.	.	1	.	.	2	9	1	.	.	2
	„ 26,	23·8	.	35	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	2
	May 3,	26·5	0·7	39	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	1
	„ 10,	23·8	0·7	35	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	1
	„ 17,	21·1	0·7	31	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.
	„ 24,	27·2	.	40	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	.
	„ 31,	17·0	0·7	25	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	2
	June 7,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Apr. 19,	12·7	2·5	10	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	.
	„ 26,	17·8	.	14	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	.
	May 3,	16·5	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 10,	5·1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 17,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.
	„ 24,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1
	„ 31,	11·4	.	9	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
	June 7,	22·9	1·3	18	.	.	.	1	.	.	.	.	1	1	2	.	3	.	.	.	1
Limerick. Pop. in 1911 38,518.	Apr. 19,	29·8	.	22	.	.	.	.	.	.	.	.	5	.	.	.	7	.	.	1	2
	„ 26,	16·2	.	12	.	.	.	.	.	.	.	.	5	.	.	2	2	.	.	.	2
	May 3,	14·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1
	„ 10,	24·4	1·4	18	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3
	„ 17,	9·5	1·4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	„ 24,	21·7	1·4	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	2
	„ 31,	20·3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	1
	June 7,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
Waterford. Pop. in 1911 27,464.	Apr. 19,	11·4	1·9	6	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 26,	17·1	3·8	9	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.
	May 3,	17·1	1·9	9	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 10,	20·9	1·9	11	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	2
	„ 17,	20·9	1·9	11	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	1	1
	„ 24,	22·8	3·8	12	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	2	.
	„ 31,	15·2	1·9	8	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	1
	June 7,	28·5	5·7	15	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th June, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	36·1	.	11	.	1	.	5	2	3	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	2	3	.
Do. 2 do.	49,500	40	12·6	1·1	12	2	1	.	4	2	3	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	.	.	5	.
Do. 3 do.	50,032	33	13·5	3·1	13	3	1	.	7	1	1	.	.	.	2	.	.	.	.	2	.	1	.	2	1	.	.	.	2	1
Do 4 do.	32,637	22	28·8	4·8	18	4	4	2	1	6	1	.	.	.	2	.	.	.	.	2	3	.	1	1	1	.	.	.	8	.
Do. 5 do.	16,112	8	12·9	.	4	.	1	.	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1	.
Do. 6 do.	37,293	14	19·6	1·4	14	3	.	2	2	4	3	.	.	.	1	.	.	.	.	3	1	.	.	.	.	.	.	.	1	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	.	35·0	.	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 9 do.	24,427	11	8·5	.	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 10 do.	28,958	21	21·6	1·8	12	2	.	2	1	5	2	.	.	.	.	.	.	.	.	4	.	.	.	3	1	.	.	.	1	.
Do. 11 do.	39,311	26	13·3	.	10	2	.	1	3	1	3	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.	2	.
Do. 12 do.	38,076	25	26·0	4·1	19	5	4	2	1	4	3	.	.	.	.	3	.	.	.	2	1	1	3	1	.	.	.	.	5	.
Do. 13 do.	23,233	15	9·0	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	11·5	.	5	.	1	1	.	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	1	.
Total,	386,947	241	17·1	1·6	130	21	13	11	25	34	26	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	2	32	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	1	7·8	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,701	8	15·0	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do 3 do.	9,978	5	31·9	.	6	1	1	.	2	1	1	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	.	2	.
Do 4 do.	8,666	1	5·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6 592	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	8	13·5	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	7	22·7	.	7	.	2	2	.	1	2	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1	.
Total,	76,122	34	15·0	.	22	2	4	2	6	3	5	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.	6	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered, ...	167	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241
DEATHS registered, ...	150	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130
Annual Death-rate per 1,000 of estimated population, ...	20·0	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1
AGES, Under 1 year, ...	34	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21
1—5 years, ...	27	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13
5—25 " ...	17	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11
25—45 " ...	19	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25
45—65 " ...	29	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34
65 and upwards, ...	24	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26
Deaths from :—																										
Enteric Fever, ...	.	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	20	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5
Scarlet Fever, ...	1	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3
Whooping-cough, ...	.	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.
Diphtheria, ...	3	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	10	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23
Tuberculous Disease. Other Forms,	6	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8
Cancer, ...	8	8	2	5	5	4	5	4	5	7	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1	4
Diseases of Respiratory System, Pneumonia,	16	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6
Diseases of Respiratory System, Others, ...	25	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15
Diarrhœa and Enteritis, under 2 years, ...	2	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4
Diarrhœa, 2 years and upwards,	.	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.
Violent Deaths, ...	1	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2
Number of Uncertified Deaths, ...	.	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	June 7,	2,144	1,006	11·6	1	.	27	1	20	18	27*a*
Edinburgh, ...	320,300	„ 7,	145	99	16·1	1	.	.	1	5	1	4
Glasgow, ...	1,021,500	„ 7,	551	313	16·0	1	.	18	4	19	2	5
Calcutta, ...	896,067	Apr. 26,	.	539	31·2	103*	5	6	.	.	.	91‡
Bombay, ...	979,445	May 3,	312	928	49·3	305*	10	12	.	.	.	69‡
Madras, ...	518,660	„ 10,	339	386	38·7	79*	1	7	?	?	?	97‡
Cairo, ...	710,514	Mar. 18,	735	490	36·0	1	1	11	1	?	8†	42*a*
Paris, ...	2,847,229	May 24,	935	904	16·3	4	.	33	3	7	1†	19*a*
Brussels, ...	767,252	„ 17,	267	196	13·3	.	.	1	2	1	1†	11*a*
Antwerp, ...	312,884	„ 24,	96	61	10·2	1	.	3	1	1	.	6*a*
Amsterdam, ...	590,056	„ 17,	268	124	11·0	.	.	2	.	2	1†	2*a*
Copenhagen, ...	473,500	„ 17,	281	126	13·9	1	.	.	5	2	.	5*a*
Stockholm, ...	376,171	„ 17,	145	92	12·7	.	1	.	.	1	.	1
Christiania, ...	247,488	„ 24,	117	88	18·8	.	.	1	.	.	.	2
St. Petersburg ...	1,686,000	„ 3,	842	781	24·2	10	.	21	8	6	6	95*a*
Moscow, ...	1,694,000	Apr. 26,	.	720	22·2	2	1	30	17	6	12†	57
Berlin, ...	2,078,554	May 3,	826	638	16·0	.	.	5	1	4	13†	54
Hamburg, ...	1,006,748	„ 17,	.	253	13·1	.	.	1	4	4	7†	18*a*
Breslau, ...	539,067	„ 17,	.	215	20·8	.	.	2	.	1	1	15
Munich, ...	627,010	„ 17,	.	170	14·1	.	.	1	.	2	.	19*a*
Vienna (with suburbs),	2,115,254	„ 24,	.	.	.	.	.	.	.	.	.	.
Buda-Pesth, ...	930,666	„ 17,	473	318	17·8	.	.	6	21	.	5†	9*a*
Prague and Faubourgs,	489,194	„ 3,	199	154	16·4	.	.	2	4	1	1†	5*a*
Trieste, ...	239,703	„ 17,	92	92	20·0	.	.	1	1	2	2†	2*a*
Rome, ...	579,285	Jan. 25,	352	275	24·8	1	.	10	2	.	4	10
New York, ...	5,372,983	May 3,	2,438	1,532	14·9	3	.	20	15	10	32†	34*a*
Philadelphia, ...	1,631,960	Apr. 19,	.	515	16·4	3	.	9	.	3	7	10*a*
Boston, ...	735,399	May 17,	.	199(*b*)	14·1	.	.	4	3	1	1	3

* Deaths from "fever," including 14 from enteric fever and 67 from plague in Calcutta, 6 from enteric fever and 234 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 46 deaths from cholera in Calcutta, 2 in Bombay, and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures. Non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th June, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	4	.	1	.	.	.	.	.	.	3	.	9
" " 1, West, ...	.	2	.	.	.	.	.	1	.	.	.	2	.	5
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	1	.	2
" " 3, ...	.	2	.	.	.	.	1	.	.	.	.	2	.	5
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	1	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	3	.	.	1	.	.	1	.	.	.	2	.	7
" " 2, ...	.	1	.	.	.	.	.	.	1	.	.	3	.	5
" " 3, ...	.	1	.	.	.	.	.	1	.	.	.	3	.	5
" " 4, ...	.	4	.	.	5	.	.	2	.	.	.	2	.	13
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	15	4	.	8	.	1	6	1	.	.	19	.	54

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th June, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th June.			
	May 17.	May 24.	May 31.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	19	19	23	4	6	.	21
Typhus, ...	10	8	8	4	4	.	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	20	18	17	2	9	.	10
Scarlet Fever, ...	90	89	100	15	17	.	98*
Diphtheria, ...	58	56	56	9	22	1	42
Pneumonia, ...	18	25	23	10	9	2	22

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 7th June, 1913:—

"Changeable, but generally favourable, weather makes the record of this first week in June. Atmospheric depressions of no great depth or intensity were found on the Atlantic between the British Isles and Iceland, whereas areas of high pressure existed near the Azores and less stable systems of the same kind stretched across Central Europe to Russia and the Black Sea. In Ireland and Scotland fresh S.W. winds were experienced at times and rain fell somewhat copiously. On Monday evening a brief summer gale from S. to S.W. raised a troubled sea in St. George's Channel and the Irish Sea. The system which caused this unsettled weather travelled away northwards from the west coast of Ireland leaving cool but fine weather behind it. Wednesday was a brilliant summer's day in Dublin, but towards evening cloud increased and the wind (which was S.E.) freshened in the course of the following night as a new depression arrived over Ireland from the Atlantic. Thursday was a dull, damp, drizzling day—in the afternoon the wind veered from S.S.E. through S.W. to W. and temperature fell. Rain at night was followed by a fine, bracing, breezy day on Friday. Another depression on Friday night caused high winds to prevail throughout Saturday, which day proved fine, albeit cloudy at times. In Dublin the mean height of the barometer was 29·863 inches, the range of pressure being from 30·037 inches at 9 a.m. of Sunday (wind, S.W.) to 29·658 inches at 9 p.m. of Thursday (wind, W.). The corrected mean temperature was 55·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·7°. The screened thermometers rose to 65·2° on Wednesday, having fallen to 46·0° on Tuesday. The prevalent winds were S.W. and W.S.W. Rain fell on 4 days to the amount of ·366 inch, ·156 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·872 inches. The highest reading (30·050) was on Sunday at 9 a.m., wind W.S.W., the lowest (29·663) on Thursday at 9 p.m., wind W.

The mean temperature for the week was 52·9°, being 0·6 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday and Wednesday, on which days the thermometer registered 65°, and was lowest on Wednesday, the mercury having fallen to 37°. The mean of the Dry Bulb for the week was 53·3° and of the Wet Bulb, 50·4°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·560 inch.

At Greenwich the mean temperature for the week was 58·0°, the maximum 79·1°, and the minimum 42·2°; at Glasgow the maximum was 73·5°, the minimum 43·0°, and the mean 55·1°; and at Edinburgh the maximum was 63·2°, the minimum 45·0°, and the mean 54·2°. The rainfall at Greenwich measured 0·12 in.; at Glasgow 0·84 in.; and at Edinburgh 0·41 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 1,	30·045	64	39	51·5	52·5	48·0	·75	·5	12·2	·000	W.S.W.	S.W.
Monday, " 2,	29·870	62	46	54·0	53·9	50·6	·81	·7	1·6	·090	S.S.W.	S.W.
Tuesday, " 3,	30·020	65	43	54·0	53·0	50·4	·83	·1	6·3	·000	S.W.	Calm.
Wednesday, " 4,	29·880	65	37	51·0	57·1	53·8	·80	·2	7·2	·010	E.S.E.	E.
Thursday, " 5,	29·665	59	43	51·0	53·4	52·5	·95	·5	0·7	·300	E.S.E.	W.
Friday, " 6,	29·800	61	49	55·0	51·9	49·8	·86	·6	5·2	·015	W.	S.S.W.
Saturday, " 7,	29·825	59	48	53·5	51·4	47·4	·75	·5	11·0	·145	W.	W.S.W.
Mean, ...	29·872	62·1	43·6	52·9	53·3	50·4	·82	·4	Total 44·2	Total ·560	Prevailing Winds, W. & S.W.	

Sunday—A beautiful bright day; night clear. *Monday*—Day cloudy, heavy showers at intervals from 1.0 to 5.0 p.m.; night clear. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—A fine day, cloudy at intervals; night cloudy, showers at intervals from 6.0 to 8.0 a.m. *Thursday*—Day cloudy, heavy rain 5.45 to 8.30 p.m.; night overcast, raining from 12 m.n. to 4.15 a.m. *Friday*—Day cloudy, drizzling at intervals 5.0 to 9.0 p.m.; night overcast, light rain 9.15 to 10.30 p.m. and 1.30 to 2.0 a.m. *Saturday*—A beautiful bright day; night overcast, drizzling rain 10.40 to 10.45 p.m and 12 m.n. to 5.30 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 7th June, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 1,	56·4	56·0	52·7	65	45	55·0	8·3	—
Monday, " 2,	58·9	56·4	52·7	65	49	57·0	2·0	·071
Tuesday, " 3,	54·8	55·1	52·9	62	44	53·0	2·8	—
Wednesday, " 4,	57·2	55·7	53·0	64	44	54·0	9·2	—
Thursday, " 5,	56·2	56·6	53·0	59	51	55·0	0·3	·154
Friday, " 6,	51·0	56·0	53·0	61	49	55·0	5·4	—
Saturday, " 7,	54·9	56·1	53·1	62	49	55·5	11·4	·118
Weekly Mean, .	55·6	56·0	52·9	62·6	47·3	54·9	Total 39·4	Total ·343

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 1-74/139. 375. 3. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 14TH JUNE, 1913. [No. 24.

General Register Office, Charlemont House,
Dublin, 16*th June,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending May 24	May 31	June 7	June 14	Average Rate for 4 weeks.
27 Town Districts, (a)	**19·2**	**16·6**	**17·1**	**18·5**	**17·8**
Dublin Reg. Area ...	21·5	16·0	15·9	20·8	18·5
Dublin City ...	21·7	16·1	16·9	22·8	19·4
Belfast	17·0	16·7	17·1	17·5	17·1
Cork	27·2	17·0	15·0	17·0	19·0
Londonderry ...	11·4	11·4	22·9	15·3	15·3
Limerick	21·7	20·3	16·2	12·2	17·6
Waterford	22·8	15·2	28·5	19·0	21·4

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 0·9 per 1,000. Among the 133 deaths from all causes for Belfast are one from each of enteric fever and measles, and 3 from diarrhœa and enteritis of children under 2 years of age. One of the 25 deaths from all causes for Cork is from scarlet fever. Among the 12 deaths from all causes for Londonderry are 2 from diarrhœa and enteritis of children under 2 years of age. Included in the 10 deaths from all causes for Waterford is one from whooping-cough, and one of the 5 deaths from all causes for Newry is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—112 boys and 96 girls—and the deaths to 173—83 males and 90 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·8 per 1,000 of the population. During the twenty-four weeks, ending with Saturday last, the death-rate averaged 21·8, and was 2·0 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 173, represent an annual rate of 22·4 per 1,000; the annual rate for the past twenty-four weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·0 per 1,000 of the mean population for all deaths registered.

Included in the total there were 2* deaths from scarlet fever, 4 deaths from whooping-cough, 2 deaths from diphtheria, and 2 deaths from diarrhœa and enteritis of children under 2 years. In each of the three preceding weeks deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were 2, 0, and 3; deaths from diphtheria were one, 0, and one; and deaths from diarrhœa and enteritis of children were 6, 2, and 3.

The deaths from tuberculous disease amounted to 40 and include 29 deaths from pulmonary tuberculosis, 6 from tuberculous meningitis, and 5 deaths from other forms of the disease. Deaths from tuberculosis in each of the 3 preceding weeks were 30, 25, and 25, respectively.

Of 13 deaths from pneumonia (all forms), 4 were from broncho-pneumonia, 3 from lobar pneumonia, and 6 from pneumonia (type not distinguished).

Eleven deaths from cancer were recorded.

There were 2 deaths from convulsions, 2 from congenital malformations, 8 from premature birth, and 4 from congenital debility, all of infants under one year of age.

The deaths of 14 persons were attributed to organic diseases of the heart, and 13 deaths from bronchitis were registered.

There were 6 deaths by accident or negligence, 3 of these being by burns or scalds of children under 5 years, and there were 2 deaths by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 10 were under one month old) and 35 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards.

Eighty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·8 per 1,000; the rate in the City was 22·8 (North City Districts, 22·7; South, 23·1) and in the Suburbs, 14·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 0·6, and in the South 1·4), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·9 per 1,000. Tuberculous disease caused 5 deaths, there was one death from broncho-pneumonia and also one death from bronchitis, and 2 deaths from accidental causes, one by burning and one by drowning.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·1 per 1,000. There were 4 deaths from tuberculous disease, one from bronchitis, and one from enteritis of an infant.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000, and include 2 deaths from tuberculous disease, one from lobar pneumonia, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (20) represent an annual rate of 29·6 per 1,000. Tuberculous disease was the cause of 7 deaths, broncho-pneumonia and lobar pneumonia each caused one death, and there were 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·4; and Finglas and Glasnevin, part of, 9·8. The one death for Clontarf and Howth, No. 1, part of, is from pulmonary tuberculosis. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one is from tuberculous meningitis. One of the 2 deaths for Finglas and Glasnevin, part of, is from diphtheria.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·7 per 1,000, and include 2 deaths from tuberculous disease, 4 deaths from bronchitis, and 2 deaths by burns and scalds.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Scarlet fever and whooping-cough each caused one death; there were 3 deaths from tuberculous disease and one from pneumonia.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·0 per 1,000. The deaths include one from diphtheria, 5 from tuberculous disease, one from lobar pneumonia, one from pneumonia, 2 from bronchitis, and and one from enteritis of an infant.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Pulmonary tuberculosis caused 3 deaths, there was one death from pneumonia, and one death from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000. Of the 2 deaths one was caused by broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·1; Pembroke, 8·7; Blackrock, 11·4; and Kingstown, 30·8. The deaths from the principal epidemic diseases tabulated for these districts comprise 3 from whooping-cough for Kingstown. Among the 9 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis and one from bronchitis. Of the 5 deaths from all causes for Pembroke 2 are from tuberculous disease. One of the 2 deaths for Blackrock is from broncho-pneumonia; and of the 10 deaths from all causes for Kingstown are 2 from pneumonia and one by drowning.

* See note (c) Table II.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 14th June, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending.	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 24,	.	—	—	17	1	.	3	.	2	7	3	.	—	—	.	—	14	.	47
	May 31,	.	—	—	14	3	.	3	.	.	3	1	.	—	—	.	—	14	.	38
	June 7,	.	—	—	15	4	.	8	.	1	6	1	.	—	—	.	—	19	.	54
	June 14,	.	—	—	4	1	.	6	.	.	3	2	.	—	—	.	—	6	.	22
Rathmines and Rathgar Urban District.	May 24,	.	—	—	1	.	.	3	.	.	.	.	.	—	—	—	—	—	—	4
	May 31,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	June 14,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	May 24,	.	7	.	4	.	.	.	.	.	1	.	.	—	1	—	—	.	—	13
	May 31,	.	1	.	2	.	.	1	.	.	1	.	.	—	2	—	—	.	—	7
	June 7,	.	2	.	2	.	.	.	.	.	.	.	.	—	2	—	—	.	—	6
	June 14,	.	3	.	2	.	.	2	.	.	.	.	.	—	2	—	—	.	—	9
Blackrock Urban District.	May 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 31,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	.	—	—	—	4
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	June 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	May 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	May 31,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	2	—	3
	June 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	May 24,	.	—	—	37	.	.	2	.	.	7	2	.	—	—	—	—	11	—	59
	May 31,	.	—	—	41	.	.	5	.	.	2	2	.	—	—	—	—	14	—	64
	June 7,	.	—	—	26	.	.	3	.	1	2	3	.	—	—	—	—	11	—	46
	June 14,	.	—	—	35	.	.	6	.	.	3	3	.	—	—	—	—	6	—	53

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th June, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, one was discharged, and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 19, 23, and 21.

One case of typhus was admitted to hospital during the week, one was discharged, and 8 cases remained under treatment at the close of the week.

Two cases of measles were admitted to hospital during the week, one was discharged, and 11 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 18, 17 and 10, respectively.

Nine cases of scarlet fever were admitted to hospital, 11 were discharged, there were 3 deaths, and 93* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 89, 100, and 98 respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 56, 56, and 42 respectively, were 42 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 12 were discharged, there were 2 deaths, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 11·4), was equal to an average annual death-rate of 11·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·2 per 1,000, the rate for Glasgow being 15·4, and for Edinburgh 11·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th June. From this Report it appears that of a total of 31 cases notified, 14 were phthisis, 11 scarlet fever, 4 erysipelas, and 2 diphtheria. Among the 341 cases of infectious diseases in hospital at the close of the week were 111 cases of phthisis, 110 of scarlet fever, 46 of diphtheria, 30 of whooping-cough, 6 of erysipelas, 4 of enteric fever, and 3 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 14th June, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 14th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st May, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ..	1,199,180	19·0	30·5	18·5	0·9	701	426	67	107	1	...	...	2	2	5	2	...	63	28	20	29	42	7	1	10	14	148	12	° ...	° ...	° ..	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	26·9	20·8	1·2	208	161	28	34	...	...	...	...	1	4	2	...	26	11	10	12	15	2	...	5	2	70	3	e 66	39	53·1	0·33	e 65	37	52·9	0·56	e 65	39	53·9	0·14
City of Dublin,	308,187	39·0	29·9	22·8	1·0	177	135	23	28	...	...	...	...	1	1	2	...	23	10	9	9	14	2	...	4	1	68	2	f 67·2 g 65·9	43·4 39·0	54·2 53·4	0·27 0·31	f 65·2 g 63·8	46·0 41·0	55·1 54·0	0·37 0·34	f 67·1 g 67·9	46·8 42·0	57·3 55·6	0·08 0·03
Urban Districts. Rathmines & Rathgar.	38,769	22·6	14·8	12·1	.	11	9	...	2	...	...	...	...	...	...	...	..	2	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	29,942	19·0	13·9	8·7	.	8	5	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock. ...	9,161	8·5	17·1	11·4	.	3	2	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown. ...	16,941	11·6	27·7	30·8	9·2	9	10	4	1	...	...	...	...	...	3	...	...	...	...	...	2	...	...	...	1	1	1	1	62	45	53·9	0·09	65	45	54·5	0·25	68	47	57·0	0·11
Urban Districts. Belfast ..	396,000	26·5	37·7	17·5	0·7	286	133	24	32	1	...	...	1	...	...	...	...	19	10	3	9	9	3	...	1	5	33	2	61	41	52·2	0·63	66	41	53·6	0·44	69	39	47·2	0·36
Cork, ..	76,673	28·6	32·6	17·0	0·7	48	25	2	6	...	...	...	...	1	...	...	...	6	1	1	1	1	...	...	1	2	14	1	62	44	52·7	0·17	59	43	52·0	1·15	59	46	53·1	0·74
Londonderry...	41,000	15·9	36·9	15·3	2·5	29	12	2	3	...	...	...	...	...	...	...	...	1	1	1	1	2	2	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,518	16·1	24·4	12·2	.	18	9	1	2	...	...	...	...	...	...	...	..	1	...	...	1	3	...	...	...	...	5	..	65·2	44·1	52·8	0·94	63·8	36·4	52·6	1·26	69	41	54·4	0·57
Waterford, ...	27,464	19·1	26·6	19·0	1·9	14	10	1	3	...	..	...	...	...	1	...	.	3	1	...	1	2	...	...	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5				9	7	1	1	...	...	...	..	...	...	...	...	1	...	...	...	...	...	1	1	2	...	1	63	45	53	1·38	65	42	54	0·88	66	41	56	0·44
Dundalk, ...	13,128	9·5				7	3	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	..	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				11	6	...	3	...	...	...	...	...	...	...	..	...	...	...	...	3	...	...	...	...	1	1	67	39	51·3	0·83	65	43	53·3	0·50	65·7	40·7	54·7	0·87
Drogheda, ...	12,501	8·4				5	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				10	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	..	67	39	51·3	0·83	65	43	53·3	0·50	65·7	40·7	54·7	0·87
Newry. ...	11,963	17·0				4	5	1	2	...	...	...	1	...	...	...	...	1	...	1	1	...	...	...	...	...	2	...	67	39	51·3	0·83	65	43	53·3	0·50	65·7	40·7	54·7	0·87
Portadown, ...	11,727	15·3				5	4	..	1	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	.	67	39	51·3	0·83	65	43	53·3	0·50	65·7	40·7	54·7	0·87
Wexford. ...	11,531	22·8				3	5	...	1	...	...	...	...	...	...	...	...	...	1	1	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8				7	7	...	2	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	5	...	63	35	51·0	1·00	63	39	52·0	0·71	63	35	52·0	0·80
Kilkenny, ...	10,514	11·4				2	6	...	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	...	2	...	64	44	53·1	0·37	63	40	47·5	1·14	68	42	54·8	0·84
Tralee. ...	10,300	17·4				5	5	3	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	.	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				9	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				4	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	63	41	51·3	0·56	62	44	52·8	0·42	63	43	52·9	0·40
Queenstown, ...	8,209	14·7				1	4	...	1	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	2	...	62	44	52·7	0·17	59	43	52·0	1·15	59	46	53·1	0·74
Larne, ...	8,036	13·4				1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				1	1	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh. ...	7,356	21·8				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	67	39	51·3	0·83	65	43	53·3	0·50	65·7	40·7	54·7	0·87

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (†.) at foot of first page. (c) Exclusive of 12 deaths of persons (including one at 66 years) admitted to hospital from localities outside the Area; one of the 12 deaths was from scarlet fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of June, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Whooping-cough,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	4	.
Diphtheria,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	3	3	1	5	1	.	.	1	2	4	3	.	2	1	.	.	26	3
Tuberculous Disease. — Other Forms,	2	1	1	2	.	1	.	1	1	1	.	.	.	1	.	.	11	.
Cancer,	1	1	1	.	.	.	.	3	.	.	3	.	1	.	.	.	10	1
Diseases of Nervous System,	1	3	.	1	.	.	.	2	1	1	1	.	2	.	.	.	12	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	1	.	2	.	2	.	1	.	.	.	1	3	2	.	2	16	.
" Respiratory System. — Pneumonia,	1	.	1	2	.	.	.	.	1	2	1	1	.	.	1	2	12	1
" Respiratory System. — Others,	1	1	2	2	.	.	.	4	.	3	1	.	1	.	.	.	15	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	1	.	.	1	1	1	1	1	.	.	.	.	.	7	2
" Genito-urinary System,	.	.	1	1	.	1	.	.	1	2	2	.	.	.	.	1	9	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Other specified Causes,	3	3	3	4	.	.	.	.	1	3	2	.	.	.	1	1	21	2
Violent Deaths,	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	5	1
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	4	.
Deaths from All Causes	16	15	13	20	1	4	2	16	10	19	17	2	9	5	2	10	161	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·9	19·1	24·3	29·6	9·6	15·4	9·8	20·7	28·4	23·0	26·7	10·7	12·1	8·7	11·4	30·8	20·8	.
	22·7							23·1					14·3					
	22·8																	
Ages at Death. — Under 1 year,	4	4	4	4	.	.	.	1	2	3	1	.	.	.	1	4	28	.
1 and under 2 years,	1	.	.	1	.	.	.	1	1	.	.	.	.	.	.	1	5	.
2 " 5 "	1	.	1	.	.	.	.	.	2	1	1	.	.	.	.	1	7	1
5 " 15 "	2	.	.	2	.	1	1	1	.	1	.	.	.	1	.	.	9	1
15 " 25 "	1	2	1	1	.	.	1	.	.	1	2	.	1	1	.	.	11	.
25 " 45 "	2	5	2	4	.	1	.	3	3	5	2	1	3	1	.	.	32	5
45 " 65 "	3	1	5	4	1	1	.	5	1	2	5	1	3	.	.	3	35	4
65 and upwards,	2	3	.	4	.	1	.	5	1	6	6	.	2	2	1	1	34	1
Number of Uncertified Deaths,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	2	5	7	1	1	2	2	3	5	7	.	.	1	.	1	41	11
Workhouse Hospitals,	5	5	2	.	.	.	.	5	2	6	4	.	.	.	.	.	29	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 14th June, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	June 20, 1903.	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.	June 18, 1910.	June 17, 1911.	June 15, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 49·1	° 56·3	° 55·6	° 55·0	° 54·6	° 53·6	° 55·9	° 56·4	° 52·6	° 52·9	° 54·2	° 53·1										
ALL CAUSES.	151	169	132	126	191	150	128	140	159	190	153·6	173	10	18	5	8	10	11	37	39	22	13
Enteric Fever, ...	.	1	.	1	.	.	1	2	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	.	.	3	3	3	1	2	17	3·2	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	.	1	.	.	.	.	·3	2	.	.	.	1	1	.	.	.	.	.
Whooping-cough, ...	6	3	2	2	8	2	3	2	3	1	3·2	4	1	1	2	.	.	.	.	.	.	.
Diphtheria, ...	1	.	1	.	.	.	.	.	1	3	·6	2	.	.	.	1	1	.	.	.	.	.
Croup, ...		.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	2	1	1	3	.	.	1	1	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	1	.	.	1	1	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	1	.	.	1	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	16	26	26	17	27	16	19	22	23	19	21·1	29	.	.	.	.	2	5	16	5	.	1
Tuberculous Meningitis, ...	3	3	2	2	5	4	3	7	2	1	3·2	6	.	1	.	1	3	1	.	.	.	.
Abdominal Tuberculosis, ...	.	2	1	.	1	.	.	1	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	1		1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of Joints, ...	7	7	1	10	5	7	3	7	1	3	5·7	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									3	2		3	.	.	.	1	2	.	.	.	.	.
Venereal Diseases, ...	1	.	3	.	1	1	1	1	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	8	7	8	10	8	5	7	10	14	8·3	11	.	.	.	.	.	.	2	6	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	1	.	1	1	1	.	1	·6	2	.	.	.	.	.	.	.	1	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	2	—	2	.	.	.	.	.	.	.	1	1	.
Alcoholism, ...	2	.	.	2	1	1	..	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	5	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	.		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									4	4		5	.	.	.	.	.	.	.	1	1	3
Softening of Brain, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									2	1		4	.	.	.	.	.	.	2	1	1	.
Epilepsy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									3	2		2	.	2	.	.	.	.		.	.	.
Other Diseases of Nervous System.	20	49	30	31	45	41	26	39	1	5	34·9	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	2		1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,									18	18		14	.	.	.	.	.	.	3	5	4	2
Embolism and Thrombosis (including Cerebral)									2	1		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.									1	1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	21	14	15	10	19	17	8	9	16	12	14·1	13	.	1	.	1	.	.	.	5	5	1
Broncho-pneumonia, ...	7	2	4	2	9	3	6	.	6	12	5·1	4	.	1	2	.	.	.	.	1	.	
Lobar pneumonia, ...	3	.	.	.	.	1	1	4	3	.	1·2	3	.	1	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished)	4	11	9	4	6	4	6	3	.	8	5 5	6	.	1	.	2	.	.	1	1		1
Pleurisy, ...									.	3		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	1	1	1	2	1	2	2	.	.	1·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									1	1		1	.	.	.	.	.	.	.	1		.

TWENTY-FOURTH WEEK ending Saturday, 14th June, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 14th June, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	June 20, 1903.	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.	June 18, 1910.	June 17, 1911.	June 15, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 49·1	° 56·3	° 55·6	° 55·0	° 54·6	° 53·6	° 55·9	° 56·4	° 52·6	° 52·9	° 54·2	° 53·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	.	1	—	3	.	1	.	.	.	.	1	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	.	.	3	5	3	2	6	4	4	3	3·2	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	1	—	2	.	.	.	.	.	1	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	3	.	3	.	.	2	2	1	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	.	.	1	1	.	.	1	1	1	2	·7	1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	2	2	3	.	1	.	1	1	.	.	1·0	3	.	.	.	.	.	.	1	1	1	.
Other Diseases of Digestive System.	9	4	3	5	6	3	4	1	2	.	3·7	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	6	4	6	10	6	10	1	1	1	6·9	3	.	.	.	.	.	.	1	2	.	.
Chronic Bright's Disease, ...									6	7		7	.	.	.	.	.	.	1	4	2	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									2	2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	1	.	2	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	4	—	3	.	.	.	.	.	1	1	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	1	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	5	—	2	1	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	3	3	.	4	6	1	3	5	2	3·1	8	6	2	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	3	—	4	1	3	.	.	.	.	.	.	.	.
Old Age, ...	3	3	2	3	5	1	4	4	3	2	3·0	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	.	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	.	.	.	.	1	3	2	·6	4	.	1	1	1	.	.	1	.	.	.
Drowning, ...	1	1	1	.	1	2	.	3	1	.	1·0	2	.	.	.	.	.	1	.	1	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	.	1	2	.	1	.	2	1	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	2	1	2	2	1	3	.	6	5	4	2·6	6	.	1	1	1	.	1	1	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	8	6	—	4	.	.	.	.	.	.	.	1	1	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered.	187	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208
Average Births in corresponding week of previous 10 years, ...	176	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209
DEATHS registered, ...	166	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173
Annual Death-rate per 1,000, ...	21·6	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4
Average Deaths in corresponding week of previous 10 years, ...	180	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154
Ages, Under 5 years, ...	52	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41
5—15 " ...	8	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10
15—25 " ...	14	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11
25—45 " ...	24	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37
45—65 " ...	30	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39
65—75 " ...	21	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22
75 and upwards, ...	17	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13
Deaths from :—																										
Enteric Fever, ...	1	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.
Scarlet Fever, ...	2	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2
Whooping-cough, ...	1	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4
Diphtheria, ...	1	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2
Influenza, ...	2	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	29	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29
Tuberculous Disease, Other Forms,	10	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11
Cancer, ...	8	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11
Diseases of Circulatory System,	17	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16
Diseases of Respiratory System, Pneumonia	9	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13
Diseases of Respiratory System, Others, ...	18	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15
Diarrhœa and Enteritis, under 2 years, ...	11	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2
Diarrhœa, 2 years and upwards,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.
Violent Deaths, ...	1	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6
Number of Uncertified Deaths,	3	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3
Mean Temperature of the Air (Phœnix Park)	44·4	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1
Average Mean Temperature in corresponding week of previous 10 years, ...	42·6	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2
Rainfall in inches, ...	·625	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·88	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th June, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH JUNE, 1913.

CLASS	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	22·7	173	41	10	11	37	39	22	13	.	.	.	.	2	4	2	.	29	11	11	2	13	15	2	.	6	76	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	21·3	6	.	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
II.	MIDDLE CLASS, ...	101,798	13·3	26	.	2	1	6	9	4	4	.	.	.	.	.	.	.	.	4	3	3	.	1	1	.	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	15·4	32	7	1	4	6	9	3	2	.	.	.	.	.	1	1	.	7	1	1	1	2	2	.	.	.	16	.
IV.	GENERAL SERVICE CLASS, ...	167,479	24·6	79	31	5	5	16	14	5	3	.	.	.	.	2	3	1	.	11	5	3	1	9	6	.	.	6	32	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	3	2	1	9	5	7	3	.	.	.	.	.	.	.	.	7	2	4	.	1	5	2	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	33·1	5	.	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	10·3	5	.	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	9·4	6	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	18·5	12	.	.	.	2	5	2	3	.	.	.	.	.	.	.	.	2	.	3	.	.	.	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	2	1	1	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	14·5	8	3	.	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	3	.
	10. Clothing Trades, ...	20,026	13·0	5	1	.	.	1	2	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	3	.
	11. Food Supply Trades	8,952	5·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	19·5	12	1	.	2	3	5	.	1	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	6	.
	13. Petty Shopkeepers	6,772	7·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20·1	5	1	2	.	1	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	11·6	8	1	.	1	3	1	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	29·3	58	25	2	3	11	11	5	1	.	.	.	.	1	3	1	.	6	2	3	1	8	6	.	.	4	23	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	30	3	2	1	9	5	7	3	.	.	.	.	.	.	.	.	7	2	4	.	1	5	2	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Apr. 26,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
		May 3,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
		„ 10,	40·1	1·7	23	1	.	.	.	.	.	.	.	6	1	5	2	1	.	.	2	.
		„ 17,	19·2	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	1
		„ 24,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
		„ 31,	24·4	3·5	14	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
		June 7,	13·9	.	8	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.
		„ 14,	27·9	.	16	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	2	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Apr. 26,	23·0	1·3	18	.	.	.	.	1	.	.	.	3	.	1	1	4	.	.	1	.
		May 3,	21·7	3 8	17	.	.	.	.	.	.	.	.	2	.	.	1	2	2	1	.	.
		„ 10,	29·3	1·3	23	.	.	.	.	.	.	.	.	2	2	2	1	2	.	1	.	3
		„ 17,	25·5	3·8	20	.	.	.	.	.	.	.	.	4	.	1	1	3	2	1	2	.
		„ 24,	17·9	1·3	14	.	.	.	.	.	.	.	.	2	1	1	1	4	1	.	.	.
		„ 31,	24·2	1·3	19	1	.	.	.	.	.	.	.	4	.	3	1	3	.	.	.	.
		June 7,	19·1	3·8	15	1	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.	2
		„ 14,	19·1	1·3	15	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Apr. 26,	22·4	.	12	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2
		May 3,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
		„ 10,	29·9	.	16	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
		„ 17,	18·7	1·9	10	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	.
		„ 24,	22·4	.	12	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1
		„ 31,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
		June 7,	29·9	.	16	.	.	.	.	.	.	.	.	2	2	2	2	1	.	.	.	1
		„ 14,	24·3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Apr. 26,	40·0	1·5	27	.	.	.	.	.	.	.	.	5	1	3	3	3	1	.	2	.
		May 3,	10·4	.	7	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
		„ 10,	20·7	.	14	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	.	1
		„ 17,	14·8	1·5	10	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.
		„ 24,	32·6	4·4	22	1	.	.	.	.	.	.	.	4	1	2	1	1	2	.	.	.
		„ 31,	10·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
		June 7,	17·8	.	12	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	1	1
		„ 14,	29·6	.	20	.	.	.	.	.	.	.	.	5	2	.	2	2	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Apr. 26,	28·4	2·6	22	.	.	.	.	.	.	.	.	5	1	.	.	5	2	.	.	.
		May 3,	20·7	.	16	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
		„ 10,	25·8	2·6	20	.	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	.
		„ 17,	16·8	1·3	13	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
		„ 24,	23·3	.	18	.	.	.	.	.	.	.	.	2	2	3	1	2	.	.	.	.
		„ 31,	18·1	1·3	14	.	.	.	.	.	.	.	.	4	.	1	3	1	1	.	.	.
		June 7,	12·9	1·3	10	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.
		„ 14,	20·7	.	16	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	2	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Apr. 26,	45·5	2·8	16	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1
		May 3,	22·7	2·8	8	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.
		„ 10,	8·5	2·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
		„ 17,	22·7	2·8	8	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.
		„ 24,	39·8	5·7	14	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.
		„ 31,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		June 7,	28·4	.	10	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	2
		„ 14,	28·4	5·7	10	.	.	.	.	1	1	.	.	2	1	.	1	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Apr. 26,	24·2	.	20	.	.	.	.	.	.	.	.	5	1	2	.	2	.	.	.	1
		May 3,	15·7	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.
		„ 10,	18·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1
		„ 17,	19·4	1·2	16	.	.	.	.	.	.	1	.	1	1	.	2	4	.	.	.	1
		„ 24,	21·8	1·2	18	.	.	.	.	.	1	.	.	3	1	2	3	2	.	.	.	.
		„ 31,	12·1	.	10	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.
		June 7,	16·9	.	14	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.
		„ 14,	23·0	2·4	19	.	.	.	.	.	.	1	.	4	1	.	2	3	1	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Apr. 26,	25·2	1·6	16	.	.	.	.	.	1	.	.	2	1	.	1	3	.	.	.	1
		May 3,	18·9	.	12	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.
		„ 10	28·3	1·6	18	.	.	.	.	.	1	.	.	2	1	.	1	4	.	.	.	.
		„ 17,	12·6	3·1	8	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.
		„ 24,	17·3	1·6	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
		„ 31,	18·9	.	12	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
		June 7,	14·1	3·1	9	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.
		„ 14,	26·7	.	17	.	.	.	.	.	.	.	.	3	.	3	1	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Apr. 26,	16·1	.	12	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	May 3,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 10,	9·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 17,	21·5	.	16	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 24,	16·1	.	12	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.
	„ 31,	18·8	.	14	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	.
	June 7,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 14,	12·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Apr. 26,	19·2	3·5	11	.	.	.	.	.	1	1	.	2	.	.	1	1	.	.	.	.
	May 3,	20·9	3·5	12	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1
	„ 10,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.
	„ 24,	31·3	3·5	18	.	.	.	1	.	1	.	.	1	.	2	2	2	.	.	.	1
	„ 31,	22·6	1·7	13	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	1
	June 7,	19·2	1·7	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 14,	8·7	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Apr. 26,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1
	May 3,	24·6	3·1	8	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.
	„ 10,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 17,	21·5	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 31,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June 7,	6·2	3·1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	30·8	9·2	10	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	1	1
Belfast. Pop. in 1913 (Est.) 396,000.	Apr. 26,	20·4	1·2	155		.	.	1	2	2	1	.	20	6	8	14	17	1	2	5	1
	May 3,	18·7	0·5	142	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	1
	„ 10,	17·1	1·4	130	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	.
	„ 17,	18·2	1·3	138	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	1
	„ 24,	17·0	1·1	129	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	1
	„ 31,	16·7	0·5	127	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	2
	June 7,	17·1	1·6	130	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	1
	„ 14,	17·5	0·7	133	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	2
Cork. Pop. in 1911 76,673.	Apr. 26,	23·8	.	35	.	.	.	.	.	.	.	.	4	.	1	2	4	.	.	.	2
	May 3,	26·5	0·7	39	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	1
	„ 10,	23·8	0·7	35	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	1
	„ 17,	21·1	0·7	31	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.
	„ 24,	27·2	.	40	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	.
	„ 31,	17·0	0·7	25	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	2
	June 7,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.
	„ 14,	17·0	0·7	25	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Apr. 26,	17·8	.	14	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	1	.
	May 3,	16·5	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 10,	5·1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 17,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.
	„ 24,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1
	„ 31,	11·4	.	9	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
	June 7,	22·9	1·3	18	.	.	.	1	.	.	.	.	1	1	2	.	3	.	.	.	1
	„ 14,	15·3	2·5	12	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
Limerick. Pop. in 1911 38,518.	Apr. 26,	16·2	.	12	.	.	.	.	.	.	.	.	5	.	.	2	2	.	.	.	2
	May 3,	14·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1
	„ 10,	24·4	1·4	18	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3
	„ 17,	9·5	1·4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	„ 24,	21·7	1·4	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	2
	„ 31,	20·3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	1
	June 7,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
Waterford. Pop. in 1911 27,464.	Apr. 26,	17·1	3·8	9	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.
	May 3,	17·1	1·9	9	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 10,	20·9	1·9	11	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	2
	„ 17,	20·9	1·9	11	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	1	1
	„ 24,	22·8	3·8	12	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	2	.
	„ 31,	15·2	1·9	8	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	1
	June 7,	28·5	5·7	15	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	1	.
	„ 14,	19·0	1·9	10	.	.	.	.	.	1	.	.	3	1	.	1	2	.	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th June, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		DEATHS.																									
			All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	13·1	3·3	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	2	.
Do. 2 do.	49,500	23	19·0	1·1	18	1	2	4	4	3	4	.	.	.	1	.	.	.	.	4	1	.	2	3	.	.	.	.	7	.
Do. 3 do.	50,032	34	17·7	2·1	17	2	3	6	1	2	3	1	.	.	.	.	.	.	.	2	5	1	2	.	1	.	.	.	5	.
Do 4 do.	32,637	36	22·4	.	14	2	.	1	4	1	6	.	.	.	.	.	.	.	.	4	.	1	1	1	.	.	1	1	4	1
Do. 5 do.	16,112	24	35·6	.	11	2	1	.	4	3	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Do. 6 do.	37,293	15	15·4	.	11	.	1	3	1	.	6	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	2	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	9	17·5	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	20	21·3	2·1	10	1	.	4	.	3	2	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	1	1	.
Do. 10 do.	28,958	21	10·8	.	6	3	.	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	1	.
Do. 11 do.	39,311	27	13·3	.	10	.	1	2	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.
Do. 12 do.	38,076	30	16·4	.	12	5	1	2	2	1	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	1	.
Do. 13 do.	23,233	14	15·7	.	7	2	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	23	25·3	.	11	5	2	1	1	1	1	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	3	1
Total,	386,947	286	17·5	0·7	133	24	12	25	20	20	32	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	5	33	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	11·6	.	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do 2 do.	10,701	6	15·0	5·0	3	.	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	3	.
Do 3 do.	9,978	3	21·3	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	.
Do 4 do.	8,666	5	34·2	.	6	1	.	1	2	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	4	.
Do 5 do.	6 592	7	33·4	.	4	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
Do 6 do.	10,702	7	4·5	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	14	13·0	.	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	76,122	48	17·0	0·7	25	2	3	6	6	2	6	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	2	14	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered, ...	176	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286
DEATHS registered, ...	177	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133
Annual Death-rate per 1,000 of estimated population, ...	23·5	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5
AGES, Under 1 year, ...	39	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24
1—5 years, ...	29	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12
5—25 ,, ...	19	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25
25—45 ,, ...	25	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20
45—65 ,, ...	30	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20
65 and upwards, ...	35	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32
Deaths from :—																										
Enteric Fever, ...	2	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	21	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1
Scarlet Fever, ...	2	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.
Whooping-cough, ...	2	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.		.
Diphtheria, ...	1	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	15	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19
Tuberculous Disease. Other Forms,	6	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10
Cancer, ...	8	2	5	5	4	5	4	5	7	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1	4	3
Diseases of Respiratory System, Pneumonia,	16	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9
Diseases of Respiratory System, Others, ...	27	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9
Diarrhœa and Enteritis, under 2 years, ...	5	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3
Diarrhœa, 2 years and upwards,	.	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.
Violent Deaths, ...	2	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1
Number of Uncertified Deaths, ...	.	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	June 14,	2,211	988	11·4	3	.	23	5	13	7	23*a*
Edinburgh, ...	320,300	„ 14,	136	71	11·6	1	.	.	.	1	.	.
Glasgow, ...	1,021,500	„ 14,	580	302	15 4	.	.	19	1	15	3	1
Calcutta, ...	896,067	May 3,	.	526	30·5	109*	3	4	.	1	1†	108‡
Bombay, ...	979,445	„ 10,	264	793	42·1	254*	10	2	.	.	.	70‡
Madras, ...	518,660	„ 17,	392	369	37·0	86*	.	3	?	?	?	93‡
Cairo, ...	710,514	Mar. 25,	619	448	32·9	3	.	2	3	?	4†	37*a*
Paris, ...	2,847,229	May 31,	1,050	981	17·6	8	.	36	2	9	1†	30*a*
Brussels, ...	767,252	„ 24,	246	157	10·6	3	.	1	1	1	.	4*a*
Antwerp, ...	308,618	„ 31,	123	85	14·3	.	.	4	.	.	1†	8*a*
Amsterdam, ...	590,056	„ 24,	274	115	10·2	2	.	3	.	2	.	5*a*
Copenhagen, ...	473,500	„ 24,	212	126	13·9	1	.	.	1	6	.	1*a*
Stockholm, ...	376,171	„ 24,	158	87	12·0	.	.	.	.	1	.	3*a*
Christiania, ...	247,488	„ 31,	105	70	14·7	.	.	3	.	.	.	1
St. Petersburg ...	1,686,000	„ 10,	967	691	21·4	5	2	15	12	2	8	65*a*
Moscow, ...	1,694,000	„ 3,	.	739	22·7	4	1	33	16	9	11†	93
Berlin, ...	2,077,678	„ 10,	737	538	13·5	.	.	8	4	.	14†	21
Hamburg, ...	1,006,748	„ 24,	.	256	13·2	1	.	.	2	3	6†	15
Breslau, ...	539,067	„ 24,	.	193	18·7	1	.	4	.	1	2	15
Munich, ...	622,000	„ 24,	.	180	15·1	.	.	.	1	1	2†	6*a*
Vienna (with suburbs),	2,115,254	„ 24,	768	617	15·2	.	.	15	8	4	6	22*a*
Buda-Pesth, ...	930,666	„ 24,	406	359	20·1	2	.	20	6	1	9†	9*a*
Prague and Faubourgs,	489,194	„ 10,	187	157	16·7	1	.	2	2	1	3†	6*a*
Trieste, ...	239,703	„ 24,	132	85	18·5	1	.	4	1	2	1†	4*a*
Rome, ...	579,285	Feb. 1,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	May 10,	2,678	1,543	14·9	2	.	29	13	10	24†	35*a*
Philadelphia, ...	1,631,960	Apr. 26,	.	535	17·1	2	.	9	6	.	8	19*a*
Boston, ...	735,399	May 24,	.	236	16·7	1	.	3	1	2	5	7

* Deaths from "fever," including 6 from enteric fever and 43 from plague in Calcutta, 6 from enteric fever and 184 from plague in Bombay, and one from plague, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 54 deaths from cholera in Calcutta, 2 in Bombay, and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th June, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	1	.	.	.	.	2
„ „ 1, West, ...	.	.	.	.	.	.	.	2	.	.	.	3	.	5
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
„ „ 3, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	1	.	.	.	.	.	.	1	.	2
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	.	.	.	4	.	.	.	1	.	.	1	.	6
„ „ 4, ...	.	.	1	.	1	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	4	1	.	6	.	.	3	2	.	.	6	.	22

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th June, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th June.			
	May 24.	May 31.	June 7.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	19	23	21	4	1	.	24
Typhus, ...	8	8	8	1	1	.	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	18	17	10	2	1	.	11
Scarlet Fever, ...	89	100	98	9	11	3	93*
Diphtheria, ...	56	56	42	12	9	3	42
Pneumonia, ...	25	23	22	7	12	2	15

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 14th June, 1913:—

"The earlier part of the week was unsettled, stormy, showery, and cold for the time of year. Then came a quiet dull period, but the week closed with a splendid summer's day. On Sunday morning an atmospheric depression, in which the barometer was as low as 29·17 inches at Thorshavn in the Faeroe, caused strong westerly winds and rain over a wide area in the northern half of the British Isles; a V-shaped secondary over Wales and Cornwall brought similar weather to the south of England. Already on Monday a new depression advancing from the Atlantic carried squally S.W. winds and rain—first to Ireland, later to Great Britain. At 7 a.m. of Tuesday the barometer was as low as 29 inches on the Pentland Firth, at the centre of a deep depression which embraced the whole of the British Isles and the neighbouring parts of the Continent. The baric gradient in this system was very steep for midsummer. Southerly to westerly strong winds and gales prevailed in many districts and temperature was low, with showers. At Aberdeen gusts of wind up to 64 miles per hour (storm force) were registered. By Wednesday morning this disturbance had reached the Gulf of Finland, and a large anticyclone was spreading northeastwards from the Azores over France and the British Isles. The weather accordingly moderated. It was not, however, until Saturday that summer resumed its sway, and the week closed in calm, sunshine, and warmth. In Dublin the mean height of the barometer was 30·013 inches, pressure ranging from 29·607 inches at 9 p.m. of Monday (wind, W.S.W., blowing a moderate gale) to 30·312 inches at 9 a.m. of Saturday (wind, S.E.). The corrected mean temperature was 54·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·0°. On Thursday the screened thermometers fell to 43·4°, on Saturday they rose to 67·2°. The prevalent winds were W. and W.N.W. The rainfall was ·266 inch on 3 rain-days, ·206 inch being recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·018 inches. The highest reading (30·319) was on Saturday, at 9 a.m., air calm, the lowest (29·633) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 53·1°, being 1·1 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Saturday, on which day the thermometer registered 66°, and was lowest on Thursday, the mercury having fallen to 39°. The mean of the Dry Bulb for the week was 53·4° and of the Wet Bulb, 50·5°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0·330 inch.

At Greenwich the mean temperature for the week was 56·9°, the maximum 70·7°, and the minimum 43·1°; at Glasgow the maximum was 68·0°, the minimum 43·0°, and the mean 51·7°; and at Edinburgh the maximum was 66·9°, the minimum 41·1°, and the mean 50·8°. The rainfall at Greenwich measured 0·14 in.; at Glasgow 0·93 in.; and at Edinburgh 0·25 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 8,	29·955	58	44	51·0	51·1	47·0	·74	·5	8·3	·010	W.	W.
Monday, „ 9,	29·805	55	44	49·5	52·5	50·3	·86	·7	0·0	·260	S.W.	S.W.
Tuesday, „ 10,	29·790	60	50	55·0	53·0	48·8	·74	·5	7·9	·000	W.	W.
Wednesday, „ 11,	30·025	57	47	52·0	51·4	49·1	·86	·5	0·1	·060	W.	W.
Thursday, „ 12,	30·080	60	39	49·5	54·1	50·7	·78	·5	10·4	·000	Calm.	S.S.W.
Friday, „ 13,	30·170	60	52	56·0	55·4	53·2	·85	·3	0·2	·000	Calm.	Calm.
Saturday, „ 14,	30·300	66	51	58·5	56·6	54·1	·85	·0	10·0	·000	Calm.	Calm.
Mean, ...	30·018	59·4	46·7	53·1	53·4	50·5	·81	·4	Total 36·9	Total ·330	Prevailing Wind, W.	

Sunday—A fine day, cloudy at intervals; night cloudy, light rain 6.0 a.m. to 7.0 a.m. *Monday*—Day overcast, drizzling rain 11.0 a.m. to 9.0 p.m.; night overcast, drizzling rain 9.0 p.m. to 2.30 a.m. and heavy rain 5.0 a.m. to 5.20 a.m. *Tuesday*—A fine day, cloudy p.m.; night cloudy. *Wednesday*—Day overcast, showers at intervals p.m.; night overcast, showers at intervals. *Thursday*—A beautiful bright day; night cloudy. *Friday*—A dull day; night cloudy. *Saturday*—A fine day, cloudy midday; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 14th June, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	c	°	hrs.	ins.
Sunday, June 8,	53·4	56·1	53·2	59	44	51·5	0·3	—
Monday, „ 9,	53·8	55·5	53·2	56	46	51·0	0·0	·180
Tuesday, „ 10,	56·9	55·3	53·3	62	50	56·0	9·0	—
Wednesday, „ 11,	55·0	55·7	53·3	59	48	53·5	0·2	·050
Thursday, „ 12,	55·2	55·2	53·4	59	42	50·5	10·7	—
Friday, „ 13,	55·4	56·2	53·4	60	52	56·0	0·4	—
Saturday, „ 14,	58·9	56·7	53·4	66	51	58·5	10·8	—
Weekly Mean, .	55·5	55·8	53·3	60·1	47·6	53·9	Total 31·4	Total ·230

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 1–74/139. 375. 3. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 21ST JUNE, 1913. [No. 25.

General Register Office, Charlemont House,
Dublin, 23rd June, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending May 31	June 7	June 14	June 21	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·6**	**17·1**	**18·5**	**16·5**	**17·2**
Dublin Reg. Area ...	16·0	15·9	20·8	17·5	17·5
Dublin City ...	16·1	16·9	22·8	19·3	18·8
Belfast	16·7	17·1	17·5	14·0	16·3
Cork	17·0	15·0	17·0	17·0	16·5
Londonderry ...	11·4	22·9	15·3	14·0	15·9
Limerick	20·3	16·2	12·2	19·0	16·9
Waterford	15·2	28·5	19·0	38·0	25·2

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·2 per 1,000. Among the 106 deaths from all causes for Belfast are one from each of measles, scarlet fever, and cerebro-spinal meningitis, and one from diarrhœa of a child under 2 years of age. One of the 25 deaths from all causes for Cork is from measles, and one of the 11 deaths from all causes for Londonderry is also from this disease. Among the 20 deaths from all causes for Waterford are 2 from each of measles and whooping-cough. One of the 5 deaths from all causes for Dundalk is from enteric fever. The 2 deaths for Newry include one from measles; and one of the 6 deaths from all causes for Wexford is also from this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—109 boys and 108 girls—and the deaths to 148—84 males and 64 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·5 per 1,000 of the population. During the twenty-four weeks, ending with Saturday last, the death-rate averaged 21·6, and was 2·0 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 148, represent an annual rate of 19·1 per 1,000; the annual rate for the past twenty-four weeks was 23·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·8 per 1,000 of the mean population for all deaths registered.

The deaths included one from typhus, 4 from whooping-cough, 2 from diphtheria, 3 from diarrhœa and enteritis of children under 2 years of age, 2 deaths from influenza, and one from dysentery. In each of the three preceding weeks deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 0, 3, and 4; deaths from diphtheria were 0, one, and 2; deaths from diarrhœa and enteritis under 2 years were 2, 3, and 2; deaths from dysentery were 0, 0, and 0; and deaths from influenza were 0, one, and 0.

The deaths from all forms of tuberculosis, which in the 3 weeks before were 25, 25, and 40, were 30 in the week under notice; the latter figure includes 24† deaths from pulmonary tuberculosis, one death from tuberculous meningitis, and 5 deaths from other forms of the disease.

Cancer was the cause of death of 9 persons.

The deaths from pneumonia (all forms) include 7 deaths from broncho-pneumonia, one death from lobar pneumonia, and 5 deaths from pneumonia (type not distinguished).

There were 4 deaths from convulsions, 5 from premature birth, and 4 from congenital debility, all of infants under one year of age.

Seven deaths were accounted for by organic diseases of the heart, and 15 deaths were caused by bronchitis.

Accidental circumstances caused 2 deaths, there was one death by homicide, and one death by suicide.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year of age, and the death of one person aged 74 years.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old) and 33 were aged 65 years and upwards, including 23 persons aged 70 and upwards; among the latter were 8 aged 75 and upwards, of whom 2 (females) were stated to have been aged 97 and 100 years respectively.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·5 per 1,000; the rate in the City was 19·3 (North City Districts, 17·9; South, 20·9) and in the Suburbs, 11·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·0, and in the South 2·5), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000. Diphtheria and influenza each caused one death, there were 4 deaths from tuberculous disease, 3 from bronchitis, and one from diarrhœa and enteritis of an infant; there was also one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 14·0 per 1,000. Pulmonary tuberculosis caused 2 deaths, there was one death from pneumonia and one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000, and include one death from whooping-cough, 5 deaths from tuberculosis, one death from bronchitis, and 2 deaths from broncho-pneumonia.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 11·9 per 1,000. Pneumonia and bronchitis each caused the death of one person.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 38·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·7; and Finglas and Glasnevin, part of, 14·7. Of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, 2 are from pulmonary tuberculosis. Among the 3 deaths from all causes for Finglas and Glasnevin, part of, one is from pneumonia.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 16·8 per 1,000. Pulmonary tuberculosis caused 2 deaths, there was one death from broncho-pneumonia, and 3 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. Tuberculosis caused 3 deaths; there was one death from broncho-pneumonia and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. Whooping-cough and diphtheria each caused one death, there was one death from dysentery, 2 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, one from pneumonia, 2 from bronchitis, one from diarrhœa and enteritis of a child under 2 years, and one death by suicidal violence.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. Typhus and whooping-cough each caused one death, there was one death from broncho-pneumonia, also one death from lobar pneumonia, 2 deaths from bronchitis, and one death from diarrhœa and enteritis of a child under 2 years of age. There was one death by homicide

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·3 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·1; Pembroke, 10·4; Blackrock, 22·8; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts is one from whooping-cough for Rathmines and Rathgar. Included in the 6 deaths from all causes for the latter district is one from pneumonia. Among the 6 deaths from all causes for Pembroke is one from pulmonary tuberculosis. Of the 4 deaths from all causes for Blackrock 2 are from tuberculous disease; and of the 5 deaths from all causes for Kingstown there is one from each of influenza and pulmonary tuberculosis.

* See Columns 10–17 and 23–24 of Table II.
† Including the deaths of 6 non-residents.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 21st June, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 31,	.	—	—	14	3	.	3	.	.	3	1	.	—	—	.	—	14	.	38
	June 7,	.	—	—	15	4	.	8	.	1	6	1	.	—	—	.	—	19	.	54
	June 14,	.	—	—	4	1	.	6	.	.	3	2	.	—	—	.	—	6	.	22
	June 21,	.	—	—	13	.	.	3	.	1	1	1	.	—	—	.	—	18	.	37
Rathmines and Rathgar Urban District.	May 31,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	June 14,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June 21,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	May 31,	.	1	.	2	.	.	1	.	.	1	.	.	—	2	—	—	.	—	7
	June 7,	.	2	.	2	.	.	.	.	.	.	.	.	—	2	—	—	.	—	6
	June 14,	.	3	.	2	.	.	2	.	.	.	.	.	—	2	—	—	.	—	9
	June 21,	.	10	.	.	.	.	1	1	.	1	1	.	—	2	—	—	.	—	16
Blackrock Urban District.	May 31,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	.	—	—	—	4
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	June 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	May 31,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	2	—	3
	June 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	May 31,	.	—	—	41	.	.	5	.	.	2	2	.	—	—	—	—	14	—	64
	June 7,	.	—	—	26	.	.	3	.	1	2	3	.	—	—	—	—	11	—	46
	June 14,	.	—	—	35	.	.	6	.	.	3	3	.	—	—	—	—	6	—	53
	June 21,	.	—	—	49	.	.	2	.	.	.	7	.	—	—	—	—	8	—	66

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st June, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 26 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 23, 21, and 24.

One case of typhus was discharged from hospital during the week, there was one death, and 6 cases remained under treatment at the close of the week.

Two cases of measles were admitted to hospital during the week, 2 were discharged, and 11 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 17, 10, and 11 respectively.

Twelve cases of scarlet fever were admitted to hospital, 25 were discharged, and 80* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 100, 98, and 93 respectively.

Nine cases of diphtheria were admitted to hospital during the week, 13 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 56, 42, and 42 respectively, were 37 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 3 were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·0), was equal to an average annual death-rate of 11·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·8 per 1,000, the rate for Glasgow being 14·1, and for Edinburgh 15·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st June. From this Report it appears that of a total of 56 cases notified, 30 were scarlet fever, 18 phthisis, 4 puerperal fever, 2 diphtheria, one enteric fever, and one erysipelas. Among the 339 cases of infectious diseases in hospital at the close of the week were 121 cases of scarlet fever, 114 of phthisis, 41 of diphtheria, 22 of whooping-cough, 22 of measles, 5 of erysipelas, 5 of enteric fever, 3 of chicken-pox, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 21st June, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 21st June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	26·7	16·5	1·2	613	380	64	84	1	1	...	7	1	6	2	1	50	29	19	32	29	6	2	8	12	124	15	...	...	...	...	...	...	..	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	28·1	17·5	1·4	217	135	28	32	...	1	...	...	...	4	2	1	18	6	9	13	16	3	...	3	7	50	3	e 75	43	57·5	0·36	e 66	39	53·1	0·33	e 65	37	52·9	0·56
CITY OF DUBLIN,	308,187	39·0	31·8	19·3	1·7	188	114	25	26	...	1	...	...	...	3	2	1	15	5	5	12	15	3	...	3	6	46	3	f 75·1 g 73·1	49·9 46·8	59·1 58·7	0·40 0·40	f 67·2 g 65·9	43·4 39·0	54·2 53·4	0·27 0·31	f 65·2 g 63·8	46·0 41·0	55·1 54·0	0·37 0·34
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	10·8	8·1	1·3	8	6	...	1	...	...	...	...	...	1	...	..	...	...	1	1	...	...	...	...	...	2	...	..	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,942	19·0	17·4	10·4	.	10	6	2	2	...	...	...	...	...	...	...	...	1	...	2	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	.	22·8	.	.	4	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	33·9	15·4	.	11	5	1	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	66	50	57·8	0·58	62	45	53·9	0·09	65	45	54·5	0·25
Urban Districts. BELFAST (b) ..	396,000	26·5	24·6	14·0	0·4	187	106	18	13	...	..	...	1	1	...	...	...	19	9	4	8	7	1	...	3	2	36	...	70·0	47·2	57·6	0·42	61	41	52·2	0·63	66	41	53·6	0·44
CORK, ..	76,673	28·6	21·8	17·0	0·7	32	25	1	12	...	...	...	1	...	...	...	...	2	...	1	3	1	...	...	...	1	10	1	71	46	56·1	1·27	62	44	52·7	0·17	59	43	52·0	1·15
LONDONDERRY...	41,000	15·9	34·3	14·0	1·3	27	11	1	4	...	...	...	1	...	...	...	...	...	1	1	2	3	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	10·8	19·0	.	8	14	1	3	...	...	...	...	...	...	...	...	3	1	1	...	...	...	...	...	...	8	1	75·1	44·0	56·6	0·87	65·2	44·1	52·8	0·94	63·8	36·4	52·6	1·26
WATERFORD, ...	27,464	19·1	13·3	38·0	9·5	7	20	2	5	...	...	...	2	...	2	...	...	2	...	...	...	1	...	1	...	...	6	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				7	9	2	1	...	...	...	..	...	...	...	...	1	2	1	1	...	...	...	...	...	3	2	76	42	58·7	0·27	63	45	53	1·38	65	42	54	0·88
DUNDALK, ...	13,128	9·5				3	5	...	1	1	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				8	2	...	1	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	...	...	73·2	47·3	58·3	2·45	67	39	51·3	0·83	65	43	53·3	0·50
DROGHEDA, ...	12,501	8·4				12	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				8	5	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	4	...	73·2	47·3	58·3	2·45	67	39	51·3	0·83	65	43	53·3	0·50
NEWRY, ...	11,963	17·0				12	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	73·2	47·3	58·3	2·45	67	39	51·3	0·83	65	43	53·3	0·50
PORTADOWN, ...	11,727	15·3				5	.	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	73·2	47·3	58·3	2·45	67	39	51·3	0·83	65	43	53·3	0·50
WEXFORD, ...	11,531	22·8				6	6	2	...	...	...	...	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				4	5	2	2	..	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	75	47	56·0	0·79	63	35	51·0	1·00	63	39	52·0	0·71
KILKENNY, ...	10,514	11·4				11	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	74	45	55·8	0·37	64	44	53·1	0·37	63	40	47·5	1·14
TRALEE, ...	10,300	17·4				7	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	..	...	...	...	...	...	...	...	...	...	...	..	...
CLONMEL, ...	10,209	7·8				9	6	1	1	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				2	3	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	1	64	48	55·4	0·86	63	41	51·3	0·56	62	44	52·8	0·42
QUEENSTOWN, ...	8,209	14·7				6	2	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	71	46	56·1	1·27	62	44	52·7	0·17	59	43	52·0	1·15
LARNE, ...	8,036	13·4				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				4	5	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				8	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				4	3	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				3	3	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				7	1	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	73·2	47·3	58·3	2·45	67	39	51·3	0·83	65	43	53·3	0·50

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 13 deaths of persons (including one at 70 years) admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin
(h) See note (†) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of June, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	4	.
Diphtheria,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	2	4	.	2	.	.	2	2	2	.	.	.	1	1	1	18	6
Tuberculous Disease. { Other Forms,	3	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	6	.
Cancer,	.	.	1	.	.	.	1	1	.	2	.	.	1	2	.	1	9	.
Diseases of Nervous System,	1	2	.	1	1	1	.	2	2	2	1	.	2	.	1	.	16	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	1	.	.	1	.	.	1	.	2	.	.	.	1	.	.	8	.
" Respiratory System. { Pneumonia,	.	1	2	1	.	.	1	1	1	3	2	.	1	.	.	.	13	.
" Respiratory System. { Others,	3	2	1	1	.	.	.	3	1	2	2	.	.	1	.	.	16	1
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Digestive System. { Others,	.	1	.	.	.	1	.	2	.	.	.	.	.	.	1	1	6	2
" Genito-urinary System,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	3	.
Diseases of the Skin and Cellular Tissue,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other specified Causes,	1	1	2	4	.	.	1	1	2	1	3	.	1	.	.	1	18	1
Violent Deaths,	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Deaths from All Causes	15	11	13	8	4	2	3	13	9	20	15	1	6	6	4	5	135	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·2	14·0	24·3	11·9	38·4	7·7	14·7	16·8	25·6	24·2	23·6	5·3	8·1	10·4	22·8	15·4	17·5	.
	17·9							20·9					11·5					
	19·3																	
Ages at Death. Under 1 year,	2	1	2	1	.	1	1	2	5	3	7	.	.	2	.	1	28	.
1 and under 2 years,	3	1	1	1	.	.	.	.	.	2	.	.	1	.	.	.	9	.
2 " 5 "	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
5 " 15 "	.	.	1	.	1	.	.	.	.	.	1	.	1	.	.	.	4	4
15 " 25 "	.	1	1	.	.	.	.	.	1	1	.	.	.	.	1	1	6	1
25 " 45 "	1	2	2	2	1	.	1	3	.	3	.	1	1	1	2	.	20	5
45 " 65 "	5	4	2	1	.	.	1	3	2	7	3	.	2	1	.	1	32	2
65 and upwards,	2	2	3	3	2	1	.	5	1	3	4	.	1	2	1	2	32	1
Number of Uncertified Deaths,	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	1	3	.	.	.	1	2	2	6	3	1	2	1	.	.	24	11
Workhouse Hospitals.	5	2	2	2	1	.	.	3	2	5	3	.	.	.	.	1	26	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 21st June, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	June 27, 1903.	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.	June 24, 1911.	June 22, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 55·0	° 55·4	° 60·4	° 60·1	° 52·7	° 51·4	° 52·7	° 58·1	° 56·2	° 56·9	° 55·9	° 57·5										
ALL CAUSES.	170	149	138	149	171	126	155	130	127	131	144·6	148	9	19	9	4	8	7	25	34	25	8
Enteric Fever, ...	2	.	1	.	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	1	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	1	2	.	9	5	.	.	8	11	4·0	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	.	.	2	5	3	5	1	2	1	2·1	4	1	.	2	1	.	.	.	.	.	.
Diphtheria, ...	2	3	1	1	1	2	.	.	4	2	1·6	2	.	1	.	1	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	1	.	.	.	.	.	.	.	·3	2	.	.	.	.	.	.	.	2	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	.	.	1	.
Erysipelas, ...	1	1	.	.	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	.	1	.	.	1	.	.	·4	2	.	.	.	.	.	1	1	.	.	.
Tetanus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	15	23	21	29	29	15	31	24	7	20	21·4	24	.	1	.	.	2	4	12	4	1	.
Tuberculous Meningitis, ...	1	7	3	6	6	7	4	4	6	.	4·4	1	.	.	1	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	5	.	1	2	.	.	2	1	3	1	1·5	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									1	.		1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of Joints, ...									.	.		1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of other Organs,	6	4	.	3	8	7	8	5	.	.	4·5	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	2		3	.	.	1	1	.	.	.	1	.	.
Venereal Diseases, ...	.	.	2	.	.	.	2	1	1	.	·6	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	6	10	8	6	10	3	4	10	7	6	7·0	9	.	.	.	.	.	.	2	4	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	2	.	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	1	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	4	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	2	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	3	.	1	.	.	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	1	.	.	.
Cerebro-spinal Fever, ...	1	1	.	.	2	2	1	1	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	.		5	.	1	2	1	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									4	9		3	.	.	.	.	.	.	.	1	1	1
Softening of Brain, ...									.	.		1	.	.	.	.	.	.	.	.	.	1
Paralysis, without specified cause.									1	.		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...									3	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									.	2		4	1	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	49	40	36	33	34	23	30	28	2	5	32·4	2	.	.	.	.	.	.	2	.	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									10	8		7	.	.	.	.	.	.	.	2	5	.
Embolism and Thrombosis (including Cerebral)									1	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									2	3		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	1	.	.	.	.	.	.	.	.
Bronchitis, ...	16	13	12	17	13	10	11	13	9	10	12·4	15	.	1	1	.	.	.	1	6	6	.
Broncho-pneumonia, ...	4	6	1	3	8	.	4	1	5	3	3·5	7	.	4	1	.	1	.	1	.	.	.
Lobar pneumonia, ...	1	2	1	.	3	.	.	4	.	1	1·2	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	7	5	3	10	4	9	6	5	3	8	6·0	5	.	.	.	.	1	.	.	3	.	1
Pleurisy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	3	2	1	.	3	2	1	2	.	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	2		1	.	.	.	.	1	.	.	.	.	.

TWENTY-FIFTH WEEK ending Saturday, 21st June, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										25th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 21st June, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	June 27, 1903.	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.	June 24, 1911.	June 22, 1912.	Averages in Week of the 10 years, 1903–1912.	—	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 55·0	° 55·4	° 60·4	° 60·1	° 52·7	° 51·4	° 52·7	° 58·1	° 56·2	° 56·9	° 55·9	° 57·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	3	5	—	4	.	.	.	.	.	.	1	2	1	.
Diarrhœa and Enteritis of Children under 2 years.	3	1	4	3	6	7	6	3	4	3	4·1	3	.	2	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									1	.		1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	1	—	1	.	.	.	.	.	1	.	.	.	.
Cirrhosis of Liver, ...	.	1	4	1	1	2	.	1	2	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	.	1	.	.	.	.	.	.	1	1	·3	1	.	.	.	.	.	.	.	.	.	1
Peritonitis (cause unknown),	1	.	1	.	.	.	.	2	1	2	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	3	13	9	2	8	4	3	.	.	4·6	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...	2	6	2	5	7	4	7	1	2	1	4·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									2	2		2	.	.	.	.	.	.	.	1	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	.	.	.	.	.	.	.	1	·2	3	.	.	.	.	.	.	3	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	.	—	2	.	.	.	.	.	.	.	1	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	1	3	4	3	4	5	5	5	.	3·5	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	2	.	—	4	2	2	.	.	.	.	.	.	.	.
Old Age, ...	3	2	.	2	3	2	1	2	5	2	2·2	5	.	.	.	.	.	.	.	.	3	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	1	.	.	.	.	2	1	·4	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	3	3	3	.	2	2	1	.	1	1·5	2	.	.	.	.	.	.	.	2	.	.
Total Deaths from Accident,	.	3	4	4	1	2	2	1	3	3	2·3	2	.	.	.	.	.	.	.	2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	2	.	·3	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	5	—	2	.	.	.	.	.	.	.	.	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912–3—WEEK ENDING																									
	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered.	122	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217
Average Births in corresponding week of previous 10 years, ...	186	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222
DEATHS registered, ...	116	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148
Annual Death-rate per 1,000, ...	15·1	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1
Average Deaths in corresponding week of previous 10 years, ...	174	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145
Ages, Under 5 years, ...	26	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41
5—15 " ...	6	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8
15—25 " ...	7	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7
25—45 " ...	19	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25
45—65 " ...	28	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34
65—75 " ...	21	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25
75 and upwards, ...	9	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8
Deaths from :—																										
Enteric Fever, ...	.	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.
Scarlet Fever, ...	.	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.
Whooping-cough, ...	2	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4
Diphtheria, ...	3	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2
Influenza, ...	1	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	15	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24
Tuberculous Disease, Other Forms,	6	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6
Cancer, ...	4	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9
Diseases of Circulatory System,	12	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8
Diseases of Respiratory System, Pneumonia	14	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13
Diseases of Respiratory System, Others, ...	22	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17
Diarrhœa and Enteritis, under 2 years, ...	.	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3
Diarrhœa, 2 years and upwards,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.
Violent Deaths, ...	4	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4
Number of Uncertified Deaths,	3	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3
Mean Temperature of the Air (Phœnix Park)	41·8	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5
Average Mean Temperature in corresponding week of previous 10 years, ...	41·9	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9
Rainfall in inches, ...	·690	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	560	·330	·360
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·84	·88	·90	·92	·87	·86	95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st June, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST JUNE, 1913.

Class	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	19·4	148	41	8	7	25	34	25	8	.	1	.	.	.	4	2	1	24	6	9	4	13	17	3	.	4	60	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17·8	5	.	1	.	2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	16·9	33	7	4	2	8	10	5	2	.	.	.	.	.	.	.	1	5	1	1	1	2	3	1	.	1	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	12·5	26	10	2	1	3	3	6	1	.	.	.	.	.	3	.	.	1	.	1	2	4	2	.	.	1	12	2
IV.	GENERAL SERVICE CLASS, ...	167,479	17·4	56	17	.	2	10	13	10	4	.	1	.	.	.	1	1	.	7	2	5	1	5	9	.	.	2	22	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	28	7	1	2	7	7	4	.	.	.	.	.	.	.	1	.	10	3	2	.	.	3	2	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	38·1	5	.	1	.	2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,448	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	25,199	8·3	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	12·5	8	6	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	27·7	18	.	3	2	2	7	4	.	.	.	.	.	.	.	.	1	3	1	1	.	2	2	.	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	9·0	5	2	.	.	2	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	1	1	.
	10. Clothing Trades, ...	20,026	10·4	4	1	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	11. Food Supply Trades	8,952	11·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	14·[illegible]	9	3	.	.	1	2	3	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	.	5	.
	13. Petty Shopkeepers	6,772	23·1	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20·1	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	2·9	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	30·5	9	3	.	1	2	2	.	1	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	20·2	40	13	.	.	7	9	8	3	.	1	.	.	.	1	1	.	3	1	2	1	5	7	.	.	1	17	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	28	7	1	2	7	7	4	.	.	.	.	.	.	.	1	.	10	3	2	.	.	3	2	.	.	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	May 3,	17·4	1·7	10	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	„ 10,	40·1	1·7	23	1	.	.	.	.	.	.	.	6	1	5	2	1	.	.	2	.
	„ 17,	19·2	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	1
	„ 24,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
	„ 31,	24·4	3·5	14	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
	June 7,	13·9	.	8	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.
	„ 14,	27·9	.	16	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	2	1
	„ 21,	26·2	3·5	15	.	.	.	.	.	.	1	.	1	3	.	.	3	1	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	May 3,	21·7	3·8	17	.	.	.	.	.	.	.	.	2	.	.	1	2	2	1	.	.
	„ 10,	29·3	1·3	23	.	.	.	.	.	.	.	.	2	2	2	1	2	.	1	.	3
	„ 17,	25·5	3·8	20	.	.	.	.	.	.	.	.	4	.	1	1	3	2	1	2	.
	„ 24,	17·9	1·3	14	.	.	.	.	.	.	.	.	2	1	1	1	4	1	.	.	.
	„ 31,	24·2	1·3	19	1	.	.	.	.	.	.	.	4	.	3	1	3	.	.	.	.
	June 7,	19·1	3·8	15	1	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.	2
	„ 14,	19·1	1·3	15	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
	„ 21,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	May 3,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 10,	29·9	.	16	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 17,	18·7	1·9	10	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	.
	„ 24,	22·4	.	12	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1
	„ 31,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	June 7,	29·9	.	16	.	.	.	.	.	.	.	.	2	2	2	2	1	.	.	.	1
	„ 14,	24·3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.
	„ 21,	24·3	1·9	13	.	.	.	.	.	1	.	.	4	1	1	2	1	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	May 3,	10·4	.	7	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 10,	20·7	.	14	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	.	1
	„ 17,	14·8	1·5	10	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.
	„ 24,	32·6	4·4	22	1	.	.	.	.	.	.	.	4	1	2	1	1	2	.	.	.
	„ 31,	10·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	June 7,	17·8	.	12	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	1	1
	„ 14,	29·6	.	20	.	.	.	.	.	.	.	.	5	2	.	2	2	.	.	.	.
	„ 21,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	May 3,	20·7	.	16	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
	„ 10,	25·8	2·6	20	.	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	.
	„ 17,	16·8	1·3	13	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
	„ 24,	23·3	.	18	.	.	.	.	.	.	.	.	2	2	3	1	2	.	.	.	.
	„ 31,	18·1	1·3	14	.	.	.	.	.	.	.	.	4	.	1	3	1	1	.	.	.
	June 7,	12·9	1·3	10	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.
	„ 14,	20·7	.	16	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	2	1
	„ 21,	16·8	.	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	May 3,	22·7	2·8	8	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.
	„ 10,	8·5	2·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	„ 17,	22·7	2·8	8	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.
	„ 24,	39·8	5·7	14	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.
	„ 31,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	June 7,	28·4	.	10	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	2
	„ 14,	28·4	5·7	10	.	.	.	.	1	1	.	.	2	1	.	1	.	.	.	.	.
	„ 21,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	May 3,	15·7	.	13	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.
	„ 10,	18·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1
	„ 17,	19·4	1·2	16	.	.	.	.	.	.	1	.	1	1	.	2	4	.	.	.	1
	„ 24,	21·8	1·2	18	.	.	.	.	.	1	.	.	3	1	2	3	2	.	.	.	.
	„ 31,	12·1	.	10	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.
	June 7,	16·9	.	14	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.
	„ 14,	23·0	2·4	19	.	.	.	.	.	.	1	.	4	1	.	2	3	1	.	.	.
	„ 21,	24·2	4·8	20	.	.	.	.	.	1	1	1	2	.	2	3	2	1	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	May 3,	18·9	.	12	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.
	„ 10	28·3	1·6	18	.	.	.	.	.	1	.	.	2	1	.	1	4	.	.	.	.
	„ 17,	12·6	3·1	8	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	„ 31,	18·9	.	12	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	June 7,	14·1	3·1	9	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.
	„ 14,	26·7	.	17	.	.	.	.	.	.	.	.	3	.	3	1	1	.	.	.	.
	„ 21,	23·6	4·7	15	.	1	.	.	.	1	.	.	.	.	.	2	2	1	.	1	.

* See note (‡) at foot of first page

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	May 3,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 10,	9·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 17,	21·5	.	16	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 24,	16·1	.	12	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.
	„ 31,	18·8	.	14	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	.
	June 7,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 14,	12·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.
	„ 21,	8·1	1·3	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	May 3,	20·9	3·5	12	1	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1
	„ 10,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.
	„ 24,	31·3	3·5	18	.	.	.	1	.	1	.	.	1	.	2	2	2	.	.	.	1
	„ 31,	22·6	1·7	13	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	1
	June 7,	19·2	1·7	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 14,	8·7	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	„ 21,	10·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	May 3,	24·6	3·1	8	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.
	„ 10,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 17,	21·5	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 31,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June 7,	6·2	3·1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	30·8	9·2	10	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	1	1
	„ 21,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	May 3,	18·7	0·5	142	1	.	.	.	2	.	.	1	18	8	5	18	23	.	.	3	1
	„ 10,	17·1	1·4	130	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	.
	„ 17,	18·2	1·3	138	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	1
	„ 24,	17·0	1·1	129	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	1
	„ 31,	16·7	0·5	127	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	2
	June 7,	17·1	1·6	130	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	1
	„ 14,	17·5	0·7	133	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	2
	„ 21,	14·0	0·4	106	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	.
Cork. Pop. in 1911 76,673.	May 3,	26·5	0·7	39	.	.	.	1	.	.	.	.	3	2	3	4	4	.	.	.	1
	„ 10,	23·8	0·7	35	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	1
	„ 17,	21·1	0·7	31	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.
	„ 24,	27·2	.	40	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	.
	„ 31,	17·0	0·7	25	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	2
	June 7,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.
	„ 14,	17·0	0·7	25	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	1
	„ 21,	17·0	0·7	25	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1
Londonderry. Pop. in 1913 (Est.) 41,000.	May 3,	16·5	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 10,	5·1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 17,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.
	„ 24,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1
	„ 31,	11·4	.	9	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
	June 7,	22·9	1·3	18	.	.	.	1	.	.	.	.	1	1	2	.	3	.	.	.	1
	„ 14,	15·3	2·5	12	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
	„ 21,	14·0	1·3	11	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	2	.
Limerick. Pop. in 1911 38,518.	May 3,	14·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1
	„ 10,	24·4	1·4	18	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3
	„ 17,	9·5	1·4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	„ 24,	21·7	1·4	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	2
	„ 31,	20·3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	1
	June 7,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 21,	19·0	.	14	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	1
Waterford. Pop. in 1911 27,464.	May 3,	17·1	1·9	9	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 10,	20·9	1·9	11	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	2
	„ 17,	20·9	1·9	11	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	1	1
	„ 24,	22·8	3·8	12	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	2	.
	„ 31,	15·2	1·9	8	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	1
	June 7,	28·5	5·7	15	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	1	.
	„ 14,	19·0	1·9	10	.	.	.	.	.	1	.	.	3	1	.	1	2	.	.	1	.
	„ 21,	38·0	9·5	20	.	.	.	2	.	2	.	.	2	.	.	.	1	.	1	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st June, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	6·6	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	15	14·7	.	14	.	.	3	3	6	2	.	.	.	.	.	.	.	.	6	.	1	.	1	.	.	.	.	5	.
Do. 3 do.	50,032	25	20·8	.	20	2	.	6	3	7	2	.	.	.	.	.	.	.	.	3	3	1	1	2	.	.	2	1	8	.
Do 4 do.	32,637	29	16·0	.	10	6	.	.	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	6	.
Do. 5 do.	16,112	8	16·2	3·2	5	.	1	1	2	1	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Do. 6 do.	37,293	9	11·2	.	8	1	.	.	2	3	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 7 do.	2,681	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	11	17·1	.	8	4	.	.	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	1	2	.
Do. 10 do.	28,958	16	14·4	1·8	8	1	2	2	1	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do. 11 do.	39,311	19	10·6	.	8	1	1	2	2	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3	.
Do. 12 do.	38,076	28	15·1	1·4	11	.	3	3	1	2	2	.	.	.	.	.	.	.	.	2	1	.	2	3	1	.	.	.	3	.
Do. 13 do.	23,233	9	11·2	.	5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	1	.
Do. 14 do.	175	.	..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	11·5	.	5	1	1	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.
Total,	386,947	187	14·0	0·4	106	18	10	18	21	26	13	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	2	36	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	4	19·4	.	5	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	3	1
Do 2 do.	10,701	5	10·0	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do 3 do.	9,978	6	31·9	.	6	.	.	2	1	.	3	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	.
Do 4 do.	8,666	5	5·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 5 do.	6,592	.	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	4	22·5	.	5	.	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 7 do.	16,616	8	16·2	3·2	5	1	.	1	.	3	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Total,	76,122	32	17·0	0·7	25	1	1	5	2	4	12	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912–3—WEEK ENDING																									
	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered, ...	144	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187
DEATHS registered, ...	145	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106*
Annual Death-rate per 1,000 of estimated population, ...	19·3	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0
AGES, Under 1 year, ...	35	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18
1—5 years, ...	35	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10
5—25 ,, ...	12	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18
25—45 ,, ...	14	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21
45—65 ,, ...	18	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26
65 and upwards, ...	31	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	23	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1
Scarlet Fever, ...	.	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1
Whooping-cough, ...	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	.	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	8	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19
Tuberculous Disease. Other Forms,	6	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9
Cancer, ...	2	5	5	4	5	4	5	7	8	5	3	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4
Diseases of Respiratory System, Pneumonia,	14	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8
Diseases of Respiratory System, Others, ...	18	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7
Diarrhœa and Enteritis, under 2 years, ...	3	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1
Diarrhœa, 2 years and upwards,	2	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.
Violent Deaths, ...	1	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3
Number of Uncertified Deaths, ...	2	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.

* Including one death from cerebro-spinal meningitis.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	June 21,	2,099	955	11·0	1	.	31	2	16	7	22*a*
Edinburgh, ...	320,300	„ 21,	135	95	15·5	.	.	.	1	3	.	1
Glasgow, ...	1,021,500	„ 21,	584	276	14·1	1	.	12	1	9	4	4
Calcutta, ...	896,067	May 10,	.	462	26·8	99*	4	4	.	.	.	113‡
Bombay, ...	979,445	„ 17,	315	761	40·4	228*	8	1	.	.	.	54
Madras, ...	518,660	„ 24,	361	358	35·9	68*	.	5	?	?	?	87
Cairo, ...	710,514	Apr. 1,	617	505	37·1	.	1	14	.	?	8†	62*a*
Paris, ...	2,847,229	June 7,	894	866	15·5	6	.	23	7	7	1†	14*a*
Brussels, ...	767,252	May 31,	229	186	12·6	.	.	2	1	2	1	8*a*
Antwerp, ...	312,884	June 7,	132	69	11·5	1	.	4	2	1	.	7*a*
Amsterdam, ...	590,056	May 31,	288	142	12·5	.	.	1	.	4	2†	3*a*
Copenhagen, ...	473,500	„ 31,	237	129	14·2	.	.	.	.	5	1†	7*a*
Stockholm, ...	376,171	„ 31,	168	91	12·6	.	.	.	.	1	1	1*a*
Christiania, ...	247,488	June 7,	133	65	13·7	.	.	3	.	1	1	4
St. Petersburg ...	1,686,000	May 17,	1,066	684	21·2	8	.	23	11	7	9	63*a*
Moscow, ...	1,694,000	„ 10,	.	830	25·5	2	3	36	15	7	13†	82
Berlin, ...	2,074,921	„ 17,	749	561	14·1	.	.	6	11	3	12†	36
Hamburg, ...	1,006,748	„ 31,	.	266	13·7	2	.	2	5	1	12†	14
Breslau, ...	539,067	„ 31,	.	161	15·6	.	.	2	.	4	1	11
Munich, ...	622,000	„ 31,	.	173	14·5	.	.	3	.	1	1†	11
Vienna (with suburbs),	2,115,254	„ 31,	699	683	16·8	.	.	11	10	5	11†	32*a*
Buda-Pesth, ...	930,666	„ 31,	527	294	16·4	.	.	7	16	1	3†	9*a*
Prague and Faubourgs,	489,194	„ 17,	198	214	22·8	.	.	2	.	1	2†	10*a*
Trieste, ...	239,703	„ 31,	144	89	19·4	.	.	1	.	.	.	4*a*
Rome, ...	579,285	Feb. 8,	338	225	20·3	2	.	8	1	.	2	7
		„ 15,	320	283	25·5	1	.	18	1	.	2	10
New York, ...	5,372,983	May 17,	2,425	1,531	14·9	3	.	31	16	9	45†	37*a*
Philadelphia, ...	1,631,960	„ 3,	.	518	16·5	5	.	3	2	3	10	13*a*
Boston, ...	735,399	May 24.	.	230*b*	16·3	.	.	4	1	4	3	4

* Deaths from "fever," including 9 from enteric fever and 35 from plague in Calcutta, and 5 from enteric fever and 165 from plague in Bombay.

† Including deaths from croup.

‡ Including 53 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Deaths of non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st June, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	.	.	.	.	4	.	6
„ „ 1, West, ...	.	2	.	.	.	.	.	.	.	.	.	3	.	5
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
„ „ 3, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	3	.	.	.	.	1	.	.	.	.	3	.	7
„ „ 2, ...	.	.	.	.	.	.	.	1	1	.	.	2	.	4
„ „ 3, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
„ „ 4, ...	.	5	.	.	1	.	.	.	.	.	.	2	.	8
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Total, ...	.	13	.	.	3	.	1	1	1	.	.	18	.	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st June, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st June.			
	May 31.	June 7.	June 14.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	23	21	24	4	2	.	26
Typhus, ...	8	8	8	.	1	1	6
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	17	10	11	2	2	.	11
Scarlet Fever, ...	100	98	93	12	25	.	80*
Diphtheria, ...	56	42	42	9	13	1	37
Pneumonia, ...	23	22	15	10	3	.	22

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 21st June, 1913:—

"Until Wednesday afternoon, perfect and summerlike weather prevailed, being associated with a comparatively uniform distribution of atmospheric pressure. Baric gradients were very slight over the British Isles on Monday, for at 7 a.m. of that day the barometer ranged only from 30·01 inches in Cornwall to 30·19 inches at North Shields. Consequently light variable winds and fine weather were reported from all parts. That day was brilliant in Dublin—so also was Tuesday, when the thermometer rose to 75·1° in the screen. In London it was much hotter, Greenwich reporting a maximum of 87°, and Camden Square one of 85°. But already a change was taking place, as complex, shallow depressions drifted slowly northwards from the Bay of Biscay to Ireland and from France to England. Thunderstorms soon broke out in many parts of Great Britain—in a heavy storm experienced about 1 p.m. of Tuesday at Belvoir Castle, near Grantham, ·84 inch of rain fell in 25 minutes. Next day ·80 inch was reported at both Birr Castle and Nairn, in Scotland. The N.W. winds of the depressions were attended by a brisk fall of temperature, and overcast skies prevented any material increase of warmth in the daytime. Thus, in Dublin, the thermometer rose only to 61·7° on Thursday and 60·9° on Friday. Some recovery of temperature took place in the course of Friday night, and Saturday was warmer, although a sea breeze filled the sky with clouds on the shores of Dublin Bay and rain fell after 5 p.m. to the amount of ·029 inch. In Dublin the mean height of the barometer was 30·045 inches, pressure ranging from 30·200 inches at 9 a.m. of Sunday (wind, E.) to 29·907 inches at 9 p.m. of Wednesday (wind, W.). The corrected mean temperature was 59·1°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 58·6°. On Tuesday the screened thermometers rose to 75·1°, on Thursday they fell to 49·9°. The prevalent winds were at first E., afterwards N.W. Rain fell on 3 days to the amount of ·401 inch, ·251 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·037 inches. The highest reading (30·204) was on Sunday, at 9 a.m., wind E., the lowest (29·851) on Wednesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 57·5°, being 1·6 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday, on which day the thermometer registered 75°, and was lowest on Monday, the mercury having fallen to 43°. The mean of the Dry Bulb for the week was 57·7° and of the Wet Bulb, 55·1°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·360 inch.

At Greenwich the mean temperature for the week was 62·3°, the maximum 87·1°, and the minimum 43·8°; at Glasgow the maximum was 73·0°, the minimum 46·9°, and the mean 59·1°; and at Edinburgh the maximum was 68·8°, the minimum 49·4°, and the mean 56·3°. The rainfall at Greenwich measured 0·41 in.; at Glasgow 0·81 in.; and at Edinburgh 0·38 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 15,	30·175	67	50	58·5	56·2	54·1	·88	·1	6·7	·000	E.	Calm.
Monday, „ 16,	30·070	69	43	56·0	60·1	56·8	·82	·3	11·7	·000	Calm.	Calm.
Tuesday, „ 17,	29·930	75	48	61·5	62·3	59·2	·83	·3	13·0	·000	E.N.E.	Calm.
Wednesday, „ 18,	29·905	65	50	57·5	56·5	53·8	·85	·5	2·7	·090	W.S.W.	W.S.W.
Thursday, „ 19,	30·020	62	48	55·0	54·5	51·8	·83	·5	4·4	·260	W.	W.
Friday, „ 20,	30·085	61	49	55·0	55·5	53·5	·86	·2	0·1	·000	W.	Calm.
Saturday, „ 21,	30·075	65	53	59·0	58·6	56·5	·88	·4	1·3	·010	Calm.	W.
Mean, ...	30·037	66·3	48·7	57·5	57·7	55·1	·85	·3	Total 39·9	Total ·360	—	

Sunday—A fine day, light clouds at intervals; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—Day cloudy, showery 5.30 to 9.0 p.m.; night overcast to clear. *Thursday*—Day cloudy, heavy showers at intervals a.m. and p.m.; night cloudy, heavy rain 11.30 a.m. to 12.45 a.m. *Friday*—Day overcast; night cloudy. *Saturday*—Day cloudy, showery p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 21st June, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 15,	58·8	57·9	53·4	67·2	52·2	59·7	7·3	—
Monday, „ 16,	66·5	58·9	53·8	69·6	50·8	60·2	9·6	—
Tuesday, „ 17,	65·8	59·9	54·0	76·0	53·0	64·5	10·8	—
Wednesday, „ 18,	62·1	61·0	54·4	64·0	57·5	57·75	2·4	—
Thursday, „ 19,	57·8	59·4	54·6	62·1	49·5	55·8	4·8	·24
Friday, „ 20,	55·1	58·2	54·7	60·2	50·0	55·1	1·0	—
Saturday, „ 21,	63·8	58·6	54·9	62·2	49·2	55·7	0·6	·04
Weekly Mean, .	61·4	59·1	54·3	65·9	50·9	58·4	Total 36·5	Total ·28

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 1-74/139. 375. 3. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 28TH JUNE, 1913. [No. 26.

General Register Office, Charlemont House,
Dublin, 30th June, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending June 7	June 14	June 21	June 28	Average Rate for 4 weeks.
27 Town Districts, (a)	**17·1**	**18·5**	**16·5**	**16·7**	**17·2**
Dublin Reg. Area ...	15·9	20·8	17·5	14·9	17·3
Dublin City ...	16·9	22·8	19·3	16·1	18·8
Belfast	17·1	17·5	14·0	16·9	16·4
Cork	15·0	17·0	17·0	16·3	16·3
Londonderry ...	22·9	15·3	14·0	15·3	16·9
Limerick	16·2	12·2	19·0	10·8	14·6
Waterford	28·5	19·0	38·0	26·6	28·0

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·4 per 1,000. Among the 128 deaths from all causes for Belfast are one from each of enteric fever, measles, whooping-cough, and diphtheria, 3 from scarlet fever, and 5 from diarrhœal diseases. One of the 24 deaths from all causes for Cork is from measles. Included in the 12 deaths from all causes for Londonderry are 2 deaths from measles. Among the 14 deaths from all causes for Waterford are 3 from measles and one from diarrhœa of a child under 2 years of age. One of the 6 deaths from all causes for Galway is from scarlet fever. Included in the 8 deaths from all causes for Newry is one from measles. Two of the 4 deaths for Queenstown are from diarrhœa, and the 2 deaths for Larne comprise one from diphtheria and one from diarrhœa of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 216—111 boys and 105 girls—and the deaths to 130—78 males and 52 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·9 per 1,000 of the population. During the twenty-six weeks, ending with Saturday last, the death-rate averaged 21·4, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 130, represent an annual rate of 16·8 per 1,000; the annual rate for the past twenty-six weeks was 22·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·5 per 1,000 of the mean population for all deaths registered.

Deaths from diarrhœa and enteritis of children under 2 years of age numbered 7, such deaths in the three preceding weeks being 3, 2, and 3, respectively.

All forms of tuberculous disease, which caused 25, 40, and 30 deaths, respectively, in the three preceding weeks, caused 24 deaths in the week under notice, the latter including 20 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from disseminated tuberculosis.

There were 10 deaths from cancer.

Four deaths were attributed to broncho-pneumonia, one to lobar pneumonia, and 6 to pneumonia (type not distinguished).

Of the deaths of infants under one year of age 4 were ascribed to premature birth, one to convulsions, and 3 to congenital debility.

There were 6 deaths from organic diseases of the heart, and 6 from bronchitis.

Deaths from accidental causes numbered 6, including 2 by burns, one by drowning, and 2 caused by motor cars.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old.

Twenty-seven of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 9 were under one month old) and 23 were aged 65 years and upwards, including 19 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards.

Fifty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, and 7 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·9 per 1,000; the rate in the City was 16·1 (North City Districts, 18·2; South, 13·7) and in the Suburbs, 11·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 1·6, and in the South 0·4), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·2 per 1,000. Among them are one death from pulmonary tuberculosis, one from pneumonia, and 2 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 23·0 per 1,000. There were 6 deaths from tuberculous disease, one death from enteritis of a child under 2 years of age, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000, and include 4 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and 2 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 23·7 per 1,000. Three deaths were caused by pulmonary tuberculosis, one by pneumonia, one by bronchitis, and one by enteritis of a child under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·4; and Finglas and Glasnevin, part of, 4·9. The only death recorded for Clontarf and Howth, No. 1, part of, was one from pneumonia. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from broncho-pneumonia, one from pneumonia, one from bronchitis, and one from enteritis of a child under 2 years of age; and the only death recorded for Finglas and Glasnevin, part of, was one from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 15·5 per 1,000, and include one from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, one from diarrhœa of a child under 2 years, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 8·5 per 1,000.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. There were 2 deaths from pulmonary tuberculosis, one from pneumonia, and one from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (7) are equivalent to an annual rate of 11·0 per 1,000. Tuberculous disease caused 2 deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000. One of the deaths was from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 6·7; Pembroke, 20·9; Blackrock, 0·0; and Kingstown, 9·2. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhœa of a child under 2 years of age for Kingstown. Of the 5 deaths from all causes for Rathmines and Rathgar one was from tuberculous disease; and the 12 deaths from all causes for Pembroke included one from pulmonary tuberculosis, one from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 28th June, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 7,	.	—	—	15	4	.	8	.	1	6	1	.	—	—	.	—	19	.	54
	June 14,	.	—	—	4	1	.	6	.	.	3	2	.	—	—	.	—	6	.	22
	June 21,	.	—	—	13	.	.	3	.	1	1	1	.	—	—	.	—	18	.	37
	June 28,	.	—	—	22	.	.	11	.	.	6	3	.	—	—	.	—	14	.	56
Rathmines and Rathgar Urban District.	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	June 14,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June 21,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	June 28,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	June 7,	.	2	.	2	.	.	.	.	.	.	.	.	—	2	—	—	.	—	6
	June 14,	.	3	.	2	.	.	2	.	.	.	.	.	—	2	—	—	.	—	9
	June 21,	.	10	.	.	.	.	1	1	.	1	1	.	—	2	—	—	.	—	16
	June 28,	.	.	.	.	.	.	.	.	.	.	1	.	—	1	—	—	.	—	2
Blackrock Urban District.	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	June 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 28,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	June 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	2	—	3
	June 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 7,	.	—	—	26	.	.	3	.	1	2	3	.	—	—	—	—	11	—	46
	June 14,	.	—	—	35	.	.	6	.	.	3	3	.	—	—	—	—	6	—	53
	June 21,	.	—	—	49	.	.	2	.	.	.	7	.	—	—	—	—	8	—	66
	June 28,	.	—	—	48	.	.	8	.	.	.	1	.	—	—	—	—	15	—	72

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th June, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Five cases of enteric fever were admitted to hospital during the week, and 31 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 21, 24, and 26.

Six cases of typhus were discharged from hospital during the week, and no cases remained under treatment at the close of the week.

Three cases of measles were admitted to hospital during the week, 4 were discharged, and 10 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 10, 11, and 11 respectively.

Nineteen cases of scarlet fever were admitted to hospital, 18 were discharged, and 81* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 98, 93, and 80 respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, 15 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 42, 42, and 37 respectively, were 36 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·3), was equal to an average annual death-rate of 11·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·9 per 1,000, the rate for Glasgow being 16·6, and for Edinburgh 10·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th June. From this Report it appears that of a total of 49 cases notified, 20 were phthisis, 16 scarlet fever, 8 diphtheria, and 5 erysipelas. Among the 329 cases of infectious diseases in hospital at the close of the week were 123 cases of scarlet fever, 117 of phthisis, 37 of diphtheria, 20 of whooping-cough, 15 of measles, 5 of enteric fever, 2 of erysipelas, 2 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 28th June, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

	Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 28th June, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 28th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
	TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	27·1	16·7	1·4	624	384	69	77	1	...	...	8	4	1	2	...	65	16	24	27	33	11	6	9	19	120	13	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
	DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	27·9	14·9	0·9	216	115	25	21	...	...	...	...	...	...	...	...	19	4	8	11	7	7	...	4	6	39	4	e 70	38	55·1	0·14	e 75	43	57·5	0·36	e 66	39	53·1	0·33
	CITY OF DUBLIN,	308,187	39·0	30·1	16·1	1·0	178	95	18	15	...	...	...	...	...	...	...	...	18	3	4	8	6	6	...	4	5	33	3	f 71·0 g 70·9	46·8 42·0	56·8 56·4	0·17 0·07	f 75·1 g 73·1	49·9 46·8	59·1 58·7	0·40 0·10	f 67·2 g 65·9	43·4 39·0	54·2 53·4	0·27 0·31
Urban Districts.	RATHMINES & RATHGAR.	38,769	22·6	13·4	6·7	.	10	5	1	1	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
	PEMBROKE. ...	29,942	19·0	26·1	20·9	.	15	12	4	4	...	...	...	...	...	...	...	...	1	...	3	3	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
	BLACKROCK, ...	9,161	8·5	22·8	.	.	4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	KINGSTOWN, ...	16,941	11·6	27·7	9·2	3·1	9	3	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	2	1	66	47	56·9	0·24	66	50	57·8	0·58	62	45	53·9	0·09
Urban Districts.	BELFAST (b) ..	396,000	26·5	29·4	16·9	1·6	223	128	25	25	1	...	...	1	3	1	1	...	24	5	6	8	14	2	3	...	3	40	1	64	46	55·4	0·46	70·0	47·2	57·6	0·42	61	41	52·2	0·63
	CORK, ..	76,673	28·6	20·4	16·3	0·7	30	24	2	7	...	...	...	1	...	...	...	...	4	2	1	4	2	...	...	1	1	9	...	65	47	54·9	0·38	71	46	56·1	1·27	62	44	52·7	0·17
	LONDONDERRY ...	41,000	15·9	24·2	15·3	2·5	19	12	4	2	...	...	...	2	...	...	...	...	...	1	1	...	1	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
	LIMERICK, ...	38,518	16·1	12·2	10·8	1·4	9	8	...	2	...	...	...	...	...	...	...	...	2	1	1	..	...	...	1	...	...	4	1	67	42·4	55	0·43	75·1	44·0	56·6	0·87	65·2	44·1	52·8	0·94
	WATERFORD, ...	27,464	19·1	30·4	26·6	7·6	16	14	2	2	...	...	...	3	...	...	...	...	...	...	...	3	1	1	...	1	3	3	2	...	...	...	...	...	...	...	...	...	...	...	...
	GALWAY. ...	13,255	2·5				7	6	1	1	...	...	...	..	1	...	...	...	...	...	1	...	1	...	...	...	...	3	1	64	44	55	0·50	76	42	58·7	0·27	63	45	53	1·38
	DUNDALK, ...	13,128	9·5				17	5	...	1	...	...	...	...	...	...	...	...	2	...	..	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	LURGAN, ...	12,553	14·7				6	4	...	...	...	...	...	...	...	...	...	..	3	...	...	...	...	...	...	1	1	1	...	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45	67	39	51·3	0·83
	DROGHEDA, ...	12,501	8·4				9	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	LISBURN, ...	12,388	10·9				4	5	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45	67	39	51·3	0·83
	NEWRY. ...	11,963	17·0				4	8	...	...	...	...	...	1	...	...	...	...	...	...	1	...	2	...	...	2	3	1	...	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45	67	39	51·3	0·83
	PORTADOWN, ...	11,727	15·3				6	2	..	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45	67	39	51·3	0·83
	WEXFORD. ...	11,531	22·8				8	6	3	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	BALLYMENA ..	11,381	9·3				2	7	1	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	SLIGO, ...	11,163	3·8				4	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	64	40	53·0	0·71	75	47	56·0	0·79	63	35	51·0	1·00
	KILKENNY, ...	10,514	11·4				5	7	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	..	...	3	...	68	42	55·4	0·16	74	45	55·8	0·37	64	44	53·1	0·37
	TRALEE, ...	10,300	17·4				10	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	CLONMEL, ...	10,209	7·8				1	9	...	5	..	...	...	...	...	...	...	...	...	2	3	...	...	...	...	...	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
	NEWTOWNARDS,	9,587	20·1				4	2	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	66	48	53·8	1·69	64	48	55·4	0·86	63	41	51·3	0·56
	QUEENSTOWN, ...	8,209	14·7				3	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	65	47	54·9	0·38	71	46	56·1	1·27	62	44	52·7	0·17
	LARNE, ...	8,036	13·4				8	2	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	COLERAINE. ...	7,785	7·7				5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	BANGOR, ...	7,776	8·5				3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	BRAY, ..	7,691	7·2				.	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	ATHLONE, ...	7,472	6·2				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	ARMAGH, ...	7,356	21·8				3	2	..	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45	67	39	51·3	0·83

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 15 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of June, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	4	4	3	.	.	1	1	.	2	1	1	.	1	.	.	19	1
Tuberculous Disease. { Other Forms,	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.
Cancer,	.	.	.	2	.	.	.	.	.	2	.	.	.	3	.	1	8	2
Diseases of Nervous System,	.	4	1	3	.	.	.	1	2	.	1	.	1	.	.	.	13	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Circulatory System,	.	1	.	2	.	.	.	.	1	3	.	.	1	.	.	.	8	.
" Respiratory System. { Pneumonia,	1	.	1	1	1	2	.	1	.	1	.	.	.	3	.	.	11	.
" Respiratory System. { Others,	1	.	.	1	.	1	.	2	.	1	.	.	.	1	.	.	7	2
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	1	2	1	.	1	.	1	.	.	.	.	.	.	.	1	7	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	1	1	.	.	.	1	.	1	2	1	.	.	.	.	7	2
" Genito-urinary System,	.	1	1	1	.	.	.	.	.	3	.	.	.	.	.	.	6	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	3	.	1	.	.	.	3	.	.	2	.	2	3	.	.	16	2
Violent Deaths,	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	2
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	1	4	1
Deaths from All Causes	7	18	10	16	1	4	1	12	3	14	7	2	5	12	.	3	115	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	12·2	23·0	18·7	23·7	9·6	15·4	4·9	15·5	8·5	16·9	11·0	10·7	6·7	20·9	.	9·2	14·9	.
	18·2							13·7					11·0					
	16·1																	
Ages at Death. { Under 1 year,	2	2	3	3	.	3	.	4	.	.	1	.	1	4	.	2	25	1
1 and under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2 " 5 "	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
5 " 15 "	1	4	.	2	.	.	.	2	.	1	1	.	.	.	.	.	11	2
15 " 25 "	.	2	.	.	.	.	.	2	.	.	.	2	.	.	.	.	6	1
25 " 45 "	.	5	3	2	.	.	.	1	1	4	.	.	2	.	.	.	18	5
45 " 65 "	4	3	2	8	.	.	1	1	2	4	3	.	1	4	.	.	33	4
65 and upwards.	.	2	2	1	1	1	.	2	.	4	2	.	1	4	.	1	21	2
Number of Uncertified Deaths,	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	1	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	.	5	.	.	1	3	1	2	1	.	2	2	.	2	26	14
Workhouse Hospitals.	1	2	.	4	.	.	.	1	.	3	2	.	.	.	.	.	13	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 28th June, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 4, 1903.	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.	July 1, 1911.	June 29, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 59·2	° 54·8	° 60·1	° 56·6	° 51·8	° 55·9 *	° 55·6	° 54·7	° 55·5	° 56·9	° 56·1	° 55·1										
ALL CAUSES.	127	126	116	125	152	133	150	127	155	129	134·0	130	9	17	–	1	13	7	23	37	12	11
Enteric Fever, ...	.	.	1	2	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	2	2	.	1	4	2	.	7	4	2·5	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	2	.	.	.	.	1	1	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	1	1	8	.	4	3	2	.	2·0	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	.	2	1	1	2	1	·9	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	1	3	2	1	4	2	1	.	1·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	.	.	1	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	.	1	.	1	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	17	14	16	21	25	22	15	23	21	16	19·0	20	.	.	.	.	3	2	6	9	.	.
Tuberculous Meningitis, ...	4	2	3	4	5	.	3	5	3	1	3·0	2	.	.	.	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	2	.	2	1	.	1	2	5	1	3	1·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	10	3	4	6	3	6	4	1	.	4·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	2		2	.	.	.	.	.	.	1	1	.	.
Venereal Diseases, ...	.	.	1	.	1	1	1	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9	2	5	12	4	9	7	10	8	4	7·0	10	.	.	.	.	.	.	1	6	1	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	1	.	.	.	.
Diabetes, ...	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	3	1	—	2	.	1	.	.	.	.	1	.	.	.
Alcoholism, ...	1	.	.	.	.	.	.	.	1	.	·2	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	2	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									3	1		2	.	.	.	.	1	.	1	.	.	.
Cerebral Hæmorrhage, Apoplexy.									5	5		3	.	.	.	.	.	.	.	1	2	.
Softening of Brain, ...									.	.		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.									.	1		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...									.	2		2	.	1	.	.	1	.	.	.	.	.
Convulsions (non-puerperal),									8	2		1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	41	33	32	24	39	35	34	33	2	2	33·4	4	.	.	.	.	.	1	1	1	.	1
Pericarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									18	10		6	.	.	.	.	.	.	1	3	.	2
Embolism and Thrombosis (including Cerebral)									1	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									2	.		2	.	.	.	.	.	.	1	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	12	13	5	3	7	11	12	7	16	14	10·0	6	.	.	.	.	.	.	.	2	2	2
Broncho-pneumonia, ...	5	4	2	1	4	6	6	.	2	6	3·6	4	.	2	.	.	1	.	.	1	.	.
Lobar pneumonia, ...	.	.	1	.	3	1	.	1	2	2	1·0	1	.	.	.	.	.	.	.	.	.	1
Pneumonia (type not distinguished)	4	3	9	3	5	1	3	2	5	4	3·9	6	.	1	.	.	.	.	2	2	.	1
Pleurisy, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	.	2	2	2	.	2	.	.	.	1·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									1	.		3	.	.	.	.	.	1	1	1	.	.

* For six days only.

TWENTY-SIXTH WEEK ending Saturday, 28th June, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 28th June, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	July 4, 1903.	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.	July 1, 1911.	June 29, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 59·2	° 54·8	° 60·1	° 56·6	° 51·8	° 55·9 *	° 55·6	° 54·7	° 55·5	° 56·9	° 56·1	° 55·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	3	2	—	4	.	1	.	.	.	1	1	.	1	.
Diarrhœa and Enteritis of Children under 2 years.	2	3	2	5	4	5	9	3	3	5	4·3	7	.	7	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	2		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	1	—	2	.	.	.	.	.	.	1	1	.	.
Cirrhosis of Liver, ...	.	2	1	.	.	1	.	.	1	1	1·2	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	.	.	.	3	1	.	1	.	.	1		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	1	.	.	.	.	2	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	.	4	7	6	6	3	8	3	.	1	3·8	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	2	8	1	12	8	1	7	8	.	.	5·3	2	..	.	.	1	.	.	.	1	.	.
Chronic Bright's Disease, ...									1	3		3	.	.	.	.	.	.	.	1	1	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		2	.	.	.	.	.	.	2	.	.	.
Other Diseases of Genito-urinary System.									2	.		1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	1	.	.	.	1	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	2	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	2	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	6	2	1	4	5	6	1	10	6	4·3	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	5	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	4	1	6	4	2	5	3	3	5	2	3·5	3	.	.	.	.	.	.	.	.	2	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	3	—	3	1	1	.	.	1	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	3	1	.	1	.	.	.	1	.	·6	2	.	.	.	.	2	.	.	.	.	.
Drowning, ...	.	.	.	1	.	.	1	.	.	1	·3	1	.	.	.	.	1	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	1	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	1	1	4	1	.	2	1	4	1·7	3	.	.	.	.	1	.	.	2	.	.
Total Deaths from Accident,	2	4	2	3	5	3	2	2	2	5	3·0	6	.	.	.	.	4	.	.	2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	2	.	.	1	.	3	·6	2	.	.	.	.	1	.	.	1	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	.	—	5	1	1	.	.	.	.	2	.	1	.

* For six days only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered,	230	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216
Average Births in corresponding week of previous 10 years, ...	223	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244
DEATHS registered, ...	186	184	188	161	158	181	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130
Annual Death-rate per 1,000, ...	24·1	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8
Average Deaths in corresponding week of previous 10 years, ...	195	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134
Ages, Under 5 years, ...	63	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27
5—15 " ...	9	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13
15—25 " ...	7	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7
25—45 " ...	34	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23
45—65 " ...	36	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37
65—75 " ...	16	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12
75 and upwards, ...	21	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11
Deaths from :—																										
Enteric Fever, ...	.	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
Scarlet Fever, ...	1	.	1	.	.	1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.
Whooping-cough, ...	2	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.
Diphtheria, ...	2	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.
Influenza, ...	1	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	26	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20
Tuberculous Disease, Other Forms,	4	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4
Cancer, ...	8	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10
Diseases of Circulatory System,	14	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8
Diseases of Respiratory System, Pneumonia	12	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11
Diseases of Respiratory System, Others, ...	22	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9
Diarrhœa and Enteritis, under 2 years, ...	7	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7
Diarrhœa, 2 years and upwards,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.
Violent Deaths, ...	8	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6
Number of Uncertified Deaths,	5	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4
Mean Temperature of the Air (Phœnix Park)	43·6	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1
Average Mean Temperature in corresponding week of previous 10 years, ...	41·5	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1
Rainfall in inches, ...	·075	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th June, 1913: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH JUNE, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	17·0	130	27	13	7	23	37	12	11	.	.	.	.	.	.	.	.	20	4	10	1	11	9	7	.	6	62	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17·8	5	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	15·9	31	4	3	1	6	10	3	4	.	.	.	.	.	.	.	.	2	2	5	.	3	1	.	.	1	17	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14·4	30	8	1	2	7	7	3	2	.	.	.	.	.	.	.	.	6	.	3	.	2	.	2	.	.	17	1
IV.	GENERAL SERVICE CLASS, ...	167,479	15·6	50	14	9	4	6	10	5	2	.	.	.	.	.	.	.	.	8	1	.	1	3	5	4	.	5	23	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	14	1	.	.	3	8	1	1	.	.	.	.	.	.	.	.	4	1	1	.	2	2	1	.	.	3	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	38·3	4	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	27·4	5	.	.	.	.	3	.	2	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	8·3	4	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	11·0	7	3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	23·1	15	1	3	.	4	3	3	1	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	.	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	19·9	11	3	.	2	1	5	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	2	.	.	6	.
	10. Clothing Trades, ...	20,026	13·0	5	1	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3	1
	11. Food Supply Trades	8,952	17·5	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	8·1	5	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
	13. Petty Shopkeepers	6,772	23·1	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	4·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	15. Domestic Servants, ...	36,041	11·6	8	.	1	.	1	3	2	1	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	40·7	12	4	2	.	2	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	7	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	14·7	29	10	6	4	3	5	1	.	.	.	.	.	.	.	.	.	4	.	.	1	.	3	3	.	4	14	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	14	1	.	.	3	8	1	1	.	.	.	.	.	.	.	.	4	1	1	.	2	2	1	.	.	3	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	May 10,	40·1	1·7	23	1	.	.	.	.	.	.	.	6	1	5	2	1	.	.	2	.
	" 17,	19·2	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	1
	" 24,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
	" 31,	24·4	3·5	14	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
	June 7,	13·9	.	8	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.
	" 14,	27·9	.	16	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	2	1
	" 21,	26·2	3·5	15	.	.	.	.	.	.	1	.	1	3	.	.	3	1	.	1	.
	" 28,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	May 10,	29·3	1·3	23	.	.	.	.	.	.	.	.	2	2	2	1	2	.	1	.	3
	" 17,	25·5	3·8	20	.	.	.	.	.	.	.	.	4	.	1	1	3	2	1	2	.
	" 24,	17·9	1·3	14	.	.	.	.	.	.	.	.	2	1	1	1	4	1	.	.	.
	" 31,	24·2	1·3	19	1	.	.	.	.	.	.	.	4	.	3	1	3	.	.	.	.
	June 7,	19·1	3·8	15	1	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.	2
	" 14,	19·1	1·3	15	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
	" 21,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
	" 28,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	2	.	.	.	1	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	May 10,	29·9	.	16	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	" 17,	18·7	1·9	10	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	.
	" 24,	22·4	.	12	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1
	" 31,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	June 7,	29·9	.	16	.	.	.	.	.	.	.	.	2	2	2	2	1	.	.	.	1
	" 14,	24·3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.
	" 21,	24·3	1·9	13	.	.	.	.	.	1	.	.	4	1	1	2	1	.	.	.	.
	" 28,	18·7	3·7	10	.	.	.	.	.	.	.	.	4	.	.	1	.	2	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	May 10,	20·7	.	14	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	.	1
	" 17,	14·8	1·5	10	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.
	" 24,	32·6	4·4	22	1	.	.	.	.	.	.	.	4	1	2	1	1	2	.	.	.
	" 31,	10·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	June 7,	17·8	.	12	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	1	1
	" 14,	29·6	.	20	.	.	.	.	.	.	.	.	5	2	.	2	2	.	.	.	.
	" 21,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
	" 28,	23·7	1·5	16	.	.	.	.	.	.	.	.	3	.	2	1	1	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	May 10,	25·8	2·6	20	.	.	.	.	.	.	.	.	.	1	1	2	3	2	.	.	.
	" 17,	16·8	1·3	13	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
	" 24,	23·3	.	18	.	.	.	.	.	.	.	.	2	2	3	1	2	.	.	.	.
	" 31,	18·1	1·3	14	.	.	.	.	.	.	.	.	4	.	1	3	1	1	.	.	.
	June 7,	12·9	1·3	10	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.
	" 14,	20·7	.	16	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	2	1
	" 21,	16·8	.	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	" 28,	15·5	1·3	12	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	May 10,	8·5	2·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	" 17,	22·7	2·8	8	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.
	" 24,	39·8	5·7	14	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.
	" 31,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	June 7,	28·4	.	10	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	2
	" 14,	28·4	5·7	10	.	.	.	.	1	1	.	.	2	1	.	1	.	.	.	.	.
	" 21,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1
	" 28,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	May 10,	18·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1
	" 17,	19·4	1·2	16	.	.	.	.	.	.	1	.	1	1	.	2	4	.	.	.	1
	" 24,	21·8	1·2	18	.	.	.	.	.	1	.	.	3	1	2	3	2	.	.	.	.
	" 31,	12·1	.	10	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.
	June 7,	16·9	.	14	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.
	" 14,	23·0	2·4	19	.	.	.	.	.	.	1	.	4	1	.	2	3	1	.	.	.
	" 21,	24·2	4·8	20	.	.	.	.	1	1	1	.	2	.	2	3	2	1	.	1	.
	" 28,	16·9	.	14	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	May 10,	28·3	1·6	18	.	.	.	.	.	1	.	.	2	1	.	1	4	.	.	.	.
	" 17,	12·6	3·1	8	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.
	" 24,	17·3	1·6	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	" 31,	18·9	.	12	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	June 7,	14·1	3·1	9	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.
	" 14,	26·7	.	17	.	.	.	.	.	.	.	.	3	.	3	1	1	.	.	.	.
	" 21,	23·6	4·7	15	.	1	.	.	.	1	.	.	.	.	.	2	2	1	.	1	.
	" 28,	11·0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	May 10,	9·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 17,	21·5	.	16	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 24,	16·1	.	12	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.
	„ 31,	18·8	.	14	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	.
	June 7,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 14,	12·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.
	„ 21,	8·1	1·3	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 28,	6·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	May 10,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.
	„ 24,	31·3	3·5	18	.	.	.	1	.	1	.	.	1	.	2	2	2	.	.	.	1
	„ 31,	22·6	1·7	13	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	1
	June 7,	19·2	1·7	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 14,	8·7	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	„ 21,	10·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 28,	20·9	.	12	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	May 10,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 17,	21·5	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 31,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June 7,	6·2	3·1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	30·8	9·2	10	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	1	1
	„ 21,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 28,	9·2	3·1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	May 10,	17·1	1·4	130	1	.	.	2	6	.	.	.	16	9	5	12	16	1	1	4	.
	„ 17,	18·2	1·3	138	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	1
	„ 24,	17·0	1·1	129	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	1
	„ 31,	16·7	0·5	127	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	2
	June 7,	17·1	1·6	130	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	1
	„ 14,	17·5	0·7	133	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	2
	„ 21,	14·0	0·4	106	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	.
	„ 28,	16·9	1·6	128	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	1
Cork. Pop. in 1911 76,673.	May 10,	23·8	0·7	35	.	.	.	.	.	.	.	.	9	2	2	3	6	1	.	.	1
	„ 17,	21·1	0·7	31	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.
	„ 24,	27·2	.	40	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	.
	„ 31,	17·0	0·7	25	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	2
	June 7,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.
	„ 14,	17·0	0·7	25	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	1
	„ 21,	17·0	0·7	25	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	.
Londonderry. Pop. in 1913 (Est.) 41,000.	May 10,	5·1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 17,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.
	„ 24,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1
	„ 31,	11·4	.	9	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
	June 7,	22·9	1·3	18	.	.	.	1	.	.	.	.	1	1	2	.	3	.	.	.	1
	„ 14,	15·3	2·5	12	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
	„ 21,	14·0	1·3	11	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	2	.
	„ 28,	15·3	2·5	12	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.	.
Limerick. Pop. in 1911 38,518.	May 10,	24·4	1·4	18	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3
	„ 17,	9·5	1·4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	„ 24,	21·7	1·4	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	2
	„ 31,	20·3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	1
	June 7,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 21,	19·0	.	14	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	1
	„ 28,	10·8	1·4	8	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	1
Waterford. Pop. in 1911 27,464.	May 10,	20·9	1·9	11	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	2
	„ 17,	20·9	1·9	11	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	1	1
	„ 24,	22·8	3·8	12	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	2	.
	„ 31,	15·2	1·9	8	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	1
	June 7,	28·5	5·7	15	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	1	.
	„ 14,	19·0	1·9	10	.	.	.	.	.	1	.	.	3	1	.	1	2	.	.	1	.
	„ 21,	38·0	9·5	20	.	.	.	2	.	2	.	.	2	.	.	.	1	.	1	.	2
	„ 28,	26·6	7·6	14	.	.	.	3	.	.	.	.	.	.	.	3	1	1	.	1	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th June, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate*: Certain Epidemic Diseases.†	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	12	29·6	6·6	9	.	1	1	2	2	3	.	.	.	.	.	.	1	.	2	.	.	.	1	.	1	.	1	4	.
Do. 2 do.	49,500	27	13·7	.	13	4	1	2	2	2	2	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.	2	.
Do. 3 do.	50,032	34	14·6	2·1	14	2	.	4	2	2	4	.	.	.	.	1	.	.	.	1	.	1	1	.	1	.	.	.	3	1
Do 4 do.	32,637	20	28·8	4·8	18	7	4	1	3	2	1	.	.	.	.	2	.	.	.	3	1	2	.	1	.	1	.	1	6	.
Do. 5 do.	16,112	10	16·2	6·5	5	.	2	1	.	1	1	1	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 6 do.	37,293	17	14·0	.	10	2	.	2	3	.	3	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.	2	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	9	23·5	4·3	11	2	1	1	2	3	2	.	.	.	.	.	1	.	.	2	.	.	1	3	1	.	.	.	3	.
Do. 10 do.	28,958	18	16·2	.	9	3	.	2	2	1	1	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	3	.
Do. 11 do.	39,311	23	10·6	1·3	8	2	1	1	1	.	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	.	2	.
Do. 12 do.	38,076	33	20·5	.	15	3	2	2	3	3	2	.	.	.	.	.	.	.	.	3	1	.	1	3	.	.	.	1	6	.
Do. 13 do.	23,233	7	13·5	.	6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	23·0	.	10	.	2	.	1	6	1	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	5	.
Total,	386,947	223	16·9	1·6	128	25	14	17	22	25	25	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	3	40	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	15·5	.	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	.
Do 2 do.	10,701	3	20·1	.	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	3	.
Do 3 do.	9,978	3	31·9	5·3	6	1	1	3	1	.	.	.	.	.	1	.	.	.	.	3	1	.	.	.	.	.	.	.	1	.
Do 4 do.	8,666	7	17·1	.	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do 5 do.	6,592	2	16·7	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do 6 do.	10,702	3	9·0	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,616	7	9·7	.	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Total,	76,122	30	16·3	0·7	24	2	2	4	3	6	7	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	1	9	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered, ... , ...	288	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223
DEATHS registered, ...	181	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128
Annual Death-rate per 1,000 of estimated population, ...	23·8	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9
AGES, Under 1 year, ...	30	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25
1—5 years, ...	37	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14
5—25 ,, ...	17	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17
25—45 ,, ...	31	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22
45—65 ,, ...	40	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25
65 and upwards, ...	26	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ... , ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	17	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1
Scarlet Fever, ...	1	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3
Whooping-cough, ...	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1
Diphtheria, ...	3	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	21	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24
Tuberculous Disease. Other Forms,	5	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5
Cancer, ...	5	5	4	5	4	5	7	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6
Diseases of Respiratory System, Pneumonia,	20	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8
Diseases of Respiratory System, Others, ...	16	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14
Diarrhœa and Enteritis, under 2 years, ...	2	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2
Diarrhœa, 2 years and upwards,	.	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3
Violent Deaths, ...	3	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.
Number of Uncertified Deaths, ...	2	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	June 28,	2,333	891	10·3	2	.	24	2	13	7	18*a*
Edinburgh, ...	320,300	„ 28,	138	66	10·8	.	.	.	2	1	1	.
Glasgow, ...	1,021,500	„ 28,	605	325	16·6	.	.	26	.	6	1	6
Calcutta, ...	896,067	May 17,	.	433	25·1	80*	1	3	.	.	1†	103‡
Bombay, ...	979,445	„ 24,	300	764	40·6	227*	7	7	.	.	1	64
Madras, ...	518,660	„ 31,	.	.	.	.	.	.	.	.	.	.
Cairo, ...	710,514	Apr. 8,	576	460	33·6	1	1	12	3	.	6†	57*a*
Paris, ...	2,847,229	June 14,	940	903	16·2	10	.	38	3	5	5†	22*a*
Brussels, ...	767,252	„ 7,	254	188	12·7	1	.	3	1	2	2	15*a*
Antwerp, ...	312,884	„ 14,	134	57	9·5	.	.	.	.	.	1	3*a*
Amsterdam, ...	590,122	„ 7,	264	126	11·1	.	.	.	.	.	2†	8*a*
Copenhagen, ...	473,500	„ 7,	225	121	13·3	.	.	1	1	3	.	3*a*
Stockholm, ...	376,171	„ 7,	151	97	13·4	.	.	.	.	.	.	5*a*
Christiania, ...	247,488	„ 14,	105	57	12·0	.	.	3	.	1	1	1
St. Petersburg ...	1,686,000	May 24,	814	678	21·0	5	.	16	12	9	4	71*a*
Moscow, ...	1,694,000	„ 17,	.	783	24·1	1	.	30	19	6	25†	80
Berlin, ...	2,076,058	„ 24,	754	493	12·4	.	.	3	2	2	8†	25
Hamburg, ...	1,006,748	June 7,	.	217	11·2	3	.	1	2	2	7†	15
Breslau, ...	539,067	„ 7,	.	192	18·6	.	.	5	1	1	1	19
Munich, ...	622,000	„ 7,	.	203	17·0	.	.	.	.	3	1†	16
Vienna (with suburbs),	2,115,254	„ 7,	681	667	16·4	.	.	11	7	3	11†	50*a*
Buda-Pesth, ...	930,666	„ 7,	425	376	21·0	1	1	9	34	1	5†	14*a*
Prague and Faubourgs,	489,194	May 24,	190	183	19·5	1	.	2	2	1	1†	8*a*
Trieste, ...	239,703	June 7,	118	63	13·7	.	.	1	.	2	3†	.
Rome, ...	579,285	Feb. 15,	338	258	23·2	1	.	15	.	.	1	5
		„ 22,	338	257	23·1	1	.	12	1	1	1	5
New York, ...	5,372,983	May 24,	2,528	1,572	15·3	2	.	18	25	8	31†	44*a*
Philadelphia, ...	1,631,960	„ 10,	.	509	16·2	7	.	3	3	3	5	18*a*
Boston, ...	735,399	June 7,	.	175*b*	12·4	.	.	1	.	.	3	8

* Deaths from "fever," including 12 from enteric fever and 20 from plague in Calcutta, and 5 from enteric fever and 161 from plague in Bombay.

† Including deaths from croup.

‡ Including 52 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Deaths of non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th June, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	2	.	.	1	.	.	.	4	.	8
" " 1, West, ...	.	1	.	.	4	.	.	1	1	.	.	1	.	8
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	1	.	2
" " 3, ...	.	6	.	.	2	.	.	2	.	.	.	1	.	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	3	.	.	.	.	.	.	2	.	.	1	.	6
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
" " 3, ...	.	4	.	.	1	.	.	2	.	.	.	2	.	9
" " 4, ...	.	4	.	.	1	.	.	.	.	.	.	1	.	6
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
Total, ...	.	22	.	.	11	.	.	6	3	.	.	14	.	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th June, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th June.			
	June 7.	June 14.	June 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	24	26	5	.	.	31
Typhus, ...	8	8	6	.	6	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	10	11	11	3	4	.	10
Scarlet Fever, ...	98	93	80	19	18	.	81*
Diphtheria, ...	42	42	37	15	15	1	36
Pneumonia, ...	22	15	22	4	3	.	23

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 28th June, 1913:—

"Except for heavy showers of rain on the afternoons of Monday and Thursday, the weather of this week was dry. Much cloud, however, prevailed on several days, and the nights of Tuesday, Wednesday and Thursday were very cool for the time of year—at Birr Castle the minima in the screen on these nights were 42°, 42° and 46°, while even in the City of Dublin the corresponding readings were 47°, 48° and 49°. Sunday was a very fine, quiet day, much cloud prevailing at times. In the evening the wind backed from W. to S.S.E. in front of an atmospheric depression which extended over Ireland from the Atlantic. This system was centred off the Mayo coast on Monday morning, when the barometer read 29·67 inches at Blacksod Point. This depression travelled north-eastwards, its centre reaching Northumberland early on Tuesday. Its passage was attended by squalls, heavy showers of rain and hail as well as thunder and lightning. In Dublin a very heavy shower of rain and hail occurred at 4.30 p.m. of Monday, a flash of lightning being quickly followed by a loud and prolonged peal of thunder. A similar visitation was reported from Birr Castle, Douglas, Isle of Man, and certain stations in the north-west of England. Two fine, but cloudy and cool, days followed. On Thursday a shallow depression crossed Ireland in a south-easterly direction after the fashion of a line squall. At 4.10 p.m. a drenching shower fell locally in Dublin—·042 inch being recorded as the result of a few minutes' precipitation. Friday was cloudy but fine, dry and breezy, an anticyclone spreading over Ireland from S.W. Saturday was bright and warm, with squally westerly winds, the thermometer rising to 71·0° in the screen—the highest reading for the week. In Dublin the mean height of the barometer was 30·174 inches, pressure ranging from 29·721 inches at 4 p.m. of Monday (wind, W.N.W.) to 30·461 inches at 9 p.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 56·8°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 57·8°. The screened thermometers rose to 71·0° on Saturday, having fallen to 46·8° on Wednesday. Rain fell on 3 days to the amount of ·165 inch, ·112 inch being measured on Monday, when hail fell and thunder and lightning occurred."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·189 inches. The highest reading (30·461) was on Saturday, at 9 p.m., wind W., the lowest (29·803) on Monday at 9 a.m., wind S.S.W.

The mean temperature for the week was 55·1°, being 1·0 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Saturday, on which day the thermometer registered 70°, and was lowest on Thursday, the mercury having fallen to 38°. The mean of the Dry Bulb for the week was 56·5° and of the Wet Bulb, 53·2°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The rainfall during the week measured 0·135 inch.

At Greenwich the mean temperature for the week was 59·2°, the maximum 78·3°, and the minimum 47·1°; at Glasgow the maximum was 65·7°, the minimum 48·8°, and the mean 56·6°; and at Edinburgh the maximum was 64·6°, the minimum 47·5°, and the mean 56·1°. The rainfall at Greenwich measured 0·06 in.; at Glasgow 0·54 in.; and at Edinburgh 0·44 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, June 22,	30·100	62	50	56·0	57·1	54·0	·82	·4	1·4	·040	Calm.	Calm.
Monday, „ 23,	29·865	65	51	58·0	54·2	51·6	·84	·5	4·7	·085	S.S.W.	W.
Tuesday, „ 24,	30·060	61	47	54·0	54·4	51·4	·81	·5	4·1	·000	W.	W.N.W.
Wednesday, „ 25,	30·225	60	43	51·5	55·3	52·0	·80	·2	3·2	·000	N.W.	Calm.
Thursday, „ 26,	30·240	62	38	50·0	55·3	51·6	·77	·4	4·1	·010	W.	W.N.W.
Friday, „ 27,	30·390	64	45	54·5	56·7	53·4	·75	·4	6·3	·000	W.N.W.	W.
Saturday, „ 28,	30·440	70	54	62·0	62·3	58·3	·78	·3	11·3	·000	W.	W.
Mean, ...	30·189	63·4	46·9	55·1	56·5	53·2	·80	·4	Total 35·1	Total ·135	Prevailing Wind, W.	

Sunday—Day cloudy, fine; night cloudy, showers at intervals a.m. *Monday*—Day cloudy, drizzling rain 11.30 to 12.10 p.m., thunderstorm 4.15 to 4.35 p.m., and drizzling rain 8 to 9 p.m.; night cloudy, drizzling rain 9 to 9.30 p.m. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day cloudy, fine; night cloudy to clear. *Thursday*—Day cloudy, heavy showers 3.30 to 3.45 p.m.; night cloudy. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—A beautiful bright day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 28th June, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 22,	62·0	59·0	55·0	62·5	52·0	57·25	2·1	—
Monday, „ 23,	60·1	59·0	55·0	64·8	53·6	59·20	5·4	·14
Tuesday, „ 24,	58·0	58·6	55·0	62·0	49·5	55·75	3·9	—
Wednesday, „ 25,	57·2	58·1	55·0	61·0	46·0	53·50	2·4	—
Thursday, „ 26,	60·8	57·9	55·0	62·8	46·0	54·40	3·5	·04
Friday, „ 27,	63·0	57·2	55·0	64·6	48·0	56·30	7·4	—
Saturday, „ 28,	64·8	59·0	55·0	71·0	55·1	63·05	10·5	—
Weekly Mean, .	60·8	58·4	55·0	64·1	50·0	57·06	Total 35·2	Total ·18

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34023. Wt. P. 1–74/139. 375. 3. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

1913.

Price 1½*d.*

VOL. L.] QUARTER ENDING SATURDAY, 28TH JUNE, 1913. [No. 26A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,742 statute acres, and the population, estimated to the middle of 1913, 403,000, there were registered during the thirteen weeks ended on Saturday, 28th June, 1913, 3,033 births—1,578 boys and 1,455 girls—being equal to an annual ratio of 1 in 33·2, or 30·1 in every 1,000 of the population.

The number of births registered in the city was 2,590, equivalent to an annual rate of 33·6 in every 1,000 of the population; and in the urban districts named above, 443, equal to an annual rate of 18·7 in every 1,000 of the population.

There were registered in London during the same period 28,343 births—being equal to an annual birth-rate of 25·1 in every 1,000 of the estimated population; in Glasgow there were registered 7,663, being equal to 30·0 per 1,000; and in Edinburgh, 1,720—a number affording an annual birth-rate of 21·5 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (173) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,051, are equivalent to an annual rate of 20·4 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 21·3. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,224—1,121 males and 1,103 females—affording an annual ratio of 1 in 45·3 or 22·1 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the second quarter of the ten years, 1903–1912, in the Dublin Registration Area was 22·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 867, representing an annual mortality of 21·2 in every 1,000 of the population; and the number in the south city districts was 793, equivalent to a rate of 21·9 per 1,000. In the urban districts the number of deaths registered was 391, being equal to an annual death-rate of 16·5 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 14,964—a number equal to an annual rate of mortality of 13·2 in every 1,000 of the inhabitants; in Glasgow the number was 4,356, equal to 17·1 in every 1,000; and in Edinburgh, 1,155, affording an annual death-rate of 14·4 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 140, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·39.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1903–1912:—

Names of Diseases.	No. of Deaths in June Quarter, 1913.	Average No. of Deaths in June Quarters, 1903–1912.
Enteric Fever, ...	6	12
Typhus, ...	4	1
Small-pox, ...	–	3
Measles, ...	6	47
Scarlet Fever, ...	8	8
Whooping-cough, ...	30	42
Diphtheria, ...	21	13

Enteric Fever.—This disease caused 6 deaths, as against 8, 18, and 11 in the three preceding quarters, and an average of 12 deaths for the June quarter of the ten years 1903-12. Five of the 6 deaths appertained to north Dublin city and one to Pembroke urban district. It will be observed from Table I. that 49 cases of enteric fever were admitted to hospital, that 46 were discharged, that 4 died, and that 31 cases remained under treatment at the close of the quarter.

Typhus.—There were 4 deaths from typhus registered during the quarter, 2 of these belonging to the north City, one to the south City, and one was that of a person admitted to hospital from without the Registration Area. Thirty-four cases of this disease were under treatment in hospitals during the 13 weeks ended 28th June, but there was no case under treatment at the close of this period.

Small-Pox.—No death from small-pox was recorded during the quarter.

Measles.—The deaths from measles, numbering 6, are considerably below the average for the June quarter of the preceding 10 years, namely 47. In the three preceding quarters they numbered 56, 13, and 3 respectively.

Table I. shows that 66 cases were admitted to hospitals during the quarter, 62 were discharged, one died, and 10 remained under treatment at its close.

Scarlet Fever.—There were 8 deaths from scarlet fever; of these 2 appertained to north Dublin city, 4 to south Dublin city, and 2 were those of persons admitted to hospital from without the Registration Area.

The number of deaths from this disease during the preceding three quarterly periods was 14, 12, and 5 respectively, and the average for the June quarter of the previous ten years was 8. From Table I. it will be seen that 218 cases of scarlet fever were admitted to hospitals during the quarter, that 227 were discharged, that 8 died, and that 81 † remained under treatment at the end of the quarter.

Whooping-cough.—Deaths from this cause, which were 18, 13, and 34 respectively in the three preceding quarters, numbered 30 in the period under notice, this latter figure representing an annual rate of 0·30 per 1,000 of the estimated population. For the June quarter of the preceding ten years the average number of deaths from whooping-cough was 42. Of the 30 deaths during last quarter, 6 were those of residents of north Dublin city, 15 of south Dublin city, 2 of Rathmines and Rathgar urban district, 2 of Pembroke, and 5 of Kingstown urban district.

*See note (*) p. 416h.

† See note (*) at foot of Table I.

Diphtheria.—There were 21 deaths from this disease, equivalent to an annual rate of 0·21 per 1,000 of the population. In the September quarter of 1912 the deaths registered numbered 21, in the December quarter 22 deaths were recorded, and in the March quarter of the present year the number was 25; in the June quarter of the ten years 1903-12, the average number of deaths from diphtheria was 13. During the quarter, 167 cases of this disease were admitted to hospitals, 162 were discharged, 21 died, and 36 cases remained under treatment at its close.

Diarrhœal Diseases.—Sixty-five deaths were returned under this heading, and of these, 60 were deaths of children under 2 years of age, this latter number representing an annual rate of 0·60 per 1,000 of the population.

Influenza.—Deaths from this cause, which in the three quarters preceding were 7, 13, and 43 respectively, numbered 31 in the period under notice (affording an annual rate of 0·31 per 1,000 of the population), as against an average of 29 deaths for the corresponding quarter of the previous ten years.

Cerebro-spinal Fever.—There was one death from cerebro-spinal fever during the quarter. The last record of a death from this disease was in the June quarter of 1912.

Pneumonia.—To this heading were attributed 162 deaths, the annual rate represented thereby being 1·61 per 1,000 of the population.

Of the 162 deaths, 81 were caused by broncho-pneumonia, 14 by lobar pneumonia, and 67 by pneumonia (type not distinguished).

Tuberculosis.—The total number of deaths from all forms of tuberculous disease registered during the quarter under notice was 422, or 4·19 per 1,000 of the estimated population of the Area, as against 384 deaths and a rate of 3·78 per 1,000 in the corresponding quarter of the year 1912. Of the 422 deaths, 321 were assigned to pulmonary tuberculosis, 40 to tuberculous meningitis, 13 to abdominal tuberculosis, 4 to tuberculosis of the vertebral column, 10 to tuberculosis of joints, 7 to tuberculosis of other organs, and 27 to disseminated tuberculosis.

The annual death rates for all forms of tuberculous disease per 1,000 of the population for the component parts of the Dublin Registration Area were as follows:—Dublin city, 4·30 (north city, 4·38; south city, 4·20); Rathmines and Rathgar urban district, 2·06; Pembroke, 2·81; Blackrock, 3·06; and Kingstown urban district, 1·42.

Cancer.—The mortality from cancer amounted to 135 deaths, being equal to 1·34 per 1,000 of the estimated population.

Diseases of the Brain and Nervous System.—The deaths returned under this heading amounted to 220, which number represents an annual rate of 2·18 per 1,000. The 220 deaths include 42 from convulsions of infants under one year of age.

Bronchitis.—This disease caused 219 deaths during the quarter, which number is equivalent to 2·17 per 1,000 of the population.

Congenital Malformations, Premature Birth, Congenital Debility.—To congenital malformations 16 deaths were attributed, to premature birth 66 deaths, and to congenital debility 59 deaths.

Violence (*Accidental*).—Forty-three deaths were caused by accident, including 11 by burns or scalds (5 being those of children under 5 years of age), 6 by drowning, one (that of an infant) by suffocation in bed, and 8 by vehicles or horses.

Homicide.—One death was ascribed to homicide.

Suicide.—There were 5 deaths by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 28th June, 1913.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	32	49	46	4	31
Typhus, ...	8	26	30	4	–
Small-pox, ...	–	–	–	–	–
Measles, ...	7	66	62	1	10
Scarlet Fever, ...	98	218	227	8	81*
Diphtheria, ...	52	167	162	21	36
Pneumonia, ...	27	109	99	14	23

* Exclusive of 22 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 69 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 69 cases, 40 (or 58 per cent.) were deaths of children under 5 years of age; these 40 deaths form 7·3 per cent. of the total number of deaths of children of that age-period. Of the deaths of 155 infants under one month old registered, there were 24 (or 15·5 per cent.) regarding which the cause was uncertified.

From Table II., on page 416*f*, it will be seen that, excluding 173 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,051, equal to an annual rate of 20·4 per 1,000 of the estimated population, and that 134 of these deaths, representing an annual rate of 1·3 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 21·5 per 1,000, and for the urban districts 16·5 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·4, and in the urban districts 1·1, the rates for the several districts varying from 0·3 in Coolock and Drumcondra, part of, to 2·4 in South City No. 2, the 119 deaths from all causes for that district including one from scarlet fever, 2 from each of whooping-cough and diphtheria, and 6 from diarrhœa or enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 416*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 17·2 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 16·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·6; and in the "General Service Class" it was 20·8.

AGES.—Of the 2,224 persons whose deaths were registered in the Dublin Registration Area during the quarter, 547 were under 5 years of age, including 387 infants under one year of age, the latter representing a rate of 127·6 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 53·5 in every 1,000 children at that age (according to the Census of 1911); 110 were between the ages of 5 and 15, representing an annual rate of 6·2 per 1,000 persons at that age-period; 119 were between the ages of 15 and 25, equivalent to an annual rate of 5·9 per 1,000; the total number under 25 years being equal to an annual mortality of 16·2 per 1,000 of the population at that age-period (according to the Census of 1911); 400, or 12·8 per 1,000 persons, were between 25 and 45; 530, or 36·0 per 1,000, between 45 and 65; 306, or 72·5 per 1,000, between 65 and 75; and 212, or 151·6 per 1,000, were aged 75 and upwards, including 15 persons aged 90 and upwards, of whom one (a female) was stated to have been aged 100 years.

PUBLIC INSTITUTIONS.—Of the 2,224 deaths recorded during the quarter, 967 or 43·5 per cent., occurred in public institutions, viz., 597 in the various hospitals, prisons, and lunatic asylums; 150 in the North Dublin Union Workhouse; 211 in the South Dublin Union Workhouse; and 9 (those of persons admitted from within the Dublin registration area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 49·9°. At Greenwich, for the quarter, it was 53·4°; at Glasgow (12 weeks), 50·4°; and at Edinburgh, 49·0°.

The rainfall at Dublin during the thirteen weeks measured 7·20 inches; at Greenwich, 4·10 inches; and at Edinburgh, 4·45 inches.

† See note (*) p. 416*h*.

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phœnix Park, Dublin,* for the thirteen weeks ended 28th June, 1913.

Prepared in the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1913. Week Ended.	Barometer.		Thermometer.						Hygrometer.			Ozone.	Bright Sunshine.			Rainfall.			Wind.
	Mean at 32° F. Mean Sea Level and Standard Gravity. Lat. 45°.	Difference from Average.	Mean of Maximum A.	Mean of Minimum B.	Mean of A. and B.	Difference from Average.	Highest.	Lowest.	Mean of Dry Bulb.	Mean of Wet Bulb.	Mean Humidity.	1·0	Mean Daily Amount in Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Difference from Average.	Number of Days.	Mean Velocity Recorded in Metres per Second.
	Inches.		° F	° F	° F		° F	° F	° F	° F	Per cent.		Hours.	Hours.	Per cent.	Inches.	Inches.		m. p. s.
April 5th, ...	29·964	—	52·9	35·6	44·3	—	56	29	43·9	42·0	86	0·5	6·2	+1·4	48	·10	—	2	3·8
„ 12th, ...	30·116	—	51·7	39·0	45·4	—	60	32	45·2	43·0	85	0·6	3·9	−1·3	29	·25	—	3	2·9
„ 19th, ...	29·606	—	51·4	37·6	44·5	—	54	31	44·9	42·0	80	0·7	4·3	−1·2	31	·62	—	6	4·5
„ 26th, ...	29·671	—	55·1	36·6	45·9	—	59	30	46·2	44·1	85	0·4	4·2	−1·6	29	·91	—	4	3·0
May 3rd, ...	29·662	—	56·0	38·1	47·1	—	59	34	46·7	43·9	82	0·6	4·3	−1·8	29	1·10	—	4	3·1
„ 10th, ...	29·535	—	53·3	37·6	45·5	—	57	32	46·2	43·7	83	0·6	4·6	−1·9	30	2·03	—	6	3·6
„ 17th, ...	30·067	—	58·0	42·0	50·0	—	62	31	49·6	47·0	84	0·5	6·4	−0·4	41	·44	—	2	2·3
„ 24th, ...	30·004	—	60·1	45·4	52·8	—	66	38	52·0	49·1	82	0·6	4·4	−2·5	28	·22	—	4	3·5
„ 31st, ...	29·922	—	61·1	46·6	53·9	—	65	39	55·0	51·9	81	0·3	4·9	−1·8	30	·14	—	3	2·6
June 7th, ...	29·872	—	62·1	43·6	52·9	—	65	37	53·3	50·4	82	0·4	6·3	−0·3	38	·56	—	5	3·2
„ 14th, ...	30·018	—	59·4	46·7	53·1	—	66	39	53·5	50·5	81	0·4	5·3	−1·2	32	·33	—	3	3·0
„ 21st, ...	30·037	—	66·3	48·7	57·5	—	75	43	57·7	55·1	85	0·3	5·7	−0·8	34	.36	—	3	1·9
„ 28th, ...	30·189	—	63·4	46·9	55·2	—	70	38	56·6	53·2	80	0·4	5·0	−1·4	30	·14	—	3	2·9
Mean, ...	29·897	−·058	57·8	41·9	49·9	−0·2	75	29	50·1	47·4	83	0·5	5·0	−1·1	33	7·20	+1·29	48	3·1

* Height above Mean Sea Level, Station H=155 feet; Barometer Hb = 159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months April to June.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 28th June, 1913,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1913.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*	TOTAL DEATHS.	QUARTER (13 WEEKS) ENDED 28TH JUNE, 1913. DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E.,	29,908	21·7	1·5	162	34	7	8	6	10	25	40	32	2	2	.	.	.	.	1	.	25	10	9	12	17	6	.	9	5
" 1, W.,	40,871	24·2	2·0	247	46	12	5	12	15	48	61	48	2	.	.	.	1	2	1	.	38	7	11	14	32	11	3	5	8
" 2,	27,883	23·2	1·3	162	29	8	6	5	9	33	41	31	.	.	.	.	.	3	.	.	29	10	7	14	17	5	1	.	5
" 3,	35,185	21·7	1·4	191	37	10	4	11	10	31	46	42	1	.	.	.	1	1	2	.	34	10	14	16	13	7	.	3	5
CLONTARF AND HOWTH, No. 1, part of.	5,431	20·6	0·7	28	1	1	.	2	1	3	13	7	.	.	.	.	.	.	.	.	4	1	4	2	2	1	.	.	.
COOLOCK AND DRUMCONDRA, part of,	13,550	13·0	0·3	44	8	1	.	2	.	6	14	13	.	.	.	.	.	.	.	.	4	1	2	7	6	1	.	1	3
FINGLAS AND GLASNEVIN, part of,	10,617	12·4	0·8	33	3	.	.	3	4	8	8	7	.	.	.	.	.	.	1	.	4	2	1	2	5	1	.	.	3
South City.																													
SOUTH CITY, No. 1,	40,366	21·5	1·6	217	36	10	3	13	10	45	47	53	.	.	.	.	1	4	1	.	34	13	15	13	35	10	.	5	3
" 2,	18,341	26·0	2·4	119	27	10	6	4	3	20	30	19	.	.	.	.	1	2	2	.	19	9	4	8	14	6	.	1	8
" 3,	43,110	21·6	1·0	233	49	14	13	12	9	37	51	48	.	.	.	.	1	2	3	1	34	13	12	23	34	4	.	3	4
" 4,	33,171	22·5	1·6	187	42	6	6	10	9	21	42	51	.	1	.	.	1	7	2	.	18	6	9	11	35	2	.	2	10
NEW KILMAINHAM,	9,754	15·2	0·4	37	5	.	2	1	4	8	10	7	.	.	.	.	.	.	.	.	5	1	3	2	4	1	.	.	1
Urban Districts.																													
RATHMINES AND RATHGAR,	38,769	14·4	0·4	140	12	1	1	4	7	23	34	58	.	.	.	.	.	2	1	.	17	3	14	4	7	1	.	2	4
PEMBROKE,	29,942	18·3	1·5	137	29	6	3	5	2	21	27	44	1	.	.	4	.	2	2	.	16	5	10	13	13	2	.	.	4
BLACKROCK,	9,161	15·3	2·2	35	2	1	1	4	4	8	3	12	.	.	.	1	.	.	4	.	5	2	1	3	3	.	.	1	1
KINGSTOWN,	16,941	18·7	1·4	79	17	4	3	1	4	6	18	26	.	.	.	.	.	5	.	.	4	2	4	12	5	1	.	3	5
Total City. North,	163,445	21·2	1·4	867	158	39	23	41	49	154	223	180	5	2	.	.	2	6	5	.	138	41	48	67	92	32	4	18	29
Total City. South,	144,742	21·9	1·4	793	159	40	30	40	35	131	180	178	.	1	.	.	4	15	8	1	110	42	43	57	122	23	.	11	26
Total City. North and South,	308,187	21·5	1·4	1,660	317	79	53	81	84	285	403	358	5	3	.	.	6	21	13	1	248	83	91	124	214	55	4	29	55
Total Urban Districts,	94,813	16·5	1·1	391	60	12	8	14	17	58	82	140	1	.	.	5	.	9	7	.	42	12	29	32	28	4	.	6	14
Total Registration Area,	403,000	20·4	1·3	2,051	377	91	61	95	101	343	485	498	6	3	.	5	6	30	20	1	290	95	120	156	242	59	4	35	69
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				173	10	4	4	15	18	57	45	20	.	1	.	1	2	.	1	.	31	6	15	6	11	1	.	14	.

* See note (*) on page 416h.

† See note (*) on page 416i.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 28th June, 1913;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 28TH JUNE, 1913. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS, ...	397.957	22·4	2,224	547	110	119	400	530	306	212	6	4	.	6	8	30	21	1	321	101	135	49	162	253	60	4	49	1,014	69
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14.658	17·2	63	3	3	1	6	15	16	19	.	.	.	1	.	.	1	.	1	1	4	.	7	6	1	.	.	41	.
II.	MIDDLE CLASS, ...	101,798	16·4	418	50	32	20	73	111	63	69	1	.	.	2	.	3	3	1	37	22	42	3	31	39	5	2	10	217	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	18·6	504	123	17	39	89	131	69	36	2	1	.	1	.	9	6	.	79	23	28	19	41	44	9	.	13	229	23
IV.	GENERAL SERVICE CLASS, ...	167,479	20·8	869	310	48	46	152	164	90	59	3	3	.	2	8	18	10	.	118	34	38	26	73	102	23	2	26	383	40
V.	INMATES OF WORKHOUSES, ...	5.602	—	370	61	10	13	80	109	68	29	.	.	.	.	.	.	1	.	86	21	23	1	10	62	22	.	.	144	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,868	22·9	45	3	2	1	5	9	12	13	.	.	.	.	.	.	1	.	1	.	2	.	3	4	1	.	.	33	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	13·2	18	.	1	.	1	6	4	6	.	.	.	1	.	.	.	.	.	1	2	.	4	2	.	.	.	8	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·8	40	3	3	.	8	12	8	6	.	.	.	1	.	.	.	.	1	3	8	.	2	1	1	.	1	22	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	15·2	96	10	4	4	16	30	13	19	1	.	.	.	.	2	1	.	5	3	7	.	7	7	1	2	1	59	1
	6. Clerks and Commercial Assistants, ...	33,249	12·6	105	27	7	8	21	20	14	8	.	.	.	.	.	1	1	.	14	7	4	2	12	10	3	.	1	50	4
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	33,827	20·9	177	10	18	8	28	49	28	36	.	.	.	1	.	.	1	1	17	9	23	1	10	21	.	.	7	86	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11.777	16·3	48	17	3	4	9	9	3	3	.	1	.	.	.	2	1	.	10	1	1	3	5	1	2	.	2	19	2
	9. Building and Furnishing Trades, ...	28,823	19·7	142	47	3	8	19	43	18	4	1	.	.	1	.	4	1	.	17	4	6	6	18	10	4	.	5	65	8
	10. Clothing Trades, ...	20,026	16·2	81	14	2	9	17	21	14	4	1	.	.	.	.	2	.	.	14	5	3	5	4	7	1	.	1	38	4
	11. Food Supply Trades, ...	8,952	13·0	29	7	2	2	5	4	2	7	.	.	.	.	.	.	2	.	3	1	2	2	1	3	.	.	.	15	4
	12. Other Trades and Callings ranking with Trades, ...	32,070	21·6	173	29	7	11	32	48	31	15	.	.	.	.	.	1	2	.	29	11	14	3	7	20	1	.	5	80	4
	13. Petty Shopkeepers, ...	6,772	18·3	31	9	.	5	7	6	1	3	.	.	.	.	.	.	.	.	6	1	2	.	6	3	1	.	.	12	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	17·6	57	14	6	4	11	9	6	7	2	.	.	.	2	1	.	.	12	2	2	1	5	5	.	.	1	24	1
	15. Domestic Servants, ...	36,041	9·2	83	16	1	6	13	14	19	14	.	.	.	.	1	.	.	.	11	1	6	3	5	6	2	.	3	45	4
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	21·8	84	32	4	3	20	16	4	5	.	.	.	.	1	.	1	.	8	5	4	4	9	11	4	.	4	33	2
	17. Hawkers, Porters, Labourers, &c., ...	103,081	25·0	645	248	37	33	108	125	61	33	1	3	.	2	4	17	9	.	87	26	26	18	54	80	17	2	18	281	33
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	370	61	10	13	80	109	68	29	.	.	.	.	.	.	1	.	86	21	23	1	10	62	22	.	.	144	.

Twenty-seven Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin registration area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 19·1 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Armagh, 11·4 ; Bangor, 11·8 ; Larne, 11·9 ; Portadown, 12·6 ; Lurgan, 14·3 ; Londonderry, 14·8 ; Dundalk, 15·2 ; Queenstown, 15·6 ; Athlone, 17·1 ; Limerick, 17·5 ; Belfast, 17·7 ; Tralee, 17·9 ; Sligo, 17·9 ; Lisburn, 18·1 ; Newtownards, 18·4 ; Galway, 18·7 ; Bray, 18·7 ; Clonmel, 19·6 ; Drogheda, 19·8 ; Dublin Registration Area, 20·4 ; Cork, 20·7 ; Coleraine, 21·6 ; Waterford, 21·7 ; Kilkenny, 23·6 ; Ballymena, 24·3 ; Newry, 27·1 ; and Wexford, 40·6.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 27 districts is 1·3 per 1,000 of the population, the rates varying from 0·0 in 8 of the districts to 14·9 in Wexford, the 117 deaths from all causes for that district including 43 from measles.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Enteric Fever.—Of 12 deaths, 5 appertained to Belfast, 3 to Kilkenny, 2 to Limerick, and one death each to Dundalk and Newry.

Typhus.—There were no deaths from typhus recorded for any of the 26 urban districts.

Measles.—There were 43 deaths recorded for Wexford, 26 for Belfast, 16 for Newry, 8 for Cork, 7 for Waterford, 6 for Tralee, 4 for Londonderry, and one each for Lisburn and Newtownards.

Scarlet Fever.—Among the 32 deaths recorded, 30 were returned for Belfast, and one each for Cork and Galway.

Whooping-cough.—Of 21 deaths, 14 appertained to Waterford, 3 to Belfast, and one death each to Drogheda, Kilkenny, Larne, and Bray.

Diphtheria.—Eight deaths were recorded for Belfast, 2 for Londonderry, and one for Larne.

Diarrhœa and Enteritis.—Included in the 45 deaths from diarrhœa and enteritis of children under 2 years of age are 23 for Belfast, 3 for Waterford, and 3 for Newtownards.

Phthisis.—The annual death-rate from phthisis for the 27 towns in the aggregate was 2·6 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·9 per 1,000, for Belfast county borough 2·5 per 1,000, and for the urban districts collectively (exclusive of Dublin Registration Area and Belfast), it was 2·3 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 28th June, 1913,** in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.†	Registration—Quarter (13 weeks) ended Saturday, 28th June, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 27 Town Districts, ...	1,199,180	19·0	29·0	19·1	1·3	8,697	5,715	948	1,405	18	3	...	117	38	51	31	2	775	278	260	437	667	104	22	109	175	1,799	210
Dublin Registration Area:— Total	403,000	29·3	30·1	20·4	1·3	3,033	2,051	377	498	6	3	...	5	6	30	20	1	290	95	120	156	242	59	4	35	47	794	69
Urban Districts. City of Dublin, ...	308,187	39·0	33·6	21·5	1·4	2,590	1,660	317	358	5	3	...	...	6	21	13	1	248	83	91	124	214	55	4	29	37	693	55
Rathmines and Rathgar, ...	38,769	22·6	15·6	14·4	0·4	151	140	12	58	...	...	...	...	...	2	1	...	17	3	14	4	7	1	...	2	3	40	4
Pembroke, ...	29,942	19·0	19·9	18·3	1·5	149	137	29	44	1	...	...	4	...	2	2	...	16	5	10	13	13	2	...	...	2	42	4
Blackrock, ...	9,161	8·5	10·9	15·3	2·2	25	35	2	12	...	...	...	1	...	...	4	...	5	2	1	3	3	...	...	1	1	6	1
Kingstown, ...	16,941	11·6	27·9	18·7	1·4	118	79	17	26	...	...	...	...	...	5	...	...	4	2	4	12	5	1	...	3	4	13	5
Urban Districts. Belfast, ...	396,000	26·5	30·3	17·7	1·1	2,996	1,756‡	317	331	5	..	...	26	30	3	8	1	252	101	62	155	203	23	9	36	63	489	14
Cork, ...	76,673	28·6	24·8	20·7	0·6	475	397	46	109	...	...	...	8	1	...	...	...	62	12	17	37	53	2	1	3	12	163	13
Londonderry, ...	41,000	15·9	31·6	14·8	0·8	324	152	22	54	...	...	...	4	...	...	2	...	15	9	11	8	33	2	...	5	3	24	3
Limerick, ...	38,518	16·1	26·7	17·5	0·5	257	169	17	44	2	...	...	...	...	...	...	...	29	4	4	6	26	2	1	4	8	60	22
Waterford, ...	27,464	19·1	23·2	21·7	3·6	159	149	20	43	...	...	...	7	...	14	...	...	23	3	3	8	13	3	1	6	10	49	10
Galway, ...	13,255	2·5	29·0	18·7	0·6	96	62	8	22	...	...	...	...	1	...	...	...	6	4	3	1	5	...	1	3	3	30	10
Dundalk, ...	13,128	9·5	25·3	15·2	0·3	83	50	4	16	1	...	...	...	...	...	...	...	8	5	3	3	1	...	...	2	3	11	3
Lurgan, ...	12,553	14·7	30·6	14·3	...	96	45	4	15	...	...	...	...	...	...	...	...	5	3	2	2	8	...	...	2	2	8	2
Drogheda, ...	12,501	8·4	24·6	19·8	1·0	77	62	4	25	...	...	...	...	...	1	...	...	9	1	1	4	4	1	1	1	3	12	3
Lisburn, ...	12,388	10·9	28·4	18·1	1·0	88	56	11	13	...	...	...	1	...	...	...	...	5	2	...	5	2	2	...	2	3	9	1
Newry, ...	11,963	17·0	23·4	27·1	6·4	70	81	19	17	1	...	...	16	...	...	...	...	5	2	5	5	10	2	...	2	7	10	4
Portadown, ...	11,727	15·3	32·7	12·6	...	96	37	7	11	...	...	...	...	...	...	...	...	3	3	2	4	1	...	...	2	3	...	3
Wexford, ...	11,531	22·8	30·9	40·6	14·9	89	117	16	22	...	...	...	43	...	...	...	...	5	9	2	7	16	...	...	...	1	18	16
Ballymena, ...	11,381	9·3	31·6	24·3	...	90	69	10	21	...	...	...	...	...	...	...	...	13	4	3	5	5	...	...	1	...	7	7
Sligo, ...	11,163	3·8	19·0	17·9	0·4	53	50	6	18	...	...	...	...	...	...	...	...	6	5	2	...	3	1	...	...	1	21	9
Kilkenny, ...	10,514	11·4	27·0	23·6	1·5	71	62	8	24	3	...	...	...	...	1	...	...	5	3	...	4	9	...	...	...	...	28	4
Tralee, ...	10,300	17·4	34·2	17·9	2·7	88	46	7	11	...	...	...	6	...	...	...	...	7	2	...	4	...	1	...	...	...	14	2
Clonmel, ...	10,209	7·8	25·9	19·6	...	66	50	3	18	...	...	...	...	...	...	...	...	5	6	5	1	6	...	...	1	2	20	5
Newtownards, ...	9,587	20·1	21·7	18·4	1·7	52	44	9	17	...	...	...	1	...	...	...	...	4	1	3	1	6	3	...	2	2	5	2
Queenstown, ...	8,209	14·7	24·9	15·6	1·9	51	32	3	9	...	...	...	...	...	...	...	...	2	2	2	5	2	1	3	...	...	3	1
Larne, ...	8,036	13·4	33·3	11·9	2·0	77	24	7	6	...	...	...	...	...	1	1	...	1	2	1	1	2	1	1	1	1	5	1
Coleraine, ...	7,785	7·7	28·8	21·6	...	56	42	8	19	...	...	...	...	...	...	...	...	2	...	3	8	6	...	...	...	...	7	1
Bangor, ...	7,776	8·5	21·1	11·8	...	41	23	4	10	...	...	...	...	...	...	...	...	3	...	2	2	4	...	...	...	...	...	...
Bray, ...	7,691	7·2	14·0	18·7	1·0	27	36	6	13	...	...	...	...	...	1	...	...	3	...	3	2	...	1	...	...	...	...	1
Athlone, ...	7,472	6·2	23·0	17·1	...	43	32	3	10	...	...	...	...	...	...	...	...	6	...	1	1	...	...	...	...	...	8	...
Armagh, ...	7,356	21·8	23·4	11·4	...	43	21	2	9	...	...	...	...	...	...	...	...	1	...	...	2	7	...	...	1	1	4	4

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1913; that for each of the other districts is the population according to the Census of 1911.

† See note (*) on page 416*h*.

‡ Including one death from cerebro-spinal meningitis.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 28th June, 1913**, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	113	20·4	1·8	81	15	9	8	20	15	14	1	.	.	1	.	.	2	.	15	2	1	4	10	2	1	4	8	32	2
Do. 2 do.	49,500	336	17·3	0·8	214	26	18	34	50	42	44	2	.	.	3	1	.	.	.	43	4	4	20	22	2	2	4	4	62	.
Do. 3 do.	50,032	397	19·8	1·7	248	41	31	41	40	51	44	.	.	.	5	7	1	1	.	27	24	11	23	31	4	3	4	4	56	4
Do. 4 do.	32,637	350	23·2	1·5	189	54	20	22	33	27	33	.	.	.	4	3	1	.	.	26	7	8	11	20	3	1	3	4	80	1
Do. 5 do.	16,112	129	20·4	1·7	82	16	14	4	19	20	9	1	.	.	4	.	.	.	.	10	9	.	7	8	2	.	3	3	33	.
Do. 6 do.	37,293	209	16·1	0·3	150	24	10	16	22	36	42	1	.	.	1	.	.	.	1	19	5	6	15	19	.	.	6	7	25	1
Do. 7 do.	2,681	14	6·0	—	4	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 8 do.	5,964	35	20·1	0·7	30	4	1	7	3	10	5	.	.	.	.	.	.	.	.	7	2	.	3	5	1	.	2	1	8	.
Do. 9 do.	24,427	178	17·8	1·1	109	22	12	13	19	28	15	.	.	.	1	.	1	2	.	16	3	2	5	12	3	.	5	6	21	1
Do. 10 do.	28,958	252	18·0	1·2	130	33	11	19	21	26	20	.	.	.	3	4	.	.	.	24	2	4	13	18	2	.	.	8	24	1
Do. 11 do.	39,311	318	14·9	1·4	146	26	17	29	23	21	30	.	.	.	.	11	.	.	.	18	6	10	12	12	1	2	2	5	37	1
Do. 12 do.	38,076	364	17·9	0·7	170	25	27	24	31	33	30	.	.	.	1	4	.	1	.	18	19	4	20	33	1	.	1	10	50	.
Do. 13 do.	23,233	136	13·4	0·3	78	8	8	7	11	22	22	.	.	.	1	.	.	1	.	12	3	6	8	4	.	.	1	2	15	1
Do. 14 do.	175	1	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	164	22·1	0·9	125	22	15	17	15	36	20	.	.	.	2	.	.	1	.	17	15	5	14	8	2	.	1	1	46	2
Total,	386,947	2,996	17·7	1·1	1,756‡	317	193	241	307	367	331	5	.	.	26	30	3	8	1	252	101	62	155	203	23	9	36	63	489	14
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	64	15·2	.	49	1	6	6	7	7	22	.	.	.	.	.	.	.	.	6	2	5	1	2	.	.	1	2	23	2
Do. 2 do.	10,701	81	23·9	1·1	64	9	11	6	8	15	15	.	.	.	2	1	.	.	.	7	3	3	7	9	.	.	1	2	30	3
Do. 3 do.	9,978	56	26·1	1·2	65	10	12	11	12	7	13	.	.	.	1	.	.	.	.	18	2	1	4	13	1	1	.	2	16	3
Do. 4 do.	8,666	54	24·9	1·4	54	8	6	4	11	16	9	.	.	.	3	.	.	.	.	9	2	2	5	6	.	.	1	4	26	1
Do. 5 do.	6,592	32	21·2	.	35	3	2	4	3	13	10	.	.	.	.	.	.	.	.	7	2	1	3	3	.	.	.	2	12	.
Do. 6 do	10,702	76	18·7	.	50	5	1	3	10	13	18	.	.	.	.	.	.	.	.	5	1	3	6	7	.	.	.	.	23	1
Do. 7 do	16,616	112	19·3	0·7	80	10	7	10	11	20	22	.	.	.	2	.	.	.	.	10	.	2	11	13	1	.	.	.	33	3
Total,	76,122	475	20·7	0·6	397	46	45	44	62	91	109	.	.	.	8	1	.	.	.	62	12	17	37	53	2	1	3	12	163	13

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
6th August, 1913.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.
† See note (*) on page 416*h*.
‡ See note (‡) on page 416*i*.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 34541. Wt. P. 1. 375. 8. 1913 Sch. C 9.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 5TH JULY, 1913. [No. 27.

General Register Office, Charlemont House,
Dublin, 7th July, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending June 14	June 21	June 28	July 5	Average Rate for 4 weeks.
27 Town Districts, (a)	**18·5**	**16·5**	**16·7**	**16·4**	**17·0**
Dublin Reg. Area ...	20·8	17·5	14·9	16·8	17·5
Dublin City ...	22·8	19·3	16·1	19·1	19·3
Belfast	17·5	14·0	16·9	15·9	16·1
Cork	17·0	17·0	16·3	16·3	16·7
Londonderry ...	15·3	14·0	15·3	15·3	15·0
Limerick	12·2	19·0	10·8	13·5	13·9
Waterford	19·0	38·0	26·6	17·1	25·2

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·2 per 1,000. Among the 121 deaths from all causes for Belfast are 3 from scarlet fever, 2 from whooping-cough, and 6 from diarrhœal diseases. One of the 12 deaths from all causes for Londonderry is from measles, and one of the 9 deaths from all causes for Waterford is also from this disease. Included in the 7 deaths from all causes for Newry is one from measles and one from diarrhœa. The 2 deaths recorded for Tralee are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—88 boys and 99 girls—and the deaths to 137—65 males and 72 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·8 per 1,000 of the population. During the twenty-seven weeks, ending with Saturday last, the death-rate averaged 21·2, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 137, represent an annual rate of 17·7 per 1,000; the annual rate for the past twenty-seven weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·3 per 1,000 of the mean population for all deaths registered.

Among the 137 deaths registered are one from enteric fever, 2 from whooping-cough, 3 from diphtheria, one from influenza, and 4 from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks, deaths from enteric fever were 0, 0, and 0; deaths from whooping-cough were 4, 4, and 0; deaths from diphtheria were 2, 2, and 0; deaths from influenza were 0, 2, and 0; and deaths from diarrhœa and enteritis of children under 2 years of age were 2, 3, and 7, respectively.

There were 27 deaths from all forms of tuberculous disease, including 18 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of the vertebral column, one from tuberculous nephritis, and 2 from disseminated tuberculosis. In the three preceding weeks the deaths from all forms of tuberculous disease numbered 40, 30, and 24.

Twelve deaths were caused by cancer.

Broncho-pneumonia caused 5 deaths, lobar pneumonia one death, and pneumonia (type not distinguished) 2 deaths.

The deaths of infants under one year of age included 3 from convulsions, one from premature birth, and 2 from congenital debility.

Twelve deaths were ascribed to organic diseases of the heart and 9 to bronchitis.

Of 5 accidental deaths, 3 (2 being those of children between one and 2 years of age) were caused by burns or scalds, and one by drowning.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year old.

Thirty-three of the persons whose deaths were registered during the week were under 5 years of age (19 being infants under one year, of whom 4 were under one month old) and 27 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 11 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·8 per 1,000; the rate in the City was 19·1 (North City Districts, 18·8; South, 19·5) and in the Suburbs, 9·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 1·0, and in the South 2·2), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000, and include one death from influenza and 6 deaths from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 17·9 per 1,000. Among them are one death from tuberculous meningitis, one death from pneumonia, and 2 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000. One death from abdominal tuberculosis, one from lobar pneumonia, one from broncho-pneumonia, and one accidental death were recorded.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 17·8 per 1,000, and include one death from enteric fever, 3 deaths from tuberculous disease, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·8. The 2 deaths recorded for the last-named district were from tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 22·0 per 1,000. There were 2 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include one death from whooping-cough, one from pulmonary tuberculosis, and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000. Among them are one death each from whooping-cough and diphtheria, 2 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, and 3 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. Four deaths from tuberculous disease, one death from enteritis of a child under 2 years of age, and one accidental death were recorded.

New Kilmainham District.—There was no death recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 6·7; Pembroke, 15·7; Blackrock, 11·4; and Kingstown, 3·1. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diphtheria for Pembroke. Among the 5 deaths from all causes for Rathmines and Rathgar are one from broncho-pneumonia and one from bronchitis; the 9 deaths from all causes for Pembroke include one from pulmonary tuberculosis, one from bronchitis, and 3 accidental deaths; and of the 2 deaths for Blackrock one was from pulmonary tuberculosis and one from pneumonia.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 5th July, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 14,	.	—	—	4	1	.	6	.	.	3	2	.	—	—	.	—	6	.	22
	June 21,	.	—	—	13	.	.	3	.	1	1	1	.	—	—	.	—	18	.	37
	June 28,	.	—	—	22	.	.	11	.	.	6	3	.	—	—	.	—	14	.	56
	July 5,	.	—	—	12	.	.	5	.	.	3	3	.	—	—	.	—	14	.	37
Rathmines and Rathgar Urban District.	June 14,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June 21,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	June 28,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	July 5,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	—	—	4
Pembroke Urban District.	June 14,	.	3	.	2	.	.	2	.	.	.	.	.	—	2	—	—	.	—	9
	June 21,	.	10	.	.	.	.	1	1	.	1	1	.	—	2	—	—	.	—	16
	June 28,	.	.	.	.	.	.	.	.	.	.	1	.	—	1	—	—	.	—	2
	July 5,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	—	—	2	—	5
Blackrock Urban District.	June 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 28,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	July 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	June 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 14,	.	—	—	35	.	.	6	.	.	3	3	.	—	—	—	—	6	—	53
	June 21,	.	—	—	49	.	.	2	.	.	.	7	.	—	—	—	—	8	—	66
	June 28,	.	—	—	48	.	.	8	.	.	.	1	.	—	—	—	—	15	—	72
	July 5,	.	—	—	32	.	.	7	.	1	1	5	.	—	—	—	—	11	—	57

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th July, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 11 were discharged, and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 24, 26, and 31.

Two cases of measles were admitted to hospital during the week, 4 were discharged, and 8 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 11, 11, and 10 respectively.

Thirteen cases of scarlet fever were admitted to hospital, 10 were discharged, and 84* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 93, 80 and 81 respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 42, 37, and 36 respectively, were 36 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 10 were discharged, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 10·7), was equal to an average annual death-rate of 11·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·7 per 1,000, the rate for Glasgow being 14·7, and for Edinburgh 13·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th July. From this Report it appears that of a total of 39 cases notified, 20 were scarlet fever, 9 phthisis, 8 diphtheria, one enteric fever and one puerperal fever. Among the 331 cases of infectious diseases in hospital at the close of the week were 126 cases of scarlet fever, 117 of phthisis, 36 of diphtheria, 20 of whooping-cough, 12 of measles, 5 of enteric fever, 4 of chicken-pox, 2 of erysipelas, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 5th July, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 5th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	25·2	16·4	1·2	580	378	58	87	1	...	...	5	3	4	3	...	39	20	22	22	32	9	3	10	17	132	17	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,000	29·3	24·2	16·8	1·4	187	130	19	26	1	...	...	...	...	2	3	...	16	8	11	8	12	4	1	5	3	61	2	e 74	40	58·5	0·00	e 70	38	55·1	0·14	e 75	43	57·5	0·36
CITY OF DUBLIN,	308,187	39·0	26·7	19·1	1·5	158	113	16	22	1	...	...	...	...	2	1	...	14	8	10	6	10	4	1	2	1	49	2	f 72·0 g 74·3	51·6 46·0	60·4 59·8	0·01 0·00	f 71·0 g 70·9	46·8 42·0	56·8 56·4	0·17 0·07	f 75·1 g 73·1	49·9 46·8	59·1 58·7	0·40 0·40
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	16·1	6·7	.	12	5	3	1	...	...	...	...	...	...	...	..	...	...	...	1	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	..	...	...	...
PEMBROKE ...	29,942	19·0	20·9	15·7	3·5	12	9	...	2	...	...	...	...	...	...	2	...	1	...	1	...	1	...	...	3	2	8	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK....	9,161	8·5	11·4	11·4	.	2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN,...	16,941	11·6	9·2	3·1	.	3	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	72	51	59·9	0·00	66	47	56·9	0·24	66	50	57·8	0·58
Urban Districts. BELFAST (b) ..	396,000	26·5	25·3	15·9	1·4	192	121	19	22	...	...	...	...	3	2	...	...	10	5	5	7	10	5	1	4	10	35	1	68·5	45·0	57·7	0·00	64	46	55·4	0·46	70·0	47·2	57·6	0·42
CORK, ..	76,673	28·6	26·5	16·3	.	39	24	5	6	...	...	...	...	...	...	...	...	1	1	2	1	2	...	...	...	3	10	3	70	50	58·1	0·01	65	47	54·9	0·38	71	46	56·1	1·27
LONDONDERRY...	41,000	15·9	20·3	15·3	1·3	16	12	3	3	...	...	...	1	...	...	...	...	4	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	54·1	13·5	.	40	10	1	6	...	...	...	...	...	...	...	..	1	1	..	...	3	...	...	...	...	5	1	76·4	46·5	61·5	0·00	67	42·4	55	0·43	75·1	44·0	56·6	0·87
WATERFORD, ...	27,464	19·1	20·9	17·1	1·9	11	9	2	2	...	...	...	1	...	...	...	...	...	1	...	1	...	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				14	8	3	2	...	...	...	..	...	...	...	...	2	...	...	1	...	...	...	...	...	3	2	77	45	60	0·00	64	44	55	0·50	76	42	58·7	0·27
DUNDALK, ...	13,128	9·5				5	9	2	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				5	3	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	2	...	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45
DROGHEDA, ...	12,501	8·4				5	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				7	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45
NEWRY, ...	11,963	17·0				3	7	1	3	...	...	...	1	...	...	...	...	...	...	...	1	1	...	1	...	...	1	1	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45
PORTADOWN, ...	11,727	15·3				9	1	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45
WEXFORD. ...	11,531	22·8				6	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				12	7	...	4	...	...	...	...	...	...	...	...	1	...	2	1	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				2	4	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	68	43	56·0	0·11	64	40	53·0	0·71	75	47	56·0	0·79
KILKENNY, ...	10,514	11·4				1	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	4	...	75	46	61·0	0·02	68	42	55·4	0·16	74	45	55·8	0·37
TRALEE. ...	10,300	17·4				6	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				3	5	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	63	49	55·5	0·15	66	48	53·8	1·69	64	48	55·4	0·86
QUEENSTOWN, ...	8,209	14·7				2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	70	50	58·1	0·01	65	47	54·9	0·38	71	46	56·1	1·27
LARNE, ...	8,036	13·4				3	4	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				4	5	..	1	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	2	1	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21	73·2	47·3	58·3	2·45

The annual rates represented by the numbers of births and deaths registered for those urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 7 deaths of persons (including one at 81 years), admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th of July, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	4	.	.	2	.	.	1	2	1	2	2	.	.	1	1	.	16	2
Tuberculous Disease. — Other Forms,	2	1	1	1	.	.	1	.	.	.	2	.	.	.	.	.	8	1
Cancer,	1	.	2	.	.	1	.	4	.	.	2	.	.	1	.	.	11	1
Diseases of Nervous System,	.	2	5	4	.	1	.	.	.	1	3	.	1	.	.	.	17	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	1	1	.	.	.	2	.	3	2	.	.	.	.	1	12	.
" Respiratory System. — Pneumonia,	.	1	2	.	.	.	.	1	.	2	.	.	1	.	1	.	8	.
" Respiratory System. — Others,	.	1	1	2	.	.	.	1	1	4	.	.	1	1	.	.	12	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. — Others,	2	.	2	.	.	.	.	1	.	1	.	.	1	.	.	.	7	1
" Genito-urinary System,	.	2	1	.	.	.	.	1	2	.	.	.	.	.	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
" Locomotor System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	.	1	1	1	.	.	.	2	.	.	1	.	1	.	.	.	7	1
Violent Deaths,	.	.	1	.	.	.	.	.	.	.	1	.	.	3	.	.	5	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	3	.
Deaths from All Causes	12	14	17	12	.	2	2	17	6	16	15	.	5	9	2	1	130	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·9	17·9	31·8	17·8	.	7·7	9·8	22·0	17·1	19·4	23·6	.	6·7	15·7	11·4	3·1	16·8	.
	18·8							19·5					9·3					
	19·1																	
Ages at Death. — Under 1 year,	.	2	4	2	.	.	.	3	2	2	1	.	3	.	.	.	19	.
1 and under 2 years,	.	1	1	1	.	.	.	1	.	1	4	.	.	1	.	.	10	1
2 " 5 "	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
5 " 15 "	1	.	3	1	.	.	.	.	.	1	.	.	.	1	.	.	7	.
15 " 25 "	1	2	.	1	.	.	1	.	.	.	1	.	.	3	.	.	9	1
25 " 45 "	4	1	3	2	.	.	.	4	1	2	1	.	1	1	1	1	22	2
45 " 65 "	3	4	3	2	.	1	1	7	3	2	7	.	.	1	.	.	34	2
65 and upwards,	3	3	3	3	.	1	.	2	.	6	1	.	1	2	1	.	26	1
Number of Uncertified Deaths,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	2	5	2	.	1	1	5	1	5	4	.	2	8	.	.	40	6
Workhouse Hospitals.	2	1	3	3	.	.	.	1	2	4	3	.	.	.	2	.	21	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 5th July, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	July 11, 1903.	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.	July 9, 1910.	July 8, 1911.	July 6, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 60·4	° 57·2	° 59·1	° 55·8	° 51·6	° 60·8	° 56·7	° 55·5	° 59·6	° 54·6	° 52·1	° 58·5										
ALL CAUSES.	138	138	140	130	146	140	122	143	120	137	135·4	137	4	15	11	3	7	10	24	36	14	13
Enteric Fever, ...	.	.	2	.	1	.	.	.	1	.	·4	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	1	.	6	7	.	1	4	7	2·8	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	3	2	.	.	1	3	1·0	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	3	.	4	9	2	.	.	.	1	2·0	2	.	1	.	1	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	1	.	2	2	2	1	·8	3	.	.	.	.	2	1	.	.	.	.
Croup, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	1	.	1	.	.	.	1	1	·6	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	.	.	.	1	·2	1	.	.	.	.	.	.	1	.	.	.
Other Epidemic Diseases, ...	1	1	.	.	4	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	2	.	1	1	1	2	2	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	28	23	26	21	17	19	11	7	14	19·2	18	.	.	1	.	.	4	10	3	.	.
Tuberculous Meningitis, ...	1	3	1	3	1	5	3	4	3	1	2·5	3	.	1	.	1	.	1	.	.	.	.
Abdominal Tuberculosis, ...	1	1	1	.	.	1	.	.	2	2	·8	2	.	.	1	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of Joints, ...	3	5	5	8	7	7	7	3	.	.	5·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	1		1	.	.	.	.	.	.	.	.	.	1
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									2	2		2	.	.	.	.	1	.	.	1	.	.
Venereal Diseases, ...	1	.	2	.	.	2	3	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	8	8	7	5	12	3	8	12	10	8·0	12	.	.	.	.	.	.	.	9	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	2	.	.	1	.	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	.	3	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	2	.	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									1	1		3	.	.	1	.	2	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									5	3		4	.	.	.	.	.		1	1	1	1
Softening of Brain, ...									.	.		1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.									1	3		3	.	.	.	.	1	.	.	1	.	1
Epilepsy, ...									2	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									4	7		3	1	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	31	36	32	25	32	30	28	37	5	2	31·1	3	.	.	.	.	.	.	1	2	.	.
Pericarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									4	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									11	8		12	.	.	.	.	.	.	2	4	5	1
Embolism and Thrombosis (including Cerebral)									1	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									.	1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	6	10	11	17	15	7	11	8	5	9	9·9	9	.	2	1	.	.	.	.	1	4	1
Broncho-pneumonia, ...	6	.	1	3	5	4	3	5	3	8	3·8	5	1	2	.	1	.	.	.	1	.	.
Lobar pneumonia, ...	1	.	.	.	2	2	1	.	1	1	·8	1	.	.	1	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	8	5	8	1	3	6	7	3	5	1	4·7	2	.	.	.	.	.	.	.	.	1	1
Pleurisy, ...									.	.		1	.	.	.	.			1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	1	2	3	1	1	1	3	1	.	2·0	2	.	.	.	.	.			1	.	1
Other Diseases of Respiratory System.									.	3		.	.	.	.	.	.	.	.	.		.

TWENTY-SEVENTH WEEK ending Saturday, 5th July, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 5th July, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	July 11, 1903.	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.	July 9, 1910.	July 8, 1911.	July 6, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 60·4	° 57·2	° 59·1	° 55·8	° 51·6	° 60·8	° 56·7	° 55·5	° 59·6	° 54·6	° 52·1	° 58·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	1	—	3	.	2	.	.	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	1	7	6	1	1	3	4	7	4	4	3·9	4	.	2	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		1	.	.	.	.	.	.	1	.	.	.
Enteritis 2 years and upwards									.	1		1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	4	.	.	.	.	.	.	1	2	.	1
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	2	2	.	.	1	2	.	.	4	1·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	1	2	1	.	.	.	1	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	.	.	.	1	1	.	1	.	·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	2	2	4	3	3	9	6	3	.	1	3·3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	2	7	5	5	7	5	8	.	1	5·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									1	2		4	.	.	.	.	.	.	1	3	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		1	.	.	.	.	.	.	1	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	3		2	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	1	.	2	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	3	·3	2	.	1	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	.	.	.	1
Congenital Malformations, ...	—	—	—	—	—	—	—	—	3	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	4	1	5	2	2	2	12	9	3	4·2	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	7	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	2	2	1	3	1	.	1	2	1	1	1·4	1	.	.	.	.	.	.	.	.	1	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	3	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	.	.	.	3	.	1	.	.	·5	3	.	.	2	.	.	.	.	1	.	.
Drowning, ...	2	.	.	1	1	.	1	1	.	.	·6	1	.	.	.	.	.	1	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	.	3	1	3	1	7	5	1	2·4	1	.	.	.	.	.	.	.	.	.	1
Total Deaths from Accident,	5	1	.	4	3	7	2	9	5	1	3·7	5	.	.	2	.	.	1	.	1	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	.	2	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	4	—	3	.	.	1	.	.	1	1	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered.	216	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187
Average Births in corresponding week of previous 10 years, ...	220	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211
DEATHS registered, ...	184	188	161	158	151	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137
Annual Death-rate per 1,000, ...	23·8	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7
Average Deaths in corresponding week of previous 10 years, ...	193	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135
Ages, Under 5 years, ...	41	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33
5—15 " ...	6	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7
15—25 " ...	10	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10
25—45 " ...	33	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24
45—65 " ...	47	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36
65—75 " ...	23	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14
75 and upwards, ...	24	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13
Deaths from :—																										
Enteric Fever, ...	1	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.
Small-pox, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1		.	.	1	1	2	1	.	.	.	.
Scarlet Fever, ...	.	1	.		1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.
Whooping-cough, ...	.	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2
Diphtheria, ...	3	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3
Influenza, ...	2	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	22	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18
Tuberculous Disease, Other Forms,	5	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9
Cancer, ...	8	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12
Diseases of Circulatory System,	29	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12
Diseases of Respiratory System, Pneumonia	14	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8
Diseases of Respiratory System, Others, ...	21	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12
Diarrhœa and Enteritis, under 2 years, ...	5	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4
Diarrhœa, 2 years and upwards,	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1
Violent Deaths, ...	5	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5
Number of Uncertified Deaths,	5	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2
Mean Temperature of the Air (Phœnix Park)	45·1	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5
Average Mean Temperature in corresponding week of previous 10 years, ...	39·9	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	51·0	53·5	54·2	55·9	56·1	52·1
Rainfall in inches, ...	·870	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	560	·330	·360	·135	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·90	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th July, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH JULY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	18·0	137	33	7	10	24	36	14	13	1	.	.	.	..	2	3	.	18	9	12	3	8	12	4	1	5	59	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	101,798	10·8	21	2	3	3	1	8	.	4	.	.	.	.	.	.	2	.	1	4	2	.	1	.	.	.	2	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14·4	30	7	1	2	8	8	2	2	.	.	.	.	.	.	.	.	6	.	3	.	2	4	.	.	.	15	.
IV.	GENERAL SERVICE CLASS, ...	167,479	18·7	60	22	2	5	12	10	5	4	1	.	.	.	.	2	1	.	9	4	5	3	4	5	4	1	3	18	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	2	1	.	2	8	7	2	.	.	.	..	.	.	.	.	2	1	2	.	1	3	.	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c....	25,199	14·5	7	1	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	4	.
	6. Clerks and Commercial Assistants, ...	33,249	6·3	4	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	13·9	9	.	1	2	.	4	.	2	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	16·3	9	2	.	.	3	4	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	4	.
	10. Clothing Trades, ...	20,026	7·8	3	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades	8,952	11·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	14·6	9	1	.	.	3	3	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	5	.
	13. Petty Shopkeepers	6,772	30·8	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	4·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	15. Domestic Servants, ...	36,041	10·1	7	1	.	1	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	23·7	7	3	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	22·8	45	18	2	2	10	6	4	3	1	.	.	.	.	2	1	.	6	4	3	2	3	4	4	.	3	12	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	22	2	1	.	2	8	7	2	.	.	.	.	.	.	.	.	2	1	2	.	1	3	.	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	May 17,	19·2	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	1
		„ 24,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
		„ 31,	24·4	3·5	14	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
		June 7,	13·9	.	8	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.
		„ 14,	27·9	.	16	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	2	1
		„ 21,	26·2	3·5	15	.	.	.	.	.	.	1	.	1	3	.	.	3	1	.	1	.
		„ 28,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.
		July 5,	20·9	.	12	.	.	.	.	.	.	.	.	4	2	1	.	.	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	May 17,	25·5	3·8	20	.	.	.	.	.	.	.	.	4	.	1	1	3	2	1	2	.
		„ 24,	17·9	1·3	14	.	.	.	.	.	.	.	.	2	1	1	1	4	1	.	.	.
		„ 31,	24·2	1·3	19	1	.	.	.	.	.	.	.	4	.	3	1	3	.	.	.	.
		June 7,	19·1	3·8	15	1	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.	2
		„ 14,	19·1	1·3	15	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
		„ 21,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
		„ 28,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	2	.	.	.	1	.	1	1
		July 5,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	May 17,	18·7	1·9	10	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	.
		„ 24,	22·4	.	12	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1
		„ 31,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
		June 7,	29·9	.	16	.	.	.	.	.	.	.	.	2	2	2	2	1	.	.	.	1
		„ 14,	24·3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.
		„ 21,	24·3	1·9	13	.	.	.	.	.	1	.	.	4	1	1	2	1	.	.	.	.
		„ 28,	18·7	3·7	10	.	.	.	.	.	.	.	.	4	.	.	1	.	2	.	.	.
		July 5,	31·8	.	17	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	1	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	May 17,	14·8	1·5	10	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.
		„ 24,	32·6	4·4	22	1	.	.	.	.	.	.	.	4	1	2	1	1	2	.	.	.
		„ 31,	10·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
		June 7,	17·8	.	12	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	1	1
		„ 14,	29·6	.	20	.	.	.	.	.	.	.	.	5	2	.	2	2	.	.	.	.
		„ 21,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
		„ 28,	23·7	1·5	16	.	.	.	.	.	.	.	.	3	.	2	1	1	1	.	.	.
		July 5,	17·8	1·5	12	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	May 17,	16·8	1·3	13	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
		„ 24,	23·3	.	18	.	.	.	.	.	.	.	.	2	2	3	1	2	.	.	.	.
		„ 31,	18·1	1·3	14	.	.	.	.	.	.	.	.	4	.	1	3	1	1	.	.	.
		June 7,	12·9	1·3	10	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.
		„ 14,	20·7	.	16	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	2	1
		„ 21,	16·8	.	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
		„ 28,	15·5	1·3	12	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.
		July 5,	22·0	1·3	17	.	.	.	.	.	.	.	.	2	.	4	1	1	.	1	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	May 17,	22·7	2·8	8	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.
		„ 24,	39·8	5·7	14	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.
		„ 31,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		June 7,	28·4	.	10	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	2
		„ 14,	28·4	5·7	10	.	.	.	.	1	1	.	.	2	1	.	1	.	.	.	.	.
		„ 21,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1
		„ 28,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		July 5,	17·1	5·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	May 17,	19·4	1·2	16	.	.	.	.	.	.	1	.	1	1	.	2	4	.	.	.	1
		„ 24,	21·8	1·2	18	.	.	.	.	.	1	.	.	3	1	2	3	2	.	.	.	.
		„ 31,	12·1	.	10	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.
		June 7,	16·9	.	14	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.
		„ 14,	23·0	2·4	19	.	.	.	.	.	.	1	.	4	1	.	2	3	1	.	.	.
		„ 21,	24·2	4·8	20	.	.	.	.	.	1	1	1	2	.	2	3	2	1	.	1	.
		„ 28,	16·9	.	14	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
		July 5,	19·4	2·4	16	.	.	.	.	.	1	1	.	2	.	.	2	4	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	May 17,	12·6	3·1	8	.	.	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.
		„ 24,	17·3	1·6	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
		„ 31,	18·9	.	12	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
		June 7,	14·1	3·1	9	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.
		„ 14,	26·7	.	17	.	.	.	.	.	.	.	.	3	.	3	1	1	.	.	.	.
		„ 21,	23·6	4·7	15	.	1	.	.	.	1	.	.	.	.	.	2	2	1	.	1	.
		„ 28,	11·0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
		July 5,	23·6	1·6	15	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	1	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	May 17,	21·5	.	16	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 24,	16·1	.	12	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.
	„ 31,	18·8	.	14	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	.
	June 7,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 14,	12·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.
	„ 21,	8·1	1·3	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 28,	6·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	July 5,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	May 17,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.
	„ 24,	31·3	3·5	18	.	.	.	1	.	1	.	.	1	.	2	2	2	.	.	.	1
	„ 31,	22·6	1·7	13	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	1
	June 7,	19·2	1·7	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 14,	8·7	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	„ 21,	10·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 28,	20·9	.	12	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	.
	July 5,	15·7	3·5	9	.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	3	.
Kingstown Urban District. Pop. in 1911 16,941.	May 17,	21·5	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 31,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June 7,	6·2	3·1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	30·8	9·2	10	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	1	1
	„ 21,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 28,	9·2	3·1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	July 5,	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	May 17,	18·2	1·3	138	1	.	.	1	4	.	1	.	25	11	3	12	13	2	1	3	1
	„ 24,	17·0	1·1	129	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	1
	„ 31,	16·7	0·5	127	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	2
	June 7,	17·1	1·6	130	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	1
	„ 14,	17·5	0·7	133	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	2
	„ 21,	14·0	0·4	106	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	.
	„ 28,	16·9	1·6	128	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	1
	July 5,	15·9	1·4	121	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	1
Cork. Pop. in 1911 76,673.	May 17,	21·1	0·7	31	.	.	.	1	.	.	.	.	6	1	3	1	6	.	.	.	.
	„ 24,	27·2	.	40	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	.
	„ 31,	17·0	0·7	25	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	2
	June 7,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.
	„ 14,	17·0	0·7	25	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	1
	„ 21,	17·0	0·7	25	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	.
	July 5,	16·3	.	24	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3
Londonderry. Pop. in 1913 (Est.) 41,000.	May 17,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	.
	„ 24,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1
	„ 31,	11·4	.	9	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
	June 7,	22·9	1·3	18	.	.	.	1	.	.	.	.	1	1	2	.	3	.	.	.	1
	„ 14,	15·3	2·5	12	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
	„ 21,	14·0	1·3	11	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	2	.
	„ 28,	15·3	2·5	12	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.	.
	July 5,	15·3	1·3	12	.	.	.	1	.	.	.	.	4	.	.	.	1	.	.	.	.
Limerick. Pop. in 1911 38,518.	May 17,	9·5	1·4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	„ 24,	21·7	1·4	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	2
	„ 31,	20·3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	1
	June 7,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 21,	19·0	.	14	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	1
	„ 28,	10·8	1·4	8	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	1
	July 5,	13·5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	1
Waterford. Pop. in 1911 27,464.	May 17,	20·9	1·9	11	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	1	1
	„ 24,	22·8	3·8	12	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	2	.
	„ 31,	15·2	1·9	8	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	1
	June 7,	28·5	5·7	15	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	1	.
	„ 14,	19·0	1·9	10	.	.	.	.	.	1	.	.	3	1	.	1	2	.	.	1	.
	„ 21,	38·0	9·5	20	.	.	.	2	.	2	.	.	2	.	.	.	1	.	1	.	2
	„ 28,	26·6	7·6	14	.	.	.	3	.	.	.	.	.	.	.	3	1	1	.	1	2
	July 5,	17·1	1·9	9	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th July, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	32·8	6·6	10	.	2	2	2	4	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.	.	3	.
Do. 2 do.	49,500	25	15·8	1·1	15	2	2	.	2	2	7	.	.	.	.	.	.	.	.	.	.	1	4	1	1	.	1	3	3	.
Do. 3 do.	50,032	28	18·8	.	18	2	1	2	2	8	3	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	2	6	1
Do 4 do.	32,637	14	16·0	1·6	10	2	.	1	2	3	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	3	.
Do. 5 do.	16,112	9	35·6	.	11	5	1	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	3	.
Do. 6 do.	37,293	10	9·8	.	7	1	.	2	2	.	2	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	3	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	8·7	8·7	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	11	17·1	4·3	8	3	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	3	.
Do. 10 do.	28,958	16	10·8	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3	.
Do. 11 do.	39,311	16	13·3	4·0	10	.	.	6	.	1	3	.	.	.	.	3	.	.	.	1	1	1	.	1	.	.	.	.	2	.
Do. 12 do.	38,076	29	13·7	1·4	10	2	2	2	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	1	3	.
Do. 13 do.	23,233	10	13·5	.	6	.	2	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	20·7	.	9	.	1	1	1	5	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	2	1	.
Total,	386,947	192	15·9	1·4	121	19	11	20	17	32	22	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	10	35	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	15·5	.	4	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do 2 do.	10,701	5	15·0	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Do 3 do.	9,978	5	10·6	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Do 4 do.	8,666	3	11·4	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Do 5 do.	6 592	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	6	27·0	.	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	5	2
Do. 7 do.	16,616	11	22·7	.	7	1	2	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Total,	76,122	39	16·3	.	24	5	4	1	5	3	6	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3	10	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered, ...	194	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192
DEATHS registered, ...	160	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121
Annual Death-rate per 1,000 of estimated population, ...	21·1	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9
AGES, Under 1 year, ...	36	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19
1—5 years, ...	38	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11
5—25 „ ...	10	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20
25—45 „ ...	22	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17
45—65 „ ...	33	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32
65 and upwards, ...	21	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	20	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.
Scarlet Fever, ...	2	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3
Whooping-cough, ...	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2
Diphtheria, ...	2	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	20	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10
Tuberculous Disease. Other Forms,	5	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5
Cancer, ...	5	4	5	4	5	7	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5
Diseases of Respiratory System, Pneumonia,	18	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7
Diseases of Respiratory System, Others, ...	17	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10
Diarrhœa and Enteritis, under 2 years, ...	7	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5
Diarrhœa, 2 years and upwards,	1	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1
Violent Deaths, ...	4	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4
Number of Uncertified Deaths, ...	3	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	July 5,	2,137	925	10·7	.	.	16	3	8	6	21*a*
Edinburgh, ...	320,300	„ 5,	153	80	13·0	.	.	1	3	2	.	1
Glasgow, ...	1,021,500	„ 5,	589	288	14·7	1	.	27	3	11	2	9
Calcutta, ...	896,067	May 24,	.	452	26·2	89*	3	.	.	1	.	99‡
Bombay, ...	979,445	„ 31,	274	734	39·0	174*	9	6	.	1	.	52‡
Madras	518,660	June 7,	387	306	30·7	53*	2	3	?	?	?	73
Cairo, ...	710,514	Apr. 15,	558	506	37·1	7	.	20	2	.	8†	75*a*
Paris, ...	2,847,229	June 21,	985	810	14·5	3	.	20	2	7	4†	24*a*
Brussels, ...	767,252	„ 14,	232	180	12·2	1	.	7	.	2	.	7*a*
Antwerp, ...	312,884	„ 21,	107	62	10·3	.	.	2	.	2	.	4*a*
Amsterdam, ...	590,122	„ 14,	240	113	10·0	.	.	1	.	1	1†	5*a*
Copenhagen, ...	473,500	„ 14,	218	130	14·3	.	.	2	1	4	.	3*a*
Stockholm, ...	376,171	„ 14,	183	98	13·5	.	.	.	.	.	.	2*a*
Christiania, ...	247,488	„ 21,	104	60	12·5	.	.	.	1	.	1†	1
St. Petersburg ...	1,686,000	May 31,	401	696	21·5	7	.	15	11	3	8	94*a*
Moscow, ...	1,694,000	„ 24,	.	715	22·0	1	3	29	13	3	12†	66
Berlin, ...	2,076,347	„ 31,	731	540	13·6	1	.	4	6	2	11†	34
Hamburg, ...	1,006,748	June 14,	.	212	11·0	3	.	5	2	1	9†	7
Breslau, ...	539,067	„ 14,	.	189	18·3	.	.	6	.	.	.	17
Munich, ...	622,000	„ 14,	.	184	15·4	1	.	2	.	3	.	10
Vienna (with suburbs),	2,115,254	„ 14,	699	628	15·4	1	.	7	8	4	9†	38*a*
Buda-Pesth, ...	930,666	„ 14,	520	310	17·3	1	.	6	15	1	4†	24*a*
Prague and Faubourgs,	489,194	May 31,	189	182	19·4	1	.	4	.	1	1†	9*a*
Trieste, ...	239,703	June 14,	115	87	18·9	.	.	2	.	1	.	1*a*
Rome, ...	579,285	Mar. 1,	331	285	25·7	2	.	19	.	.	.	9
		„ 8,	289	278	25·0	2	.	14	.	.	4	5
New York, ...	5,372,983	May 31,	2,136	1,323	12·9	3	.	32	9	10	29†	32*a*
Philadelphia, ...	1,631,960	„ 17,	.	474	15·1	4	.	6	3	.	8†	13*a*
Boston, ...	735,399	June 14,	.	162*b*	11·5	.	.	.	1	3	.	1

* Deaths from "fever," including 8 from enteric fever and 22 from plague in Calcutta, and 4 from enteric fever and 110 from plague in Bombay.

† Including deaths from croup.

‡ Including 55 deaths from cholera in Calcutta, and 2 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Deaths of non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th July, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
„ „ 1, West, ...	.	2	.	.	.	.	.	.	.	.	.	1	.	3
„ „ 2, ...	.	.	.	.	1	.	.	.	2	.	.	2	.	5
„ „ 3, ...	.	1	.	.	.	.	.	1	.	.	.	1	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 2, ...	.	2	.	.	.	.	.	.	.	.	.	2	.	4
„ „ 3, ...	.	2	.	.	3	.	.	.	1	.	.	5	.	11
„ „ 4, ...	.	3	.	.	1	.	.	.	.	.	.	3	.	7
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Total, ...	.	12	.	.	5	.	.	3	3	.	.	14	.	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th July, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th July.			
	June 14.	June 21.	June 28.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	26	31	4	11	.	24
Typhus, ...	8	6	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	11	10	2	4	.	8
Scarlet Fever, ...	93	80	81	13	10	.	84*
Diphtheria, ...	42	37	36	12	8	4	36
Pneumonia, ...	15	22	23	6	10	.	19

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 5th July, 1913:—

"Perfect summer weather was enjoyed in Ireland during the greater part of this week. Conditions were less fair in Great Britain, and in many Continental countries cool, cloudy, showery weather prevailed. This reversal of the normal state of things in a European summer was caused by the presence of an anticyclone of considerable intensity and great staying power over Ireland and on the Atlantic off the western shores of this country. On the other hand, an area of low atmospheric pressure extended from the Baltic across Central Europe to southern Russia and the Black Sea. Along the western edge of this system subsidiary shallow depressions passed southwards across the North Sea, bringing cool northerly winds, clouds, and showers to Great Britain. Towards the close of the week, the barometer gave way in Ireland also, and the wind backed from N. to N.W. as a depression advanced from Iceland. Up to Friday the weather was summerlike in the extreme and on four days temperature rose in Dublin above 71° in the screen—on Monday an easterly sea breeze kept the thermometer down, the maximum on that day in this City being 68·1°, whereas inland at Birr Castle, 75° in the shade was reached. Very slight showers fell on the mornings of Friday and Saturday and on Saturday afternoon. Spitzbergen reported the low barometer reading of 28·93 inches on Thursday evening, and next morning snow was falling at a temperature of 33°. In Dublin the mean height of the barometer was 30·273 inches, pressure ranging between 30·433 inches at 9 a.m. of Sunday (wind, W.) and 29·891 inches at 9 p.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 60·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·5°. On Wednesday the screened thermometers rose to 72·0°, having fallen to 51·6° on Tuesday. The wind was at first E.N.E., afterwards N. and N.W. The slight showers towards the close of the week yielded only ·006 inch in the rain-gauge. There was no 'rain-day.'"

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·289 inches. The highest reading (30·462) was on Tuesday, at 9 p.m., air calm, the lowest (29·910) on Saturday at 9 p.m., wind W.N.W.

The mean temperature for the week was 58·5°, being 6·4 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday and Tuesday, on which days the thermometer registered 74°, and was also lowest on Tuesday, the mercury having fallen to 40°. The mean of the Dry Bulb for the week was 58·2° and of the Wet Bulb, 54·9°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. There was no rainfall recorded during the week.

At Greenwich the mean temperature for the week was 59·9°, the maximum 79·5°, and the minimum 49·1°; at Glasgow the maximum was 76·2°, the minimum 49·0°, and the mean 60·5°; and at Edinburgh the maximum was 74·4°, the minimum 49·1°, and the mean 58·5°. The rainfall at Greenwich measured 0·21 in.; at Glasgow 0·07 in.; and at Edinburgh 0·16 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, June 29,	30·435	74	49	61·5	57·8	54·1	·80	·0	11·3	·000	W.	Calm
Monday, „ 30,	30·395	69	43	56·0	59·0	55·3	·79	·0	13·0	·000	E.	Calm.
Tuesday, July 1,	30·445	74	40	57·0	60·5	56·5	·79	·1	15·0	·000	Calm.	Calm.
Wednesday, „ 2,	30·400	72	49	60·5	64·3	59·9	·78	·2	6·6	·000	N.	Calm.
Thursday, „ 3,	30·215	72	52	62·0	59·1	57·3	·89	·4	6·7	·000	W.N.W.	Calm.
Friday, „ 4,	30·140	62	52	57·0	53·8	51·2	·83	·4	0·2	·000	N.N.W.	Calm.
Saturday, „ 5,	29·990	62	49	55·5	52·9	50·3	·82	·5	0·7	·000	W.N.W.	W.N.W.
Mean, ...	30·289	69·3	47·7	58·5	58·2	54·9	·81	·2	Total 53·5	Total ·000	—	

Sunday—A beautiful bright day; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—A fine day, light clouds at intervals; night cloudy to clear. *Thursday*—Day overcast a.m., bright p.m.; night cloudy. *Friday*—A dull day; night cloudy. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 5th July, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 29,	63·4	60·5	55·2	73·5	52·3	62·9	12·0	—
Monday, „ 30,	64·9	61·7	55·2	66·5	52·0	59·25	11·0	—
Tuesday, July 1,	66·3	61·9	55·5	71·0	51·9	61·45	13·5	—
Wednesday, „ 2,	64·8	62·5	55·7	73·0	52·0	62·5	7·6	—
Thursday, „ 3,	58·7	63·0	56·0	73·0	52·0	62·5	4·9	—
Friday, „ 4,	56·1	62·3	56·4	63·0	54·9	58·95	·2	—
Saturday, „ 5,	54·6	60·6	56·7	61·1	51·0	56·05	1·2	—
Weekly Mean, .	61·3	61·8	55·8	68·7	52·3	60·5	Total 50·4	0·00

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 6. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 12TH JULY, 1913. [No. 28.

General Register Office, Charlemont House,
Dublin, 14*th July,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending June 21	June 28	July 5	July 12	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·5**	**16·7**	**16·4**	**15·5**	**16·3**
Dublin Reg. Area ...	17·5	14·9	16·8	19·9	17·3
Dublin City ...	19·3	16·1	19·1	21·8	19·1
Belfast	14·0	16·9	15·9	14·2	15·3
Cork	17·0	16·3	16·3	15·6	16·3
Londonderry ...	14·0	15·3	15·3	8·9	13·4
Limerick	19·0	10·8	13·5	16·2	14·9
Waterford	38·0	26·6	17·1	11·4	23·3

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·7 per 1,000. Among the 108 deaths from all causes for Belfast are 3 from scarlet fever, and 7 from diarrhœal diseases. One of the 23 deaths from all causes for Cork is from typhus. Two of the 12 deaths from all causes for Limerick are from enteric fever. Included in the 6 deaths from all causes for Waterford are 2 from measles and one from diarrhœa of a child under 2 years of age. One of the 3 deaths from all causes for Newry is from measles, and one of the 4 deaths from all causes for Tralee is also from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 223—111 boys and 112 girls—and the deaths to 166—88 males and 78 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·9 per 1,000 of the population. During the twenty-eight weeks, ending with Saturday last, the death-rate averaged 21·2, and was 1·7 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 166, represent an annual rate of 21·5 per 1,000; the annual rate for the past twenty-eight weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·1 per 1,000 of the mean population for all deaths registered.

The deaths registered included 4 from scarlet fever, 3 from whooping-cough, 4 from diphtheria, one from influenza, and 10* deaths from diarrhœa or enteritis of children under 2 years of age.

In the preceding three weeks, deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 4, 0, and 2; deaths from diphtheria were 2, 0, and 3; deaths from influenza were 2, 0, and one; and deaths from diarrhœa or enteritis of children under 2 years of age were 3, 7, and 4, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 30, 24, and 27, respectively, fell to 19 in the week under notice, the latter including 15 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, and one from disseminated tuberculosis.

There were 10 deaths from cancer.

Six deaths were caused by broncho-pneumonia, 3 by lobar pneumonia, and 3 by pneumonia (type not distinguished).

The deaths of 7 infants under one year of age were ascribed to premature birth, and 6 to congenital debility.

Organic diseases of the heart caused 14 deaths and bronchitis 13 deaths.

The 2 deaths attributed to accident were caused by a motor cycle collision.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 16 were under one month old) and 40 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, 8 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000; the rate in the City was 21·8 (North City Districts, 22·3; South, 21·3) and in the Suburbs, 13·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 1·9, and in the South 4·7), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include one death from scarlet fever, 2 deaths from pulmonary tuberculosis, one death from bronchitis, and one death from diarrhœa of a child under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 33·2 per 1,000. Among them are 2 deaths from scarlet fever, 4 deaths from tuberculous disease, 3 deaths from broncho-pneumonia, one death from bronchitis, and 2 accidental deaths.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26·2 per 1,000. One death from diphtheria, one from broncho-pneumonia, 2 deaths from bronchitis, and one death from diarrhœa of a child under 2 years of age were recorded.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·3 per 1,000. There were 2 deaths from pulmonary tuberculosis and 2 deaths from pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·7; and Finglas and Glasnevin, part of, 14·7. Of 3 deaths recorded for Clontarf and Howth, No. 1, part of, 2 were from tuberculous disease and one from bronchitis; and among the 2 deaths recorded for Coolock and Drumcondra, part of, was one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (11) represent an annual rate of 14·2 per 1,000. Of the deaths, one was caused by diphtheria, 2 were caused by pulmonary tuberculosis, one by lobar pneumonia, and one by bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. One death from diphtheria, one from tuberculous meningitis, and 2 deaths from diarrhœa or enteritis of children under 2 years of age were recorded.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000. Among them were one death from scarlet fever, 2 deaths from tuberculous disease, 2 from bronchitis, and 2 deaths from diarrhœa or enteritis of children under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. There were 2 deaths from whooping-cough, one from diphtheria, one from pulmonary tuberculosis, one from lobar pneumonia, 3 deaths from bronchitis, and one death from diarrhœa of a child under 2 years of age.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 32·1 per 1,000, and include one death from pulmonary tuberculosis and 2 from diarrhœa or enteritis of children under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·4; Pembroke, 12·2; Blackrock, 11·4; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Kingstown. Of the 10 deaths from all causes for Rathmines and Rathgar one was from pneumonia and one from bronchitis; the 7 deaths from all causes for Pembroke included one from lobar pneumonia and one from broncho-pneumonia; and among the 6 deaths from all causes for Kingstown one was caused by influenza and one by broncho-pneumonia.

* See note (c) Table II.
† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 12th July, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 21,	.	—	—	13	.	.	3	.	1	1	1	.	—	—	.	—	18	.	37
	June 28,	.	—	—	22	.	.	11	.	.	6	3	.	—	—	.	—	14	.	56
	July 5,	.	—	—	12	.	.	5	.	.	3	3	.	—	—	.	—	14	.	37
	July 12,	.	—	—	11	.	.	5	.	1	2	6	.	—	—	.	—	16	.	41
Rathmines and Rathgar Urban District.	June 21,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	June 28,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	July 5,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	—	—	4
	July 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	June 21,	.	10	.	.	.	.	1	1	.	1	1	.	—	2	—	—	.	—	16
	June 28,	.	.	.	.	.	.	.	.	.	.	1	.	—	1	—	—	.	—	2
	July 5,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	—	—	2	—	5
	July 12,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	—	—	2	—	5
Blackrock Urban District.	June 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 28,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	July 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	June 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 21,	.	—	—	49	.	.	2	.	.	.	7	.	—	—	—	—	8	—	66
	June 28,	.	—	—	48	.	.	8	.	.	.	1	.	—	—	—	—	15	—	72
	July 5,	.	—	—	32	.	.	7	.	1	1	5	.	—	—	—	—	11	—	57
	July 12,	.	—	—	33	.	.	3	.	.	.	4	.	—	—	—	—	9	—	49

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th July, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Two cases of enteric fever were discharged from hospital during the week, there was one death, and 21 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 26, 31, and 24.

Two cases of measles were discharged from hospital during the week, and 6 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 11, 10, and 8 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 22 were discharged, there were 4 deaths, and 76* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 80, 81, and 84 respectively.

Eight cases of diphtheria were admitted to hospital during the week, 2 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 37, 36, and 36 respectively, were 41 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 5 were discharged, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 11·1), was equal to an average annual death-rate of 11·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 14·1, and for Edinburgh 13·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th July. From this Report it appears that of a total of 54 cases notified, 20 were scarlet fever, 18 phthisis, 8 diphtheria, 6 erysipelas, and 2 enteric fever. Among the 342 cases of infectious diseases in hospital at the close of the week were 134 cases of scarlet fever, 107 of phthisis, 35 of diphtheria, 20 of whooping-cough, 16 of measles, 8 of enteric fever, 6 of erysipelas, 4 of chicken-pox, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 12th July, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 12th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th June, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	25·4	15·5	1·7	584	356	61	87	2	1	...	4	7	3	4	...	31	17	19	27	25	15	2	7	18	127	10	...	...	...	...	...	...	..	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	28·9	19·9	2·6	223	154	29	39	...	...	...	...	4	3	4	...	13	4	8	12	17	9	...	2	4	65	5	e 64	35·0	54·7	0·24	e 74	40	58·5	0·00	e 70	38	55·1	0·14
CITY OF DUBLIN,	308,187	39·0	32·0	21·8	3·2	189	129	24	30	...	...	...	...	4	2	4	...	13	4	6	8	15	9	...	2	4	57	5	f 65·0 g 65·5	44·1 39·8	56·2 55·8	0·27 0·25	f 72·0 g 74·3	51·6 46·0	60·4 59·8	0·01 0·00	f 71·0 g 70·9	46·8 42·0	56·8 56·4	0·17 0·07
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	14·8	13·4	.	11	10	4	3	...	...	...	...	...	...	...	..	...	...	...	1	1	...	...	...	...	4	...	..	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,942	19·0	17·4	12·2	.	10	7	1	2	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK. ...	9,161	8·5	11·4	11·4	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
KINGSTOWN, ...	16,941	11·6	33·9	18·5	3·1	11	6	..	3	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	2	...	66	45	56·3	0·12	72	51	59·9	0·00	66	47	56·9	0·24
Urban Districts. BELFAST (b) ..	396,000	26·5	24·8	14·2	1·3	188	108	22	26	...	...	...	...	3	...	...	...	12	3	3	8	6	5	2	3	7	29	...	64	45	54·7	0·52	68·5	45·0	57·7	0·00	64	46	55·4	0·46
CORK, ..	76,673	28·6	23·1	15·6	0·7	34	23	1	3	...	1	...	...	...	...	...	...	1	3	2	5	1	...	...	1	1	13	...	64	48	56·1	0·19	70	50	58·1	0·01	65	47	54·9	0·38
LONDONDERRY ...	41,000	15·9	29·3	8·9	.	23	7	1	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	32·5	16·2	2·7	24	12	1	1	2	...	...	...	...	...	...	...	...	2	..	...	1	...	...	...	2	10	1	62·7	39·2	55·0	0·45	76·4	46·5	61·5	0·00	67	42·4	55	0·43
WATERFORD, ...	27,464	19·1	19·0	11·4	5·7	10	6	3	1	...	...	...	2	...	...	...	...	...	1	...	...	...	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			3	3	...	2	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	63	44	53	0·51	77	45	60	0·00	64	44	55	0·50
DUNDALK, ...	13,128	9·5				5	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				7	2	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21
DROGHEDA, ...	12,501	8·4				3	6	...	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				5	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	..	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21
NEWRY. ...	11,963	17·0				5	3	..	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21
PORTADOWN, ...	11,727	15·3				7	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21
WEXFORD. ...	11,531	22·8				8	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				4	5	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				3	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	61	37	53·0	0·80	68	43	56·0	0·11	64	40	53·0	0·71
KILKENNY, ...	10,514	11·4				5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	67	40	56·1	0·24	75	46	61·0	0·02	68	42	55·4	0·16
TRALEE. ...	10,300	17·4				8	4	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...
CLONMEL, ...	10,209	7·8				4	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	59	48	53·6	0·33	63	49	55·5	0·15	66	48	53·8	1·69
QUEENSTOWN, ...	8,209	14·7				.	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	64	48	56·1	0·19	70	50	58·1	0·01	65	47	54·9	0·38
LARNE, ...	8,036	13·4				4	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				1	1	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01	62·5	43·2	54·6	0·21

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and one at 84 years) admitted to hospital from localities outside the Area; one of the 12 deaths was from diarrhœa of a child under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th of July, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts in Dublin North Superintendent Registrar's District.							City of Dublin. Registration Districts in Dublin South Superintendent Registrar's District.					Urban Districts of					
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf and Howth No. 1 (part of).	Coolock and Drumcondra (part of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	3	.
Diphtheria,	.	.	1	.	.	.	.	1	1	.	1	.	.	.	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	2	3	.	2	1	.	.	2	.	1	1	1	.	.	.	.	13	2
Tuberculous Disease. Other Forms,	.	1	.	.	1	.	.	.	1	1	.	.	.	.	.	.	4	.
Cancer,	.	1	1	.	.	.	.	1	1	2	.	.	.	1	1	.	8	2
Diseases of Nervous System,	1	3	.	.	.	.	.	1	.	.	2	.	.	.	.	1	8	2
" Organs of Special Sense,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.
" Circulatory System,	2	2	1	.	.	.	.	1	1	2	1	1	3	1	.	1	16	1
" Respiratory System. Pneumonia,	.	3	1	2	.	.	.	1	.	.	1	.	1	2	.	1	12	.
" Respiratory System. Others,	1	1	2	1	1	1	.	1	2	2	3	.	1	1	.	.	17	.
" Digestive System. Diarrhœa and Enteritis, under 2 years,	1	.	1	.	.	.	.	.	2	2	1	2	.	.	.	.	9	1
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Digestive System. Others,	.	1	1	1	.	.	.	2	.	.	.	1	1	1	.	.	8	.
" Genito-urinary System,	.	1	3	.	.	.	1	.	.	1	.	.	.	.	.	.	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	3	3	3	3	.	.	.	1	1	2	5	1	3	1	1	.	27	3
Violent Deaths,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	3	.	2	.	1	.	.	.	1	.	.	.	.	.	.	7	.
Deaths from All Causes	11	26	14	11	3	2	3	11	9	16	17	6	10	7	2	6	154	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	33·2	26·2	16·3	28·8	7·7	14·7	14·2	25·6	19·4	26·7	32·1	13·4	12·2	11·4	18·5	19·9	.
	22·3							21·3					13·7					
	21·8																	
Ages at Death. Under 1 year,	4	1	3	2	.	.	.	2	2	3	4	3	4	1	.	.	29	1
1 and under 2 years,	1	.	1	.	.	.	.	1	2	2	2	.	.	1	.	.	10	.
2 " 5 "	.	2	1	.	.	.	.	.	.	.	1	.	.	.	.	2	6	.
5 " 15 "	.	2	.	.	1	.	.	.	.	3	.	.	.	.	.	.	6	.
15 " 25 "	.	4	.	.	1	.	1	.	.	.	1	.	.	.	.	.	7	3
25 " 45 "	3	3	1	1	1	1	.	.	.	3	1	1	2	1	.	1	19	4
45 " 65 "	2	7	2	5	.	.	1	3	5	5	3	1	1	2	1	.	38	3
65 and upwards,	1	7	6	3	.	1	1	5	.	.	5	1	3	2	1	3	39	1
Number of Uncertified Deaths,	2	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	5	.
Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	8	2	1	.	1	2	4	2	5	4	1	4	2	.	1	40	11
Workhouse Hospitals	1	8	4	4	.	.	.	3	1	1	1	1	.	.	.	1	25	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 12th July, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 18, 1903.	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.	July 16, 1910.	July 15, 1911.	July 13, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 56·9	° 58·8	° 64·6	° 57·5	° 54·0	° 58·9	° 59·5	° 57·1	° 60·9	° 56·6	° 58·5	° 54·7										
ALL CAUSES.	124	146	145	140	161	156	136	118	172	130	142·8	166	16	14	10	6	6	10	23	41	28	12
Enteric Fever, ...	.	2	.	1	.	2	2	1	3	.	1·1	.	.	.	.		.	.	.	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	10	1	1	2	3	2	.	7	7	3·3	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	3	.	.	.	.	.	.	1	3	.	·7	4	.	.	1	2	1	.	.	.	.	.
Whooping-cough, ...	1	3	2	6	7	3	.	1	1	.	2·4	3	.	.	2	1	.	.	.	.	.	.
Diphtheria, ...	1	1	.	.	.	1	3	1	3	.	1·0	4	.	2	1	1	.	.	.	.	.	.
Croup, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	1	1	.	1	.	1	1	·6	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	1	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	1	.	1	1	.	1	·6	1	.	.	.	1	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	21	12	21	18	22	14	19	20	13	18·6	15	.	.	.	.	.	5	5	5	.	.
Tuberculous Meningitis, ...	1	2	2	1	2	1	3	4	4	1	2·1	1	.	.	1	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	5	1	.	1	.	.	1	.	.	5	1·3	2	.	1	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.									1	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	3	9	5	6	4	5	4	.	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									1	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									6	3		1	.	.	.	.	.	.	.	1	.	.
Venereal Diseases, ...	1	2	1	1	3	2	1	.	1	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	3	5	8	4	10	9	9	5	4	9	6·6	10	.	.	.	.	.	.	2	5	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	1	.	.	2	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	2	.	.	1	1	.	1	.	·6	2	.	.	.	.	.	.	.	1	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	.	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	.	·2	4	.	.	1	.	.	.	1	.	2	.
Alcoholism, ...	1	1	1	.	1	.	.	1	1	.	·6	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									1	3		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									5	1		6	.	.	.	.	.		.	3	2	1
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									5	.		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...									2	.		1	.	.	.	.	.	.	.	.	1	.
Convulsions (non-puerperal),									1	4		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	29	30	30	38	43	38	41	22	3	3	33·6	2	.	.	.	.	.	.	1	1	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									20	12		14	.	.	.	.	1	.	2	8	2	1
Embolism and Thrombosis (including Cerebral)									.	.		1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Circulatory System.									2	2		2	.	.	.	.	.	1	.	.	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	7	17	6	9	14	9	8	15	10	9	10·4	13	.	1	.	.	1	.	1	2	6	2
Broncho-pneumonia, ..	1	2	3	2	8	7	1	3	7	5	3·9	6	1	1	1	1	1	.	.	1	.	
Lobar pneumonia, ..	.	.	3	1	.	.	1	1	.	4	1·0	3	.	.	.	.	.	.	.	2	1	.
Pneumonia (type not distinguished)	2	6	4	6	6	3	5	3	3	3	4·1	3	.	.	.	.	.	.	.	.	3	
Pleurisy, ...									.	.		.	.	.	.	.	.		.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	1	2	1	2	.	2	3	1	.	1·7	2	.	.	.	.	.			1	.	1
Other Diseases of Respiratory System.									.	1		2	.	.	.	.	.	.	.	2		.

TWENTY-EIGHTH WEEK ending Saturday, 12th July, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										28th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 12th July, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 18, 1903.	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.	July 16, 1910.	July 15, 1911.	July 13, 1912.	Averages in	—	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 56·9	° 58·8	° 64·6	° 57·5	° 54·0	° 58·9	° 59·5	° 57·1	° 60·9	° 56·6	° 58·5	° 54·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	2	—	3	.	.	.	.	.	.	2	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	3	2	17	3	7	12	9	5	5	7	7·3	10	4	5	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									2	1		1	.	.	.	.	.	1	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	2	.	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	2	—	2	.	.	1	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	2	1	2	1	3	.	1	2	1	2·1	2	.	.	.	.	.	.	.	.	2	.
Other Diseases of Liver, ...	1	2	1	2	.	1	.	.	1	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	1	.	2	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	1	6	2	3	7	5	4	.	.	3·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									2	3		2	.	.	1	.	.	.	1	.	.	.
Chronic Bright's Disease, ...									3	3		3	.	.	.	.	.	.	.	2	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	3	7	6	9	1	6	5	6	.	.	5·8	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Genito-urinary System.									4	.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	1	1	.	.	.	.	1	·3	2	.	.	.	.	.	.	2	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	.	.	1	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	1	—	2	.	2	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	7	4	5	2	4	5	3	3	3·9	7	6	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	4	—	6	5	1	.	.	.	.	.	.	.	.
Old Age, ...	3	3	.	2	2	4	3	2	5	2	2·6	5	.	.	.	.	.	.	.	.	3	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	3	—	2	.	.	.	.	.	1	1	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	2	.	.	.	1	1	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	1	2	.	1	1	2	.	2	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	2	1	2	1	1	1	2	2	1·5	2	.	.	.	.	.	1	1	.	.	.
Total Deaths from Accident,	2	3	6	1	3	2	4	2	7	3	3·3	2	.	.	.	.	.	1	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	1	.	.	.	.	2	1	·5	2	.	.	.	.	.	1	1	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	1	.	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	6	—	7	.	.	.	.	.	.	1	3	1	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered.	203	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223
Average Births in corresponding week of previous 10 years, ...	211	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204
DEATHS registered, ...	188	161	158	151	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166
Annual Death-rate per 1,000, ...	24·3	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5
Average Deaths in corresponding week of previous 10 years, ...	196	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143
Ages, Under 5 years, ...	44	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46
5—15 " ...	8	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6
15—25 " ...	13	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10
25—45 " ...	32	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23
45—65 " ...	53	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41
65—75 " ...	23	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28
75 and upwards, ...	15	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12
Deaths from :—																										
Enteric Fever, ...	1	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.
Small-pox, ...	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.
Scarlet Fever, ...	1	.		1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4
Whooping-cough, ...	2	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3
Diphtheria, ...	3	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4
Influenza, ...	1	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	26	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15
Tuberculous Disease, Other Forms,	6	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4
Cancer, ...	13	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10
Diseases of Circulatory System,	22	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17
Diseases of Respiratory System, Pneumonia	10	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12
Diseases of Respiratory System, Others, ...	30	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17
Diarrhœa and Enteritis, under 2 years, ...	3	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.
Violent Deaths, ...	2	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2
Number of Uncertified Deaths,	6	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5
Mean Temperature of the Air (Phœnix Park)	35·7	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7
Average Mean Temperature in corresponding week of previous 10 years, ...	40·7	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5
Rainfall in inches, ...	·745	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·92	·87	·86	95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th July, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH JULY, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	21·8	166	46	6	10	23	41	28	12	.	.	.	.	4	3	4	.	15	4	10	.	12	17	10	.	2	85	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	13·8	27	2	1	2	6	8	4	4	.	.	.	.	.	.	1	.	.	.	2	.	3	2	.	.	.	19	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	19·2	40	15	4	3	4	9	4	1	.	.	.	.	2	1	.	.	4	2	2	.	4	4	4	.	2	15	.
IV.	GENERAL SERVICE CLASS, ...	167,479	21·5	69	26	1	3	10	14	11	4	.	.	.	.	2	2	3	.	6	2	4	.	5	7	4	.	.	34	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	3	.	2	3	9	7	2	.	.	.	.	.	.	.	.	5	.	1	.	.	4	2	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13·3	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19·2	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c..	25,199	22·8	11	2	.	.	1	3	3	2	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	8	1
	6. Clerks and Commercial Assistants, ...	33,249	9·4	6	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	12·3	8	.	.	1	2	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	31·0	7	4	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2	2	.
	9. Building and Furnishing Trades, ...	28,823	18·1	10	5	2	.	1	1	1	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	1	.	.	4	.
	10. Clothing Trades, ...	20,026	13·0	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades	8,952	23·3	4	.	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	21·1	13	3	1	2	.	5	2	.	.	.	.	.	.	1	.	.	1	1	1	.	.	1	1	.	.	7	.
	13. Petty Shopkeepers	6,772	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	24·1	6	4	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	3	.
	15. Domestic Servants, ...	36,041	7·2	5	1	.	.	1	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	10·2	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	27·8	55	20	1	3	8	13	8	2	.	.	.	.	1	2	3	.	5	2	3	.	5	7	1	.	.	26	4
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	26	3	.	2	3	9	7	2	.	.	.	.	.	.	.	.	5	.	1	.	.	4	2	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	May 24,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
		„ 31,	24·4	3·5	14	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
		June 7,	13·9	.	8	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.
		„ 14,	27·9	.	16	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	2	1
		„ 21,	26·2	3·5	15	.	.	.	.	.	.	1	.	1	3	.	.	3	1	.	1	.
		„ 28,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.
		July 5,	20·9	.	12	.	.	.	.	.	.	.	.	4	2	1	.	.	.	.	.	.
		„ 12,	19·2	3·5	11	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	May 24,	17·9	1·3	14	.	.	.	.	.	.	.	.	2	1	1	1	4	1	.	.	.
		„ 31,	24·2	1·3	19	1	.	.	.	.	.	.	.	4	.	3	1	3	.	.	.	.
		June 7,	19·1	3·8	15	1	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.	2
		„ 14,	19·1	1·3	15	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
		„ 21,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
		„ 28,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	2	.	.	.	1	.	1	1
		July 5,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.
		„ 12,	33·2	2·6	26	.	.	.	.	2	.	.	.	3	1	1	3	1	.	.	2	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	May 24,	22·4	.	12	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1
		„ 31,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
		June 7,	29·9	.	16	.	.	.	.	.	.	.	.	2	2	2	2	1	.	.	.	1
		„ 14,	24·3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.
		„ 21,	24·3	1·9	13	.	.	.	.	.	1	.	.	4	1	1	2	1	.	.	.	.
		„ 28,	18·7	3·7	10	.	.	.	.	.	.	.	.	4	.	.	1	.	2	.	.	.
		July 5,	31·8	.	17	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	1	1
		„ 12,	26·2	3·7	14	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	May 24,	32·6	4·4	22	1	.	.	.	.	.	.	.	4	1	2	1	1	2	.	.	.
		„ 31,	10·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
		June 7,	17·8	.	12	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	1	1
		„ 14,	29·6	.	20	.	.	.	.	.	.	.	.	5	2	.	2	2	.	.	.	.
		„ 21,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
		„ 28,	23·7	1·5	16	.	.	.	.	.	.	.	.	3	.	2	1	1	1	.	.	.
		July 5,	17·8	1·5	12	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.
		„ 12,	16·3	.	11	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	May 24,	23·3	.	18	.	.	.	.	.	.	.	.	2	2	3	1	2	.	.	.	.
		„ 31,	18·1	1·3	14	.	.	.	.	.	.	.	.	4	.	1	3	1	1	.	.	.
		June 7,	12·9	1·3	10	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.
		„ 14,	20·7	.	16	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	2	1
		„ 21,	16·8	.	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
		„ 28,	15·5	1·3	12	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.
		July 5,	22·0	1·3	17	.	.	.	.	.	.	.	.	2	.	4	1	1	.	1	.	.
		„ 12,	14·2	1·3	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	May 24,	39·8	5·7	14	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.
		„ 31,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		June 7,	28·4	.	10	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	2
		„ 14,	28·4	5·7	10	.	.	.	.	1	1	.	.	2	1	.	1	.	.	.	.	.
		„ 21,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1
		„ 28,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		July 5,	17·1	5·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	1
		„ 12,	25·6	8·5	9	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	May 24,	21·8	1·2	18	.	.	.	.	.	1	.	.	3	1	2	3	2	.	.	.	.
		„ 31,	12·1	.	10	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.
		June 7,	16·9	.	14	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.
		„ 14,	23·0	2·4	19	.	.	.	.	.	.	1	.	4	1	.	2	3	1	.	.	.
		„ 21,	24·2	4·8	20	.	.	.	.	.	1	1	1	2	.	2	3	2	1	.	1	.
		„ 28,	16·9	.	14	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
		July 5,	19·4	2·4	16	.	.	.	.	.	1	1	.	2	.	.	2	4	.	.	.	.
		„ 12,	19·4	3·6	16	.	.	.	.	1	.	.	.	1	1	2	.	2	2	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	May 24,	17·3	1·6	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
		„ 31,	18·9	.	12	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
		June 7,	14·1	3·1	9	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.
		„ 14,	26·7	.	17	.	.	.	.	.	.	.	.	3	.	3	1	1	.	.	.	.
		„ 21,	23·6	4·7	15	.	1	.	.	.	1	.	.	.	.	.	2	2	1	.	1	.
		„ 28,	11·0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
		July 5,	23·6	1·6	15	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	1	.
		„ 12,	26·7	6·3	17	.	.	.	.	.	2	1	.	1	.	.	1	3	1	.	.	2

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	May 24,	16·1	.	12	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.
	„ 31,	18·8	.	14	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	.
	June 7,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 14,	12·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.
	„ 21,	8·1	1·3	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 28,	6·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	July 5,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 12,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	May 24,	31·3	3·5	18	.	.	.	1	.	1	.	.	1	.	2	2	2	.	.	.	1
	„ 31,	22·6	1·7	13	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	1
	June 7,	19·2	1·7	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 14,	8·7	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	„ 21,	10·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 28,	20·9	.	12	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	.
	July 5,	15·7	3·5	9	.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	3	.
	„ 12,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	May 24,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 31,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June 7,	6·2	3·1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	30·8	9·2	10	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	1	1
	„ 21,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 28,	9·2	3·1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	July 5,	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	18·5	3·1	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	May 24,	17·0	1·1	129	.	.	.	4	.	.	1	.	25	8	3	11	10	2	1	3	1
	„ 31,	16·7	0·5	127	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	2
	June 7,	17·1	1·6	130	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	1
	„ 14,	17·5	0·7	133	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	2
	„ 21,	14·0	0·4	106	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	.
	„ 28,	16·9	1·6	128	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	1
	July 5,	15·9	1·4	121	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	1
	„ 12,	14·2	1·3	108	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	.
Cork. Pop. in 1911 76,673.	May 24,	27·2	.	40	.	.	.	.	.	.	.	.	8	1	2	4	5	.	.	.	.
	„ 31,	17·0	0·7	25	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	2
	June 7,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.
	„ 14,	17·0	0·7	25	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	1
	„ 21,	17·0	0·7	25	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	.
	July 5,	16·3	.	24	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3
	„ 12,	15·6	0·7	23	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	.
Londonderry. Pop. in 1913 (Est.) 41,000.	May 24,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1
	„ 31,	11·4	.	9	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
	June 7,	22·9	1·3	18	.	.	.	1	.	.	.	.	1	1	2	.	3	.	.	.	1
	„ 14,	15·3	2·5	12	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
	„ 21,	14·0	1·3	11	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	2	.
	„ 28,	15·3	2·5	12	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.	.
	July 5,	15·3	1·3	12	.	.	.	1	.	.	.	.	4	.	.	.	1	.	.	.	.
	„ 12,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Limerick. Pop. in 1911 38,518.	May 24,	21·7	1·4	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	2
	„ 31,	20·3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	1
	June 7,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 21,	19·0	.	14	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	1
	„ 28,	10·8	1·4	8	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	1
	July 5,	13·5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	1
	„ 12,	16·2	2·7	12	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
Waterford. Pop. in 1911 27,464.	May 24,	22·8	3·8	12	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	2	.
	„ 31,	15·2	1·9	8	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	1
	June 7,	28·5	5·7	15	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	1	.
	„ 14,	19·0	1·9	10	.	.	.	.	.	1	.	.	3	1	.	1	2	.	.	1	.
	„ 21,	38·0	9·5	20	.	.	.	2	.	2	.	.	2	.	.	.	1	.	1	.	2
	„ 28,	26·6	7·6	14	.	.	.	3	.	.	.	.	.	.	.	3	1	1	.	1	2
	July 5,	17·1	1·9	9	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	2
	„ 12,	11·4	5·7	6	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th July, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	11	3·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	14	14·7	1·1	14	.	.	2	2	6	4	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	.	.	2	.
Do. 3 do.	50,032	24	18·8	2·1	18	2	2	2	3	4	5	.	.	.	.	2	.	.	.	.	1	.	2	.	.	.	.	1	9	.
Do 4 do.	32,637	29	19·2	.	12	4	.	2	2	3	1	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	2	4	.
Do. 5 do.	16,112	5	19·4	.	6	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	3	.
Do. 6 do.	37,293	13	15·4	.	11	.	.	.	2	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	2,681	.	38·9	19·4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 8 do.	5,964	.	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	14	17·1	4·3	8	2	1	2	1	1	1	.	.	.	.	.	.	.	.	2	1	.	3	.	1	1	.	.	.	.
Do. 10 do.	28,958	22	3·6	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 11 do.	39,311	15	9·3	.	7	1	2	.	2	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	2	.
Do. 12 do.	38,076	22	12·3	2·7	9	4	.	2	1	.	2	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.	.	.
Do. 13 do.	23,233	10	13·5	2·2	6	1	.	1	1	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	25·3	2·3	11	1	1	2	3	2	2	.	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	1	5	.
Total,	386,947	188	14·2	1·3	108	22	7	13	19	21	26	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	7	29	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	7·8	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do 2 do.	10,701	6	15·0	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	2	.
Do 3 do.	9,978	7	10·6	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Do 4 do.	8,666	2	11·4	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do 5 do.	6 592	2	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	7	27·0	.	6	1	.	1	2	1	1	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	3	.
Do. 7 do.	16,616	5	22·7	3·2	7	.	1	.	2	2	2	.	1	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	5	.
Total,	76,122	34	15·6	0·7	23	1	3	3	6	7	3	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	1	13	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered, ...	196	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188
DEATHS registered, ...	154	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108
Annual Death-rate per 1,000 of estimated population, ...	20·3	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2
AGES, Under 1 year, ...	28	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22
1—5 years, ...	30	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7
5—25 ,, ...	15	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13
25—45 ,, ...	15	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19
45—65 ,, ...	40	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21
65 and upwards, ...	26	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	17	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.
Scarlet Fever, ...	.	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3
Whooping-cough, ...	1	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.
Diphtheria, ...	3	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12
Tuberculous Disease. Other Forms,	3	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3
Cancer, ...	4	5	4	5	7	8	5	3	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3
Diseases of Respiratory System, Pneumonia,	16	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8
Diseases of Respiratory System, Others, ...	22	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6
Diarrhœa and Enteritis, under 2 years, ...	7	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5
Diarrhœa, 2 years and upwards,	2	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2
Violent Deaths, ...	2	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3
Number of Uncertified Deaths, ...	2	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	July 12,	2,295	960	11·1	2	.	18	5	6	5	40*a*
Edinburgh, ...	320,300	„ 12,	133	80	13·0	.	.	.	2	1	1	2
Glasgow, ...	1,021,500	„ 12,	539	276	14·1	.	.	17	2	8	4	8
Calcutta, ...	896,067	May 31,	.	488	28·3	104*	5	1	.	.	2†	86‡
Bombay, ...	979,445	June 7,	289	667	35·4	114*	4	3	.	.	.	69
Madras	518,660	„ 14,	389	414	41·5	72*	.	2	?	?	?	98
Cairo, ...	710,514	Apr. 22,	630	557	40·9	4	.	35	1	?	8†	96*a*
Paris, ...	2,847,229	June 28,	926	803	14·4	10	.	10	5	6	6†	13*a*
Brussels, ...	767,252	„ 21,	249	152	10·3	1	.	2	.	2	1†	11*a*
Antwerp, ...	312,884	„ 28,	105	63	10·5	.	.	.	3	2	1†	9*a*
Amsterdam, ...	590,122	„ 21,	251	120	10·6	.	.	6	.	1	.	8*a*
Copenhagen, ...	473,500	„ 21,	213	130	14·3	.	.	1	2	1	1†	.
Stockholm, ...	376,171	„ 21,	158	90	12·4	.	.	.	.	.	.	6*a*
Christiania, ...	247,488	„ 28,	80	59	12·3	.	.	.	.	1	1†	5
St. Petersburg ...	1,686,000	„ 7,	801	701	21·7	17	2	15	12	4	9	79*a*
Moscow, ...	1,694,000	May 31,	.	763	23·5	2	1	29	10	9	13†	124
Berlin, ...	2,076,765	June 7,	758	598	15·0	.	.	8	2	4	8†	45
Hamburg, ...	1,006,748	„ 21,	.	235	12·1	1	.	3	4	2	3†	7
Breslau, ...	540,446	„ 21,	.	200	19·3	.	.	5	.	1	2	19
Munich, ...	622,000	„ 21,	.	172	14·4	.	.	2	.	1	1†	10
Vienna (with suburbs),	2,115,254	„ 21,	744	577	14·2	1	.	7	13	6	10†	37*a*
Buda-Pesth, ...	930,666	„ 21,	448	319	17·8	1	.	6	12	.	4†	18*a*
Prague and Faubourgs,	494,055	„ 7,	215	178	18·8	2	.	1	1	1	1†	8*a*
Trieste, ...	239,703	„ 21,	137	59	13·0	1	.	.	.	.	.	4*a*
Rome, ...	579,285	Mar. 15,	303	221	19·9	2	.	11	.	.	3	4
		„ 22,	284	219	19·7	1	.	10	1	1	1	10
New York, ...	5,372,983	June 7,	2,726	1,447	14·1	2	.	24	22	6	24†	49*a*
Philadelphia, ...	1,631,960	May 24,	.	467	14·9	7	.	3	2	.	7†	13*a*
Boston, ...	735,399	June 21,	.	207*b*	14·7	.	.	.	1	.	5	5

* Deaths from "fever," including 10 from enteric fever and 40 from plague in Calcutta, 6 from enteric fever and 53 from plague in Bombay, and one death from plague in Madras.

† Including deaths from croup.

‡ Including 44 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Deaths of non-residents deducted

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th July, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	.	1	.	.	.	.	3
" " 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	3	.	3
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	1	.	2
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	1	.	.	.	1	.	.	5	.	9
" " 2, ...	.	1	.	.	2	.	1	1	.	.	.	3	.	8
" " 3, ...	.	3	.	.	2	.	.	.	3	.	.	2	.	10
" " 4, ...	.	1	.	.	.	.	.	1	.	.	.	1	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Total, ...	.	11	.	.	5	.	1	2	6	.	.	16	.	41

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th July, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th July.			
	June 21.	June 28.	July 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	26	31	24	.	2	1	21
Typhus, ...	6	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	10	8	.	2	.	6
Scarlet Fever, ...	80	81	84	18	22	4	76*
Diphtheria, ...	37	36	36	8	2	1	41
Pneumonia, ...	22	23	19	7	5	.	21

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 12th July, 1913:—

"Cool, cloudy weather prevailed during the great part of this week. The barometer was high throughout on the Atlantic—the area of highest pressure being situated near the Azores from Monday. On the other hand, the barometer remained relatively low in the Baltic basin and over Central Europe generally. Early in the week brisk northerly winds prevailed, and in Dublin heavy showers fell on Sunday at 11·30 a.m. and 12·30 p.m. Hail was seen to fall at Greystones at the former hour. Temperature became very low in the course of Monday night, hoar frost occurring in the valleys of the Dublin Mountains. Early on Tuesday morning the screened thermometers sank to 44° in the City of Dublin and to 38° at Birr Castle, King's County. The mountain bracken was shrivelled by the frost in the Dublin and Wicklow Mountains on that cold July morning. About this time the Atlantic anticyclone moved southwards to the Azores while a depression appeared over Iceland. This latter system threw off a V.-shaped secondary which extended from the Faeroe across Ireland to Scilly on Wednesday morning, causing overcast dull weather; and on Thursday, local thunderstorms of much severity in the south-east of England: an inch of rain fell on this day at Worthing, ·82 inch at Greenwich, and at Lewisham ·72 inch of rain and hail fell in 27 minutes. The last four days of the week were almost sunless in Dublin and rain fell in showers each afternoon or evening. On Saturday morning the whole range of the Welsh mountains was seen from the higher grounds at Greystones, Co. Wicklow. In Dublin the mean height of the barometer was 29·993 inches, the range of pressure being from 29·858 inches at 9 a.m. of Sunday (wind, N.N.W.) to 30·148 inches at 9 a.m. of Tuesday (wind, N.N.W.). The corrected mean temperature was 56·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·1°. The screened thermometers fell to 44·1° on Tuesday and rose to 65·0° on Wednesday. The prevailing wind was N.N.W. Rain fell on 5 days to the amount of ·267 inch, of which ·120 inch was recorded on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·004 inches. The highest reading (30·153) was on Tuesday, at 9 a.m., wind W.N.W., the lowest (29·879) on Sunday at 9 a.m., wind N.W.

The mean temperature for the week was 54·7°, being 3·8 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Wednesday, on which day the thermometer registered 64°, and was lowest on Tuesday, the mercury having fallen to 35°. The mean of the Dry Bulb for the week was 54·5° and of the Wet Bulb, 51·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·235 inch.

At Greenwich the mean temperature for the week was 57·2°, the maximum 75·8°, and the minimum 46·2°; and at Edinburgh the maximum was 64·9°, the minimum 42·2°, and the mean 54·6°. The rainfall at Greenwich measured 1·33 ins.; and at Edinburgh 0·25 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 6,	29·920	61	48	54·5	53·6	49·5	·75	·4	6·2	·025	N.W.	N.W.
Monday, „ 7,	30·100	60	43	51·5	48·8	46·3	·82	·4	8·7	·000	N.	Calm.
Tuesday, „ 8,	30·110	63	35	49·0	53·0	49·2	·78	·4	7·4	·140	W.N.W.	Calm.
Wednesday, „ 9,	29·980	64	51	57·5	57·2	53·7	·78	·4	2·1	·000	W N.W.	Calm.
Thursday, „ 10,	29·945	60	51	55·5	54·1	53·1	·93	·4	0·0	·005	W.	W.N.W.
Friday, „ 11,	30·020	61	52	56·5	56·3	55·0	·92	·4	0·0	·030	W.	Calm.
Saturday, „ 12,	29·950	63	54	58·5	58·4	56·4	·89	·4	0·0	·035	S.W.	Calm.
Mean, ...	30·004	61·7	47·7	54·7	54·5	51·9	·84	·4	Total 24·4	Total ·235	—	

Sunday—Day cloudy, showers at intervals 9.30 a.m. to 3.0 p.m.; night clear. *Monday*—A fine day, cloudy at intervals; night clear. *Tuesday*—Day cloudy, drizzling rain 5.30 to 7.40 p.m.; night overcast, drizzling rain 9.0 to 10.0 p.m. and 7.0 to 8.0 a.m. *Wednesday*—Day cloudy, fine; night overcast. *Thursday*—Day overcast; night overcast, drizzling rain 7.0 to 8 15 a m. *Friday*—Day overcast, drizzling rain 5.30 to 6.15 p.m. and 8.0 to 8.20 p.m.; night overcast. *Saturday*—Day overcast, showers at intervals p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 12th July, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 6,	57·9	60·0	56·7	62·5	44·9	53·7	7·1	0·055
Monday, „ 7,	55·0	59·1	56·8	60·4	45·1	52·75	10·2	—
Tuesday, „ 8,	56·5	59·4	56·6	63·9	43·2	53·55	8·0	0·13
Wednesday, „ 9,	60·5	59·9	56·8	65·7	51·8	58·75	3·5	—
Thursday, „ 10,	54·0	60·0	56·7	61·2	52·5	56·85	0·1	—
Friday, „ 11,	57·2	59·2	56·8	61·5	53·8	57·65	—	0·04
Saturday, „ 12,	58·9	59·1	56·7	64·6	54·8	59·7	—	0·07
Weekly Mean, .	57·1	59·5	56·7	62·8	49·4	56·1	Total 28·9	Total 0 295

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 6. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 19TH JULY, 1913. [No. 29.

General Register Office, Charlemont House,
Dublin, 21*st July,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending June 28	July 5	July 12	July 19	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·7**	**16·4**	**15·5**	**15·2**	**15·9**
Dublin Reg. Area ...	14·9	16·8	19·9	15·9	16·9
Dublin City ...	16·1	19·1	21·8	16·1	18·3
Belfast	16·9	15·9	14·2	15·8	15·7
Cork	16·3	16·3	15·6	13·6	15·5
Londonderry ...	15·3	15·3	8·9	14·0	13·4
Limerick	10·8	13·5	16·2	14·9	13·9
Waterford	26·6	17·1	11·4	24·7	19·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·3 per 1,000. Among the 120 deaths from all causes for Belfast are 3 from scarlet fever, 2 from diphtheria, and 5 from diarrhœal diseases. Two of the 11 deaths from all causes for Londonderry are from measles. Included in the 13 deaths from all causes for Waterford are 2 from measles and one from diarrhœa of a child under 2 years of age, and one of the 2 deaths recorded for Bray is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 188—86 boys and 102 girls—and the deaths to 129—64 males and 65 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·9 per 1,000 of the population. During the twenty-nine weeks, ending with Saturday last, the death-rate averaged 21·0, and was 1·8 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 129, represent an annual rate of 16·7 per 1,000; the annual rate for the past twenty-nine weeks was 22·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·9 per 1,000 of the mean population for all deaths registered.

Of the deaths registered one was from whooping-cough, one from diphtheria, and 11 were from diarrhœa and enteritis of children under 2 years of age. In the three preceding weeks, deaths from whooping-cough were 0, 2, and 3; deaths from diphtheria were 0, 3, and 4; and deaths from diarrhœa and enteritis of children under 2 years of age were 7, 4, and 10, respectively.

There were 21 deaths from tuberculous disease, as against 24, 27, and 19, respectively, in the three preceding weeks. Of the 21 deaths, 15 were from pulmonary tuberculosis, one from tuberculous meningitis, one from abdominal tuberculosis, and 4 from disseminated tuberculosis.

Cancer caused 14 deaths.

Deaths from pneumonia included one death from broncho-pneumonia, and 4 deaths from pneumonia (type not distinguished).

Of deaths of infants under one year of age, one was caused by convulsions, 5 were attributed to premature birth, and 3 to congenital debility.

There were 12 deaths from organic diseases of the heart and 7 deaths from bronchitis.

One death by accident was recorded.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 9 were under one month old) and 30 were aged 65 years and upwards, including 18 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom 2 (a male and a female) were stated to have been aged 93 and 92 years respectively.

Forty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·9 per 1,000; the rate in the City was 16·1 (North City Districts, 16·6; South, 15·5) and in the Suburbs, 15·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·9 (in the North City Districts 1·6, and in the South 2·2), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000. Among them are one from pulmonary tuberculosis and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 17·9 per 1,000. There were 3 deaths from pulmonary tuberculosis, one death from bronchitis, and 3 deaths from diarrhœa or enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000, and included 2 deaths from tuberculous disease, 2 deaths from bronchitis, one death from diarrhœa of a child under 2 years of age, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·8 per 1,000. One death from whooping-cough and one death from pneumonia were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·8. One of the 2 deaths recorded for Coolock and Drumcondra, part of, was from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (9) represent an annual rate of 11·6 per 1,000. There were 2 deaths from pulmonary tuberculosis, one death from pneumonia, one from bronchitis, and one death from diarrhœa of a child under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Tuberculous disease caused 2 deaths.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·7 per 1,000, and include one death each from pulmonary tuberculosis and broncho-pneumonia, and 3 deaths from diarrhœa or enteritis of children under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. Among them are 5 deaths from tuberculous disease and one death from diarrhœa of a child under 2 years of age.

New Kilmainham District.—There were no deaths recorded for this district last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·8; Pembroke, 24·4; Blackrock, 22·8; and Kingstown, 6·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Rathmines and Rathgar, and 2 from diarrhœa or enteritis of children under 2 years of age for Pembroke. One of the 8 deaths from all causes for Rathmines and Rathgar was from pneumonia. Among the 14 deaths from all causes for Pembroke was one from pulmonary tuberculosis. One of the 4 deaths from all causes for Blackrock was from pneumonia; and the 2 deaths recorded for Kingstown were from pulmonary tuberculosis.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 19th July, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 28,	.	—	—	22	.	.	11	.	.	6	3	.	—	—	.	—	14	.	56
	July 5,	.	—	—	12	.	.	5	.	.	3	3	.	—	—	.	—	14	.	37
	July 12,	.	—	—	11	.	.	5	.	1	2	6	.	—	—	.	—	16	.	41
	July 19,	.	—	—	12	8	.	6	.	.	2	2	.	—	—	.	—	13	.	43
Rathmines and Rathgar Urban District.	June 28,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	July 5,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	—	—	4
	July 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	July 19,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	June 28,	.	.	.	.	.	.	.	.	.	.	1	.	—	1	—	—	.	—	2
	July 5,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	—	—	2	—	5
	July 12,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	—	—	2	—	5
	July 19,	.	.	.	.	.	.	.	.	.	.	.	.	—	4	—	—	.	—	4
Blackrock Urban District.	June 28,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	July 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 19,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	June 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
City of Belfast.	June 28,	.	—	—	48	.	.	8	.	.	.	1	.	—	—	—	—	15	—	72
	July 5,	.	—	—	32	.	.	7	.	1	1	5	.	—	—	—	—	11	—	57
	July 12,	.	—	—	33	.	.	3	.	.	.	4	.	—	—	—	—	9	—	49
	July 19,	.	—	—	34	.	.	4	.	.	2	4	.	—	—	—	—	1	—	45

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th July, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 25 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 31, 24, and 21.

Eight cases of typhus were admitted to hospital during the week, and remained under treatment at its close.

One case of measles was discharged from hospital during the week, and 5 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 10, 8, and 6 respectively.

Twelve cases of scarlet fever were admitted to hospital, 12 were discharged, and 76* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 81, 84, and 76 respectively.

Eight cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 36, and 41 respectively, were 35 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 3 were discharged, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 10·4), was equal to an average annual death-rate of 11·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·2 per 1,000, the rate for Glasgow being 12·5, and for Edinburgh 11·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th July. From this Report it appears that of a total of 59 cases notified, 27 were scarlet fever, 17 phthisis, 13 diphtheria, and 2 erysipelas. Among the 364 cases of infectious diseases in hospital at the close of the week were 146 cases of scarlet fever, 104 of phthisis, 41 of diphtheria, 25 of measles, 21 of whooping-cough, 8 of enteric fever, 7 of erysipelas, and 4 of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 19th July, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 19th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	26·4	15·2	1·3	608	349	61	78	...	...	...	4	3	2	3	...	46	16	19	17	39	16	2	5	8	100	13	°	°	°		°	°	°		°	°	°	
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	24·3	15·9	1·8	188	123	27	28	...	...	...	...	...	1	1	...	15	5	13	5	10	11	1	1	1	41	3	...	...	...	...	...	...	...	...	...	...	...	...
CITY OF DUBLIN,	308,187	39·0	26·4	16·1	1·9	156	95	23	19	...	...	...	...	...	1	...	...	12	5	10	3	7	9	1	1	1	35	3	e 68	49	59·4	0·41	e 64	35·0	54·7	0·24	e 74	40	58·5	0·00
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	20·2	10·8	1·3	15	8	..	4	...	...	...	...	...	...	1	..	..	...	2	1	...	...	...	...	...	2	..	e 66·4 g 66·9	53·0 51·4	60·0 59·8	0·27 0·24	e 65·0 g 65·5	44·1 39·8	56·2 55·8	0·27 0·25	f 72·0 g 74·3	51·6 46·0	60·4 59·8	0·01 0·00
PEMBROKE ...	29,942	19·0	13·9	24·4	3·5	8	14	4	3	...	...	...	...	...	...	...	...	1	...	..	...	3	2	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	17·1	22·8	.	3	4	...	2	...	...	...	...	...	...	...	...	..	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	18·5	6·2	.	6	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	67	51	59·6	0·37	66	45	56·3	0·12	72	51	59·9	0·00
Urban Districts. BELFAST (b) ..	396,000	26·5	28·7	15·8	1·3	218	120	18	23	...	...	...	...	3	...	2	...	18	7	10	7	15	4	1	...	4	36	3	65	50	57·6	0·68	64	45	54·7	0·52	68·5	45·0	57·7	0·00
CORK, ..	76,673	28·6	19·0	13·6	.	28	20	2	4	...	...	...	...	...	...	...	...	2	...	1	3	3	...	...	...	...	8	...	66	50	58·4	0·06	64	48	56·1	0·19	70	50	58·1	0·01
LONDONDERRY ...	41,000	15·9	19·1	14·0	2·5	15	11	...	5	...	...	...	2	...	...	...	...	...	1	..	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	19·0	14·9	.	14	11	3	...	...	...	...	...	...	...	...	...	1	...	2	...	1	...	...	...	...	4	2	67·0	49·8	58·2	0·26	62·7	39·2	55·0	0·45	76·4	46·5	61·5	0·00
WATERFORD, ...	27,464	19·1	24·7	24·7	5·7	13	13	2	3	...	...	...	2	...	...	...	...	1	1	...	...	1	1	...	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				7	4	1	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	66	45	54	0·20	63	44	53	0·51	77	45	60	0·00
DUNDALK, ...	13,128	9·5				6	8	2	1	...	...	...	...	...	...	...	...	2	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				6	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01
DROGHEDA, ...	12,501	8·4				7	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				12	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01
NEWRY. ...	11,963	17·0				6	3	..	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01
PORTADOWN, ...	11,727	15·3				8	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01
WEXFORD. ...	11,531	22·8				13	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	64	50	56·0	0·58	61	37	53·0	0·80	68	43	56·0	0·11
SLIGO. ...	11,163	3·8				2	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	68	49	58·1	0·40	67	40	56·1	0·24	75	46	61·0	0·02
KILKENNY, ...	10,514	11·4				8	5	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
TRALEE. ...	10,300	17·4				3	4	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	66	49	56·7	0·27	59	48	53·6	0·33	63	49	55·5	0·15
NEWTOWNARDS,	9,587	20·1				9	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	..	...	...	66	50	58·4	0·06	64	48	56·1	0·19	70	50	58·1	0·01
QUEENSTOWN, ...	8,209	14·7				6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LARNE, ...	8,036	13·4				11	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				9	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				4	2	...	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				5	.	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31	72·9	47·0	58·6	0·01

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (†.) at foot of first page. (c) Exclusive of 6 deaths of persons (including 2 at 65 years or upwards) admitted to hospital from localities outside the Area; (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th of July, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	1	3	.	.	.	1	.	2	1	1	3	.	.	1	.	2	15	.
Tuberculous Disease. Other Forms,	.	.	2	.	.	.	.	.	1	.	2	.	.	.	.	.	5	1
Cancer,	1	1	2	1	.	.	1	.	.	2	2	.	2	.	1	.	13	1
Diseases of Nervous System,	1	.	.	4	.	.	1	.	.	.	1	.	1	5	1	.	14	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	3	.	.	.	1	.	1	3	.	2	.	1	.	.	.	12	.
" Respiratory System. Pneumonia,	.	.	.	1	.	.	.	1	.	1	.	.	1	.	1	.	5	.
" Respiratory System. Others,	1	1	2	.	.	.	.	1	.	2	.	.	.	3	.	.	10	1
" Digestive System. Diarrhœa and Enteritis, under 2 years,	.	3	1	.	.	.	.	1	.	3	1	.	.	2	.	.	11	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" Digestive System. Others,	.	.	3	.	.	.	.	1	.	.	.	.	.	.	.	.	4	2
" Genito-urinary System,	1	1	1	1	.	.	.	1	.	2	.	.	.	1	.	.	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	2	4	2	.	.	.	1	1	1	3	.	1	1	1	.	19	1
Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Deaths from All Causes	8	14	16	10	.	2	2	9	6	13	15	.	8	14	4	2	123	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	17·9	29·9	14·8	.	7·7	9·8	11·6	17·1	15·7	23·6	.	10·8	24·4	22·8	6·2	15·9	.
	16·6							15·5					15·4					
	16·1																	
Ages at Death. Under 1 year,	1	4	3	2	.	.	.	4	1	4	4	.	.	4	.	.	27	.
1 and under 2 years,	.	.	2	1	.	.	.	.	.	1	1	.	1	.	.	.	6	.
2 " 5 "	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	1
5 " 15 "	1	.	.	.	.	.	.	1	.	1	2	.	.	1	.	.	6	.
15 " 25 "	1	3	1	.	.	.	.	1	.	.	1	.	.	1	.	.	8	.
25 " 45 "	.	2	2	1	.	1	1	1	1	1	1	.	2	.	.	2	15	1
45 " 65 "	2	3	3	5	.	.	.	2	3	3	2	.	1	5	2	.	31	2
65 and upwards,	3	2	5	1	.	1	1	.	1	2	3	.	4	3	2	.	28	2
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	3	2	.	.	1	.	2	1	4	4	.	1	3	1	.	22	5
Workhouse Hospitals.	1	2	5	2	.	.	.	4	1	1	2	.	1	.	.	.	19	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 19th July, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 25, 1903.	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.	July 22, 1911.	July 20, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 57·4	° 59·3	° 61·9	° 59·0	° 63·8	° 57·3	° 59·4	° 56·9	° 62·9	° 58·0	° 59·6	° 59·4										
ALL CAUSES.	131	131	153	156	168	144	115	144	162	131	143·5	129	9	18	6	3	6	8	16	33	17	13
Enteric Fever, ...	1	2	2	1	.	1	2	2	2	.	1·3	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	5	.	2	.	3	.	1	3	8	2·3	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	.	.	.	3	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	3	1	3	4	1	2	1	4	.	2·2	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	1	.	.	1	.	2	3	·7	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	.	.	.	.	1	2	.	·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	1	1	.	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	17	14	14	23	21	21	23	11	17	21	18·2	15	.	.	1	.	.	6	7	1	.	.
Tuberculous Meningitis, ...	3	3	4	3	4	6	3	2	4	3	3·5	1	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	3	3	2	2	.	.	.	4	2	1·7	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	4	8	6	6	5	3	1	.	.	4·4	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									1	1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	1		4	.	.	1	1	1	1	.	.	.	.
Venereal Diseases, ...	.	.	1	1	2	2	.	2	.	.	·8	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	8	2	6	14	5	10	4	11	10	11	8·1	14	.	.	.	.	.	.	2	8	1	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	1	.	.	.	.	.	1	·3	1	.	.	.	.	.	1	.	.	.	.
Diabetes, ...	.	.	.	.	1	.	.	1	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	3	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	6	3	—	2	.	.	.	.	.	.	.	1	.	1
Alcoholism, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									3	3		3	.	1	.	.	1	.	.	1	.	.
Cerebral Hæmorrhage, Apoplexy.									3	4		8	.	.	.	.	.	.	.	6	2	.
Softening of Brain, ...									3	.		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.									4	.		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									7	2		1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	36	36	30	37	45	33	22	34	3	2	33·8	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									18	9		12	.	.	.	.	.	.	1	7	4	.
Embolism and Thrombosis (including Cerebral)									1	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									.	.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	9	8	6	9	19	8	10	13	9	9	10·0	7	.	2	.	.	.	.	.	1	3	1
Broncho-pneumonia, ...	2	3	5	4	7	4	3	3	4	1	3·6	1	.	.	.	1	.	.	.	.	.	.
Lobar pneumonia, ...	1	.	.	.	1	.	.	1	2	3	·8	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	5	3	8	4	.	3	5	2	.	3·4	4	.	.	.	.	1	.	1	.	.	2
Pleurisy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	1	2	1	3	2	2	1	.	.	1·4	2	.	.	.	.	.	.	.	1	.	1
Other Diseases of Respiratory System.									1	1		1	.	.	.	.	.	.	.	.	1	.

TWENTY-NINTH WEEK ending Saturday, 19th July, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 19th July, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	July 25, 1903.	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.	July 22, 1911.	July 20, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 57·4	° 59·3	° 61·9	° 59·0	° 63·8	° 57·3	° 59·4	° 56·9	° 62·9	° 58·0	° 59·6	° 59·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	4	—	4	.	1	1	.	.	.	.	2	.	.
Diarrhœa and Enteritis of Children under 2 years.	2	7	22	7	2	17	9	9	11	7	9·4	11	1	10	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		1	.	.	.	.	1	.	.	.	.	.
Enteritis 2 years and upwards									1	.		1	.	.	.	.	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	3	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	2	.	.	1	.	1	1	.	1	·8	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	3	2	2	2	.	.	.	1	.	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	2	5	9	2	6	2	6	4	2	1	3·9	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...									1	.		1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...									3	1		6	.	.	.	.	.	.	2	2	2	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	5	5	6	6	4	4	5	.	.	4·8	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									2	.		1	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	3	—	2	1	.	.	1	.	.	.	.	.	.
Premature Birth, ...	3	3	6	6	1	4	1	4	2	4	3·4	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	4	—	3	3	.	.	.	.	.	.	.	.	.
Old Age, ...	3	3	4	3	4	7	.	2	3	3	3·2	5	.	.	.	.	.	.	.	.	2	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	1	.	1	.	2	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	1	.	.
Other Deaths by Accident, ...	4	6	4	2	3	1	4	7	1	1	3·3	1	.	.	.	.	.	.	.	1	.	.
Total Deaths from Accident,	4	6	9	2	7	1	6	8	2	1	4·6	1	.	.	.	.	.	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	2	1	.	1	1	2	.	1	·9	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	4	—	2	.	.	.	.	.	.	.	.	.	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																										
	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered.	244	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188
Average Births in corresponding week of previous 10 years, ...	209	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219
DEATHS registered, ...	161	158	151	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129
Annual Death-rate per 1,000, ...	20·8	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7
Average Deaths in corresponding week of previous 10 years, ...	199	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144
Ages, Under 5 years, ...	45	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36
5—15 " ...	4	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6
15—25 " ...	10	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8
25—45 " ...	30	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16
45—65 " ...	34	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33
65—75 " ...	24	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17
75 and upwards, ...	14	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.
Small-pox, ...	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.
Scarlet Fever, ...	.		1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	.	.
Whooping-cough, ...	2	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1
Diphtheria, ...	4	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1
Influenza, ...	1	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	14	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15
Tuberculous Disease, Other Forms,	6	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6
Cancer, ...	8	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14
Diseases of Circulatory System,	11	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12
Diseases of Respiratory System, Pneumonia	15	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5
Diseases of Respiratory System, Others, ...	39	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11
Diarrhœa and Enteritis, under 2 years, ...	2	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1
Violent Deaths, ...	2	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1
Number of Uncertified Deaths,	11	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3
Mean Temperature of the Air (Phœnix Park)	41·9	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4
Average Mean Temperature in corresponding week of previous 10 years, ...	40·1	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	59·6
Rainfall in inches, ...	1·425	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	560	·330	·360	·135	·000	·235	405
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th July, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Registration of Deaths, Week ending Saturday, 19th July, 1913. Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	16·9	129	36	6	8	16	33	17	13	.	.	.	.	.	1	1	.	15	6	14	1	5	11	11	1	1	62	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	21·3	6	.	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	101,798	13·8	27	2	.	1	5	7	5	7	.	.	.	.	.	.	.	.	2	.	4	.	3	2	.	.	.	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13·9	29	9	1	4	4	6	5	.	.	.	.	.	.	.	.	.	5	2	.	.	.	1	3	1	.	17	1
IV.	GENERAL SERVICE CLASS, ...	167,479	14·6	47	19	4	2	3	13	4	2	.	.	.	.	.	1	1	.	6	3	5	1	1	3	6	.	1	19	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	6	1	1	3	4	3	2	.	.	.	.	.	.	.	.	2	1	3	.	1	5	2	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	39·8	6	.	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	10·3	5	.	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1
	6. Clerks and Commercial Assistants, ...	33,249	14·1	9	2	.	1	2	2	2	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	18·5	12	.	.	.	2	2	2	6	.	.	.	.	.	.	.	.	.	.	3	.	2	2	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	2	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	12·7	7	3	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.
	10. Clothing Trades, ...	20,026	15·6	6	2	1	2	.	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	.	2	1
	11. Food Supply Trades	8,952	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	16·3	10	2	.	2	1	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	7	.
	13. Petty Shopkeepers	6,772	7·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	12·1	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	15. Domestic Servants, ...	36,041	5·8	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	6	1	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1	2	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	16·2	32	11	3	2	3	10	3	.	.	.	.	.	.	.	1	.	5	2	3	1	1	2	3	.	1	13	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	20	6	1	1	3	4	3	2	.	.	.	.	.	.	.	.	2	1	3	.	1	5	2	.	.	6	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	May 31,	24·4	3·5	14	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1
	June 7,	13·9	.	8	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.
	„ 14,	27·9	.	16	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	2	1
	„ 21,	26·2	3·5	15	.	.	.	.	.	.	1	.	1	3	.	.	3	1	.	1	.
	„ 28,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.
	July 5,	20·9	.	12	.	.	.	.	.	.	.	.	4	2	1	.	.	.	.	.	.
	„ 12,	19·2	3·5	11	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	2
	„ 19,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	May 31,	24·2	1·3	19	1	.	.	.	.	.	.	.	4	.	3	1	3	.	.	.	.
	June 7,	19·1	3·8	15	1	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.	2
	„ 14,	19·1	1·3	15	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
	„ 21,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
	„ 28,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	2	.	.	.	1	.	1	1
	July 5,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.
	„ 12,	33·2	2·6	26	.	.	.	.	2	.	.	.	3	1	1	3	1	.	.	2	.
	„ 19,	17·9	3·8	14	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	May 31,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	June 7,	29·9	.	16	.	.	.	.	.	.	.	.	2	2	2	2	1	.	.	.	1
	„ 14,	24·3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.
	„ 21,	24·3	1·9	13	.	.	.	.	.	1	.	.	4	1	1	2	1	.	.	.	.
	„ 28,	18·7	3·7	10	.	.	.	.	.	.	.	.	4	.	.	1	.	2	.	.	.
	July 5,	31·8	.	17	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	1	1
	„ 12,	26·2	3·7	14	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
	„ 19,	29·9	1·9	16	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	May 31,	10·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	June 7,	17·8	.	12	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	1	1
	„ 14,	29·6	.	20	.	.	.	.	.	.	.	.	5	2	.	2	2	.	.	.	.
	„ 21,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
	„ 28,	23·7	1·5	16	.	.	.	.	.	.	.	.	3	.	2	1	1	1	.	.	.
	July 5,	17·8	1·5	12	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.
	„ 12,	16·3	.	11	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.
	„ 19,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	May 31,	18·1	1·3	14	.	.	.	.	.	.	.	.	4	.	1	3	1	1	.	.	.
	June 7,	12·9	1·3	10	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.
	„ 14,	20·7	.	16	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	2	1
	„ 21,	16·8	.	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	„ 28,	15·5	1·3	12	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.
	July 5,	22·0	1·3	17	.	.	.	.	.	.	.	.	2	.	4	1	1	.	1	.	.
	„ 12,	14·2	1·3	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	„ 19,	11·6	1·3	9	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	May 31,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	June 7,	28·4	.	10	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	2
	„ 14,	28·4	5·7	10	.	.	.	.	1	1	.	.	2	1	.	1	.	.	.	.	.
	„ 21,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1
	„ 28,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	17·1	5·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	1
	„ 12,	25·6	8·5	9	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	May 31,	12·1	.	10	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.
	June 7,	16·9	.	14	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.
	„ 14,	23·0	2·4	19	.	.	.	.	.	.	1	.	4	1	.	2	3	1	.	.	.
	„ 21,	24·2	4·8	20	.	.	.	.	.	1	1	1	2	.	2	3	2	1	.	1	.
	„ 28,	16·9	.	14	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	July 5,	19·4	2·4	16	.	.	.	.	.	1	1	.	2	.	.	2	4	.	.	.	.
	„ 12,	19·4	3·6	16	.	.	.	.	1	.	.	.	1	1	2	.	2	2	.	.	.
	„ 19,	15·7	4·8	13	.	.	.	.	.	.	.	.	1	.	2	1	2	3	1	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	May 31,	18·9	.	12	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	June 7,	14·1	3·1	9	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.
	„ 14,	26·7	.	17	.	.	.	.	.	.	.	.	3	.	3	1	1	.	.	.	.
	„ 21,	23·6	4·7	15	.	1	.	.	.	1	.	.	.	.	.	2	2	1	.	1	.
	„ 28,	11·0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	July 5,	23·6	1·6	15	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	1	.
	„ 12,	26·7	6·3	17	.	.	.	.	.	2	1	.	1	.	.	1	3	1	.	.	2
	„ 19,	23·6	1·6	15	.	.	.	.	.	.	.	.	3	2	2	.	.	1	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	May 31,	18·8	.	14	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
	June 7,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 14,	12·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.
	„ 21,	8·1	1·3	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 28,	6·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Pop. in 1913 (Est.) 38,769.	July 5,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 12,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 19,	10·8	1·3	8	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.
Pembroke Urban District.	May 31,	22·6	1·7	13	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	1
	June 7,	19·2	1·7	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 14,	8·7	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	„ 21,	10·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 28,	20·9	.	12	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	.
Pop. in 1913 (Est.) 29,942.	July 5,	15·7	3·5	9	.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	3	.
	„ 12,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 19,	24·4	3·5	14	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
Kingstown Urban District.	May 31,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June 7,	6·2	3·1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	30·8	9·2	10	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	1	1
	„ 21,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 28,	9·2	3·1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Pop. in 1911 16,941.	July 5,	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	18·5	3·1	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 19,	6·2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Belfast.	May 31,	16·7	0·5	127	.	.	.	2	2	.	.	.	19	7	1	9	9	.	.	2	2
	June 7,	17·1	1·6	130	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	1
	„ 14,	17·5	0·7	133	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	2
	„ 21,	14·0	0·4	106	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	.
Pop. in 1913 (Est.) 396,000.	„ 28,	16·9	1·6	128	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	1
	July 5,	15·9	1·4	121	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	1
	„ 12,	14·2	1·3	108	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	.
	„ 19,	15·8	1·3	120	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	3
Cork.	May 31,	17·0	0·7	25	.	.	.	1	.	.	.	.	5	.	1	4	3	.	.	.	2
	June 7,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.
	„ 14,	17·0	0·7	25	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	1
	„ 21,	17·0	0·7	25	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1
Pop. in 1911 76,673.	„ 28,	16·3	0·7	24	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	.
	July 5,	16·3	.	24	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3
	„ 12,	15·6	0·7	23	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	.
	„ 19,	13·6	.	20	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
Londonderry.	May 31,	11·4	.	9	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
	June 7,	22·9	1·3	18	.	.	.	1	.	.	.	.	1	1	2	.	3	.	.	.	1
	„ 14,	15·3	2·5	12	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
	„ 21,	14·0	1·3	11	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	2	.
Pop. in 1913 (Est.) 41,000.	„ 28,	15·3	2·5	12	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.	.
	July 5,	15·3	1·3	12	.	.	.	1	.	.	.	.	4	.	.	.	1	.	.	.	.
	„ 12,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	14·0	2·5	11	.	.	.	2	.	.	.	.	.	1	.	1	1	.	.	.	.
Limerick.	May 31,	20·3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	1
	June 7,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 21,	19·0	.	14	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	1
Pop. in 1911 38,518.	„ 28,	10·8	1·4	8	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	1
	July 5,	13·5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	1
	„ 12,	16·2	2·7	12	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2
Waterford.	May 31,	15·2	1·9	8	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	1
	June 7,	28·5	5·7	15	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	1	.
	„ 14,	19·0	1·9	10	.	.	.	.	.	1	.	.	3	1	.	1	2	.	.	1	.
	„ 21,	38·0	9·5	20	.	.	.	2	.	2	.	.	2	.	.	.	1	.	1	.	2
Pop. in 1911 27,464.	„ 28,	26·6	7·6	14	.	.	.	3	.	.	.	.	.	.	.	3	1	1	.	1	2
	July 5,	17·1	1·9	9	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	2
	„ 12,	11·4	5·7	6	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 19,	24·7	5·7	13	.	.	.	2	.	.	.	.	1	1	.	.	1	1	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th July, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	13·1	3·3	4	.	2	.	.	1	1	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Do. 2 do.	49,500	27	13·7	1·1	13	1	1	2	3	4	2	.	.	.	.	.	.	.	.	4	.	1	.	1	.	1	.	1	2	.
Do. 3 do.	50,032	24	18·8	.	18	4	.	2	3	7	2	.	.	.	.	.	.	.	.	4	.	3	1	1	.	.	.	.	4	1
Do 4 do.	32,637	19	17·6	3·2	11	2	3	3	.	2	1	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.	.	.	6	.
Do. 5 do.	16,112	8	22·7	.	7	.	.	2	2	2	1	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.	4	1
Do. 6 do.	37,293	23	16·8	1·4	12	.	2	1	2	5	2	.	.	.	.	1	.	.	.	1	.	1	2	1	.	.	.	.	3	.
Do. 7 do.	2,681	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	11	10·7	2·1	5	3	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	2	.
Do. 10 do.	28,958	24	23·4	1·8	13	3	3	1	.	3	3	.	.	.	.	1	.	.	.	1	1	2	.	1	.	.	.	1	3	1
Do. 11 do.	39,311	23	10·6	.	8	2	.	1	3	.	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	1	1	.
Do. 12 do.	38,076	27	21·9	4·1	16	2	4	3	.	3	4	.	.	.	.	.	.	2	.	2	.	.	.	5	1	.	.	1	5	.
Do. 13 do.	23,233	14	6·7	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	20·7	.	9	1	1	.	3	3	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	4	.
Total,	386,947	218	15·8	1·3	120	18	16	15	18	30	23	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	4	36	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	7·8	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,701	5	15·0	.	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	2	5·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 4 do.	8,666	1	22·8	.	4	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3	.
Do 5 do.	6,592	3	25·0	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do 6 do.	10,702	7	13·5	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,616	4	13·0	.	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2	.
Total,	76,122	28	13·6	.	20	2	3	1	2	8	4	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.	8	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered, ...	256	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218
DEATHS registered, ...	186	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120
Annual Death-rate per 1,000 of estimated population, ...	24·5	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8
AGES, Under 1 year, ...	37	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18
1—5 years, ...	23	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16
5—25 ,, ...	15	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15
25—45 ,, ...	22	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18
45—65 ,, ...	44	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30
65 and upwards, ...	45	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	13	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.
Scarlet Fever, ...	4	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3
Whooping-cough, ...	.	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.		.	.	1	2	.	.
Diphtheria, ...	2	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
Tuberculous Disease. Phthisis, ...	12	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18
Tuberculous Disease. Other Forms,	6	11	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7
Cancer, ...	5	4	5	7	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10
Diseases of Respiratory System, Pneumonia,	18	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7
Diseases of Respiratory System, Others, ...	34	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15
Diarrhœa and Enteritis, under 2 years, ...	4	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4
Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1
Violent Deaths, ...	6	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.
Number of Uncertified Deaths, ...	2	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	July 19,	2,139	901	10·4	2	.	16	4	13	6	34*a*
Edinburgh, ...	320,300	„ 19,	116	69	11·2	.	.	1	.	1	1	.
Glasgow, ...	1,021,500	„ 19,	564	245	12·5	.	.	20	3	8	3	4
Calcutta, ...	896,067	June 7,	.	405	23·5	89*	3	1	.	.	1†	63‡
Bombay, ...	979,445	„ 14,	306	507	26·9	86*	.	1	.	.	.	40‡
Madras, ...	518,660	„ 21,	342	413	41·4	78*	2	.	?	?	?	122
Cairo, ...	710,514	Apr. 29,	522	577	42·3	5	.	19	.	?	2†	119*a*
Paris, ...	2,847,229	July 5,	969	749	13·4	5	.	19	5	6	4†	28*a*
Brussels, ...	767,252	June 28,	273	183	12·4	1	.	2	.	.	1†	13*a*
Antwerp, ...	312,884	July 5,	108	78	13·0	2	.	3	2	2	2†	7*a*
Amsterdam, ...	590,122	June 28,	262	119	10·5	.	.	4	.	1	1†	9*a*
Copenhagen, ...	473,500	„ 28,	206	132	14·5	.	.	.	.	3	.	6
Stockholm, ...	376,171	„ 28,	152	105	14·5	.	.	.	.	.	.	4*a*
Christiania, ...	247,488	July 5,	142	53	11·0	.	.	1	.	.	.	2
St. Petersburg ...	1,686,000	June 14,	731	667	20·6	15	.	24	13	7	6	107*a*
Moscow, ...	1,694,000	„ 7,	.	853	26·3	.	3	26	20	6	20†	218
Berlin, ...	2,072,553	„ 14,	726	471	11·8	.	.	3	5	1	7†	31
Hamburg, ...	1,006,748	„ 28,	.	218	11·3	1	.	2	1	1	6†	19
Breslau, ...	540,446	„ 28,	.	146	14·1	1	.	4	.	.	.	8
Munich, ...	622,000	„ 28,	.	157	13·2	2	.	1	.	1	.	8
Vienna (with suburbs),	2,115,254	„ 28,	678	566	13·9	.	.	17	6	4	5†	37*a*
Buda-Pesth, ...	930,666	„ 28,	447	318	17·8	2	.	10	9	1	2†	21*a*
Prague and Faubourgs,	494,055	„ 14,	179	155	16·4	.	.	3	2	.	1†	8*a*
Trieste, ...	239,703	„ 28,	134	80	17·4	.	.	3	.	2	.	4*a*
Rome, ...	579,285	Mar. 29,	301	160	14·4	1	.	8	.	.	4	9
		Apr. 5,	295	174	15·7	1	.	10	2	3	3	.
New York, ...	5,372,983	June 14,	2,522	1,303	12·6	1	.	21	11	12	34†	41*a*
Philadelphia, ...	1,631,960	May 31,	.	436	13·9	6	.	4	3	1	5†	20*a*
Boston, ...	735,399	June 28,	.	192*b*	13·6	.	.	.	1	.	4	8

* Deaths from "fever," including 12 from enteric fever and 36 from plague in Calcutta, and 3 from enteric fever and 23 from plague in Bombay.

† Including deaths from croup.

‡ Including 32 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Deaths of non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th July, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	1	1	.	.	1	.	5
„ „ 1, West, ...	.	.	.	.	.	.	.	1	.	.	.	2	.	3
„ „ 2, ...	.	.	8	.	.	.	.	.	.	.	.	2	.	10
„ „ 3, ...	.	5	.	.	2	.	.	.	.	.	.	1	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	.	.	.	.	.	.	.	1	.	3
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
„ „ 3, ...	.	1	.	.	1	.	.	.	1	.	.	3	.	6
„ „ 4, ...	.	2	.	.	1	.	.	.	.	.	.	2	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	12	8	.	6	.	.	2	2	.	.	13	.	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th July, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th July.			
	June 28.	July 5.	July 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	31	24	21	7	3	.	25
Typhus, ...	.	.	.	8	.	.	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	10	8	6	.	1	.	5
Scarlet Fever, ...	81	84	76	12	12	.	76*
Diphtheria, ...	36	36	41	8	12	2	35
Pneumonia, ...	23	19	21	5	3	.	23

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 19th July, 1913:—

"Cloudy, showery weather prevailed during the greater part of this week. An outstanding feature was the heat which was reported from Haparanda, on the Gulf of Bothnia (lat. 65° 52′, N.) At that far northern station the thermometer rose in the shade to 84° on Sunday and Tuesday, 82° on Wednesday and 86° on Thursday. Even at Spitzbergen (lat. 77° N.) all trace of frost disappeared as the week advanced and the thermometer rose to 52° on Thursday and 54° on Friday. In the British Islands, on the other hand, readings of 70° or upwards were very infrequent, and the highest of all up to Saturday was 75° at Camden Square, London, on Monday. The changeable weather of the period was brought about by the passage of numerous shallow depressions across Northwestern Europe in a north-easterly or easterly direction, while the barometer after Sunday remained steadily high (between 30·3 and 30·4 inches) near and at the Azores. In Dublin the sky was densely clouded from Monday morning to Friday afternoon, and light showers fell frequently—for the most part in the afternoons. Friday, however, turned out to be a very fine, summerlike day, the sun shining brightly in the afternoon. In the course of the following night, a shallow depression crossed over our northern districts in a south-easterly direction, changing the weather once more into a cloudy, showery state. Temperature, however, was tolerably high, and a bright afternoon brought the week to a close. In Dublin the mean height of the barometer was 30·036 inches, the observed range of pressure being from 29·925 inches at 9 a.m. of Sunday (wind, S.W.) to 30·219 inches at 9 p.m. of Saturday (wind, N.). The corrected mean temperature was 60·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·4°. The screened thermometers rose to 66·4° on Thursday, having fallen to 53·0° on Monday. The dominant wind was N.N.W. Rain fell on six rain-days to the amount of ·273 inch, of which ·160 inch fell early on Saturday morning (after midnight of Friday). A brief thunderstorm occurred at 5.15 p.m. on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·047 inches. The highest reading (30·227) was on Saturday, at 9 p.m., air calm, the lowest (29·936) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 59·4°, being 0·2 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Saturday, on which day the thermometer registered 68°, and was lowest on Monday, the mercury having fallen to 49°. The mean of the Dry Bulb for the week was 58·0° and of the Wet Bulb, 55·4°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·405 inch.

At Greenwich the mean temperature for the week was 60·0°, the maximum 73·0°, and the minimum 51·2°; at Glasgow the maximum was 69·5°, the minimum 51·0°, and the mean 59·5°; and at Edinburgh the maximum was 68·3°, the minimum 50·4°, and the mean 59·0°. The rainfall at Greenwich measured 0·52 in.; at Glasgow 0·38 in.; and at Edinburgh 0·05 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 13,	29·955	67	56	61·5	59·6	55·9	·78	·5	0·3	·015	S.W.	Calm.
Monday, „ 14,	29·980	66	49	57·5	56·6	54·3	·86	·4	3·1	·015	W.S.W.	N.W.
Tuesday, „ 15,	30·085	61	53	57·0	57·5	55·2	·85	·4	0·2	·000	N.W.	Calm.
Wednesday, „ 16,	29·990	64	53	58·5	57·8	54·8	·81	·5	0·6	·040	W.S.W.	W.S.W.
Thursday, „ 17,	30·005	64	55	59·5	59·0	56·9	·88	·5	0·0	·070	W.S.W.	W.
Friday, „ 18,	30·155	66	55	60·5	57·0	54·5	·85	·5	4·1	·200	W.N.W.	Calm.
Saturday, „ 19,	30·160	68	54	61·0	58·6	56·1	·86	·3	3·2	·065	W.N.W.	Calm.
Mean, ...	30·047	65·1	53·6	59·4	58·0	55·4	·84	·4	Total 11·5	Total ·405	Prevailing Wind, W.S.W.	

Sunday—A dull day, showers at intervals a.m. and p.m.; night cloudy. *Monday*—Day cloudy, showers at intervals 1.0 to 6.0 p.m.; night overcast to cloudy. *Tuesday*—A dull day; night cloudy. *Wednesday*—A dull day, light and heavy rain 2.45 to 4.30 p.m.; night overcast. *Thursday*—Day overcast, showers at intervals p.m.; night overcast, heavy rain 8.30 to 8.40 a.m. *Friday*—Day cloudy, fine; night overcast, drizzling and heavy rain 3.0 to 8 30 a m. *Saturday*—Day cloudy, heavy showers at intervals 9.0 a.m to 12.0 p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 19th July, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 13,	61·7	59·8	56·7	66·5	57·0	61·75	1·0	—
Monday, „ 14,	57·5	59·7	53·6	66·4	52·2	59·3	3·8	·035
Tuesday, „ 15,	58·8	59·8	56·6	62·0	54·1	58·05	0·3	—
Wednesday, „ 16,	56·9	59·1	56·7	65·2	54·9	60·05	0·3	·033
Thursday, „ 17,	60·5	59·4	56·7	66·2	55·8	61·0	0·1	·02
Friday, „ 18,	59·2	59·7	56·8	66·9	56·8	61·85	4·2	·143
Saturday, „ 19,	61·7	60·0	56·8	64·8	50·2	57·5	2·0	—
Weekly Mean, .	59·5	59·6	56·7	65·4	54·4	59·9	Total 11·7	Total ·231

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 6. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE, (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 26TH JULY, 1913. [No. 30.

General Register Office, Charlemont House,
Dublin, 28*th July,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending July 5	Week ending July 12	Week ending July 19	Week ending July 26	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·4**	**15·5**	**15·2**	**16·4**	**15·9**
Dublin Reg. Area ...	16·8	19·9	15·9	15·1	16·9
Dublin City ...	19·1	21·8	16·1	16·2	18·3
Belfast	15·9	14·2	15·8	15·8	15·4
Cork	16·3	15·6	13·6	25·2	17·7
Londonderry ...	15·3	8·9	14·0	12·7	12·7
Limerick	13·5	16·2	14·9	19·0	15·9
Waterford	17·1	11·4	24·7	19 0	18·0

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·3 per 1,000. Among the 120 deaths from all causes for Belfast are one from enteric fever, one from scarlet fever, one from whooping-cough, and 8 from diarrhœal diseases. Of the 37 deaths from all causes for Cork there are one from typhus and one from diarrhœa of a child under 2 years. One of the 14 deaths from all causes for Limerick is from enteric fever. Included in the 10 deaths from all causes for Waterford are 4 from measles and one from diarrhœa of a child under 2 years. Of the 7 deaths from all causes for Newry one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 218—113 boys and 105 girls—and the deaths to 126—65 males and 61 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·1 per 1,000 of the population. During the thirty weeks, ending with Saturday last, the death-rate averaged 20·8, and was 1·8 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 126, represent an annual rate of 16·3 per 1,000; the annual rate for the past thirty weeks was 22·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·8 per 1,000 of the mean population for all deaths registered.

Included in the 126 deaths registered are 3 deaths from whooping-cough, one* death from diphtheria, one death from influenza, and 6 deaths from diarrhœa or enteritis of children under 2 years of age. In the three preceding weeks, deaths from whooping-cough were 2, 3, and one; deaths from diphtheria were 3, 4, and one; deaths from influenza were one, one and 0; and deaths from diarrhœa or enteritis of children under 2 years of age numbered 4, 10, and 11, respectively.

Tuberculous disease caused 26 deaths, including 18 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of the vertebral column, and one from disseminated tuberculosis. In the three preceding weeks deaths from all forms of tuberculous disease numbered 27, 19, and 21, respectively.

Five deaths were caused by cancer.

There were 3 deaths from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia (type not distinguished).

Two deaths of infants under one year of age were ascribed to convulsions, 4 to premature birth, and 8 to congenital debility.

Organic diseases of the heart caused 13 deaths, and bronchitis 8 deaths.

There were 4 accidental deaths, including one (that of a child aged 3½ years) by burns, one by drowning, and one by a tram.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old), and the death of one person aged 68 years.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 12 were under one month old) and 24 were aged 65 years and upwards, including 19 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom one (a female) was stated to have been aged 95 years.

Fifty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 3 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·1 per 1,000; the rate in the City was 16·2 (North City Districts, 13·7; South, 19·1) and in the Suburbs, 11·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·4 (in the North City Districts 1·3, and in the South 1·4), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000, and include 2 from pulmonary tuberculosis, 2 from bronchitis, and one from accidental violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (8) are equal to an annual rate of 10·2 per 1,000. Included in the total are 2 deaths from diarrhœa.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000. Whooping-cough caused one death, there were 2 deaths from tuberculous disease, and one death from enteritis of a child under 2 years.

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 14·8 per 1,000. Tuberculous disease caused 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 9·8. Of the 2 deaths for Finglas and Glasnevin there was one from pulmonary tuberculosis and one from burns.

No. 1 *South City District* (South Earl-street).—The deaths (11) represent an annual rate of 14·2 per 1,000. Tuberculous disease caused 3 deaths, and there were 3 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Included in the total are 3 deaths from tuberculous disease, one from lobar pneumonia, one from pneumonia, one from bronchitis, and one from diarrhœa of a child under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000. Influenza caused one death, pulmonary tuberculosis 3 deaths, broncho-pneumonia one death, diarrhœa (children under 2 years) 2 deaths, and accidental violence one death.

No. 4 *South City District* (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000, and include one from whooping-cough, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. Pulmonary tuberculosis caused 2 deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·1; Pembroke, 10·4; Blackrock, 5·7; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Pembroke and one from diarrhœa of a child under 2 years for Rathmines and Rathgar. Of the 6 deaths from all causes for Rathmines and Rathgar one was from tuberculous peritonitis and one from bronchitis. Included in the 6 deaths from all causes for Pembroke is one from broncho-pneumonia. One of the 8 deaths from all causes for Kingstown is from tuberculous meningitis.

* See note (c) Table II.
† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 26th July, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	July 5,	.	—	—	12	.	.	5	.	.	3	3	.	—	—	.	—	14	.	37
	July 12,	.	—	—	11	.	.	5	.	1	2	6	.	—	—	.	—	16	.	41
	July 19,	.	—	—	12	8	.	6	.	.	2	2	.	—	—	.	—	13	.	43
	July 26,	.	—	—	14	4	.	2	.	.	7	1	.	—	—	.	—	22	.	50
Rathmines and Rathgar Urban District.	July 5,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	—	—	4
	July 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	July 19,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	July 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	July 5,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	—	—	2	—	5
	July 12,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	—	—	2	—	5
	July 19,	.	.	.	.	.	.	.	.	.	.	.	.	—	4	—	—	.	—	4
	July 26,	.	.	.	.	.	.	1	.	.	.	.	.	—	7	—	—	.	—	8
Blackrock Urban District.	July 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 19,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	July 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	July 5,	.	—	—	32	.	.	7	.	1	1	5	.	—	—	—	—	11	—	57
	July 12,	.	—	—	33	.	.	3	.	.	.	4	.	—	—	—	—	9	—	49
	July 19,	.	—	—	34	.	.	4	.	.	2	4	.	—	—	—	—	1	—	45
	July 26,	.	—	—	29	.	.	3	.	.	3	5	.	—	—	—	—	13	—	53

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th July, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Ten cases of enteric fever were admitted to hospital during the week, one was discharged, and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 24, 21, and 25.

Four cases of typhus were admitted to hospital during the week, one was discharged, and 11 cases remained under treatment at its close.

One case of measles was admitted to hospital during the week, 5 were discharged, and one case remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 8, 6, and 5 respectively.

Fourteen cases of scarlet fever were admitted to hospital, 14 were discharged, and 76* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 84, 76, and 76 respectively.

Five cases of diphtheria were admitted to hospital during the week, and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 41, and 35 respectively, were 31 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 6 were discharged, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 10·6), was equal to an average annual death-rate of 11·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·1 per 1,000, the rate for Glasgow being 14·7, and for Edinburgh 10·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th July. From this Report it appears that of a total of 49 cases notified, 19 were phthisis, 18 scarlet fever, 6 diphtheria, 5 erysipelas, and one enteric fever. Among the 363 cases of infectious diseases in hospital at the close of the week were 147 cases of scarlet fever, 97 of phthisis, 42 of diphtheria, 34 of measles, 17 of whooping-cough, 11 of erysipelas, 8 of enteric fever, and 2 of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 26th July, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 26th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	30·4	16·4	1·3	699	378	70	89	2	1	...	5	1	4	...	...	48	16	23	12	29	15	3	10	13	119	10	° ...	° ...	° ..	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	28·2	15·1	1·3	218	117	27	23	...	...	...	...	...	3	...	...	17	6	2	5	9	6	1	3	4	43	4	e73	39	54·2	0·16	e 68	49	59·4	0·41	e 64	35·0	54·7	0·24
CITY OF DUBLIN,	308,187	39·0	31·6	16·2	1·4	187	96	22	13	...	...	...	...	...	2	...	...	17	4	1	4	8	5	1	3	4	37	3	f71·3 g73·3	47·7 42·8	58·3 57·2	0·09 0·09	e 66·4 g 66·9	53·0 51·4	60·0 59·8	0·27 0·24	f 65·0 g 65·5	44·1 39·8	56·2 55·8	0·27 0·25
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	12·1	8·1	1·3	9	6	2	2	...	...	...	...	...	...	...	..	...	1	1	...	1	1	...	...	...	2	1	...	...	...	...	...	...	...	...	..	...	...	...
PEMBROKE. ...	29,942	19·0	24·4	10·4	1·7	14	6	1	4	...	...	...	...	...	1	...	...	...	...	...	1	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	5·7	5·7	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	21·5	24·6	.	7	8	2	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	...	70	49	58·2	0·05	67	51	59·6	0·37	66	45	56·3	0·12
Urban Districts. BELFAST ..	396,000	26·5	36·9	15·8	1·4	280	120	24	27	1	...	...	...	1	1	...	...	12	6	10	4	11	6	2	2	4	23	1	68	44	56·6	0·39	65	50	57·6	0·68	64	45	54·7	0·52
CORK, ..	76,673	28·6	23·1	25·2	1·4	34	37	4	11	...	1	...	...	...	...	...	...	7	1	3	2	2	1	...	...	...	28	1	68	49	57·7	0·03	66	50	58·4	0·06	64	48	56·1	0·19
LONDONDERRY ...	41,000	15·9	34·3	12·7	.	27	10	...	5	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	29·8	19·0	1·4	22	14	3	3	1	...	...	...	...	...	...	...	1	...	2	...	1	...	...	...	...	4	1	74·6	40·0	58·3	0·03	67·0	49·8	58·2	0·26	62·7	39·2	55·0	0·45
WATERFORD, ...	27,464	19·1	19·0	19·0	9·5	10	10	3	1	...	...	...	4	...	...	...	...	...	1	...	1	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				5	6	1	1	...	...	...	..	...	...	...	...	1	1	...	...	...	...	...	1	1	4	1	77	40	56	0·18	66	45	54	0·20	63	44	53	0·51
DUNDALK, ...	13,128	9·5				7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				13	2	1	...	...	...	...	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...	...	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31
DROGHEDA, ...	12,501	8·4				1	7	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				9	5	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	4		72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31
NEWRY, ...	11,963	17·0				7	7	1	1	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	2	1	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31
PORTADOWN, ...	11,727	15·3				7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31
WEXFORD, ...	11,531	22·8				9	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				3	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				2	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	74	38	56·0	0·14	64	50	56·0	0·58	61	37	53·0	0·80
KILKENNY, ...	10,514	11·4				8	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	74	42	58·4	0·02	68	49	58·1	0·40	67	40	56·1	0·24
TRALEE, ...	10,300	17·4				4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				6	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	1	..	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				1	8	...	4	...	...	...	...	...	...	...	...	2	...	...	...	1	1	...	...	...	...	1	64	50	55·7	0·42	66	49	56·7	0·27	59	48	53·6	0·33
QUEENSTOWN, ...	8,209	14·7				3	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	68	49	57·7	0·03	66	50	58·4	0·06	64	48	56·1	0·19
LARNE, ...	8,036	13·4				4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				3	3	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				5	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				2	2	..	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58	62·9	39·5	54·8	0·31

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (†.) at foot of first page. (c) Exclusive of 9 deaths of persons (including one at 73 years) admitted to hospital from localities outside the Area; one of the 9 deaths was from diphtheria.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th of July, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	.	1	2	.	.	1	2	2	3	2	2	.	.	.	.	17	1
Tuberculous Disease. { Other Forms,	.	.	1	1	.	.	.	1	1	.	.	.	1	.	.	1	6	2
Cancer,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	3
Diseases of Nervous System,	2	1	.	1	.	.	.	.	.	.	1	.	.	1	.	3	9	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	1	.	.	.	.	2	1	2	4	.	.	2	.	.	13	.
" Respiratory System. { Pneumonia,	.	.	.	.	.	.	.	.	2	1	1	.	.	1	.	.	5	.
" Respiratory System. { Others,	2	.	.	.	.	.	.	3	1	.	2	.	1	.	.	.	9	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	1	1	.	.	.	.	.	1	2	.	.	1	.	.	.	6	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	1	.	.	.	.	1	.	3	.	.	.	.	1	1	7	.
" Genito-urinary System,	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	3	2	2	4	1	.	.	2	2	2	1	.	.	1	.	3	23	.
Violent Deaths,	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	3	1
Ill-defined, &c. Causes,	1	.	1	1	.	.	.	.	.	.	.	1	2	.	.	.	6	.
Deaths from All Causes	12	8	9	10	1	1	2	11	11	16	12	3	6	6	1	8	117	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·9	10·2	16·8	14·8	9·6	3·8	9·8	14·2	31·3	19·4	18·9	16·0	8·1	10·4	5·7	24·6	15·1	.
	13·7							19·1					11·5					
	16·2																	
Ages at Death. Under 1 year,	1	2	4	4	1	.	.	2	3	3	2	.	2	1	.	2	27	.
1 and under 2 years,	.	1	.	.	.	.	.	1	.	1	1	1	.	.	.	2	7	.
2 " 5 "	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	3	1
5 " 15 "	.	.	1	2	.	.	.	2	1	.	.	.	.	.	.	.	6	2
15 " 25 "	.	.	1	.	.	.	.	1	1	.	1	.	.	.	.	.	4	1
25 " 45 "	4	1	.	3	.	.	1	4	2	4	2	2	1	.	.	.	24	3
45 " 65 "	3	1	1	1	.	1	.	1	1	7	4	.	1	1	.	1	23	1
65 and upwards,	4	2	2	.	.	.	.	.	2	1	2	.	2	4	1	3	23	1
Number of Uncertified Deaths,	.	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	.	.	4	.	1	2	3	1	6	.	1	1	.	.	1	22	9
Workhouse Hospitals.	1	.	1	1	.	.	.	3	6	3	2	.	1	1	.	2	21	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 26th July, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.	July 30, 1910.	July 29, 1911.	July 27, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 55·4	° 60·2	° 60·2	° 60·6	° 59·4	° 59·6	° 55·6	° 57·8	° 62·7	° 58·7	° 59·0	° 54·2										
ALL CAUSES.	141	136	157	149	166	142	143	127	186	120	146·7	126	12	15	7	4	8	5	27	24	10	14
Enteric Fever, ...	1	1	1	.	1	1	.	2	1	1	·9	.	.	.	.		.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	4	1	2	3	5	4	.	7	7	3·4	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	2	.	1	1	3	2	.	·9	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	2	.	2	4	.	4	.	3	1	1·6	3	.	3	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	.	.	.	2	1	5	1	3	1·3	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	.	.	2	1	.	.	1	.	·4	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	1	1	1	.	1	.	.	·5	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	15	18	19	21	15	14	17	17	21	18·0	18	.	.	.	.	1	3	11	3	.	.
Tuberculous Meningitis, ...	3	5	.	6	5	2	3	4	7	.	3·5	4	.	1	1	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	2	.	.	2	4	1	.	2	5	1	1·7	2	.	.	.	.	.	.	1	1	.	.
Tuberculosis of the Vertebral Column.									.	.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	3	4	2	5	5	7	6	3	.	.	4·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									1	1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									2	2		1	.	.	.	.	.	1	.	.	.	.
Venereal Diseases, ...	.	1	2	.	.	2	1	.	.	1	·7	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	8	10	7	9	8	9	9	10	6	8	8·4	5	.	.	.	.	.	.	2	1	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	2	.	.	.	.	.	.	2	.	·5	2	.	.	.	.	.	.	.	2	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	2	2	2	1	.	2	.	1	1·0	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									1	5		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									1	4		4	.	.	.	.	.		1	.	1	2
Softening of Brain, ...									1	1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									1	1		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									4	4		3	1	1	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	32	32	45	32	36	37	34	34	4	3	33·7	2	.	.	.	.	.	.	2	.	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									12	7		13	.	.	.	.	.	1	2	6	2	2
Embolism and Thrombosis (including Cerebral)									1	1		.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.									2	1		.	.	.	.	.	.	.	.			.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	6	10	11	13	16	11	7	10	12	5	10·1	8	.	.	1	.	1	.	1	2	1	2
Broncho-pneumonia, ...	3	4	.	7	2	3	7	4	7	1	3·8	3	.	.	2	.	.	.	.	.	1	.
Lobar pneumonia, ...	.	1	1	1	.	.	.	.	1	.	·4	1	.	1	.	.	.	.	.	.		.
Pneumonia (type not distinguished)	6	8	3	5	6	3	5	1	4	4	4·5	1	.	.	.	.	1	.	.		.	.
Pleurisy, ...									.	.		1	.	.	.			.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	1	1	.	1	.	3	2	.	.	·9	.	.	.	.					.		.
Other Diseases of Respiratory System.									1	.		.	.	.		.	.			.	.	.

THIRTIETH WEEK ending Saturday, 26th July, 1913, with, as far as practicable, the deaths from each cause in 1903-1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 26th July, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.	July 30, 1910.	July 29, 1911.	July 27, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 55·4	° 60·2	° 60·2	° 60·6	° 59·4	° 59·6	° 55·6	° 57·8	° 62·7	° 58·7	° 59·0	° 54·2										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	.	—	2	.	1	.	.	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	6	10	28	11	4	11	6	4	34	8	13·0	6	1	4	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									5	.		1	.	.	.	1	.	.	.	.	.	.
Enteritis 2 years and upwards									1	2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	1	.	1	3	.	.	1	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	.	1	.	1	.	.	2	.	.	.	·4	2	.	.	.	.	.	.	.	.	2	.
Peritonitis (cause unknown),	.	.	1	.	.	2	1	.	1	.	·5	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	6	2	7	2	8	3	4	.	1	.	3·3	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...									2	.		1	.	.	.	1	.	.	.	.	.	.
Chronic Bright's Disease, ...									4	2		3	.	.	.	.	.	.	.	2	.	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	5	5	3	2	6	6	7	4	.	.	5·0	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									2	2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	2	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	10	3	4	2	6	1	5	2	8	3	4·5	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	5	4	—	8	6	2	.	.	.	.	.	.	2	4
Old Age, ...	2	.	5	6	1	1	3	3	3	5	2·9	6	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	1	1	1	.	.	.	.	·3	1	.	.	.	1	.	.	.	.	.	.
Drowning, ...	4	2	1	2	.	.	1	1	1	1	1·3	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	2	1	4	1	4	2	3	.	2·0	2	.	.	.	.	.	.	1	1	.	.
Total Deaths from Accident,	5	5	3	4	5	3	5	3	4	1	3·8	4	.	.	.	1	.	.	2	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	1	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	1	.	.	1	1	.	·3	1	.	.	.	.	.	.	1	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	1	.	.	.	.	2	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	1	3	—	6	.	1	1	.	.	.	.	3	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered.	213	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218
Average Births in corresponding week of previous 10 years, ...	247	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223
DEATHS registered, ...	158	151	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126
Annual Death-rate per 1,000, ...	20·4	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3
Average Deaths in corresponding week of previous 10 years, ...	203	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147
Ages, Under 5 years, ...	44	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38
5—15 „ ...	5	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8
15—25 „ ...	6	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5
25—45 „ ...	23	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27
45—65 „ ...	33	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24
65—75 „ ...	27	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10
75 and upwards, ...	20	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14
Deaths from :—																										
Enteric Fever, ...	.	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.
Scarlet Fever, ...		1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.
Whooping-cough, ...	1	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3
Diphtheria, ...	.	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1
Influenza, ...	2	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	15	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18
Tuberculous Disease, Other Forms,	4	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8
Cancer, ...	7	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5
Diseases of Circulatory System,	16	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13
Diseases of Respiratory System, Pneumonia	11	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5
Diseases of Respiratory System, Others, ...	30	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9
Diarrhœa and Enteritis, under 2 years, ...	5	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1
Violent Deaths, ...	2	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4
Number of Uncertified Deaths,	7	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4
Mean Temperature of the Air (Phœnix Park)	40·2	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2
Average Mean Temperature in corresponding week of previous 10 years, ...	39·8	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0
Rainfall in inches, ...	·915	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th July, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH JULY, 1913. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	16·5	126	38	8	5	27	24	10	14	.	.	.	.	.	3	1	.	18	8	5	3	5	9	6	1	4	63	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10·7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	12·3	24	5	2	.	4	5	3	5	.	.	.	.	.	1	.	.	3	2	1	1	1	.	2	.	.	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14·4	30	9	2	4	7	5	1	2	.	.	.	.	.	.	.	.	5	2	3	.	3	1	.	.	1	15	1
IV.	GENERAL SERVICE CLASS, ...	167,479	14·9	48	21	4	.	10	7	3	3	.	.	.	.	.	2	1	.	5	4	1	1	1	5	2	1	3	22	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	21	3	.	1	6	6	2	3	.	.	.	.	.	.	.	.	5	.	.	1	.	3	2	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	19·9	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	12·4	6	.	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	14·1	9	5	.	.	3	.	.	1	.	.	.	.	.	1	.	.	2	.	.	1	.	.	2	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	9·2	6	.	1	.	1	2	.	2	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	12·7	7	3	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	5	.
	10. Clothing Trades, ...	20,026	18·2	7	3	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	4	1
	11. Food Supply Trades	8,952	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	21·1	13	2	2	2	3	2	1	1	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	5	.
	13. Petty Shopkeepers	6,772	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	16·1	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
	15. Domestic Servants, ...	36,041	8·7	6	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	6·8	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	18·2	36	17	4	.	7	5	1	2	.	.	.	.	.	2	1	.	5	3	.	1	1	3	2	1	2	15	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	21	3	.	1	6	6	2	3	.	.	.	.	.	.	.	.	5	.	.	1	.	3	2	.	.	10	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincia

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	June 7,	13·9	.	8	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.
		„ 14,	27·9	.	16	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	2	1
		„ 21,	26·2	3·5	15	.	.	.	.	.	.	1	.	1	3	.	.	3	1	.	1	.
		„ 28,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.
		July 5,	20·9	.	12	.	.	.	.	.	.	.	.	4	2	1	.	.	.	.	.	.
		„ 12,	19·2	3·5	11	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	2
		„ 19,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
		„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	June 7,	19·1	3·8	15	1	.	.	.	.	1	.	.	1	.	.	2	2	1	.	.	2
		„ 14,	19·1	1·3	15	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
		„ 21,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
		„ 28,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	2	.	.	.	1	.	1	1
		July 5,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.
		„ 12,	33·2	2·6	26	.	.	.	.	2	.	.	.	3	1	1	3	1	.	.	2	.
		„ 19,	17·9	3·8	14	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1
		„ 26,	10·2	2·6	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	June 7,	29·9	.	16	.	.	.	.	.	.	.	.	2	2	2	2	1	.	.	.	1
		„ 14,	24·3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.
		„ 21,	24·3	1·9	13	.	.	.	.	.	1	.	.	4	1	1	2	1	.	.	.	.
		„ 28,	18·7	3·7	10	.	.	.	.	.	.	.	.	4	.	.	1	.	2	.	.	.
		July 5,	31·8	.	17	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	1	1
		„ 12,	26·2	3·7	14	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
		„ 19,	29·9	1·9	16	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	1	.
		„ 26,	16·8	3·7	9	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	June 7,	17·8	.	12	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	1	1
		„ 14,	29·6	.	20	.	.	.	.	.	.	.	.	5	2	.	2	2	.	.	.	.
		„ 21,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
		„ 28,	23·7	1·5	16	.	.	.	.	.	.	.	.	3	.	2	1	1	1	.	.	.
		July 5,	17·8	1·5	12	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.
		„ 12,	16·3	.	11	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.
		„ 19,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
		„ 26,	14·8	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	June 7,	12·9	1·3	10	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.
		„ 14,	20·7	.	16	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	2	1
		„ 21,	16·8	.	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
		„ 28,	15·5	1·3	12	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.
		July 5,	22·0	1·3	17	.	.	.	.	.	.	.	.	2	.	4	1	1	.	1	.	.
		„ 12,	14·2	1·3	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
		„ 19,	11·6	1·3	9	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
		„ 26,	14·2	.	11	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	June 7,	28·4	.	10	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	2
		„ 14,	28·4	5·7	10	.	.	.	.	1	1	.	.	2	1	.	1	.	.	.	.	.
		„ 21,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1
		„ 28,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		July 5,	17·1	5·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	1
		„ 12,	25·6	8·5	9	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1
		„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
		„ 26,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	June 7,	16·9	.	14	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.
		„ 14,	23·0	2·4	19	.	.	.	.	.	.	1	.	4	1	.	2	3	1	.	.	.
		„ 21,	24·2	4·8	20	.	.	.	.	.	1	1	1	2	.	2	3	2	1	.	1	.
		„ 28,	16·9	.	14	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
		July 5,	19·4	2·4	16	.	.	.	.	.	1	1	.	2	.	.	2	4	.	.	.	.
		„ 12,	19·4	3·6	16	.	.	.	.	1	.	.	.	1	1	2	.	2	2	.	.	.
		„ 19,	15·7	4·8	13	.	.	.	.	.	.	.	.	1	.	2	1	2	3	1	.	.
		„ 26,	19·4	2·4	16	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	June 7,	14·1	3·1	9	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.
		„ 14,	26·7	.	17	.	.	.	.	.	.	.	.	3	.	3	1	1	.	.	.	.
		„ 21,	23·6	4·7	15	.	1	.	.	.	1	.	.	.	.	.	2	2	1	.	1	.
		„ 28,	11·0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
		July 5,	23·6	1·6	15	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	1	.
		„ 12,	26·7	6·3	17	.	.	.	.	.	2	1	.	1	.	.	1	3	1	.	.	2
		„ 19,	23·6	1·6	15	.	.	.	.	.	.	.	.	3	2	2	.	.	1	.	.	1
		„ 26,	18·9	1·6	12	.	.	.	.	.	1	.	.	2	.	.	1	2	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	June 7,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 14,	12·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.
	„ 21,	8·1	1·3	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 28,	6·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	July 5,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 12,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 19,	10·8	1·3	8	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.
	„ 26,	8·1	1·3	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	June 7,	19·2	1·7	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 14,	8·7	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	„ 21,	10·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 28,	20·9	.	12	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	.
	July 5,	15·7	3·5	9	.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	3	.
	„ 12,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 19,	24·4	3·5	14	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 26,	10·4	1·7	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	June 7,	6·2	3·1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	30·8	9·2	10	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	1	1
	„ 21,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 28,	9·2	3·1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	July 5,	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	18·5	3·1	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 19,	6·2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 26,	24·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	June 7,	17·1	1·6	130	.	.	.	5	3	.	.	.	23	8	4	6	15	4	.	2	1
	„ 14,	17·5	0·7	133	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	2
	„ 21,	14·0	0·4	106	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	.
	„ 28,	16·9	1·6	128	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	1
	July 5,	15·9	1·4	121	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	1
	„ 12,	14·2	1·3	108	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	.
	„ 19,	15·8	1·3	120	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	3
	„ 26,	15·8	1·4	120	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	1
Cork. Pop. in 1911 76,673.	June 7,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	1	4	2	.	.	.	.
	„ 14,	17·0	0·7	25	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	1
	„ 21,	17·0	0·7	25	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	.
	July 5,	16·3	.	24	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3
	„ 12,	15·6	0·7	23	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	.
	„ 19,	13·6	.	20	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 26,	25·2	1·4	37	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	1
Londonderry. Pop. in 1913 (Est.) 41,000.	June 7,	22·9	1·3	18	.	.	.	1	.	.	.	.	1	1	2	.	3	.	.	.	1
	„ 14,	15·3	2·5	12	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
	„ 21,	14·0	1·3	11	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	2	.
	„ 28,	15·3	2·5	12	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.	.
	July 5,	15·3	1·3	12	.	.	.	1	.	.	.	.	4	.	.	.	1	.	.	.	.
	„ 12,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	14·0	2·5	11	.	.	.	2	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 26,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
Limerick. Pop. in 1911 38,518.	June 7,	16·2	1·4	12	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 21,	19·0	.	14	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	1
	„ 28,	10·8	1·4	8	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	1
	July 5,	13·5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	1
	„ 12,	16·2	2·7	12	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2
	„ 26,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
Waterford. Pop. in 1911 27,464.	June 7,	28·5	5·7	15	.	.	.	.	.	3	.	.	4	.	.	.	.	.	.	1	.
	„ 14,	19·0	1·9	10	.	.	.	.	.	1	.	.	3	1	.	1	2	.	.	1	.
	„ 21,	38·0	9·5	20	.	.	.	2	.	2	.	.	2	.	.	.	1	.	1	.	2
	„ 28,	26·6	7·6	14	.	.	.	3	.	.	.	.	.	.	.	3	1	1	.	1	2
	July 5,	17·1	1·9	9	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	2
	„ 12,	11·4	5·7	6	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 19,	24·7	5·7	13	.	.	.	2	.	.	.	.	1	1	.	.	1	1	.	1	.
	„ 26,	19·0	9·5	10	.	.	.	4	.	.	.	.	.	1	.	1	1	1	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th July, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	15	3·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.	49,500	37	17·9	1·1	17	3	2	2	4	3	3	.	.	.	.	.	.	.	.	3	2	1	1	.	1	.	1	1	5	.
Do. 3 do.	50,032	38	7·3	.	7	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1	1	1
Do 4 do.	32,637	19	17·6	.	11	2	.	1	2	3	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 5 do.	16,112	12	22·7	6·5	7	3	1	.	3	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	1	.	.	.	1	.
Do. 6 do.	37,293	28	19·6	.	14	1	.	.	4	2	7	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	7	26·2	.	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	13	17·1	4·3	8	.	.	3	1	2	2	1	.	.	.	.	.	.	.	2	1	.	.	1	.	1	.	1	3	.
Do. 10 do.	28,958	25	19·8	1·8	11	3	1	1	1	3	2	.	.	.	.	1	.	.	.	2	.	1	1	1	.	.	.	.	3	.
Do. 11 do.	39,311	32	13·3	2·7	10	3	.	2	3	1	1	.	.	.	.	.	.	.	.	2	1	.	1	.	1	1	.	.	4	.
Do. 12 do.	38,076	34	17·8	1·4	13	3	3	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	5	1	.	.	.	1	.
Do. 13 do.	23,233	8	15·7	2·2	7	1	2	.	1	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	25·3	2·3	11	3	1	.	2	4	1	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	1	3	.
Total,	386,947	280	15·8	1·4	120	24	10	11	24	24	27	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	4	23	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	1	7·8	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Do 2 do.	10,701	7	20·1	10·0	4	1	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
Do 3 do.	9,978	11	26·6	.	5	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1
Do 4 do.	8,666	3	45·6	.	8	.	1	1	1	3	2	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.	7	.
Do 5 do.	6,592	.	33·4	.	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Do 6 do.	10,702	3	18·0	.	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
Do. 7 do.	16,616	9	32·5	.	10	2	1	4	.	2	1	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	8	.
Total,	76,122	34	25·2	1·4	37	4	5	6	4	7	11	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	.	28	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Feb. 1.	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered, ...	197	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280
DEATHS registered, ...	174	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120
Annual Death-rate per 1,000 of estimated population, ...	22·9	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8
AGES, Under 1 year, ...	29	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24
1—5 years, ...	27	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10
5—25 ,, ...	15	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11
25—45 ,, ...	33	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24
45—65 ,, ...	34	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24
65 and upwards, ...	36	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	19	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.
Scarlet Fever, ...	1	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1
Whooping-cough, ...	.	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1
Diphtheria, ...	2	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12
Tuberculous Disease. Other Forms,	11	10	4	7	10	3	7	9	4	4	9	7	6	3	9	11	8	7	8	10	9	5	5	3	7	6
Cancer, ...	4	5	7	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10
Diseases of Respiratory System, Pneumonia,	19	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4
Diseases of Respiratory System, Others, ...	29	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11
Diarrhœa and Enteritis, under 2 years, ...	.	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6
Diarrhœa, 2 years and upwards,	.	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2
Violent Deaths, ...	2	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2
Number of Uncertified Deaths, ...	4	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	July 26,	2,195	918	10·6	2	.	10	1	15	6	55*a*
Edinburgh, ...	320,300	„ 26,	110	67	10·9	.	.	.	.	.	.	2
Glasgow, ...	1,021,500	„ 26,	486	287	14·7	1	.	16	3	9	.	19
Calcutta, ...	896,067	June 14,	.	439	25·5	79*	4	4	.	.	1†	84‡
Bombay, ...	979,445	„ 21,	342	490	26·0	78*	2	2	.	.	.	41
Madras, ...	518,660	„ 28,	385	414	41·5	79*	.	5	?	?	?	114
Cairo, ...	710,514	May 6,	617	616	45·1	1	.	21	.	?	8†	131*a*
Paris, ...	2,847,229	July 12,	1,087	779	14·1	4	.	11	1	11	3†	24*a*
Brussels, ...	767,252	„ 5,	211	171	11·6	.	.	1	1	.	.	15*a*
Antwerp, ...	312,884	„ 12,	119	77	12·8	1	.	3	3	2	3†	8*a*
Amsterdam, ...	590,122	„ 5,	253	114	10·1	1	.	2	.	.	1†	10*a*
Copenhagen, ...	473,500	„ 5,	227	100	11·0	.	.	2	.	4	1†	3*a*
Stockholm, ...	376,171	„ 5,	173	85	11·7	.	.	.	.	1	.	4*a*
Christiania, ...	247,488	„ 12,	84	58	12·0	.	.	.	.	.	.	3
St. Petersburg ...	1,686,000	June 21,	982	652	20·2	12	.	19	6	5	9	104*a*
Moscow, ...	1,694,000	„ 14,	.	887	27·3	2	5	45	15	8	8†	255
Berlin, ...	2,072,294	„ 21,	743	485	12·2	1	.	1	5	1	7†	31
Hamburg, ...	1,006,748	July 5,	.	202	10·4	.	.	4	4	2	6†	8
Breslau, ...	540,446	„ 5,	.	181	17·5	.	.	3	1	1	1	25
Munich, ...	638,000	„ 5,	.	173	14·1	.	.	1	.	3	1†	16
Vienna (with suburbs),	2,115,254	„ 5,	619	563	13·8	2	.	9	8	2	11†	45*a*
Buda-Pesth, ...	930,666	„ 5,	407	326	18·2	1	.	11	21	1	8†	25*a*
Prague and Faubourgs,	494,055	June 21,	188	177	18·7	1	.	1	3	.	4†	6*a*
Trieste, ...	239,703	July 5,	131	64	13·9	.	.	.	.	1	.	3*a*
Rome, ...	579,285	Apr. 12,	284	189	17·0	1	.	10	.	.	3	8
		„ 19,	294	187	16·8	1	.	10	.	1	.	9
New York, ...	5,372,983	June 21,	2,437	1,370	13·3	8	.	20	14	14	28†	35*a*
Philadelphia, ...	1,631,960	„ 7,	.	461	14·7	8	.	8	5	2	11†	13*a*
Boston, ...	735,399	July 5,	.	157*b*	11·1	.	.	1	1	1	1	5

* Deaths from "fever," including one from enteric fever and 20 from plague in Calcutta, 22 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 44 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Deaths of non-residents deducted.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th July, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	2	.	.	.	1	.	5
„ „ 1, West, ...	.	.	.	.	1	.	.	2	.	.	.	1	.	4
„ „ 2, ...	.	3	3	.	.	.	.	.	.	.	.	3	.	9
„ „ 3, ...	.	.	.	.	1	.	.	.	.	.	.	2	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
South City No. 1, ...	.	2	.	.	.	.	.	.	1	.	.	5	.	8
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	4	.	5
„ „ 3, ...	.	5	.	.	.	.	.	3	.	.	.	2	.	10
„ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
Total, ...	.	14	4	.	2	.	.	7	1	.	.	22	.	50

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th July, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th July.			
	July 5.	July 12.	June 19.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	21	25	10	1	.	34
Typhus, ...	.	.	8	4	1	.	11
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	6	5	1	5	.	1
Scarlet Fever, ...	84	76	76	14	14	.	76*
Diphtheria, ...	36	41	35	5	9	.	31
Pneumonia, ...	19	21	23	4	6	.	21

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 26th July, 1913:—

"Broken weather was experienced on Monday, on the afternoon of which day heavy showers fell in most British and Irish districts. With that exception very fine, dry and generally summerlike weather was enjoyed in Ireland. Over the eastern half of Great Britain, on the contrary, stormy cold weather prevailed on Tuesday and Wednesday in connection with the sudden movement southwards of an atmospheric depression which had rested over southern Scandinavia for a long time. At the beginning of the week that low pressure system was centred near Christiania, whereas an extensive anticyclone covered the Atlantic to the westward of Ireland, extending over this country to Great Britain, the Bay of Biscay, and the Pyrenees. Cool N. and N.W. winds prevailed throughout the United Kingdom and the weather was fine. In the course of Sunday night a shallow depression formed rather suddenly off the N.W. of Ireland, and this system travelled in a southeasterly direction across the British Isles during Monday. Heavy showers fell in Ireland and Wales, and later in England also—at Holyhead the rainfall measured on Tuesday morning was ·48 inch. Towards the evening of Tuesday a northerly gale of exceptional violence for summer sprang up along the east coast of Great Britain, the wind reaching 47 miles per hour at Aberdeen in a squall from N.W. at 11 p.m. The like velocity was reported from Spurn Head at 6 a.m. of Wednesday. In the course of this day the thermometer did not rise above 56° at North Shields and Spurn Head, or above 59° at Kew Observatory. But that winter's day was confined to the eastern half of Great Britain—the western and southern districts and Ireland were bathed in sunshine and the thermometer rose to 77° at Weymouth and 74° at Birr Castle. During the remainder of the week east wind haze and fine weather prevailed. In Dublin the mean height of the barometer was 30·211 inches, the range being between 30·006 inches at 9 p.m. of Monday (wind, N.W.) and 30·270 inches at 9 p.m. of Tuesday (wind, N.N.E.). The corrected mean temperature was 58·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·4°. The extremes of temperature occurred on Wednesday—maximum, 71·3°, minimum 47·7°. The prevailing wind was N.E. The rainfall was ·088 inch on 2 days, ·082 inch being recorded on Monday. A solar halo appeared on Wednesday afternoon."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·214 inches. The highest reading (30·274) was on Tuesday, at 9 p.m., air calm, the lowest (30·025) on Monday at 9 p.m., wind W.

The mean temperature for the week was 54·2°, being 4·8 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Wednesday, on which day the thermometer registered 73°, and was lowest on Thursday, the mercury having fallen to 39°. The mean of the Dry Bulb for the week was 55·7° and of the Wet Bulb, 52·8°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·160 inch.

At Greenwich the mean temperature for the week was 57·7°, the maximum 71·3°, and the minimum 51·7°; and at Edinburgh the maximum was 65·2°, the minimum 45·8°, and the mean 54·4°. The rainfall at Greenwich measured 0·05 in. There was no rainfall recorded at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 20,	30·250	63	43	53·0	56·5	52·5	·77	·4	1·4	·010	N.W.	Calm.
Monday, „ 21,	30·075	66	44	55·0	57·1	55·5	·91	·5	0·6	·150	S.W.	W.
Tuesday, „ 22,	30·240	62	47	54·5	51·6	50·1	·91	·4	9·8	·000	N.E.	Calm.
Wednesday, „ 23,	30·220	73	40	56·5	54·6	51·1	·79	·4	13·2	·000	W.	Calm.
Thursday, „ 24,	30·215	62	39	50·5	56·4	53·3	·81	·3	7·7	·000	N.E.	Calm.
Friday, „ 25,	30·240	65	43	54·0	56·0	53·3	·86	·4	12·3	·000	E.N.E.	Calm.
Saturday, „ 26,	30·260	69	43	56·0	57·8	54·1	·79	·5	10·6	·000	E.N.E.	Calm.
Mean, ...	30·214	65·7	42·7	54·2	55·7	52·8	·83	·4	Total 55·6	Total ·160	—	

Sunday—Day cloudy, light showers p.m.; night cloudy. *Monday*—A dull day, heavy showers at intervals 6.0 to 9.0 p.m.; night overcast, drizzling rain at intervals a.m. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—A beautiful bright day; night clear. *Thursday*—A fine day, cloudy at intervals; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—A beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 26th July, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 20,	57·8	59·9	56·8	63·1	48·4	55·75	2·1	·005
Monday, „ 21,	59·0	59·8	53·9	67·8	54·8	61·30	0·7	·065
Tuesday, „ 22,	57·5	59·9	56·9	62·7	54·0	58·35	9·0	—
Wednesday, „ 23,	60·0	60·0	56·9	74·0	47·0	60·50	12·0	—
Thursday, „ 24,	58·8	60·9	57·0	62·1	48·5	55·30	8·0	—
Friday, „ 25,	62·2	60·7	57·0	65·1	49·5	57·30	12·0	—
Saturday, „ 26,	66·0	61·2	57·1	69·0	51·3	60·15	9·9	—
Weekly Mean,	60·2	60·3	56·9	66·3	50·5	58·4	Total 53·7	Total 0·70

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 6. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 2ND AUGUST, 1913. [No. 31.

General Register Office, Charlemont House,
Dublin, 5th August, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending July 12	July 19	July 26	Aug. 2	Average Rate for 4 weeks.
27 Town Districts, (a)	**15·5**	**15·2**	**16·4**	**16·6**	**15·9**
Dublin Reg. Area ...	19·9	15·9	15·1	17·3	17·0
Dublin City ...	21·8	16·1	16·2	17·8	18·0
Belfast	14·2	15·8	15·8	15·9	15·4
Cork	15·6	13·6	25·2	25·8	20·0
Londonderry ...	8·9	14·0	12·7	19·1	13·7
Limerick	16·2	14·9	19·0	8·1	14·6
Waterford	11·4	24·7	19·0	22·8	19·5

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·0 per 1,000. Among the 121 deaths from all causes for Belfast are 2 from each of measles, scarlet fever, and whooping-cough, one from diphtheria, and 14 from diarrhœal diseases. Included in the 15 deaths from all causes for Londonderry are 4 from measles, and one from diarrhœa of a child under 2 years of age. The 12 deaths from all causes for Waterford include 2 from measles and 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 226—108 boys and 118 girls—and the deaths to 149—81 males and 68 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·3 per 1,000 of the population. During the thirty-one weeks, ending with Saturday last, the death-rate averaged 20·7, and was 1·8 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 149, represent an annual rate of 19·3 per 1,000; the annual rate for the past thirty-one weeks was 22·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·6 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered there was one from enteric fever, also one death from typhus, and there were 11 deaths from diarrhœa and enteritis of children under 2 years of age. In the three weeks preceding, deaths from enteric fever were 0, 0, and 0; deaths from typhus were 0, 0, and 0; and deaths from diarrhœa and enteritis of children under 2 years of age were 10, 11, and 6, respectively.

Deaths from all forms of tuberculosis, which in the three weeks preceding numbered 19, 21, and 26, respectively, rose to 30 in the week under notice. This latter figure includes 22 deaths from pulmonary tuberculosis, one death from tuberculous meningitis, one death from abdominal tuberculosis, one death from joint tuberculosis, 3 deaths from tuberculosis of other organs, and 2 deaths from disseminated tuberculosis.

Sixteen deaths were attributed to cancer.

Of 6 deaths from pneumonia, one was from broncho-pneumonia, and 5 were from pneumonia (type not distinguished).

There were 3 deaths from convulsions of infants, one from a congenital malformation, 2 from premature birth, and 5 from congenital debility.

Organic diseases of the heart caused the deaths of 9 persons, and 13 deaths from bronchitis were recorded.

The 4 deaths from accidental causes include one by burning, and one by drowning, and one death by homicide was also registered.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case was that of an infant under one year of age.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 9 were under one month old) and 36 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom one (a female) was stated to have been aged 98 years.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·3 per 1,000; the rate in the City was 17·8 (North City Districts, 17·5; South, 18·0) and in the Suburbs, 15·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·2 (in the North City Districts 1·3, and in the South 3·2), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000. Pulmonary tuberculosis caused 2 deaths, and there was one death from pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·4 per 1,000. There was one death from enteric fever; there were 4 deaths from pulmonary tuberculosis, one from pneumonia, one from bronchitis, and one by homicide.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000, and include one from disseminated tuberculosis, 2 from pneumonia, one from bronchitis, and 2 from diarrhœa and enteritis under 2 years.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000. Of the deaths 2 were from pulmonary tuberculosis and 2 were from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 23·1; and Finglas and Glasnevin, part of, 14·7. One of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, was from pulmonary tuberculosis. Of the 6 deaths from all causes for Coolock and Drumcondra, part of, one was from typhus, and there were 2 from pulmonary tuberculosis. Included in the 3 deaths from all causes for Finglas and Glasnevin, part of, there was one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23·3 per 1,000, and include 2 deaths from bronchitis, 2 deaths from diarrhœa and enteritis under 2 years, and one death by drowning.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. Pulmonary tuberculosis caused 2 deaths, and there were 2 deaths from diarrhœa and enteritis of children under 2 years.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000. There were 5 deaths from tuberculosis, one from broncho-pneumonia, one from bronchitis, 3 from diarrhœa and enteritis of children under 2 years, and one by burning.

No. 4 South City District (Grand Canal Street).—The deaths (7) are equivalent to an annual rate of 11·0 per 1,000. Pulmonary tuberculosis and diarrhœa of a child under 2 years of age each caused one death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000, and were both caused by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·4; Pembroke, 17·4; Blackrock, 11·4; and Kingstown, 21·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from enteritis of a child under 2 years of age. for Pembroke. Among the 10 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease and one from pneumonia. Included in the 10 deaths from all causes for Pembroke is one from each of pulmonary tuberculosis, bronchitis, and accidental violence. Of the 2 deaths for Blackrock one was from tuberculous disease and one from bronchitis. Included in the 7 deaths from all causes for Kingstown there were 3 from tuberculous disease and one from bronchitis.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 2nd August, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	July 12,	.	—	—	11	.	.	5	.	1	2	6	.	—	—	.	—	16	.	41
	July 19,	.	—	—	12	8	.	6	.	.	2	2	.	—	—	.	—	13	.	43
	July 26,	.	—	—	14	4	.	2	.	.	7	1	.	—	—	.	—	22	.	50
	Aug. 2,	.	—	—	6	1	.	4	.	.	8	3	.	—	—	.	—	20	.	42
Rathmines and Rathgar Urban District.	July 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	July 19,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	July 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 2,	.	—	—	1	.	.	3	.	.	1	1	.	—	—	—	—	—	—	6
Pembroke Urban District.	July 12,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	—	—	2	—	5
	July 19,	.	.	.	.	.	.	.	.	.	.	.	.	—	4	—	—	.	—	4
	July 26,	.	.	.	.	.	.	1	.	.	.	.	.	—	7	—	—	.	—	8
	Aug. 2,	.	.	.	1	.	.	1	.	.	.	1	.	—	3	—	—	.	—	6
Blackrock Urban District.	July 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 19,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 2,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	July 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	July 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	July 12,	.	—	—	33	.	.	3	.	.	.	4	.	—	—	—	—	9	—	49
	July 19,	.	—	—	34	.	.	4	.	.	2	4	.	—	—	—	—	1	—	45
	July 26,	.	—	—	29	.	.	3	.	.	3	5	.	—	—	—	—	13	—	53
	Aug. 2,	.	—	—	34	.	.	10	.	.	.	4	.	—	—	—	—	6	—	54

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd August, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 42 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 21, 25, and 34.

There was one death from typhus in hospital during the week, and 10 cases remained under treatment at its close. At the close of the 3 previous weeks the cases in hospital were 0, 8, and 11, respectively.

Two cases of measles were admitted to hospital during the week, one was discharged, and 2 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 6, 5, and one respectively.

Ten cases of scarlet fever were admitted to hospital, 20 were discharged, and 66* cases remained under treatment at the close of week. At the close of each of the 3 preceding weeks the cases in hospital were 76.

Six cases of diphtheria were admitted to hospital during the week, and 5 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 41, 35, and 31 respectively, were 32 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 11 were discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 10·4), was equal to an average annual death-rate of 11·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·8 per 1,000, the rate for Glasgow being 16·2, and for Edinburgh 13·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd August. From this Report it appears that of a total of 55 cases notified, 29 were scarlet fever, 18 phthisis, 7 diphtheria, and one erysipelas. Among the 354 cases of infectious diseases in hospital at the close of the week were 147 cases of scarlet fever, 101 of phthisis, 37 of diphtheria, 30 of measles, 13 of whooping-cough, 7 of erysipelas, 7 of enteric fever, and 3 of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 2nd August, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 2nd August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	1,199,180	19·0	28·8	16·6	2·0	663	381	66	84	1	1	...	8	2	2	1	...	52	17	30	13	29	28	3	13	21	104	7	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	29·2	17·3	1·8	226	134	23	34	1	1	...	...	...	...	...	...	21	6	15	6	13	11	1	5	5	55	1	e 72	41	56·4	0·00	e 73	39	54·2	0·16	e 68	49	59·4	0·41
City of Dublin,	308,187	39·0	34·0	17·8	2·2	201	105	20	25	1	1	...	...	...	...	...	...	18	2	11	5	10	10	1	4	5	47	1	f 70·3 g 72·8	49·1 45·0	59·8 58·5	0·00 0·00	f 71·3 g 73·3	47·7 42·8	58·3 57·2	0·09 0·09	f 66·4 g 66·9	53·0 51·4	60·0 59·8	0·27 0·24
Urban Districts. Rathmines & Rathgar.	38,769	22·6	10·8	13·4	.	8	10	1	2	...	...	...	...	...	...	...	..	1	1	...	1	..	...	...	...	...	2	...	..	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	29,942	19·0	12·2	17·4	1·7	7	10	2	4	...	...	...	...	...	...	...	...	1	...	3	...	1	1	...	1	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	22·8	11·4	.	4	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	18·5	21·5	.	6	7	...	2	...	...	...	...	...	...	...	...	1	2	1	...	1	...	...	...	...	2	...	68	50	58·3	0·00	70	49	58·2	0·05	67	51	59·6	0·37
Belfast ..	396,000	26·5	28·6	15·9	2·8	217	121	21	23	...	...	...	2	2	2	1	...	16	3	10	3	7	13	1	6	8	27	...	69·5	47·5	58·9	0·00	68	44	56·6	0·39	65	50	57·6	0·68
Cork, ..	76,673	28·6	24·5	25·8	0·7	36	38	3	8	...	...	...	...	...	...	...	...	4	3	3	2	...	1	...	1	3	9	...	70	53	60·8	0·02	68	49	57·7	0·03	66	50	58·4	0·06
Londonderry ...	41,000	15·9	29·3	19·1	6·4	23	15	3	2	...	...	...	4	...	...	...	...	3	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	56·9	8·1	.	42	6	1	2	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	1	1	76·8	45·6	62·4	0·03	74·6	40·0	58·3	0·03	67·0	49·8	58·2	0·26
Waterford, ...	27,464	19·1	24·7	22·8	7·6	13	12	3	3	...	...	...	2	...	...	...	...	1	...	1	1	1	1	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	4	...	1	...	...	...	..	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	77	45	59	0·00	77	40	56	0·18	66	45	54	0·20
Dundalk, ...	13,128	9·5				9	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...	...	..	...	...	...	...
Lurgan, ...	12,553	14·7				9	5	3	1	...	...	...	...	...	...	...	..	...	1	...	1	...	...	...	...	...	1	...	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58
Drogheda, ...	12,501	8·4				7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				8	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58
Newry, ...	11,963	17·0				3	4	...	2	...	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	...	...	...	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58
Portadown, ...	11,727	15·3				8	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58
Wexford. ...	11,531	22·8				11	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8				7	.	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	71	44	57·0	0·00	74	38	56·0	0·14	64	50	56·0	0·58
Kilkenny, ...	10,514	11·4				2	6	...	2	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	3	...	78	44	63·0	0·00	74	42	58·4	0·02	68	49	58·1	0·10
Tralee. ...	10,300	17·4				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				4	6	2	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				1	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	67	48	57·1	0·00	64	50	55·7	0·42	66	49	56·7	0·27
Queenstown, ...	8,209	14·7				1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	70	53	60·8	0·02	68	49	57·7	0·03	66	50	58·4	0·06
Larne, ...	8,036	13·4				5	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine. ...	7,785	7·7				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				3	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67	66·9	50·8	57·8	0·58
Armagh, ...	7,356	21·8				3	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...													

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 15 deaths of persons (including 3 under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd of August, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	4	.	2	1	2	.	.	2	4	1	.	1	1	.	1	21	1
Tuberculous Disease. { Other Forms,	.	.	1	.	.	.	.	.	.	1	.	.	1	.	1	2	6	2
Cancer,	2	2	1	.	1	1	.	2	1	1	.	.	.	3	.	1	15	1
Diseases of Nervous System,	.	1	1	.	.	.	1	4	1	.	1	.	1	.	.	.	10	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	.	.	.	1	1	5	.	.	1	.	2	.	.	.	12	.
" Respiratory System. { Pneumonia,	1	1	2	.	.	.	.	.	.	1	.	.	1	.	.	.	6	.
" Respiratory System. { Others,	.	1	1	2	.	.	1	2	.	1	.	2	.	1	1	1	13	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	.	2	.	.	.	.	2	2	3	1	.	.	1	.	.	11	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	2	5	1
" Genito-urinary System,	2	1	1	.	.	.	.	1	1	.	.	.	.	.	.	.	6	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	3	.	1	.	.	.	.	.	3	2	.	2	1	.	.	14	4
Violent Deaths,	.	1	.	.	1	.	.	1	.	1	.	.	.	1	.	.	5	.
Ill-defined, &c. Causes,	.	.	.	2	.	.	.	1	.	.	.	.	1	.	.	.	4	2
Deaths from All Causes	11	16	9	7	3	6	3	18	7	16	7	2	10	10	2	7	134	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	20·4	16·8	10·4	28·8	23·1	14·7	23·3	19·9	19·4	11·0	10·7	13·4	17·4	11·4	21·5	17·3	.
	17·5							18·0					15·9					
	17·8																	
Ages at Death. { Under 1 year,	1	1	4	1	.	.	.	3	1	6	3	.	1	2	.	.	23	3
Ages at Death. { 1 and under 2 years,	1	1	1	.	.	.	.	.	1	.	1	.	.	.	.	.	5	.
Ages at Death. { 2 " 5 "	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	3	.
Ages at Death. { 5 " 15 "	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1	5	1
Ages at Death. { 15 " 25 "	1	1	.	.	.	1	.	.	1	.	.	.	1	.	.	1	6	.
Ages at Death. { 25 " 45 "	.	5	2	2	.	3	.	.	1	2	1	.	2	2	.	.	20	5
Ages at Death. { 45 " 65 "	6	4	.	2	2	2	3	4	1	1	2	1	4	2	1	3	38	4
Ages at Death. { 65 and upwards,	1	4	2	2	1	.	.	9	2	3	.	1	2	4	1	2	34	2
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	5	2	.	1	2	.	.	1	5	1	1	2	3	.	2	28	12
Workhouse Hospitals,	3	4	1	4	.	1	.	4	2	4	2	1	.	1	.	.	27	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 2nd August, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.	Aug. 6, 1910.	Aug. 5, 1911.	Aug. 3, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 56·5	° 61·5	° 57·7	° 60·5	° 57·7	° 60·7	° 58·6	° 56·5	° 62·5	° 53·4	° 58·6	° 56·4										
ALL CAUSES.	137	161	161	125	138	133	123	145	153	155	143·1	149	9	17	5	3	6	6	25	42	22	14
Enteric Fever, ...	.	.	.	1	.	1	1	.	2	.	·5	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	.	.	6	2	1	.	5	10	2·8	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	1	1	1	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	4	2	2	4	2	4	3	4	.	2·6	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	2	2	.	2	1	1	1	.	4	1·3	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	.	.	.	.	·1	1	1	.	.	.	.	.	.	.	.	
Other Epidemic Diseases, ...	.	.	1	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	1	.	.	1	.	.	1	1	.	·6	2	1	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	14	10	16	21	17	16	15	24	16	17	16·6	22	.	.	.	.	1	2	10	8	.	1
Tuberculous Meningitis, ...	2	1	2	2	4	1	2	2	3	5	2·4	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	2	4	1	1	2	2	.	2	2	3	1·9	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.									1	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	7	9	1	5	3	3	6	.	.	4·2	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of other Organs,									.	.		3	.	.	.	1	.	.	1	1	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									3	1		2	.	.	1	.	.	.	.	1	.	.
Venereal Diseases, ...	1	1	.	.	.	1	2	2	1	1	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	7	10	8	11	7	10	8	5	12	8·4	16	.	.	.	.	.	.	2	8	6	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	.	.	1	1	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	3	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	1	1	.	.	.	1	2	.	.	.	·5	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									2	2		1	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									6	3		5	.	.	.	.	.	1	.	.	1	3
Softening of Brain, ...									.	.		1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.									5	1		1	.	.	.	.	.	.	.	.	.	1
Epilepsy, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									4	3		3	2	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	43	40	37	31	27	38	28	37	1	3	33·6	1	.	.	.	.	1	.	.	.	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									8	12		9	.	.	.	.	.	1	1	5	.	2
Embolism and Thrombosis (including Cerebral)									1	.		2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Circulatory System.									1	2		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	6	14	7	13	12	6	5	7	3	6	7·9	13	.	.	1	.	.	.	.	3	8	1
Broncho-pneumonia, ...	4	5	2	2	7	3	3	3	.	1	3·0	1	.	.	.	1	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	4	.	2	11	4	6	4	1	.	3·6	5	.	1	1	.	.	1	2	.	.	.
Pleurisy, ...									.	2		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1	1	1	1	.	1	1	3	.	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	.		.	.	.	.	.	.	.	.	.	.	.

THIRTY-FIRST WEEK, ending Saturday, 2nd August, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week euding Saturday										Averages in 31st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 2nd August, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.	Aug. 6, 1910.	Aug. 5, 1911.	Aug. 3, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 56·5	° 61·5	° 57·7	° 60·5	° 57·7	° 60·7	° 58·6	° 56·5	° 62·5	° 53·4	° 58·6	° 56·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	6	3	—	1	.	.	.	.	.	.	.	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	7	22	32	14	3	16	6	6	29	17	15·3	11	.	10	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									1	.		1	.	.	.	.	.	.	.	.	1	.
Enteritis 2 years and upwards									.	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	2	1	—	2	.	.	.	.	.	.	.	2	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	3	3	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	.	.	1	.	1	.	1	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	3	1	1	.	.	1	.	1	2	.	·9	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	.	.	1	2	1	1	.	.	·6	2	.	.	.	.	.	1	.	1	.	.
Other Diseases of Digestive System.	3	5	6	4	2	6	6	4	2	3	4·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									1	1		1	.	.	.	1	.	.	.	.	.	.
Chronic Bright's Disease, ...									1	3		6	.	.	.	.	1	.	2	2	.	1
Urinary Calculi, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	5	5	2	6	1	2	9	.	.	4·7	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	3		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	1	1	1	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	3	.	1	.	1	1	.	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	.	—	2	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	2	3	2	2	2	4	4	5	6	2·3	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	8	1	—	5	1	4	.	.	.	.	.	.	.	.
Old Age, ...	5	5	6	3	4	2	4	4	.	3	3·6	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	3	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	2	.	.	.	.	1	.	.	·5	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	.	1	1	.	1	2	.	1	.	.	·6	1	.	.	.	.	1	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	2	.
Other Deaths by Accident, ...	4	.	2	1	1	1	4	1	2	4	2·0	2	.	.	.	.	.	.	.	.	2	.
Total Deaths from Accident,	5	2	5	1	2	4	5	3	2	4	3·3	4	.	.	.	.	2	.	.	.	2	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	2	1	.	.	2	.	1	2	·9	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Suicide, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	5	3	—	6	.	1	.	.	.	.	.	1	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																										
	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered.	226	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226
Average Births in corresponding week of previous 10 years, ...	212	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215
DEATHS registered, ...	151	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149
Annual Death-rate per 1,000, ...	19·5	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3
Average Deaths in corresponding week of previous 10 years, ...	201	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143
Ages, Under 5 years, ...	36	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34
5—15 " ...	6	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6
15—25 " ...	12	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6
25—45 " ...	26	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25
45—65 " ...	35	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42
65—75 " ...	25	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22
75 and upwards, ...	11	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14
Deaths from :—																										
Enteric Fever, ...	1	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1
Typhus, ...	.	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.
Whooping-cough, ...	2	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.
Diphtheria, ...	1	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.
Influenza, ...	3	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22
Tuberculous Disease, Other Forms,	11	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8
Cancer, ...	12	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16
Diseases of Circulatory System,	20	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12
Diseases of Respiratory System, Pneumonia	17	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6
Diseases of Respiratory System, Others, ...	17	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13
Diarrhœa and Enteritis, under 2 years, ...	2	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1
Violent Deaths, ...	8	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5
Number of Uncertified Deaths,	2	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1
Mean Temperature of the Air (Phœnix Park)	44·6	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4
Average Mean Temperature in corresponding week of previous 10 years, ...	40·8	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6
Rainfall in inches, ...	·315	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd August, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND AUGUST, 1913.																											
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	19·5	149	34	6	6	25	42	22	14	1	1	.	.	.	.	.	.	22	8	16	3	6	13	11	1	5	62	1
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	39·1	11	1	.	1	2	6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	8	.
II.	MIDDLE CLASS, ...	101,798	14·9	29	4	2	2	7	6	5	3	1	.	.	.	.	.	.	.	1	3	4	.	.	2	.	.	1	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	11·1	23	7	.	2	4	5	4	1	.	.	.	.	.	.	.	.	6	.	1	1	2	3	2	1	1	6	.
IV.	GENERAL SERVICE CLASS, ...	167,479	17·4	56	17	4	1	9	16	6	3	.	1	.	.	.	.	.	.	9	4	6	2	2	3	7	.	2	20	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	5	.	.	3	9	7	6	.	.	.	.	.	.	.	.	6	1	5	.	.	4	2	.	1	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	59·6	9	1	.	1	1	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class	1,347	38·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	14·5	7	1	.	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	33,249	12·5	8	3	.	1	2	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	20·0	13	.	2	1	3	2	3	2	.	.	.	.	.	.	.	.	1	2	2	.	.	2	.	.	1	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8·9	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	16·3	9	3	.	1	.	3	2	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1	1	1	1	1	.
	10. Clothing Trades, ...	20,026	10·4	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.
	11. Food Supply Trades	8,952	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	11·4	7	3	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	.	3	.
	13. Petty Shopkeepers	6,772	7.7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	16·1	4	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	5·8	4	1	.	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	44·1	13	2	2	.	3	6	.	.	.	.	.	.	.	.	.	.	3	2	1	.	2	.	1	.	1	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	17·7	35	14	2	1	3	9	5	1	.	.	.	.	.	.	.	.	6	2	3	2	.	3	5	.	1	13	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	30	5	.	.	3	9	7	6	.	.	.	.	.	.	.	.	6	1	5	.	.	4	2	.	1	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincia

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	June 14,	27·9	.	16	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	2	1
	„ 21,	26·2	3·5	15	.	.	.	.	.	.	1	.	1	3	.	.	3	1	.	1	.
	„ 28,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.
	July 5,	20·9	.	12	.	.	.	.	.	.	.	.	4	2	1	.	.	.	.	.	.
	„ 12,	19·2	3·5	11	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	2
	„ 19,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	Aug. 2,	19·2	.	11	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	June 14,	19·1	1·3	15	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
	„ 21,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
	„ 28,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	2	.	.	.	1	.	1	1
	July 5,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.
	„ 12,	33·2	2·6	26	.	.	.	.	2	.	.	.	3	1	1	3	1	.	.	2	.
	„ 19,	17·9	3·8	14	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1
	„ 26,	10·2	2·6	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	4	.	2	1	1	.	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	June 14,	24·3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.
	„ 21,	24·3	1·9	13	.	.	.	.	.	1	.	.	4	1	1	2	1	.	.	.	.
	„ 28,	18·7	3·7	10	.	.	.	.	.	.	.	.	4	.	.	1	.	2	.	.	.
	July 5,	31·8	.	17	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	1	1
	„ 12,	26·2	3·7	14	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
	„ 19,	29·9	1·9	16	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	1	.
	„ 26,	16·8	3·7	9	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	1
	Aug. 2,	16·8	3·7	9	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	June 14,	29·6	.	20	.	.	.	.	.	.	.	.	5	2	.	2	2	.	.	.	.
	„ 21,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
	„ 28,	23·7	1·5	16	.	.	.	.	.	.	.	.	3	.	2	1	1	1	.	.	.
	July 5,	17·8	1·5	12	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.
	„ 12,	16·3	.	11	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.
	„ 19,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 26,	14·8	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	Aug. 2,	10·4	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	June 14,	20·7	.	16	.	.	.	.	.	.	.	.	1	1	3	.	4	.	.	2	1
	„ 21,	16·8	.	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	„ 28,	15·5	1·3	12	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.
	July 5,	22·0	1·3	17	.	.	.	.	.	.	.	.	2	.	4	1	1	.	1	.	.
	„ 12,	14·2	1·3	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	„ 19,	11·6	1·3	9	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
	„ 26,	14·2	.	11	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.
	Aug. 2,	23·3	2·6	18	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	June 14,	28·4	5·7	10	.	.	.	.	1	1	.	.	2	1	.	1	.	.	.	.	.
	„ 21,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1
	„ 28,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	17·1	5·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	1
	„ 12,	25·6	8·5	9	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 26,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	.
	Aug. 2,	19·9	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	June 14,	23·0	2·4	19	.	.	.	.	.	.	1	.	4	1	.	2	3	1	.	.	.
	„ 21,	24·2	4·8	20	.	.	.	.	.	1	1	1	2	.	2	3	2	1	.	1	.
	„ 28,	16·9	.	14	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	July 5,	19·4	2·4	16	.	.	.	.	.	1	1	.	2	.	.	2	4	.	.	.	.
	„ 12,	19·4	3·6	16	.	.	.	.	1	.	.	.	1	1	2	.	2	2	.	.	.
	„ 19,	15·7	4·8	13	.	.	.	.	.	.	.	.	1	.	2	1	2	3	1	.	.
	„ 26,	19·4	2·4	16	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	1	.
	Aug. 2,	19·4	4·8	16	.	.	.	.	.	.	.	.	4	1	1	1	1	3	1	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	June 14,	26·7	.	17	.	.	.	.	.	.	.	.	3	.	3	1	1	.	.	.	.
	„ 21,	23·6	4·7	15	.	1	.	.	.	1	.	.	.	.	.	2	2	1	.	1	.
	„ 28,	11·0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	July 5,	23·6	1·6	15	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	1	.
	„ 12,	26·7	6·3	17	.	.	.	.	.	2	1	.	1	.	.	1	3	1	.	.	2
	„ 19,	23·6	1·6	15	.	.	.	.	.	.	.	.	3	2	2	.	.	1	.	.	1
	„ 26,	18·9	1·6	12	.	.	.	.	.	1	.	.	2	.	.	1	2	.	.	.	1
	Aug. 2,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	June 14,	12·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.
	„ 21,	8·1	1·3	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 28,	6·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	July 5,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 12,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 19,	10·8	1·3	8	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.
Pop. in 1913 (Est.) 38,769.	„ 26,	8·1	1·3	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1
	Aug. 2,	13·4	.	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
Pembroke Urban District.	June 14,	8·7	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	„ 21,	10·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 28,	20·9	.	12	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	.
	July 5,	15·7	3·5	9	.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	3	.
	„ 12,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
Pop. in 1913 (Est.) 29,942.	„ 19,	24·4	3·5	14	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 26,	10·4	1·7	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	Aug. 2,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1	.
Kingstown Urban District.	June 14,	30·8	9·2	10	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	1	1
	„ 21,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 28,	9·2	3·1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	July 5,	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	18·5	3·1	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
Pop. in 1911 16,941.	„ 19,	6·2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 26,	24·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 2,	21·5	.	7	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
Belfast.	June 14,	17·5	0·7	133	1	.	.	1	.	.	.	.	19	10	3	9	9	3	.	1	2
	„ 21,	14·0	0·4	106	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	.
	„ 28,	16·9	1·6	128	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	1
	July 5,	15·9	1·4	121	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	1
Pop. in 1913 (Est.) 396,000.	„ 12,	14·2	1·3	108	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	.
	„ 19,	15·8	1·3	120	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	3
	„ 26,	15·8	1·4	120	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	1
	Aug. 2,	15·9	2·8	121	.	.	.	2	2	2	1	.	16	3	10	3	7	13	1	6	.
Cork.	June 14,	17·0	0·7	25	.	.	.	.	1	.	.	.	6	1	1	1	1	.	.	1	1
	„ 21,	17·0	0·7	25	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	.
	July 5,	16·3	.	24	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3
Pop. in 1911 76,673.	„ 12,	15·6	0·7	23	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	.
	„ 19,	13·6	.	20	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 26,	25·2	1·4	37	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	1
	Aug. 2,	25·8	0·7	38	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	.
Londonderry.	June 14,	15·3	2·5	12	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
	„ 21,	14·0	1·3	11	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	2	.
	„ 28,	15·3	2·5	12	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.	.
	July 5,	15·3	1·3	12	.	.	.	1	.	.	.	.	4	.	.	.	1	.	.	.	.
Pop. in 1913 (Est.) 41,000.	„ 12,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	14·0	2·5	11	.	.	.	2	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 26,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
	Aug. 2,	19·1	6·4	15	.	.	.	4	.	.	.	.	3	.	1	.	.	1	.	.	.
Limerick.	June 14,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 21,	19·0	.	14	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	1
	„ 28,	10·8	1·4	8	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	1
	July 5,	13·5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	1
Pop. in 1911 38,518.	„ 12,	16·2	2·7	12	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2
	„ 26,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	Aug. 2,	8·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
Waterford.	June 14,	19·0	1·9	10	.	.	.	.	.	1	.	.	3	1	.	1	2	.	.	1	.
	„ 21,	38·0	9·5	20	.	.	.	2	.	2	.	.	2	.	.	.	1	.	1	.	2
	„ 28,	26·6	7·6	14	.	.	.	3	.	.	.	.	.	.	.	3	1	1	.	1	2
	July 5,	17·1	1·9	9	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	2
Pop. in 1911 27,464.	„ 12,	11·4	5·7	6	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 19,	24·7	5·7	13	.	.	.	2	.	.	.	.	1	1	.	.	1	1	.	1	.
	„ 26,	19·0	9·5	10	.	.	.	4	.	.	.	.	.	1	.	1	1	1	.	.	.
	Aug. 2,	22·8	7·6	12	.	.	.	2	.	.	.	.	1	.	1	1	1	1	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd August, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	3·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.	49,500	21	11·6	.	11	.	1	2	2	3	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2	1	3	.
Do. 3 do.	50,032	32	20·8	4·2	20	5	3	3	2	3	4	.	.	.	.	.	.	.	.	3	1	.	1	.	4	.	2	3	3	.
Do 4 do.	32,637	18	19·2	.	12	4	.	.	2	3	3	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	5	.
Do. 5 do.	16,112	9	19·4	12·9	6	1	3	1	.	.	1	.	.	.	2	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 6 do.	37,293	11	15·4	2·8	11	1	1	2	.	5	2	.	.	.	.	.	.	.	.	2	1	3	.	.	2	.	.	1	2	.
Do. 7 do.	2,681	1	19·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 8 do.	5,964	9	8·7	8·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 9 do.	24,427	14	23·5	8·5	11	1	3	3	1	2	1	.	.	.	.	2	.	.	.	1	.	.	1	2	1	1	.	.	4	.
Do. 10 do.	28,958	20	14·4	.	8	1	1	3	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do. 11 do.	39,311	24	15·9	1·3	12	3	.	1	2	3	3	.	.	.	.	.	.	.	.	3	.	2	.	.	1	.	1	1	3	.
Do. 12 do.	38,076	27	20·5	4·1	15	3	1	2	3	3	3	.	.	.	.	.	.	1	.	2	.	2	.	2	2	.	.	.	2	.
Do. 13 do.	23,233	11	11·2	.	5	.	1	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	16·1	4·6	7	1	1	1	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.
Total,	386,947	217	15·9	2·8	121	21	15	20	17	25	23	.	.	.	2	2	2	1	.	16	3	10	3	7	13	1	6	8	27	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	19·4	.	5	.	.	2	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,701	4	45·1	.	9	1	2	3	1	1	1	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	2	2	.
Do 3 do.	9,978	6	10·6	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do 4 do.	8,666	6	22·8	5·7	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
Do 5 do.	6,592	3	41·7	.	5	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.
Do 6 do.	10,702	5	31·5	.	7	2	.	1	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Do. 7 do.	16,616	6	19·5	.	6	.	1	.	2	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.
Total,	76,122	36	25·8	0·7	38	3	5	6	8	8	8	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	3	9	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are excluded.

BELFAST.	1913—WEEK ENDING																									
	Feb. 8.	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered, ...	224	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217
DEATHS registered, ...	176	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121
Annual Death-rate per 1,000 of estimated population, ...	23·2	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9
AGES, Under 1 year, ...	33	25	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21
1—5 years, ...	28	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15
5—25 ,, ...	18	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20
25—45 ,, ...	25	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17
45—65 ,, ...	35	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25
65 and upwards, ...	37	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	14	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2
Scarlet Fever, ...	.	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2
Whooping-cough, ...	.	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2
Diphtheria, ...	4	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16
Tuberculous Disease. Other Forms,	10	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3
Cancer, ...	5	7	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10
Diseases of Respiratory System, Pneumonia,	15	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3
Diseases of Respiratory System, Others, ...	20	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7
Diarrhœa and Enteritis, under 2 years, ...	5	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13
Diarrhœa, 2 years and upwards,	.	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1
Violent Deaths, ...	7	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6
Number of Uncertified Deaths, ...	3	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Aug. 2,	2,220	898	10·4	.	.	13	5	15	5	49*a*
Edinburgh, ...	320,300	„ 2,	116	83	13·5	.	.	1	1	1	.	3
Glasgow, ...	1,021,500	„ 2,	576	317	16·2	.	.	12	1	10	3	12
Calcutta, ...	896,067	June 21,	.	437	25·3	56*	7	2	.	.	1†	68‡
Bombay	979,445	„ 28,	319	471	25·0	81*	2	3	.	.	.	47
Madras	518,660	July 5,	347	369	37·0	58*	.	.	?	?	?	110
Cairo, ...	710,514	May 13,	568	646	47·4	8	11	16	.	.	8†	144*a*
Paris, ...	2,847,229	July 19,	862	810	14·5	7	.	17	1	11	10†	20*a*
Brussels, ...	767,252	„ 12,	247	155	10·5	1	.	1	.	.	.	9*a*
Antwerp, ...	312,884	„ 19,	107	56	9·3	.	.	3	3	1	1†	8*a*
Amsterdam, ...	590,122	„ 12,	268	114	10·1	1	.	2	1	1	1†	2*a*
Copenhagen, ...	473,500	„ 12,	208	118	13·0	.	.	1	.	1	.	8*a*
Stockholm, ...	376,171	„ 12,	171	79	10·9	.	.	.	1	.	1†	3*a*
Christiania, ...	250,423	„ 19,	121	67	13·8	.	.	.	1	.	1	4
St. Petersburg ...	1,686,000	June 28,	750	722	22·3	11	.	29	10	5	3	105*a*
Moscow, ...	1,694,000	„ 21,	.	1,026	31·6	2	3	31	16	1	14†	429
Berlin, ...	2,072,989	„ 28,	716	478	12·0	1	?	4	5	4	10†	32
Hamburg, ...	1,006,748	July 12,	.	204	11·1	1	?	.	3	3	4†	15
Breslau, ...	540,446	„ 12,	.	185	17·8	.	.	5	1	2	1	21
Munich, ...	638,000	„ 12,	.	170	13·9	1	.	1	.	.	.	8
Vienna (with suburbs),	2,115,254	„ 12,	660	552	13·6	.	.	5	6	3	9†	26*a*
Buda-Pesth, ...	930,666	„ 12,	425	322	18·1	2	.	6	19	.	3†	26*a*
Prague and Faubourgs,	494,055	June 28,	158	154	16·3	.	.	1	.	1	.	7*a*
Trieste, ...	239,703	July 12,	132	72	15·7	2	.	.	1	2	.	5*a*
Rome, ...	579,285	Apr. 26,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	June 28,	2,695	1,182	11·5	2	.	16	5	7	40†	30*a*
Philadelphia, ...	1,631,960	„ 14,	.	486	15·5	4	.	3	3	3	5†	28*a*
Boston, ...	735,399	July 12,	.	216*b*	15·3	.	.	3	1	4	4	14

* Deaths from "fever," including 6 from enteric fever and 2 from plague in Calcutta, 33 from plague, and 4 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 30 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Including the deaths of 31 non-residents, of these one death was from whooping-cough, and 5 deaths were from diarrhœal diseases

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd August, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	1	.	.	.	.	2
" " 1, West, ...	.	.	.	.	.	.	.	1	1	.	.	2	.	4
" " 2, ...	.	.	.	.	.	.	.	2	.	.	.	2	.	4
" " 3, ...	.	.	1	.	.	.	.	1	.	.	.	1	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	.	.	1	.	.	.	6	.	7
" " 2, ...	.	1	.	.	.	.	.	1	.	.	.	3	.	5
" " 3, ...	.	2	.	.	3	.	.	2	.	.	.	4	.	11
" " 4, ...	.	1	.	.	.	.	.	.	1	.	.	2	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	1	.	4	.	.	8	3	.	.	20	.	42

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd August, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd August.			
	July 12.	July 19.	July 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	25	34	10	2	.	42
Typhus, ...	.	8	11	.	.	1	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	5	1	2	1	.	2
Scarlet Fever, ...	76	76	76	10	20	.	66*
Diphtheria, ...	41	35	31	6	5	.	32
Pneumonia, ...	21	23	21	7	11	.	17

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 2nd August, 1913:—

"Fine, quiet summer-like weather continued through this week. The atmosphere was at times thick and very hazy. Clouds also often prevailed, checking the diurnal range of temperature; but on the whole the period was seasonably warm and enjoyable. The type of distribution of atmospheric pressure over Ireland and Scotland remained anticyclonic for the most part. On Wednesday and Thursday the South of England came under the influence of shallow depressions which moved slowly northwards from the Peninsula and the Mediterranean across France. In the south and west of that country torrid heat and thunderstorms were very prevalent. On Tuesday the thermometer rose in the shade to 90° at Brest and 91° at Rochfort. At Lyons on Wednesday ·99 inch of rain fell in a series of thunderstorms. Sunday was a day of almost unclouded sunshine in many parts of Ireland, and the thermometer rose to 70° in Dublin, 73° at Valentia, and 76° at Birr Castle. Monday was cooler and cloudy – a few drops of rain fell in the afternoon. A succession of cloudy mornings followed, but the clouds on most days gradually dispersed as the day advanced, and the afternoons were chiefly sunny. A northerly gale of considerable violence was reported from the south of Scandinavia and Denmark on Tuesday morning in connection with a baric depression which had increased in depth and moved southeastwards across Sweden during the previous night. It scarcely disturbed the weather in the British Isles, and the last two days of the week were summerlike —calm, warm, and sunny— at sea thick haze prevailed, and there was a dead calm. In Dublin the mean height of the barometer was 30·212 inches, pressure ranging between 30·322 inches at 9 p.m. of Sunday (wind, N.N.E), and 30·027 inches at 4 p.m. of Wednesday (wind, N.E.). The corrected mean temperature was 59·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·2°. On Saturday the screened thermometers fell to 49·1°, and rose to 70·3°, these being the extreme shade-readings of the week. N.E. (between N. & E.) winds blew almost without intermission. The period was rainless."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·220 inches. The highest reading (30·317) was on Friday, at 9 p.m., air calm, the lowest (30·066) on Wednesday at 9 a.m., wind E.N.E.

The mean temperature for the week was 56·4°, being 2·2 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday and Saturday, on which days the thermometer registered 72°, and was lowest on Saturday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 58·1° and of the Wet Bulb, 54·9°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 59·5°, the maximum 75·0°, and the minimum 50·1°; at Glasgow the maximum was 76·0°, the minimum 37·7°, and the mean 60·5°; and at Edinburgh the maximum was 74·4°, the minimum 46·5°, and the mean 58·5°. There was no rainfall recorded at Greenwich, Glasgow, or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 27,	30·300	72	42	57·0	63·0	56·8	·71	·4	14·0	·000	Calm.	Calm.
Monday, " 28,	30·270	68	44	56·0	55·4	52·4	·82	·4	4·9	·000	N.W.	Calm.
Tuesday, " 29,	30·125	65	49	57·0	54·3	52·0	·87	·3	4·0	·000	Calm.	Calm.
Wednesday, " 30,	30·075	68	43	55·5	57·6	55·3	·86	·3	4·9	·000	E.N.E.	Calm.
Thursday, " 31,	30·165	66	47	56·5	58·2	55·7	·86	·3	3·0	·000	N.E.	Calm.
Friday, August 1,	30·295	66	46	56·0	56·1	54·0	·87	·2	3·3	·000	N.E.	Calm.
Saturday, " 2,	30·310	72	41	56·5	61·9	58·1	·79	·1	11·0	·000	Calm.	Calm.
Mean, ...	30·220	68·1	44·6	56·4	58·1	54·9	·83	·3	Total 45·1	Total ·000	—	

Sunday—A beautiful bright day; night clear. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—Day overcast a.m., bright p.m.; night clear. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day cloudy, fine; night clear. *Saturday*—A beautiful bright day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 2nd August, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 27,	70·6	62·1	57·2	72	50	61·0	13·0	—
Monday, " 28,	60·1	63·0	57·4	70	51	60·5	5·7	—
Tuesday, " 29,	60·2	62·3	57·7	64	55	59·5	4·1	—
Wednesday, " 30,	61·0	62·1	57·9	68	50	59·0	6·2	—
Thursday, " 31,	61·5	62·1	58·0	66	54	60·0	1·7	—
Friday, August 1,	62·5	61·8	58·0	66	54	60·0	3·5	—
Saturday, " 2,	65·2	61·4	58·1	72	50	61·0	10·4	—
Weekly Mean, .	63·0	62·1	57·8	68	52	60·	Total 44·6	Total. —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 6. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 9TH AUGUST, 1913. [No. 32.

General Register Office, Charlemont House,
Dublin, 11*th August,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending July 19	Week ending July 26	Week ending Aug. 2	Week ending Aug. 9	Average Rate for 4 weeks.
27 Town Districts, (a)	**15·2**	**16·4**	**16·6**	**15·5**	**15·9**
Dublin Reg. Area ...	15·9	15·1	17·3	17·9	16·5
Dublin City ...	16·1	16·2	17·8	19·6	17·4
Belfast	15·8	15·8	15·9	15·1	15·7
Cork	13·6	25·2	25·8	15·0	19·9
Londonderry ...	14·0	12·7	19·1	12·7	14·6
Limerick	14·9	19·0	8·1	9·5	12·9
Waterford	24·7	19·0	22·8	30·4	24·2

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·8 per 1,000. Among the 115 deaths from all causes for Belfast are one from scarlet fever, and 28 from diarrhœal diseases. Included in the 22 deaths from all causes for Cork are 4 from diarrhœal diseases. The 16 deaths from all causes for Waterford include 6 from measles and 2 from diarrhœal diseases, and one of the 3 deaths from all causes recorded for Galway is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—103 boys and 96 girls—and the deaths to 144—67 males and 77 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·9 per 1,000 of the population. During the thirty-two weeks, ending with Saturday last, the death-rate averaged 20·6, and was 1·8 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 144, represent an annual rate of 18·6 per 1,000; the annual rate for the past thirty-two weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·5 per 1,000 of the mean population for all deaths registered.

The deaths include one from measles, 2 deaths from diphtheria, and 18* deaths from diarrhœa and enteritis of children under 2 years. In each of the 3 preceding weeks deaths from measles were 0, 0, and 0; deaths from diphtheria were one, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years were 11, 6, and 11.

Of 26 deaths from tuberculosis (all forms) 17 were attributed to pulmonary tuberculosis, 4 to tuberculous meningitis, one to abdominal tuberculosis, and 4 to disseminated tuberculosis. In each of the 3 preceding weeks, deaths from all forms of tuberculosis were 21, 26, and 30.

There were 11 deaths from cancer.

The deaths of 5 infants were caused by convulsions. There was one death of one infant from premature birth, and there were 3 deaths from congenital debility.

The mortality from pneumonia included 2 deaths from broncho-pneumonia, 4 deaths from lobar pneumonia, and 2 deaths from pneumonia (type not distinguished).

Twenty-two deaths were caused by organic diseases of the heart, and there were 6 deaths from bronchitis.

The deaths from accidental causes or negligence, 6 in number, include the death of one child between the ages of 2 years and 5 years from burns. There was one death by suicide.

In two instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 3 were under one month old) and 29 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000; the rate in the City was 19·6 (North City Districts, 18·2; South, 21·3) and in the Suburbs, 12·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·7 (in the North City Districts 2·9, and in the South 4·7), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000, and include 4 from diarrhœa and enteritis of children under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 15·3 per 1,000. Diphtheria caused one death, tuberculous disease 3 deaths, diarrhœa and enteritis of children under 2 years 2 deaths, and there was one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 35·5 per 1,000. Of the total 6 were from tuberculous disease, there was one from each of pneumonia and bronchitis, diarrhœa and enteritis caused 2 deaths, and there were 3 from accidental violence.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 11·9 per 1,000, and include one from broncho-pneumonia and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 4·9. One of the 2 deaths for Clontarf and Howth, No. 1, part of, is from pulmonary tuberculosis; and the one death for Coolock and Drumcondra, part of, is from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23·3 per 1,000. Pulmonary tuberculosis caused 2 deaths, bronchitis 2 deaths, and diarrhœa and enteritis of children under 2 years, 3 deaths.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000, and include 3 from tuberculous disease, one from lobar pneumonia, and 2 from diarrhœa and enteritis of children under 2 years.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. Included in the total are one from each of diphtheria, pulmonary tuberculosis, broncho-pneumonia, lobar pneumonia, diarrhœa of a child under 2 years, and there were 2 deaths from accidental violence.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. Measles caused one death, lobar pneumonia 2 deaths, and diarrhœa and enteritis of children under 2 years 3 deaths.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. Tuberculous disease caused one death, and there was one death by suicide.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·8; Pembroke, 8·7; Blackrock, 0·0; and Kingstown, 18·5. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 11 deaths from all causes for Rathmines and Rathgar 2 are from tuberculous disease, one from pneumonia, and one from bronchitis. Two of the 5 deaths from all causes for Pembroke are from pulmonary tuberculosis; and of the 6 deaths from all causes for Kingstown one is from pulmonary tuberculosis.

* See note (c) Table II.
† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 9th August, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	July 19,	.	—	—	12	8	.	6	.	.	2	2	.	—	—	.	—	13	.	43
	July 26,	.	—	—	14	4	.	2	.	.	7	1	.	—	—	.	—	22	.	50
	Aug. 2,	.	—	—	6	1	.	4	.	.	8	3	.	—	—	.	—	20	.	42
	Aug. 9,	.	—	—	10	.	.	3	.	1	5	5	.	—	—	.	—	11	.	35
Rathmines and Rathgar Urban District.	July 19,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	July 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 2,	.	—	—	1	.	.	3	.	.	1	1	.	—	—	—	—	—	—	6
	Aug. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	July 19,	.	.	.	.	.	.	.	.	.	.	.	.	—	4	—	—	.	—	4
	July 26,	.	.	.	.	.	.	1	.	.	.	.	.	—	7	—	—	.	—	8
	Aug. 2,	.	.	.	1	.	.	1	.	.	.	1	.	—	3	—	—	.	—	6
	Aug. 9,	.	.	.	.	.	.	1	.	.	1	.	.	—	.	—	—	.	—	2
Blackrock Urban District.	July 19,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 2,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Aug. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	July 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	July 19,	.	—	—	34	.	.	4	.	.	2	4	.	—	—	—	—	1	—	45
	July 26,	.	—	—	29	.	.	3	.	.	3	5	.	—	—	—	—	13	—	53
	Aug. 2,	.	—	—	34	.	.	10	.	.	.	4	.	—	—	—	—	6	—	54
	Aug. 9,	.	—	—	37	.	.	5	1	.	2	3	.	—	—	—	—	2	—	50*a*

(*a*) Not including one case of cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th August, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 45 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 25, 34, and 42.

Ten cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 previous weeks the cases in hospital were 8, 11, and 10, respectively.

Two cases of measles were admitted to hospital during the week, one was discharged, and 3 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 5, one, and 2 respectively.

Thirteen cases of scarlet fever were admitted to hospital, 14 were discharged, and 65* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 76, 76, and 66.

Four cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 35, 31 and 32 respectively, were 26 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 4 were discharged, there were 2 deaths, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 11·4), was equal to an average annual death-rate of 12·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·1 per 1,000, the rate for Glasgow being 14·7, and for Edinburgh 12·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th August. From this Report it appears that of a total of 50 cases notified, 19 were scarlet fever, 14 phthisis, 11 diphtheria, 4 erysipelas, one enteric fever, and one puerperal fever. Among the 338 cases of infectious diseases in hospital at the close of the week were 137 cases of scarlet fever, 96 of phthisis, 38 of diphtheria, 34 of measles, 11 of whooping-cough, 7 of enteric fever, 5 of erysipelas, and one of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 9th August, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 9th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th July, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	24·0	15·5	2·8	551	357	74	75	...	...	...	7	1	1	2	...	33	18	26	20	23	47	7	9	15	112	6	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	25·7	17·9	2·8	199	138	21	29	...	...	...	1	...	...	2	...	16	7	10	8	9	17	2	7	6	59	2	e 73	40	55·4	0·19	e 72	41	56·4	0·00	e 73	39	54·2	0·16
CITY OF DUBLIN,	308,187	39·0	28·8	19·6	3·7	170	116	17	21	...	...	...	1	...	...	2	...	12	6	5	7	7	17	2	7	6	51	...	f 72·0 g 72·9	47·4 45·2	57·5 57·0	0·36 0·17	f 70·3 g 72·8	49·1 45·0	59·8 58·5	0·00 0·00	f 71·3 g 73·3	47·7 42·8	58·3 57·2	0·09 0·09
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	8·1	14·8	.	6	11	1	4	...	...	...	...	...	...	...	..	1	1	3	1	2	...	...	...	...	5	1	...	...	...	...	.	...	...	...	...	...	...	...
PEMBROKE, ...	29,942	19·0	26·1	8·7	.	15	5	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	17·1	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	15·4	18·5	.	5	6	2	3	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	2	1	74	48	58·8	0·30	68	50	58·3	0·00	70	49	58·2	0·05
Urban Districts. BELFAST ..	396,000	26·5	25·7	15·1	3·8	195	115	35	20	...	...	...	...	1	...	...	...	7	7	6	7	7	25	3	2	5	27	...	77·2	40·0	57·0	0·01	69·5	47·5	58·9	0·00	68	44	56·6	0·39
CORK, ..	76,673	28·6	16·3	15·0	2·7	24	22	5	7	...	...	...	...	...	...	...	...	2	1	1	.	1	3	1	...	2	9	1	70	49	59·6	0·08	70	53	60·8	0·02	68	49	57·7	0·03
LONDONDERRY...	41,000	15·9	26·7	12·7	.	21	10	4	2	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	10·8	9·5	.	8	7	...	1	...	...	...	...	...	...	...	...	1	1	2	...	1	...	...	...	...	2	1	71·7	41·7	58·3	0·09	76·8	45·6	62·4	0·03	74·6	40·0	58·3	0·03
WATERFORD, ...	27,464	19·1	28·5	30·4	15·2	15	16	2	2	...	...	...	6	...	...	...	...	2	...	...	...	2	1	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				3	3	1	1	...	...	...	..	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	79	40	57	0·00	77	45	59	0·00	77	40	56	0·18
DUNDALK, ...	13,128	9·5				12	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				7	4	...	1	...	...	...	...	...	...	...	..	...	...	1	1	...	...	...	...	...	2	...	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67
DROGHEDA, ...	12,501	8·4				4	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				8	3	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67
NEWRY, ...	11,963	17·0				6	4	...	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	3	...	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67
PORTADOWN, ...	11,727	15·3				2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67
WEXFORD, ...	11,531	22·8				.	4	1	1	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	.	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				12	3	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	68	38	51·0	0·32	71	44	57·0	0·00	74	38	56·0	0·14
SLIGO, ...	11,163	3·8				5	1	...	..	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	.	74	43	57·4	0·05	78	44	63·0	0·00	74	42	58·4	0·02
KILKENNY, ...	10,514	11·4				4	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TRALEE, ...	10,300	17·4				1	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66	45	55·2	0·00	67	48	57·1	0·00	64	50	55·7	0·42
NEWTOWNARDS,	9,587	20·1				2	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	70	49	59·6	0·08	70	53	60·8	0·02	68	49	57·7	0·03
QUEENSTOWN, ...	8,209	14·7				6	5	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LARNE, ...	8,036	13·4				3	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				5	4	...	3	...	...	...	...	...	...	...	...	..	...	1	...	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				.	.	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				.	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02	72·7	43·0	56·8	0·67

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 6 deaths of persons (including one under one year old) admitted to hospital from localities outside the Area: one of the 6 deaths was from diarrhœa of a child under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 9th of August, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	2	3	.	1	1	.	2	2	1	.	.	1	2	.	1	16	1
Tuberculous Disease. — Other Forms,	.	1	3	.	.	.	.	.	1	.	.	1	1	.	.	.	7	2
Cancer,	.	.	1	1	1	.	.	.	.	.	2	.	3	.	.	2	10	1
Diseases of Nervous System,	2	1	.	.	.	.	.	3	1	1	1	.	.	.	.	2	11	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Circulatory System,	4	.	4	2	.	.	.	5	1	1	3	.	1	1	.	1	23	.
" Respiratory System. — Pneumonia,	.	.	1	1	.	.	.	.	1	2	2	.	1	.	.	.	8	.
" Respiratory System. — Others,	.	1	1	2	.	.	1	2	.	.	.	.	2	.	.	.	9	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	4	2	2	.	.	.	.	3	2	1	3	.	.	.	.	.	17	1
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	.	.	.	.	1	1	.	1	.	.	1	.	.	5	.
" Genito-urinary System,	3	.	.	2	.	.	.	.	.	4	.	.	.	.	.	.	9	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Other specified Causes,	1	3	.	.	.	.	.	1	.	.	1	.	1	1	.	.	8	.
Violent Deaths,	.	1	3	.	.	.	.	.	.	2	.	1	.	.	.	.	7	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Deaths from All Causes	14	12	19	8	2	1	1	18	9	14	15	3	11	5	.	6	138	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·4	15·3	35·5	11·9	19·2	3·8	4·9	23·3	25·6	16·9	23·6	16·0	14·8	8·7	.	18·5	17·9	.
	18·2							21·3					12·1					
	19·6																	
Ages at Death. — Under 1 year,	4	2	3	.	.	.	.	3	1	2	2	.	1	1	.	2	21	1
1 and under 2 years,	.	2	1	1	.	.	.	1	2	2	4	.	.	.	.	.	13	1
2 " 5 "	.	1	2	.	.	.	.	.	.	.	1	.	1	.	.	.	5	.
5 " 15 "	1	.	3	1	.	.	.	1	.	1	.	.	.	.	.	.	7	.
15 " 25 "	1	.	1	.	.	.	.	2	.	1	1	.	.	1	.	.	7	.
25 " 45 "	1	5	2	1	1	1	1	3	3	1	1	2	1	1	.	.	24	2
45 " 65 "	3	1	5	3	1	.	.	3	1	4	4	1	4	1	.	1	32	2
65 and upwards,	4	1	2	2	.	.	.	5	2	3	2	.	4	1	.	3	29	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	2	5	4	1	1	1	1	1	4	1	2	3	1	.	1	29	4
Workhouse Hospitals.	2	2	6	2	.	.	.	5	3	2	4	1	2	.	.	1	30	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 9th August, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.	Aug. 12, 1911.	Aug. 10, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 54·7	° 57·1	° 57·3	° 61·3	° 58·3	° 59·5	° 62·4	° 59·2	° 60·8	° 53·0	° 58·4	° 55·4										
ALL CAUSES.	136	199	151	130	118	149	113	143	169	130	143·8	144	3	19	14	5	7	7	26	34	18	11
Enteric Fever, ...	2	1	.	1	1	1	.	.	2	1	·9	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	5	.	2	5	2	1	1	2	4	2·3	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	.	.	1	3	1	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	4		3	1	1	2	3	1	2	1·8	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	2	1	2	1	1	.	.	.	1	·9	2	.	.	2	.	.	.	.	.	.	.
Croup, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	1	.	2	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases, ...	.	1	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	.	1	2	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	25	22	18	15	13	9	14	13	17	16·8	17	.	.	.	.	1	3	9	3	.	1
Tuberculous Meningitis, ...	3	2	3	.	6	4	5	7	2	1	3·3	4	.	.	.	2	1	.	1	.	.	.
Abdominal Tuberculosis, ...	3	1	.	.	3	1	1	1	1	3	1·4	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	1	9	6	7	6	5	4	7	.	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	3		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									2	3		4	.	1	2	.	.	.	1	.	.	.
Venereal Diseases, ...	.	2	1	2	1		4	.	.	2	1·2	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	5	8	4	3	9	6	8	11	8	6·9	11	.	.	.	.	.	.	1	6	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	1	.	2	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	1	.	.	.	.
Alcoholism, ...	.	.	.	1	1	.	2	.	1	1	·6	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									3	2		2	.	.	.	1	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									5	5		2	.	.	.	.	.	1	.	.	1	.
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									2	1		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									4	1		5	1	4	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	35	40	30	35	18	37	28	32	1	3	30·7	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									9	11		22	.	.	.	.	1	1	3	7	8	2
Embolism and Thrombosis (including Cerebral)									.	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									3	.		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	12	8	5	8	16	6	9	7	8	5	8·4	6	.	.	.	.	.	.	.	3	.	3
Broncho-pneumonia, ...	2	3	.	.	3	2	.	1	1	1	1·3	2	.	.	1	.	.	.	.	1	.	.
Lobar pneumonia, ...	1	.	.	1	.	1	1	3	.	3	1·0	4	.	.	2	.	.	.	.	2		.
Pneumonia (type not distinguished)	3	6	4	4	5	3	1	4	7	3	4·0	2	.	.	.	.	.	.	1	1	.	.
Pleurisy, ...									.	.		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	3	1	2	.	2	.	1	.	.	1·1	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.									.	.		1	.	.	.	.	.	.	.	.	1	.

THIRTY-SECOND WEEK, ending Saturday, 9th August, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week euding Saturday										Averages in 32nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 9th August, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.	Aug. 12, 1911.	Aug. 10, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 54·7	° 57·1	° 57·3	° 61·3	° 58·3	° 59·5	° 62·4	° 59·2	° 60·8	° 53·0	° 58·4	° 55·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	1	—	2	.	.	.	.	.	1	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	4	43	33	15	7	20	13	16	41	13	21·2	18	.	12	6	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									6	.		2	.	.	.	.	.	.	1	.	1	.
Enteritis 2 years and upwards									1	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	.	—	2	1	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	2	.	.	2	2	.	.	2	3	1	1·2	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	1	1	.	.	.	1	2	.	1	2	·8	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	2	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	5	5	10	.	5	2	1	.	2	3·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									.	3		3	.	.	.	.	1	.	.	2	.	.
Chronic Bright's Disease, ...									6	4		6	.	.	.	.	.	.	1	3	1	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	6	7	.	2	8	3	5	.	.	4·9	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	1	.	2	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	1	.	2	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	.	.	1	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	2	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	6	2	2	2	3	2	2	3	3	2	2·7	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	6	—	3	.	2	1	.	.	.	.	.	.	.
Old Age, ...	6	6	3	.	2	2	3	6	3	.	3·1	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	2	—	1	.	.	.	.	.	.	.	1	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	.	.	1	.	1	.	.	·3	1	.	.	.	1	.	.	.	.	.	.
Drowning, ...	.	1	.	1	.	2	2	1	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	2	2	1	3	.	4	2	3	1·9	5	.	.	.	.	2	.	2	.	1	.
Total Deaths from Accident,	1	3	2	3	2	6	3	6	2	3	3·1	6	.	.	.	1	2	.	2	.	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	2	.	1	.	2	1	1	·8	2	.	.	.	.	1	.	1	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Suicide, ...	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	4	2	—	2	.	.	.	.	.	.	.	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered.	218	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199
Average Births in corresponding week of previous 10 years, ...	217	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209
DEATHS registered, ...	175	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	119	144
Annual Death-rate per 1,000, ...	22·6	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6
Average Deaths in corresponding week of previous 10 years, ...	197	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144
Ages, Under 5 years, ...	53	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41
5—15 " ...	6	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7
15—25 " ...	7	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7
25—45 " ...	24	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26
45—65 " ...	47	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34
65—75 " ...	23	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18
75 and upwards, ...	15	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11
Deaths from :—																										
Enteric Fever, ...	.	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.
Typhus, ...	.	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1
Scarlet Fever, ...	1	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.
Whooping-cough, ...	2	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.
Diphtheria, ...	1	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2
Influenza, ...	2	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17
Tuberculous Disease, Other Forms,	13	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9
Cancer, ...	15	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11
Diseases of Circulatory System,	13	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23
Diseases of Respiratory System, Pneumonia	16	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8
Diseases of Respiratory System, Others, ...	20	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9
Diarrhœa and Enteritis, under 2 years, ...	4	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2
Violent Deaths, ...	2	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7
Number of Uncertified Deaths,	3	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2
Mean Temperature of the Air (Phœnix Park)	40·6	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4
Average Mean Temperature in corresponding week of previous 10 years, ...	42·3	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4
Rainfall in inches, ...	·030	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185
Mean Humidity of the Air, complete Saturation 1·0, ...	·95	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th August, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH AUGUST, 1913. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	18·9	144	41	7	7	26	34	18	11	.	.	.	1	.	.	2	.	17	9	11	5	8	9	18	2	7	55	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	7·1	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	11·8	23	4	3	.	5	4	4	3	.	.	.	.	.	.	.	.	4	1	5	1	.	2	2	.	2	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13·9	29	6	1	3	5	11	3	.	.	.	.	.	.	.	.	.	5	1	1	1	2	1	3	1	2	12	.
IV.	GENERAL SERVICE CLASS, ...	167,479	18·1	58	25	2	3	11	9	4	4	.	.	.	1	.	.	2	.	6	2	1	3	4	3	10	1	2	23	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	32	6	1	1	5	10	6	3	.	.	.	.	.	.	.	.	2	5	4	.	2	3	3	.	1	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	12·4	6	2	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	33,249	11·0	7	1	.	.	4	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	2	1	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	13·9	9	1	3	.	.	1	3	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.	2	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8·9	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	9. Building and Furnishing Trades, ...	28,823	19·9	11	3	1	.	2	3	2	.	.	.	.	.	.	.	.	.	2	1	1	1	.	1	2	1	.	2	.
	10. Clothing Trades, ...	20,026	13·0	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	1	.
	11. Food Supply Trades	8,952	5·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	14·6	9	2	.	2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	8	.
	13. Petty Shopkeepers	6,772	7.7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	32·1	8	2	.	.	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	5	.
	15. Domestic Servants, ...	36,041	5·8	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	13·6	4	2	.	.	.	.	.	2	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	21·2	42	20	2	2	6	8	2	2	.	.	.	1	.	.	1	.	3	2	1	2	4	2	8	1	2	15	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	32	6	1	1	5	10	6	3	.	.	.	.	.	.	.	.	2	5	4	.	2	3	3	.	1	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number
Statistics for each of the Provincia

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	June 21,	26·2	3·5	15	.	.	.	.	.	.	1	.	1	3	.	.	3	1	.	1	.
		„ 28,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.
		July 5,	20·9	.	12	.	.	.	.	.	.	.	.	4	2	1	.	.	.	.	.	.
		„ 12,	19·2	3·5	11	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	2
		„ 19,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
		„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
		Aug. 2,	19·2	.	11	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.
		„ 9,	24·4	7·0	14	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	June 21,	14·0	.	11	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
		„ 28,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	2	.	.	.	1	.	1	1
		July 5,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.
		„ 12,	33·2	2·6	26	.	.	.	.	2	.	.	.	3	1	1	3	1	.	.	2	.
		„ 19,	17·9	3·8	14	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1
		„ 26,	10·2	2·6	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
		Aug. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	4	.	2	1	1	.	.	1	1
		„ 9,	15·3	3·8	12	.	.	.	.	.	.	1	.	2	1	.	.	1	2	.	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	June 21,	24·3	1·9	13	.	.	.	.	.	1	.	.	4	1	1	2	1	.	.	.	.
		„ 28,	18·7	3·7	10	.	.	.	.	.	.	.	.	4	.	.	1	.	2	.	.	.
		July 5,	31·8	.	17	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	1	1
		„ 12,	26·2	3·7	14	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
		„ 19,	29·9	1·9	16	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	1	.
		„ 26,	16·8	3·7	9	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	1
		Aug. 2,	16·8	3·7	9	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.
		„ 9,	35·5	3·7	19	.	.	.	.	.	.	.	.	3	3	1	1	1	2	.	3	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	June 21,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
		„ 28,	23·7	1·5	16	.	.	.	.	.	.	.	.	3	.	2	1	1	1	.	.	.
		July 5,	17·8	1·5	12	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.
		„ 12,	16·3	.	11	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.
		„ 19,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
		„ 26,	14·8	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
		Aug. 2,	10·4	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
		„ 9,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	June 21,	16·8	.	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
		„ 28,	15·5	1·3	12	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.
		July 5,	22·0	1·3	17	.	.	.	.	.	.	.	.	2	.	4	1	1	.	1	.	.
		„ 12,	14·2	1·3	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
		„ 19,	11·6	1·3	9	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
		„ 26,	14·2	.	11	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.
		Aug. 2,	23·3	2·6	18	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	1	.
		„ 9,	23·3	5·2	18	.	.	.	.	.	.	.	.	2	.	.	.	2	3	1	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	June 21,	25·6	.	9	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1
		„ 28,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		July 5,	17·1	5·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	1
		„ 12,	25·6	8·5	9	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1
		„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
		„ 26,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	.
		Aug. 2,	19·9	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.
		„ 9,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	June 21,	24·2	4·8	20	.	.	.	.	.	1	1	1	2	.	2	3	2	1	.	1	.
		„ 28,	16·9	.	14	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
		July 5,	19·4	2·4	16	.	.	.	.	.	1	1	.	2	.	.	2	4	.	.	.	.
		„ 12,	19·4	3·6	16	.	.	.	.	1	.	.	.	1	1	2	.	2	2	.	.	.
		„ 19,	15·7	4·8	13	.	.	.	.	.	.	.	.	1	.	2	1	2	3	1	.	.
		„ 26,	19·4	2·4	16	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	1	.
		Aug. 2,	19·4	4·8	16	.	.	.	.	.	.	.	.	4	1	1	1	1	3	1	1	.
		„ 9,	16·9	3·6	14	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	2	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	June 21,	23·6	4·7	15	.	1	.	.	.	1	.	.	.	.	.	2	2	1	.	1	.
		„ 28,	11·0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
		July 5,	23·6	1·6	15	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	1	.
		„ 12,	26·7	6·3	17	.	.	.	.	.	2	1	.	1	.	.	1	3	1	.	.	2
		„ 19,	23·6	1·6	15	.	.	.	.	.	.	.	.	3	2	2	.	.	1	.	.	1
		„ 26,	18·9	1·6	12	.	.	.	.	.	1	.	.	2	.	.	1	2	.	.	.	1
		Aug. 2,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 9,	23·6	6·3	15	.	.	.	1	.	.	.	.	.	.	2	2	.	3	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	June 21,	8·1	1·3	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 28,	6·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	July 5,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 12,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 19,	10·8	1·3	8	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.
Pop. in 1913 (Est.) 38,769.	„ 26,	8·1	1·3	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1
	Aug. 2,	13·4	.	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 9,	14·8	.	11	.	.	.	.	.	.	.	.	1	1	3	1	2	.	.	.	1
Pembroke Urban District.	June 21,	10·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 28,	20·9	.	12	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	.
	July 5,	15·7	3·5	9	.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	3	.
	„ 12,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 19,	24·4	3·5	14	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
Pop. in 1913 (Est.) 29,942.	„ 26,	10·4	1·7	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	Aug. 2,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1	.
	„ 9,	8·7	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Kingstown Urban District.	June 21,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 28,	9·2	3·1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	July 5,	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	18·5	3·1	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 19,	6·2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Pop. in 1911 16,941.	„ 26,	24·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 2,	21·5	.	7	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 9,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
Belfast.	June 21,	14·0	0·4	106	.	.	.	1	1	.	.	.	19	9	4	8	7	1	.	3	.
	„ 28,	16·9	1·6	128	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	1
	July 5,	15·9	1·4	121	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	1
	„ 12,	14·2	1·3	108	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	.
Pop. in 1913 (Est.) 396,000.	„ 19,	15·8	1·3	120	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	3
	„ 26,	15·8	1·4	120	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	1
	Aug. 2,	15·9	2·8	121	.	.	.	2	2	2	1	.	16	3	10	3	7	13	1	6	.
	„ 9,	15·1	3·8	115	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	.
Cork.	June 21,	17·0	0·7	25	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	.
	July 5,	16·3	.	24	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3
	„ 12,	15·6	0·7	23	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	.
Pop. in 1911 76,673.	„ 19,	13·6	.	20	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 26,	25·2	1·4	37	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	1
	Aug. 2,	25·8	0·7	38	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	.
	„ 9,	15·0	2·7	22	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	1
Londonderry.	June 21,	14·0	1·3	11	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	2	.
	„ 28,	15·3	2·5	12	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.	.
	July 5,	15·3	1·3	12	.	.	.	1	.	.	.	.	4	.	.	.	1	.	.	.	.
	„ 12,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Pop. in 1913 (Est.) 41,000.	„ 19,	14·0	2·5	11	.	.	.	2	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 26,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
	Aug. 2,	19·1	6·4	15	.	.	.	4	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 9,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
Limerick.	June 21,	19·0	.	14	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	1
	„ 28,	10·8	1·4	8	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	1
	July 5,	13·5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	1
	„ 12,	16·2	2·7	12	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
Pop. in 1911 38,518.	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2
	„ 26,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	Aug. 2,	8·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
	„ 9,	9·5	.	7	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1
Waterford.	June 21,	38·0	9·5	20	.	.	.	2	.	2	.	.	2	.	.	.	1	.	1	.	2
	„ 28,	26·6	7·6	14	.	.	.	3	.	.	.	.	.	.	.	3	1	1	.	1	2
	July 5,	17·1	1·9	9	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	2
	„ 12,	11·4	5·7	6	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.
Pop. in 1911 27,464.	„ 19,	24·7	5·7	13	.	.	.	2	.	.	.	.	1	1	.	.	1	1	.	1	.
	„ 26,	19·0	9·5	10	.	.	.	4	.	.	.	.	.	1	.	1	1	1	.	.	.
	Aug. 2,	22·8	7·6	12	.	.	.	2	.	.	.	.	1	.	1	1	1	1	1	.	.
	„ 9,	30·4	15·2	16	.	.	.	6	.	.	.	.	2	.	.	.	2	1	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th August, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	16·4	3·3	5	3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 2 do.	49,500	13	16 9	4·2	16	2	4	2	2	4	2	.	.	.	.	.	.	.	.	1	1	1	.	1	3	1	2	3	3	.
Do. 3 do.	50,032	30	13 5	4 2	13	6	1	2	1	1	2	.	.	.	.	1	.	.	.	1	.	.	1	1	4	.	.	.	4	.
Do 4 do.	32,637	21	9·6	1 6	6	1	1	.	1	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	3	.
Do. 5 do.	16,112	13	19·4	3 2	6	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2	.
Do. 6 do.	37,293	6	14 0	5·6	10	4	.	1	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	19	17·1	2·1	8	2	.	1	1	1	3	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.
Do. 10 do.	28,958	17	25·2	.	14	4	4	1	2	2	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	1	2	.
Do. 11 do.	39,311	17	9·3	1·3	7	1	2	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
Do. 12 do.	38,076	19	26·0	12·3	19	7	2	2	2	2	4	.	.	.	.	.	.	.	.	2	1	1	1	2	7	2	.	1	2	.
Do. 13 do.	23,233	11	9·0	2·2	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	16	16·1	2·3	7	1	1	1	3	1	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	.	6	.
Total,	386,947	195	15 1	3·8	115	35	15	11	17	17	20	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	5	27	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	10	7·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do 2 do.	10,701	.	15·0	10·0	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
Do 3 do.	9,978	2	16·0	5 3	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Do 4 do.	8,666	4	11·4	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do 5 do.	6 592	3	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do 6 do.	10,702	3	22·5	4·5	5	2	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	2	.
Do. 7 do.	16,616	2	19·5	.	6	1	.	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total,	76,122	24	15·0	2·7	22	5	1	2	1	6	7	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	2	9	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Feb. 15.	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered, ...	211	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195
DEATHS registered, ...	151	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115
Annual Death-rate per 1,000 of estimated population, ...	19·9	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1
AGES, Under 1 year, ...	25	44	49	45	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35
1—5 years, ...	19	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15
5—25 ,, ...	20	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11
25—45 ,, ...	20	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17
45—65 ,, ...	40	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17
65 and upwards, ...	27	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.
Scarlet Fever, ...	4	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1
Whooping-cough, ...	1	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.
Diphtheria, ...	1	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7
Tuberculous Disease. Other Forms,	4	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7
Cancer, ...	7	8	5	3	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6
Diseases of Respiratory System, Pneumonia,	13	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7
Diseases of Respiratory System, Others, ...	29	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7
Diarrhœa and Enteritis, under 2 years, ...	4	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25
Diarrhœa, 2 years and upwards,	1	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3
Violent Deaths, ...	4	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2
Number of Uncertified Deaths, ...	.	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Aug. 9,	1,894	987	11·4	2	.	13	4	9	8	73*a*
Edinburgh, ...	320,300	„ 9,	116	78	12·7	.	.	.	2	.	1	.
Glasgow, ...	1,021,500	„ 9,	547	288	14·7	2	.	16	.	5	2	25
Calcutta, ...	896,067	June 28,	.	355	20·6	73*	3	.	.	.	1†	39‡
Bombay	979,445	July 5,	352	513	27·2	65*	4	4	.	.	.	47‡
Madras	518,660	„ 12,	346	357	35·8	58*	.	.	?	?	?	101‡
Cairo, ...	710,514	May 20,	498	630	46·2	7	.	21	1	?	9†	149*a*
Paris, ...	2,847,229	July 26,	919	779	14·0	9	.	15	2	11	9†	27*a*
Brussels, ...	767,252	„ 19,	242	168	11·4	2	.	2	.	1	.	7*a*
Antwerp, ...	312,884	„ 26,	117	76	12·6	.	.	8	.	4	1†	18*a*
Amsterdam, ...	590,743	„ 19,	282	106	9·4	.	.	2	.	1	1†	3*a*
Copenhagen, ...	473,500	„ 19,	230	101	11·1	.	.	1	.	1	.	3*a*
Stockholm, ...	376,171	„ 19,	159	94	13·0	1	.	.	.	1	1†	.
Christiania, ...	250,423	„ 26,	103	50	10·4	.	.	1	.	.	.	3
St. Petersburg ...	1,686,000	„ 5,	545	717	22·2	13	.	17	13	5	1	113*a*
Moscow, ...	1,694,000	June 28,	.	946	29·1	.	2	46	15	1	20†	329
Berlin, ...	2,072,959	July 5,	699	493	12·4	1	?	5	5	2	9†	31
Hamburg, ...	1,006,748	„ 19,	.	210	10·8	1	?	3	3	1	7†	12
Breslau, ...	540,446	„ 19,	.	189	18·2	.	.	3	.	1	.	16
Munich, ...	638,000	„ 19,	.	177	14·5	.	.	1	.	2	.	14
Vienna (with suburbs),	2,115,254	„ 19,	554	524	12·9	.	.	3	5	1	14†	23*a*
Buda-Pesth, ...	930,666	„ 19,	471	311	17·4	.	.	6	9	.	.	24*a*
Prague and Faubourgs,	494,055	„ 5,	159	154	16·3	1	.	1	3	1	6†	2*a*
Trieste, ...	239,703	„ 19,	135	78	17·0	.	1	.	.	.	.	9*a*
Rome, ...	579,187	Apr. 26,	263	168	15·1	2	.	6	1	.	.	4
New York, ...	5,372,983	July 5,	2,051	1,291	12·5	3	.	17	11	13	22†	79*a*
Philadelphia, ...	1,631,960	June 21,	.	508	16·2	8	.	6	3	2	9†	39*a*
Boston, ...	735,399	July 19,	.	1815	12·8	.	.	1	.	.	5	10

* Deaths from "fever," including 5 from enteric fever and 20 from plague in Calcutta, 15 from plague, and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 17 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Including the deaths of 30 non-residents, of these 2 deaths were from diphtheria, one was from diarrhœa, and 5 deaths were from diarrhœal diseases

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th August, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ...	.	.	.	.	1	.	.	1	.	.	.	1	.	3
„ „ 2, ...	.	2	.	.	.	.	.	1	.	.	.	4	.	7
„ „ 3, ...	.	2	.	.	.	.	1	.	2	.	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	1	.	.	.	.	.	.	3	.	6
„ „ 2, ...	.	2	.	.	.	.	.	1	.	.	.	.	.	3
„ „ 3, ...	.	1	.	.	1	.	.	1	1	.	.	1	.	5
„ „ 4, ...	.	.	.	.	.	.	.	1	.	.	.	2	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	10	.	.	3	.	1	5	5	.	.	11	.	35

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th August, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th August.			
	July 19.	July 26.	August 2.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	25	34	42	6	3	.	45
Typhus, ...	8	11	10	.	.	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	1	2	2	1	.	3
Scarlet Fever, ...	76	76	66	13	14	.	65*
Diphtheria, ...	35	31	32	4	9	1	26
Pneumonia, ...	23	21	17	8	4	2	19

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 9th August, 1913:—

"The dry weather, which had prevailed since July 22, lasted in Dublin until the afternoon of Friday August 8, when a heavy shower fell. In London, much the same thing had happened twenty-four hours previously, the heavy showers, accompanied in some parts of the metropolitan district by thunder and lightning, yielding amounts in the rain-gauge varying from ·07 inch at Camden Square to ·23 inch at Kew Observatory. The general distribution of atmospheric pressure was—as in past weeks—anticyclonic over the Atlantic off the west coast of Ireland, but cyclonic over Scandinavia. Hence the prevalence of cool northerly (between N.W. and N.E.) winds in the British Isles, and the dry weather which accompanied those winds. As usually happens, however, in like conditions, showers fell from time to time along the east coast of Great Britain. The measurements were not large, but Clacton-on-Sea, in Essex, had ·33 inch on Thursday morning. Shallow depressions over the South of France and the Gulf of Genoa caused thunderstorms in those regions—a violent storm with torrential rain being reported from Lyons at 6 p.m. of Wednesday. As the week drew to a close, the Atlantic anticyclone was retreating from the Irish coast, and a general and uniform reduction of pressure was taking place over North-Western Europe. A notable incident of the week was the appearance at 10.55 p.m. of Sunday (Dunsink mean time) of a brilliant emerald-coloured meteor, which majestically moved across the south-western and western sky at a great height, being seen in much the same apparent position both off Holyhead and from Greystones, Co. Wicklow. In Dublin the mean height of the barometer was 30·078 inches, pressure ranging between 30·287 inches at 9 a.m. of Sunday (wind, N.E.), and 29·811 inches at 9 a.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 57·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·5°. On Sunday the screened thermometers rose to 72.0°, and fell to 47·4° on Wednesday. The prevailing wind was N.W. Rain fell to the amount of ·360 inch, of which ·065 inch fell on Friday, and ·295 inch fell on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·091 inches. The highest reading (30·288) was on Sunday, at 9 a.m., air calm, the lowest (29·822) on Saturday at 9 a.m., wind W.

The mean temperature for the week was 55·4°, being 3·0 below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday, on which day the thermometer registered 73°, and was lowest on Tuesday, the mercury having fallen to 40°. The mean of the Dry Bulb for the week was 55·7° and of the Wet Bulb, 52·1°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The rainfall during the week measured 0.185 inch.

At Greenwich the mean temperature for the week was 57·1°, the maximum 75·2°, and the minimum 45·4°; at Glasgow the maximum was 71·0°, the minimum 42·9°, and the mean 55·8°; and at Edinburgh the maximum was 75·5°, the minimum 46·7°, and the mean 56·5°. The rainfall at Greenwich measured 0·09 in.; at Glasgow 0·01 in.; and at Edinburgh 0·30 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 3,	30·265	73	55	64·0	62·7	59·7	·83	·4	1·3	·000	Calm.	Calm.
Monday, „ 4,	30·210	64	45	54·5	52·9	50·7	·86	·4	9·2	·000	N.N.E.	Calm.
Tuesday, „ 5,	30·130	61	40	50·5	54·1	49·8	·74	·5	1·7	·000	N.	Calm.
Wednesday, „ 6,	30·130	64	43	53·5	56·3	50·5	·68	·4	5·9	·000	N.	Calm.
Thursday, „ 7,	30·090	65	44	54·5	54·8	50·6	·75	·5	4·2	·000	W.	Calm.
Friday, „ 8,	29·975	64	45	54·5	54·8	51·1	·78	·5	4·5	·015	W.N.W.	Calm.
Saturday, „ 9,	29·835	63	50	56·5	54·3	52·4	·88	·4	3·5	·170	W.	Calm.
Mean, ...	30·091	64·9	46·0	55·4	55·7	52·1	·79	·4	Total 30·3	Total ·185	Prevailing Wind, W.N.W.	

Sunday—Day cloudy, fine; night cloudy. *Monday*—A beautiful bright day; night clear to cloudy. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day cloudy, showers at intervals 2.45 to 4.45 p.m.; night cloudy, showers at intervals a.m. *Saturday*—Day cloudy, showers at intervals; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 9th August, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 3,	64·7	63·2	58·1	73	60	66·5	3·2	—
Monday, „ 4,	62·0	63·0	58·3	64	51	57·5	8·6	—
Tuesday, „ 5,	56·3	62·3	58·4	62	50	56·0	1·0	—
Wednesday, „ 6,	59·6	61·5	58·6	61	47	54·0	5·4	—
Thursday, „ 7,	58·3	60·9	58·6	65	49	57·0	4·5	—
Friday, „ 8,	59·7	61·2	58·6	65	51	58·0	4·6	·068
Saturday, „ 9,	57·2	61·0	58·4	63	53	58·0	2·4	·372
Weekly Mean,	59·7	61·9	58·4	64·7	51·6	58·1	Total 29·7	Total ·440

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 6. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 16TH AUGUST, 1913. [No. 33.

General Register Office, Charlemont House,
Dublin, 18*th August,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending July 26	Week ending Aug. 2	Week ending Aug. 9	Week ending Aug. 16	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·4**	**16·6**	**15·5**	**19·2**	**16·9**
Dublin Reg. Area ...	15·1	17·3	17·9	18·6	17·2
Dublin City ...	16·2	17·8	19·6	21·0	18·6
Belfast	15·8	15·9	15·1	20·9	14·7
Cork	25·2	25·8	15·0	25·2	22·8
Londonderry ...	12·7	19·1	12·7	17·8	15·6
Limerick	19·0	8·1	9·5	16·2	13·2
Waterford	19·0	22·8	30·4	20·9	23·3

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 3·9 per 1,000. Among the 159 deaths from all causes for Belfast are 3 from scarlet fever, 2 from whooping-cough, and 25 from diarrhœa and enteritis of children under 2 years. Of the 37 deaths from all causes for Cork 2 are from diarrhœa and enteritis of children under 2 years of age. Among the 14 deaths from all causes for Londonderry, 3 are from measles and 2 from diarrhœa and enteritis of children under 2 years of age. Two of the 11 deaths from all causes for Waterford are from measles. One of the 5 deaths from all causes for Galway is from measles. Included in the 6 deaths from all causes for Portadown are 3 from diarrhœa and enteritis of children under 2 years, and 2 deaths from the same cause are among the 4 deaths for Queenstown.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 212—120 boys and 92 girls—and the deaths to 157—96 males and 61 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·6 per 1,000 of the population. During the thirty-three weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·8 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 157, represent an annual rate of 20·3 per 1,000; the annual rate for the past thirty-three weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

The deaths include one from measles, one from scarlet fever, 3 from whooping-cough, and 27 from diarrhœa and enteritis of children under 2 years. In the 3 preceding weeks deaths from measles were 0, 0, and one; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 3, 0, and 0; and deaths from diarrhœa and enteritis of children under 2 years were 6, 11, and 18 respectively.

Tuberculous disease caused 27 deaths, comprising 17 from pulmonary tuberculosis, 3 from tuberculous meningitis, one from tuberculosis of vertebral column, and 6 from disseminated tuberculosis. In the 3 previous weeks, tuberculous disease caused 26, 30, and 26 deaths respectively.

Cancer caused 8 deaths.

The deaths of 3 infants were caused by convulsions. There were 5 deaths of infants from prematurity, and 5 from congenital debility.

There was one death from broncho-pneumonia, and pneumonia (type not distinguished) caused 2 deaths.

Organic diseases of the heart caused 4 deaths, and there were 10 deaths attributed to bronchitis.

There were 3 accidental deaths.

In three instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age, and the death of one person aged 80 years.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (44 being infants under one year, of whom 10 were under one month old) and 29 were aged 65 years and upwards, including 16 persons aged 70 and upwards; among the latter were 7 aged 75 and upwards, of whom one (a female) was stated to have been aged 98 years.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·6 per 1,000; the rate in the City was 21·0 (North City Districts, 19·8; South, 22·3) and in the Suburbs, 11·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·4 per 1,000 inhabitants, the rate for the City being 5·6 (in the North City Districts 4·1, and in the South 7·2), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·9 per 1,000, and include one from whooping-cough, 2 from tuberculous disease, one from bronchitis, and 4 from diarrhœa and enteritis of children under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 26·8 per 1,000. Included in the total are 3 from tuberculous disease, one from pneumonia, 3 from bronchitis, and one from enteritis of a child under 2 years.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Tuberculous disease caused 2 deaths, and diarrhœa and enteritis of children under 2 years 3 deaths.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·8 per 1,000, and include one from scarlet fever, 2 from pulmonary tuberculosis, 2 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·7.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 24·5 per 1,000, and include 6 from tuberculous disease, one from bronchitis and 4 from diarrhœa and enteritis of children under 2 years.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Pneumonia caused one death.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·6 per 1,000. Whooping-cough caused one death, pulmonary tuberculosis 4 deaths, diarrhœa and enteritis of children under 2 years 5 deaths, and there was one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. Measles, whooping-cough, pulmonary tuberculosis, and bronchitis each caused one death, and diarrhœa and enteritis of children under 2 years caused 7 deaths..

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·1; Pembroke, 7·0; Blackrock, 5·7; and Kingstown, 18·5. The only death from the principal epidemic diseases tabulated for these districts was one from diarrhœa of a child under 2 years of age for Rathmines and Rathgar. Among the 9 deaths from all causes for Rathmines and Rathgar was one from disseminated tuberculosis. Of the 4 deaths from all causes for Pembroke 2 were from tuberculous disease; and of the 6 deaths from all causes for Kingstown one was from pulmonary tuberculosis and one was from bronchitis.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 16th August, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	July 26,	.	—	—	14	4	.	2	.	.	7	1	.	—	—	.	—	22	.	50
	Aug. 2	.	—	—	6	1	.	4	.	.	8	3	.	—	—	.	—	20	.	42
	Aug. 9,	.	—	—	10	.	.	3	.	1	5	5	.	—	—	.	—	11	.	35
	Aug, 16,	.	—	—	12	1	.	2	.	1	8	4	.	—	—	.	—	7	.	35
Rathmines and Rathgar Urban District.	July 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 2,	.	—	—	1	.	.	3	.	.	1	1	.	—	—	—	—	—	—	6
	Aug. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	.
Pembroke Urban District.	July 26,	.	.	.	.	.	.	1	.	.	.	.	.	—	7	—	—	.	—	8
	Aug. 2,	.	.	.	1	.	.	1	.	.	.	1	.	—	3	—	—	.	—	6
	Aug. 9,	.	.	.	.	.	.	1	.	.	1	.	.	—	.	—	—	.	—	2
	Aug. 16,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	—	—	.	—	1
Blackrock Urban District.	July 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 2,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Aug. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	July 26,	.	—	—	29	.	.	3	.	.	3	5	.	—	—	—	—	13	—	53
	Aug. 2,	.	—	—	34	.	.	10	.	.	.	4	.	—	—	—	—	6	—	54
	Aug. 9,	.	—	—	37	.	.	5	1	.	2	3	.	—	—	—	—	2	—	50*a*
	Aug. 16,	.	—	—	29	.	.	11	1	.	2	2	.	—	—	—	—	11	—	56

(*a*) Not including one case of cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th August, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Five cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 43 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 34, 42 and 45.

Two cases of typhus were admitted to hospital during the week and 12 cases remained under treatment at the close of the week. At the close of the 3 previous weeks the cases in hospital were 11, 10, and 10, respectively.

One case of measles was admitted to hospital during the week, 2 were discharged, and 2 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were one 2 and 3 respectively.

Twelve cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death and 59* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 76, 66, and 65.

One case of diphtheria was admitted to hospital during the week, and 6 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 31, 32 and 26 respectively, were 21 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 12·1), was equal to an average annual death-rate of 13·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·1 per 1,000, the rate for Glasgow being 14·4, and for Edinburgh 13·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th August. From this Report it appears that of a total of 46 cases notified, 17 were scarlet fever, 17 phthisis, 7 diphtheria, 3 erysipelas, one enteric fever, and one puerperal fever. Among the 349 cases of infectious diseases in hospital at the close of the week were 136 cases of scarlet fever, 99 of phthisis, 45 of diphtheria, 40 of measles, 10 of whooping-cough, 6 of enteric fever, 5 of erysipelas, and one of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 16th August, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 16th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(37)	(38)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	26·8	19·2	4·0	616	442	115	80	4	...	...	7	4	5	1	...	39	27	19	20	31	63	7	6	16	128	11	° ...	° ...	° ..	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA.—TOTAL, (c.) ...	403,000	29·3	27·4	18·6	4·4	212	144	44	26	...	...	...	1	1	3	...	...	15	9	5	3	11	27	2	1	2	57	3	e76·0	41·0	61·8	0·35	e73	40	55·4	0·19	e72	41	56·4	0·00
CITY OF DUBLIN,	308,187	39·0	29·8	21·0	5·6	176	124	42	20	...	...	...	1	1	3	...	...	13	7	3	3	9	26	2	1	2	52	2	f75·3 g77·9	46·8 44·2	62·1 62·6	0·29 0·29	f72·0 g72·9	47·4 45·2	57·5 57·0	0·36 0·17	f70·3 g72·8	49·1 45·0	59·8 58·5	0·00 0·00
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	10·8	12·1	1·3	8	9	...	3	...	...	...	...	...	...	...	..	...	1	2	...	...	1	...	...	...	4	...	...	...	...	...	...	...	...	...	..	...	...	...
PEMBROKE. ...	29,942	19·0	13·9	7·0	.	8	4	...	1	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	28·5	5·7	.	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	46·2	18·5	.	15	6	2	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	76	49	62·2	0·33	74	48	58·8	0·30	68	50	58·3	0·00
Urban Districts. BELFAST ..	396,000	26·5	30·5	10·9	4·6	232	159	46	15	3	...	...	...	3	2	...	...	12	9	8	11	13	25	2	5	9	32	...	72·2	46·5	58·4	0·19	77·2	40·0	57·0	0·01	69·5	47·5	58·9	0·00
CORK, ..	76,673	28·6	26·5	25·2	2·7	39	37	6	9	...	...	...	...	...	...	...	...	1	...	2	2	1	2	2	...	3	13	2	76	50	61·4	0·10	70	49	59·6	0·08	70	53	60·8	0·02
LONDONDERRY...	41,000	15·9	19·1	17·8	6·4	15	14	2	1	...	...	...	3	...	...	...	...	...	2	1	...	3	2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	17·6	16·2	2·7	13	12	2	5	1	...	...	...	...	...	1	...	2	...	1	...	3	...	...	...	...	6	...	72·7	41·2	59·7	0·52	71·7	41·7	58·3	0·09	76·8	45·6	62·4	0·03
WATERFORD, ...	27,464	19·1	32·3	20·9	3·8	17	11	3	4	...	...	...	2	...	...	...	...	1	1	...	...	...	...	...	...	1	6	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				6	5	1	2	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	3	...	67	42	56	0·32	79	40	57	0·00	77	45	59	0·00
DUNDALK, ...	13,128	9·5				4	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				.	4	1	...	...	...	...	...	...	...	...	..	1	1	...	...	...	...	...	...	...	...	...	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02
DROGHEDA, ...	12,501	8·4				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				3	5	...	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	3	...	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02
NEWRY, ...	11,963	17·0				3	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02
PORTADOWN, ...	11,727	15·3				4	6	3	2	...	...	...	...	...	...	...	...	1	...	...	1	...	3	...	...	...	...	...	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02
WEXFORD, ...	11,531	22·8				5	3	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				4	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				12	11	1	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	5	3	73	49	60·0	0·46	68	38	54·0	0·32	71	44	57·0	0·00
KILKENNY, ...	10,514	11·4				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	77	45	63·0	0·44	74	43	57·4	0·05	78	44	63·0	0·00
TRALEE, ...	10,300	17·4				4	1	..	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				6	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	67	46	57·0	0·18	66	45	55·2	0·00	67	48	57·1	0·00
QUEENSTOWN, ...	8,209	14·7				4	4	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	76	50	61·4	0·10	70	49	59·6	0·08	70	53	60·8	0·02
LARNE, ...	8,036	13·4				3	1	...	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				1	3	...	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				12	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08	76·6	46·0	58·8	0·02

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 13 deaths of persons (including 3 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th of August, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	1	.	2	.	.	.	5	.	4	1	.	.	1	.	1	15	2
Tuberculous Disease. Other Forms,	2	2	2	.	.	.	.	1	.	.	.	.	1	1	.	.	9	1
Cancer,	1	.	1	.	.	.	.	.	.	1	.	.	2	.	.	.	5	3
Diseases of Nervous System,	1	1	2	1	.	.	1	2	.	1	.	.	1	.	1	1	12	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	.	.	.	.	.	1	1	.	.	.	.	1	1	.	.	4	2
" Respiratory System. Pneumonia,	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	3	.
" Respiratory System. Others,	1	3	.	2	.	.	.	1	.	1	1	.	.	1	.	1	11	1
" Digestive System. Diarrhœa and Enteritis, under 2 years,	4	1	3	2	.	.	.	4	.	5	7	.	1	.	.	.	27	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Digestive System. Enteritis, 2 years and upwards.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
" Digestive System. Others,	1	1	.	1	.	1	.	1	.	1	.	.	1	.	.	1	8	2
" Genito-urinary System,	1	3	1	.	.	.	.	.	1	.	.	1	.	.	.	.	7	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	3	2	2	1	.	.	1	2	2	4	1	2	.	.	.	2	22	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2
Ill-defined, &c. Causes,	.	2	.	.	.	.	.	1	1	2	1	.	1	.	.	.	8	.
Deaths from All Causes	16	21	11	10	.	1	3	19	5	22	13	3	9	4	1	6	144	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·9	26·3	20·6	14·8	.	3·8	14·7	24·5	14·2	26·6	20·4	16·0	12·1	7·0	5·7	18·5	18·6	.
	19·8							22·3					11·0					
	21·0																	
Ages at Death. Under 1 year,	7	4	3	4	.	.	.	5	1	9	8	1	.	.	.	2	44	.
1 and under 2 years,	.	3	3	1	.	.	.	.	.	1	2	.	1	.	.	.	11	.
2 " 5 "	2	3	.	1	.	.	.	.	.	.	.	.	1	.	.	1	8	.
5 " 15 "	.	3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	5	.
15 " 25 "	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	4
25 " 45 "	2	3	1	1	.	.	1	5	3	3	.	1	.	1	.	1	22	2
45 " 65 "	3	2	2	3	.	.	.	3	.	5	1	1	3	1	1	.	25	4
65 and upwards,	1	3	1	.	.	1	2	5	1	4	2	.	3	1	.	2	26	3
Number of Uncertified Deaths,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	7	2	2	.	.	.	5	1	4	.	2	3	.	.	.	28	13
Workhouse Hospitals,	4	4	2	2	.	.	.	3	4	6	2	.	1	1	.	.	29	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 16th August, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.	Aug. 20, 1910.	Aug. 19, 1911.	Aug. 17, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 53·3	° 55·8	° 58·2	° 58·9	° 58·9	° 56·8	° 58·8	° 58·8	° 61·2	° 52·5	° 57·3	° 61·8										
ALL CAUSES.	169	183	151	151	145	167	157	126	199	127	157·5	157	10	[3]34	11	8	5	7	24	29	22	7
Enteric Fever, ...	.	1	1	.	1	.	.	2	2	2	·9	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	1	1	7	3	.	.	.	4	2·0	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	1	1	.	1	·4	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	1	3	.	1	3	1	1	2	3	1	1·6	3	.	3	.	.	.	.	.	.	.	.
Diphtheria, ...	1	1	.	.	.	1	1	2	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	.	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	2	.	.	2	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	.	2	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	22	21	23	21	19	14	18	17	19	15	18·9	17	.	2	.	.	.	3	10	2	.	.
Tuberculous Meningitis, ...	4	6	3	1	2	5	5	.	.	.	2·6	3	.	.	1	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	4	2	2	2	2	.	1	5	.	1·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of Joints, ...	8	8	10	6	3	4	2	6	.	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									2	1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									2	1		6	.	.	1	.	2	3	.	.	.	.
Venereal Diseases, ...	.	.	.	1	2	1	1	.	2	2	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	12	3	5	12	6	12	10	9	7	9	8·5	8	.	.	.	.	.	.	.	4	4	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	3	1	2	1	1	1	1	1·1	3	.	.	.	.	.	.	2	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	1	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	1	.	.	1	4	.	.	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									1	1		2	.	1	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									2	4		5	.	.	.	.	.	.	.	2	3	.
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									2	.		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...									2	.		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),									5	1		3	.	2	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	27	43	34	31	24	24	30	23	3	4	29·0	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									12	12		4	.	.	.	.	.	.	1	1	.	2
Embolism and Thrombosis (including Cerebral)									.	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									1	2		2	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	13	3	9	11	15	9	6	9	11	5	9·1	10	.	3	.	.	.	.	1	4	2	.
Broncho-pneumonia, ...	1	.	1	2	3	2	1	2	2	5	1·9	1	.	.	.	.	.	.	.	1	.	.
Lobar pneumonia, ...	.	.	1	.	.	.	2	1	.	3	·7	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	4	.	2	4	2	5	4	1	4	3·0	2	.	.	.	1	.	.	1	.	.	.
Pleurisy, ...									.	1		2	.	.	.	.	.	1	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	1	1	.	3	3	2	1	.	.	1·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									2	.		.	.	.	.	.	.	.	.	.	.	.

THIRTY-THIRD WEEK, ending Saturday, 16th August, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week euding Saturday										Averages in 33rd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 16th August, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.	Aug. 20, 1910.	Aug. 19, 1911.	Aug. 17, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 53·3	° 55·8	° 58·2	° 58·9	° 58·9	° 56·8	° 58·8	° 58·8	° 61·2	° 52·5	° 57·3	° 61·8										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	4	.	—	2	.	.	.	1	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	17	43	27	31	8	43	30	10	49	7	27·9	27	2	19	6	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									7	1		2	.	.	.	1	.	.	.	.	1	.
Enteritis 2 years and upwards									6	.		4	.	.	.	3	.	.	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	3	2	1	3	1	.	1	.	1	3	1·5	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Liver, ...	.	.	.	.	1	1	1	1	1	.	·5	2	.	.	.	.	.	.	.	1	1	.
Peritonitis (cause unknown),	3	1	.	2	.	2	.	.	.	.	·8	1	.	.	.	.	1	.	.	.	.	.
Other Diseases of Digestive System.	9	8	7	3	6	4	5	4	3	.	4·9	2	1	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...									1	.		1	.	.	.	.	.	.	.	.	1	.
Chronic Bright's Disease, ...									5	4		4	.	.	.	.	.	.	1	2	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	7	5	1	2	2	4	8	9	.	.	4·9	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	1		2	.	.	.	.	.	.	.	2	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	1	3	.	.	1	.	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	3	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	4	2	1	3	2	3	4	5	3	3·2	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	8	2	—	5	1	4	.	.	.	.	.	.	3	3
Old Age, ...	2	2	4	2	.	1	3	4	5	3	2·7	6	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	3	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	2	.	.	2	.	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	1	.	1	.	1	.	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	1	2	.
Other Deaths by Accident, ...	1	.	1	1	1	5	2	2	2	2	1·7	3	.	.	.	.	.	.	.	1	2	.
Total Deaths from Accident,	3	3	3	2	2	8	3	2	5	3	3·4	3	.	.	.	.	.	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Vehicles and Horses, ...	.	.	.	.	.	1	1	1	1	.	·4	1	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	1	.	.	.	.	.	.	3	.	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	4	4	—	8	.	.	.	.	.	.	1	3	4	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered.	210	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212
Average Births in corresponding week of previous 10 years, ...	203	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225
DEATHS registered, ...	200	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157
Annual Death-rate per 1,000, ...	25·9	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3
Average Deaths in corresponding week of previous 10 years, ...	201	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158
Ages, Under 5 years, ...	61	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63
5—15 " ...	11	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5
15—25 " ...	5	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7
25—45 " ...	33	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24
45—65 " ...	54	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29
65—75 " ...	24	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22
75 and upwards, ...	12	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7
Deaths from :—																										
Enteric Fever, ...	1	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.
Typhus, ...	.	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1
Scarlet Fever, ...	1	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1
Whooping-cough, ...	4	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3
Diphtheria, ...	2	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.
Influenza, ...	5	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	37	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17
Tuberculous Disease, Other Forms,	13	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10
Cancer, ...	7	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8
Diseases of Circulatory System,	14	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6
Diseases of Respiratory System, Pneumonia	17	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3
Diseases of Respiratory System, Others, ...	22	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12
Diarrhœa and Enteritis, under 2 years, ...	6	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2
Violent Deaths, ...	4	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3
Number of Uncertified Deaths,	6	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3
Mean Temperature of the Air (Phœnix Park)	37 8	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8
Average Mean Temperature in corresponding week of previous 10 years, ...	40·7	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3
Rainfall in inches, ...	·000	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345
Mean Humidity of the Air, complete Saturation 1·0, ...	·78	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th August, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH AUGUST, 1913. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	20·6	157	63	5	7	24	29	22	7	.	.	.	1	1	3	.	.	17	10	8	3	3	12	27	2	3	67	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	13·8	27	7	.	2	3	6	6	3	.	.	.	.	.	.	.	.	.	1	4	1	.	1	5	.	2	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	16·4	34	11	.	1	6	10	6	.	.	.	.	.	1	.	.	.	2	4	1	.	1	6	4	1	.	14	.
IV.	GENERAL SERVICE CLASS, ...	167,479	19·6	63	40	3	3	7	4	3	3	.	.	.	1	.	3	.	.	9	4	.	1	1	3	15	1	1	24	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	29	4	2	1	8	8	6	.	.	.	.	.	.	.	.	.	6	1	2	.	1	2	3	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	19·9	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	12·4	6	.	.	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	4	.
	6. Clerks and Commercial Assistants, ...	33,249	9·4	6	5	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	21·6	14	2	.	2	2	5	2	1	.	.	.	.	.	.	.	.	.	1	3	.	.	1	2	.	1	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	16·3	9	5	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	2	.	.	4	.
	10. Clothing Trades, ...	20,026	10·4	4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.
	11. Food Supply Trades	8,952	11·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	21·1	13	2	.	1	2	6	2	.	.	.	.	.	1	.	.	.	.	1	1	.	1	4	1	.	.	4	.
	13. Petty Shopkeepers	6,772	23.1	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
	15. Domestic Servants, ...	36,041	7·2	5	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	6·8	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	27·3	54	36	3	3	5	2	2	3	.	.	.	1	.	3	.	.	7	4	.	1	1	2	13	1	1	20	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	29	4	2	1	8	8	6	.	.	.	.	.	.	.	.	.	6	1	2	.	1	2	3	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincia

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	June 28,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.
	July 5,	20·9	.	12	.	.	.	.	.	.	.	.	4	2	1	.	.	.	.	.	.
	„ 12,	19·2	3·5	11	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	2
	„ 19,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	Aug. 2,	19·2	.	11	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.
	„ 9,	24·4	7·0	14	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
	„ 16,	27·9	8·7	16	.	.	.	.	.	1	.	.	.	2	1	.	1	4	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	June 28,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	2	.	.	.	1	.	1	1
	July 5,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.
	„ 12,	33·2	2·6	26	.	.	.	.	2	.	.	.	3	1	1	3	1	.	.	2	.
	„ 19,	17·9	3·8	14	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1
	„ 26,	10·2	2·6	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	4	.	2	1	1	.	.	1	1
	„ 9,	15·3	3·8	12	.	.	.	.	.	.	1	.	2	1	.	.	1	2	.	1	.
	„ 16,	26·8	2·6	21	.	.	.	.	.	.	.	.	1	2	.	1	3	1	1	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	June 28,	18·7	3·7	10	.	.	.	.	.	.	.	.	4	.	.	1	.	2	.	.	.
	July 5,	31·8	.	17	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	1	1
	„ 12,	26·2	3·7	14	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
	„ 19,	29·9	1·9	16	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	1	.
	„ 26,	16·8	3·7	9	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	1
	Aug. 2,	16·8	3·7	9	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.
	„ 9,	35·5	3·7	19	.	.	.	.	.	.	.	.	3	3	1	1	1	2	.	3	.
	„ 16,	20·6	5·6	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	June 28,	23·7	1·5	16	.	.	.	.	.	.	.	.	3	.	2	1	1	1	.	.	.
	July 5,	17·8	1·5	12	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.
	„ 12,	16·3	.	11	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.
	„ 19,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 26,	14·8	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	Aug. 2,	10·4	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	„ 9,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	14·8	4·4	10	.	.	.	.	1	.	.	.	2	.	.	.	2	2	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	June 28,	15·5	1·3	12	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.
	July 5,	22·0	1·3	17	.	.	.	.	.	.	.	.	2	.	4	1	1	.	1	.	.
	„ 12,	14·2	1·3	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	„ 19,	11·6	1·3	9	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
	„ 26,	14·2	.	11	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.
	Aug. 2,	23·3	2·6	18	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	1	.
	„ 9,	23·3	5·2	18	.	.	.	.	.	.	.	.	2	.	.	.	2	3	1	.	.
	„ 16,	24·5	6·5	19	.	.	.	.	.	.	.	.	5	1	.	.	1	4	1	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	June 28,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	17·1	5·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	1
	„ 12,	25·6	8·5	9	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 26,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	.
	Aug. 2,	19·9	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.
	„ 9,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	.
	„ 16,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	June 28,	16·9	.	14	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	July 5,	19·4	2·4	16	.	.	.	.	.	1	1	.	2	.	.	2	4	.	.	.	.
	„ 12,	19·4	3·6	16	.	.	.	.	1	.	.	.	1	1	2	.	2	2	.	.	.
	„ 19,	15·7	4·8	13	.	.	.	.	.	.	.	.	1	.	2	1	2	3	1	.	.
	„ 26,	19·4	2·4	16	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	1	.
	Aug. 2,	19·4	4·8	16	.	.	.	.	.	.	.	.	4	1	1	1	1	3	1	1	.
	„ 9,	16·9	3·6	14	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	2	.
	„ 16,	26·6	7·3	22	.	.	.	.	.	1	.	.	4	.	1	1	1	5	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	June 28,	11·0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	July 5,	23·6	1·6	15	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	1	.
	„ 12,	26·7	6·3	17	.	.	.	.	.	2	1	.	1	.	.	1	3	1	.	.	2
	„ 19,	23·6	1·6	15	.	.	.	.	.	.	.	.	3	2	2	.	.	1	.	.	1
	„ 26,	18·9	1·6	12	.	.	.	.	.	1	.	.	2	.	.	1	2	.	.	.	1
	Aug. 2,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 9,	23·6	6·3	15	.	.	.	1	.	.	.	.	.	.	2	2	.	3	.	.	.
	„ 16,	20·4	14·1	13	.	.	.	1	.	1	.	.	1	.	.	.	1	7	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	June 28,	6·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	July 5,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 12,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 19,	10·8	1·3	8	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.
	„ 26,	8·1	1·3	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1
Pop. in 1913 (Est.) 38,769.	Aug. 2,	13·4	.	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 9,	14·8	.	11	.	.	.	.	.	.	.	.	1	1	3	1	2	.	.	.	1
	„ 16,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.
Pembroke Urban District.	June 28,	20·9	.	12	.	.	.	.	.	.	.	.	1	.	3	3	1	.	.	.	.
	July 5,	15·7	3·5	9	.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	3	.
	„ 12,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 19,	24·4	3·5	14	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 26,	10·4	1·7	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
Pop. in 1913 (Est.) 29,942.	Aug. 2,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1	.
	„ 9,	8·7	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 16,	7·0	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
Kingstown Urban District.	June 28,	9·2	3·1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	July 5,	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	18·5	3·1	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 19,	6·2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 26,	24·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Pop. in 1911 16,941.	Aug. 2,	21·5	.	7	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 9,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	„ 16,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	June 28,	16·9	1·6	128	1	.	.	1	3	1	1	.	24	5	6	8	14	2	3	.	1
	July 5,	15·9	1·4	121	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	1
	„ 12,	14·2	1·3	108	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	.
	„ 19,	15·8	1·3	120	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	3
	„ 26,	15·8	1·4	120	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	1
	Aug. 2,	15·9	2·8	121	.	.	.	2	2	2	1	.	16	3	10	3	7	13	1	6	.
	„ 9,	15·1	3·8	115	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	.
	„ 16,	20·9	4·6	159	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	.
Cork. Pop. in 1911 76,673.	June 28,	16·3	0·7	24	.	.	.	1	.	.	.	.	4	2	1	4	2	.	.	1	.
	July 5,	16·3	.	24	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3
	„ 12,	15·6	0·7	23	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	.
	„ 19,	13·6	.	20	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 26,	25·2	1·4	37	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	1
	Aug. 2,	25·8	0·7	38	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	.
	„ 9,	15·0	2·7	22	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	1
	„ 16,	25·2	2·7	37	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	2
Londonderry. Pop. in 1913 (Est.) 41,000.	June 28,	15·3	2·5	12	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.	.
	July 5,	15·3	1·3	12	.	.	.	1	.	.	.	.	4	.	.	.	1	.	.	.	.
	„ 12,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	14·0	2·5	11	.	.	.	2	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 26,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
	Aug. 2,	19·1	6·4	15	.	.	.	4	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 9,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	17·8	6·4	14	.	.	.	3	.	.	.	.	.	2	1	.	3	2	.	.	1
Limerick. Pop. in 1911 38,518.	June 28,	10·8	1·4	8	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.	1
	July 5,	13·5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	1
	„ 12,	16·2	2·7	12	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2
	„ 26,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	Aug. 2,	8·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
	„ 9,	9·5	.	7	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1
	„ 16,	16·2	2·7	12	1	.	.	.	.	.	1	.	2	.	1	.	3	.	.	.	.
Waterford. Pop. in 1911 27,464.	June 28,	26·6	7·6	14	.	.	.	3	.	.	.	.	.	.	.	3	1	1	.	1	2
	July 5,	17·1	1·9	9	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	2
	„ 12,	11·4	5·7	6	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 19,	24·7	5·7	18	.	.	.	2	.	.	.	.	1	1	.	.	1	1	.	1	.
	„ 26,	19·0	9·5	10	.	.	.	4	.	.	.	.	.	1	.	1	1	1	.	.	.
	Aug. 2,	22·8	7·6	12	.	.	.	2	.	.	.	.	1	.	1	1	1	1	1	.	.
	„ 9,	30·4	15·2	16	.	.	.	6	.	.	.	.	2	.	.	.	2	1	1	.	.
	„ 16,	20·9	3·8	11	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	1

* See note (‡) at foot of first page.

ABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th August, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOUS DISEASE: Phthisis.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	32·8	16·4	10	4	1	4	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	2	.
Do. 2 do.	49,500	27	20·0	2·1	19	3	5	1	4	4	2	.	.	.	.	.	.	.	.	4	1	1	1	1	2	.	1	1	3	.
Do. 3 do.	50,032	19	25·0	8·3	24	8	6	2	4	3	1	.	.	.	.	1	1	.	.	2	1	3	.	1	6	.	2	4	3	.
Do 4 do.	32,637	33	28·8	8 0	18	7	4	.	2	2	3	1	.	.	.	1	.	.	.	.	.	.	.	1	3	.	.	.	7	.
Do. 5 do.	16,112	14	48·5	9·7	15	2	3	.	1	7	2	.	.	.	.	.	1	.	.	.	1	.	1	2	2	.	.	.	1	.
Do. 6 do.	37,293	11	15·4	.	11	3	2	.	2	3	1	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1	3	.
Do. 7 do.	2,681	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	35·0	8·7	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Do. 9 do.	24,427	24	19·2	2·1	9	2	2	1	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	1	1	4	.
Do. 10 do.	28,958	20	18·0	3·6	10	4	2	.	1	2	1	.	.	.	.	.	.	.	.	.	3	1	1	1	2	.	.	.	1	.
Do. 11 do.	39,311	9	9·3	1·3	7	2	1	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	3	.
Do. 12 do.	38,076	23	24·6	5·5	18	4	5	4	3	1	1	1	.	.	.	1	.	.	.	1	1	1	2	4	2	.	.	1	2	.
Do. 13 do.	23,233	18	6·7	2·2	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	19	25·3	4·6	11	4	1	2	2	1	1	.	.	.	.	.	.	.	.	1	.	1	2	1	1	1	1	1	1	.
Total,	386,947	232	20·9	4·6	159	46	32	15	23	28	15	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	9	32	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	11·6	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,701	1	30·1	5·0	6	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1	2	.
Do 3 do.	9,978	7	26·6	.	5	1	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
Do 4 do.	8,666	8	34·2	11·4	6	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	2	1
Do 5 do.	6,592	3	33·4	.	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do 6 do.	10,702	5	31·5	.	7	.	2	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1
Do. 7 do.	16,616	9	19·5	.	6	1	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Total,	76,122	39	25·2	2·7	37	6	4	4	7	7	9	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	3	13	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Feb 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered, ...	215	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232
DEATHS registered, ...	193	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159
Annual Death-rate per 1,000 of estimated population, ...	25·4	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9
AGES, Under 1 year, ...	44	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46
1—5 years, ...	24	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32
5—25 ,, ...	18	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15
25—45 ,, ...	29	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23
45—65 ,, ...	36	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28
65 and upwards, ...	42	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.
Scarlet Fever, ...	2	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3
Whooping-cough, ...	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2
Diphtheria, ...	2	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12
Tuberculous Disease. Other Forms,	7	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9
Cancer, ...	8	5	5	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8
Diseases of Respiratory System, Pneumonia,	17	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11
Diseases of Respiratory System, Others, ...	45	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13
Diarrhœa and Enteritis, under 2 years, ...	3	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25
Diarrhœa, 2 years and upwards,	.	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2
Violent Deaths, ...	5	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5
Number of Uncertified Deaths, ...	1	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Aug. 16,	2,306	1,047	12·1	3	.	11	8	7	4	96*a*
Edinburgh, ...	320,300	„ 16,	126	81	12·2	.	.	2	.	1	1	2
Glasgow, ...	1,021,500	„ 16,	536	281	14·4	.	.	9	.	7	5	28
Calcutta, ...	896,067	July 5,	.	412	23·9	87*	4	.	.	1	1†	53‡
Bombay	979,445	„ 12,	337	469	24·9	50*	5	.	.	.	.	28‡
Madras	518,660	„ 19,	421	362	36·3	60*	.	1	?	?	?	98
Cairo, ...	710,514	May 27,	512	687	50·4	6	.	21	1	?	5†	184*a*
Paris, ...	2,847,229	Aug. 2,	903	754	13·5	4	.	18	5	16	2†	37*a*
Brussels, ...	767,252	July 26,	226	168	11·4	1	.	1	1	.	1†	23*a*
Antwerp, ...	312,884	Aug. 2,	116	78	13·0	.	.	6	3	1	1†	20*a*
Amsterdam, ...	590,744	July 26,	266	85	7·5	.	.	3	.	.	1†	2*a*
Copenhagen, ...	473,500	„ 26,	194	98	10·8	.	.	.	1	1	.	10
Stockholm, ...	376,171	„ 26,	127	87	12·0	.	.	.	.	.	.	.
Christiania, ...	250,423	Aug. 2,	116	52	10·8	.	.	1	.	.	2	2
St. Petersburg ...	1,686,000	July 12,	1,061	690	21·3	14	.	14	8	4	5	149*a*
Moscow, ...	1,694,000	„ 5,	.	852	26·2	1	1	47	15	2	16†	285
Berlin, ...	2,067,802	„ 12,	772	456	11·5	1	?	3	4	.	11†	30
Hamburg, ...	1,006,748	„ 26,	.	219	11·3	1	?	1	2	.	11†	18
Breslau, ...	539,846	„ 26,	.	163	15·7	.	.	2	.	1	.	17
Munich, ...	638,000	„ 26,	.	160	13·1	.	.	.	.	.	1†	14
Vienna (with suburbs),	2,115,254	„ 26,	594	562	13·8	1	.	3	6	2	2†	35*a*
Buda-Pesth, ...	930,666	„ 26,	410	326	18·2	1	.	5	23	1	2†	38*a*
Prague and Faubourgs,	494,055	„ 12,	163	150	15·8	1	.	1	3	.	3†	1*a*
Trieste, ...	239,703	„ 26,	156	95	20·7	1	.	.	.	3	1†	12*a*
Rome, ...	579,187	May 3,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	July 12,	3,105	1,270	12·3	3	.	17	.	10	19†	113*a*
Philadelphia, ...	1,631,960	June 28,	.	457	14·6	8	.	1	3	2	2†	44*a*
Boston, ...	735,399	July 26,	.	198*b*	14·0	.	.	3	.	3	2	19

* Deaths from "fever," including 6 from enteric fever and 10 from plague in Calcutta, 16 from plague, and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 15 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Including the deaths of 25 non-residents, of these one was from measles, and 3 deaths were from diarrhœal diseases

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th August, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	3	1	.	.	1	.	5
" " 1, West, ...	.	3	.	.	.	.	1	2	1	.	.	2	.	9
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	4	.	.	.	.	.	1	.	.	.	1	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2, ...	.	3	.	.	.	.	.	.	.	.	.	2	.	5
" " 3, ...	.	1	.	.	1	.	.	.	1	.	.	1	.	4
" " 4, ...	.	1	.	.	.	.	.	1	1	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	12	1	.	2	.	1	8	4	.	.	7	.	35

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th August, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th August.			
	July 26.	August 2.	August 9.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	34	42	45	5	6	1	43
Typhus, ...	11	10	10	2	.	.	12
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	2	3	1	2	.	2
Scarlet Fever, ...	76	66	65	12	17	1	59*
Diphtheria, ...	31	32	26	1	6	.	21
Pneumonia, ...	21	17	19	5	5	1	18

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 16th August, 1913:—

"Although changeable and rather showery at times, the weather of this week was generally favourable and seasonable. At the beginning a shallow depression centred over Norway, extended its boundaries to the British Isles, the north of France, and the Low Countries. Within that area showery weather prevailed, ·227 inch of rain being recorded in Dublin on Monday morning. There was not much change until Monday evening, when an anticyclone began to move in over Ireland from the Atlantic. This system brought northerly winds and a marked dip of temperature—the screened thermometer falling in the early morning hours of Tuesday to 47° in Dublin, 44° at Birr Castle, 41° at both Aberdeen and Wick, and 39° at Nairn. During the afternoon of this day a sheet of cirrus cloud overspread the sky, a solar halo appeared, and the atmosphere became extremely clear ('visibility'). These conditions were connected with the appearance of a large barometric depression off the west coast of Iceland, while a shallower system developed over the south of Sweden. Small secondary disturbances passing across the British Isles in an easterly direction caused clouds and showers in many places. The warm moist air of an Atlantic anticyclone, which covered the ocean from Ireland to the Azores rendered the weather very oppressive in Ireland and especially in the Dublin district on Thursday and Friday. On the former day the thermometer in Dublin rose to 75·3°, the highest reading recorded in this City since August 17, 1911, when a maximum of 78·1° was reached. On both Friday and Saturday heavy showers fell here and there, although the weather in most places remained fine. In Dublin the mean height of the barometer was 30·075 inches, the range of pressure being from 29·841 inches at 9 p.m. of Sunday (wind, N.E.) to 30·232 inches at 9 p.m. of Tuesday (wind, W.). The corrected mean temperature was 62·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 61·6°. On Tuesday the screened thermometers fell to 46·8°, on Thursday they rose to 75·3°. N.W. and W. winds prevailed. Rain fell on 4 days to the amount of ·290 inch, including ·227 inch on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·091 inches. The highest reading (30·251) was on Tuesday, at 9 p.m., wind W., the lowest (29·852) on Sunday at 9 p.m., air calm.

The mean temperature for the week was 61·8°, being 4·5 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Thursday, on which day the thermometer registered 76°, and was lowest on Tuesday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 61·1° and of the Wet Bulb, 58·2°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0.345 inch.

At Greenwich the mean temperature for the week was 60·7°, the maximum 75·0°, and the minimum 49·3°; and at Edinburgh the maximum was 76·1°, the minimum 45·8°, and the mean 57·5°. The rainfall at Greenwich measured 0·14 in.; and at Edinburgh 0·16 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 10,	29·870	64	50	57·0	58·5	55·1	·81	·4	1·9	·270	W.S.W.	Calm.
Monday, „ 11,	29·985	64	54	59·0	58·1	54·0	·76	·4	1·7	·000	N.W.	Calm.
Tuesday, „ 12,	30·235	65	41	53·0	57·3	52·2	·71	·5	7·5	·010	N.N.W.	W.
Wednesday, „ 13,	30·145	69	54	61·5	60·3	58·0	·87	·5	1·5	·015	W.	Calm.
Thursday, „ 14,	30·115	76	58	67·0	66·6	64·9	·90	·3	3·8	·000	W.	Calm.
Friday, „ 15,	30·110	75	63	69·0	65·9	64·0	·88	·0	1·2	·035	Calm.	Calm.
Saturday, „ 16,	30·180	75	57	66·0	60·8	59·0	·90	·4	8·0	·015	W.	Calm.
Mean, ...	30·091	69·7	53·9	61·8	61·1	58·2	·83	·4	Total 25·6	Total ·345	—	

Sunday—Day cloudy, heavy showers at intervals p.m.; night overcast, heavy showers at intervals. *Monday*—Day cloudy, fine; night clear. *Tuesday*—Day bright a.m., cloudy p.m.; night cloudy, drizzling rain 12 m.n. to 2.0 a.m. *Wednesday*—Day cloudy, showers at intervals a.m.; night overcast, drizzling rain 2.0 to 5.20 a.m. *Thursday*—Day cloudy, fine; night overcast. *Friday*—Day cloudy, heavy showers at intervals 1.15 to 2.30 p.m.; night cloudy. *Saturday*—Day bright till 4.30 p.m., heavy shower 5.0 to 5.10 p.m.; night cloudy, drizzling rain 9.0 to 9.40 p.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 16th August, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 10,	60·8	60·5	58·6	65	53	59	2·0	·222
Monday, „ 11,	62·0	61·0	58·4	64	57	60·5	1·7	—
Tuesday, „ 12,	59·6	60·1	58·4	65	46	55·5	7·4	—
Wednesday, „ 13,	61·3	60·5	58·3	70	56	63	2·1	·020
Thursday, „ 14,	65·8	61·3	58·1	77	59	68	4·4	—
Friday, „ 15,	67·3	62·9	58·0	72	65	68·5	0·6	·020
Saturday, „ 16,	62·2	63·3	58·2	75	61	68	8·8	—
Weekly Mean, .	62·7	61·4	58·3	69·7	56·7	63·2	Total 27·0	Total. ·262

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 6. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 23RD AUGUST, 1913. [No. 34.

General Register Office, Charlemont House,
Dublin, 25th August, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending Aug. 2	Week ending Aug. 9	Week ending Aug. 16	Week ending Aug. 23	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·6**	**15·5**	**19·2**	**18·7**	**17·5**
Dublin Reg. Area ...	17·3	17·9	18·6	19·5	18·3
Dublin City ...	17·8	19·6	21·0	20·0	19·6
Belfast	15·9	15·1	20·9	18·7	17·6
Cork	25·8	15·0	25·2	24·5	22·6
Londonderry ...	19·1	12·7	17·8	21·6	17·8
Limerick	8·1	9·5	16·2	8·1	10·5
Waterford	22·8	30·4	20·9	13·3	21·8

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 4·2 per 1,000. Among the 142 deaths from all causes for Belfast are one from enteric fever, 2 from scarlet fever, one from whooping-cough, and 36 from diarrhœal diseases. Of the 36 deaths from all causes for Cork 10 were from diarrhœal diseases. Included in the 17 deaths from all causes for Londonderry are 2 from measles and 3 from diarrhœal diseases. Of the 7 deaths from all causes for Waterford there are one from measles and 3 from diarrhœal diseases. Included in the 5 deaths from all causes for Galway 3 are from whooping-cough. One of the 3 deaths from all causes for Lurgan is from diphtheria. Included in the 7 deaths from all causes for Portadown are 2 from diarrhœal diseases. The one death for Bangor is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 205—114 boys and 91 girls—and the deaths to 168—80 males and 88 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·5 per 1,000 of the population. During the thirty-four weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·7 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 168, represent an annual rate of 21·7 per 1,000; the annual rate for the past thirty-four weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

Included in the deaths there was one from each of scarlet fever and influenza, and there were 21 deaths from diarrhœa and enteritis of children under 2 years of age. In each of the 3 preceding weeks deaths from scarlet fever were 0, 0, and one; deaths from influenza were 0, 0, and 0; and deaths of children under 2 years from diarrhœa and enteritis were 11, 18, and 27.

Of 30 deaths from tuberculosis, 20 were attributed to pulmonary tuberculosis, 4 to tuberculous meningitis, 2 to abdominal tuberculosis, and 4 to disseminated tuberculosis. In the 3 weeks preceding, deaths from tuberculous disease numbered 30, 26, and 27 respectively.

Cancer accounted for the deaths of 8 persons.

There were 2 deaths from broncho-pneumonia, and 7 from pneumonia (type not distinguished).

The deaths from convulsions, 6 in number, include 5 deaths of infants under one year of age; there was also one death of an infant under one year of age from congenital malformation, 2 deaths were from premature birth, and 2 from congenital debility.

Eighteen deaths were caused by organic diseases of the heart, and 12 were by bronchitis.

Of 7 deaths from accident or negligence, one was by poisoning with hydrochloric acid, 2 were by drowning, one was by suffocation in bed, and 2 were by vehicles and horses.

In two instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 10 were under one month old) and 34 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards.

Twenty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 20·0 (North City Districts, 17·9; South, 22·3) and in the Suburbs, 18·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·1 per 1,000 inhabitants, the rate for the City being 3·4 (in the North City Districts 3·5, and in the South 3·2), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000, and include one death from influenza, 4 deaths from tuberculous disease, one death from bronchitis, and 4 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·1 per 1,000. The deaths included one from tuberculous meningitis, 3 from bronchitis, and 3 from diarrhœa and enteritis of children under 2 years.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. There was one death from abdominal tuberculosis, one death from broncho-pneumonia, one from bronchitis, and 2 deaths from diarrhœal diseases.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·3 per 1,000. Tuberculous disease caused 3 deaths, there was one death from bronchitis, and one death of a child under 2 years from enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·7; and Finglas and Glasnevin, part of, 9·8; One of the 2 deaths for Coolock and Drumcondra, part of, is from pulmonary tuberculosis; and of the 2 deaths for Finglas and Glasnevin, part of, one is from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23·3 per 1,000, and include 2 deaths from tuberculous disease, one from broncho-pneumonia, one from pneumonia, and 2 from diarrhœa and enteritis of children under 2 years.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. The deaths include one from pulmonary tuberculosis, one from pneumonia, one from bronchitis, and 3 from diarrhœa and enteritis of children under 2 years.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·6 per 1,000. Tuberculous disease caused 6 deaths, there were 2 deaths from diarrhœa and enteritis under 2 years, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000. Three deaths were from tuberculous disease, one from pneumonia, and one from diarrhœa and enteritis of a child under 2 years of age.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. One of the deaths was from diarrhœa and enteritis of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·8; Pembroke, 24·4; Blackrock, 17·1; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from scarlet fever for Pembroke, and one from diarrhœa or enteritis under 2 years for each of Rathmines and Rathgar, Pembroke and Blackrock. Of the 11 deaths from all causes for Rathmines and Rathgar 2 are from pulmonary tuberculosis and one is from bronchitis. Among the 14 deaths from all causes for Pembroke are 3 from tuberculous disease, one from pneumonia, one from bronchitis, and one by drowning. One of the 3 deaths from all causes for Blackrock is from tuberculous disease; and of the 5 deaths from all causes for Kingstown one is from pneumonia.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 23rd August, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 2,	.	—	—	6	1	.	4	.	.	8	3	.	—	—	.	—	20	.	42
	Aug. 9,	.	—	—	10	.	.	3	.	1	5	5	.	—	—	.	—	11	.	35
	Aug. 16,	.	—	—	12	1	.	2	.	1	8	4	.	—	—	.	—	7	.	35
	Aug. 23,	.	—	—	6	2	.	3	.	.	.	7	.	—	—	.	—	17	.	35
Rathmines and Rathgar Urban District.	Aug. 2,	.	—	—	1	.	.	3	.	.	1	1	.	—	—	—	—	—	—	6
	Aug. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 23,	.	—	—	.	.	.	1	.	.	2	.	.	—	.	—	—	—	—	3
Pembroke Urban District.	Aug. 2,	.	.	.	1	.	.	1	.	.	.	1	.	—	3	—	—	.	—	6
	Aug. 9,	.	.	.	.	.	.	1	.	.	1	.	.	—	.	—	—	.	—	2
	Aug. 16,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	—	—	.	—	1
	Aug. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	1	—	2
Blackrock Urban District.	Aug. 2,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Aug. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug, 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 2,	.	—	—	34	.	.	10	.	.	.	4	.	—	—	—	—	6	—	54
	Aug. 9,	.	—	—	37	.	.	5	1	.	2	3	.	—	—	—	—	2	—	50*a*
	Aug. 16,	.	—	—	29	.	.	11	1	.	2	2	.	—	—	—	—	11	—	56
	Aug. 23,	.	—	—	44	.	.	12	.	.	2	3	2	—	—	—	—	2	—	65

(*a*) Not including one case of cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd August, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, 9 were discharged, and 37 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 42, 45, and 43.

Three cases of typhus were admitted to hospital during the week, 9 were discharged, and 6 cases remained under treatment at the close of the week. At the close of the 3 previous weeks the cases in hospital were 10, 10, and 12, respectively.

Two cases of measles remained under treatment in hospital at the close of the week. At the end of the 3 preceding weeks such cases were 2, 3, and 2 respectively.

Ten cases of scarlet fever were admitted to hospital, 11 were discharged, there was one death and 57* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 66, 65, and 59, respectively.

Ten cases of diphtheria were admitted to hospital during the week, and 12 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 32, 26, and 21, respectively, were 19 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 7 were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 11·8), was equal to an average annual death-rate of 13·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·2 per 1,000, the rate for Glasgow being 16·7, and for Edinburgh 12·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd August. From this Report it appears that of a total of 35 cases notified, 15 were scarlet fever, 14 phthisis, 5 erysipelas, and one diphtheria. Among the 340 cases of infectious diseases in hospital at the close of the week were 137 cases of scarlet fever, 97 of phthisis, 35 of diphtheria, 35 of measles, 12 of whooping-cough, 8 of erysipelas, and 6 of enteric fever,

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 23rd August, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 23rd August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(37)	(38)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	26·6	18·7	4·2	611	431	118	89	1	...	...	3	3	4	2	...	43	16	17	18	33	71	12	11	16	108	16	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA :— TOTAL. (c.) ...	403,000	29·3	26·5	19·5	3·1	205	151	39	31	...	...	...	...	1	...	...	...	18	10	6	7	11	21	2	5	9	50	2	e 73	37	56·5	0·21	e 76	41	61·8	0·35	e 73	40	55·4	0·19
CITY OF DUBLIN,	308,187	39·0	30·5	20·0	3·4	180	118	32	20	...	...	...	...	...	...	...	...	14	8	3	5	9	18	2	4	7	44	2	f 69·5 g 71·9	46·9 41·0	58·9 58·1	0·28 0·12	f 75·3 g 77·9	46·8 44·2	62·1 62·6	0·29 0·29	f 72·0 g 72·9	47·4 45·2	57·5 57·0	0·36 0·17
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	12·1	14·8	1·3	9	11	1	3	...	...	...	...	...	...	...	..	2	...	...	...	1	1	...	...	...	1	...	..	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,942	19·0	17·4	24·4	3·5	10	14	4	5	...	...	...	...	1	...	...	...	2	1	2	1	1	1	...	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK. ...	9,161	8·5	17·1	17·1	5·7	3	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	9·2	15·4	.	3	5	1	3	...	...	...	...	...	...	...	...	..	...	1	1	...	...	...	...	1	...	...	72	46	60·2	0·13	76	49	62·2	0·33	74	48	58·8	0·30
Urban Districts. BELFAST ..	396,000	26·5	25·3	18·7	5·3	192	142	47	21	1	...	...	...	2	1	...	...	18	2	4	5	13	33	3	3	4	31	1	73·0	43·0	58·5	0·51	72·2	46·5	58·4	0·19	77·2	40·0	57·0	0·01
CORK, ..	76,673	28·6	37·4	24·5	6·8	55	36	7	7	...	...	...	...	...	...	...	...	3	3	3	1	1	5	5	...	...	10	3	71	53	60·4	0·62	76	50	61·4	0·10	70	49	59·6	0·08
LONDONDERRY...	41,000	15·9	16·5	21·6	6·4	13	17	5	3	...	...	...	2	...	...	...	...	...	...	...	2	1	3	...	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	8·1	8·1	.	6	6	...	1	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	4	...	73·5	44·1	59·4	0·86	72·7	41·2	59·7	0·52	71·7	41·7	58·3	0·09
WATERFORD, ...	27,464	19·1	32·3	13·3	7·6	17	7	2	3	...	1	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				11	5	2	2	...	...	...	...	...	3	...	...	...	...	...	...	1	...	...	...	...	...	..	69	42	56	0·35	67	42	56	0·32	79	40	57	0·00
DUNDALK, ...	13,128	9·5				5	6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				3	3	1	...	...	...	...	...	...	...	1	..	1	1	...	...	...	...	...	...	...	1	...	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08
DROGHEDA, ...	12,501	8·4				7	6	2	3	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08
NEWRY. ...	11,963	17·0				6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	‡73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08
PORTADOWN, ...	11,727	15·3				13	7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08
WEXFORD, ...	11,531	22·8				6	5	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8				6	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	71	39	56·0	0·79	73	49	60·0	0·46	68	38	54·0	0·32
KILKENNY, ...	10,514	11·4				13	12	3	4	...	...	...	...	...	...	...	...	...	...	2	1	1	1	...	...	...	5	2	73	44	60·1	0·47	77	45	63·0	0·44	74	43	57·4	0·05
TRALEE. ...	10,300	17·4				9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				2	1	..	...	..	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	67	44	56·7	0·46	67	46	57·0	0·18	66	45	55·2	0·00
QUEENSTOWN, ...	8,209	14·7				3	1	...	1	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	71	53	60·4	0·62	76	50	61·4	0·10	70	49	59·6	0·08
LARNE, ...	8,036	13·4				16	4	2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				2	6	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				.	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				2	3	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				10	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				1	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21	69·0	41·7	55·8	0·08

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 17 deaths of persons (including 3 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd of August, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	3	.	.	2	.	1	.	1	1	4	2	.	2	2	.	.	18	2
Tuberculous Disease. Other Forms,	1	1	1	1	.	.	.	1	.	2	1	.	.	1	1	.	10	.
Cancer,	.	1	.	.	.	.	.	1	1	.	.	.	.	2	.	1	6	2
Diseases of Nervous System,	.	1	1	1	.	1	1	3	1	2	1	1	1	1	.	.	15	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	4	2	1	.	.	5	.	2	2	1	.	1	.	.	20	2
" Respiratory System. Pneumonia,	.	.	1	.	.	.	.	2	1	.	1	.	.	1	.	1	7	2
" Respiratory System. Others,	1	4	1	1	.	.	1	.	1	.	.	.	1	1	.	.	11	2
" Digestive System. Diarrhœa and Enteritis, under 2 years,	4	3	1	1	.	.	.	2	3	2	1	1	1	1	1	.	21	.
" Digestive System. Diarrhœa, 2 years and upwards,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	2	1	2	.	.	.	.	.	1	.	.	.	.	.	.	6	2
" Genito-urinary System,	.	.	1	.	.	.	.	1	1	.	.	.	3	1	1	1	9	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	1	.	1	.	.	.	1	.	1	4	.	2	.	.	2	13	.
Violent Deaths,	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.	5	2
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	1	2	.	.	1	1	.	.	6	2
Deaths from All Causes	12	15	12	11	2	2	2	18	10	17	14	3	11	14	3	5	151	17
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·9	19·1	22·4	16·3	19·2	7·7	9·3	23·3	23·4	20·6	22·0	16·0	14·8	24·4	17·1	15·4	19·5	.
	17·9							22·3					18·1					
	20·0																	
Ages at Death. Under 1 year,	5	6	1	3	1	.	.	5	3	3	4	1	1	4	1	1	39	.
1 and under 2 years,	.	1	2	.	.	.	1	1	1	2	.	1	1	2	1	.	13	.
2 " 5 "	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
5 " 15 "	1	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	6	1
15 " 25 "	.	.	.	3	.	.	.	.	.	2	1	.	2	.	.	.	8	.
25 " 45 "	3	3	4	2	.	1	.	2	3	2	1	.	.	1	.	.	22	6
45 " 65 "	2	3	3	.	.	.	1	6	2	4	3	.	2	2	1	.	29	7
65 and upwards,	1	2	.	3	1	1	.	4	1	2	4	1	3	5	.	3	31	3
Number of Uncertified Deaths,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	1	5	4	.	.	.	2	1	6	3	.	.	4	.	.	31	13
Workhouse Hospitals,	1	1	2	2	.	.	.	8	1	2	.	.	1	1	.	.	19	4

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 23rd August, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.	Aug. 27, 1910	Aug. 26, 1911.	Aug. 24, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	54·5°	54·6°	54·7°	61·8°	55·0°	55·9°	56·2°	56·6°	59·7°	52·7°	56·2°	56·5°										
ALL CAUSES.	176	178	153	167	122	187	162	146	162	154	160·7	168	10	29	13	3	7	8	28	36	19	15
Enteric Fever, ...	3	1	2	.	2	1	1	.	1	2	1.3	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	7	1	.	2	2	.	.	1	2	1·5	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	.	.	2	1	2	·6	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	3	4		.	4	.	5	.	6	1	2·3	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	1	1	.	2	2	1	4	5	2	2·0	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	1	1	1	.	.	.	.	·4	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	2	.	.	.	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	28	19	10	21	14	26	19	12	15	22	18·6	20	.	.	.	.	1	4	9	4	1	1
Tuberculous Meningitis, ...	4	1	2	2	5	6	7	2	1	5	3·5	4	.	2	1	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	1	.	1	.	.	1	.	1	2	2	·8	2	.	1	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	2		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	7	7	6	7	7	8	2	.	.	5·8	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	4		4	.	.	.	.	2	.	1	1	.	.
Venereal Diseases, ...	2	4	.	2	.	1	1	.	.	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	5	10	11	11	6	6	7	10	6	8	8·0	8	.	.	.	.	.	.	2	4	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	.	.	1	.	1	1	2	·6	2	.	.	.	.	.	1	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	3		1	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									2	6		7	.	.	.	.	.	.	1	3	2	1
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									2	3		2	.	.	.	.	.	.	.	2	.	.
Epilepsy, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									5	4		6	2	3	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	35	30	36	31	24	27	22	27	3	2	28·9	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									7	16		18	.	.	.	.	.	.	5	3	3	7
Embolism and Thrombosis (including Cerebral)									.	1		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.									.	.		3	.	.	.	.	.	.	1	.	2	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	10	11	10	9	8	6	11	9	5	11	9·0	12	.	3	1	.	.	.	1	2	3	2
Broncho-pneumonia, ...	3	1	3	3	3	.	1	3	.	6	2·1	2	.	.	1	1	.	.	.	.	.	.
Lobar pneumonia, ...	.	1	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	2	2	6	4	3	6	2	3	5	4	3·7	7	.	.	1	1	.	.	1	2	1	1
Pleurisy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	5	3	1	3	3	1	2	2	.	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	.		1	.	.	.	.	.	.	1	.	.	.

THIRTY-FOURTH WEEK, ending Saturday, 23rd August, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week euding Saturday										Averages in 34th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 23rd August, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.	Aug. 27, 1910.	Aug. 26, 1911.	Aug. 24, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 54·5	° 54·6	° 54·7	° 61·8	° 55 0	° 55·9	° 56·2	° 56·6	° 59·7	° 52·7	° 56·2	° 56·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	1	—	2	1	.	.	.	.	1	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	15	40	28	37	9	47	38	23	38	11	30·3	21	1	15	5	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									10	1		2	.	.	.	1	.	.	.	1	.	.
Enteritis 2 years and upwards									4	2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	2	.	.	.	.	.	1	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	2	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	1	1	1	1	1	2	2	.	.	1	1·0	3	.	.	.	.	.	.	1	2	.	.
Other Diseases of Liver, ...	4	.	1	1	2	.	.	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	2	2	1	.	.	2	.	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	7	5	8	7	8	4	8	.	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	3	3	5	2	9	3	8	2	2	4·8	3	.	.	.	.	2	.	.	.	.	1
Chronic Bright's Disease, ...									2	2		6	.	.	.	.	.	.	1	4	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	2	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	.	1	1	.	1	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	6	3	1	3	4	3	7	3	3	3·7	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	5	1	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	4	1	.	4	.	1	.	1	4	3	1·8	4	.	.	.	.	.	.	.	.	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	3	.	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	1	.	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	3	.	.	1	.	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	.	1	2	.	1	2	.	·6	2	1	1	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	2	4	7	2	1	2	3	3	.	2·8	3	.	.	.	.	2	.	1	.	.	.
Total Deaths from Accident,	6	2	8	7	3	5	2	4	5	1	4·3	7	1	2	.	.	2	.	1	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	2	1	.	1	1	.	1	.	·7	2	.	.	.	.	2	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	6	—	8	.	1	.	.	.	.	2	3	2	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered.	256	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205
Average Births in corresponding week of previous 10 years, ...	225	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221
DEATHS registered, ...	217	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	120	137	166	129	126	149	144	157	168
Annual Death-rate per 1,000, ...	28·1	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7
Average Deaths in corresponding week of previous 10 years, ...	203	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161
Ages, Under 5 years, ...	58	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55
5—15 " ...	2	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7
15—25 " ...	14	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8
25—45 " ...	38	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28
45—65 " ...	50	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36
65—75 " ...	30	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19
75 and upwards, ...	25	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15
Deaths from :—																										
Enteric Fever, ...	2	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.
Typhus, ...	1	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.
Scarlet Fever, ...	.	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1
Whooping-cough, ...	6	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.
Diphtheria, ...	1	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.
Influenza, ...	3	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	34	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20
Tuberculous Disease, Other Forms,	8	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10
Cancer, ...	7	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8
Diseases of Circulatory System,	23	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22
Diseases of Respiratory System, Pneumonia	17	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9
Diseases of Respiratory System, Others, ...	34	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12
Diarrhœa and Enteritis, under 2 years, ...	6	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2
Violent Deaths, ...	2	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7
Number of Uncertified Deaths,	4	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2
Mean Temperature of the Air (Phœnix Park)	43·7	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5
Average Mean Temperature in corresponding week of previous 10 years, ...	41·2	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2
Rainfall in inches, ...	·375	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd August, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD AUGUST, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	22·0	168	55	7	8	28	36	19	15	.	.	.	.	1	.	.	.	20	10	8	6	9	13	21	2	7	71	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	21·3	6	.	.	.	1	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	101,798	13·3	26	4	1	1	3	8	7	2	.	.	.	.	.	.	.	.	4	.	3	.	1	1	2	.	1	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	22·6	47	18	2	5	9	5	5	3	.	.	.	.	1	.	.	.	6	5	1	4	2	4	4	1	.	19	1
IV.	GENERAL SERVICE CLASS, ...	167,479	20·5	66	32	4	2	10	11	5	2	.	.	.	.	.	.	.	.	6	5	1	2	5	3	15	1	6	22	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	23	1	.	.	5	10	2	5	.	.	.	.	.	.	.	.	4	.	2	.	1	5	.	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19·2	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	12·4	6	1	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	14·1	9	1	.	.	2	3	3	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	1	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	13·9	9	.	.	1	1	4	2	1	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	3	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	9·0	5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.	.	1	.
	10. Clothing Trades, ...	20,026	13·0	5	.	1	1	1	.	2	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	1	.
	11. Food Supply Trades	8,952	11·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	45·5	28	10	1	4	6	3	3	1	.	.	.	.	1	.	.	.	3	2	.	2	1	4	2	.	.	13	1
	13. Petty Shopkeepers	6,772	15·4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	15. Domestic Servants, ...	36,041	4·3	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	23·7	7	3	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	27·3	54	28	4	2	7	7	4	2	.	.	.	.	.	.	.	.	4	4	.	2	4	3	11	1	6	19	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	23	1	.	.	5	10	2	5	.	.	.	.	.	.	.	.	4	.	2	.	1	5	.	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincia

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	July 5,	20·9	.	12	.	.	.	.	.	.	.	.	4	2	1	.	.	.	.	.	.
		„ 12,	19·2	3·5	11	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	2
		„ 19,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
		„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
		Aug. 2,	19·2	.	11	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.
		„ 9,	24·4	7·0	14	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
		„ 16,	27·9	8·7	16	.	.	.	.	.	1	.	.	.	2	1	.	1	4	.	.	.
		„ 23,	20·9	8·7	12	.	.	.	.	.	.	.	.	3	1	.	.	1	4	1	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	July 5,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.
		„ 12,	33·2	2·6	26	.	.	.	.	2	.	.	.	3	1	1	3	1	.	.	2	.
		„ 19,	17·9	3·8	14	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1
		„ 26,	10·2	2·6	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
		Aug. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	4	.	2	1	1	.	.	1	1
		„ 9,	15·3	3·8	12	.	.	.	.	.	.	1	.	2	1	.	.	1	2	.	1	.
		„ 16,	26·8	2·6	21	.	.	.	.	.	.	.	.	1	2	.	1	3	1	1	.	.
		„ 23,	19·1	3·8	15	.	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	2
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	July 5,	31·8	.	17	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	1	1
		„ 12,	26·2	3·7	14	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
		„ 19,	29·9	1·9	16	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	1	.
		„ 26,	16·8	3·7	9	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	1
		Aug. 2,	16·8	3·7	9	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.
		„ 9,	35·5	3·7	19	.	.	.	.	.	.	.	.	3	3	1	1	1	2	.	3	.
		„ 16,	20·6	5·6	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.
		„ 23,	22·4	3·7	12	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	July 5,	17·8	1·5	12	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.
		„ 12,	16·3	.	11	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.
		„ 19,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
		„ 26,	14·8	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
		Aug. 2,	10·4	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
		„ 9,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
		„ 16,	14·8	4·4	10	.	.	.	.	1	.	.	.	2	.	.	.	2	2	.	.	1
		„ 23,	16·3	1·5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	July 5,	22·0	1·3	17	.	.	.	.	.	.	.	.	2	.	4	1	1	.	1	.	.
		„ 12,	14·2	1·3	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
		„ 19,	11·6	1·3	9	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
		„ 26,	14·2	.	11	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.
		Aug. 2,	23·3	2·6	18	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	1	.
		„ 9,	23·3	5·2	18	.	.	.	.	.	.	.	.	2	.	.	.	2	3	1	.	.
		„ 16,	24·5	6·5	19	.	.	.	.	.	.	.	.	5	1	.	.	1	4	1	.	1
		„ 23,	23·3	2·6	18	.	.	.	.	.	.	.	.	1	1	1	2	.	2	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	July 5,	17·1	5·7	6	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	1
		„ 12,	25·6	8·5	9	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1
		„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
		„ 26,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	.
		Aug. 2,	19·9	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.
		„ 9,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	.
		„ 16,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		„ 23,	28·4	8·5	10	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	July 5,	19·4	2·4	16	.	.	.	.	.	1	1	.	2	.	.	2	4	.	.	.	.
		„ 12,	19·4	3·6	16	.	.	.	.	1	.	.	.	1	1	2	.	2	2	.	.	.
		„ 19,	15·7	4·8	13	.	.	.	.	.	.	.	.	1	.	2	1	2	3	1	.	.
		„ 26,	19·4	2·4	16	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	1	.
		Aug. 2,	19·4	4·8	16	.	.	.	.	.	.	.	.	4	1	1	1	1	3	1	1	.
		„ 9,	16·9	3·6	14	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	2	.
		„ 16,	26·6	7·3	22	.	.	.	.	.	1	.	.	4	.	1	1	1	5	.	1	.
		„ 23,	20·6	2·4	17	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	July 5,	23·6	1·6	15	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	1	.
		„ 12,	26·7	6·3	17	.	.	.	.	.	2	1	.	1	.	.	1	3	1	.	.	2
		„ 19,	23·6	1·6	15	.	.	.	.	.	.	.	.	3	2	2	.	.	1	.	.	1
		„ 26,	18·9	1·6	12	.	.	.	.	.	1	.	.	2	.	.	1	2	.	.	.	1
		Aug. 2,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 9,	23·6	6·3	15	.	.	.	1	.	.	.	.	.	.	2	2	.	3	.	.	.
		„ 16,	20·4	14·1	13	.	.	.	1	.	1	.	.	1	.	.	.	1	7	.	.	.
		„ 23,	22·0	1·6	14	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	July 5,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 12,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 19,	10·8	1·3	8	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.
	„ 26,	8·1	1·3	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1
	Aug. 2,	13·4	.	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
Pop. in 1913 (Est.) 38,769.	„ 9,	14·8	.	11	.	.	.	.	.	.	.	.	1	1	3	1	2	.	.	.	1
	„ 16,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.
	„ 23,	14·8	1·3	11	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
Pembroke Urban District.	July 5,	15·7	3·5	9	.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	3	.
	„ 12,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 19,	24·4	3·5	14	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 26,	10·4	1·7	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	Aug. 2,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1	.
Pop. in 1913 (Est.) 29,942.	„ 9,	8·7	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 16,	7·0	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	„ 23,	24·4	3·5	14	.	.	.	.	1	.	.	.	2	1	2	1	1	1	.	1	.
Kingstown Urban District.	July 5,	3·1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	18·5	3·1	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 19,	6·2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 26,	24·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 2,	21·5	.	7	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
Pop. in 1911 16,941.	„ 9,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	„ 16,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Belfast.	July 5,	15·9	1·4	121	.	.	.	.	3	2	.	.	10	5	5	7	10	5	1	4	1
	„ 12,	14·2	1·3	108	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	.
	„ 19,	15·8	1·3	120	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	3
	„ 26,	15·8	1·4	120	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	1
Pop. in 1913 (Est.) 396,000.	Aug. 2,	15·9	2·8	121	.	.	.	2	2	2	1	.	16	3	10	3	7	13	1	6	.
	„ 9,	15·1	3·8	115	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	.
	„ 16,	20·9	4·6	159	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	.
	„ 23,	18·7	5·3	142	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	1
Cork.	July 5,	16·3	.	24	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	3
	„ 12,	15·6	0·7	23	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	.
	„ 19,	13·6	.	20	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 26,	25·2	1·4	37	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	1
Pop. in 1911 76,673.	Aug. 2,	25·8	0·7	38	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	.
	„ 9,	15·0	2·7	22	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	1
	„ 16,	25·2	2·7	37	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	2
	„ 23,	24·5	6·8	36	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	3
Londonderry.	July 5,	15·3	1·3	12	.	.	.	1	.	.	.	.	4	.	.	.	1	.	.	.	.
	„ 12,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	14·0	2·5	11	.	.	.	2	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 26,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
Pop. in 1913 (Est.) 41,000.	Aug. 2,	19·1	6·4	15	.	.	.	4	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 9,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	17·8	6·4	14	.	.	.	3	.	.	.	.	.	2	1	.	3	2	.	.	1
	„ 23,	21·6	6·4	17	.	.	.	2	.	.	.	.	.	.	.	2	1	3	.	1	1
Limerick.	July 5,	13·5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	1
	„ 12,	16·2	2·7	12	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2
	„ 26,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
Pop. in 1911 38,518.	Aug. 2,	8·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
	„ 9,	9·5	.	7	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1
	„ 16,	16·2	2·7	12	1	.	.	.	.	.	1	.	2	.	1	.	3	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
Waterford.	July 5,	17·1	1·9	9	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	2
	„ 12,	11·4	5·7	6	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 19,	24·7	5·7	13	.	.	.	2	.	.	.	.	1	1	.	.	1	1	.	1	.
	„ 26,	19·0	9·5	10	.	.	.	4	.	.	.	.	.	1	.	1	1	1	.	.	.
Pop. in 1911 27,464.	Aug. 2,	22·8	7·6	12	.	.	.	2	.	.	.	.	1	.	1	1	1	1	1	.	.
	„ 9,	30·4	15·2	16	.	.	.	6	.	.	.	.	2	.	.	.	2	1	1	.	.
	„ 16,	20·9	3·8	11	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 23,	13·3	7·6	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd August, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	11	13·1	9·9	4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
Do. 2 do.	49,500	19	16·9	4·2	16	5	1	3	3	2	2	.	.	.	.	.	.	.	.	3	.	.	1	1	3	1	.	.	2	.
Do. 3 do.	50,032	33	21·9	4·2	21	9	3	3	3	2	1	.	.	.	.	.	.	.	.	3	.	.	2	1	4	.	1	1	6	.
Do. 4 do.	32,637	14	27·2	6·4	17	3	4	2	3	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	1	1	7	.
Do. 5 do.	16,112	7	29·1	6·5	9	2	1	1	2	.	3	.	.	.	.	.	.	.	.	2	1	1	.	1	2	.	.	.	4	.
Do. 6 do.	37,293	17	14·0	4·2	10	4	1	1	1	1	2	.	.	.	.	.	1	.	.	1	.	1	.	1	2	.	1	1	1	.
Do. 7 do.	2,681	2	.	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 8 do.	5,964	.	17·5	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	11	23·5	8·5	11	5	1	1	.	2	2	.	.	.	.	.	.	.	.	2	.	.	.	1	3	1	.	.	1	.
Do. 10 do.	28,958	15	21·6	5·4	12	1	4	2	2	2	1	.	.	.	.	.	.	.	.	3	1	1	.	3	3	.	.	.	2	.
Do. 11 do.	39,311	20	13·3	6·6	10	5	.	1	1	2	1	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.	.	.	2	.
Do. 12 do.	38,076	20	24·6	8·2	18	8	1	1	2	5	1	.	.	.	.	1	.	.	.	1	.	1	.	2	4	1	.	1	3	1
Do. 13 do.	23,233	8	9·0	.	4	1	.	1	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	13·8	2·3	6	1	.	.	.	4	1	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	2	.
Total,	386,947	192	18·7	5·3	142	47	17	16	19	22	21	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	4	31	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	11·6	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 2 do.	10,701	10	40·1	10·0	8	3	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	4	.
Do. 3 do.	9,978	6	26·6	10·6	5	1	2	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.
Do. 4 do.	8,666	11	34·2	5·7	6	1	.	.	.	4	1	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	.	2	.
Do. 5 do.	6,592	2	8·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	10,702	14	13·5	4·5	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Do. 7 do.	16,616	9	32·5	13·0	10	2	2	.	.	4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	3	.	.	1	2
Total,	76,122	55	24·5	6·8	36	7	4	2	4	12	7	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	.	10	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered, ...	230	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192
DEATHS registered, ...	178	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142
Annual Death-rate per 1,000 of estimated population, ...	23·4	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7
AGES, Under 1 year, ...	49	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47
1—5 years, ...	21	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17
5—25 ,, ...	20	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16
25—45 ,, ...	30	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19
45—65 ,, ...	26	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22
65 and upwards, ...	32	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.
Scarlet Fever, ...	.	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2
Whooping-cough, ...	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1
Diphtheria, ...	1	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	29	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18
Tuberculous Disease. Other Forms,	10	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2
Cancer, ...	5	6	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4
Diseases of Respiratory System, Pneumonia,	21	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5
Diseases of Respiratory System, Others, ...	38	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13
Diarrhœa and Enteritis, under 2 years, ...	.	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33
Diarrhœa, 2 years and upwards,	.	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3
Violent Deaths, ...	.	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3
Number of Uncertified Deaths, ...	3	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Aug. 23,	2,179	1,023	11·8	4	.	7	7	6	2	122*a*
Edinburgh, ...	320,300	„ 23,	114	76	12·4	.	.	1	.	1	.	3
Glasgow, ...	1,021,500	„ 23,	501	327	16·7	.	.	11	2	3	5	37
Calcutta, ...	896,067	July 12,	.	434	25·1	90*	4	4	.	.	4†	68‡
Bombay, ...	979,445	, 19,	332	552	29·2	68*	7	1	.	.	.	57‡
Madras, ...	518,660	„ 26,	398	351	35·2	59*	.	3	?	?	?	84
Cairo, ...	710,514	June 3,	534	618	45·4	5	1	15	.	?	15†	164*a*
Paris, ...	2,847,229	Aug. 9,	931	786	14·1	3	.	3	1	14	4†	45*a*
Brussels, ...	767,252	„ 2,	241	138	9·3	.	.	.	.	1	1†	17*a*
Antwerp, ...	312,884	„ 9,	99	86	14·3	1	.	3	1	.	1†	19*a*
Amsterdam, ...	590,744	„ 2,	241	102	9·0	1	.	3	.	.	.	2*a*
Copenhagen, ...	473,500	„ 2,	223	105	11·6	.	.	1	.	1	.	1*a*
Stockholm, ...	376,171	„ 2,	143	94	13·0	.	.	.	.	.	.	6*a*
Christiania, ...	250,423	„ 9,	100	45	9·3	.	.	1	.	.	.	3
St. Petersburg ...	1,708,600	July 19,	533	642	19·6	24	.	8	7	6	3	159*a*
Moscow, ...	1,694,000	„ 12,	.	970	29·9	4	1	48	11	6	12†	381
Berlin, ...	2,066,951	„ 19,	739	512	12·9	2	?	1	4	1	8†	54
Hamburg, ...	1,006,748	Aug. 2,	.	227	11·7	.	?	3	2	1	3†	15
Breslau, ...	539,846	„ 2,	.	169	16·3	1	.	1	.	.	.	19
Munich, ...	638,000	„ 2,	.	158	12·9	.	?	.	.	3	.	15
Vienna (with suburbs),	2,115,254	„ 2,	704	525	12·9	3	.	2	7	3	6†	38*a*
Buda-Pesth, ...	930,666	„ 2,	430	289	16·1	.	.	5	9	.	6†	34*a*
Prague and Faubourgs,	494,055	July 19,	157	172	18·2	1	.	1	.	.	.	8*a*
Trieste, ...	239,703	Aug. 2,	141	87	18·9	.	.	.	.	6	.	16*a*
Rome, ...	579,187	May 3,	263	174	15·7	5	.	7	.	1	4	7
		„ 10,	228	168	15·1	1	.	6	1	2	1	12
New York, ...	5,372,983	July 19,	2,598	1,250	12·1	11	.	11	.	12	23†	125*a*
Philadelphia, ...	1,631,960	„ 5,	.	513	16·4	7	.	.	6	2	2†	60*a*
Boston, ...	735,399	Aug. 2,	.	198*b*	14·0	2	.	.	1	.	1	21

* Deaths from "fever," including 8 from enteric fever and 5 from plague in Calcutta, 20 from plague, and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 27 deaths from cholera in Calcutta, and 2 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Including the deaths of 24 non-residents, of these 5 deaths were from diarrhœal diseases

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd August, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
" " 1, West, ...	.	.	.	.	1	.	.	.	.	.	.	1	.	2
" " 2, ...	.	.	2	.	.	.	.	.	2	.	.	4	.	8
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	4	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	.	.	.	1	.	.	1	.	2
" " 2, ...	.	2	.	.	.	.	.	.	1	.	.	4	.	7
" " 3, ...	.	.	.	.	.	.	.	.	2	.	.	1	.	3
" " 4, ...	.	1	.	.	1	.	.	.	1	.	.	2	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	2	.	3	.	.	.	7	.	.	17	.	35

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd August, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd August.			
	August 2.	August 9.	August 16.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	42	45	43	3	9	.	37
Typhus, ...	10	10	12	3	9	.	6
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	3	2	.	.	.	2
Scarlet Fever, ...	66	65	59	10	11	1	57*
Diphtheria, ...	32	26	21	10	12	.	19
Pneumonia, ...	17	19	18	5	7	.	16

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 23rd August, 1913:—

"The earlier and greater part of this week was fine, quiet, and summerlike. On Thursday the weather underwent a change, becoming unsettled, cloudy and showery owing to the appearance in the Icelandic region and on the Atlantic, north west of the British Isles of an atmospheric depression of some depth (29·2 inches on Friday morning), and of great extent. Up to and including Wednesday an area of high atmospheric pressure covered the United Kingdom, whereas depressions were found between Iceland and Greenland and over the Baltic. A third but shallower depression existed over the Spanish Peninsula and the south west of France. Light to moderate N.E. winds, and fine dry weather prevailed in Ireland and Scotland; in England the sky was densely clouded at times. Very low night temperatures were recorded on the mornings of Tuesday and Wednesday—on Tuesday, 47° in Dublin, 45° at Bath, 44° at Birr and Dover, 43° at Nairn, 40° at St. Andrews and Southport, and 39° at Blackpool; on Wednesday, 47° in Dublin, 45° at Bath, 44° at Donaghadee and Nottingham, 37° at St. Andrews, Nairn, and Buxton, and 35° at Wick. By Thursday morning a decided change had begun, heralded by a sheet of cirrus cloud overspreading the sky in Ireland on Wednesday evening. A depression arrived off the south of Iceland spreading with its secondaries across the British Isles. Squally S.W. to W. winds, clouds and rain or passing showers set in, continuing to the close of the week. In Dublin the mean height of the barometer was 30·077 inches, the range being from 30·310 inches at 9 a.m. of Monday (wind, E.N.E.) to 29·772 inches at 9 p.m. of Friday (wind, S.W.). The corrected mean temperature was 58·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·1°. The screened thermometers fell to 46·9° on Tuesday, and rose to 69·5° on Wednesday. The wind was at first N.E., afterwards W.S.W. Rain fell on the last three days to the amount of ·279 inch of which ·111 inch was recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·086 inches. The highest reading (30·304) was on Monday, at 9 a.m., wind E.N.E., the lowest (29·791) on Friday at 9 p.m., wind W.S.W.

The mean temperature for the week was 56·5°, being 0·3 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Wednesday, on which day the thermometer registered 73°, and was lowest on Tuesday, the mercury having fallen to 37°. The mean of the Dry Bulb for the week was 57·1° and of the Wet Bulb, 54·1°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0.205 inch.

At Greenwich the mean temperature for the week was 60·9°, the maximum 80·0°, and the minimum 49·2°; at Glasgow the maximum was 67·0°, the minimum 38·0°, and the mean 53·9°; and at Edinburgh the maximum was 70·6°, the minimum 46·4°, and the mean 57·6°. The rainfall at Greenwich measured 0·36 in.; at Glasgow 0·46 in.; and at Edinburgh 0·11 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 17,	30·285	67	48	57·5	60·8	56·7	·75	·5	10·0	·000	N.	N.E.
Monday, " 18,	30·290	63	42	52·5	51·7	48·8	·83	·2	8·2	·000	E.N.E.	Calm.
Tuesday, " 19,	30·220	63	37	50·0	51·5	48·6	·84	·2	11·0	·000	E.	Calm.
Wednesday, " 20,	30·170	73	39	56·0	60·5	57·4	·81	·4	9·2	·000	W.	Calm.
Thursday, " 21,	29·975	71	58	64·5	64·3	61·6	·84	·6	0·1	·100	S.W.	S.W.
Friday, " 22,	29·825	65	53	59·0	55·8	53·7	·87	·6	0·0	·075	W.S.W.	W.S.W.
Saturday, " 23,	29·835	64	48	56·0	55·4	51·7	·76	·6	8·1	·030	W.S.W.	W.S.W.
Mean, ...	30·086	66·6	46·4	56·5	57·1	54·1	·81	·4	Total 46·6	Total ·205	Prevailing Wind, W.S.W.	

Sunday—A beautiful bright day; night cloudy. *Monday*—A fine bright day; night clear. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—A beautiful bright day; night cloudy. *Thursday*—Day overcast, showers 9 a.m.—9.15 a.m., and showers at intervals p.m.; night cloudy, heavy showers 9 p.m.—9.30 p.m., and at intervals a.m. *Friday*—Day overcast, showers at intervals a.m. and p.m.; night overcast to clear. *Saturday*—Day bright a.m., cloudy p.m., showery at intervals p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 23rd August, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 17,	60·7	63·9	58·4	69	52	60·5	10·6	—
Monday, " 18,	61·8	64·0	58·8	63	54	58·5	7·9	—
Tuesday, " 19,	60·7	62·7	58·9	62	47	54·5	9·8	—
Wednesday, " 20,	64·0	62·0	59·0	73	48	60·5	8·0	—
Thursday, " 21,	65·8	63·0	59·0	71	62	66·5	0·1	·084
Friday, " 22,	60·0	62·7	59·0	67	55	61·0	0·1	·066
Saturday, " 23,	59·8	61·2	59·0	66	51	58·5	8·1	·090
Weekly Mean, .	61·8	62·8	58·9	67·3	52·7	60·0	Total 44·6	Total. ·240

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 8. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 30TH AUGUST, 1913. [No. 35.

General Register Office, Charlemont House,
Dublin, 1st September, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 9	Aug. 16	Aug. 23	Aug. 30	
27 Town Districts, (a)	**15·5**	**19·2**	**18·7**	**20·7**	**18·5**
Dublin Reg. Area ...	17·9	18·6	19·5	20·4	19·1
Dublin City ...	19·6	21·0	20·0	21·1	20·4
Belfast	15·1	20·9	18·7	23·0	19·4
Cork	15·0	25·2	24·5	24·5	22·3
Londonderry ...	12·7	17·8	21·6	24·2	19·1
Limerick	9·5	16·2	8·1	10·8	11·2
Waterford	30·4	20·9	13·3	24·7	22·3

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 5·7 per 1,000. Among the 175 deaths from all causes for Belfast are one from each of scarlet fever and whooping-cough, 2 from diphtheria, and 39 from diarrhœa and enteritis of children under 2 years. Of the 36 deaths from all causes for Cork are 13 from diarrhœal diseases including 5 from diarrhœa and enteritis of children under 2 years. Among the 19 deaths from all causes for Londonderry are 2 from measles and 5 from diarrhœa and enteritis of children under 2 years. Of the 13 deaths from all causes for Waterford are one from measles and 9 from diarrhœa and enteritis of children under 2 years. The 9 deaths from all causes for Galway include one from each of enteric fever, measles, whooping-cough, diphtheria, and there was one death from diarrhœa of a child under 2 years. Two of the 6 deaths from all causes for Lisburn are from diarrhœa and enteritis of children under 2 years. Of the 5 deaths from all causes for Portadown 4 are from diarrhœa and enteritis of children under 2 years; and of the 7 deaths from all causes for Wexford there is one from each of diphtheria, and diarrhœa under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—90 boys and 97 girls—and the deaths to 164—74 males and 90 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·4 per 1,000 of the population. During the thirty-five weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·7 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 164, represent an annual rate of 21·2 per 1,000; the annual rate for the past thirty-five weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·2 per 1,000 of the mean population for all deaths registered.

Included in the total are 2 from typhus, one from measles, and 29 from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks deaths from typhus were 0, 0, and 0; deaths from measles were one, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years were 18, 27, and 21, respectively.

Tuberculous disease caused 26 deaths, comprising 18 from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of a joint, one from renal tuberculosis, and 3 from disseminated tuberculosis. In the 3 preceding weeks, deaths from tuberculous disease numbered 26, 27, and 30, respectively.

There were 6 deaths from cancer.

Broncho-pneumonia caused one death, lobar pneumonia one death, and pneumonia (type not distinguished) 5 deaths.

There were 3 deaths from convulsions, one being of an infant under one year of age; premature birth caused the death of 5 infants, and congenital debility caused 5 deaths.

Organic diseases of the heart caused 10 deaths, and bronchitis 6 deaths.

There were 2 deaths from accidental burns, one being that of a child aged 3½ years.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases are all deaths of persons aged 65 years and upwards.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (44 being infants under one year, of whom 9 were under one month old) and 31 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions: of this number 8 took place in the North Dublin Union Workhouse, 13 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·4 per 1,000; the rate in the City was 21·1 (North City Districts, 19·1; South, 23·4) and in the Suburbs, 18·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·3 per 1,000 inhabitants, the rate for the City being 4·7 (in the North City Districts 4·5, and in the South 5·0), and for the Suburbs 2·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include 3 from pulmonary tuberculosis and 2 from diarrhœa and enteritis under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 30·6 per 1,000. Pulmonary tuberculosis caused 4 deaths, lobar pneumonia one death, bronchitis 2 deaths, and diarrhœa and enteritis under 2 years 5 deaths.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. Included in the total are 2 from typhus, 2 from pulmonary tuberculosis, one from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000, and include one from diarrhœa under 2 years and one from accidental burns.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 23·1 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·8. Of the 6 deaths from all causes for Coolock and Drumcondra, part of, one is from diarrhœa of a child under 2 years; and one of the 2 deaths for Finglas and Glasnevin, part of, is from pneumonia.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 18·1 per 1,000. Pulmonary tuberculosis caused 2 deaths, diarrhœa and enteritis of children under 2 years 4 deaths, and accidental burns one death.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000, and include 3 from tuberculous disease, one from pneumonia, and one from diarrhœa of a child under 2 years.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000, and include 4 deaths from tuberculous disease and 2 from diarrhœa and enteritis of children under 2 years.

No. 4 South City District (Grand Canal Street).—The deaths (21) are equivalent to an annual rate of 33·0 per 1,000. Measles caused one death, tuberculous disease 2 deaths, broncho-pneumonia one death, pneumonia one death, bronchitis 2 deaths, and diarrhœa and enteritis under 2 years, 4 deaths.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·7 per 1,000. Pulmonary tuberculosis caused one death and diarrhœa and enteritis under 2 years, 2 deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 20·9; Blackrock, 28·5; and Kingstown, 27·7. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diarrhœa and enteritis for each of Rathmines and Rathgar, and Pembroke. Among the 7 deaths from from all causes for the first named district is one from bronchitis. Of the 12 deaths from all causes for Pembroke tuberculous disease caused one death and pneumonia one death. Included in the 5 deaths from all causes for Blackrock is one from pulmonary tuberculosis; and of the 9 deaths for Kingstown there is one from each of pulmonary tuberculosis and pneumonia.

* See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 30th August, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 9,	.	—	—	10	.	.	3	.	1	5	5	.	—	—	.	—	11	.	35
	Aug. 16,	.	—	—	12	1	.	2	.	1	8	4	.	—	—	.	—	7	.	35
	Aug. 23,	.	—	—	6	2	.	3	.	.	.	7	.	—	—	.	—	17	.	35
	Aug. 30,	.	—	—	15	1	.	1	.	.	7	3	.	—	—	.	—	9	.	36
Rathmines and Rathgar Urban District.	Aug. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 23,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	—	—	—	3
	Aug. 30,	.	—	—	.	.	.	2	.	.	1	1	.	—	.	—	—	—	—	4
Pembroke Urban District.	Aug. 9,	.	.	.	.	.	.	1	.	.	1	.	.	—	.	—	—	.	—	2
	Aug. 16,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	—	—	.	—	1
	Aug. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	1	—	2
	Aug. 30,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	2
Blackrock Urban District.	Aug. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 9,	.	—	—	37	.	.	5	1	.	2	3	.	—	—	—	—	2	—	50*a*
	Aug. 16,	.	—	—	29	.	.	11	1	.	2	2	.	—	—	—	—	11	—	56
	Aug. 23,	.	—	—	44	.	.	12	.	.	2	3	2	—	—	—	—	2	—	65
	Aug. 30,	.	—	—	30	.	.	5	.	.	2	1	.	—	—	—	—	7	—	45

(*a*) Not including one case of cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th August, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirteen cases of enteric fever were admitted to hospital during the week, 12 were discharged, and 38 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 45, 43, and 37.

Two cases of typhus were admitted to hospital during the week, 2 were discharged, there were 2 deaths, and 4 cases remained under treatment at the close of the week. At the close of the 3 previous weeks the cases in hospital were 10, 12, and 6, respectively.

One case of measles was discharged, and one case remained under treatment in hospital at the close of the week. At the end of the 3 preceding weeks such cases were 3, 2, and 2, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 14 were discharged, and 59* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 65, 59, and 57, respectively.

Six cases of diphtheria were admitted to hospital during the week, 3 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 26, 21, and 19, respectively, were 21 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 6 were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·1), was equal to an average annual death-rate of 13·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·1 per 1,000, the rate for Glasgow being 15·2, and for Edinburgh 11·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th August. From this Report it appears that of a total of 48 cases notified, 24 were scarlet fever, 9 phthisis, 9 diphtheria and 6 erysipelas. Among the 336 cases of infectious diseases in hospital at the close of the week were 143 cases of scarlet fever, 98 of phthisis, 36 of measles, 33 of diphtheria, 8 of whooping-cough, 8 of erysipelas, and 6 of enteric fever,

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 30th August, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 30th August, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 30th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	1,199,180	19·0	26·0	20·7	5·7	599	475	140	75	1	2	...	6	1	2	4	...	53	19	13	18	25	97	17	6	10	134	6	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	24·2	20·4	4·3	187	158	44	29	...	2	...	1	...	...	...	...	17	7	6	7	7	28	2	2	3	56	3	e 72	40	57·0	0·00	e 73	37	56·5	0·21	e 76	41	61·8	0·35
City of Dublin,	308,187	39·0	26·9	21·1	4·7	159	125	36	23	...	2	...	1	...	...	...	...	15	6	4	5	6	24	1	2	3	49	3	f 70·1 g 72·9	48·8 43·7	59·0 58·6	0·01 0·00	f 69·5 g 71·9	46·9 41·0	58·9 58·1	0·28 0·12	f 75·3 g 77·9	46·8 44·2	62·1 62·6	0·29 0·29
Urban Districts. Rathmines & Rathgar,	38,769	22·6	13·4	9·4	2·7	10	7	2	2	...	...	...	...	...	...	...	..	...	...	...	...	1	2	...	...	...	3	...	...	...	...	...	.	...	...	...	...	...	...	...
Pembroke, ...	29,942	19·0	22·6	20·9	3·5	13	12	3	4	...	...	...	...	...	...	...	...	...	1	1	1	...	2	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	.	28·5	5·7	.	5	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	15·4	27·7	.	5	9	1	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	...	73	48	60·5	0·00	72	46	60·2	0·13	76	49	62·2	0·33
Urban Districts. Belfast ..	396,000	26·5	25·4	23·0	6·5	193	175	54	22	...	...	...	...	1	1	2	...	26	5	5	5	9	39	6	3	5	46	...	72·0	40·6	57·1	0·18	73·0	43·0	58·5	0·51	72·2	46·5	58·4	0·19
Cork, ..	76,673	28·6	28·6	24·5	8·8	42	36	9	5	...	...	...	...	...	...	...	...	3	...	2	2	1	5	8	...	...	15	..	72	47	59·4	1·14	71	53	60·4	0·62	76	50	61·4	0·10
Londonderry ...	41,000	15·9	21·6	24·2	8·9	17	19	5	5	...	...	...	2	...	...	...	...	...	2	...	...	...	5	...	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	51·4	10·8	.	38	8	2	3	...	...	...	...	...	...	...	..	1	...	...	...	3	...	...	...	...	4	1	71·2	43·1	57·3	0·46	73·5	44·1	59·4	0·86	72·7	41·2	59·7	0·52
Waterford, ...	27,464	19·1	47·5	24·7	20·9	25	13	9	...	...	...	...	1	...	...	...	...	...	1	...	...	...	9	1	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5				6	9	1	...	1	..	...	1	...	1	1	...	...	...	...	1	...	1	...	...	...	1	...	72	40	50·5	0·18	69	42	56	0·35	67	42	56	0·32
Dundalk, ...	13,128	9·5				4	4	...	2	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				8	5	...	1	...	...	...	...	...	...	...	..	1	...	...	1	...	...	...	...	...	1	...	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21
Drogheda, ...	12,501	8·4				7	1	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				5	6	3	1	...	...	...	...	...	...	...	...	1	1	...	1	...	2	...	...	...	1	...	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21
Newry, ...	11,963	17·0				4	4	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21
Portadown, ...	11,727	15·3				4	5	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	..	...	...	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21
Wexford, ...	11,531	22·8				8	7	4	1	...	...	...	...	...	...	1	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				3	2	...	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8				5	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	70	45	56·0	0·01	71	39	56·0	0·79	73	49	60·0	0·46
Kilkenny, ...	10,514	11·4				3	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	72	40	57·7	0·10	73	44	60·1	0·47	77	45	63·0	0·44
Tralee, ...	10,300	17·4				1	3	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	..	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	71	49	57·0	0·04	67	44	56·7	0·46	67	46	57·0	0·18
Queenstown, ...	8,209	14·7				3	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	72	47	59·4	1·14	71	53	60·4	0·62	76	50	61·4	0·10
Larne, ...	8,036	13·4				6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				5	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				2	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				1	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	1	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65	72·9	41·7	59·6	0·21

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 6 deaths of persons (including 2 at 65 years or upwards) admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th of August, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	4	2	.	.	.	.	2	2	1	.	1	.	.	1	1	17	1
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	.	1	3	2	.	.	1	.	.	7	1
Cancer,	.	.	.	.	.	2	.	1	.	.	1	.	.	1	.	1	6	.
Diseases of Nervous System,	.	7	1	1	.	.	.	.	.	1	4	.	1	1	1	2	19	.
" Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	3	.	.	.	1	1	1	1	1	.	.	.	2	.	.	10	1
" Respiratory System. { Pneumonia,	.	1	.	.	.	.	1	.	1	.	2	.	.	1	.	1	7	.
" Respiratory System. { Others,	.	2	1	.	.	.	.	.	1	.	2	.	1	.	.	.	7	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	2	5	2	1	.	1	.	4	1	2	4	2	2	2	.	.	28	1
" Digestive System. { Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
" Digestive System. { Enteritis, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
" Digestive System. { Others,	.	.	1	.	.	.	.	1	.	3	3	1	.	1	1	3	14	.
" Genito-urinary System,	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	5	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	1
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	.	.	3	.	2	.	3	1	3	.	1	1	2	1	1	19	1
Violent Deaths,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	1	.	.	.	.	1	.	1	1	.	.	.	.	.	5	.
Deaths from All Causes	11	24	10	7	.	6	2	14	10	15	21	5	7	12	5	9	158	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	30·6	18·7	10·4	.	23·1	9·3	18·1	23·4	18·1	33·0	26·7	9·4	20·9	28·5	27·7	20·4	.
	19·1							23·4					18·1					
	21·1																	
Ages at Death. Under 1 year,	3	3	2	2	.	2	.	7	2	8	3	4	2	3	2	1	44	.
1 and under 2 years,	.	2	1	.	.	.	.	1	.	1	4	.	.	.	.	.	9	1
2 " 5 "	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	1	4	.
5 " 15 "	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	1	4	.
15 " 25 "	1	2	.	.	.	.	.	2	2	.	2	.	1	.	.	1	11	1
25 " 45 "	4	4	1	3	.	.	2	.	3	1	2	.	1	3	2	3	29	1
45 " 65 "	2	4	4	1	.	2	.	1	.	2	6	1	1	1	1	2	28	1
65 and upwards,	1	8	1	.	.	2	.	3	3	3	2	.	2	4	.	.	29	2
Number of Uncertified Deaths,	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	6	2	4	.	.	.	2	3	3	5	.	2	1	1	.	34	6
Workhouse Hospitals.	.	9	.	.	.	.	.	1	1	2	4	2	1	1	.	1	22	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 30th August, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.	Sept. 2, 1911.	Aug. 31, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	54·9°	58·8°	55·7°	62·6°	53·9°	57·3°	53·7°	57·2°	59·1°	52·1°	56·5°	57·0°										
ALL CAUSES.	116	150	165	166	149	179	149	120	210	122	152·6	164	9	35	10	4	4	12	30	29	19	12
Enteric Fever, ...	1	1	2	2	2	.	1	1	2	.	1.2	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	2	.	.	.	.	.	.	.	2	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	2	.	7	8	.	.	1	2	2·1	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	.	1	2	1	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	1		.	.	.	.	4	7	4	2·0	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	1	.	.	.	3	1	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	.	1	1	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	1	.	1	.	.	2	.	·6	1	.	.	.	.	1	.	.	.	.	.
Tetanus, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	16	21	21	18	15	28	18	17	22	12	18·8	18	.	.	.	.	1	6	9	2	.	.
Tuberculous Meningitis, ...	3	2	1	5	3	2	2	2	4	1	2·5	1	.	.	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	.	4	.	.	.	3	1	1	4	2	1·5	2	.	.	1	.	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints. ...									.	1		1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of other Organs,	3	3	5	4	4	3	3	2	.	.	3·2	1	.	.	.	.	.	1	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									2	2		3	.	3	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	1	2	1	1	5	.	.	.	1·1	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	5	3	10	10	10	7	8	8	10	7	7·8	6	.	.	.	.	.	.	2	2	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	1	.	.	.	.	.	1	1	·4	3	.	.	.	.	.	1	2	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	2	—	1	.	.	.	.	.	.	.	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	.	.	—	2	.	.	.	.	.	.	1	.	.	1
Alcoholism, ...	2	1	1	.	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									2	.		2	.	.	.	1	1	.	.	.	.	.
Softening of Brain, ...									2	7		7	.	.	.	.	.	.	2	4	1	.
Paralysis, without specified cause.									.	.		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...									2	1		4	.	.	.	.	.	.	1	.	2	1
Convulsions (non-puerperal),									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	26	28	42	33	35	36	26	21	2	7	29·9	3	.	1	2	.	.	.	.	.	.	.
									2	3		3	.	.	.	.	.	.	.	2	1	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									1	3		10	.	.	.	.	.	.	2	3	4	1
Embolism and Thrombosis (including Cerebral)									9	8		1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Circulatory System.									.	.		.	.	.	.	.	.	.	.	.	.	.
									3	.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	10	7	13	2	9	12	8	6	4	11	8·2	6	.	.	.	.	.	.	.	3	2	1
Broncho-pneumonia, ...	.	3	2	2	3	1	.	4	5	7	2·7	1	.	.	.	1	.	.	.	.	.	.
Lobar pneumonia, ...	1	.	.	1	.	3	1	1	2	1	1·0	1	.	.	.	1	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	3	7	2	8	2	6	.	5	3	4·0	5	.	.	.	.	.	.	3	1	.	1
Pleurisy, ...									.	.		1	.	.	.	.	.	.	.	.	.	1
Pulmonary Congestion; Pulmonary Apoplexy.	1	1	1	2	1	2	.	.	1	.	·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	.		.	.	.	.	.	.	.	.	.	.	.

THIRTY-FOURTH WEEK, ending Saturday, 30th August, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week euding Saturday										Averages in 35th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 30th August, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.	Sept. 2, 1911.	Aug. 31, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 54·9	° 58·8	° 55·7	° 62·6	° 53·9	° 57·3	° 53·7	° 57·2	° 59·1	° 52·1	° 56·5	° 57·0										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	2	—	5	1	2	.	.	.	1	.	.	1	.
Diarrhœa and Enteritis of Children under 2 years.	13	30	25	35	12	31	26	22	52	6	26·4	29	.	23	6	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									7	.		2	.	.	.	.	.	.	1	1	.	.
Enteritis 2 years and upwards									5	.		2	.	.	.	.	1	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	2	—	2	.	.	.	.	.	.	.	2	.	.
Cirrhosis of Liver, ...	1	1	1	2	1	1	1	1	2	.	1·1	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Liver, ...	1	1	1	2	1	.	.	.	1	.	·7	1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	3	1	.	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	3	3	9	6	6	2	4	1	.	3·8	2	.	2	.	.	.	.	.	.	.	.
Acute Nephritis, ...									.	1		2	.	.	.	.	.	.	2	.	.	.
Chronic Bright's Disease, ...									7	1		1	.	.	.	.	.	.	.	1	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	2	6	6	7	8	3	3	9	.	1	5·4	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	.		2	.	.	.	.	.	.	.	1	1	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	1	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	1	.	.	.	.	1	.	2	1	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	2	—	3	.	.	.	.	.	.	.	1	1	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	3	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	10	5	3	2	3	3	1	4	6	3·9	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	8	1	—	5	2	3	.	.	.	.	.	.	.	.
Old Age, ...	2	3	4	1	4	1	3	2	5	1	2·6	1	.	.	.	.	.	.	.	.	1	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	1	—	2	1	.	.	.	.	.	.	1	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	1	.	.	1	2	1	.	.	·6	2	.	.	.	1	.	.	.	.	.	1
Drowning, ...	1	2	.	2	2	2	2	1	.	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	3	2	5	2	1	2	2	2	1	2·2	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	4	5	3	7	5	4	7	5	3	1	4·4	2	.	.	.	1	.	.	.	.	.	1
Included in above are Deaths in connection with—																						
Railways, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	1	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	8	5	—	5	.	.	.	.	.	.	.	.	2	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered.	193	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187
Average Births in corresponding week of previous 10 years, ...	223	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209
DEATHS registered, ...	190	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	119	144	157	168	164
Annual Death-rate per 1,000, ...	24·6	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2
Average Deaths in corresponding week of previous 10 years, ...	200	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153
Ages, Under 5 years, ...	41	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58
5—15 " ...	10	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4
15—25 " ...	6	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12
25—45 " ...	35	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30
45—65 " ...	46	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29
65—75 " ...	34	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19
75 and upwards, ...	18	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12
Deaths from :—																										
Enteric Fever, ...	1	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.
Typhus, ...	1	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1
Scarlet Fever, ...	.	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.
Whooping-cough, ...	2	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.
Diphtheria, ...	.	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.
Influenza, ...	3	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18
Tuberculous Disease, Other Forms,	2	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8
Cancer, ...	13	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6
Diseases of Circulatory System,	19	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11
Diseases of Respiratory System, Pneumonia	24	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7
Diseases of Respiratory System, Others, ...	37	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7
Diarrhœa and Enteritis, under 2 years, ...	3	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29
Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2
Violent Deaths, ...	7	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2
Number of Uncertified Deaths,	6	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3
Mean Temperature of the Air (Phœnix Park)	42·9	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0
Average Mean Temperature in corresponding week of previous 10 years, ...	41·6	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2	56·5
Rainfall in inches, ...	1·175	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	·405	·160	·000	·185	·345	·2.5	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	83	·81	·86

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th August, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH AUGUST, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	21·5	164	58	4	12	30	29	19	12	.	2	.	1	.	.	.	.	18	8	6	3	7	7	29	2	2	79	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	3·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	101,798	13·3	26	5	.	3	7	6	4	1	.	.	.	.	.	.	.	.	2	1	2	.	.	1	3	1	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	16·4	34	13	1	2	5	5	4	4	.	.	.	.	.	.	.	.	7	.	1	1	2	.	7	.	1	15	1
IV.	GENERAL SERVICE CLASS, ...	167,479	25·2	81	35	2	6	15	12	9	2	.	2	.	1	.	.	.	.	7	6	3	2	3	3	17	1	1	35	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	5	1	1	3	5	2	5	.	.	.	.	.	.	.	.	2	1	.	.	2	3	2	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6 6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	16·6	8	.	.	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6	.
	6. Clerks and Commercial Assistants, ...	33,249	9·4	6	4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	15·4	10	1	.	1	3	2	3	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	1	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	2	.	.	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	23·5	13	7	.	.	3	1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	2	.	1	7	.
	10. Clothing Trades, ...	20,026	5·2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	11·6	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	16·3	10	3	1	1	1	2	1	1	.	.	.	.	.	.	.	.	3	.	.	.	1	.	3	.	.	3	.
	13. Petty Shopkeepers	6,772	15·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	16·1	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
	15. Domestic Servants, ...	36,041	11·6	8	5	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	3	.	.	3	.	2	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	2	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	30·9	61	27	2	4	10	11	5	2	.	2	.	.	.	.	.	.	6	3	3	2	2	3	13	.	1	26	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	22	5	1	1	3	5	2	5	.	.	.	.	.	.	.	.	2	1	.	.	2	3	2	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincia

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	July 12,	19·2	3·5	11	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	2
	„ 19,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	Aug. 2,	19·2	.	11	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.
	„ 9,	24·4	7·0	14	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
	„ 16,	27·9	8·7	16	.	.	.	.	.	1	.	.	.	2	1	.	1	4	.	.	.
	„ 23,	20·9	8·7	12	.	.	.	.	.	.	.	.	3	1	.	.	1	4	1	.	.
	„ 30,	19·2	5·2	11	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	July 12,	33·2	2·6	26	.	.	.	.	2	.	.	.	3	1	1	3	1	.	.	2	.
	„ 19,	17·9	3·8	14	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1
	„ 26,	10·2	2·6	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	4	.	2	1	1	.	.	1	1
	„ 9,	15·3	3·8	12	.	.	.	.	.	.	1	.	2	1	.	.	1	2	.	1	.
	„ 16,	26·8	2·6	21	.	.	.	.	.	.	.	.	1	2	.	1	3	1	1	.	.
	„ 23,	19·1	3·8	15	.	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	2
	„ 30,	30·6	6·4	24	.	.	.	.	.	.	.	.	4	.	.	1	2	5	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	July 12,	26·2	3·7	14	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
	„ 19,	29·9	1·9	16	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	1	.
	„ 26,	16·8	3·7	9	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	1
	Aug. 2,	16·8	3·7	9	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.
	„ 9,	35·5	3·7	19	.	.	.	.	.	.	.	.	3	3	1	1	1	2	.	3	.
	„ 16,	20·6	5·6	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.
	„ 23,	22·4	3·7	12	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 30,	18·7	7·5	10	.	2	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	July 12,	16·3	.	11	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.
	„ 19,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 26,	14·8	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	Aug. 2,	10·4	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	„ 9,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	14·8	4·4	10	.	.	.	.	1	.	.	.	2	.	.	.	2	2	.	.	1
	„ 23,	16·3	1·5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.
	„ 30,	10·4	1·5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	July 12,	14·2	1·3	11	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	.
	„ 19,	11·6	1·3	9	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
	„ 26,	14·2	.	11	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.
	Aug. 2,	23·3	2·6	18	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	1	.
	„ 9,	23·3	5·2	18	.	.	.	.	.	.	.	.	2	.	.	.	2	3	1	.	.
	„ 16,	24·5	6·5	19	.	.	.	.	.	.	.	.	5	1	.	.	1	4	1	.	1
	„ 23,	23·3	2·6	18	.	.	.	.	.	.	.	.	1	1	1	2	.	2	.	.	.
	„ 30,	18·1	5·2	14	.	.	.	.	.	.	.	.	2	.	1	.	.	4	.	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	July 12,	25·6	8·5	9	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 26,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	.
	Aug. 2,	19·9	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.
	„ 9,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	.
	„ 16,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 23,	28·4	8·5	10	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.
	„ 30,	28·4	2·8	10	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	July 12,	19·4	3·6	16	.	.	.	.	1	.	.	.	1	1	2	.	2	2	.	.	.
	„ 19,	15·7	4·8	13	.	.	.	.	.	.	.	.	1	.	2	1	2	3	1	.	.
	„ 26,	19·4	2·4	16	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	1	.
	Aug. 2,	19·4	4·8	16	.	.	.	.	.	.	.	.	4	1	1	1	1	3	1	1	.
	„ 9,	16·9	3·6	14	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	2	.
	„ 16,	26·6	7·3	22	.	.	.	.	.	1	.	.	4	.	1	1	1	5	.	1	.
	„ 23,	20·6	2·4	17	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	1	.
	„ 30,	18·1	2·4	15	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	July 12,	26·7	6·3	17	.	.	.	.	.	2	1	.	1	.	.	1	3	1	.	.	2
	„ 19,	23·6	1·6	15	.	.	.	.	.	.	.	.	3	2	2	.	.	1	.	.	1
	„ 26,	18·9	1·6	12	.	.	.	.	.	1	.	.	2	.	.	1	2	.	.	.	1
	Aug. 2,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 9,	23·6	6·3	15	.	.	.	1	.	.	.	.	.	.	2	2	.	3	.	.	.
	„ 16,	20·4	14·1	13	.	.	.	1	.	1	.	.	1	.	.	.	1	7	.	.	.
	„ 23,	22·0	1·6	14	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	.
	„ 30,	33·0	7·9	21	.	.	.	1	.	.	.	.	.	2	1	2	2	4	.	.	.

* See note (‡) at foot of first page

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	July 12,	13·4	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 19,	10·8	1·3	8	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.
	„ 26,	8·1	1·3	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1
	Aug. 2,	13·4	.	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 9,	14·8	.	11	.	.	.	.	.	.	.	.	1	1	3	1	2	.	.	.	1
	„ 16,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.
	„ 23,	14·8	1·3	11	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
	„ 30,	9·4	2·7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	July 12,	12·2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 19,	24·4	3·5	14	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 26,	10·4	1·7	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	Aug. 2,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1	.
	„ 9,	8·7	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 16,	7·0	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	„ 23,	24·4	3·5	14	.	.	.	.	1	.	.	.	2	1	2	1	1	1	.	1	.
	„ 30,	20·9	3·5	12	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	July 12,	18·5	3·1	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 19,	6·2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 26,	24·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 2,	21·5	.	7	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 9,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	„ 16,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 30,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	July 12,	14·2	1·3	108	.	.	.	.	3	.	.	.	12	3	3	8	6	5	2	3	.
	„ 19,	15·8	1·3	120	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	3
	„ 26,	15·8	1·4	120	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	1
	Aug. 2,	15·9	2·8	121	.	.	.	2	2	2	1	.	16	3	10	3	7	13	1	6	.
	„ 9,	15·1	3·8	115	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	.
	„ 16,	20·9	4·6	159	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	.
	„ 23,	18·7	5·3	142	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	1
	„ 30,	23·0	6·5	175	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	.
Cork. Pop. in 1911 76,673.	July 12,	15·6	0·7	23	.	1	.	.	.	.	.	.	1	3	2	5	1	.	.	1	.
	„ 19,	13·6	.	20	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 26,	25·2	1·4	37	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	1
	Aug. 2,	25·8	0·7	38	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	.
	„ 9,	15·0	2·7	22	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	1
	„ 16,	25·2	2·7	37	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	2
	„ 23,	24·5	6·8	36	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	3
	„ 30,	24·5	8·8	36	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	July 12,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	14·0	2·5	11	.	.	.	2	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 26,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
	Aug. 2,	19·1	6·4	15	.	.	.	4	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 9,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	17·8	6·4	14	.	.	.	3	.	.	.	.	.	2	1	.	3	2	.	.	1
	„ 23,	21·6	6·4	17	.	.	.	2	.	.	.	.	.	.	.	2	1	3	.	1	1
	„ 30,	24·2	8·9	19	.	.	.	2	.	.	.	.	.	2	.	.	.	5	.	1	.
Limerick. Pop. in 1911 38,518.	July 12,	16·2	2·7	12	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2
	„ 26,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	Aug. 2,	8·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
	„ 9,	9·5	.	7	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1
	„ 16,	16·2	2·7	12	1	.	.	.	.	.	1	.	2	.	1	.	3	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
	„ 30,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1
Waterford. Pop. in 1911 27,464.	July 12,	11·4	5·7	6	.	.	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 19,	24·7	5·7	13	.	.	.	2	.	.	.	.	1	1	.	.	1	1	.	1	.
	„ 26,	19·0	9·5	10	.	.	.	4	.	.	.	.	.	1	.	1	1	1	.	.	.
	Aug. 2,	22·8	7·6	12	.	.	.	2	.	.	.	.	1	.	1	1	1	1	1	.	.
	„ 9,	30·4	15·2	16	.	.	.	6	.	.	.	.	2	.	.	.	2	1	1	.	.
	„ 16,	20·9	3·8	11	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 23,	13·3	7·6	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	2
	„ 30,	24·7	20·9	13	.	.	.	1	.	.	.	.	.	1	.	.	.	9	1	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th August, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	19·7	6·6	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	1	1	3	.
Do. 2 do.	49,500	27	19·0	5·3	18	7	1	3	3	3	1	.	.	.	.	.	.	.	.	4	1	.	.	.	4	1	1	1	6	.
Do. 3 do.	50,032	28	21·9	7·3	21	6	3	3	4	2	3	.	.	.	.	1	1	.	.	3	.	2	1	.	3	2	1	1	4	.
Do. 4 do.	32,637	25	28·8	8·0	18	4	5	2	3	1	3	.	.	.	.	.	.	2	.	3	1	1	.	.	2	1	.	1	8	.
Do. 5 do.	16,112	4	35·6	9·7	11	4	.	1	2	2	2	.	.	.	.	.	.	.	.	2	1	.	.	2	3	.	.	.	4	.
Do. 6 do.	37,293	13	22·4	5·6	16	5	.	.	4	4	3	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	4	.
Do. 7 do.	2,681	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	12	27·8	8·5	13	8	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	3	.	4	.	.	.	2	.
Do. 10 do.	28,958	12	21·6	5·4	12	5	1	.	4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	3	.	.	1	4	.
Do. 11 do.	39,311	25	15·9	6·6	12	3	4	1	3	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	5	.	.	.	3	.
Do. 12 do.	38,076	15	27·4	9·6	20	7	2	3	3	3	2	.	.	.	.	.	.	.	.	2	1	.	.	5	7	.	.	.	2	.
Do. 13 do.	23,233	16	15·7	4·5	7	1	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	5	43·7	4·6	19	2	3	3	3	4	4	.	.	.	.	.	.	.	.	5	.	.	.	.	2	.	.	.	5	.
Total,	386,947	193	23·0	6·5	175	54	20	18	34	27	22	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	5	46	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	10	7·8	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 2 do.	10,701	7	35·1	10·0	7	3	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	1	.	.	2	.
Do. 3 do.	9,978	8	26·6	10·6	5	.	.	1	.	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	2	.
Do. 4 do.	8,666	4	17·1	5·7	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Do. 5 do.	6,592	2	33·4	.	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.	10,702	8	22·5	9·0	5	1	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.
Do. 7 do.	16,616	3	32·5	19·5	10	4	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4	2	.	.	2	.
Total,	76,122	42	24·5	8·8	36	9	.	3	6	13	5	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.	15	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered, ...	181	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193
DEATHS registered, ...	177	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175
Annual Death-rate per 1,000 of estimated population, ...	23·3	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0
AGES, Under 1 year, ...	40	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54
1—5 years, ...	32	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20
5—25 ,, ...	13	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18
25—45 ,, ...	26	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34
45—65 ,, ...	34	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27
65 and upwards, ...	32	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	10	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.
Scarlet Fever, ...	3	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1
Whooping-cough, ...	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1
Diphtheria, ...	.	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	14	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26
Tuberculous Disease. Other Forms,	3	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5
Cancer, ...	5	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5
Diseases of Respiratory System, Pneumonia,	24	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5
Diseases of Respiratory System, Others, ...	36	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9
Diarrhœa and Enteritis, under 2 years, ...	4	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39
Diarrhœa, 2 years and upwards,	1	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6
Violent Deaths, ...	5	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3
Number of Uncertified Deaths, ...	2	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Aug. 30,	2,043	1,045	12·1	3	.	5	1	11	6	174*a*
Edinburgh, ...	320,300	„ 30,	124	71	11·6	.	.	1	.	.	.	2
Glasgow, ...	1,021,500	„ 30,	535	298	15·2	.	.	6	3	6	3	37
Calcutta, ...	896,067	July 19,	.	421	24·4	82*	3	2	.	.	4†	64‡
Bombay, ...	979,445	„ 26,	338	546	28·9	54*	2	1	.	.	.	67‡
Madras	518,660	Aug. 2,	386	378	37·9	80*	1	.	?	?	?	97
Cairo, ...	710,514	June 10,	559	701	51·4	8	.	26	.	?	8†	174*a*
Paris, ...	2,847,229	Aug. 16,	763	701	12·6	9	.	8	.	2	1†	43*a*
Brussels, ...	767,252	„ 9,	223	130	8·8	.	.	1	.	3	3†	19*a*
Antwerp, ...	312,884	„ 16,	96	93	15·5	.	.	1	1	.	.	15*a*
Amsterdam, ...	591,053	„ 9,	244	105	9·3	.	.	1	.	1	1†	2*a*
Copenhagen, ...	473,500	„ 9,	242	100	11·0	.	.	1	.	.	.	8*a*
Stockholm, ...	376,171	„ 9,	129	84	11·6	.	.	.	.	2	2	6*a*
Christiania, ...	250,423	„ 16.	92	43	8·9	.	.	.	.	.	.	.
St. Petersburg ...	1,708,600	July 26,	804	760	23·2	24	1	7	6	9	7	177*a*
Moscow, ...	1,694,000	„ 19,	.	934	28·7	2	1	46	7	5	8	435
Berlin, ...	2,066,951	„ 26,	776	496	12·5	.	?	7	6	5	7†	35
Hamburg, ...	1,006,748	Aug. 9,	.	208	10·7	.	?	2	2	1	5†	21
Breslau, ...	539,846	„ 9,	.	164	15·8	.	.	.	.	.	1	22
Munich, ...	638,000	„ 9,	.	149	12·2	.	.	.	.	4	.	14
Vienna (with suburbs),	2,115,254	„ 9,	666	502	12·3	1	.	5	1	1	6†	33*a*
Buda-Pesth, ...	930,666	„ 9,	420	297	16·6	3	.	3	8	1	1†	40*a*
Prague and Faubourgs,	494,055	July 26,	167	156	16·5	1	.	.	2	1	.	6*a*
Trieste, ...	239,703	Aug. 9,	124	105	22·8	1	1	.	.	4	1†	21*a*
Rome, ...	579,187	May 17,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	July 26,	2,573	1,219	12·1	5	.	3	4	16	11†	131*a*
Philadelphia, ...	1,631,960	„ 12,	.	483	15·4	6	.	2	.	2	1†	85*a*
Boston, ...	735,399	Aug. 9,	.	189*b*	13·4	2	.	.	.	1	3	23

* Deaths from "fever," including 6 from enteric fever and 8 from plague in Calcutta, 13 from plague, and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Including the deaths of 40 non-residents, of these one death was from diarrhœa.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th August, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	4	.	.	.	.	.	.	2	.	.	.	.	6
" " 1, West, ...	.	3	.	.	.	.	.	2	.	.	.	1	.	6
" " 2, ...	.	.	1	.	.	.	.	1	.	.	.	2	.	4
" " 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	.	1	.	.	.	4	.	5
" " 2, ...	.	1	.	.	.	.	.	1	.	.	.	.	.	2
" " 3, ...	.	2	.	.	.	.	.	2	.	.	.	1	.	5
" " 4, ...	.	4	.	.	.	.	.	.	1	.	.	1	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	15	1	.	1	.	.	7	3	.	.	9	..	36

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th August, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th August.			
	August 9.	August 16.	August 23.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	45	43	37	13	12	.	38
Typhus, ...	10	12	6	2	2	2	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	2	2	.	1	.	1
Scarlet Fever, ...	65	59	57	16	14	.	59*
Diphtheria, ...	26	21	19	6	3	1	21
Pneumonia, ...	19	18	16	8	6	.	18

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 30th August, 1913:—

"Another week of fine, summerlike weather has to be chronicled. It is true that the closing days of the period were dull and somewhat unsettled owing to the advance of a shallow thunder storm depression from the far south, but the local rains which occurred in consequence were neither heavy (with the exceptions stated below) nor persistent. At the beginning a large and rather deep atmospheric depression was centred to the north westward of Iceland, while a V. shaped secondary system was passing off from the British Coasts on to the North Sea. A fresh N.W. wind prevailed in Ireland, accompanied by generally fine weather but with a few showers here and there. There was marked visibility in the afternoon. The following night was clear, calm, and sharp, the screened thermometers falling to 44° at Birr Castle and below 50° at many British and Irish stations. Already a depression, which caused dull thundery weather after Thursday, had crossed Spain on its northerly course to France and the British Islands. The centre of this system was near Lisbon on Monday, reached Corunna on Tuesday, and passed slowly across the Bay of Biscay to Brittany, the English Channel, and England and Belgium during the following days. Temperature rose considerably as the week advanced, and on Thursday maxima between 78° and 83° were reached in the London district, 82° was recorded at Bath, and 80° at some other English stations. On Friday thunder storms occurred in many places, but the accompanying rainfall was moderate in amount, except at Roche's Point (·91 inch), and Nottingham (·56 inch). As the depression passed away to the northward and eastward on Saturday, the air became drier and cooler and the atmosphere less foggy and hazy. In Dublin the mean height of the barometer was 30·087 inches, the range being from 30·332 inches at 9 a.m. of Wednesday (wind, N.N.W.) to 29·749 inches at 9 p.m. of Friday (wind, calm). The corrected mean temperature was 59·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·0°. On Monday the screened thermometers rose to 70·1°, on Thursday they fell to 48·8°. Northerly (between N.W. and N.E.), winds prevailed. The rain fall was only ·009 inch on Thursday. Lightning was seen on the evenings of Thursday and Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·099 inches. The highest reading (30·343) was on Wednesday, at 9 a.m., air calm the lowest (29·830) on Saturday at 9 a.m., air calm.

The mean temperature for the week was 57·0°, being 0·5 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Monday, on which day the thermometer registered 72°, and was also lowest on that day, the mercury having fallen to 40°. The mean of the Dry Bulb for the week was 56·7° and of the Wet Bulb, 54·2°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 62·8°, the maximum 79·2°, and the minimum 45·0°; and at Edinburgh the maximum was 71·9°, the minimum 50·7°, and the mean 59·6°. The rainfall at Greenwich measured 0·51 in.; and at Edinburgh 0·88 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 24,	30·060	65	52	58·5	55·9	52·8	·81	·5	6·7	·000	W.	Calm.
Monday, „ 25,	30·210	72	40	56·0	59·1	55·1	·77	·2	12·5	·000	W.S.W.	Calm.
Tuesday, „ 26,	30·320	67	45	56·0	57·5	54·6	·84	·0	3·1	·000	Calm.	Calm.
Wednesday, „ 27,	30·300	69	43	56·0	54·1	52·8	·93	·1	6·8	·000	Calm.	Calm.
Thursday, „ 28,	30·055	70	44	57·0	54·7	51·8	·83	·2	10·8	·000	Calm.	Calm.
Friday, „ 29,	29·835	68	45	56·5	58·2	57·2	·95	·3	4·2	·000	Calm.	Calm.
Saturday, „ 30,	29·910	63	55	59·0	57·2	55·0	·86	·4	0·0	·000	Calm.	N.W.
Mean, ...	30·099	67·7	46·3	57·0	56·7	54·2	·86	·2	Total 44·1	Total ·000	—	

Sunday—Day cloudy, fine; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—A beautiful bright day; night clear. *Friday*—Day cloudy, fine; night overcast. *Saturday*—Day overcast; night overcast to clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 30th August, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 24,	60·2	60·7	59·0	66	53	59·5	7·7	—
Monday, „ 25,	64·8	60·4	59·0	72	49	60·5	9·4	—
Tuesday, „ 26,	65·9	61·3	58·9	67	53	60·0	4·0	—
Wednesday, „ 27,	61·5	60·9	58·9	68	52	60·0	8·0	—
Thursday, „ 28,	60·4	60·5	58·9	71	49	60·0	9·0	—
Friday, „ 29,	60·3	60·7	58·8	68	55	61·5	3·5	—
Saturday, „ 30,	60·7	61·2	58·7	63	57	60·0	0·0	—
Weekly Mean, .	62·0	60·8	58·9	67·9	52·6	60·2	Total 41·6	Total. —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 8. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 6TH SEPTEMBER, 1913. [No. 36.

General Register Office, Charlemont House,
Dublin, 8th September, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 16	Aug. 23	Aug. 30	Sept. 6	
27 Town Districts, (a)	**19·2**	**18·7**	**20·7**	**19·9**	**19·6**
Dublin Reg. Area ...	18·6	19·5	20·4	19·8	19·6
Dublin City ...	21·0	20·0	21·1	21·1	20·8
Belfast	20·9	18·7	23·0	20·7	20·8
Cork	25·2	24·5	24·5	19·7	23·5
Londonderry ...	17·8	21·6	24·2	15·3	19·7
Limerick	16·2	8·1	10·8	19·0	13·5
Waterford	20·9	13·3	24·7	34·2	23·3

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 5·4 per 1,000. Among the 157 deaths from all causes for Belfast are one from each of measles, scarlet fever and whooping-cough, and 30 from diarrhœa and enteritis of children under 2 years. Included in the 29 deaths from all causes for Cork are 15 from diarrhœal diseases. Three of the 14 deaths from all causes for Limerick are from diarrhœa and enteritis of children under 2 years. Among the 18 deaths from all causes for Waterford are 3 from measles and 4 from diarrhœal diseases. The 10 deaths from all causes for Galway include 4 from measles and 3 from whooping-cough. Included in the 10 deaths from all causes for Lisburn are one from each of measles and whooping-cough, and 4 from diarrhœal diseases. Two of the 4 deaths recorded for Wexford are from diarrhœa and enteritis of children under 2 years; and 2 of the 3 deaths from all causes for Ballymena are from diarrhœa and enteritis of children under 2 years. Included in the 4 deaths from all causes for Tralee are 2 from diarrhœa and enteritis of children under 2 years. Two of the 4 deaths for Newtownards are from diarrhœa and enteritis of children under 2 years of age; and 3 of the 7 deaths from all causes for Queenstown are from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 239—118 boys and 121 girls—and the deaths to 157—74 males and 83 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·8 per 1,000 of the population. During the thirty-six weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·6 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 157, represent an annual rate of 20·3 per 1,000; the annual rate for the past thirty-six weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·2 per 1,000 of the mean population for all deaths registered.

The total deaths include 2 from enteric fever, one death from each of measles, whooping-cough, diphtheria*, and influenza, and 31 deaths of children under 2 years of age from diarrhœa and enteritis. In the 3 preceding weeks deaths from enteric fever were 0, 0, and 0; deaths from measles were one, 0, and one; deaths from whooping-cough were 3, 0, and 0; deaths from diphtheria were 0, 0, and 0; deaths from influenza were 0, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years were 27, 21, and 29 respectively.

Deaths from tuberculosis (all forms), which in the 3 weeks preceding were 27, 30, and 26, numbered 28 in the week under notice; the latter figure includes 20 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 2 from abdominal tuberculosis, and 4 deaths from other forms of the disease.

Fourteen deaths were attributed to cancer.

There was one death from broncho-pneumonia, also one death from pneumonia (type not distinguished).

Of 5 deaths of children from convulsions, 3 were of infants under one year of age; there were also at this age 5 deaths from congenital debility, 4 from premature birth, and one from congenital defects.

There were 6 deaths from organic diseases of the heart, and 7 deaths from bronchitis.

Of 4 deaths attributed to accident or negligence, one was by burns of a child aged 2 years and 5 months, and there was one death by suicide.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age and the death of one person person aged 65 years.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (53 being infants under one year, of whom 7 were under one month old) and 22 were aged 65 years and upwards, including 17 persons aged 70 and upwards; among the latter were 5 aged 75 and upwards.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·8 per 1,000; the rate in the City was 21·1 (North City Districts, 19·5; South, 23·1) and in the Suburbs, 15·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 5·0 per 1,000 inhabitants, the rate for the City being 5·1 (in the North City Districts 4·1, and in the South 6·1), and for the Suburbs 4·9 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include 2 deaths from tuberculous disease, one from pneumonia, one from bronchitis, 2 from diarrhœa and enteritis of children under 2 years, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·2 per 1,000. Pulmonary tuberculosis caused 2 deaths, there was one death from broncho-pneumonia, there were 2 deaths from bronchitis, 5 deaths from diarrhœa and enteritis of children under 2 years, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26·2 per 1,000. There was one death from enteric fever, there were 4 deaths from tuberculous disease, 2 deaths from diarrhœa and enteritis of infants under 2 years of age, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 22·2 per 1,000. Pulmonary tuberculosis caused 4 deaths, bronchitis one death, and diarrhœa and enteritis of children under 2 years of age 2 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 0·0. The one death for Coolock and Drumcondra, part of, is from whooping-cough.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 24·5 per 1,000, and include 6 deaths from tuberculous disease, one death from bronchitis, and 2 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. There was one death from pulmonary tuberculosis, and one death from infantile diarrhœa.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 31·4 per 1,000. Among the deaths were 5 from tuberculous disease, 2 from bronchitis, 7 from diarrhœa and enteritis of infants under 2 years, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. Enteric fever and measles each caused one death, there was one death from pulmonary tuberculosis, there were 2 deaths from diarrhœa and enteritis of infants under 2 years, and there was one suicidal death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000, and include 2 deaths from diarrhœa and enteritis of infants under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·8; Pembroke, 13·9; Blackrock, 17·1; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise 5 from diarrhœal diseases for Rathmines and Rathgar, 2 for Pembroke, one from gastro-enteritis of a child under 2 years for Blackrock, and one from diarrhœa for Kingstown. Included in the 11 deaths from all causes for Rathmines and Rathgar are one from influenza and 2 from pulmonary tuberculosis.

* See note (c) Table II.
† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 6th September, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 16,	.	—	—	12	1	.	2	.	1	8	4	.	—	—	.	—	7	.	35
	Aug. 23,	.	—	—	6	2	.	3	.	.	.	7	.	—	—	.	—	17	.	35
	Aug. 30,	.	—	—	15	1	.	1	.	.	7	3	.	—	—	.	—	9	.	36
	Sept. 6,	.	—	—	10	1	.	3	.	.	11	3	.	—	—	.	—	8	.	36
Rathmines and Rathgar Urban District.	Aug. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 23,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	—	—	—	3
	Aug. 30,	.	—	—	.	.	.	2	.	.	1	1	.	—	—	—	—	—	—	4
	Sept. 6,	.	—	—	.	.	.	1	.	.	.	.	.	—	.	—	—	—	—	1
Pembroke Urban District.	Aug. 16,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	—	—	.	—	1
	Aug. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	1	—	2
	Aug. 30,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	2
	Sept. 6,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	.	—	1
Blackrock Urban District.	Aug. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug, 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 6,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Aug. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 6,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	.	—	2
City of Belfast.	Aug. 16,	.	—	—	29	.	.	11	1	.	2	2	.	—	—	—	—	11	—	56
	Aug. 23,	.	—	—	44	.	.	12	.	.	2	3	2	—	—	—	—	2	—	65
	Aug. 30,	.	—	—	30	.	.	5	.	.	2	1	.	—	—	—	—	7	—	45
	Sept. 6,	.	—	—	44	.	.	7	.	1	3	3	.	—	—	—	—	7	—	65

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th September, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 43, 37, and 38.

Four cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 previous weeks the cases in hospital were 12, 6, and 4, respectively.

One case of measles was admitted, one was discharged, and one case remained under treatment in hospital at the close of the week. At the end of the 3 preceding weeks such cases were 2, 2, and one, respectively.

Thirteen cases of scarlet fever were admitted to hospital, 15 were discharged, and 57* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 59, 57, and 59, respectively.

Eight cases of diphtheria were admitted to hospital during the week, one was discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 21, 19, and 21, respectively, were 27 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 12·4), was equal to an average annual death-rate of 13·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow being 19·1, and for Edinburgh 13·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th September. From this Report it appears that of a total of 32 cases notified, 13 were phthisis, 8 scarlet fever, 8 diphtheria, 2 erysipelas and one puerperal fever. Among the 308 cases of infectious diseases in hospital at the close of the week were 127 cases of scarlet fever, 93 of phthisis, 33 of measles, 33 of diphtheria, 6 of erysipelas, 6 of enteric fever, 4 of whooping-cough and 4 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 6th September, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) — Week ending 6th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	28·0	19·9	5·4	644	458	128	88	2	...	...	10	1	6	...	...	44	21	24	16	26	92	13	11	16	130	15	°	°	°		°	°	°		°	°	°	
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	30·9	19·8	5·0	239	153	52	22	2	...	...	1	...	1	...	...	19	8	13	2	9	31	4	5	5	68	2	...	...	..	...	...	...	...	...	...	...	...	...
CITY OF DUBLIN,	308,187	39·0	35·4	21·1	5·1	209	125	42	17	2	...	...	1	...	1	...	...	17	8	12	2	9	25	1	5	5	62	2	e 66	42	55·3	0·01	e 72	40	57·0	0·00	e 73	37	56·5	0·21
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	10·8	14·8	6·7	8	11	5	2	...	...	...	...	...	...	...	..	2	...	1	...	...	4	1	...	...	2	...	f 64·0 / g 66·9	48·1 / 45·0	57·7 / 57·2	0·01 / 0·00	f 70·1 / g 72·9	48·8 / 43·7	59·0 / 58·6	0·01 / 0·00	f 69·5 / g 71·9	46·9 / 41·0	58·9 / 58·1	0·28 / 0·12
PEMBROKE, ...	29,942	19·0	20·9	13·9	3·5	12	8	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	3	...	...	...	...	...	...	...	...	...	..	...	...	...
BLACKROCK, ...	9,161	8·5	11·4	17·1	5·7	2	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	24·6	18·5	3·1	8	6	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	67	53	59·1	0·00	73	48	60·5	0·00	72	46	60·2	0·13
Urban Districts. BELFAST ..	396,000	26·5	28·2	20·7	4·5	214	157	42	27	...	...	...	1	1	1	...	...	10	7	4	11	8	30	1	5	7	32	3	63·5	50·0	57·4	0·00	72·0	40·6	57·1	0·18	73·0	43·0	58·5	0·51
CORK, ..	76,673	28·6	15·6	19·7	10·2	23	29	10	9	...	...	...	...	...	...	...	...	3	...	1	1	2	11	4	...	...	6	..	67	53	59·1	0·06	72	47	59·4	1·14	71	53	60·4	0·62
LONDONDERRY ...	41,000	15·9	28·0	15·3	1·3	22	12	3	2	...	...	...	...	...	...	...	...	3	1	...	...	1	1	...	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	12·2	19·0	4·1	9	14	1	4	...	...	...	...	...	...	...	...	2	1	...	...	1	3	...	...	1	9	...	68·6	39·5	57·3	0·11	71·2	43·1	57·3	0·46	73·5	44·1	59·4	0·86
WATERFORD, ...	27,464	19·1	20·9	34·2	13·3	11	18	4	4	...	...	...	3	...	...	...	...	1	...	2	...	2	2	2	...	1	7	3	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				13	10	2	2	...	..	...	4	...	3	...	...	1	...	...	...	...	...	...	...	...	...	5	66	42	53	0·06	72	40	50·5	0·18	69	42	56	0·35
DUNDALK, ...	13,128	9·5				5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				6	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65
DROGHEDA, ...	12,501	8·4				5	4	...	3	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				12	10	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65
NEWRY, ...	11,963	17·0				6	1	...	...	...	...	...	1	...	1	...	...	1	...	1	...	...	3	1	...	...	1	...	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65
PORTADOWN, ...	11,727	15·3				9	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65
WEXFORD, ...	11,531	22·8				6	4	2	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65
BALLYMENA ..	11,381	9·3				5	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				6	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,514	11·4				10	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	68	41	55·0	0·00	70	45	56·0	0·01	71	39	56·0	0·79
TRALEE, ...	10,300	17·4				3	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	67	47	59·1	0·16	72	40	57·7	0·10	73	44	60·1	0·47
CLONMEL, ...	10,209	7·8				8	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				4	4	2	2	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
QUEENSTOWN, ...	8,209	14·7				1	7	2	2	...	...	...	...	...	...	...	...	..	...	1	...	...	2	...	...	...	...	..	63	51	56·2	0·00	71	49	57·0	0·04	67	44	56·7	0·46
LARNE, ...	8,036	13·4				1	1	...	1	...	...	...	...	...	...	...	...	...	1	...	1	...	2	1	...	...	1	...	67	53	59·1	0·06	72	47	59·4	1·14	71	53	60·4	0·62
COLERAINE, ...	7,785	7·7				4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				3	5	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				4	3	..	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				12	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00	73·0	39·8	57·8	0·65

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 4 deaths of persons (including one under one year old) admitted to hospital from localities outside the Area; one of the 4 deaths was from diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 6th of September, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	2	3	4	.	.	.	3	1	3	1	.	2	.	.	.	19	1
Tuberculous Disease. Other Forms,	2	.	1	.	.	.	.	3	.	2	.	.	.	.	.	.	8	.
Cancer,	.	4	1	1	.	.	.	2	.	4	.	.	1	.	.	.	13	1
Diseases of Nervous System,	1	1	.	.	.	.	.	3	1	1	3	.	.	2	.	3	15	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	.	.	1	.	.	.	2	1	2	.	.	.	.	1	.	7	.
" Respiratory System. Pneumonia,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Respiratory System. Others,	1	2	.	1	1	.	.	1	.	2	1	.	.	.	.	.	9	.
" Digestive System. Diarrhœa and Enteritis, under 2 years,	2	5	2	2	.	.	.	2	1	7	2	2	4	1	1	.	31	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	1	4	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	7	.
" Genito-urinary System,	1	1	.	.	.	.	.	2	.	.	.	.	.	2	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	1	1	2	.	.	.	1	.	2	1	1	2	1	1	1	15	.
Violent Deaths,	1	1	1	.	.	.	.	.	.	1	1	.	.	.	.	.	5	.
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	.	.	1	.	.	.	1	.	.	4	.
Deaths from All Causes	11	19	14	15	1	1	.	19	5	26	11	3	11	3	3	6	153	4
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	24·2	26·2	22·2	9·6	3·8	.	24·5	14·2	31·4	17·3	16·0	14·8	13·9	17·1	18·5	19·8	.
	19·5							23·1					15·4					
	21·1																	
Ages at Death. Under 1 year,	4	7	4	3	.	1	.	3	2	12	3	3	5	2	2	1	52	1
1 and under 2 years,	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.	1	5	.
2 " 5 "	1	.	2	1	.	.	.	1	.	2	.	.	.	1	.	.	8	.
5 " 15 "	1	2	.	1	1	.	.	.	1	.	.	.	.	1	.	1	8	.
15 " 25 "	1	1	.	.	.	.	.	4	.	.	.	.	.	.	.	.	6	1
25 " 45 "	1	1	4	3	.	.	.	5	1	.	1	.	1	2	.	1	20	1
45 " 65 "	2	3	3	4	.	.	.	3	1	6	5	.	3	1	.	1	32	1
65 and upwards,	1	4	.	2	.	.	.	3	.	6	1	.	2	1	1	1	22	.
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	4	6	5	1	.	.	2	.	9	3	.	1	3	.	1	39	4
Workhouse Hospitals.	2	2	2	2	.	.	.	10	3	6	1	.	1	.	.	.	29	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 6th September, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.	Sept. 9, 1911.	Sept. 7, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	50·4°	55·5°	58·3°	60·5°	52·9°	50·7°	50·9°	54·8°	57·5°	53·7°	54·5°	55·3°										
ALL CAUSES.	145	157	143	184	159	170	134	141	219	129	158·1	157	7	46	5	8	8	7	21	33	17	5
Enteric Fever, ...	1	.	4	2	.	2	2	1	.	.	1.2	2	.	.	.	.	.	.	1	1	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	3	6	2	.	.	.	1·2	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	1	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	4	.	1	2	.	1	3	4	3	1·9	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	1	.	.	1	1	.	2	2	·8	1	.	1	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	1	2	1	.	.	2	2	·9	1	.	.	.	.	.	.	1	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	1	1	.	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	1	3	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	1	.	.	.	1	1	.	·5	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	29	20	12	21	25	19	20	23	22	18	20·9	20	.	2	.	2	2	4	6	3	1	.
Tuberculous Meningitis, ...	.	2	5	5	4	2	1	7	.	2	2·8	2	.	1	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	2	1	1	.	2	.	.	5	1	1·3	2	.	.	.	1	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.									2	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	1	6	6	3	6	1	.	6	2	.	3·8	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of other Organs,									.	.		1	.	.	.	.	.	1	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									3	2		2	.	1	.	.	.	.	.	1	.	.
Venereal Diseases, ...	.	2	1	1	.	1	1	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	3	5	6	7	7	4	9	9	10	10	7·0	14	.	.	.	.	.	.	.	10	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	2	3	.	2	.	.	.	·8	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									2	2		4	.	1	.	.	2	.	1	.	.	.
Cerebral Hæmorrhage, Apoplexy.									7	1		3	.	.	.	.	.	.	.	1	2	.
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									1	1		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									3	1		5	.	3	1	1	.	.	.	.	.	.
Other Diseases of Nervous System.	38	33	35	33	43	38	23	32	3	6	32·9	3	.	.	.	.	.	.	1	2	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	2		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,									13	7		6	.	.	.	.	.	.	1	3	1	1
Embolism and Thrombosis (including Cerebral)									2	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									.	1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	9	9	10	7	10	10	10	9	11	10	9·5	7	.	1	.	.	.	.	.	.	5	1
Broncho-pneumonia, ...	.	2	1	1	2	2	1	2	1	7	1·9	1	.	.	1	.	.	.	.	.	.	.
Lobar pneumonia, ...	1	.	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	1	1	2	2	4	4	5	3	4	1	2·7	1	.	.	.	.	1	.	.	.	.	.
Pleurisy, ...									2	.		1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	3	1	1	3	2	1	1	.	1·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	3		1	.	.	.	.	1	.	.		.	.

THIRTY-SIXTH WEEK, ending Saturday, 6th September, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week euding Saturday										Averages in 36th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 6th September, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.	Sept. 9, 1911.	Sept. 7, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 50·4	° 55·5	° 58·3	° 60·5	° 52·9	° 50·7	° 50·9	° 54·8	° 57·5	° 53·7	° 54·5	° 55·3										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	.	—	4	.	1	.	.	.	.	1	2	.	.
Diarrhœa and Enteritis of Children under 2 years.	7	30	15	61	7	39	22	19	45	8	26·8	31	2	27	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									4	.		4	.	.	.	1	1	.	.	.	2	.
Enteritis 2 years and upwards									10	1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	3	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	3	1	3	.	2	3	1	2	1	1·8	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	1	3	.	3	1	.	1	.	2	1	1·2	1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	2	1	.	.	.	1	.	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	3	10	9	5	5	3	1	.	1	4·3	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	9	4	3	5	3	5	4	9	1	1	5·6	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...									3	5		5	.	.	.	.	.	.	4	.	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									3	1		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	2	—	3	.	1	.	1	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	.	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	3	5	3	1	5	5	6	2	3	4	3·7	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	1	—	5	1	4	.	.	.	.	.	.	.	.
Old Age, ...	2	7	5	1	8	2	3	.	6	5	3·9	.	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	6	1	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	1	.	2	.	.	1	.	·5	1	.	.	.	1	.	.	.	.	.	.
Drowning, ...	1	.	.	2	.	1	.	2	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	1	1	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	.	2	1	2	2	2	.	1	2	1·7	3	.	.	.	.	1	.	2	.	.	.
Total Deaths from Accident,	5	.	3	5	4	5	3	2	4	3	3·4	4	.	.	.	1	1	.	2	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Vehicles and Horses, ...	2	.	1	1	1	.	1	.	1	.	·7	1	.	.	.	.	1	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	1	1	1	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	7	6	—	4	.	.	.	.	.	.	.	.	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered.	234	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239
Average Births in corresponding week of previous 10 years, ...	200	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240
DEATHS registered, ...	192	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157
Annual Death-rate per 1,000, ...	24·8	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3
Average Deaths in corresponding week of previous 10 years, ...	198	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158
Ages, Under 5 years, ...	54	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66
5—15 " ...	6	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8
15—25 " ...	9	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7
25—45 " ...	25	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21
45—65 " ...	47	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33
65—75 " ...	31	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17
75 and upwards, ...	20	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5
Deaths from :—																										
Enteric Fever, ...	.	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2
Typhus, ...	.	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1
Scarlet Fever, ...	.	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.
Whooping-cough, ...	2	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1
Diphtheria, ...	2	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1
Influenza, ...	8	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	20	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20
Tuberculous Disease, Other Forms,	13	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8
Cancer, ...	14	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14
Diseases of Circulatory System,	19	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7
Diseases of Respiratory System, Pneumonia	24	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2
Diseases of Respiratory System, Others, ...	34	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7	9
Diarrhœa and Enteritis, under 2 years, ...	5	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31
Diarrhœa, 2 years and upwards,	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4
Violent Deaths, ...	2	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5
Number of Uncertified Deaths,	7	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2
Mean Temperature of the Air (Phœnix Park)	41·1	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3
Average Mean Temperature in corresponding week of previous 10 years, ...	42·2	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5
Rainfall in inches, ...	·450	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th September, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Registration of Deaths, Week ending Saturday, 6th September, 1913. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	20·6	157	66	8	7	21	33	17	5	2	.	.	1	.	1	1	.	20	8	14	5	2	9	31	4	5	54	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	12·8	25	5	3	1	4	7	4	1	.	.	.	.	.	1	.	.	3	.	1	.	.	3	2	1	3	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	15·4	32	14	3	.	5	6	4	.	2	.	.	.	.	.	.	.	3	1	1	.	2	2	9	2	.	10	1
IV.	GENERAL SERVICE CLASS, ...	167,479	20·9	67	45	1	2	5	9	2	3	.	.	.	1	.	.	1	.	7	2	5	5	.	2	20	1	2	21	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	29	2	1	4	6	9	6	1	.	.	.	.	.	.	.	.	7	5	6	.	.	2	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	18·6	9	3	.	.	.	4	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	6	.
	6. Clerks and Commercial Assistants, ...	33,249	11·0	7	2	.	1	1	1	2	.	.	.	.	.	.	1	.	.	1	.	1	.	.	1	1	.	1	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	12·3	8	.	3	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	2	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	19·9	11	6	1	.	1	2	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	5	.	.	3	.
	10. Clothing Trades, ...	20,026	7·8	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.
	11. Food Supply Trades	8,952	23.3	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	17·9	11	3	1	.	3	2	2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	4	1
	13. Petty Shopkeepers	6,772	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	15. Domestic Servants, ...	36,041	5·8	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	20·3	6	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	1	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	27·8	55	39	1	1	4	7	1	2	.	.	.	1	.	.	1	.	4	2	3	5	.	1	17	.	2	19	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	29	2	1	4	6	9	6	1	.	.	.	.	.	.	.	.	7	5	6	.	.	2	.	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number
Statistics for each of the Provincia

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	July 19,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	Aug. 2,	19·2	.	11	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.
	„ 9,	24·4	7·0	14	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
	„ 16,	27·9	8·7	16	.	.	.	.	.	1	.	.	.	2	1	.	1	4	.	.	.
	„ 23,	20·9	8·7	12	.	.	.	.	.	.	.	.	3	1	.	.	1	4	1	.	.
	„ 30,	19·2	5·2	11	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
	Sept. 6,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	July 19,	17·9	3·8	14	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1
	„ 26,	10·2	2·6	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	Aug. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	4	.	2	1	1	.	.	1	1
	„ 9,	15·3	3·8	12	.	.	.	.	.	.	1	.	2	1	.	.	1	2	.	1	.
	„ 16,	26·8	2·6	21	.	.	.	.	.	.	.	.	1	2	.	1	3	1	1	.	.
	„ 23,	19·1	3·8	15	.	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	2
	„ 30,	30·6	6·4	24	.	.	.	.	.	.	.	.	4	.	.	1	2	5	.	.	1
	Sept. 6,	24·2	6·4	19	.	.	.	.	.	.	.	.	2	.	4	1	2	5	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	July 19,	29·9	1·9	16	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	1	.
	„ 26,	16·8	3·7	9	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	1
	Aug. 2,	16·8	3·7	9	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.
	„ 9,	35·5	3·7	19	.	.	.	.	.	.	.	.	3	3	1	1	1	2	.	3	.
	„ 16,	20·6	5·6	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.
	„ 23,	22·4	3·7	12	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 30,	18·7	7·5	10	.	2	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.
	Sept. 6,	26·2	5·6	14	1	.	.	.	.	.	.	.	3	1	1	.	.	2	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	July 19,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
	„ 26,	14·8	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	Aug. 2,	10·4	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	„ 9,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	14·8	4·4	10	.	.	.	.	1	.	.	.	2	.	.	.	2	2	.	.	1
	„ 23,	16·3	1·5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.
	„ 30,	10·4	1·5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	Sept. 6,	22·2	3·0	15	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	July 19,	11·6	1·3	9	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
	„ 26,	14·2	.	11	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.
	Aug. 2,	23·3	2·6	18	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	1	.
	„ 9,	23·3	5·2	18	.	.	.	.	.	.	.	.	2	.	.	.	2	3	1	.	.
	„ 16,	24·5	6·5	19	.	.	.	.	.	.	.	.	5	1	.	.	1	4	1	.	1
	„ 23,	23·3	2·6	18	.	.	.	.	.	.	.	.	1	1	1	2	.	2	.	.	.
	„ 30,	18·1	5·2	14	.	.	.	.	.	.	.	.	2	.	1	.	.	4	.	1	1
	Sept. 6,	24·5	2·6	19	.	.	.	.	.	.	.	.	3	3	2	.	1	2	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	July 19,	17·1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 26,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	.
	Aug. 2,	19·9	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.
	„ 9,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	.
	„ 16,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 23,	28·4	8·5	10	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.
	„ 30,	28·4	2·8	10	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
	Sept. 6,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	July 19,	15·7	4·8	13	.	.	.	.	.	.	.	.	1	.	2	1	2	3	1	.	.
	„ 26,	19·4	2·4	16	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	1	.
	Aug. 2,	19·4	4·8	16	.	.	.	.	.	.	.	.	4	1	1	1	1	3	1	1	.
	„ 9,	16·9	3·6	14	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	2	.
	„ 16,	26·6	7·3	22	.	.	.	.	.	1	.	.	4	.	1	1	1	5	.	1	.
	„ 23,	20·6	2·4	17	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	1	.
	„ 30,	18·1	2·4	15	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	1
	Sept. 6,	31·4	9·7	26	.	.	.	.	.	.	.	.	3	2	4	.	2	7	1	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	July 19,	23·6	1·6	15	.	.	.	.	.	.	.	.	3	2	2	.	.	1	.	.	1
	„ 26,	18·9	1·6	12	.	.	.	.	.	1	.	.	2	.	.	1	2	.	.	.	1
	Aug. 2,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 9,	23·6	6·3	15	.	.	.	1	.	.	.	.	.	.	2	2	.	3	.	.	.
	„ 16,	20·4	14·1	13	.	.	.	1	.	1	.	.	1	.	.	.	1	7	.	.	.
	„ 23,	22·0	1·6	14	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	.
	„ 30,	38·0	7·9	21	.	.	.	1	.	.	.	.	.	2	1	2	2	4	.	.	.
	Sept. 6,	17·3	6·3	11	1	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1

* See note (‡) at foot of first page

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	July 19,	10·8	1·3	8	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.
	„ 26,	8·1	1·3	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1
	Aug. 2,	13·4	.	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 9,	14·8	.	11	.	.	.	.	.	.	.	.	1	1	3	1	2	.	.	.	1
	„ 16,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.
Pop. in 1913 (Est.) 38,769.	„ 23,	14·8	1·3	11	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
	„ 30,	9·4	2·7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	Sept. 6,	14·8	6·7	11	.	.	.	.	.	.	.	.	2	.	1	.	.	4	1	.	.
Pembroke Urban District.	July 19,	24·4	3·5	14	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 26,	10·4	1·7	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	Aug. 2,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1	.
	„ 9,	8·7	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 16,	7·0	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
Pop. in 1913 (Est.) 29,942.	„ 23,	24·4	3·5	14	.	.	.	.	1	.	.	.	2	1	2	1	1	1	.	1	.
	„ 30,	20·9	3·5	12	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.
	Sept. 6,	13·9	3·5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Kingstown Urban District.	July 19,	6·2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 26,	24·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 2,	21·5	.	7	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 9,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	„ 16,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
Pop. in 1911 16,941.	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 30,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Sept. 6,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Belfast.	July 19,	15·8	1·3	120	.	.	.	.	3	.	2	.	18	7	10	7	15	4	1	.	3
	„ 26,	15·8	1·4	120	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	1
	Aug. 2,	15·9	2·8	121	.	.	.	2	2	2	1	.	16	3	10	3	7	13	1	6	.
	„ 9,	15·1	3·8	115	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	.
Pop. in 1913 (Est.) 396,000.	„ 16,	20·9	4·6	159	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	.
	„ 23,	18·7	5·3	142	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	1
	„ 30,	23·0	6·5	175	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	.
	Sept. 6,	20·7	4·5	157	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	3
Cork.	July 19,	13·6	.	20	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 26,	25·2	1·4	37	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	1
	Aug. 2,	25·8	0·7	38	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	.
	„ 9,	15·0	2·7	22	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	1
Pop. in 1911 76,673.	„ 16,	25·2	2·7	37	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	2
	„ 23,	24·5	6·8	36	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	3
	„ 30,	24·5	8·8	36	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.
	Sept. 6,	19·7	10·2	29	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.
Londonderry.	July 19,	14·0	2·5	11	.	.	.	2	.	.	.	.	.	1	.	1	1	.	.	.	.
	„ 26,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
	Aug. 2,	19·1	6·4	15	.	.	.	4	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 9,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
Pop. in 1913 (Est.) 41,000.	„ 16,	17·8	6·4	14	.	.	.	3	.	.	.	.	.	2	1	.	3	2	.	.	1
	„ 23,	21·6	6·4	17	.	.	.	2	.	.	.	.	.	.	.	2	1	3	.	1	1
	„ 30,	24·2	8·9	19	.	.	.	2	.	.	.	.	.	2	.	.	.	5	.	1	.
	Sept. 6,	15·3	1·3	12	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	1	.
Limerick.	July 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	2
	„ 26,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	Aug. 2,	8·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
	„ 9,	9·5	.	7	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1
Pop. in 1911 38,518.	„ 16,	16·2	2·7	12	1	.	.	.	.	.	1	.	2	.	1	.	3	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
	„ 30,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1
	Sept. 6,	19·0	4·1	14	.	.	.	.	.	.	.	.	2	1	.	.	1	3	.	.	.
Waterford.	July 19,	24·7	5·7	13	.	.	.	2	.	.	.	.	1	1	.	.	1	1	.	1	.
	„ 26,	19·0	9·5	10	.	.	.	4	.	.	.	.	.	1	.	1	1	1	.	.	.
	Aug. 2,	22·8	7·6	12	.	.	.	2	.	.	.	.	1	.	1	1	1	1	1	.	.
	„ 9,	30·4	15·2	16	.	.	.	6	.	.	.	.	2	.	.	.	2	1	1	.	.
Pop. in 1911 27,464.	„ 16,	20·9	3·8	11	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 23,	13·3	7·6	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	2
	„ 30,	24·7	20·9	13	.	.	.	1	.	.	.	.	.	1	.	.	.	9	1	.	1
	Sept. 6,	34·2	13·3	18	.	.	.	3	.	.	.	.	1	.	2	.	2	2	2	.	3

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th September, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	6·6	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 2 do.	49,500	44	17·9	4·2	17	4	2	2	2	5	2	.	.	.	.	.	.	.	.	2	2	1	1	1	4	.	.	.	3	.
Do. 3 do.	50,032	31	22·9	5·2	22	6	5	1	3	2	5	.	.	.	1	.	.	.	.	1	.	1	2	1	4	.	2	2	4	1
Do 4 do.	32,637	13	20·8	1·6	13	5	2	.	4	1	1	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.	6	.
Do. 5 do.	16,112	8	22·7	3 2	7	1	1	2	1	1	1	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.	4	.
Do. 6 do.	37,293	12	21·0	5·6	15	2	2	3	1	5	2	.	.	.	.	.	1	.	.	.	2	.	2	1	3	.	.	.	2	1
Do. 7 do.	2,681	1	19·4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	.	43·7	26.2	5	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
Do. 9 do.	24,427	13	12·8	4·3	6	1	1	.	2	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1	1	2	.
Do. 10 do.	28,958	21	25·2	5·4	14	6	1	.	3	1	3	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	.	.	2	.
Do. 11 do.	39,311	12	14·6	2·7	11	2	1	.	1	2	5	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	1	1	2	.
Do. 12 do.	38,076	25	26·0	9·6	19	7	3	4	1	2	2	.	.	.	.	.	.	.	.	1	1	.	1	1	6	1	.	1	2	.
Do. 13 do.	23,233	14	18·0	.	8	.	.	.	2	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	39·1	4·6	17	4	1	3	3	2	4	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	1	1	3	1
Total,	386,947	214	20 7	4·5	157	42	21	15	23	29	27	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	7	32	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	19·4	.	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	2	.
Do 2 do.	10,701	3	30·1	25·1	6	3	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	.	.	1	.
Do 3 do.	9,978	5	5·3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 4 do.	8,666	1	22·8	17·1	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
Do 5 do.	6 592	3	16·7	8·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do 6 do.	10,702	3	22·5	18·0	5	2	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.
Do. 7 do.	16,616	5	19·5	6·5	6	2	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
Total,	76,122	23	19·7	10·2	29	10	2	.	3	5	9	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.	6	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered, ...	222	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214
DEATHS registered, ...	180	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157
Annual Death-rate per 1,000 of estimated population, ...	23·7	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7
AGES, Under 1 year, ...	40	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42
1—5 years, ...	17	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21
5—25 ,, ...	21	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15
25—45 ,, ...	29	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23
45—65 ,, ...	41	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29
65 and upwards, ...	32	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1
Scarlet Fever, ...	.	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1
Whooping-cough, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1
Diphtheria, ...	2	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	28	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10
Tuberculous Disease. Other Forms,	7	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7
Cancer, ...	4	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4
Diseases of Respiratory System, Pneumonia,	18	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11
Diseases of Respiratory System, Others, ...	28	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8
Diarrhœa and Enteritis, under 2 years, ...	4	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30
Diarrhœa, 2 years and upwards,	.	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1
Violent Deaths, ...	4	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5
Number of Uncertified Deaths, ...	1	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Sept. 6,	2,024	1,075	12·4	4	.	6	3	3	7	199*a*
Edinburgh, ...	320,300	„ 6,	143	83	13·5	.	.	3	.	.	1	3
Glasgow, ...	1,021,500	„ 6,	520	374	19·1	1	.	10	.	3	1	53
Calcutta, ...	896,067	July 26,	.	455	26·4	92*	.	1	.	.	1†	78‡
Bombay, ...	979,445	Aug. 2,	381	554	29·4	69*	2	3	.	.	.	74‡
Madras, ...	518,660	„ 9,	420	391	39·2	82*	1	.	?	?	?	97‡
Cairo, ...	710,514	June 17,	540	680	49·9	9	2	20	.	?	14†	218*a*
Paris, ...	2,847,229	Aug. 23,	943	689	12·4	4	.	5	.	9	1†	38*a*
Brussels, ...	767,252	„ 16,	218	144	9·8	.	.	.	1	1	2†	14*a*
Antwerp, ...	312,884	„ 23,	132	68	11·3	.	.	1	1	2	.	14*a*
Amsterdam, ...	591,053	„ 16,	275	109	9·6	.	.	.	3	1	5†	4*a*
Copenhagen, ...	473,500	„ 16,	225	90	9·9	.	.	.	.	2	.	6*a*
Stockholm, ...	376,171	„ 16,	148	68	9·4	.	.	.	.	.	.	3*a*
Christiania, ...	250,423	„ 23.	96	59	12·3	.	.	.	1	.	1	6
St. Petersburg ...	1,708,600	„ 2,	617	615	18·8	19	.	9	4	5	2	144*a*
Moscow, ...	1,694,000	July 26,	.	980	30·2	3	1	34	10	6	10	439
Berlin, ...	2,068,003	Aug. 2,	733	481	12·1	.	?	3	7	2	8†	58
Hamburg, ...	1,006,748	„ 16,	.	193	10·0	.	?	1	4	2	6†	13
Breslau, ...	539,222	„ 16,	.	160	15·5	1	.	2	.	2	.	19
Munich, ...	638,000	„ 16,	.	171	14·0	.	.	.	.	.	.	5
Vienna (with suburbs),	2,115,254	„ 16,	782	512	12·6	1	.	2	3	3	6†	38*a*
Buda-Pesth, ...	930,666	„ 16,	378	279	15·6	1	.	.	9	.	1†	43*a*
Prague and Faubourgs,	494,055	„ 2,	167	146	15·4	.	.	.	1	2	.	5*a*
Trieste, ...	239,703	„ 16,	130	105	22·8	.	3	.	.	.	.	37*a*
Rome, ...	579,187	May 17,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Aug. 2,	2,570	1,310	12·7	5	.	6	2	12	14†	180*a*
Philadelphia, ...	1,631,960	July 19,	.	493	15·7	6	.	.	.	1	5†	79*a*
Boston, ...	735,399	Aug. 16,	.	212	15·0	2	.	.	.	3	1	45

* Deaths from "fever," including 10 from enteric fever and 12 from plague in Calcutta, 24 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 3 deaths from cholera in Calcutta, 4 in Bombay, and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th September, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	4	1	.	.	.	.	6
" " 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	4	.	5
" " 2, ...	.	.	1	.	1	.	.	3	.	.	.	.	.	5
" " 3, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	.	.	.	3	.	.	.	1	.	6
" " 2, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
" " 3, ...	.	2	.	.	.	.	.	.	1	.	.	1	.	4
" " 4, ...	.	3	.	.	.	.	.	.	1	.	.	1	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Total, ...	.	10	1	.	3	.	.	11	3	.	.	8	.	36

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th September, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th September.			
	August 16.	August 23.	August 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	43	37	38	3	6	1	34
Typhus, ...	12	6	4	.	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	2	1	1	1	.	1
Scarlet Fever, ...	59	57	59	13	15	.	57*
Diphtheria, ...	21	19	21	8	1	1	27
Pneumonia, ...	18	16	18	5	7	1	15

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 6th September, 1913:—

"The distribution of atmospheric pressure and the resulting weather were in keeping with the character of the present summer. The barometer stood high in Ireland; and, after Sunday, especially high over Scotland, on the ocean to the northward of the British Isles and over Scandinavia. At the beginning of the period the barometer read 29·75 inches in a depression centred over Belgium and which subsequently moved slowly northeastwards across Holland to Denmark. Within its borders heavy rainfalls occurred and thunderstorms were rife—at Folkestone the rainfall in the 24 hours ended at 6 p.m. of Sunday amounted to 2·92 inches; at Worthing in the same 24 hours 2·38 inches of rain fell and at Littlehampton 2·35 inches. In London and the vicinity Sunday was a day of gloom and of continued rainfall. In Dublin and its neighbourhood that day was brilliant and warm after a clear, calm, cold night. Early on Monday and Tuesday mornings, however, slight drizzling showers fell in Dublin—on each occasion only ·003 inch was caught in the gauge. Tuesday was a dull, cool day, but the afternoons of Monday and Wednesday were fine and sunny. On Wednesday night a shallow "thunderstorm" depression approached the mouth of the English Channel from the Peninsula and the Bay of Biscay. This system caused heavy rains in Cornwall and the south of England, and 1·28 inches fell during a thunderstorm at Bath. The only effect of the disturbance on the east coast of Ireland was to cause overcast skies, fresh to strong E. to N.E. winds raising a heavy surf along the coast line. Wind and sea moderated on Saturday as the northern anticyclone spread southwards over the British Isles. In Dublin the mean height of the barometer was 30·179 inches, pressure ranging from 30·034 inches at 9 a.m. of Sunday (wind, N.W.) to 30·450 inches at 9 p.m. of Saturday (wind, N.). The corrected mean temperature was 57·7°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 57·2°. The extreme temperatures in the screen occurred on Sunday—highest, 64·0°, lowest 48·1°. North-easterly winds prevailed. Slight showers on the mornings of Monday and Tuesday yielded only ·006 inch in the rain-gauge. There was no 'rain-day.'"

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·189 inches. The highest reading (30·448) was on Saturday, at 9 p.m., air calm, the lowest (30·042) on Sunday at 9 a.m., wind N.N.W.

The mean temperature for the week was 55·3°, being 0·8 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday, on which day the thermometer registered 66°, and was lowest on Thursday, the mercury having fallen to 42°. The mean of the Dry Bulb for the week was 55·8° and of the Wet Bulb, 53·1°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·005 inch.

At Greenwich the mean temperature for the week was 59·1°, the maximum 68·0°, and the minimum 53·5°; and at Edinburgh the maximum was 57·7°, the minimum 48·4°, and the mean 52·7°. The rainfall at Greenwich measured 1·43 ins. There was no rainfall recorded at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer,* Maximum.	Thermometer,* Minimum.	Thermometer,* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 31,	30·060	66	44	55·0	56·1	52·8	·81	·3	8·0	·000	N.N.W.	Calm.
Monday, September 1,	30·115	62	52	57·0	55·1	52·7	·85	·5	4·2	·005	N.E.	Calm.
Tuesday, „ 2,	30·155	59	52	55·5	55·1	52·9	·88	·4	0·0	·000	N.E.	E.N.E.
Wednesday, „ 3,	30·190	62	44	53·0	51·2	48·7	·85	·4	5·9	·000	E.N.E.	Calm.
Thursday, „ 4,	30·155	61	42	51·5	57·9	55·3	·85	·5	0·1	·000	E.N.E.	E.N.E.
Friday, „ 5,	30·225	60	57	58·5	60·0	56·5	·80	·5	0·7	·000	E.N.E.	E.N.E.
Saturday, „ 6,	30·425	64	49	56·5	54·9	52·9	·89	·4	4·8	·000	E.N.E.	Calm.
Mean, ...	30·189	62·0	48·6	55·3	55·8	53·1	·84	·4	Total 23·7	Total ·005	Prevailing Wind, E.N.E.	

Sunday—A fine bright day; night overcast. *Monday*—Day cloudy, fine; night overcast, drizzling rain 6.0 to 7.30 a.m. *Tuesday*—Day overcast; night overcast. *Wednesday*—A fine bright day; night cloudy. *Thursday*—Day overcast; night overcast. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—Day cloudy, fine; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 6th September, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 31,	57·4	60·1	58·8	66	47	56·5	10·6	—
Monday, September 1,	58·9	60·9	58·7	62	55	58·5	3·4	—
Tuesday, „ 2,	55·4	60·7	58·7	60	53	56·5	—	—
Wednesday, „ 3,	57·8	60·1	58·7	62	54	58	7·1	—
Thursday, „ 4,	58·1	60·1	58·6	61	52	56·5	—	—
Friday, „ 5,	60·0	60·0	58·7	61	57	59	·5	—
Saturday, „ 6,	59·5	60·0	58·6	64	55	59·5	4·7	—
Weekly Mean, .	58·2	60·3	58·7	62·3	53·3	57·8	Total 26·3	Total. —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 9. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 13TH SEPTEMBER, 1913. [No. 37.

General Register Office, Charlemont House,
Dublin, 15th September, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Aug. 23	Aug. 30	Sept. 6	Sept. 13	Average Rate for 4 weeks.
27 Town Districts, (a)	**18·7**	**20·7**	**19 9**	**21·1**	**20·1**
Dublin Reg. Area ...	19·5	20·4	19·8	23·2	20·7
Dublin City ...	20·0	21·1	21·1	23·7	21·5
Belfast	18·7	23·0	20·7	20·4	20·7
Cork	24·5	24·5	19·7	26·5	23·8
Londonderry ...	21·6	24·2	15·3	19·1	20·0
Limerick	8·1	10·8	19·0	27·1	16·3
Waterford	13·3	24·7	34·2	5·7	19·5

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 6·3 per 1,000. Among the 155 deaths from all causes for Belfast are one from typhus, 3 from scarlet fever, 2 from diphtheria, and 41 from diarrhœa and enteritis of children under 2 years. Included in the 39 deaths from all causes for Cork are 11 from diarrhœal diseases. The 15 deaths from all causes for Londonderry include one from measles and 5 from diarrhœa and enteritis of children under 2 years. The 20 deaths from all causes for Limerick include 2 from diarrhœal diseases. Two of the 3 deaths recorded for Waterford are from diarrhœa and enteritis of children under 2 years. Among the 5 deaths from all causes for Galway are 3 from whooping-cough. Three of the 6 deaths from all causes for Dundalk are from diarrhœal diseases. Two of the 4 deaths recorded for Lurgan are from diarrhœa and enteritis of children under 2 years. Among the 4 deaths from all causes for Lisburn are 2 from diarrhœa and enteritis of children under 2 years. Included in the 7 deaths from all causes for Ballymena are 4 from diarrhœal diseases. One of the 8 deaths from all causes for Kilkenny is from diphtheria. Included in the 4 deaths recorded for Newtownards are 2 from diarrhœa and enteritis of children under 2 years of age. Three of the 5 deaths from all causes for Queenstown are from diarrhœa and enteritis of children under 2 years. One of the 3 deaths for Larne is from whooping-cough; and among the 3 deaths from all causes for Bangor is one from scarlet fever and one from diarrhœa of a child under 2 years.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 167—76 boys and 91 girls—and the deaths to 196—103 males and 93 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·2 per 1,000 of the population. During the thirty-seven weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·5 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 196, represent an annual rate of 25·4 per 1,000; the annual rate for the past thirty-seven weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

Included in the total number of deaths registered from all causes there were 6* from enteric fever, one from measles, 2 from whooping-cough, one from diphtheria, and deaths from diarrhœa and enteritis of children under 2 years of age rose to 37. For each of the 3 weeks preceding, deaths from enteric fever were 0, 0, and 2; deaths from measles were 0, 2, and 0; deaths from whooping cough were 0, 0, and one; deaths from diphtheria were 0, 0, and one; and deaths from diarrhœa and enteritis of children under 2 years were 21, 29, and 31 respectively.

Deaths from all forms of tuberculosis, which had been 30, 26, and 28 in each of the 3 preceding weeks, were 29 in the period under notice. The latter figure includes 24 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and 3 from other forms of the disease.

Thirteen deaths were returned as being caused by cancer, or malignant disease.

There were 3 deaths from lobar pneumonia, and 3 deaths from pneumonia (type not distinguished).

Convulsions caused the deaths of 2 infants under one year; at this age there was also one death from congenital malformations, there were 2 deaths from premature birth, and 3 deaths from congenital debility.

Organic diseases of the heart accounted for 16 deaths, and bronchitis for 10 deaths.

Of 6 deaths attributed to accident or negligence, one was by drowning, and 2 were by vehicles and horses.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (50 being infants under one year, of whom 12 were under one month old) and 37 were aged 65 years and upwards, including 29 persons aged 70 years and upwards; among the latter were 19 aged 75 and upwards, of whom 2 (males) were stated to have been aged 90 and 91 years. respectively.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·2 per 1,000; the rate in the City was 23·7 (North City Districts, 23·3; South, 24·1) and in the Suburbs, 21·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 6·1 per 1,000 inhabitants, the rate for the City being 6·6 (in the North City Districts 7·0, and in the South 6·1), and for the Suburbs 4·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·1 per 1,000. Enteric fever caused 2 deaths, lobar pneumonia one death, pneumonia one death, there were 5 deaths from diarrhœa and enteritis of children under 2 years, and 2 deaths from violence.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 26·8 per 1,000. Pulmonary tuberculosis caused 2 deaths, there was one death from lobar pneumonia, one death from bronchitis, and 4 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000, and include one death from whooping-cough, 5 deaths from tuberculous disease, and 3 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 20·7 per 1,000. Among the deaths there was one from pulmonary tuberculosis, and there were 5 from diarrhœa and enteritis of children under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 38·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 4·9. Of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, there is one from each of tuberculous meningitis and diarrhœa of a child under 2 years, and there is one accidental death; and the one death for Coolock and Drumcondra, part of, is from diarrhœa of a child under 2 years.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·8 per 1,000, and include one from enteric fever, 3 from tuberculous disease, and 6 from diarrhœa and enteritis of children under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Pulmonary tuberculosis caused 2 deaths, there was one death from pneumonia, one death from bronchitis, and one death from diarrhœa and enteritis of a child under 2 years.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. Enteric fever and diphtheria each caused one death, there were 6 deaths from tuberculous disease, one death from diarrhœa and enteritis of a child under 2 years of age, 2 deaths from bronchitis, and 2 accidental deaths.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000. There was one death from measles, also one death from pulmonary tuberculosis, there were 2 deaths from bronchitis, one death from pneumonia, one death from diarrhœa and enteritis of a child, and one accidental death.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. Of 4 deaths 3 were from diarrhœa and enteritis of children under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·2; Pembroke, 22·6; Blackrock, 17·1; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever, one from whooping-cough, and 4 from diarrhœa and enteritis under 2 years for Rathmines and Rathgar, and 2 from diarrhœa and enteritis under 2 years for Pembroke. Among the 15 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis. Of the 13 deaths from all causes for Pembroke 3 are from bronchitis. One of the 3 deaths from all causes for Blackrock is from pulmonary tuberculosis; and of the 8 deaths from all causes for Kingstown one is from pulmonary tuberculosis.

* See note (c) Table II.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 13th September, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 23,	.	—	—	6	2	.	3	.	.	.	7	.	—	—	.	—	17	.	35
	Aug. 30,	.	—	—	15	1	.	1	.	.	7	3	.	—	—	.	—	9	.	36
	Sept. 6,	.	—	—	10	1	.	3	.	.	11	3	.	—	—	.	—	8	.	36
	Sept. 13,	.	—	—	11	.	.	6	.	1	8	4	.	—	—	.	—	13	.	43
Rathmines and Rathgar Urban District.	Aug. 23,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	—	—	—	3
	Aug. 30,	.	—	—	.	.	.	2	.	.	1	1	.	—	—	—	—	—	—	4
	Sept. 6,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 13,	.	—	—	1	.	.	1	.	.	1	.	.	—	.	—	—	—	—	3
Pembroke Urban District.	Aug. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	1	—	2
	Aug. 30,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	2
	Sept. 6,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	.	—	1
	Sept. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	3	—	—	.	—	4
Blackrock Urban District.	Aug. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug, 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 6,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 13,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Aug. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 6,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	.	—	2
	Sept. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 23,	.	—	—	44	.	.	12	.	.	2	3	2	—	—	—	—	2	—	65
	Aug. 30,	.	—	—	30	.	.	5	.	.	2	1	.	—	—	—	—	7	—	45
	Sept. 6	.	—	—	44	.	.	7	.	1	3	3	.	—	—	—	—	7	—	65
	Sept. 13,	.	—	—	57	2	.	8	.	1	4	10	.	—	—	—	—	13	—	95*a*

(*a*) Not including 3 cases of poliomyelitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th September, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Thirteen cases of enteric fever were admitted to hospital during the week, 8 were discharged, there were 3 deaths, and 36 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 37, 38, and 34.

Four cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 previous weeks the cases in hospital were 6, 4, and 4, respectively.

One case of measles remained under treatment in hospital at the close of the week. At the end of the 3 preceding weeks such cases were 2, one, and one, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 7 were discharged, there was one death, and 65* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 57, 59, and 57, respectively.

Six cases of diphtheria were admitted to hospital during the week, and 2 discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 19, 21, and 27, respectively, were 31 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 3 were discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 13·7), was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow being 18·0, and for Edinburgh 14.8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th September. From this Report it appears that of a total of 63 cases notified, 26 were scarlet fever, 16 diphtheria, 15 phthisis, and 6 erysipelas. Among the 307 cases of infectious diseases in hospital at the close of the week were 128 cases of scarlet fever, 85 of phthisis, 40 of diphtheria, 32 of measles, 6 of erysipelas, 6 of enteric fever, 5 of chicken-pox. and 4 of whooping-cough.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 13th September, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 13th September, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	26·9	21·1	6·3	618	485	147	91	5	1	...	2	4	6	4	1	50	15	28	18	23	111	11	8	11	144	12
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,000	29·3	21·6	23·2	6·1	167	179	49	36	5	...	...	1	...	2	1	...	22	4	11	5	10	37	1	6	5	68	2
CITY OF DUBLIN,	308,187	39·0	24·0	23·7	6·6	142	140	41	27	4	...	...	1	...	1	1	...	17	4	8	5	6	31	1	6	5	58	2
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	10·8	20·2	8·1	8	15	5	1	1	...	...	...	...	1	...	..	3	...	1	...	...	4	...	...	...	6	...
PEMBROKE, ...	29,942	19·0	13·9	22·6	3·5	8	13	2	5	...	...	...	...	...	...	...	...	...	...	...	...	3	2	...	...	...	2	...
BLACKROCK, ...	9,161	8·5	17·1	17·1	.	3	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
KINGSTOWN, ...	16,941	11·6	18·5	24·6	.	6	8	1	1	...	...	...	...	...	...	...		1	...	2	...	1	...	...	...	...	1	...
Urban Districts. BELFAST ..	396,000	26·5	30·8	20·4	6·6	234	155	59	17	...	1	...	...	3	...	2	...	15	5	4	10	4	41	3	1	3	40	...
CORK, ..	76,673	28·6	33·3	26·5	7·5	49	39	5	11	...	...	...	...	...	...	...	...	3	3	6	1	4	7	4	...	...	12	...
LONDONDERRY...	41,000	15·9	26·7	19·1	7·6	21	15	3	3	...	...	...	1	...	...	...	...	...	...	2	...	1	5	...	...	...	1	...
LIMERICK, ...	38,518	16·1	24·4	27·1	2·7	18	20	6	4	...	...	...	...	...	...	...	...	3	...	1	2	...	1	1	...	...	9	5
WATERFORD, ...	27,464	19·1	28·5	5·7	3·8	15	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...
GALWAY, ...	13,255	2·5				7	5	3	...	...	..	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	1	3
DUNDALK, ...	13,128	9·5				6	6	3	...	...	...	...	...	...	...	...	...	...	...	2	...	...	2	1	...	...	...	1
LURGAN, ...	12,553	14·7				3	4	2	...	...	...	...	...	...	...	...	..	1	1	...	...	...	2	...	...	1	1	...
DROGHEDA, ...	12,501	8·4				12	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
LISBURN, ...	12,388	10·9				5	4	2	...	...	...	...	..	...	...	...	...	...	...	...	...	...	2	...	...	1	1	...
NEWRY, ...	11,963	17·0				5	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...
PORTADOWN, ...	11,727	15·3				2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	..	...	...
WEXFORD, ...	11,531	22·8				6	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
BALLYMENA ..	11,381	9·3				1	7	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...
SLIGO, ...	11,163	3·8				4	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,514	11·4				9	8	1	2	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	5	...
TRALEE, ...	10,300	17·4				11	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...
CLONMEL, ...	10,209	7·8				11	4	1	2	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	1
NEWTOWNARDS,	9,587	20·1				3	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	2	...	...	...	...	..
QUEENSTOWN, ...	8,209	14·7				5	5	2	...	...	...	...	...	...	...	...	...	2	...	...	...	...	3	...	...	...	3	...
LARNE, ...	8,036	13·4				4	3	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				3	3	1	2	...	...	...	...	1	...	...	...	...	...	1	...	...	1	...	...	..	...	...
BRAY, ..	7,691	7·2				5	4	..	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...
ATHLONE, ...	7,472	6·2				2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...
ARMAGH, ...	7,356	21·8				5	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

Towns and Districts.	Meteorology. (d) Week ending 13th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th August, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	e 72	39	54·9	1·54	e 66	42	55·3	0·01	e 72	40	57·0	0·00
CITY OF DUBLIN,	f 70·0 g 72·6	46·2 42·2	56·7 56·3	1·74 1·70	f 64·0 g 66·9	48·1 45·0	57·7 57·2	0·01 0·00	f 70·1 g 72·9	48·8 43·7	59·0 58·6	0·01 0·00
Urban Districts. RATHMINES & RATHGAR.	..	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	72	45	59·0	2·46	67	53	59·1	0·00	73	48	60·5	0·00
Urban Districts. BELFAST ..	66·0	45·5	56·0	0·51	63·5	50·0	57·4	0·00	72·0	40·6	57·1	0·18
CORK, ..	73	50	58·4	0·83	67	53	59·1	0·06	72	47	59·4	1·14
LONDONDERRY...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	67·5	36·5	55·7	0·65	68·6	39·5	57·3	0·11	71·2	43·1	57·3	0·46
WATERFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	71	38	53·7	0·47	66	42	53	0·06	72	40	50·5	0·18
DUNDALK, ...	...	...	...	.	...	...	...	...	...	...	...	...
LURGAN, ...	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00
DROGHEDA, ...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00
NEWRY, ...	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00
PORTADOWN, ...	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00
WEXFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	69	38	54·0	0·75	68	41	55·0	0·00	70	45	56·0	0·01
KILKENNY, ...	71	40	56·5	1·01	67	47	59·1	0·16	72	40	57·7	0·10
TRALEE, ...	...	...	...	...	...	...	...	...	...	...	..	...
CLONMEL, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	67	49	55·8	0·99	63	51	56·2	0·00	71	49	57·0	0·04
QUEENSTOWN, ...	73	50	58·4	0·83	67	53	59·1	0·06	72	47	59·4	1·14
LARNE, ...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00	72·1	43·5	58·6	0·00

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 17 deaths of persons (including one under one year old and one at 77 years) admitted to hospital from localities outside the Area; one of the 17 deaths was from enteric fever.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 13th of September, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	2	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	5	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	2	4	1	.	.	.	2	2	5	1	.	3	.	1	1	22	2
Tuberculous Disease. — Other Forms,	.	.	1	.	1	.	.	1	.	1	.	.	.	.	.	.	4	1
Cancer,	1	3	.	1	.	.	.	2	1	.	.	.	1	.	.	2	11	2
Diseases of Nervous System,	1	3	1	1	.	.	1	4	1	.	1	.	2	2	.	.	17	3
" Organs of Special Sense,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	3	.	3	.	.	.	2	2	1	.	1	1	3	1	.	17	1
" Respiratory System. — Pneumonia,	2	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	5	1
" Respiratory System. — Others,	.	1	.	.	.	.	.	.	1	2	2	.	.	3	.	1	10	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	5	4	3	5	1	1	.	6	1	1	1	3	4	2	.	.	37	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
" Digestive System. — Others,	1	1	.	.	.	.	.	1	.	3	.	.	1	1	.	1	9	1
" Genito-urinary System,	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1	.	4	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	1	2	.	.	.	.	1	1	2	.	1	1	.	2	16	3
Violent Deaths,	2	.	.	.	1	.	.	.	.	2	1	.	.	.	.	.	6	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	1	1	.	.	1	.	1	5	.
Deaths from All Causes	19	21	13	14	4	1	1	20	11	20	12	4	15	13	3	3	179	17
Annual Rate of Mortality from All Causes in every 1,000 of the population.	33·1	26·8	24·3	20·7	38·4	3·8	4·9	25·8	31·3	24·2	18·9	21·4	20·2	22·6	17·1	24·6	23·2	.
	23·3							24·1					21·4					
	23·7																	
Ages at Death. — Under 1 year,	5	7	5	5	1	1	1	7	2	2	2	3	5	2	.	1	49	1
Ages at Death. — 1 and under 2 years,	1	.	.	1	.	.	.	1	1	.	1	.	1	.	.	.	6	.
Ages at Death. — 2 " 5 "	1	.	1	.	.	.	.	.	.	1	1	.	.	2	.	.	6	.
Ages at Death. — 5 " 15 "	.	1	.	.	.	.	.	.	.	3	.	.	.	.	.	.	4	2
Ages at Death. — 15 " 25 "	.	1	1	1	2	.	.	1	1	2	.	.	.	.	.	1	10	6
Ages at Death. — 25 " 45 "	5	4	3	1	.	.	.	2	1	8	2	.	4	2	1	2	35	2
Ages at Death. — 45 " 65 "	3	4	.	2	1	.	.	6	3	1	4	.	4	2	.	3	33	5
Ages at Death. — 65 and upwards,	4	4	3	4	.	.	.	3	3	3	2	1	1	5	2	1	36	1
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	5	.	3	2	.	.	4	3	8	4	.	5	1	1	1	41	16
Workhouse Hospitals,	1	4	4	3	.	.	.	4	1	5	3	.	1	1	.	.	27	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 13, 1909.	Sept. 17, 1910	Sept. 16, 1911.	Sept. 14, 1912.	Averages in 37th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 13th September, 1913. —	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 47·9	° 55·9	° 51·1	° 52·4	° 57·5	° 53·0	° 49·0	° 52·0	° 52·9	° 51·1	° 52·3	° 54·9										
ALL CAUSES.	146	134	123	220	137	169	136	153	189	122	152·9	196	12	38	6	6	6	16	37	38	18	19
Enteric Fever, ...	3	2	1	.	2	1	2	1	2	.	1·4	6	.	.	.	.	.	2	3	1	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	1	6	1	.	1	1	1·1	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	1	.	.	.	2	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	6	.	.	1	1	2	2	2	3	1	1·8	2	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	1	2	.	1	2	.	1	2	3	2	1·4	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	1	2	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	1	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	22	11	15	20	18	21	22	15	19	17	18·0	24	.	.	.	.	.	8	13	3	.	.
Tuberculous Meningitis, ...	3	5	3	4	1	1	2	3	2	2	2·6	2	.	.	.	1	.	1	.	.	.	.
Abdominal Tuberculosis, ...	2	6	1	1	.	.	2	3	2	1	1·8	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									1	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	7	8	6	5	8	4	3	.	1	5·2	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									2	1		2	.	.	1	1	.	.	.	.	.	.
Venereal Diseases, ...	.	3	1	2	.	2	.	.	.	1	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	5	8	4	11	9	7	6	7	10	6	7·3	13	.	.	.	.	.	.	2	9	.	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	1	1	.	1	.	.	1	2	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	3	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	.	—	2	.	1	.	.	.	.	.	1	.	.
Alcoholism, ...	1	.	1	.	3	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									2	1		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									4	5		9	.	.	.	.	.	.	.	4	3	2
Softening of Brain, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									1	2		5	.	.	.	.	.	.	1	3	1	.
Epilepsy, ...									.	1		1	.	.	.	.	.	.	.	.	1	.
Convulsions (non-puerperal),									5	4		2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	31	21	30	43	35	35	33	31	3	1	31·6	3	.	.	.	.	.	1	1	.	1	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	1		2	.	.	.	.	.	.	.	.	1	1
Organic Diseases of the Heart,									15	9		16	.	.	.	.	1	.	5	6	4	.
Embolism and Thrombosis (including Cerebral)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									1	1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	13	8	7	12	10	12	5	9	11	8	9·5	10	.	.	1	1	.	.	.	3	2	3
Broncho-pneumonia, ...	3	3	2	2	4	3	2	4	3	4	3·0	.	.	.	.	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	1	2	2	1	1	2	2	1	1·2	3	.	.	.	.	.	2	1	.	.	.
Pneumonia (type not distinguished)	1	5	2	5	2	3	5	4	5	3	3·5	3	.	.	1	.	.	.	1	1	.	.
Pleurisy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	1	.	3	1	3	3	1	.	1	1·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									1	2		.	.	.	.	.	.	.	.	.	.	.

THIRTY-SEVENTH WEEK, ending Saturday, 13th September, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week euding Saturday										Averages in 37th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 13th September, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18, 1909.	Sept. 17, 1910.	Sept. 16, 1911.	Sept. 14, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 47·9	° 55·9	° 51·1	° 52·4	° 57·5	° 53·0	° 49·0	° 52·0	° 52·9	° 51·1	° 52·3	° 54·9										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	2	—	2	.	.	.	1	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	10	17	13	58	15	27	11	26	46	2	23·0	37	6	29	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									1	2		1	.	.	.	.	.	.	.	.	1	.
Enteritis 2 years and upwards									2	.		3	.	.	.	.	.	.	.	1	1	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	3	5	—	3	1	.	.	.	1	.	1	.	.	.
Cirrhosis of Liver, ...	.	1	.	2	.	1	4	3	1	1	1·3	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	.	2	1	.	.	.	1	1	4	1	1·0	2	.	.	.	.	.	.	1	.	.	1
Peritonitis (cause unknown),	.	.	.	.	.	2	.	.	.	1	·3	1	.	.	.	.	1	.	.	.	.	.
Other Diseases of Digestive System.	5	8	9	7	6	9	3	5	.	.	5·2	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	3	7	5	7	7	6	3	6	.	1	5·5	2	.	.	.	.	.	.	.	1	1	.
Chronic Bright's Disease, ...									3	4		1	.	.	.	.	.	.	1	.	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									1	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									2	.		3	.	.	.	.	.	.	.	1	.	2
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	.	1	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	1	—	2	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	2	.	1	.	1	.	.	.	.	.	.
Premature Birth, ...	4	4	2	4	3	2	4	6	2	4	3·5	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	5	3	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	5	1	3	3	1	3	4	3	5	3	3·1	5	.	.	.	.	.	.	.	.	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	2	—	3	2	.	.	.	.	.	.	1	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	.	1	1	.	.	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	1	.	.	.	.	.
Suffocation in Bed, ...	.	1	.	.	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	4	.	1	3	2	4	.	.	1·5	5	.	.	.	.	.	1	2	1	.	1
Total Deaths from Accident,	1	2	4	2	2	3	3	6	2	.	2·5	6	.	.	.	.	1	1	2	1	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	1	.	1	.	.	.	·3	2	.	.	.	.	.	1	1	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	2	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	4	8	—	5	.	.	1	.	.	.	2	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered.	218	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167
Average Births in corresponding week of previous 10 years, ...	220	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206
DEATHS registered, ...	178	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196
Annual Death-rate per 1,000, ...	23·0	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4
Average Deaths in corresponding week of previous 10 years, ...	201	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153
Ages, Under 5 years, ...	46	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62
5—15 " ...	1	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6
15—25 " ...	15	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16
25—45 " ...	36	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37
45—65 " ...	41	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38
65—75 " ...	20	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18
75 and upwards, ...	19	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19
Deaths from :—																										
Enteric Fever, ...	3	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6
Typhus, ...	1	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1
Scarlet Fever, ...	.	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.
Whooping-cough, ...	2	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2
Diphtheria, ...	.	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1
Influenza, ...	6	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	20	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24
Tuberculous Disease, Other Forms,	8	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5
Cancer, ...	5	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13
Diseases of Circulatory System,	14	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18
Diseases of Respiratory System, Pneumonia	18	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6
Diseases of Respiratory System, Others, ...	30	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7	9	10
Diarrhœa and Enteritis, under 2 years, ...	4	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37
Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1
Violent Deaths, ...	1	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6
Number of Uncertified Deaths,	3	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2
Mean Temperature of the Air (Phœnix Park)	39·5	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9
Average Mean Temperature in corresponding week of previous 10 years, ...	42·5	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3
Rainfall in inches, ...	·285	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·845	·205	·000	·005	1·540
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th September, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH SEPTEMBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	25·7	196	62	6	16	37	38	18	19	6	.	.	1	.	2	1	.	24	5	13	2	6	10	37	1	6	82	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	21·3	6	.	.	.	1	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	4	.
II.	MIDDLE CLASS, ...	101,798	21·0	41	11	2	6	7	9	1	5	2	.	.	.	.	1	.	.	3	2	2	1	2	1	4	.	2	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13·0	27	5	2	2	6	5	6	1	.	.	.	.	.	1	1	.	5	.	1	.	1	1	4	1	.	12	.
IV.	GENERAL SERVICE CLASS, ...	167,479	29·3	94	43	2	8	13	16	6	6	3	.	.	1	.	.	.	.	9	3	7	1	2	3	28	.	4	33	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	28	3	.	.	10	6	5	4	1	.	.	.	.	.	.	.	7	.	2	.	1	4	1	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	33·1	5	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	12·4	6	3	.	1	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	17·3	11	5	.	1	3	2	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.	3	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	32·4	21	1	2	4	2	6	1	5	1	.	.	.	.	.	.	.	2	1	2	.	.	1	.	.	2	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	14·5	8	3	.	1	1	2	.	1	.	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	.	2	.
	10. Clothing Trades, ...	20,026	15·6	6	1	.	.	2	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	1	.	2	.
	11. Food Supply Trades	8,952	5·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	13·0	8	1	2	1	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	4	.
	13. Petty Shopkeepers	6,772	7·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	24·1	6	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	3	.
	15. Domestic Servants, ...	36,041	8·7	6	1	.	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	30·5	9	5	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3	.	2	1	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	36·9	73	33	2	7	9	14	6	2	3	.	.	1	.	.	.	.	7	2	7	1	1	3	23	.	2	23	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	28	3	.	.	10	6	5	4	1	.	.	.	.	.	.	.	7	.	2	.	1	4	1	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincia

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	July 26,	20·9	.	12	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
		Aug. 2,	19·2	.	11	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.
		„ 9,	24·4	7·0	14	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
		„ 16,	27·9	8·7	16	.	.	.	.	.	1	.	.	.	2	1	.	1	4	.	.	.
		„ 23,	20·9	8·7	12	.	.	.	.	.	.	.	.	3	1	.	.	1	4	1	.	.
		„ 30,	19·2	5·2	11	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
		Sept. 6,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.
		„ 13,	33·1	12·2	19	2	.	.	.	.	.	.	.	.	.	1	2	.	5	.	2	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	July 26,	10·2	2·6	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
		Aug. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	4	.	2	1	1	.	.	1	1
		„ 9,	15·3	3·8	12	.	.	.	.	.	.	1	.	2	1	.	.	1	2	.	1	.
		„ 16,	26·8	2·6	21	.	.	.	.	.	.	.	.	1	2	.	1	3	1	1	.	.
		„ 23,	19·1	3·8	15	.	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	2
		„ 30,	30·6	6·4	24	.	.	.	.	.	.	.	.	4	.	.	1	2	5	.	.	1
		Sept. 6,	24·2	6·4	19	.	.	.	.	.	.	.	.	2	.	4	1	2	5	.	1	1
		„ 13,	26·8	5·1	21	.	.	.	.	.	.	.	.	2	.	3	1	1	4	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	July 26,	16·8	3·7	9	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	1
		Aug. 2,	16·8	3·7	9	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.
		„ 9,	35·5	3·7	19	.	.	.	.	.	.	.	.	3	3	1	1	1	2	.	3	.
		„ 16,	20·6	5·6	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.
		„ 23,	22·4	3·7	12	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
		„ 30,	18·7	7·5	10	.	2	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.
		Sept. 6,	26·2	5·6	14	1	.	.	.	.	.	.	.	3	1	1	.	.	2	.	1	.
		„ 13,	24·3	7·5	13	.	.	.	.	.	1	.	.	4	1	.	.	.	3	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	July 26,	14·8	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
		Aug. 2,	10·4	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
		„ 9,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
		„ 16,	14·8	4·4	10	.	.	.	.	1	.	.	.	2	.	.	.	2	2	.	.	1
		„ 23,	16·3	1·5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.
		„ 30,	10·4	1·5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
		Sept. 6,	22·2	3·0	15	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.
		„ 13,	20·7	7·4	14	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	July 26,	14·2	.	11	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.
		Aug. 2,	23·3	2·6	18	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	1	.
		„ 9,	23·3	5·2	18	.	.	.	.	.	.	.	.	2	.	.	.	2	3	1	.	.
		„ 16,	24·5	6·5	19	.	.	.	.	.	.	.	.	5	1	.	.	1	4	1	.	1
		„ 23,	23·3	2·6	18	.	.	.	.	.	.	.	.	1	1	1	2	.	2	.	.	.
		„ 30,	18·1	5·2	14	.	.	.	.	.	.	.	.	2	.	1	.	.	4	.	1	1
		Sept. 6,	24·5	2·6	19	.	.	.	.	.	.	.	.	3	3	2	.	1	2	.	.	.
		„ 13,	25·8	9·0	20	1	.	.	.	.	.	.	.	2	1	2	.	.	6	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	July 26,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	.
		Aug. 2,	19·9	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.
		„ 9,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	.
		„ 16,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		„ 23,	28·4	8·5	10	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.
		„ 30,	28·4	2·8	10	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
		Sept. 6,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 13,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	July 26,	19·4	2·4	16	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	1	.
		Aug. 2,	19·4	4·8	16	.	.	.	.	.	.	.	.	4	1	1	1	1	3	1	1	.
		„ 9,	16·9	3·6	14	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	2	.
		„ 16,	26·6	7·3	22	.	.	.	.	.	1	.	.	4	.	1	1	1	5	.	1	.
		„ 23,	20·6	2·4	17	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	1	.
		„ 30,	18·1	2·4	15	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	1
		Sept. 6,	31·4	9·7	26	.	.	.	.	.	.	.	.	3	2	4	.	2	7	1	1	.
		„ 13,	24·2	4·8	20	1	.	.	.	.	.	1	.	5	1	.	.	2	1	1	2	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	July 26,	18·9	1·6	12	.	.	.	.	.	1	.	.	2	.	.	1	2	.	.	.	1
		Aug. 2,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 9,	23·6	6·3	15	.	.	.	1	.	.	.	.	.	.	2	2	.	3	.	.	.
		„ 16,	20·4	14·1	13	.	.	.	1	.	1	.	.	1	.	.	.	1	7	.	.	.
		„ 23,	22·0	1·6	14	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	.
		„ 30,	33·0	7·9	21	.	.	.	1	.	.	.	.	.	2	1	2	2	4	.	.	.
		Sept. 6,	17·3	6·3	11	1	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1
		„ 13,	18·9	3·1	12	.	.	.	1	.	.	.	.	1	.	.	1	2	1	.	1	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	July 26,	8·1	1·3	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1
	Aug. 2,	13·4	.	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 9,	14·8	.	11	.	.	.	.	.	.	.	.	1	1	3	1	2	.	.	.	1
	„ 16,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.
	„ 23,	14·8	1·3	11	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
	„ 30,	9·4	2·7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Pop. in 1913 (Est.) 38,769.	Sept. 6,	14·8	6·7	11	.	.	.	.	.	.	.	.	2	.	1	.	.	4	1	.	.
	„ 13,	20·2	8·1	15	1	.	.	.	.	1	.	.	3	.	1	.	.	4	.	.	.
Pembroke Urban District.	July 26,	10·4	1·7	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	Aug. 2,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1	.
	„ 9,	8·7	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 16,	7·0	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	„ 23,	24·4	3·5	14	.	.	.	.	1	.	.	.	2	1	2	1	1	1	.	1	.
Pop. in 1913 (Est.) 29,942.	„ 30,	20·9	3·5	12	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.
	Sept. 6,	13·9	3·5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	22·6	3·5	13	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
Kingstown Urban District.	July 26,	24·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 2,	21·5	.	7	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 9,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	„ 16,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Pop. in 1911 16,941.	„ 30,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Sept. 6,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 13,	24·6	.	8	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
Belfast.	July 26,	15·8	1·4	120	1	.	.	.	1	1	.	.	12	6	10	4	11	6	2	2	1
	Aug. 2,	15·9	2·8	121	.	.	.	2	2	2	1	.	16	8	10	3	7	13	1	6	.
	„ 9,	15·1	3·8	115	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	.
	„ 16,	20·9	4·6	159	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	.
Pop. in 1913 (Est.) 396,000.	„ 23,	18·7	5·3	142	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	1
	„ 30,	23·0	6·5	175	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	.
	Sept. 6,	20·7	4·5	157	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	3
	„ 13,	20·4	6·6	155	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	.
Cork.	July 26,	25·2	1·4	37	.	1	.	.	.	.	.	.	7	1	3	2	2	1	.	.	1
	Aug. 2,	25·8	0·7	38	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	.
	„ 9,	15·0	2·7	22	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	1
	„ 16,	25·2	2·7	37	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	2
Pop. in 1911 76,673.	„ 23,	24·5	6·8	36	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	3
	„ 30,	24·5	8·8	36	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.
	Sept. 6,	19·7	10·2	29	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.
	„ 13,	26·5	7·5	39	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.
Londonderry.	July 26,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
	Aug. 2,	19·1	6·4	15	.	.	.	4	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 9,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	17·8	6·4	14	.	.	.	3	.	.	.	.	.	2	1	.	3	2	.	.	1
Pop. in 1913 (Est.) 41,000.	„ 23,	21·6	6·4	17	.	.	.	2	.	.	.	.	.	.	.	2	1	3	.	1	1
	„ 30,	24·2	8·9	19	.	.	.	2	.	.	.	.	.	2	.	.	.	5	.	1	.
	Sept. 6,	15·3	1·3	12	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	1	.
	„ 13,	19·1	7·6	15	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	.
Limerick.	July 26,	19·0	1·4	14	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1
	Aug. 2,	8·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
	„ 9,	9·5	.	7	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1
	„ 16,	16·2	2·7	12	1	.	.	.	.	.	1	.	2	.	1	.	3	.	.	.	.
Pop. in 1911 38,518.	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
	„ 30,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1
	Sept. 6,	19·0	4·1	14	.	.	.	.	.	.	.	.	2	1	.	.	1	3	.	.	.
	„ 13,	27·1	2·7	20	.	.	.	.	.	.	.	.	3	.	1	2	.	1	1	.	5
Waterford.	July 26,	19·0	9·5	10	.	.	.	4	.	.	.	.	.	1	.	1	1	1	.	.	.
	Aug. 2,	22·8	7·6	12	.	.	.	2	.	.	.	.	1	.	1	1	1	1	1	.	.
	„ 9,	30·4	15·2	16	.	.	.	6	.	.	.	.	2	.	.	.	2	1	1	.	.
	„ 16,	20·9	3·8	11	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	1
Pop. in 1911 27,464.	„ 23,	13·3	7·6	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	2
	„ 30,	24·7	20·9	13	.	.	.	1	.	.	.	.	.	1	.	.	.	9	1	.	1
	Sept. 6,	34·2	13·3	18	.	.	.	3	.	.	.	.	1	.	2	.	2	2	2	.	3
	„ 13,	5·7	3·8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th September, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	19·7	6·6	6	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
Do. 2 do.	49,500	24	15·8	4·2	15	5	.	1	3	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	4	.
Do. 3 do.	50,032	41	14·6	6·3	14	5	2	2	2	2	1	.	.	.	.	.	.	1	.	2	.	.	.	.	5	.	1	1	4	.
Do 4 do.	32,637	26	22·4	8·0	14	7	.	1	1	4	1	.	.	.	.	.	.	.	.	.	1	.	.	1	4	1	.	.	3	.
Do. 5 do.	16,112	19	55·0	16·2	17	12	1	1	.	3	.	.	.	.	.	.	.	.	.	1	2	1	.	.	5	.	.	.	8	.
Do. 6 do.	37,293	9	16·8	1·4	12	1	.	.	3	4	4	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	.	.	5	.
Do. 7 do.	2,681	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	12	25·6	10·7	12	5	2	1	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	5	.	.	.	3	.
Do. 10 do.	28,958	26	25·2	12·6	14	7	2	.	2	.	3	.	.	.	.	1	.	.	.	1	.	.	2	.	6	.	.	.	2	.
Do. 11 do.	39,311	23	15·9	2·7	12	3	1	2	3	3	.	.	.	.	.	.	.	.	.	1	.	1	2	1	2	.	.	.	.	.
Do. 12 do.	38,076	23	20·5	12·3	15	6	4	.	2	1	2	.	1	.	.	1	.	1	.	.	.	.	.	1	5	1	.	1	2	.
Do. 13 do.	23,233	8	22·4	4·5	10	4	.	3	3	.	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	29·9	4·6	13	1	1	2	2	5	2	.	.	.	.	1	.	.	.	4	1	.	2	.	.	1	.	1	6	.
Total,	386,947	231	20·4	6·6	155	59	13	13	23	30	17	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	3	40	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	23·3	3·9	6	1	.	1	.	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	2	.
Do 2 do.	10,701	14	20·1	5·0	4	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	.
Do 3 do.	9,978	6	21·3	.	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	3	.
Do 4 do.	8,666	5	34·2	5·7	6	.	1	1	.	.	4	.	.	.	.	.	.	.	.	1	.	.	.	3	.	1	.	.	.	.
Do 5 do.	6,592	3	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 6 do.	10,702	5	31·5	9·0	7	.	.	.	1	2	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	3	.
Do. 7 do.	16,616	13	35·7	19·5	11	3	4	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	.	3	.
Total,	76,122	49	26·5	7·5	39	5	6	3	4	10	11	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.	12	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered, ...	203	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234
DEATHS registered, ...	190	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155
Annual Death-rate per 1,000 of estimated population, ...	25·0	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4
AGES, Under 1 year, ...	49	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59
1—5 years, ...	23	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13
5—25 ,, ...	19	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13
25—45 ,, ...	29	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23
45—65 ,, ...	40	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30
65 and upwards, ...	30	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.
Scarlet Fever, ...	2	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3
Whooping-cough, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.
Diphtheria, ...	1	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	18	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15
Tuberculous Disease. Other Forms,	9	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5
Cancer, ...	5	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4
Diseases of Respiratory System, Pneumonia,	27	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10
Diseases of Respiratory System, Others. ...	36	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4
Diarrhœa and Enteritis, under 2 years, ...	2	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41
Diarrhœa, 2 years and upwards,	1	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3
Violent Deaths, ...	4	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1
Number of Uncertified Deaths, ...	.	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Sept. 13,	2,181	1,183	13·7	1	.	3	3	7	6	229*a*
Edinburgh, ...	320,300	„ 13,	103	91	14·8	.	.	1	3	.	2	2
Glasgow, ...	1,021,500	„ 13,	519	353	18·0	1	.	8	1	4	3	56
Calcutta, ...	896,067	Aug. 2,	.	405	23·5	68*	1	..	.	.	2†	81‡
Bombay, ...	979,445	„ 9,	375	496	26·3	62*	2	1	.	.	.	64‡
Madras, ...	518,660	„ 16,	459	347	34·7	57*	.	1	?	?	?	99‡
Cairo, ...	710,514	June 22,	511	728	53·4	6	1	28	.	?	14†	224*a*
Paris, ...	2,847,229	Aug. 30,	871	708	12·7	2	.	2	1	9	2†	56*a*
Brussels, ...	767,252	„ 23,	204	159	10·8	2	.	1	.	.	1†	22*a*
Antwerp, ...	312,884	„ 30,	108	88	14·7	1	.	3	1	.	.	17*a*
Amsterdam, ...	591,053	„ 23,	279	122	10·8	.	.	4	.	2	.	5*a*
Copenhagen, ...	473,500	„ 23,	215	95	10·5	.	.	1	.	.	.	9*a*
Stockholm, ...	376,171	„ 23,	130	77	10·6	.	.	.	.	.	.	1*a*
Christiania, ...	250,423	„ 30.	105	57	11·8	.	.	1	1	.	1	4
St. Petersburg ...	1,708,600	„ 9,	806	737	22·5	22	.	7	12	8	3	152*a*
Moscow, ...	1,694,000	„ 2,	.	907	27·9	3	2	29	12	9	14	393
Berlin, ...	2,067,365	„ 9,	729	472	11·9	.	?	6	4	4	8†	54
Hamburg, ...	1,006,748	„ 23,	.	205	10·6	3	?	2	.	2	9†	20
Breslau, ...	539,222	„ 23,	.	170	16·4	3	.	.	1	3	1	28
Munich, ...	638,000	„ 23,	.	150	12·3	.	.	.	.	1	1†	12
Vienna (with suburbs),	2,115,254	„ 23,	662	471	11·6	2	.	.	2	1	3†	31*a*
Buda-Pesth, ...	930,666	„ 23,	487	308	17·2	1	.	2	10	.	3†	49*a*
Prague and Faubourgs,	494,055	„ 9,	146	152	16·0	.	.	1	1	.	2†	7*a*
Trieste, ...	239,703	„ 23,	126	93	20·2	.	1	1	.	2	1†	38*a*
Rome, ...	579,187	May 17,	276	163	15·0	1	.	11	2	.	1	4
		„ 24,	277	182	16·4	2	.	9	1	.	.	13
New York, ...	5,372,983	Aug. 9,	2,761	1,390	13·5	9	.	10	4	9	12†	226*a*
Philadelphia, ...	1,631,960	July 26,	.	493	15·7	5	.	7	2	1	1†	80*a*
Boston, ...	735,399	Aug. 23,	.	189	13·4	3	.	1	.	1	2	27

* Deaths from "fever," including 7 from enteric fever and 6 from plague in Calcutta and 3 from enteric fever, and 16 from plague in Bombay

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta, 3 in Bombay, and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th September, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	.	2	.	.	.	.	4
" " 1, West, ...	.	.	.	.	1	.	.	.	.	.	.	3	.	4
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
" " 3, ...	.	1	.	.	.	.	.	.	1	.	.	1	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1, ...	.	4	.	.	1	.	.	6	.	.	.	4	.	15
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	1	.	2
" " 3, ...	.	1	.	.	.	.	1	1	.	.	.	2	.	5
" " 4, ...	.	1	.	.	1	.	.	.	.	.	.	1	.	3
New Kilmainham, ...	.	1	.	.	1	.	.	.	1	.	.	.	.	3
Total, ...	.	11	.	.	6	.	1	8	4	.	.	13	.	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th September, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th September.			
	August 23.	August 30.	September 6.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	37	38	34	13	8	3	36
Typhus, ...	6	4	4	.	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	1	1	.	.	.	1
Scarlet Fever, ...	57	59	57	16	7	1	65*
Diphtheria, ...	19	21	27	6	2	.	31
Pneumonia, ...	16	18	15	5	3	.	17

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 13th September, 1913:—

"At the beginning of this week a broad band of high atmospheric pressure (30·3 inches and upwards) stretched in a north-easterly direction from the Azores across the British Isles to Scandinavia and the Baltic, while areas of relatively low pressure (below 30 inches) occupied the Iceland region and the Mediterranean Basin. Fair weather prevailed in Great Britain and Ireland, and temperature fell to a very low figure at night in the N.E. of Scotland, Nairn reporting a minimum in the screen of 33° on Monday morning—even at 7 a.m. the thermometer there read only 38°. At that time the barometer stood at 30·5 inches or slightly more at the Scottish stations. On Monday the sun shone faintly through a uniform sheet of cirro-stratus cloud, the presence of which foreboded a coming change in the weather. Accordingly, by Tuesday morning a shallow depression had formed within the anticyclone over Northern Ireland and North Wales. This system caused showery weather, but it passed quickly away to the eastward, leaving a cool N. wind in its wake. A much more serious change had already begun in Iceland, on which island a large and deep depression advanced from the Arctic regions on Wednesday. This system grew deeper and more complex as it travelled southeastwards and spread southwards, carrying with it strong winds, first from S.W. with high temperatures, afterwards from N., with heavy rains and sharp cold for the time of year. On Friday morning snow was falling with the thermometer at 34° in the N. of Iceland, and on Saturday temperature did not rise above 52° in Dublin. By this time an energetic secondary depression had become developed over Wales and the Cornish Peninsula and rain fell heavily in these districts as well as in the east of Ireland. In Dublin the mean height of the barometer was 30·067 inches, pressure ranging from 30·470 inches at 9 a.m. of Sunday (wind, E.N.E.) to 29·374 inches at 9 p.m. of Saturday (wind, N.). The corrected mean temperature was 56·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·2°. On Wednesday the screened thermometers fell to 46·2°, on Thursday they rose to 70°. The prevalent winds were W. and N. Rain fell on 4 days to the large amount of 1·742 inches, ·782 inch being measured on Friday and ·856 inch on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·076 inches. The highest reading (30·462) was on Sunday, at 9 a.m., wind E., the lowest (29·406) on Saturday at 9 p.m., wind N.N.W.

The mean temperature for the week was 54·9°, being 2·6 above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Thursday, on which day the thermometer registered 72°, and was lowest on Monday, the mercury having fallen to 39°. The mean of the Dry Bulb for the week was 55·5° and of the Wet Bulb, 52·9°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 1·540 inches.

At Greenwich the mean temperature for the week was 58·0°, the maximum 71·6°, and the minimum 45·3°; at Glasgow the maximum was 64·2°, the minimum 44·0°, and the mean 5·34°; and at Edinburgh the maximum was 61·7°, the minimum 45·8°, and the mean 5·35°. The rainfall at Greenwich measured 0·06 in.; at Glasgow 1·00 in.; and at Edinburgh 1·36 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 7,	30·450	64	41	52·5	51·4	48·4	·83	·3	7·7	·000	E.	Calm.
Monday, „ 8,	30·355	67	39	53·0	59·4	56·8	·84	·5	0·7	·110	Calm.	W.S.W.
Tuesday, „ 9,	30·265	66	46	56·0	55·1	53·7	·92	·4	0·2	·040	W.S.W.	N.
Wednesday, „ 10,	30·375	64	41	52·5	57·5	54·8	·84	·6	4·1	·000	N.W.	W.S.W.
Thursday, „ 11,	30·035	72	54	63·0	59·5	55·7	·78	·5	10·1	·000	W.S.W.	W.S.W.
Friday, „ 12,	29·595	67	50	58·5	57·8	53·9	·80	·5	2·6	·600	S.W.	Calm.
Saturday, „ 13,	29·455	52	45	48·5	47·9	46·9	·94	·5	0·0	·790	Calm.	N.N.W.
Mean, ...	30·076	64·6	45·1	54·9	55·5	52·9	·85	·5	Total 25·4	Total 1·540	Prevailing Wind, W.S.W.	

Sunday—A fine bright day; night clear. *Monday*—Day cloudy, fine; night overcast, showers at intervals 10.45 p.m. to 5.0 a.m., and light rain 5.0 to 9.0 a.m. *Tuesday*—A dull day, drizzling and heavy rain 9.0 to 11.0 a.m. and 3.15 to 4.0 p.m.; night clear. *Wednesday*—Day cloudy, fine; night overcast to clear. *Thursday*—A beautiful bright day; night cloudy. *Friday*—Day cloudy, heavy showers at intervals a.m. and p.m.; night overcast, drizzling rain 9.0 p.m. to 9.0 a.m. *Saturday*—Day overcast, light rain 9.0 a.m. to 9.0 p.m.; night overcast, drizzling and heavy rain 9.0 p.m. to 6.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 13th September, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 7,	60·0	60·5	58·4	63·2	49·0	56·1	6·2	—
Monday, „ 8,	57·6	59·8	54·4	67·6	47·0	57·3	1·3	·070
Tuesday, „ 9,	62·0	60·4	58·2	66·8	52·2	59·5	·5	·045
Wednesday, „ 10,	57·8	59·0	53·2	65·2	45·8	55·5	4·5	·005
Thursday, „ 11,	61·6	59·6	58·2	72·0	50·8	61·4	9·3	—
Friday, „ 12,	68·6	60·8	58·2	70·4	50·6	60·5	3·3	·770
Saturday, „ 13,	50·8	58·8	52·0	56·8	47·6	52·2	—	·860
Weekly Mean, .	59·8	59·8	56·1	66·0	49·0	57·5	Total 25·1	Total. 1·750

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 9. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 20TH SEPTEMBER, 1913. [No. 38.

General Register Office, Charlemont House,
Dublin, 22nd September, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Aug. 30	Sept. 6	Sept. 13	Sept. 20	Average Rate for 4 weeks.
27 Town Districts, (a)	**20·7**	**19·9**	**21·1**	**19·8**	**20·4**
Dublin Reg. Area ...	20·4	19·8	23·2	18·1	20·4
Dublin City ...	21·1	21·1	23·7	18·1	21·0
Belfast	23·0	20·7	20·4	21·1	21·3
Cork	24·5	19·7	26·5	30·6	25·3
Londonderry ...	24·2	15·3	19·1	22·9	20·4
Limerick	10·8	19·0	27·1	10·8	16·9
Waterford	24·7	34·2	5·7	13·3	19·5

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 5·5 per 1,000. Among the 160 deaths from all causes for Belfast are 2 from enteric fever, one from measles, 4 from scarlet fever, one from whooping-cough, 3 from diphtheria, and 37 from diarrhœa and enteritis under 2 years. Included in the 45 deaths from all causes for Cork are 15 from diarrhœal diseases. Of the 18 deaths from all causes for Londonderry one is from measles and 7 are from diarrhœal diseases. Among the 7 deaths from all causes for Waterford are 3 from diarrhœa and enteritis of children under 2 years. Five of the 10 deaths from all causes for Galway are from measles. Two of the 4 deaths from all causes for Dundalk are from diarrhœa and enteritis under 2 years. Included in the 5 deaths from all causes for Lisburn are one from whooping-cough and 2 from diarrhœa and enteritis under 2 years. Two of the 6 deaths from all causes for Wexford are from diarrhœa and enteritis under 2 years. Of the 5 deaths from all causes for Clonmel 2 are from diarrhœa and enteritis under 2 years. Of the 6 deaths from all causes for Queenstown, 4 are from diarrhœal diseases; and of the 3 deaths from all causes for Larne one is from diphtheria.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 255—128 boys and 127 girls—and the deaths to 143—66 males and 77 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·1 per 1,000 of the population. During the thirty-eight weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·5 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 143, represent an annual rate of 18·5 per 1,000; the annual rate for the past thirty-eight weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

Among the 143 deaths from all causes were one from enteric fever, 2 from scarlet fever, one from influenza, and 25 deaths from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks deaths from enteric fever were 0, 2, and 6; deaths from scarlet fever, 0, 0, and 0; deaths from influenza, 0, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years of age, were 29, 31, and 37, respectively.

Deaths from all forms of tuberculosis, which in the 3 preceding weeks numbered 26, 28, and 29, respectively, fell to 16 in the period under notice, 15 of the latter being from pulmonary tuberculosis, and one from disseminated tuberculosis.

There were 9 deaths from cancer, or malignant disease.

Two deaths were caused by broncho-pneumonia, 3 by lobar pneumonia, and 7 by pneumonia (type not distinguished).

Convulsions caused one death, that of a child aged one year; of the deaths of infants under one year of age, 3 were ascribed to premature birth, and 3 to congenital debility.

There were 17 deaths from organic diseases of the heart, and 9 from bronchitis.

Nine deaths were attributed to accidental causes, including one death caused by drowning, 7 caused by the collapse of a tenement house, and one death caused by a van.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 7 were under one month old) and 38 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 96 years, respectively.

Forty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·1 per 1,000; the rate in the City was 18·1 (North City Districts, 18·5; South, 17.7) and in the Suburbs, 18·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·8 per 1,000 inhabitants, the rate for the City being 4·4 (in the North City Districts 3·8, and in the South 5·0), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths† (8) are equal to an annual rate of 13·9 per 1,000. Scarlet fever caused 2 deaths, there was one death from lobar pneumonia, one death from bronchitis, and 3 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·1 per 1,000. Pulmonary tuberculosis caused 3 deaths, there were 3 deaths from pneumonia, and 3 deaths from diarrhœal diseases.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. Pulmonary tuberculosis caused 4 deaths, there was one death from pneumonia, and there were 3 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 25·2 per 1,000, and include one death from pulmonary tuberculosis, one death from pneumonia, 2 deaths from bronchitis, one death from infantile diarrhœa, and 7 deaths from accidental causes.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·2; and Finglas and Glasnevin, part of, 4·9. One of the 2 deaths for Clontarf and Howth, No. 1, part of, is from pulmonary tuberculosis. Included in the 5 deaths from all causes for Coolock and Drumcondra, part of, are one from influenza and one from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (7) represent an annual rate of 9·0 per 1,000. The deaths include one from pulmonary tuberculosis, one from bronchitis, and one from diarrhœa and enteritis of a child under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000, and include one death from bronchitis and 3 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. Among the deaths there was one from enteric fever, there were 2 from pulmonary tuberculosis, one from lobar pneumonia, 4 from bronchitis, and one from diarrhœa and enteritis of a child under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000. There were 2 deaths from tuberculous disease, one from pneumonia, and 6 from diarrhœa and enteritis of children under 2 years of age.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. Of the 4 deaths registered 2 were of children under 2 years of age from diarrhœa and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·8; Pembroke, 19·2; Blackrock, 11·4; and Kingstown, 27·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diarrhœa under 2 years for Rathmines and Rathgar, and 2 for Pembroke. Included in the 11 deaths from all causes for the first-named district are one from broncho-pneumonia, one from lobar pneumonia, and 2 accidental deaths. One of the 11 deaths from all causes for Pembroke is from pulmonary tuberculosis; and included in the 9 deaths from all causes for Kingstown is one from pneumonia.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 20th September, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 30,	.	—	—	15	1	.	1	.	.	7	3	.	—	—	.	—	9	.	36
	Sept. 6,	.	—	—	10	1	.	3	.	.	11	3	.	—	—	.	—	8	.	36
	Sept. 13,	.	—	—	11	.	.	6	.	1	8	4	.	—	—	.	—	13	.	43
	Sept. 20,	.	—	—	22	1	.	1	1	1	17	1	.	—	—	.	—	16	.	60
Rathmines and Rathgar Urban District.	Aug. 30,	.	—	—	.	.	.	2	.	.	1	1	.	—	—	—	—	—	—	4
	Sept. 6,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 13,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Sept. 20,	.	—	—	3	.	.	.	.	.	.	.	.	—	.	—	—	—	—	3
Pembroke Urban District.	Aug. 30,	.	.	.	.	.	.	1	.	.	.	.	.	—	1	—	—	.	—	2
	Sept. 6,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	.	—	1
	Sept. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	3	—	—	.	—	4
	Sept. 20,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	—	—	1	—	2*a*
Blackrock Urban District.	Aug, 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 6,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 13,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Sept. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 6,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	.	—	2
	Sept. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 30,	.	—	—	30	.	.	5	.	.	2	1	.	—	—	—	—	7	—	45
	Sept. 6,	.	—	—	44	.	.	7	.	1	3	3	.	—	—	—	—	7	—	65
	Sept. 13,	.	—	—	57	2	.	8	.	1	4	10	.	—	—	—	—	13	—	95*b*
	Sept. 20,	.	—	—	45	.	.	3	.	.	1	3	.	—	—	—	*c*	4	2*c*	58

(*a*) Not including 3 cases of varicella. (*b*) Not including 3 cases of poliomyelitis. (*c*) Notifiable as from 17th September.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th September, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Sixteen cases of enteric fever were admitted to hospital during the week, 2 were discharged, there was one death, and 49 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 38, 34, and 36.

One case of typhus was admitted to hospital, 2 were discharged, and 3 cases remained under treatment at the close of the week. At the close of the 3 previous weeks the cases in hospital were 4, 4, and 4, respectively.

Five case of measles were admitted to hospital and 6 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were one, one, and one, respectively.

Twenty cases of scarlet fever were admitted to hospital, 7 were discharged, there were 2 deaths, and 76* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 59, 57, and 65, respectively.

Five cases of diphtheria were admitted to hospital during the week, and 6 discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 21, 27, and 31, respectively, were 30 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 2 were discharged, there was one death, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·7), was equal to an average annual death-rate of 14·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 14·9, and for Edinburgh 12·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th September. From this Report it appears that of a total of 47 cases notified, 25 were scarlet fever, 11 phthisis, 9 diphtheria, one enteric fever and one erysipelas. Among the 331 cases of infectious diseases in hospital at the close of the week were 144 cases of scarlet fever, 90 of phthisis, 44 of diphtheria, 33 of measles, 5 of enteric fever, 5 of chicken-pox. 4 of whooping-cough, and 3 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 20th September, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature and Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 20th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ..	1,199,180	19·0	25·5	19·8	5·5	587	455	113	87	3	...	...	7	6	2	4	...	40	10	20	27	29	98	7	12	24	110	11	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ..	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	83·0	18·1	3·8	255	140	28	38	1	...	...	...	2	...	...	...	14	1	9	12	10	25	1	9	10	43	3	c 63	33	49·5	1·44	e 72	39	54·9	1·54	e 66	42	55·3	0·01
City of Dublin,	308,187	39·0	39·1	18·1	4·4	231	107	24	24	1	...	...	...	2	...	...	...	13	1	5	9	10	22	1	7	7	35	1	f 60·9 g 62·8	41·5 37·6	51·5 50·8	1·81 1·74	f 70·0 g 72·6	46·2 42·2	56·7 56·3	1·74 1·70	f 64·0 g 66·9	48·1 45·0	57·7 57·2	0·01 0·00
Urban Districts. Rathmines & Rathgar.	38,769	22·6	17·5	14·8	1·3	13	11	1	4	...	...	...	...	...	...	...	..	...	...	1	2	...	1	...	2	2	2	1	...	...	...	...	.	...	...	...	...	...	...	...
Pembroke, ...	29,942	19·0	8·7	19·2	3·5	5	11	3	3	...	...	...	...	...	...	...	...	1	...	2	...	...	2	...	...	1	5	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	.	11·4	.	.	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	18·5	27·7	.	6	9	...	6	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	64	47	54·1	1·44	72	45	59·0	2·46	67	53	59·1	0·00
Urban Districts. Belfast ..	396,000	26·5	22·8	21·1	6·3	173	160	44	26	2	...	...	1	4	1	3	...	16	5	3	10	11	37	...	2	9	34	...	64	36	51·8	2·90	66·0	45·5	56·0	0·51	63·5	50·0	57·4	0·00
Cork, ..	76,673	28·6	15·6	30·6	10·2	23	45	14	8	...	...	...	...	...	...	...	...	3	1	4	...	2	13	2	1	3	19	2	63	47	54·3	2·55	73	50	58·4	0·83	67	53	59·1	0·06
Londonderry...	41,000	15·9	25·4	22·9	10·2	20	18	6	1	...	...	...	1	...	...	...	...	1	1	1	...	2	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	20·3	10·8	.	15	8	...	...	...	...	...	...	...	...	...	..	2	...	1	...	2	...	...	...	...	4	1	65·0	35·6	52·2	1·96	67·5	36·5	55·7	0·65	68·6	39·5	57·3	0·11
Waterford, ...	27,464	19·1	13·3	13·3	5·7	7	7	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	3	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			13	10	...	2	...	..	...	5	...	...	...	...	...	...	...	1	1	...	...	...	...	1	3	66	37	50	1·54	71	38	53·7	0·47	66	42	53	0·06
Dundalk, ...	13,128	9·5				3	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				8	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00
Drogheda, ...	12,501	8·4				3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				7	5	3	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00
Newry, ...	11,963	17·0				7	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00
Portadown, ...	11,727	15·3				12	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00
Wexford, ...	11,531	22·8				7	6	2	...	...	...	...	...	...	...	...	...	...	2	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	65	38	51·0	1·17	69	38	54·0	0·75	68	41	55·0	0·00
Sligo, ...	11,163	3·8				5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	66	38	52·5	0·64	71	40	56·5	1·01	67	47	59·1	0·16
Kilkenny, ...	10,514	11·4				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...
Tralee, ...	10,300	17·4				2	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				7	5	3	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	1	..	61	47	53·6	1·07	67	49	55·8	0·99	63	51	56·2	0·00
Newtownards,	9,587	20·1				4	5	1	1	...	...	...	...	...	...	...	...	1	..	...	...	1	1	...	...	...	1	..	63	47	54·3	2·55	73	50	58·4	0·83	67	53	59·1	0·06
Queenstown, ...	8,209	14·7				3	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Larne, ...	8,036	13·4				2	3	...	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				2	7	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				2	3	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				1	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98	66·1	41·2	55·5	0·00

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 3 deaths of persons admitted to hospital from localities outside the Area.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 20th of September, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	3	4	1	1	.	.	1	.	2	1	.	.	1	.	.	14	1
Tuberculous Disease. Other Forms,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Cancer,	.	1	.	.	.	1	.	1	.	1	1	.	1	2	1	.	9	.
Diseases of Nervous System,	.	1	.	.	.	.	1	1	.	1	.	.	.	1	.	1	6	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	.	2	.	1	.	2	.	.	2	2	2	1	.	4	17	.
" Respiratory System. Pneumonia,	1	3	1	1	.	1	.	.	.	1	1	.	2	.	.	1	12	.
" Respiratory System. Others,	1	.	.	3	.	..	.	1	1	4	.	.	.	.	.	.	10	.
" Digestive System. Diarrhœa and Enteritis, under 2 years,	3	2	3	1	.	.	.	1	3	1	6	2	1	2	.	.	25	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Digestive System. Others,	.	1	.	.	1	.	.	.	.	1	.	.	1	.	.	2	6	1
" Genito-urinary System,	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	3	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	1	.	..	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	3	2	2	.	1	.	.	1	2	2	.	1	3	1	1	19	.
Violent Deaths,	.	.	.	7	.	.	.	.	.	.	.	.	2	.	.	.	9	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
Deaths from All Causes	8	15	10	17	9	5	1	7	9	15	14	4	11	11	2	9	140	3
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	19·1	18·7	25·2	19·2	19·2	4·9	9·0	25·6	18·1	22·0	21·4	14·8	19·2	11·4	27·7	18·1	.
	18·5							17·7					18·1					
	18·1																	
Ages at Death. Under 1 year,	2	6	2	3	.	.	.	1	1	2	6	1	1	3	.	.	28	.
1 and under 2 years,	1	.	2	.	.	.	.	.	3	.	2	1	.	1	.	.	10	.
2 " 5 "	3	.	.	1	.	.	1	.	1	.	1	.	.	.	.	.	7	.
5 " 15 "	.	1	.	2	.	.	.	.	.	1	.	.	1	.	.	.	5	1
15 " 25 "	.	.	1	1	1	.	.	.	.	1	.	.	.	.	.	.	4	.
25 " 45 "	.	3	3	2	.	.	.	2	1	.	.	1	3	2	.	.	17	1
45 " 65 "	.	2	.	3	1	3	.	4	1	5	4	.	2	2	1	3	31	1
65 and upwards,	2	3	2	5	.	2	.	.	2	6	1	1	4	3	1	6	38	.
Number of Uncertified Deaths,	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	3	3	.	1	.	.	1	4	2	.	1	3	.	.	25	3
Workhouse Hospitals,	1	1	1	2	.	.	.	.	4	3	2	.	1	2	.	1	18	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 20th September, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.	Sept. 23, 1911.	Sept. 21, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° —	° 52·6	° 51·3	° 51·9	° 57·2	° 55·7	° 52·0	° 50·4	° 52·2	° 50·3	° 52·6*	° 49·5										
ALL CAUSES.	165	194	137	201	145	153	157	174	183	134	164·3	143	7	21	10	7	6	4	18	32	20	18
Enteric Fever, ...	1	1	2	2	.	1	2	1	3	1	1.4	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	1	.	3	.	3	.	3	1·1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	1	.	.	1	.	3	1	·6	2	.	.	.	2	.	.	.	.	.	.
Whooping-cough, ...	.	4	1	1	1	1	.	1	3	4	1·6	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	.	2	.	2	3	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	.	.	.	1	.	1	.	1	·3	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	1	.	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	3	1	.	1	.	3	1	1	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	25	25	26	21	21	21	19	12	7	20·4	15	.	1	.	.	1	2	8	3	.	.
Tuberculous Meningitis, ...	2	4	2	5	6	6	3	3	.	2	3·3	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	3	3	.	2	.	.	.	1	2	1·2	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	8	6	7	4	3	6	5	.	.	4·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	2		1	.	.	.	1	.	.	.	.	.	.
Venereal Diseases, ...	.	1	.	2	3	1	1	1	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	9	5	6	9	8	18	9	9	6	8·5	9	.	.	.	.	.	.	1	4	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	.	.	1	2	.	4	.	·9	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	.	—	2	.	.	.	1	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	3	.	—	3	1	.	.	.	.	.	.	1	.	1
Alcoholism, ...	1	.	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									2	.		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									5	2		2	.	.	.	.	.	.	.	.	2	.
Softening of Brain, ...									.	.		1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.									1	1		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...									1	.		1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),									5	6		1	.	.	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	38	38	30	44	29	34	24	32	1	4	33·0	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									12	13		17	.	.	.	.	.	.	3	5	4	5
Embolism and Thrombosis (including Cerebral)									.	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									3	2		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	10	18	6	10	14	11	13	16	12	7	11·7	9	.	.	.	.	.	.	.	2	5	2
Broncho-pneumonia, ...	3	1	4	3	2	6	1	3	3	5	3·1	2	.	.	.	.	.	.	.	1	1	.
Lobar pneumonia, ...	.	.	.	.	.	1	1	.	1	1	·4	3	.	.	.	1	1	.	.	1	.	.
Pneumonia (type not distinguished)	9	5	1	4	4	5	2	1	.	7	3·8	7	.	1	.	.	.	.	.	3	3	.
Pleurisy, ...									.	1		.	.	.	.		.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1	2	.	.	.	2	5	4	.	2	1·9	1	.	.	.	.				.	1	.
Other Diseases of Respiratory System.									.	2		.	.	.	.			.	.		.	

* For nine years only.

THIRTY-EIGHTH WEEK, ending Saturday, 20th September, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week euding Saturday										Averages in 38th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 20th September, 1913.									
												—	Deaths of Persons of the Ages of								
													0—5.								
	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.	Sept. 23, 1911.	Sept. 21, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° —	° 52·6	° 51·3	° 51·9	° 57·2	° 55·7	° 52·0	° 50·4	° 52·2	° 50·3	° 52·6*	° 49·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	2	—	4	.	1	.	.	.	.	1	1	.	1
Diarrhœa and Enteritis of Children under 2 years;	18	32	14	43	16	24	9	32	44	3	24·3	25	2	15	8	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									3	.		1	.	.	.	.	1	.	.	.	.	.
Enteritis 2 years and upwards									4	1		1	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	2	.	.	.	.	.	.	.	2	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	3	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	2	1	2	1	1	5	2	3	2	2·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	1	2	1	1	.	.	.	1	2	1	·9	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	6	3	7	2	4	6	3	1	.	3·7	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									2	3		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									6	2		3	.	.	.	.	.	.	1	2	.	.
Urinary Calculi, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	8	7	7	7	6	4	6	4	.	.	6·5	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	1	.	.	2	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	3	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	2	—	1	.	.	1	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	8	6	6	5	5	4	4	7	3	6	5·4	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	1	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	5	3	3	2	2	1	1	4	6	6	3·3	7	.	.	.	.	.	.	.	.	.	7
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	2	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	2	1	.	1	1	1	2	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	2	1	.	1	.	1	2	.	·7	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	.	.	.	1	1	.	.	2	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	.	2	3	2	1	2	3	1	1·7	3	.	.	.	1	3	1	1	2	.	.
Total Deaths from Accident,	1	2	4	5	4	4	2	6	7	4	3·9	9	.	.	.	1	3	1	2	·2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	2	.	1	1	1	.	.	·6	1	.	.	.	.	1	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	5	—	2	.	.	.	.	.	.	1	1	.	.

* For nine years only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered.	230	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255
Average Births in corresponding week of previous 10 years, ...	232	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215
DEATHS registered, ...	196	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143
Annual Death-rate per 1,000, ...	25·4	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5
Average Deaths in corresponding week of previous 10 years, ...	200	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164
Ages, Under 5 years, ...	48	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45
5—15 " ...	9	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6
15—25 " ...	14	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4
25—45 " ...	31	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18
45—65 " ...	42	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32
65—75 " ...	33	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20
75 and upwards, ...	19	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1
Typhus, ...	.	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1		.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.
Scarlet Fever, ...	.	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2
Whooping-cough, ...	7	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.
Diphtheria, ...	6	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.
Influenza, ...	6	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	22	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15
Tuberculous Disease, Other Forms,	7	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1
Cancer, ...	12	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9
Diseases of Circulatory System,	17	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17
Diseases of Respiratory System, Pneumonia	19	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12
Diseases of Respiratory System, Others, ...	34	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7	9	10	10
Diarrhœa and Enteritis, under 2 years, ...	5	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25
Diarrhœa, 2 years and upwards,	.	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1
Violent Deaths, ...	4	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9
Number of Uncertified Deaths,	4	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3
Mean Temperature of the Air (Phœnix Park)	41·1	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5
Average Mean Temperature in corresponding week of previous 10 years, ...	43·7	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*
Rainfall in inches, ...	·455	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th September, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH SEPTEMBER, 1913.

Class.	Occupation or Social Position (The 36,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	18·7	143	45	6	4	18	32	20	18	1	.	.	.	2	.	.	.	15	1	9	1	12	10	25	1	9	57	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	24·9	7	.	.	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	101,798	14·9	29	4	1	1	4	7	9	3	1	.	.	.	.	.	.	.	2	.	3	1	5	1	1	.	1	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13·5	28	9	2	2	2	5	3	5	.	.	.	.	.	.	.	.	3	.	1	.	4	3	6	1	1	9	2
IV.	GENERAL SERVICE CLASS, ...	167,479	19 0	61	30	3	1	10	12	2	3	.	.	.	.	2	.	.	.	8	.	1	.	3	3	18	.	7	19	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	18	2	.	.	2	6	4	4	.	.	.	.	.	.	.	.	2	1	2	.	.	3	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	28·7	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16 4	3	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	14·5	7	1	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	11·0	7	.	.	1	2	3	1	.	1	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	18·5	12	2	1	.	.	2	5	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	4·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	28,823	9·0	5	1	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	1	1
	10. Clothing Trades, ...	20,026	10·4	4	.	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	11. Food Supply Trades	8,952	23·3	4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	13·0	8	5	.	2	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.	1	2	1
	13. Petty Shopkeepers	6,772	46·2	6	1	.	.	.	2	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	3	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	12·1	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	
	15. Domestic Servants, ...	36,041	8·7	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	26·3	52	29	3	1	6	9	1	3	.	.	.	.	2	.	.	.	6	.	1	.	1	2	18	.	7	15	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	18	2	.	.	2	6	4	4	.	.	.	.	.	.	.	.	2	1	2	.	.	3	.	.	.	10	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincia

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Aug. 2,	19·2	.	11	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.
		„ 9,	24·4	7·0	14	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
		„ 16,	27·9	8·7	16	.	.	.	.	.	1	.	.	.	2	1	.	1	4	.	.	.
		„ 23,	20·9	8·7	12	.	.	.	.	.	.	.	.	3	1	.	.	1	4	1	.	.
		„ 30,	19·2	5·2	11	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
		Sept. 6,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.
		„ 13,	33·1	12·2	19	2	.	.	.	.	.	.	.	.	.	1	2	.	5	.	2	.
		„ 20,	13·9	8·7	8	.	.	.	.	2	.	.	.	.	.	.	1	1	3	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Aug. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	4	.	2	1	1	.	.	1	1
		„ 9,	15·3	3·8	12	.	.	.	.	.	.	1	.	2	1	.	.	1	2	.	1	.
		„ 16,	26·8	2·6	21	.	.	.	.	.	.	.	.	1	2	.	1	3	1	1	.	.
		„ 23,	19·1	3·8	15	.	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	2
		„ 30,	30·6	6·4	24	.	.	.	.	.	.	.	.	4	.	.	1	2	5	.	.	1
		Sept. 6,	24·2	6·4	19	.	.	.	.	.	.	.	.	2	.	4	1	2	5	.	1	1
		„ 13,	26·8	5·1	21	.	.	.	.	.	.	.	.	2	.	3	1	1	4	.	.	1
		„ 20,	19·1	3·8	15	.	.	.	.	.	.	.	.	3	.	1	3	.	2	1	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Aug. 2,	16·8	3·7	9	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.
		„ 9,	35·5	3·7	19	.	.	.	.	.	.	.	.	3	3	1	1	1	2	.	3	.
		„ 16,	20·6	5·6	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.
		„ 23,	22·4	3·7	12	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
		„ 30,	18·7	7·5	10	.	2	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.
		Sept. 6,	26·2	5·6	14	1	.	.	.	.	.	.	.	3	1	1	.	.	2	.	1	.
		„ 13,	24·3	7·5	13	.	.	.	.	.	1	.	.	4	1	.	.	.	3	.	.	.
		„ 20,	18·7	5·6	10	.	.	.	.	.	.	.	.	4	.	.	1	.	3	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Aug. 2,	10·4	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
		„ 9,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
		„ 16,	14·8	4·4	10	.	.	.	.	1	.	.	.	2	.	.	.	2	2	.	.	1
		„ 23,	16·3	1·5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.
		„ 30,	10·4	1·5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
		Sept. 6,	22·2	3·0	15	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.
		„ 13,	20·7	7·4	14	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
		„ 20,	25·2	1 5	17	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	7	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Aug. 2,	23·3	2·6	18	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	1	.
		„ 9,	23·3	5·2	18	.	.	.	.	.	.	.	.	2	.	.	.	2	3	1	.	.
		„ 16,	24·5	6·5	19	.	.	.	.	.	.	.	.	5	1	.	.	1	4	1	.	1
		„ 23,	23·3	2·6	18	.	.	.	.	.	.	.	.	1	1	1	2	.	2	.	.	.
		„ 30,	18·1	5·2	14	.	.	.	.	.	.	.	.	2	.	1	.	.	4	.	1	1
		Sept. 6,	24·5	2·6	19	.	.	.	.	.	.	.	.	3	3	2	.	1	2	.	.	.
		„ 13,	25·8	9·0	20	1	.	.	.	.	.	.	.	2	1	2	.	.	6	.	.	.
		„ 20,	9·0	1·3	7	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Aug 2,	19·9	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.
		„ 9,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	.
		„ 16,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		„ 23,	28·4	8·5	10	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.
		„ 30,	28·4	2·8	10	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
		Sept. 6,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 13,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
		„ 20,	25·6	8·5	9	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Aug. 2,	19 4	4·8	16	.	.	.	.	.	.	.	.	4	1	1	1	1	3	1	1	.
		„ 9,	16·9	3·6	14	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	2	.
		„ 16,	26·6	7·3	22	.	.	.	.	.	1	.	.	4	.	1	1	1	5	.	1	.
		„ 23,	20 6	2·4	17	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	1	.
		„ 30,	18·1	2·4	15	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	1
		Sept. 6,	31·4	9·7	26	.	.	.	.	.	.	.	.	3	2	4	.	2	7	1	1	.
		„ 13,	24·2	4·8	20	1	.	.	.	.	.	1	.	5	1	.	.	2	1	1	2	1
		„ 20,	16·1	2·4	15	1	.	.	.	.	.	.	.	2	.	1	1	4	1	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Aug. 2,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 9,	23·6	6·3	15	.	.	.	1	.	.	.	.	.	.	2	2	.	3	.	.	.
		„ 16,	20·4	14·1	13	.	.	.	1	.	1	.	.	1	.	.	.	1	7	.	.	.
		„ 23,	22·0	1·6	14	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	.
		„ 30,	33·0	7·9	21	.	.	.	1	.	.	.	.	.	2	1	2	2	4	.	.	.
		Sept. 6,	17·3	6·3	11	1	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1
		„ 13,	18·9	3·1	12	.	.	.	1	.	.	.	.	1	.	.	1	2	1	.	1	.
		„ 20,	22·0	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	.	6	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Aug. 2,	13·4	.	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	„ 9,	14·8	.	11	.	.	.	.	.	.	.	.	1	1	3	1	2	.	.	.	1
	„ 16,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.
	„ 23,	14·8	1·3	11	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
	„ 30,	9·4	2·7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	Sept. 6,	14·8	6·7	11	.	.	.	.	.	.	.	.	2	.	1	.	.	4	1	.	.
	„ 13,	20·2	8·1	15	1	.	.	.	.	1	.	.	3	.	1	.	.	4	.	.	.
	„ 20,	14·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Aug. 2,	17·4	1·7	10	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1	.
	„ 9,	8·7	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 16,	7·0	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	„ 23,	24·4	3·5	14	.	.	.	.	1	.	.	.	2	1	2	1	1	1	.	1	.
	„ 30,	20·9	3·5	12	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.
	Sept. 6,	13·9	3·5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	22·6	3·5	13	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
	„ 20,	19·2	3·5	11	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1
Kingstown Urban District. Pop. in 1911 16,941.	Aug. 2,	21·5	.	7	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 9,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	„ 16,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 30,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Sept. 6,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 13,	24·6	.	8	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 20,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Aug. 2,	15·9	2·8	121	.	.	.	2	2	2	1	.	16	3	10	3	7	13	1	6	.
	„ 9,	15·1	3·8	115	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	.
	„ 16,	20·9	4·6	159	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	.
	„ 23,	18·7	5·3	142	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	1
	„ 30,	23·0	6·5	175	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	.
	Sept. 6,	20·7	4·5	157	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	3
	„ 13,	20·4	6·6	155	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	.
	„ 20,	21·1	6·3	160	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	.
Cork. Pop. in 1911 76,673.	Aug. 2,	25·8	0·7	38	.	.	.	.	.	.	.	.	4	3	3	2	.	1	.	1	.
	„ 9,	15·0	2·7	22	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	1
	„ 16,	25·2	2·7	37	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	2
	„ 23,	24·5	6·8	36	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	3
	„ 30,	24·5	8·8	36	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.
	Sept. 6,	19·7	10·2	29	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.
	„ 13,	26·5	7·5	39	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.
	„ 20,	30·6	10·2	45	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	2
Londonderry. Pop. in 1913 (Est.) 41,000.	Aug. 2,	19·1	6·4	15	.	.	.	4	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 9,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	17·8	6·4	14	.	.	.	3	.	.	.	.	.	2	1	.	3	2	.	.	1
	„ 23,	21·6	6·4	17	.	.	.	2	.	.	.	.	.	.	.	2	1	3	.	1	1
	„ 30,	24·2	8·9	19	.	.	.	2	.	.	.	.	.	2	.	.	.	5	.	1	.
	Sept. 6,	15·3	1·3	12	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	1	.
	„ 13,	19·1	7·6	15	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	.
	„ 20,	22·9	10·2	18	.	.	.	1	.	.	.	.	1	1	1	.	2	6	1	.	.
Limerick. Pop. in 1911 38,518.	Aug. 2,	8·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
	„ 9,	9·5	.	7	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1
	„ 16,	16·2	2·7	12	1	.	.	.	.	.	1	.	2	.	1	.	3	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
	„ 30,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1
	Sept. 6,	19·0	4·1	14	.	.	.	.	.	.	.	.	2	1	.	.	1	3	.	.	.
	„ 13,	27·1	2·7	20	.	.	.	.	.	.	.	.	3	.	1	2	.	1	1	.	5
	„ 20,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
Waterford. Pop. in 1911 27,464.	Aug. 2,	22·8	7·6	12	.	.	.	2	.	.	.	.	1	.	1	1	1	1	1	.	.
	„ 9,	30·4	15·2	16	.	.	.	6	.	.	.	.	2	.	.	.	2	1	1	.	.
	„ 16,	20·9	3·8	11	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 23,	13·3	7·6	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	2
	„ 30,	24·7	20·9	13	.	.	.	1	.	.	.	.	.	1	.	.	.	9	1	.	1
	Sept. 6,	34·2	13·3	18	.	.	.	3	.	.	.	.	1	.	2	.	2	2	2	.	3
	„ 13,	5·7	3·8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 20,	13·3	5·7	7	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th September, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	19·7	6·6	6	1	.	3	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	2	.
Do. 2 do.	49,500	19	27·4	4·2	26	4	2	2	5	6	7	1	.	.	.	.	.	.	.	2	1	.	2	3	3	.	.	1	6	.
Do. 3 do.	50,032	19	19·8	7·3	19	9	2	4	.	1	3	.	.	.	.	.	.	.	.	.	1	.	2	1	7	.	.	.	2	.
Do 4 do.	32,637	15	24·0	9·6	15	5	5	1	.	2	2	.	.	.	1	1	.	.	.	1	.	.	.	.	4	.	.	3	2	.
Do. 5 do.	16,112	11	29·1	12·9	9	1	2	1	1	3	1	.	.	.	.	1	.	1	.	2	.	.	.	.	2	.	.	.	5	.
Do. 6 do.	37,293	23	14·0	2·8	10	1	1	1	4	2	1	.	.	.	.	1	.	1	.	1	1	.	.	.	.	.	.	.	4	.
Do. 7 do.	2,681	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	35·0	8·7	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
Do. 9 do.	24,427	13	19·2	4·3	9	3	.	2	2	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	1	2	3	.
Do. 10 do.	28,958	21	28·8	10·8	16	6	4	.	1	2	3	.	.	.	.	1	.	.	.	1	1	.	.	3	5	.	.	.	1	.
Do. 11 do.	39,311	13	18·6	5·3	14	6	.	3	1	2	2	.	.	.	.	.	.	.	.	4	.	1	1	.	4	.	.	.	2	.
Do. 12 do.	38,076	18	24·6	5·5	18	5	1	4	3	1	4	.	.	.	.	.	.	.	.	1	.	1	3	2	4	.	1	3	3	.
Do. 13 do.	23,233	6	6·7	4·5	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	6	23·0	9·2	10	1	3	1	1	3	1	.	.	.	.	.	.	1	.	2	.	1	.	1	3	.	.	.	3	.
Total,	386,947	173	21·1	6·3	160	44	21	25	18	26	26	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	9	34	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	1	23·3	.	6	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	5	.
Do 2 do.	10,701	7	55·2	20·1	11	2	1	.	2	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	4	.
Do 3 do.	9,978	4	31·9	10·6	6	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.
Do 4 do.	8,666	.	17·1	5·7	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.
Do 5 do.	6,592	.	8·3	8·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do 6 do.	10,702	4	27·0	13·5	6	3	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	2	.
Do. 7 do.	16,616	7	39·0	13·0	12	4	3	.	2	2	1	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	2	6	2
Total,	76,122	23	30·6	10·2	45	14	5	1	6	11	8	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	3	19	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered, ...	225	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173
DEATHS registered, ...	186	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160
Annual Death-rate per 1,000 of estimated population, ...	24·5	21·2	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1
AGES, Under 1 year, ...	42	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44
1—5 years, ...	21	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21
5—25 „ ...	21	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25
25—45 „ ...	33	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18
45—65 „ ...	38	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26
65 and upwards, ...	31	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1
Scarlet Fever, ...	1	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4
Whooping-cough, ...	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1
Diphtheria, ...	1	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	33	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16
Tuberculous Disease. Other Forms,	4	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5
Cancer, ...	8	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3
Diseases of Respiratory System, Pneumonia,	19	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10
Diseases of Respiratory System, Others, ...	22	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11
Diarrhœa and Enteritis, under 2 years, ...	2	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37
Diarrhœa, 2 years and upwards,	1	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.
Violent Deaths, ...	9	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2
Number of Uncertified Deaths, ...	2	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Sept. 20,	2,085	1,187	13·7	1	.	2	1	9	5	218*a*
Edinburgh, ...	320,300	„ 20,	91	78	12·7	1	.	1	.	.	.	1
Glasgow, ...	1,021,500	„ 20,	520	292	14·9	1	.	5	3	6	5	30
Calcutta, ...	896,067	Aug. 9,	.	430	24·9	87*	.	.	.	.	.	73‡
Bombay, ...	979,445	„ 16,	367	558	29·6	62*	2	1	.	.	.	74‡
Madras	518,660	„ 23,	425	358	35·9	73*	.	.	?	?	?	97
Cairo, ...	710,514	June 29,	641	686	50·3	1	1	8	3	?	9†	228*a*
Paris, ...	2,847,229	Sept. 6,	894	676	12·1	4	.	5	.	8	.	51*a*
Brussels, ...	767,252	Aug. 30,	215	169	11·5	1	.	1	1	1	.	21*a*
Antwerp, ...	312,884	Sept. 6,	120	70	11·6	.	.	.	.	.	.	20*a*
Amsterdam, ...	591,053	Aug. 30,	264	146	12·8	1	.	2	.	6	1†	3*a*
Copenhagen, ...	473,500	„ 30,	188	108	11·9	.	.	1	.	3	.	4*a*
Stockholm, ...	376,171	„ 30,	137	106	14·7	.	.	.	1	2	.	4*a*
Christiania, ...	250,423	Sept. 6.	106	42	8·7	.	.	.	.	1	.	1
St. Petersburg ...	1,708,600	Aug. 16,	673	692	21·1	28	.	10	12	7	4	139*a*
Moscow, ...	1,694,000	„ 9,	.	939	28·9	3	.	20	8	13	15	427
Berlin, ...	2,064,448	„ 16,	735	471	11·9	2	?	6	2	3	10†	54
Hamburg, ...	1,006,748	„ 20,	.	220	11·4	3	?	4	5	1	10†	18
Breslau, ...	539,222	„ 30,	.	177	17·1	1	.	.	1	4	2	28
Munich, ...	638,000	„ 30,	.	152	12·4	.	.	1	1	.	.	13
Vienna (with suburbs),	2,115,254	„ 30,	614	494	12·1	2	.	2	6	1	4†	46*a*
Buda-Pesth, ...	930,666	„ 30,	408	288	16·1	.	.	3	12	.	3†	43*a*
Prague and Faubourgs,	494,055	„ 16,	176	136	14·4	.	.	1	.	1	1†	3*a*
Trieste, ...	239,703	„ 30,	154	109	23·7	1	.	.	.	.	.	33*a*
Rome, ...	579,187	May 31,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Aug. 16,	2,695	1,250	12·1	10	.	6	3	16	15†	179*a*
Philadelphia, ...	1,631,960	„ 2,	.	510	16·3	6	.	5	2	4	2	71*a*
Boston, ...	735,399	„ 30,	.	209*b*	14·8	1	.	2	.	2	1	20

* Deaths from "fever," including 10 from enteric fever and 5 from plague in Calcutta and 3 from enteric fever, 12 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 9 deaths from cholera in Calcutta, and 2 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures 180 (including 19 deaths from diarrhœal diseases).

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th September, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	5	.	.	.	.	.	.	.	.	.	1	.	6
" " 1, West, ...	.	2	.	.	.	.	.	2	.	.	.	3	.	7
" " 2, ...	.	1	.	.	.	.	1	4	.	.	.	1	.	7
" " 3, ...	.	1	1	.	.	.	.	2	.	.	.	1	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	.	.	.	5	.	.	.	3	.	9
" " 2, ...	.	6	.	.	1	.	.	.	.	.	.	2	.	9
" " 3, ...	.	4	.	.	.	1	.	2	.	.	.	3	.	10
" " 4, ...	.	1	.	.	.	.	.	1	.	.	.	2	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	22	1	.	1	1	1	17	1	.	.	16	.	60

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th September, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th September.			
	August 30.	Sept. 6.	Sept. 13.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	38	34	36	16	2	1	49
Typhus, ...	4	4	4	1	2	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	1	1	5	.	.	6
Scarlet Fever, ...	59	57	65	20	7	2	76*
Diphtheria, ...	21	27	31	5	6	.	30
Pneumonia, ...	18	15	17	10	2	1	24

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 20th September, 1913:—

"This week opened and almost closed with rainstorms of unusual severity. The downpour of Saturday, September 13th, and the early morning of Sunday, September 14th, took place in connection with a cyclonic system centred over Cardigan Bay on Sunday morning—at 7 a.m. the barometer was as low as 29·10 inches at Holyhead—in Dublin, ·856 inch of rain was measured at 9 a.m.; at Greystones, Co. Wicklow, 1·07 inches were recorded at Auburn, and 1·15 inches at Coolagad. Both at Holyhead and at Pembroke the measurement was 1·29 inches. The depression grew deeper as the day advanced and in Dublin the barometer read 29·03 inches at 4 p.m., this City being at that time near the cyclonic centre. A slow westerly movement of the system continued, so that on Monday morning it was centred near Galway and a southerly wind had taken the place of the previously existing northerly current. The disturbance subsequently travelled southeastwards to Brittany and the English Channel, the weather becoming fine but cold in Ireland, and the rainfall passing to England. Fine afterglows were seen in Ireland in the evenings, and the thermometer fell very low at night inland—up to Friday the minima in the screen at Birr Castle were 43°, 45°, 38°, 36° and 35° respectively—at 7 a.m. of the day named the thermometer at that station stood at 54°, or 18° above the reading at the same hour on Thursday (36°). This sudden, but transitory increase of temperature accompanied the S. winds of a V-shaped depression that brought with it a rainstorm, which gave Dublin 1·652 inches of rain in the 24 hours ended 9 a.m. of Saturday. This was the largest day's rainfall recorded in the City since August 25th, 1905, when the phenomenal amount of 3·436 inches was measured. Since that date the heaviest day-rains in Dublin were 1·650 inches on August 20th, 1908, and 1·581 inches on April 3rd, 1909. The total measurement for the week was 1·808 inches on 4 days. The mean height of the barometer was 29·674 inches, pressure ranging from 29·030 inches at 4 p.m. of Sunday (wind, S.E.) to 30·096 inches at 9 p.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 51·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·8°. On Tuesday the screened thermometers rose to 60·9°, on Thursday they fell to 41·5°. N.W. was the dominant wind-direction."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·683 inches. The highest reading (30·109) was on Saturday, at 9 p.m., air calm, the lowest (29·080) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 49·5°, being 3·1 below the average for the corresponding period of the 9 years, 1904–1912. The temperature* was highest on Thursday, on which day the thermometer registered 63°, and was lowest on Wednesday, the mercury having fallen to 33°. The mean of the Dry Bulb for the week was 49·6° and of the Wet Bulb, 48·1°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 1·435 inches.

At Greenwich the mean temperature for the week was 54·9°, the maximum 70·9°, and the minimum 42·1°; and at Edinburgh the maximum was 60·5°, the minimum 42·6°, and the mean 50·2°. The rainfall at Greenwich measured 0·60 in.; and at Edinburgh 0·49 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 14,	29·095	56	41	48·5	47·4	45·9	·90	·3	4·3	·000	Calm.	Calm.
Monday, " 15,	29·445	59	39	49·0	54·3	51·2	·79	·4	6·7	·040	S.E.	Calm.
Tuesday, " 16,	29·655	62	40	51·0	50·2	47·4	·84	·4	8·4	·000	E.N.E.	Calm.
Wednesday, " 17,	29·785	61	33	47·0	46·0	45·1	·94	·3	3·8	·000	Calm.	Calm.
Thursday, " 18,	29·910	63	38	50·5	46·0	45·5	·97	·0	5·1	·030	Calm.	Calm.
Friday, " 19,	29·850	57	37	47·0	53·5	52·5	·93	·3	0·0	1·340	Calm.	W.N.W.
Saturday, " 20,	30·040	60	47	53·5	49·6	48·9	·95	·3	0·8	·025	W.	Calm.
Mean, ...	29·683	59·7	39·3	49·5	49·6	48·1	·90	·3	Total 29·1	Total 1·435	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day cloudy, heavy showers at intervals a.m. and p.m.; night clear. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day cloudy, fine; night cloudy, heavy rain 8.30 to 9.0 a.m. *Friday*—Day overcast, heavy rain 9.0 a.m. to 6.30 p.m.; night overcast, drizzling and heavy rain at intervals a.m. *Saturday*—A dull day, heavy rain 9.0 to 9.20 a.m.; night cloudy, light rain at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 20th September, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 14,	54·2	56·4	58·0	66·2	45·4	55·8	3·8	—
Monday, " 15,	58·0	56·8	57·8	59·2	47·2	53·2	5·8	·008
Tuesday, " 16,	58·8	56·2	57·6	61·2	45·0	53·1	8·0	—
Wednesday, " 17,	50·6	56·0	57·4	61·2	41·8	51·5	1·5	—
Thursday, " 18,	48·6	55·0	57·2	60·4	41·2	50·8	4·0	·001
Friday, " 19,	57·6	55·0	57·0	58·0	43·2	50·6	—	1·601
Saturday, " 20,	52·0	55·0	56·8	60·8	47·0	53·9	·6	·002
Weekly Mean, .	54·3	55·8	57·4	61·0	44·4	52·7	Total 23·7	Total. 1·612

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 9. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 27TH SEPTEMBER, 1913. [No. 39.

General Register Office, Charlemont House,
Dublin, 29th September, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending Sept. 6	Sept. 13	Sept. 20	Sept. 27	Average Rate for 4 weeks.
27 Town Districts, (a)	**19·9**	**21·1**	**19·8**	**21·0**	**20·4**
Dublin Reg. Area ...	19·8	23·2	18·1	21·2	20·6
Dublin City ...	21·1	23·7	18·1	22·8	21·4
Belfast	20·7	20·4	21·1	19·5	20·4
Cork	19·7	26·5	30·6	24·5	25·3
Londonderry ...	15·3	19·1	22·9	22·9	20·1
Limerick	19·0	27·1	10·8	17·6	18·6
Waterford	34·2	5·7	13·3	26·6	20·0

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 5·0 per 1,000. Among the 148 deaths from all causes for Belfast are one from enteric fever, 3 from scarlet fever, one from diphtheria and 27 from diarrhœal diseases. Included in the 36 deaths from all causes for Cork are 9 from diarrhœal diseases. Of the 18 deaths from all causes for Londonderry 5 are from diarrhœa and enteritis of children under 2 years. Among the 14 deaths from all causes for Waterford there are one from measles and 4 from diarrhœal diseases. Of the 15 deaths from all causes for Galway 4 are from measles and 9 from whooping-cough. The 4 deaths for Dundalk are from diarrhœal diseases. Of the 5 deaths from all causes for Tralee 2 are from diarrhœa and enteritis of children under 2 years, and included in the 8 deaths from all causes for Queenstown are 3 from diarrhœa and enteritis of persons over 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—122 boys and 110 girls—and the deaths to 177—90 males and 87 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·2 per 1,000 of the population. During the thirty-nine weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 177, represent an annual rate of 22·9 per 1,000; the annual rate for the past thirty-nine weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

The total deaths included one* from enteric fever, one from influenza and 33 deaths from diarrhœa and enteritis of children under 2 years of age. In each of the 3 preceding weeks deaths from enteric fever were 2, 6, and 1; deaths from influenza were one, 0, and one; and deaths from diarrhœa and enteritis of children under 2 years of age, were 31, 37, and 25 respectively.

The mortality from all forms of tuberculous disease, which had been 28, 29, and 16 in each of the 3 preceding weeks was 22 in the week under notice, the latter figure including 18 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, and one from disseminated tuberculosis.

Thirteen deaths were attributed to cancer, or malignant disease.

There were 2 deaths from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia (type not distinguished).

Of 9 deaths from convulsions, 6 were of infants under one year of age and 3 were between the ages of one year and 2 years. There were 2 deaths from congenital malformations, 5 from premature birth, and 5 from congenital debility, all of infants under one year of age.

Fifteen deaths were from organic diseases of the heart, and there were 10 deaths from bronchitis.

Of 4 deaths attributed to accident or negligence, one from scalds was that of a child aged thirteen months.

There was one death by suicide recorded.

In no instance was the cause of death "uncertified."

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (57 being infants under one year, of whom 22 were under one month old) and 33 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·2 per 1,000; the rate in the City was 22·8 (North City Districts, 23·0; South, 22·7) and in the Suburbs, 15·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 4·4 per 1,000 inhabitants, the rate for the City being 5·1 (in the North City Districts 5·1, and in the South 5·0), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000, and include 3 deaths from tuberculosis, one from bronchitis, and 3 from diarrhœa and enteritis of children under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 26·8 per 1,000. There were 7 deaths from diarrhœal diseases and one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. There was one death of a child from diarrhœa and enteritis and one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 25·2 per 1,000. The deaths included one from pulmonary tuberculosis, 2 from pneumonia, 2 from bronchitis, 4 from diarrhœa and enteritis of children under 2 years of age, and 2 deaths from accidental causes.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 30·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·8. Of the 8 deaths from all causes for Coolock and Drumcondra part of, one is from pneumonia and one from diarrhœa or enteritis of a child under 2 years; and of the 2 deaths for Finglas and Glasnevin, part of, one is from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 18·1 per 1,000. Pulmonary tuberculosis caused 6 deaths, and there were 2 deaths from diarrhœa and enteritis of children under 2 years.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. There was one death from diarrhœa and enteritis of a child under 2 years, one death from pneumonia, and one death by suicide.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·6 per 1,000. Tuberculous disease caused 5 deaths, and there were 7 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000, and include 2 deaths from tuberculous disease, 2 deaths from diarrhœa and enteritis of children under 2 years, and one accidental death.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. Of the 4 deaths 2 were of infants under 2 years of age from diarrhœa and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 13·9; Blackrock, 22·8; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise 4 from diarrhœa and enteritis of children under 2 years for Rathmines and Rathgar. Among the 12 deaths from all causes for that district are 2 from pulmonary tuberculosis and one from bronchitis. Of the 8 deaths from all causes for Pembroke there are one from broncho-pneumonia and 2 from bronchitis. Included in the 4 deaths from all causes for Blackrock is one from each of pulmonary tuberculosis and bronchitis; and of the 5 deaths from all causes for Kingstown one is from influenza and one from scalds.

* See note (c) Table II.

† See Columns 10–17 and 23–24 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 27th September, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Sept. 6,	.	—	—	10	1	.	3	.	.	11	3	.	—	—	.	—	8	.	36
	Sept. 13,	.	—	—	11	.	.	6	.	1	8	4	.	—	—	.	—	13	.	43
	Sept. 20,	.	—	—	22	1	.	1	1	1	17	1	.	—	—	.	—	16	.	60
	Sept. 27,	.	—	—	17	.	.	8	.	2	15	6	.	—	—	.	—	16	.	64
Rathmines and Rathgar Urban District.	Sept. 6,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 13,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Sept. 20,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Sept. 27,	.	—	—	.	.	.	1	.	.	1	.	.	—	.	—	—	—	—	2
Pembroke Urban District.	Sept. 6,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	.	—	1
	Sept. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	3	—	—	.	—	4
	Sept. 20,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	—	—	1	—	2*a*
	Sept. 27,	.	1	.	1	.	.	1	.	.	.	.	.	—	5	—	—	.	—	8
Blackrock Urban District.	Sept. 6,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 13,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Sept. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Sept. 6,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	.	—	2
	Sept. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 27,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	7	—	12
City of Belfast.	Sept. 6,	.	—	—	44	.	.	7	.	1	3	3	.	—	—	—	—	7	—	65
	Sept. 13,	.	—	—	57	2	.	8	.	1	4	10	.	—	—	—	—	13	—	95*b*
	Sept. 20,	.	—	—	45	.	.	3	.	.	1	3	.	—	—	*c*	—	4	2*c*	58
	Sept. 27,	.	—	—	40	1	.	6	2	.	3	6	1	—	—	.	—	14	3	76

(*a*) Not including 3 cases of varicella. (*b*) Not including 3 cases of poliomyelitis. (*c*) Notifiable as from 17th September.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th September, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Sixteen cases of enteric fever were admitted to hospital during the week, 2 were discharged, there was one death, and 62 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 34, 36, and 49.

Three cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 previous weeks the cases in hospital were 4, 4, and 3, respectively.

Nine case of measles were admitted to hospital, one was discharged, and 14 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were one, one and 6 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 12 were discharged, there was one death, and 79* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 57, 65, and 76, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 3 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 27, 31, and 30, respectively, were 37 at the close of last week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·5), was equal to an average annual death-rate of 14·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·1 per 1,000, the rate for Glasgow being 16·2, and for Edinburgh 13·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th September. From this Report it appears that of a total of 65 cases notified, 29 were scarlet fever, 19 phthisis, 9 diphtheria, 5 erysipelas, and 3 enteric fever. Among the 333 cases of infectious diseases in hospital at the close of the week were 155 cases of scarlet fever, 88 of phthisis, 45 of diphtheria, 19 of measles, 7 of enteric fever, 6 of chicken-pox, 5 of erysipelas, and 3 of whooping-cough.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 27th September, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 27th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	28·9	21·0	5·0	665	483	140	94	1	...	...	5	3	9	1	...	46	11	27	25	35	84	13	9	14	128	6	° ...	° ...	° ..	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,000	29·3	30·0	21·2	4·4	232	164	57	31	...	...	...	...	...	...	...	...	17	4	12	5	11	33	1	5	6	48	...	e 68	45	56·5	1·12	e 63	33	49·5	1·44	e 72	39	54·9	1·54
CITY OF DUBLIN,	308,187	39·0	34·9	22·8	5·1	206	135	49	23	...	...	...	...	...	...	...	...	14	4	8	4	7	29	1	4	5	39	...	f 65·7 g 66·1	49·1 46·0	57·8 57·3	0·76 1·14	f 60·9 g 62·8	41·5 37·6	51·5 50·8	1·81 1·74	f 70·0 g 72·6	46·2 42·2	56·7 56·3	1·74 1·70
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	10·8	16·1	5·4	8	12	5	1	...	...	...	...	...	...	...	..	2	...	1	...	1	4	...	...	...	6	...	...	...	...	...	...	...	...	...	..	...	...	...
PEMBROKE, ...	29,942	19·0	20·9	13·9	.	12	8	2	4	...	...	...	...	...	...	...	...	...	...	2	1	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	.	22·8	.	.	4	...	1	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	18·5	15·4	.	6	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	66	51	59·3	0·71	64	47	54·1	1·44	72	45	59·0	2·46
Urban Districts. BELFAST ..	396,000	26·5	30·8	19·5	4·2	234	148	42	26	1	...	...	...	3	...	1	...	13	3	9	16	15	22	5	1	3	34	1	66·0	42·8	57·0	0·74	64	36	51·8	2·90	66·0	45·5	56·0	0·51
CORK, ..	76,673	28·6	26·5	24·5	6·1	39	36	11	8	...	...	...	...	...	...	...	...	2	...	1	2	3	8	1	1	2	6	4	63	51	58·3	2·28	63	47	54·3	2·55	73	50	58·4	0·83
LONDONDERRY ...	41,000	15·9	35·6	22·9	6·4	28	18	5	5	...	...	...	...	...	...	...	...	1	...	1	...	...	5	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	13·5	17·6	.	10	13	3	4	...	...	...	...	...	...	...	...	...	1	1	...	2	...	...	...	...	7	...	67·9	45·8	57·7	2·15	65·0	35·6	52·2	1·96	67·5	36·5	55·7	0·65
WATERFORD, ...	27,464	19·1	36·1	26·6	9·5	19	14	5	3	...	...	...	1	...	...	...	...	2	...	...	...	1	3	1	...	1	7	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				8	15	2	...	...	..	...	4	...	9	...	...	...	...	...	...	...	...	...	...	...	5	1	66	42	54	1·67	66	37	50	1·54	71	38	53·7	0·47
DUNDALK, ...	13,128	9·5				9	4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				4	5	1	2	...	...	...	...	...	...	...	..	1	1	1	...	...	...	...	...	...	2	...	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98
DROGHEDA, ...	12,501	8·4				4	10	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	2	2	5	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				9	1	1	...	...	...	...	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98
NEWRY, ...	11,963	17·0				4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98
PORTADOWN, ...	11,727	15·3				7	5	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	..	...	...	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98
WEXFORD, ...	11,531	22·8				5	4	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				3	5	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				2	4	...	2	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	68	46	56·0	1·11	65	38	51·0	1·17	69	38	54·0	0·75
KILKENNY, ...	10,514	11·4				.	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	67	50	58·8	1·47	66	38	52·5	0·64	71	40	56·5	1·01
TRALEE, ...	10,300	17·4				5	5	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				5	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				9	4	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	2	...	65	45	55·7	0·86	61	47	53·6	1·07	67	49	55·8	0·99
QUEENSTOWN, ...	8,209	14·7				4	8	...	3	...	...	...	...	...	...	...	...	2	...	...	1	...	...	3	...	...	2	...	63	51	58·3	2·28	63	47	54·3	2·55	73	50	58·4	0·83
LARNE, ...	8,036	13·4				10	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				4	4	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	.	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				2	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46	64·5	44·0	54·4	1·98

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 13 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area; one of the 13 deaths was from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 27th of September, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	.	.	1	.	.	1	6	.	4	1	.	2	.	1	.	17	1
Tuberculous Disease. — Other Forms,	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	.
Cancer,	.	2	.	1	.	2	.	1	.	1	1	.	1	2	1	.	12	1
Diseases of Nervous System,	3	3	3	.	.	.	.	3	1	2	1	.	2	1	.	.	19	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	4	1	2	.	1	.	.	4	2	1	1	1	.	.	.	17	1
" Respiratory System. — Pneumonia,	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	5	1
" Respiratory System. — Others,	1	1	1	3	.	.	.	.	1	.	.	.	1	2	1	.	11	3
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	3	6	1	4	.	1	.	2	1	7	2	2	4	.	.	.	33	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	1	1	.	.	1	.	.	.	.	1	.	.	.	1	.	5	2
" Genito-urinary System,	.	.	1	1	.	.	.	.	.	2	.	.	1	.	.	.	5	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	3	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	3	4	.	.	2	1	2	2	1	3	.	.	2	.	2	24	.
Violent Deaths,	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	1	5	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Deaths from All Causes	12	21	12	17	.	8	2	14	11	22	12	4	12	8	4	5	164	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·9	26·8	22·4	25·2	.	30·8	9·8	18·1	31·3	26·6	18·9	21·4	16·1	13·9	22·8	15·4	21·2	.
	23·0							22·7					15·9					
	22·8																	
Ages at Death. — Under 1 year,	6	7	4	6	.	1	1	5	3	9	5	2	5	2	.	1	57	.
1 and under 2 years,	2	2	1	.	.	.	.	1	1	2	.	.	.	.	.	1	10	.
2 " 5 "	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
5 " 15 "	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
15 " 25 "	1	.	1	1	.	.	1	2	.	1	1	.	.	.	1	.	9	2
25 " 45 "	1	1	2	1	.	2	.	2	2	2	.	.	3	.	1	.	17	5
45 " 65 "	1	4	1	4	.	2	.	3	4	5	4	1	3	2	1	1	36	4
65 and upwards,	1	7	3	4	.	3	.	.	1	2	2	.	1	4	1	2	31	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	1	4	2	.	2	.	.	1	6	1	.	6	1	1	.	28	13
Workhouse Hospitals.	.	2	2	2	.	.	.	6	2	3	1	1	.	1	.	.	20	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 27th September, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.	Oct. 1, 1910.	Sept. 30, 1911.	Sept. 28, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	56·8°	50·6°	49·4°	50·4°	56·9°	52·5°	53·6°	54·2°	50·8°	49·2°	52·4°	56·5°										
ALL CAUSES.	139	146	168	184	143	164	144	164	161	141	155·4	177	22	35	10	2	2	11	22	40	20	13
Enteric Fever, ...	2	2	2	1	.	1	1	.	6	1	1.6	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	5	.	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	.	.	1	2	·3	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	.	5	1	1	2	2	1	.	1·3	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	1	.	1	2	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	.	1	1	.	2	.	1	·7	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	2	1	1	1	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	11	23	19	19	24	15	18	14	18	18·0	18	.	1	.	.	1	6	7	3	.	.
Tuberculous Meningitis, ...	2	4	.	4	9	2	1	3	4	1	3·0	1	.	.	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	3	1	1	2	2	3	3	.	.	1	1·6	2	.	1	.	.	.	.	.	1	.	.
Tuberculosis of the Vertebral Column.									.	1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	10	7	9	8	3	5	3	8	.	.	5·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	4		1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	.	2	1	3	1	1	.	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	8	5	6	7	6	7	11	8	14	7·6	13	.	.	.	.	.	.	.	9	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	.	.	.	.	.	.	1	2	·4	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	.	1	—	2	.	.	.	.	.	.	.	.	1	1
Alcoholism, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	.	.	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									1	1		4	.	1	1	.	.	.	1	1	.	.
Cerebral Hæmorrhage, Apoplexy.									2	3		3	.	.	.	.	.	.	.	2	.	1
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									4	2		2	.	.	.	.	.	.	1	1	.	.
Epilepsy, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									4	1		9	5	1	3	.	.	.	.	.	.	.
Other Diseases of Nervous System.	28	29	39	28	25	34	39	33	1	3	31·2	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	3		2	.	.	.	.	.	.	.	2	.	.
Organic Diseases of the Heart,									16	12		15	.	.	.	.	.	.	3	6	5	1
Embolism and Thrombosis (including Cerebral)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									1	1		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	11	8	16	13	11	11	15	10	9	14	11·8	10	.	1	.	.	.	.	1	2	3	3
Broncho-pneumonia, ...	3	1	5	3	1	2	6	6	1	2	3·0	2	.	.	.	.	.	.	.	2	.	.
Lobar pneumonia, ...	.	.	3	3	.	3	1	.	1	2	1·3	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	3	4	9	6	4	5	6	.	2	5	4·4	3	.	.	.	.	.	.	2	1	.	.
Pleurisy, ...									.	2		2	.	.	.	.	.	1	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1	.	1	1	2	2	3	2	1	.	1·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	2		2	.	.	.	.	.	.	1	1	.	.

THIRTY-NINTH WEEK, ending Saturday, 27th September, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 27th September, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.	Oct. 1, 1910.	Sept. 30, 1911.	Sept. 28, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	56·8°	50·6°	49·4°	50·4°	56·9°	52·5°	53·6°	54·2°	50·8°	49·2°	52·4°	56·5°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	5	1	—	2	.	1	.	.	.	.	.	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	5	21	12	42	27	16	9	34	28	2	20·0	33	3	25	5	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									1	.		1	.	.	.	.	.	.	.	.	.	1
Enteritis 2 years and upwards									2	1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	3	.	—	2	.	.	.	.	.	.	.	1	1	.
Cirrhosis of Liver, ...	.	.	1	.	2	2	.	2	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	1	1	1	.	2	.	2	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	1	.	1	.	.	.	.	1	·4	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Digestive System.	5	6	7	9	6	6	5	2	2	.	4·8	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	11	12	2	3	3	9	4	6	1	1	6·1	2	.	.	.	.	.	.	1	1	.	.
Chronic Bright's Disease, ...									1	4		3	.	.	.	1	.	1	.	.	.	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									3	1		2	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c., ...	.	.	1	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	2	2	1	.	1	·7	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	2	—	3	1	.	.	.	1	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	2	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	3	4	1	2	5	4	4	4	3·3	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	2	—	5	1	4	.	.	.	.	.	.	.	.
Old Age, ...	3	3	5	6	1	2	2	2	5	3	3·2	4	.	.	.	.	.	.	.	.	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	2	—	5	5	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	.	.	.	1	.	3	1	·7	1	.	.	1	.	.	.	.	.	.	.
Drowning, ...	.	.	2	.	1	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	1	1	2	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	5	4	3	.	2	1	.	3	2	2	2·2	3	.	.	.	.	.	1	.	1	1	.
Total Deaths from Accident,	5	5	7	3	4	3	2	3	7	4	4·3	4	.	.	1	.	.	1	.	1	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	.	1	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	.	2	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	5	5	—	2	.	.	.	1	.	.	.	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered.	299	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232
Average Births in corresponding week of previous 10 years, ...	204	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246
DEATHS registered, ...	232	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	193	143	177
Annual Death-rate per 1,000, ...	30·0	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9
Average Deaths in corresponding week of previous 10 years, ...	196	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155
Ages, Under 5 years, ...	58	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69
5—15 " ...	6	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2
15—25 " ...	10	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11
25—45 " ...	42	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22
45—65 " ...	60	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40
65—75 " ...	30	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20
75 and upwards, ...	26	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1
Typhus, ...	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.
Scarlet Fever, ...	1	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.
Whooping-cough, ...	2	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.
Diphtheria, ...	5	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.
Influenza, ...	5	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	37	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18
Tuberculous Disease, Other Forms,	6	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4
Cancer, ...	9	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13
Diseases of Circulatory System,	25	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18
Diseases of Respiratory System, Pneumonia	25	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6
Diseases of Respiratory System, Others, ...	21	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7	9	10	10	14
Diarrhœa and Enteritis, under 2 years, ...	7	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33
Diarrhœa, 2 years and upwards,	.	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1
Violent Deaths, ...	6	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5
Number of Uncertified Deaths,	4	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.
Mean Temperature of the Air (Phœnix Park)	44·2	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5
Average Mean Temperature in corresponding week of previous 10 years, ...	44·2	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4
Rainfall in inches, ...	·100	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th September, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH SEPTEMBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	23·2	177	69	2	11	22	40	20	13	1	.	.	.	.	.	.	.	18	4	13	9	6	14	33	1	5	73	.
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	21·3	6	.	.	1	.	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	14·9	29	8	.	2	5	4	6	4	.	.	.	.	.	.	.	.	.	.	2	1	1	3	4	.	1	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	19·2	40	15	.	1	3	13	6	2	.	.	.	.	.	.	.	.	4	.	5	.	1	4	10	.	1	15	.
IV.	GENERAL SERVICE CLASS, ...	167,479	25·5	82	43	.	6	9	17	3	4	1	.	.	.	.	.	.	.	9	3	3	8	3	5	16	1	2	31	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	3	2	1	5	3	5	1	.	.	.	.	.	.	.	.	5	.	2	.	1	1	3	.	1	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	19·9	3	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	28·7	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	20·7	10	2	.	.	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	7	.
	6. Clerks and Commercial Assistants, ...	33,249	12·5	8	3	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	12·3	8	2	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	19·9	11	4	.	.	.	4	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	2	2	.	.	5	.
	10. Clothing Trades, ...	20,026	20·8	8	2	.	1	1	4	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1	2	.	.	1	.
	11. Food Supply Trades	8,952	11·6	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	21·1	13	5	.	.	2	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.	1	7	.
	13. Petty Shopkeepers	6,772	7·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	32·1	8	3	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	3	.	.	2	.
	15. Domestic Servants, ...	36,041	7·2	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	5	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	6	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	30·9	61	34	.	5	7	12	1	2	1	.	.	.	.	.	.	.	9	2	1	8	2	2	11	1	2	22	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	20	3	2	1	5	3	5	1	.	.	.	.	.	.	.	.	5	.	2	.	1	1	3	.	1	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of).	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Aug. 9,	24·4	7·0	14	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
		„ 16,	27·9	8·7	16	.	.	.	.	.	1	.	.	.	2	1	.	1	4	.	.	.
		„ 23,	20·9	8·7	12	.	.	.	.	.	.	.	.	3	1	.	.	1	4	1	.	.
		„ 30,	19·2	5·2	11	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
		Sept. 6,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.
		„ 13,	33·1	12·2	19	2	.	.	.	.	.	.	.	.	.	1	2	.	5	.	2	.
		„ 20,	13·9	8·7	8	.	.	.	.	2	.	.	.	.	.	.	1	1	3	.	.	.
		„ 27,	20·9	5·2	12	.	.	.	.	.	.	.	.	1	2	.	.	1	3	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Aug. 9,	15·3	3·8	12	.	.	.	.	.	.	1	.	2	1	.	.	1	2	.	1	.
		„ 16,	26·8	2·6	21	.	.	.	.	.	.	.	.	1	2	.	1	3	1	1	.	.
		„ 23,	19·1	3·8	15	.	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	2
		„ 30,	30·6	6·4	24	.	.	.	.	.	.	.	.	4	.	.	1	2	5	.	.	1
		Sept. 6,	24·2	6·4	19	.	.	.	.	.	.	.	.	2	.	4	1	2	5	.	1	1
		„ 13,	26·8	5·1	21	.	.	.	.	.	.	.	.	2	.	3	1	1	4	.	.	1
		„ 20,	19·1	3·8	15	.	.	.	.	.	.	.	.	3	.	1	3	.	2	1	.	.
		„ 27,	26·8	8·9	21	.	.	.	.	.	.	.	.	.	.	2	.	1	6	1	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Aug. 9,	35·5	3·7	19	.	.	.	.	.	.	.	.	3	3	1	1	1	2	.	3	.
		„ 16,	20·6	5·6	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.
		„ 23,	22·4	3·7	12	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
		„ 30,	18·7	7·5	10	.	2	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.
		Sept. 6,	26·2	5·6	14	1	.	.	.	.	.	.	.	3	1	1	.	.	2	.	1	.
		„ 13,	24·3	7·5	13	.	.	.	.	.	1	.	.	4	1	.	.	.	3	.	.	.
		„ 20,	18·7	5·6	10	.	.	.	.	.	.	.	.	4	.	.	1	.	3	.	.	.
		„ 27,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Aug. 9,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
		„ 16,	14·8	4·4	10	.	.	.	.	1	.	.	.	2	.	.	.	2	2	.	.	1
		„ 23,	16·3	1·5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.
		„ 30,	10·4	1·5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
		Sept. 6,	22·2	3·0	15	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.
		„ 13,	20·7	7·4	14	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
		„ 20,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	7	1
		„ 27,	25·2	5·9	17	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	2	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Aug. 9,	23·3	5·2	18	.	.	.	.	.	.	.	.	2	.	.	.	2	3	1	.	.
		„ 16,	24·5	6·5	19	.	.	.	.	.	.	.	.	5	1	.	.	1	4	1	.	1
		„ 23,	23·3	2·6	18	.	.	.	.	.	.	.	.	1	1	1	2	.	2	.	.	.
		„ 30,	18·1	5·2	14	.	.	.	.	.	.	.	.	2	.	1	.	.	4	.	1	1
		Sept. 6,	24·5	2·6	19	.	.	.	.	.	.	.	.	3	3	2	.	1	2	.	.	.
		„ 13,	25·8	9·0	20	1	.	.	.	.	.	.	.	2	1	2	.	.	6	.	.	.
		„ 20,	9·0	1·3	7	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
		„ 27,	18·1	2·6	14	.	.	.	.	.	.	.	.	6	.	1	.	.	2	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Aug. 9,	25·6	5·7	9	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	.
		„ 16,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		„ 23,	28·4	8·5	10	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.
		„ 30,	28·4	2·8	10	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
		Sept. 6,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 13,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
		„ 20,	25·6	8·5	9	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
		„ 27,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Aug. 9,	16·9	3·6	14	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	2	.
		„ 16,	26·6	7·3	22	.	.	.	.	.	1	.	.	4	.	1	1	1	5	.	1	.
		„ 23,	20·6	2·4	17	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	1	.
		„ 30,	18·1	2·4	15	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	1
		Sept. 6,	31·4	9·7	26	.	.	.	.	.	.	.	.	3	2	4	.	2	7	1	1	.
		„ 13,	24·2	4·8	20	1	.	.	.	.	.	1	.	5	1	.	.	2	1	1	2	1
		„ 20,	18·1	2·4	15	1	.	.	.	.	.	.	.	2	.	1	1	4	1	.	.	.
		„ 27,	26·6	8·5	22	.	.	.	.	.	.	.	.	4	1	1	.	.	7	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Aug. 9,	23·6	6·3	15	.	.	.	1	.	.	.	.	.	.	2	2	.	3	.	.	.
		„ 16,	20·4	14·1	13	.	.	.	1	.	1	.	.	1	.	.	.	1	7	.	.	.
		„ 23,	22·0	1·6	14	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	.
		„ 30,	33·0	7·9	21	.	.	.	1	.	.	.	.	.	2	1	2	2	4	.	.	.
		Sept. 6,	17·3	6·3	11	1	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1
		„ 13,	18·9	3·1	12	.	.	.	1	.	.	.	.	1	.	.	1	2	1	.	1	.
		„ 20,	22·0	9·4	14	.	.	.	.	.	.	.	.	1	1	1	1	.	6	.	.	.
		„ 27,	18·9	3·1	12	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	1	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	Annual Rate of Mortality per 1,000 Living. From certain epidemic diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Aug. 9,	14·8	.	11	.	.	.	.	.	.	.	.	1	1	3	1	2	.	.	.	1
	„ 16,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.
	„ 23,	14·8	1·3	11	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
	„ 30,	9·4	2·7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	Sept. 6,	14·8	6·7	11	.	.	.	.	.	.	.	.	2	.	1	.	.	4	1	.	.
Pop. in 1913 (Est.) 38,769.	„ 13,	20·2	8·1	15	1	.	.	.	.	1	.	.	3	.	1	.	.	4	.	.	.
	„ 20,	14·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1
	„ 27,	16·1	5·4	12	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.
Pembroke Urban District.	Aug. 9,	8·7	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	„ 16,	7·0	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	„ 23,	24·4	3·5	14	.	.	.	.	1	.	.	.	2	1	2	1	1	1	.	1	.
	„ 30,	20·9	3·5	12	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.
	Sept. 6,	13·9	3·5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Pop. in 1913 (Est.) 29,942.	„ 13,	22·6	3·5	13	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
	„ 20,	19·2	3·5	11	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1
	„ 27,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.
Kingstown Urban District.	Aug. 9,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	„ 16,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 30,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Sept. 6,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Pop. in 1911 16,941.	„ 13,	24·6	.	8	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 20,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 27,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1913 (Est.) 396,000.	Aug. 9,	15·1	3·8	115	.	.	.	.	1	.	.	.	7	7	6	7	7	25	3	2	.
	„ 16,	20·9	4·6	159	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	.
	„ 23,	18·7	5·3	142	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	1
	„ 30,	23·0	6·5	175	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	.
	Sept. 6,	20·7	4·5	157	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	3
	„ 13,	20·4	6·6	155	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	.
	„ 20,	21·1	6·3	160	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	.
	„ 27,	19·5	4·2	148	1	.	.	.	3	.	1	.	13	3	9	16	15	22	5	1	1
Cork. Pop. in 1911 76,673.	Aug. 9,	15·0	2·7	22	.	.	.	.	.	.	.	.	2	1	1	.	1	3	1	.	1
	„ 16,	25·2	2·7	37	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	2
	„ 23,	24·5	6·8	36	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	3
	„ 30,	24·5	8·8	36	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.
	Sept. 6,	19·7	10·2	29	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.
	„ 13,	26·5	7·5	39	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.
	„ 20,	30·6	10·2	45	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	2
	„ 27,	24·5	6·1	36	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	4
Londonderry. Pop. in 1913 (Est.) 41,000.	Aug. 9,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 16,	17·8	6·4	14	.	.	.	3	.	.	.	.	.	2	1	.	3	2	.	.	1
	„ 23,	21·6	6·4	17	.	.	.	2	.	.	.	.	.	.	.	2	1	3	.	1	1
	„ 30,	24·2	8·9	19	.	.	.	2	.	.	.	.	.	2	.	.	.	5	.	1	.
	Sept. 6,	15·3	1·3	12	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	1	.
	„ 13,	19·1	7·6	15	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	.
	„ 20,	22·9	10·2	18	.	.	.	1	.	.	.	.	1	1	1	.	2	6	1	.	.
	„ 27,	22·9	6·4	18	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
Limerick. Pop. in 1911 38,518.	Aug. 9,	9·5	.	7	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1
	„ 16,	16·2	2·7	12	1	.	.	.	.	.	1	.	2	.	1	.	3	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
	„ 30,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1
	Sept. 6,	19·0	4·1	14	.	.	.	.	.	.	.	.	2	1	.	.	1	3	.	.	.
	„ 13,	27·1	2·7	20	.	.	.	.	.	.	.	.	3	.	1	2	.	1	1	.	5
	„ 20,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
	„ 27,	17·6	.	13	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
Waterford. Pop. in 1911 27,464.	Aug. 9,	30·4	15·2	16	.	.	.	6	.	.	.	.	2	.	.	.	2	1	1	.	.
	„ 16,	20·9	3·8	11	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 23,	13·3	7·6	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	2
	„ 30,	24·7	20·9	13	.	.	.	1	.	.	.	.	.	1	.	.	.	9	1	.	1
	Sept. 6,	34·2	13·3	18	.	.	.	3	.	.	.	.	1	.	2	.	2	2	2	.	3
	„ 13,	5·7	3·8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 20,	13·3	5·7	7	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
	„ 27,	26·6	9·5	14	.	.	.	1	.	.	.	.	2	.	.	.	1	3	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th September, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	14	13·1	3·3	4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.
Do. 2 do.	49,500	21	19·0	5·3	18	4	1	1	2	6	4	1	.	.	.	.	.	.	.	2	.	1	.	4	3	1	.	.	5	.
Do. 3 do.	50,032	31	16·7	5·2	16	4	5	.	1	2	4	.	.	.	.	1	.	1	.	.	.	.	3	2	2	1	.	.	4	.
Do 4 do.	32,637	24	24·0	9·6	15	6	2	1	1	3	2	.	.	.	.	.	.	.	.	1	.	1	2	.	6	.	.	.	8	.
Do. 5 do.	16,112	9	32·4	.	10	2	1	.	2	2	3	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.	4	.
Do. 6 do.	37,293	18	21·0	4·2	15	1	1	3	2	4	4	.	.	.	.	.	.	.	.	2	.	4	1	1	2	1	.	.	1	.
Do. 7 do.	2,681	.	.	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.
Do. 8 do.	5,964	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	17	14·9	2·1	7	2	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.	1	.	.	.	2	.
Do. 10 do.	28,958	21	27·0	1·8	15	5	2	2	1	4	1	.	.	.	.	.	.	.	.	2	1	.	1	1	.	1	.	1	1	1
Do. 11 do.	39,311	24	19·9	1·3	15	6	1	1	1	3	3	.	.	.	.	.	.	.	.	1	.	1	.	4	1	.	1	1	3	.
Do. 12 do.	38,076	30	15·1	4·1	11	2	4	1	1	2	1	.	.	.	.	2	.	.	.	2	.	.	1	1	1	.	.	1	4	.
Do. 13 do.	23,233	11	15·7	4·5	7	2	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	13	27·6	4·6	12	6	.	1	1	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	.	1	.
Total,	386,947	234	19·5	4·2	148	42	20	13	16	31	26	1	.	.	.	3	.	1	.	13	3	9	16	15	22	5	1	3	34	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	8	15·5	7·8	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
Do 2 do.	10,701	3	25·1	10·0	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	1
Do 3 do.	9,978	6	16·0	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do 4 do.	8,666	5	28·5	.	5	1	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	1
Do 5 do.	6,592	4	25·0	.	3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.
Do 6 do.	10,702	9	31·5	13·5	7	5	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
Do. 7 do.	16,616	4	29·2	6·5	9	1	2	.	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	1	.
Total,	76,122	39	24·5	6·1	36	11	3	1	6	7	8	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	2	6	4

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST:	1913—WEEK ENDING																									
	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered, ...	230	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234
DEATHS registered, ...	161	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148
Annual Death-rate per 1,000 of estimated population, ...	21·2	19·6	16·9	20·4	18·7	17·1	18·2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5
AGES, Under 1 year, ...	46	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42
1—5 years, ...	23	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20
5—25 ,, ...	12	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13
25—45 ,, ...	17	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16
45—65 ,, ...	33	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31
65 and upwards, ...	30	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.
Scarlet Fever, ...	2	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3
Whooping-cough, ...	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.
Diphtheria, ...	2	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1
Dysentery, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	10	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13
Tuberculous Disease. Other Forms,	4	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3
Cancer, ...	4	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9
Diseases of Respiratory System, Pneumonia,	26	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16
Diseases of Respiratory System, Others, ...	38	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15
Diarrhœa and Enteritis, under 2 years, ...	4	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22
Diarrhœa, 2 years and upwards,	.	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5
Violent Deaths, ...	5	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1
Number of Uncertified Deaths, ...	.	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Sept. 27,	2,074	1,167	13·5	4	.	4	2	11	7	191*a*
Edinburgh, ...	320,300	„ 27,	119	84	13·7	.	.	.	.	.	1	2
Glasgow, ...	1,021,500	„ 27,	525	318	16·2	1	.	7	3	4	4	25
Calcutta, ...	896,067	Aug. 16,	.	441	25·5	93*	2	.	.	.	.	59‡
Bombay, ...	979,445	„ 23,	374	570	30·3	77*	1	2	.	.	.	67‡
Madras.	518,660	„ 30,	440	376	37·7	85*	.	1	?	?	?	97
Cairo, ...	715,609	July 8,	596	661	48·2	3	1	12	1	?	5†	228*a*
Paris, ...	2,847,229	Sept. 13,	823	685	12·3	.	.	4	1	9	1	37*a*
Brussels, ...	767,252	„ 6,	210	140	9·5	1	.	1	.	2	.	14*a*
Antwerp, ...	312,884	„ 13,	100	74	12·3	.	.	.	1	.	2†	18*a*
Amsterdam, ...	591,053	„ 6,	252	108	9·3	.	.	1	.	3	2†	3*a*
Copenhagen, ...	473,500	„ 6,	227	97	10·7	.	.	1	3	3	1	4*a*
Stockholm, ...	376,171	„ 6,	141	81	11·2	.	.	.	.	.	.	2*a*
Christiania, ...	250,423	„ 13,	95	46	9·6	.	.	.	.	.	1	3
St. Petersburg ...	1,708,600	Aug. 23,	980	640	19·5	27	.	11	8	3	5	132*a*
Moscow, ...	1,694,000	„ 16,	.	924	28·4	3	.	26	19	8	10	366
Berlin, ...	2,065,433	„ 23,	732	512	12·9	1	?	5	4	.	8†	47
Hamburg, ...	1,006,748	Sept. 6,	.	235	12·1	4	?	2	.	3	8†	22
Breslau, ...	539,222	„ 6,	.	178	17·2	2	.	2	.	.	.	25
Munich, ...	638,000	„ 6,	.	162	13·2	1	.	.	.	1	1†	8
Vienna (with suburbs),	2,115,254	„ 6,	600	505	12·4	.	.	3	1	2	5†	57*a*
Buda-Pesth, ...	930,666	„ 6,	398	295	16·5	3	.	.	5	1	3†	46*a*
Prague and Faubourgs,	494,055	Aug. 23,	170	154	16·3	2	.	2	.	2	.	5*a*
Trieste, ...	239,703	Sept. 6.	127	117	25·5	.	1	.	.	5	.	35*a*
Rome, ...	579,187	May 31,	275	213	19·2	3	.	15	.	1	.	11
New York, ...	5,372,983	Aug. 23,	2,489	1,324	12·9	7	.	5	2	16	15†	177*a*
Philadelphia, ...	1,631,960	„ 9,	.	477	15·2	11	.	8	1	2	6	75*a*
Boston, ...	735,399	Sept. 6,	.	216*b*	15·3	1	.	.	.	2	4	34

* Deaths from "fever," including 8 from enteric fever and 8 from plague in Calcutta, 2 from enteric fever and 15 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and enteritis of children under two years of age.

b Corrected figures 173 (including 25 deaths from diarrhœal diseases), rate 12·3 per 1,000.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th September, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	2	.	.	1	.	.	.	.	.	.	1	.	4
" " 1, West, ...	.	1	.	.	.	.	.	3	2	.	.	1	.	7
" " 2, ...	.	1	.	.	1	.	1	3	.	.	.	3	.	9
" " 3, ...	.	3	.	.	.	.	.	.	1	.	.	1	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	2	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	2	.	.	1	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	1	.	.	1	.	1	5	2	.	.	4	.	14
" " 2, ...	.	2	.	.	1	.	.	.	.	.	.	4	.	7
" " 3, ...	.	1	.	.	3	.	.	1	1	.	.	1	.	7
" " 4, ...	.	2	.	.	.	.	.	1	.	.	.	1	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	17	.	.	8	.	2	15	6	.	.	16	.	64

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th September, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th September.			
	Sept. 6.	Sept. 13.	Sept. 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	34	36	49	16	2	1	62
Typhus, ...	4	4	3	.	.	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	1	6	9	1	.	14
Scarlet Fever, ...	57	65	76	16	12	1	79*
Diphtheria, ...	27	31	30	11	3	1	37
Pneumonia, ...	15	17	24	11	3	1	31

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 27th September, 1913:—

"Weather of a southerly type—warm, but unsettled, prevailed after Sunday, which was a very fine day in connection with the extension of a large anticyclone from the Atlantic over nearly the whole of the United Kingdom, France and Spain. The barometric readings were not out of the way high (between 30·10 and 30·26 inches), but they were uniformly high. By Monday morning a change occurred which lasted throughout the remainder of the week. This consisted in the formation of a trough of relatively low pressure on the Atlantic, extending from the Azores and Madeira in the far south to Iceland in the north. Along the eastern edge of this trough secondary depressions travelled northwards from time to time along the western shores of Ireland, bringing frequent falls of rain and warm, moist southerly or south-easterly winds to this country. Great Britain fared better, as it lay within the limits of a high pressure system centred over Scandinavia and the Baltic region, in which system the barometer rose to 30·5 inches on Friday. On the other hand, the barometer was lowest on Tuesday over Connemara and Donegal (29·66 inches), and on Wednesday in the west of Ireland (29·32 inches at Blacksod Point, Co. Mayo, and 29·36 inches at Valentia, Co. Kerry). From the latter day onwards the lowest pressures (about 29 inches) were found off the southern and eastern coasts of Iceland. Some sharp freezing weather was reported from Spitzbergen on Monday and Tuesday, the thermometer falling to 16° and not rising above 28° during those two days: after a fall of snow on Thursday temperature declined still further to 14° in that far northern land. On Friday the thermometer rose in London to 78° at Camden Square. In Dublin the mean height of the barometer was 29·877 inches, pressure ranging from 30·228 inches at 9 p.m. of Sunday (wind, S.), to 29·640 inches at 9 a.m. of Wednesday (wind also S.). The corrected mean temperature was 57·8°, or 6·3° above that for the previous week. The mean dry bulb reading at 9 a.m. and 9 p.m. was 57·4°. On Sunday the screened thermometers fell to 49·1°, on Thursday they rose to 65·7°. The prevalent winds were S. and S.E. A vapour fog occurred on Saturday morning. There was also a fog on Tuesday evening. Rain fell on 5 days to the amount of ·757 inch, ·506 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·881 inches. The highest reading (30·239) was on Sunday, at 9 p.m., air calm, the lowest (29·643) on Wednesday at 9 a.m., wind S.

The mean temperature for the week was 56·5°, being 4·1° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Wednesday, on which day the thermometer registered 68°, and was lowest on Sunday and Monday, the mercury having fallen to 45°. The mean of the Dry Bulb for the week was 57·6° and of the Wet Bulb, 55·5°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 1·115 inches.

At Greenwich the mean temperature for the week was 60·2°, the maximum 77·4°, and the minimum 46·0°; at Glasgow the maximum was 70·0°, the minimum 43·3°, and the mean 58·0°; and at Edinburgh the maximum was 71·3°, the minimum 46·8°, and the mean 57·1°. The rainfall at Greenwich measured 0·13 in.; at Glasgow 0·68 in.; and at Edinburgh 0·30 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 21,	30·220	61	45	53·0	53·3	50·3	·81	·0	3·1	·100	W.N.W.	Calm.
Monday, " 22,	29·940	59	45	52·0	55·0	54·1	·95	·3	0·0	·930	Calm.	E.S.E.
Tuesday, " 23,	29·745	63	48	55·5	54·6	53·4	·93	·3	0·1	·000	Calm.	Calm.
Wednesday, " 24,	29·675	68	48	58·0	62·5	58·0	·74	·6	1·6	·000	S.	S.S.E.
Thursday, " 25,	29·785	66	59	62·5	60·7	58·1	·84	·6	0·0	·000	S.S.E.	S.W.
Friday, " 26,	29·955	65	47	56·0	57·3	55·5	·89	·0	0·4	·070	Calm.	Calm.
Saturday, " 27,	29·845	64	53	58·5	59·5	59·1	·97	·0	0·0	·015	E.S.E.	E.
Mean, ...	29·881	63·7	49·3	56·5	57·6	55·5	·88	·3	Total 5·2	Total 1·115	—	

Sunday—Day cloudy, fine; night overcast, drizzling and heavy rain 4.30 to 6.30 a.m. and 7.0 to 8.40 a.m. *Monday*—Day overcast, heavy rain 9.30 a.m. to 8.45 p.m.; night overcast. *Tuesday*—Day overcast; night cloudy. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—Day overcast; night clear. *Friday*—A dull day, showers at intervals from 5.0 to 9.0 p.m.; night cloudy, drizzling rain 6.0 to 9.0 a.m. *Saturday*—Day overcast, drizzling rain 9 0 to 10.30 a.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 27th September, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 21,	59·0	55·0	56·6	62	50	56·0	3·4	·01
Monday, " 22,	56·2	55·8	56·3	60	49	54·5	0·0	·58
Tuesday, " 23,	59·0	56·2	56·2	62	54	58·0	0·0	—
Wednesday, " 24,	63·0	56·6	56·2	65	48	56·5	?	—
Thursday, " 25,	62·0	57·4	56·2	62	60	61·0	0·2	—
Friday, " 26,	61·8	57·6	56·2	65	53	59·0	1·2	·12
Saturday, " 27,	59·8	57·8	56·2	64	55	59·5	0·0	—
Weekly Mean, .	60·1	56·6	56·3	62·9	52·7	57·8	Total ?	Total. ·71

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34500. Wt. P. 127. 375. 9. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE:
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN.

1913.

Price 1½*d.*

VOL. L.] QUARTER ENDING SATURDAY, 27TH SEPTEMBER, 1913. [NO. 39A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1913, 403,000, there were registered during the thirteen weeks ended on Saturday, 27th September, 1913, 2,738 births—1,377 boys and 1,361 girls—being equal to an annual ratio of 1 in 36·8, or 27·2 in every 1,000 of the population.

The number of births registered in the city was 2,364, equivalent to an annual rate of 30·7 in every 1,000 of the population; and in the urban districts named above, 374, equal to an annual rate of 15·8 in every 1,000 of the population.

There were registered in London during the same period 27,769 births—being equal to an annual birth-rate of 24·6 in every 1,000 of the estimated population; in Glasgow there were registered 6,952, being equal to 27·2 per 1,000; and in Edinburgh, 1,564—a number affording an annual birth-rate of 19·5 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (128) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,885, are equivalent to an annual rate of 18·7 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 19·1. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,013—1,013 males and 1,000 females—affording an annual ratio of 1 in 50·0 or 20·0 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the third quarter of the ten years, 1903–1912, in the Dublin Registration Area was 19·9 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 778, representing an annual mortality of 19·0 in every 1,000 of the population; and the number in the south city districts was 750, equivalent to a rate of 20·7 per 1,000. In the urban districts the number of deaths registered was 357, being equal to an annual death-rate of 15·1 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 13,303—a number equal to an annual rate of mortality of 11·8 in every 1,000 of the inhabitants; in Glasgow the number was 3,944 equal to 15·1 in every 1,000; and in Edinburgh, 1,021, affording an annual death-rate of 12·8 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 338, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 3·35.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1903–1912:—

Names of Diseases.	No. of Deaths in September Quarter, 1913.	Average No. of Deaths in September Quarters, 1903–1912.
Enteric Fever, ...	12	14
Typhus, ...	3	1
Small-pox, ...	–	–
Measles, ...	5	27
Scarlet Fever, ...	8	8
Whooping-cough, ...	15	25
Diphtheria, ...	13	13

Enteric Fever.—The deaths from enteric fever numbered 12, the average for the third quarter of the 10 years, 1903–1912, being 14; in the 3 quarters preceding, deaths from enteric fever were 18, 11, and 6, respectively. Of the 12 deaths, 9 belonged to the city districts, 2 were deaths of persons admitted to hospital from without the Area, and one belonged to the urban district of Rathmines and Rathgar. It appears from Table I. that altogether there were 137 cases of enteric fever under treatment in Dublin Hospitals, and that 8 fatalities occurred therein.

Typhus.—There were 3 deaths from typhus, and 20 cases were under treatment in hospitals during the period under notice, 3 only of these being under treatment at its close.

Small-pox.—There was no record of small-pox having caused death, nor was any case of this disease reported to the sanitary authorities of the Dublin Registration Area.

Measles.—The mortality from measles, amounting to 13, 3, and 6 deaths in the 3 preceding quarters, was represented by 5 deaths in the third quarter of 1913, the average for the corresponding period in the years 1903–1912 being 27.

Scarlet Fever.—The average number of deaths from scarlet fever (8) is equal to the number registered during the quarter; 6 of those belonged to the north city districts of Dublin city, one to south city No. 3 district, and one to the urban district of Pembroke. The hospital statistics show that 264 cases were under treatment during the period.

Whooping-cough.—Of 15 deaths from whooping-cough, 5 appertained to north Dublin city, 7 to south Dublin city, and one to each of the urban districts of Rathmines and Rathgar, Pembroke, and Kingstown; in each of the 3 preceding quarters such deaths were 13, 34, and 30.

Diphtheria.—Compared with the average (13) the number of deaths from diphtheria was 13, and the number registered in each of the 3 quarters preceding was 22, 25, and 21. There were altogether 126 cases of diphtheria treated in hospitals, of which number 37 remained under treatment at the close of the quarterly period.

The mortality from diphtheria in the area was distributed as follows:—To north Dublin city, 2 deaths; to south Dublin, 6 deaths; to Rathmines and Rathgar urban district, one death; and to Pembroke urban district, 2 deaths.

* See note (*) p. 624*h*.

Diarrhœal Diseases.—The total deaths from diarrhœal diseases (282) include the deaths of 263 children under 2 years of age from diarrhœa and enteritis, the former figure is equal to an annual rate of 2·80 per 1,000, and the latter to a rate of 2·61 per 1,000 of the estimated population of the Dublin Registration Area.

Cerebro-spinal Fever.—No death from this cause was registered during the quarter.

Pneumonia.—Included under the general head of pneumonia there were 89 deaths, including 27 deaths from broncho-pneumonia, 17 from lobar pneumonia, and 45 from pneumonia—type not distinguished. The total (89) represents an annual rate of 0·88 per 1,000 of the estimated population of the area.

Tuberculosis.—In the aggregate, deaths from tuberculous disease in all its forms were 327 in number, corresponding to an annual rate of 3·25 per 1,000; the total includes 237 deaths from pulmonary tuberculosis, 27 from tuberculous meningitis, 17 from abdominal tuberculosis, 3 from tuberculosis of the vertebral column, 4 from tuberculosis of joints, 6 from tuberculosis of other organs, and 33 deaths from disseminated tuberculosis. In the corresponding quarter of 1912, the annual death-rate from tuberculous disease was 3·00 per 1,000.

In the component parts of the Area the rates were as follows :—In Dublin city, 3·32 per 1,000; North and south city districts, 3·03 and 3·65 per 1,000 respectively; in Rathmines and Rathgar, 1·55 per 1,000; in Pembroke, 1·60 per 1,000; in Blackrock, 2·62; and in Kingstown, 2·36 per 1,000.

Cancer.—The deaths numbered 139, and are equal to an annual death-rate of 1·38 per 1,000.

Diseases of Brain and Nervous System.—The deaths numbered 182, corresponding to an annual death-rate of 1·81 per 1,000, and include 44 deaths from convulsions, 33 of the latter figure being deaths of infants under one year of age, and 11 were of children between the ages of one year and 5 years.

Bronchitis.—Deaths from bronchitis, 120 in number, were equal to an annual death-rate of 1·19 per 1,000.

Congenital Malformations, Premature Birth, Congenital Debility.—There were 11 deaths of infants from congenital defects, 46 from premature birth, and 55 from congenital debility.

Violence (*Accidental*).—Fifty-seven deaths were attributed to accidents or negligence; this figure includes the deaths of 7 children between the ages of one year and 5 years from burns, scalds, or explosions.

Homicide.—There was one such death registered on the Coroner's certificate.

Suicide.—There were 3 deaths from suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 27th September, 1913.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	31	106	67	8	62
Typhus, ...	–	20	14	3	3
Small-pox, ...	–	–	–	–	–
Measles, ...	10	23	19	–	14
Scarlet Fever, ...	81	183	175	10	79*
Diphtheria, ...	36	90	78	11	37
Pneumonia, ...	23	86	72	6	31

* Exclusive of 20 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 32 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 32 cases, 17 (or 53 per cent.) were deaths of children under 5 years of age; these 17 deaths form 2·6 per cent. of the total number of deaths of children of that age-period. Of the deaths of 130 infants under one month old registered, there were 9 (or 6·9 per cent.) regarding which the cause was uncertified.

From Table II., on page 624*f*, it will be seen that, excluding 128 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,885, equal to an annual rate of 18·7 per 1,000 of the estimated population, and that 331 of these deaths, representing an annual rate of 3·3 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 19·8 per 1,000, and for the urban districts 15·1 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 3·7, and in the urban districts 1·8, the rates for the several districts varying from 0·0 in Finglas and Glasnevin, part of, to 5·7 in New Kilmainham, the 40 deaths from all causes for that district including 14 from diarrhœa or enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 624*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 17·5 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 13·9 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·6; and in the "General Service Class" it was 20·3.

AGES.—Of the 2,013 persons whose deaths were registered in the Dublin Registration Area during the quarter, 646 were under 5 years of age, including 466 infants under one year of age, the latter representing a rate of 170·2 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 63·2 in every 1,000 children at that age (according to the Census of 1911); 78 were between the ages of 5 and 15, representing an annual rate of 4·4 per 1,000 persons at that age-period; 111 were between the ages of 15 and 25, equivalent to an annual rate of 5·5 per 1,000; the total number under 25 years being equal to an annual mortality of 17·4 per 1,000 of the population at that age-period (according to the Census of 1911); 321, or 10·3 per 1,000 persons, were between 25 and 45; 447, or 30·3 per 1,000, between 45 and 65; 244, or 57·8 per 1,000, between 65 and 75; and 166, or 118·7 per 1,000, were aged 75 and upwards, including 9 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,013 deaths recorded during the quarter, 842 or 41·8 per cent., occurred in public institutions, viz., 522 in the various hospitals, prisons, and lunatic asylums; 124 in the North Dublin Union Workhouse; 188 in the South Dublin Union Workhouse; and 8 (those of persons admitted from within the Dublin registration area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 56·2°. At Greenwich, for the quarter, it was 59·1°; at Glasgow 56·5°; and at Edinburgh, 56·1°.

The rainfall at Dublin during the thirteen weeks measured 5·67 inches; at Greenwich, 5·43 inches; at Glasgow, 4·10 inches; and at Edinburgh, 4·06 inches.

† See note (*) p. 624*h*.

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phœnix Park, Dublin,* for the thirteen weeks ended 27th September, 1913.

Prepared in the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1913. Week Ended.	Barometer.		Thermometer.						Hygrometer			Ozone.	Bright Sunshine.			Rainfall.			Wind.
	Mean at 32° F. Mean Sea Level and Standard Gravity. Lat. 45°.	Difference from Average.	Mean of Maximum A.	Mean of Minimum B	Mean of A. and B.	Difference from Average.	Highest.	Lowest.	Mean of Dry Bulb.	Mean of Wet Bulb.	Mean Humidity.	1·0	Mean Daily Amount in Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Difference from Average.	Number of Days.	Mean Velocity Recorded in Metres per Second.
	Inches.		° F	° F	° F		° F	° F	° F	° F	Per cent.		Hours.	Hours.	Per cent.	Inches.	Inches		m. p. s.
July 5th, ...	30·285	—	69·3	47·7	58·5	—	74	40	58·1	54·9	81	0·2	7·6	+1·5	46	·00	—	0	1·9
„ 12th, ...	30·004	—	61·7	47·7	54·7	—	64	35	54·5	51·9	84	0·4	3·5	-2·3	21	·24	—	5	2·2
„ 19th, ...	30·047	—	65·1	53·6	59·4	—	68	49	58·0	55·4	84	0·4	1·6	-3·3	10	·41	—	6	2·3
„ 26th, ...	30·214	—	65·7	42·7	54·2	—	73	39	55·7	52·8	83	0·4	7·9	+2·6	50	·16	—	2	1·8
August 2nd, ...	30·220	—	68·1	44·6	56·4	—	72	41	58·1	54·9	83	0·3	6·4	+1·0	42	·00	—	0	1·2
„ 9th, ...	30·091	—	64·9	46·0	55·4	—	73	40	55·7	52·1	79	0·4	4·3	-1·0	29	·19	—	2	1·5
„ 16th, ...	30·084	—	69·7	53·9	61·8	—	76	41	61·1	58·2	83	0·4	3·7	-1·6	25	·35	—	5	2·0
„ 23rd, ...	30·086	—	66·6	46·4	56·5	—	73	37	57·2	54·1	81	0·4	6·7	+1·5	47	·21	—	3	2·6
„ 30th, ...	30·099	—	67·7	46·3	57·0	—	72	40	56·7	54·2	86	0·2	6·3	+1·2	46	·00	—	0	1·2
September 6th, ...	30·189	—	62·0	48·6	55·3	—	66	42	55·8	53·1	84	0·4	3·4	-1·5	26	·01	—	1	2·3
„ 13th, ...	30·076	—	64·6	45·1	54·9	—	72	39	55·5	52·9	85	0·5	3·6	-1·2	28	1·54	—	4	2·4
„ 20th, ...	29·684	—	59·7	39·3	49·5	—	63	33	49·6	48·1	90	0·3	4·2	-0·4	34	1.44	—	4	1·4
„ 27th, ...	29·881	—	63·7	49·3	56·5	—	68	45	57·6	55·5	88	0·3	0·7	-3·7	6	1·12	—	4	2·2
Mean, ...	30·074	+·126	65·3	47·0	56·2	−0·5	76	33	56·4	53·7	84	0·4	4·6	-0·6	32	5·67	-2·71	36	1·9

* Height above Mean Sea Level, Station H = 155 feet; Barometer Hb = 159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months July to September.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 27th September, 1913,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*: with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1913.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*	TOTAL DEATHS.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E.,	29,908	21·0	4·8	157	43	6	7	6	8	28	32	27	2	.	.	.	3	1	.	.	18	9	6	5	9	28	2	4	2
" 1, W.,	40,871	22·1	4·1	226	52	14	9	9	14	36	42	50	1	.	.	.	2	.	1	.	24	6	15	12	18	34	4	5	8
" 2,	27,883	23·8	4·2	166	42	16	8	9	6	28	27	30	1	2	.	.	.	2	1	.	17	13	9	8	10	22	1	6	2
" 3,	35,185	16·9	2·2	149	37	6	5	7	7	23	35	29	1	.	.	.	1	1	.	.	19	3	5	7	17	16	.	10	2
CLONTARF AND HOWTH, No. 1, part of.	5,431	13·3	0·7	18	3	.	.	2	4	2	5	2	.	.	.			.	.	.	4	2	2		2	1	.	3	.
COOLOCK AND DRUMCONDRA, part of,	13,.50	11·2	1·5	38	5	.	.	.	1	9	11	12	.	1	.	.	.	1	.	.	5	.	7	2	1	3	.	.	.
FINGLAS AND GLASNEVIN, part of,	10,617	9·0	.	24	2	1	2	.	3	6	6	4	.	.	.	.	.	.	.	.	3	1	1	1	3	.	.	1	.
South City.																													
SOUTH CITY, No. 1,	40,366	19·3	3·2	195	50	8	2	7	13	30	46	39	1	.	.	.	.	.	1		30	7	15	5	13	27	3	2	2
" 2,	18,341	23·8	4·4	109	24	11	2	2	5	22	25	18	.	.	.	.	.	1	1	.	14	5	4	8	9	18	.	1	3
" 3,	43,110	21·2	4·5	228	65	13	9	14	7	29	50	41	2	.	.		1	2	3	.	35	11	13	9	18	36	5	9	2
" 4,	33,171	21·5	4·9	178	47	23	6	4	9	13	49	27	1	.	.	5	.	4	1	.	16	9	9	9	11	30	.	6	5
NEW KILMAINHAM,	9,754	16·4	5·7	40	18	3	.	1	.	7	6	5	.	.	.	.	.	.	.	.	4	1	.		2	14		1	.
Urban Districts.																													
RATHMINES AND RATHGAR,	38,769	13·1	2·3	127	30	4	2	3	5	21	29	33	1	.	.	.	.	1	1	.	11	4	12	7	8	18	1	2	3
PEMBROKE,	29,942	16·0	2·1	120	25	5	3	4	6	16	23	38	.	.	.	.	1	1	2	.	9	3	12	6	13	11	1	5	1
BLACKROCK,	9,161	14·0	1·3	32	5	1	.	.	1	5	9	11	.	.	.	.	.	.	.	.	4	2	4	2	2	2	1	.	.
KINGSTOWN,	16,941	18·4	0·5	78	11	4	5	3	3	11	15	26	.	.	.	.	.	1		.	7	3	7	4	3	.	1	1	2
Total City. North,	163,445	19·0	3·2	778	184	43	31	33	43	132	178	154	5	3	.	.	6	5	2	.	90	34	45	35	60	104	7	29	14
Total City. South,	144,742	20·7	4·3	750	204	58	19	28	34	101	176	130	4	.	.	5	1	7	6	.	99	33	41	31	53	125	8	19	12
Total City. North and South,	308,187	19·8	3·7	1,528	388	101	50	61	77	233	334	284	9	3	.	5	7	12	8	.	189	67	86	66	113	229	15	48	26
Total Urban Districts,	94,813	15·1	1·8	357	71	14	10	10	15	53	76	108	1	.	.	.	1	3	3		31	12	35	19	26	31	4	8	6
Total Registration Area,	403,000	18·7	3·3	1,885	459	115	60	71	92	286	410	392	10	3	.	5	8	15	11	.	220	79	121	85	139	260	19	56	32
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				128	7	3	2	7	19	35	37	18	2	.	.	.	.	.	2		17	11	18	4	7	3	.	5	.

* See note (*) on page 624h.

† See note (*) on page 624i.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 27th September, 1913;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 27TH SEPTEMBER, 1913.																													
	ALL PERSONS, ...	397,957	20·2	2,013	646	78	111	321	447	244	166	12	3	.	5	8	15	13	.	237	90	139	44	89	146	263	19	61	869	32
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·5	64	2	.	2	7	26	8	19	.	.	.	.	.	.	.	.	.	1	10	1	2	3	.	.	.	47	.
II.	MIDDLE CLASS, ...	101,798	13·9	354	63	18	24	61	85	58	45	4	.	.	.	.	3	3	.	25	14	35	6	17	19	25	2	15	186	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·6	423	138	19	31	68	93	53	21	2	.	.	.	4	2	1	.	61	17	21	7	26	34	56	9	9	174	7
IV.	GENERAL SERVICE CLASS, ...	167,479	20·3	852	398	32	42	124	150	63	43	5	3	.	5	4	10	9	.	96	42	42	29	34	48	162	8	34	321	21
V.	INMATES OF WORKHOUSES, ...	5,602	—	320	45	9	12	61	93	62	38	1	.	.	.	.	.	.	.	55	16	31	1	10	42	20	.	3	141	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,868	24·9	49	2	.	2	5	21	7	12	.	.	.	.	.	.	.	.	.	1	7	1	2	2	.	.	.	36	.
	2. Merchants and Manufacturers, Higher Class	1,347	3·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	10·3	14	.	.	.	1	5	1	7	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	10	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	10·1	24	6	.	1	5	7	3	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	2	.	1	17	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	11·9	94	16	2	1	15	28	18	14	.	.	.	.	.	1	1	.	1	2	8	1	7	6	3	1	3	60	2
	6. Clerks and Commercial Assistants, ...	33,249	11·7	97	32	3	10	22	15	13	2	3	.	.	.	.	2	1	.	11	4	6	4	3	3	14	.	3	43	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	33,827	16·4	139	9	13	12	19	35	24	27	1	.	.	.	.	.	1	.	12	7	21	.	6	10	6	1	8	66	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	16·0	47	21	1	1	12	4	5	3	.	.	.	.	.	.	.	.	7	4	1	1	3	3	9	.	3	16	.
	9. Building and Furnishing Trades, ...	28,823	16·0	115	48	5	2	15	28	13	4	.	.	.	.	2	1	.	.	14	6	6	3	4	9	20	3	3	44	1
	10. Clothing Trades, ...	20,026	12·4	62	15	3	9	10	12	10	3	.	.	.	.	.	.	.	.	20	3	4	.	5	4	4	4	.	18	2
	11. Food Supply Trades, ...	8,952	10·7	24	8	1	.	4	5	4	2	.	.	.	.	.	.	.	.	1	.	3	.	6	2	2	.	.	10	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	19·0	152	42	8	17	23	36	19	7	2	.	.	.	2	1	1	.	17	4	7	2	7	14	19	1	3	72	3
	13. Petty Shopkeepers, ...	6,772	13·6	23	4	1	2	4	8	2	2	.	.	.	.	.	.	.	.	2	.	.	1	1	2	2	1	.	14	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	16·3	53	20	.	.	13	9	9	2	.	.	.	.	1	.	.	.	4	.	4	.	2	3	13	1	1	24	.
	15. Domestic Servants, ...	36,041	7·4	67	18	.	5	15	13	6	10	.	1	.	.	.	.	.	.	10	4	5	.	2	5	6	1	.	33	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	20·0	77	34	3	4	11	15	5	5	.	.	.	1	.	1	1	.	9	6	5	2	5	3	14	1	3	26	3
	17. Hawkers, Porters, Labourers, &c., ...	193,081	25·4	655	326	29	33	85	113	43	26	5	2	.	4	3	9	8	.	73	32	28	27	25	37	129	5	30	238	17
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	320	45	9	12	61	93	62	38	1	.	.	.	.	.	.	.	55	16	31	1	10	42	20	.	3	141	.

Twenty-seven Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin registration area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 18·1 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Athlone, 7·0 ; Bray, 11·4 ; Portadown, 13·0 ; Clonmel, 13·3 ; Bangor, 13·4 ; Tralee, 13·6 ; Sligo, 13·6 ; Lurgan, 14·0 ; Limerick, 14·6 ; Armagh, 15·2 ; Newry, 15·4 ; Larne, 15·4 ; Lisburn, 15·5 ; Ballymena, 16·2 ; Drogheda, 16·3 ; Coleraine, 16·4 ; Wexford, 16·6 ; Dundalk, 16·8 ; Londonderry, 17·4 ; Belfast, 18·2 ; Kilkenny, 18·3 ; Dublin Registration Area, 18·7 ; Newtownards, 18·8 ; Waterford, 20·2 ; Cork, 22·0 ; Queenstown, 22·9 ; and Galway, 26·3.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 27 districts is 3·6 per 1,000 of the population, the rates varying from 0·0 in 2 of the districts to 11·5 in Galway, the 87 deaths from all causes for that district including one from enteric fever, 15 from measles, 20 from whooping-cough, one from diphtheria, and one from diarrhœa of a child under 2 years of age.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Enteric Fever.—There were 8 deaths for Belfast, 4 for Limerick, and one for Galway.

Typhus.—Of 3 deaths, one belonged to Belfast, and 2 to Cork.

Small-pox.—There was no death recorded from small-pox.

Measles.—Of 68 deaths, 4 belonged to Belfast, 16 to Londonderry, 25 to Waterford, 15 to Galway, one to Lisburn, 4 to Newry, and 3 to Tralee.

Scarlet Fever.—Thirty deaths appertain to Belfast, and one to Bangor.

Whooping-cough.—The deaths, in number 35, were as follows :—Eleven for Belfast, 20 for Galway, 2 for Lisburn, and one for each of Larne and Bray.

Diphtheria.—There were 11 deaths for Belfast, and one for each of the following districts :—Limerick, Galway, Lurgan, Wexford, Kilkenny, Larne, and Bangor.

Diarrhœa and Enteritis.—Of 486 deaths from diarrhœa and enteritis of children under 2 years, 285 belonged to Belfast, 56 to Cork, 28 to Londonderry, 4 to Limerick, 26 to Waterford, and 10 to each of Lisburn and Portadown.

Phthisis.—The annual death-rate from phthisis for the 27 towns in the aggregate was 1·9 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·2 per 1,000, for Belfast county borough 1·9 per 1,000, and for the urban districts collectively (exclusive of Dublin Registration Area and Belfast), it was 1·6 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 27th September, 1913,** in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Registration—Quarter (13 weeks) ended Saturday, 27th September, 1913. Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.†	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 27 Town Districts, ...	1,199,180	19·0	26·8	18·1	3·6	8,025	5,428	1,291	1,104	23	6	...	73	39	50	29	1	564	223	297	253	379	746	100	117	199	1,576	140
Dublin Registration Area:—Total	403,000	29·3	27·2	18·7	3·3	2,738	1,885	459	392	10	3	...	5	8	15	11	...	220	79	121	85	139	260	19	56	63	714	32
Urban Districts. City of Dublin, ...	308,187	39·0	30·7	19·8	3·7	2,364	1,528	388	284	9	3	...	5	7	12	8	...	189	67	86	66	113	229	15	48	55	615	26
Rathmines and Rathgar, ...	38,769	22·6	12·9	13·1	2·3	125	127	30	33	1	...	...	...	...	1	1	...	11	4	12	7	8	18	1	2	2	41	3
Pembroke, ...	29,912	19·0	17·9	16·0	2·1	131	120	25	38	...	...	...	...	1	1	2	...	9	3	12	6	13	11	1	5	4	39	1
Blackrock, ...	9,161	8·5	12·2	14·0	1·3	28	32	5	11	...	...	...	..	...	...	...	...	4	2	4	2	2	2	1	...	...	6	...
Kingstown, ...	16,941	11·6	20·5	18·4	0·5	87	78	11	26	...	...	...	...	...	1	...	...	7	3	7	4	3	...	1	1	2	13	2
Urban Districts. Belfast, ...	396,000	26·5	27·9	18·2	3·8	2,762	1,801	473	295	8	1	...	4	30	11	11	...	185	67	81	104	129	285	30	37	78	426	10
Cork, ...	76,673	28·6	24·3	22·0	4·4	465	422	82	96	...	2	...	...	...	...	...	...	35	16	31	22	23	56	27	4	17	158	16
Londonderry, ...	41,000	15·9	25·5	17·4	4·4	261	178	40	39	...	...	...	16	...	...	...	...	12	8	11	4	12	28	1	4	8	18	2
Limerick, ...	38,518	16·1	26·9	14·6	1·0	259	141	23	34	4	...	...	...	...	...	1	...	15	7	10	4	20	4	1	...	3	69	14
Waterford, ...	27,464	19·1	26·7	20·2	8·4	183	139	43	27	...	...	...	25	...	...	...	...	10	6	3	3	9	26	7	1	6	40	9
Galway, ...	13,255	2·5	30·5	26·3	11·5	101	87	17	15	1	...	...	15	...	20	1	...	5	1	1	4	3	1	...	3	3	20	18
Dundalk, ...	13,128	9·5	24·4	16·8	3·4	80	55	18	12	...	..	...	...	...	...	...	...	3	...	2	3	6	9	2	...	1	5	3
Lurgan, ...	12,553	14·7	25·2	14·0	1·3	79	44	10	8	...	...	...	...	...	...	1	...	7	5	2	3	1	3	...	...	1	10	...
Drogheda, ...	12,501	8·4	22·1	16·3	1·0	69	51	3	20	...	...	...	...	...	...	...	...	5	1	3	1	2	3	...	5	6	14	1
Lisburn, ...	12,388	10·9	29·4	15·5	4·5	91	48	14	9	...	...	...	1	...	2	...	..	4	3	1	3	1	10	1	...	2	11	1
Newry, ...	11,963	17·0	21·7	15·4	2·0	65	46	4	12	...	...	...	4	...	...	...	...	6	...	3	4	5	1	1	1	2	8	2
Portadown, ...	11,727	15·3	31·4	13·0	3·4	92	38	11	7	...	...	...	...	...	...	...	...	6	2	...	1	1	10	...	...	...	...	...
Wexford, ...	11,531	22·8	31·2	16·6	2·8	90	48	11	12	...	...	...	...	...	...	1	...	5	6	3	2	4	6	1	...	1	6	15
Ballymena, ...	11,381	9·3	19·7	16·2	2·8	56	46	9	15	...	...	...	...	...	...	...	...	5	2	3	1	3	7	1	1	1	5	1
Sligo, ...	11,163	3·8	21·9	13·6	0·7	61	38	7	15	...	...	...	...	...	...	...	...	5	3	2	1	...	1	1	...	...	5	10
Kilkenny, ...	10,514	11·4	25·1	18·3	1·1	66	48	6	14	...	...	...	...	...	...	1	...	2	2	4	1	4	2	...	...	...	21	3
Tralee, ...	10,300	17·4	23·7	13·6	3·9	61	35	10	6	...	...	...	3	...	...	...	...	1	4	1	...	...	6	1	1	1	5	1
Clonmel, ...	10,209	7·8	24·3	13·3	1·6	62	34	9	5	...	...	...	...	...	...	...	1	5	3	1	...	1	3	...	1	3	12	5
Newtownards, ...	9,587	20·1	22·1	18·8	2·9	53	45	8	14	...	...	...	...	...	...	...	...	8	1	3	...	4	7	...	...	...	4	2
Queenstown, ...	8,209	14·7	20·0	22·9	7·3	41	47	7	13	...	...	...	...	...	...	...	...	6	1	1	3	2	8	7	...	...	7	...
Larne, ...	8,036	13·4	35·8	15·4	2·0	72	31	8	6	...	...	...	...	...	1	1	...	3	1	2	...	...	2	...	2	2	3	...
Coleraine, ...	7,785	7·7	28·8	16·4	...	56	32	4	12	...	...	...	...	...	...	...	...	3	...	3	1	3	...	...	...	...	6	1
Bangor, ...	7,776	8·5	14·4	13·4	2·1	28	26	3	10	...	...	...	...	1	...	1	...	2	...	1	2	2	2	...	...	...	...	...
Bray, ...	7,691	7·2	23·9	11·4	1·6	46	22	4	6	...	...	...	...	...	1	...	...	3	1	3	1	1	2	...	1	1	...	...
Athlone, ...	7,472	6·2	28·4	7·0	...	53	13	1	2	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	4	...
Armagh, ...	7,356	21·8	19·0	15·2	2·2	35	28	7	8	...	...	...	...	...	...	...	...	3	2	1	...	4	4	...	...	...	5	4

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1913; that for each of the other districts is the population according to the Census of 1911.

† See note (*) on page 624*h*.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 27th September, 1913**, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	119	15·1	4·8	60	16	8	9	8	12	7	2	.	.	.	1	.	.	.	3	4	1	2	4	13	3	1	2	15	.
Do. 2 do.	49,500	318	17·4	2·9	215	40	22	23	37	52	41	2	.	.	.	.	.	.	.	28	9	9	11	14	28	6	8	12	47	.
Do. 3 do.	50,032	378	18·5	4·2	231	66	33	26	30	40	36	.	.	.	1	6	2	2	.	20	5	12	15	11	39	3	10	16	54	4
Do. 4 do.	32,637	270	21·1	4·4	172	52	26	14	23	30	27	1	.	.	1	2	1	2	.	13	3	7	8	6	27	2	2	8	63	.
Do. 5 do.	16,112	128	30·0	6·2	121	39	15	9	19	23	16	.	.	.	2	1	4	1	.	13	10	3	8	11	17	.	1	1	43	1
Do. 6 do.	37,293	194	16·5	2·6	154	24	10	14	27	38	41	.	.	.	.	2	2	1	.	13	6	13	10	6	18	1	1	3	32	1
Do. 7 do.	2,681	19	16·4	4·5	11	5	1	3	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	3	.	1	1	1	.
Do. 8 do.	5,964	29	16·1	4·7	24	9	1	3	1	6	4	.	.	.	.	.	1	.	.	3	.	.	1	1	6	.	.	.	5	.
Do. 9 do.	24,427	184	18·8	5·1	115	37	12	15	18	20	13	1	.	.	.	3	1	.	.	12	4	5	11	8	22	4	3	5	31	.
Do. 10 do.	28,958	260	20·3	3·7	147	48	25	13	20	22	19	.	.	.	.	4	.	.	.	16	10	7	7	13	22	1	.	5	26	2
Do. 11 do.	39,311	253	13·7	2·7	135	37	12	20	22	20	24	.	.	.	.	4	.	.	.	18	3	8	8	10	22	1	4	5	27	.
Do. 12 do.	38,076	312	21·1	6·2	201	60	32	30	23	28	28	1	1	.	.	5	.	4	.	16	5	7	9	32	43	5	2	11	31	1
Do. 13 do.	23,233	145	12·6	2·2	73	14	6	9	14	13	17	1	.	.	.	1	.	.	.	6	2	4	5	6	10	1	1	2	10	.
Do. 14 do.	175	1	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	152	25·1	3·5	142	26	15	17	26	37	21	.	.	.	.	1	.	1	.	22	6	5	9	6	15	3	3	7	41	1
Total,	386,947	2,762	18·2	3·8	1,801	473	218	205	268	342	295	8	1	.	4	30	11	11	.	185	67	81	104	129	285	30	37	78	426	10
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	67	14·3	0·9	46	3	1	6	6	16	14	.	.	.	.	.	.	.	.	6	.	7	3	4	3	.	.	.	20	.
Do. 2 do.	10,701	72	26·9	8·2	72	19	9	6	17	14	7	.	1	.	.	.	.	.	.	4	4	5	3	4	14	7	1	6	21	1
Do. 3 do.	9,978	75	17·6	2·8	44	7	5	3	6	13	10	.	.	.	.	.	.	.	.	4	1	5	2	.	4	3	.	3	20	1
Do. 4 do.	8,666	53	25·4	4·6	55	9	6	4	6	15	15	.	.	.	.	.	.	.	.	8	3	2	5	6	7	3	1	2	22	3
Do. 5 do.	6,592	32	18·2	1·2	30	4	2	2	6	7	9	.	.	.	.	.	.	.	.	2	.	2	.	4	2	.	2	2	12	.
Do. 6 do	10,702	79	26·5	6·0	71	18	3	7	10	12	21	.	.	.	.	.	.	.	.	7	2	3	.	3	8	8	.	1	30	6
Do. 7 do	16,616	87	25·0	6·0	104	22	19	5	11	27	20	.	1	.	.	.	.	.	.	4	6	7	9	2	18	6	.	3	33	5
Total,	76,122	465	22·0	4·4	422	82	45	33	62	104	96	.	2	.	.	.	.	.	.	35	16	31	22	23	56	27	4	17	158	16

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
1st *November* 1913.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.
†See note (*) on page 624*h*.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 34863. Wt. P. 127. 375. 10. 1913. Sch. C 9.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 4TH OCTOBER, 1913. [No. 40.

General Register Office, Charlemont House,
Dublin, 6th October, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 13	Sept. 20	Sept. 27	Oct. 4	
27 Town Districts, (a)	**21·1**	**19·8**	**21·0**	**18 0**	**20·0**
Dublin Reg. Area ...	23·2	18·1	21·2	20·1	20·6
Dublin City ...	23·7	18·1	22·8	20·8	21·3
Belfast	20·4	21·1	19·5	13·2	18·1
Cork	26·5	30·6	24·5	21·8	25·8
Londonderry ...	19·1	22·9	22·9	21·6	21·6
Limerick	27·1	10·8	17·6	23·0	19·6
Waterford	5·7	13·3	26·6	38·0	20·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 4·3 per 1,000. Among the 100 deaths from all causes for Belfast are 3 from scarlet fever, and 16 from diarrhœal diseases. Five of the 32 deaths from all causes for Cork are from diarrhœa and enteritis of children under 2 years. Eight of the 17 deaths from all causes for Londonderry are from diarrhœa and enteritis of children under 2 years. Included in the 20 deaths from all causes for Waterford are 6 from diarrhœal diseases. The 3 deaths recorded for Galway are from whooping-cough. Among the 9 deaths from all causes for Lisburn are one from enteric fever and 2 from diarrhœa and enteritis of children under 2 years. One of the 5 deaths from all causes for Newry is from measles. Six of the 7 deaths from all causes for Portadown are from diarrhœa and enteritis of children under 2 years. Among the 4 deaths from all causes for Ballymena are 2 from diarrhœa and enteritis of children under 2 years. Two of the 7 deaths recorded for Tralee are from diarrhœa and enteritis of children under 2 years, and 3 of the 8 deaths from all causes for Queenstown are from diarrhœa and enteritis of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 225—132 boys and 93 girls—and the deaths to 163—83 males and 80 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·1 per 1,000 of the population. During the forty weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 163, represent an annual rate of 21·1 per 1,000; the annual rate for the past forty weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered were 2 from enteric fever, 2 from scarlet fever, one from whooping-cough, 3 from diphtheria, one from influenza, and 26 from diarrhœa and enteritis of children under 2 years of age.

In the 3 preceding weeks deaths from enteric fever were 6, one, and one; deaths from scarlet fever were 0, 2, and 0; deaths from whooping-cough were 2, 0, and 0; deaths from diphtheria were one, 0, and 0; deaths from influenza were 0, one and one; and deaths from diarrhœa and enteritis of children under 2 years of age, 37, 25, and 33 respectively.

There were 19 deaths from all forms of tuberculous disease, including 13 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, and 3 from disseminated tuberculosis. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 29, 16, and 22 respectively.

Cancer, or malignant disease, caused 11 deaths.

Two deaths were caused by broncho-pneumonia, and 2 by pneumonia (type not distinguished).

There were 4 deaths (including 3 of infants under one year of age) from convulsions. Five deaths attributed to premature birth, and 5 to congenital debility are also included in the deaths of infants under one year of age.

Organic diseases of the heart caused 15 deaths, and bronchitis 11 deaths.

There were four accidental deaths, including 2 caused by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness, these cases were all infants under one year old.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 11 were under one month old) and 37 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 23 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·1 per 1,000; the rate in the City was 20·8 (North City Districts, 19·8; South, 22·0) and in the Suburbs, 17·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·7 per 1,000 inhabitants, the rate for the City being 5·2 (in the North City Districts 4·1, and in the South 3·0), and for the Suburbs 2·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000, and include one from influenza, one from pulmonary tuberculosis, and 3 from diarrhœa and enteritis of children under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·2 per 1,000. Included in the total are 3 from pulmonary tuberculosis, one from broncho-pneumonia, one from pneumonia, one from bronchitis, and 3 from diarrhœa and enteritis of children under 2 years.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Tuberculous disease caused 3 deaths and bronchitis one death.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·8 per 1,000. Included in the total are 2 from enteric fever, 3 from tuberculous disease, one from bronchitis, and one caused by drowning.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·9; and Finglas and Glasnevin, part of, 9·8. Of the 3 deaths from all causes for the first-named district 2 are from diarrhœa and enteritis of children under 2 years. Among the 7 deaths from all causes for Coolock and Drumcondra, part of, are one from scarlet fever and one from diarrhœa or enteritis of a child under 2 years.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 19·4 per 1,000, and include 2 from tuberculous disease and 2 from diarrhœa and enteritis of children under 2 years.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Tuberculous disease caused 2 deaths, and there were 3 deaths of children under 2 years from diarrhœa and enteritis.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 25·4 per 1,000. Scarlet fever and whooping-cough each caused one death; there were 2 deaths from diphtheria, 3 from bronchitis, and 2 from diarrhœa and enteritis under 2 years.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000. Included in the total are one from tuberculous disease, one from bronchitis, and 5 from diarrhœa and enteritis of children under 2 years.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·5; Pembroke, 15·7; Blackrock, 34·2; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and 2 from diarrhœa and enteritis under 2 years for Rathmines and Rathgar, and one from infantile diarrhœa for each of Pembroke and Blackrock. Among the 13 deaths from all causes for the first-named district are one from pulmonary tuberculosis and one from bronchitis. One of the 9 deaths from all causes for Pembroke is from bronchitis, and there is one accidental death; and of the 4 deaths from all causes for Kingstown there is one death from pulmonary tuberculosis and one accidental death.

* See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 4th October, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Sept. 13,	.	—	—	11	.	.	6	.	1	8	4	.	—	—	.	—	13	.	43
	Sept. 20,	.	—	—	22	1	.	1	1	1	17	1	.	—	—	.	—	16	.	60
	Sept. 27,	.	—	—	17	.	.	8	.	2	15	6	.	—	—	.	—	16	.	64
	Oct. 4,	.	—	—	22	.	.	7	.	1	8	5	.	—	—	.	—	17	.	60
Rathmines and Rathgar Urban District.	Sept. 13,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Sept. 20,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Sept. 27,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 4,	.	—	—	1	.	.	1	.	.	.	.	.	—	.	—	—	—	—	2
Pembroke Urban District.	Sept. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	3	—	—	.	—	4
	Sept. 20,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	—	—	1	—	2*a*
	Sept. 27,	.	1	.	1	.	.	1	.	.	.	.	.	—	5	—	—	.	—	8
	Oct. 4,	.	.	.	.	.	.	1	.	.	1	.	.	—	2	—	—	.	—	4
Blackrock Urban District.	Sept. 13,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Sept. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Sept. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 27,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	7	—	12
	Oct. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Sept. 13,	.	—	—	57	2	.	8	.	1	4	10	.	—	—	—	—	13	—	95*b*
	Sept. 20,	.	—	—	45	.	.	3	.	.	1	3	.	—	—	*c*	—	4	2*c*	58
	Sept. 27,	.	—	—	40	1	.	6	2	.	3	6	1	—	—	.	—	14	3	76
	Oct. 4,	.	—	—	48	4	.	7	.	1	6	4	.	—	—	1	—	13	1	85

(*a*) Not including 3 cases of varicella. (*b*) Not including 3 cases of poliomyelitis. (*c*) Notifiable as from 17th September.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th October, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of enteric fever were admitted to hospital during the week, 13 were discharged, and 55 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 36, 49, and 62.

One case of typhus was admitted to hospital during the week, 2 were discharged, and 2 cases remained under treatment at its close. At the close of the 3 previous weeks the cases in hospital were 4, 3, and 3, respectively.

Eighteen cases of measles were admitted to hospital, and 32 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were one, 6 and 14 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 5 were discharged, there was one death, and 91* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 65, 76, and 79, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there were 3 deaths The cases in hospital, which at the close of the 3 preceding weeks numbered 31, 30, and 37, respectively, were 36 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 9 were discharged, there were 2 deaths, and 30 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·6), was equal to an average annual death-rate of 13·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·5 per 1,000, the rate for Glasgow being 14·8, and for Edinburgh 11·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th October. From this Report it appears that of a total of 78 cases notified, 36 were scarlet fever, 24 phthisis, 12 diphtheria, 5 erysipelas, and one enteric fever. Among the 365 cases of infectious diseases in hospital at the close of the week were 171 cases of scarlet fever, 100 of phthisis, 51 of diphtheria, 16 of measles, 8 of enteric fever, 6 of erysipelas, 4 of whooping-cough, and one of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 4th October, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 4th October, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 27 Town Districts, ...	1,199,180	19·0	30·3	18·0	4·3	696	415	117	85	3	...	...	1	5	4	3	...	35	19	23	10	24	78	5	7	14	121	16
Dublin Registration Area:—Total, (c.) ...	403,000	29·3	29·1	20·1	4·7	225	155	42	36	2	...	...	...	2	1	3	...	11	6	11	2	12	26	2	3	6	62	3
City of Dublin,	308,187	39·0	32·8	20·8	5·2	194	123	33	26	2	...	...	...	2	1	2	...	9	6	8	2	10	22	2	1	5	56	3
Urban Districts. Rathmines & Rathgar.	38,769	22·6	13·4	17·5	4·0	10	13	5	3	...	...	...	...	...	...	1	..	1	...	1	...	1	2	...	...	...	4	...
Pembroke. ...	29,942	19·0	13·9	15·7	1·7	8	9	3	4	...	...	...	...	...	...	...	...	...	...	..	...	1	1	...	1	..	1	...
Blackrock, ...	9,161	8·5	45·5	34·2	5·7	8	6	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...
Kingstown, ...	16,941	11·6	15·4	12·3	.	5	4	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	1	...	...	...
Urban Districts. Belfast ..	396,000	26·5	25·9	13·2	2·5	197	100	24	13	...	...	...	...	3	...	...	...	10	3	4	8	7	15	1	1	4	23	...
Cork, ..	76,673	28·6	35·4	21·8	3·4	52	32	8	7	...	...	...	...	...	...	...	...	1	5	1	...	2	5	...	...	...	14	3
Londonderry ...	41,000	15·9	36·9	21·6	10·2	29	17	7	2	...	...	...	...	...	...	...	...	...	...	3	...	...	8	...	2	2	2	...
Limerick, ...	38,518	16·1	56·9	23·0	1·4	42	17	2	4	...	...	...	...	...	...	...	...	6	1	...	...	1	1	...	...	...	7	3
Waterford, ...	27,464	19·1	28·5	38·0	11·4	15	20	5	7	...	...	...	...	...	...	...	...	1	1	3	...	1	5	1	...	...	5	1
Galway, ...	13,255	2·5				9	3	1	...	...	..	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Dundalk, ...	13,128	9·5				9	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Lurgan, ...	12,553	14·7				7	2	...	1	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,501	8·4				6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...
Lisburn, ...	12,388	10·9				4	9	2	1	1	...	...	..	...	...	...	...	2	...	...	...	1	2	...	...	..	2	...
Newry, ...	11,963	17·0				4	5	1	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	1	1	1	...
Portadown, ...	11,727	15·3				2	7	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	...	...	...
Wexford, ...	11,531	22·8				6	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1
Ballymena ..	11,381	9·3				28	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...
Sligo, ...	11,163	3·8				7	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...
Kilkenny, ...	10,514	11·4				4	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	2
Tralee, ...	10,300	17·4				11	7	3	3	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	1	...
Clonmel, ...	10,209	7·8				4	1	1	...	..	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...
Newtownards,	9,587	20·1				4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Queenstown, ...	8,209	14·7				4	8	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	...	1
Larne, ...	8,036	13·4				8	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				2	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				5	3	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				6	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
Armagh, ...	7,356	21·8				1	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	..

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

Towns and Districts.	Meteorology. (d) Week ending 4th October, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:—Total, (c.) ...	e 68	47	56·6	0·06	e 68	45	56·5	1·12	e 63	33	49·5	1·44
City of Dublin,	f 67·0 g 68·3	54·7 51·8	58·3 57·8	0·08 0·13	f 65·7 g 66·1	49·1 45·0	57·8 57·3	0·76 1·14	f 60·9 g 62·8	41·5 37·6	51·5 50·8	1·81 1·74
Urban Districts. Rathmines & Rathgar.	..	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	67	52	59·1	0·71	66	51	59·3	0·71	64	47	54·1	1·44
Urban Districts. Belfast ..	66	47	55·7	0·04	66·0	42·8	57·0	0·74	64	36	51·8	2·90
Cork, ..	67	51	58·4	1·05	63	51	58·3	2·28	63	47	54·3	2·55
Londonderry ...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	68·4	45·8	56·6	0·10	67·9	45·8	57·7	2·15	65·0	35·6	52·2	1·96
Waterford, ...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	71	43	54·6	0·23	66	42	54	1·67	66	37	50	1·54
Dundalk, ...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46
Drogheda, ...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46
Newry, ...	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46
Portadown, ...	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46
Wexford, ...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	70	39	56·0	0·03	68	46	56·0	1·11	65	38	51·0	1·17
Kilkenny, ...	70	50	57·7	0·08	67	50	58·8	1·47	66	38	52·5	0·64
Tralee, ...	...	...	...	...	...	...	...	...	...	...	..	...
Clonmel, ...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	62	53	56·6	0·08	65	45	55·7	0·86	61	47	53·6	1·07
Queenstown, ...	67	51	58·4	1·05	63	51	58·3	2·28	63	47	54·3	2·55
Larne, ...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68	64·1	37·0	52·6	1·46

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under one year old and one at 73 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th of October, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	3	1	2	.	.	.	1	1	.	.	.	1	.	.	1	11	2
Tuberculous Disease. { Other Forms,	.	.	2	1	.	.	.	1	1	.	1	.	.	.	.	.	6	.
Cancer,	.	.	1	.	.	1	.	1	1	4	.	.	1	.	.	2	11	.
Diseases of Nervous System,	.	2	1	1	.	1	.	2	3	2	1	.	2	2	2	.	19	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	3	1	1	.	3	.	1	1	.	1	.	1	1	.	.	14	1
" Respiratory System. { Pneumonia,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" Respiratory System. { Others,	.	1	1	1	.	.	.	2	1	3	1	.	1	1	.	.	12	1
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	3	3	.	.	2	1	1	2	3	2	5	.	2	1	1	.	26	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	2	.	.	1	.	.	.	.	.	.	1	.	1	1	.	7	.
" Genito-urinary System,	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	2	4	.	.	.	1	4	.	2	2	.	4	1	1	.	23	1
Violent Deaths,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	3	1
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	1	1	.	.	.	1	.	4	.
Deaths from All Causes	9	19	12	10	3	7	2	15	11	21	12	2	13	9	6	4	155	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·7	24·2	22·4	14·8	28·8	26·9	9·8	19·4	31·3	25·4	18·9	10·7	17·5	15·7	34·2	12·3	20·1	.
	19·8							22·0					17·6					
	20·8																	
Ages at Death. Under 1 year,	4	3	3	.	2	1	2	7	3	3	5	.	5	3	1	.	42	1
1 and under 2 years,	1	2	.	.	.	.	.	.	2	2	1	.	.	.	.	.	8	.
2 " 5 "	.	1	1	2	.	.	.	.	.	1	.	.	2	.	.	.	7	.
5 " 15 "	.	1	1	.	.	1	.		.	2	.	.	.	.	.	.	5	.
15 " 25 "	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	3
25 " 45 "	1	2	3	3	.	.	.	2	1	.	.	1	1	.	1	1	16	2
45 " 65 "	2	2	2	3	.	3	.	3	4	8	2	1	2	2	1	3	38	1
65 and upwards,	1	6	2	2	.	2	.	3	1	5	4	.	3	4	3	.	36	1
Number of Uncertified Deaths,	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	7	4	2	1	2	.	1	.	6	1	2	4	.	1	.	32	5
Workhouse Hospitals,	.	3	3	4	.	.	.	4	3	8	4	.	.	1	.	.	30	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 4th October, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.	Oct. 8, 1910.	Oct. 7, 1911.	Oct. 5, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 52·4	° 48·3	° 48·3	° 53·3	° 52·4	° 60·6	° 53·2	° 52·5	° 45·6	° 45·9	° 51·6	° 56·6										
ALL CAUSES.	150	130	158	198	161	146	134	160	179	136	155·2	163	11	32	8	7	5	6	18	39	23	14
Enteric Fever, ...	2	1	2	.	.	4	.	3	2	2	1·6	2	.	.	.	1	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	4	1	1	.	2	·8	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	.	.	1	.	1	1	1	·6	2	.	.	.	1	1	.	.	.	.	.
Whooping-cough, ...	2	3	.	1	3	.	3	2	.	2	1·6	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	.	3	1	1	2	.	1	·9	3	.	.	1	1	1	.	.	.	.	.
Croup, ...	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	1	1	1	.	.	1	1	1	·7	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	2	1	.	1	1	.	.	.	·5	1	.	.	.	1	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	.	.	.	.	.	2	.	·4	1	.	.	.	.	1	.	.	.	.	.
Tetanus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	24	25	23	32	13	17	17	18	18	21·4	13	.	.	1	.	.	3	5	4	.	.
Tuberculous Meningitis, ...	.	2	6	3	5	4	3	2	2	.	2·7	3	.	2	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	5	2	1	2	.	2	.	1	4	.	1·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	9	4	10	3	6	7	2	9	.	.	6·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									6	3		3	.	2	.	.	.	.	1	.	.	.
Venereal Diseases, ...	1	1	2	1	2	.	4	1	1	.	1·3	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	9	3	11	13	12	12	8	12	6	15	10·1	11	.	.	.	.	.	.	.	8	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	2	1	.	.	2	1	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	2	1	—	2	.	.	.	.	.	.	1	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	1	.	.	.	.	.	.
Alcoholism, ...	1	1	.	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	.	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									2	2		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									9	5		7	.	.	.	.	.	.	.	3	3	1
Softening of Brain, ...									.	.		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.									1	4		4	.	.	.	.	.	.	.	1	3	.
Epilepsy, ...									.	.		1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),									2	4		4	.	3	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	31	31	30	37	32	44	27	35	5	4	33·7	2	.	.	.	.	.	.	.	2	.	.
Pericarditis, ...									.	2		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									15	13		15	.	.	.	.	.	.	3	6	3	3
Embolism and Thrombosis (including Cerebral)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									.	1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	8	11	10	21	6	7	8	15	15	11	11·2	11	.	1	.	.	.	.	.	2	5	3
Broncho-pneumonia, ...	5	3	4	4	2	2	3	1	7	3	3·4	2	.	.	.	.	1	.	1	.	.	.
Lobar pneumonia, ...	.	2	1	.	1	2	1	2	3	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	2	2	5	6	3	4	7	2	4	3	3·8	2	.	.	.	.	.	.	.	2	.	.
Pleurisy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	2	3	1	2	1	1	1	.	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									2	.		2	.	.	.	.	.	.	1	1	.	.

FORTIETH WEEK, ending Saturday, 4th October, 1913, with, as far as practicable, the deaths from each cause in 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 4th October, 1913.									
												—	Deaths of Persons of the Ages of								
													0—5.								
	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.	Oct. 8, 1910.	Oct. 7, 1911.	Oct. 5, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature	52·4°	48·3°	48·3°	53·3°	52·4°	60·6°	53·2°	52·5°	48·6°	45·9°	51·6°	56·6°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	5	2	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	9	12	8	34	14	13	7	19	32	1	15·0	26	3	19	4	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									1	.		2	.	.	.	.	1	.	1	.	.	.
Enteritis 2 years and upwards									.	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	3		.	.	.	.	2	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	1	1	.	1	.	2	2	.	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	.	3	3	.	.	2	1	.	.	1·0	3	.	.	.	.	.	.	1	1	1	.
Peritonitis (cause unknown),	2	.	1	.	.	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	4	3	6	6	1	3	1	2	1	3·2	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	5	3	9	5	6	3	2	5	2	1	4·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									1	4		3	.	.	.	.	.	.	.	3	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									2	.		1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	5	.	1	.	.	.	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	2	7	3	2	2	4	5	3	4	3·3	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	3	—	5	2	3	.	.	.	.	.	.	.	.
Old Age, ...	4	2	4	5	6	1	6	2	4	2	3·6	6	.	.	.	.	.	.	.	.	3	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	.	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	.	.	1	.	3	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	.	.	2	.	1	1	.	.	·5	2	.	.	.	.	.	1	.	1	.	.
Suffocation in Bed, ...	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	1	4	1	2	3	5	1	1	1·9	2	.	.	.	.	.	.	.	1	.	1
Total Deaths from Accident,	1	3	2	4	3	3	5	10	1	4	3·6	4	.	.	.	.	.	1	.	2	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	1	8	—	4	.	.	1	.	.	.	.	1	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered.	283	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225
Average Births in corresponding week of previous 10 years, ...	210	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200
DEATHS registered, ...	216	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163
Annual Death-rate per 1,000, ...	27·9	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1
Average Deaths in corresponding week of previous 10 years, ...	189	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155
Ages, Under 5 years, ...	59	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58
5—15 „ ...	10	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5
15—25 „ ...	12	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6
25—45 „ ...	24	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18
45—65 „ ...	52	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39
65—75 „ ...	39	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23
75 and upwards, ...	20	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2
Typhus, ...	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1		.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.
Scarlet Fever, ...	3	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.		.	1	1	.	.	.	2	.	2
Whooping-cough, ...	3	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1
Diphtheria, ...	4	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3
Influenza, ...	4	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	24	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13
Tuberculous Disease, Other Forms,	10	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6
Cancer, ...	14	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11
Diseases of Circulatory System,	22	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15
Diseases of Respiratory System, Pneumonia	14	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4
Diseases of Respiratory System, Others, ...	32	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7	9	10	10	14	13
Diarrhœa and Enteritis, under 2 years, ...	6	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26
Diarrhœa, 2 years and upwards,	1	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2
Violent Deaths, ...	4	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4
Number of Uncertified Deaths,	12	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3
Mean Temperature of the Air (Phœnix Park)	45·4	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6
Average Mean Temperature in corresponding week of previous 10 years, ...	43·5	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6
Rainfall in inches, ...	·250	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th October, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH OCTOBER, 1913.																													
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	21·4	163	58	5	6	18	39	23	14	2	.	.	.	2	1	3	.	13	6	11	4	4	13	26	2	4	72	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	16·9	33	8	2	3	4	10	4	2	.	.	.	.	2	.	.	.	4	.	3	.	2	2	5	.	2	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14·4	30	10	2	.	4	11	2	1	.	.	.	.	.	1	1	.	3	1	3	.	1	1	4	.	.	15	2
IV.	GENERAL SERVICE CLASS, ...	167,479	19·6	63	33	1	2	8	10	7	2	2	.	.	.	.	.	2	.	4	2	1	4	1	5	15	2	2	23	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	33	6	.	1	2	7	9	8	.	.	.	.	.	.	.	.	2	3	4	.	.	5	1	.	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	28·7	3	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	20·7	10	3	1	.	.	3	3	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	3	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	18·8	12	4	.	3	3	2	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1	1	2	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	15·4	10	.	1	.	1	5	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	2	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	28,823	19·9	11	4	1	.	.	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	7	2
	10. Clothing Trades, ...	20,026	7·8	3	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	5·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	11·4	7	3	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	5	.
	13. Petty Shopkeepers	6,772	23·1	3	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	24·1	6	2	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.
	15. Domestic Servants, ...	36,041	7·2	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	4	.	.	1	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	22·3	44	26	1	1	6	8	2	.	.	.	.	.	.	.	2	.	3	1	1	4	1	4	11	2	2	13	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	33	6	.	1	2	7	9	8	.	.	.	.	.	.	.	.	2	3	4	.	.	5	1	.	.	18	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Aug. 16,	27·9	8·7	16	.	.	.	.	.	1	.	.	.	2	1	.	1	4	.	.	.
		„ 23,	20·9	8·7	12	.	.	.	.	.	.	.	.	3	1	.	.	1	4	1	.	.
		„ 30,	19·2	5·2	11	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
		Sept. 6,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.
		„ 13,	33·1	12·2	19	2	.	.	.	.	.	.	.	.	.	1	2	.	5	.	2	.
		„ 20,	13·9	8·7	8	.	.	.	.	2	.	.	.	.	.	.	1	1	3	.	.	.
		„ 27,	20·9	5·2	12	.	.	.	.	.	.	.	.	1	2	.	.	1	3	.	.	.
		Oct. 4,	15·7	5·2	9	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Aug. 16,	26·8	2·6	21	.	.	.	.	.	.	.	.	1	2	.	1	3	1	1	.	.
		„ 23,	19·1	3·8	15	.	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	2
		„ 30,	30·6	6·4	24	.	.	.	.	.	.	.	.	4	.	.	1	2	5	.	.	1
		Sept. 6,	24·2	6·4	19	.	.	.	.	.	.	.	.	2	.	4	1	2	5	.	1	1
		„ 13,	26·8	5·1	21	.	.	.	.	.	.	.	.	2	.	3	1	1	4	.	.	1
		„ 20,	19·1	3·8	15	.	.	.	.	.	.	.	.	3	.	1	3	.	2	1	.	.
		„ 27,	26·8	8·9	21	.	.	.	.	.	.	.	.	.	.	2	.	1	6	1	.	.
		Oct. 4,	24·2	3·8	19	.	.	.	.	.	.	.	.	3	.	.	2	1	3	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Aug. 16,	20·6	5·6	11	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.
		„ 23,	22·4	3·7	12	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
		„ 30,	18·7	7·5	10	.	2	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.
		Sept. 6,	26·2	5·6	14	1	.	.	.	.	.	.	.	3	1	1	.	.	2	.	1	.
		„ 13,	24·3	7·5	13	.	.	.	.	.	1	.	.	4	1	.	.	.	3	.	.	.
		„ 20,	18·7	5·6	10	.	.	.	.	.	.	.	.	4	.	.	1	.	3	.	.	.
		„ 27,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
		Oct. 4,	22·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Aug. 16,	14·8	4·4	10	.	.	.	.	1	.	.	.	2	.	.	.	2	2	.	.	1
		„ 23,	16·3	1·5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.
		„ 30,	10·4	1·5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
		Sept. 6,	22·2	3·0	15	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.
		„ 13,	20·7	7·4	14	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
		„ 20,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	7	1
		„ 27,	25·2	5·9	17	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	2	.
		Oct. 4,	14·8	3·0	10	2	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Aug. 16,	24·5	6·5	19	.	.	.	.	.	.	.	.	5	1	.	.	1	4	1	.	1
		„ 23,	23·3	2·6	18	.	.	.	.	.	.	.	.	1	1	1	2	.	2	.	.	.
		„ 30,	18·1	5·2	14	.	.	.	.	.	.	.	.	2	.	1	.	.	4	.	1	1
		Sept. 6,	24·5	2·6	19	.	.	.	.	.	.	.	.	3	3	2	.	1	2	.	.	.
		„ 13,	25·8	9·0	20	1	.	.	.	.	.	.	.	2	1	2	.	.	6	.	.	.
		„ 20,	9·0	1·3	7	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
		„ 27,	18·1	2·6	14	.	.	.	.	.	.	.	.	6	.	1	.	.	2	.	.	.
		Oct. 4,	19·4	2·6	15	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Aug. 16,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		„ 23,	28·4	8·5	10	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.
		„ 30,	28·4	2·8	10	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
		Sept. 6,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 13,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
		„ 20,	25·6	8·5	9	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
		„ 27,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
		Oct. 4,	31·3	8·5	11	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Aug. 16,	26·6	7·3	22	.	.	.	.	.	1	.	.	4	.	1	1	1	5	.	1	.
		„ 23,	20·6	2·4	17	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	1	.
		„ 30,	18·1	2·4	15	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	1
		Sept. 6,	31·4	9·7	26	.	.	.	.	.	.	.	.	3	2	4	.	2	7	1	1	.
		„ 13,	24·2	4·8	20	1	.	.	.	.	.	1	.	5	1	.	.	2	1	1	2	1
		„ 20,	18·1	2·4	15	1	.	.	.	.	.	.	.	2	.	1	1	4	1	.	.	.
		„ 27,	26·6	8·5	22	.	.	.	.	.	.	.	.	4	1	1	.	.	7	.	.	.
		Oct. 4,	25·4	8·5	21	.	.	.	.	1	1	2	.	.	.	4	.	3	2	1	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Aug. 16,	20·4	14·1	13	.	.	.	1	.	1	.	.	1	.	.	.	1	7	.	.	.
		„ 23,	22·0	1·6	14	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	.
		„ 30,	33·0	7·9	21	.	.	.	1	.	.	.	.	.	2	1	2	2	4	.	.	.
		Sept. 6,	17·3	6·3	11	1	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1
		„ 13,	18·9	3·1	12	.	.	.	1	.	.	.	.	1	.	.	1	2	1	.	1	.
		„ 20,	22·0	9·4	14	.	.	.	.	.	.	.	.	1	1	1	1	.	6	.	.	.
		„ 27,	18·9	3·1	12	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	1	.
		Oct. 4,	18·9	7·9	12	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Aug. 16,	12·1	1·3	9	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.
	,, 23,	14·8	1·3	11	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
	,, 30,	9·4	2·7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	Sept. 6,	14·8	6·7	11	.	.	.	.	.	.	.	.	2	.	1	.	.	4	1	.	.
	,, 13,	20·2	8·1	15	1	.	.	.	.	1	.	.	3	.	1	.	.	4	.	.	.
Pop. in 1913 (Est.) 38,769.	,, 20,	14·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1
	,, 27,	16·1	5·4	12	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.
	Oct. 4,	17·5	4·0	13	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.
Pembroke Urban District.	Aug. 16,	7·0	.	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	,, 23,	24·4	3·5	14	.	.	.	.	1	.	.	.	2	1	2	1	1	1	.	1	.
	,, 30,	20·9	3·5	12	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.
	Sept. 6,	13·9	3·5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	,, 13,	22·6	3·5	13	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
Pop. in 1913 (Est.) 29,942.	,, 20,	19·2	3·5	11	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1
	,, 27,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.
	Oct. 4,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
Kingstown Urban District.	Aug. 16,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	,, 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	,, 30,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Sept. 6,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 13,	24·6	.	8	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
Pop. in 1911 16,941.	,, 20,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 27,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Oct. 4,	12·3	.	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
Belfast.	Aug. 16,	20·9	4·6	159	3	.	.	.	3	2	.	.	12	9	8	11	13	25	2	5	.
	,, 23,	18·7	5·3	142	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	1
	,, 30,	23·0	6·5	175	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	.
	Sept. 6,	20·7	4·5	157	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	3
Pop. in 1913 (Est.) 396,000.	,, 13,	20·4	6·6	155	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	.
	,, 20,	21·1	6·3	160	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	.
	,, 27,	19·5	4·2	148	1	.	.	.	3	.	1	.	13	3	9	16	15	22	5	1	1
	Oct 4,	13·2	2·5	100	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	.
Cork.	Aug. 16,	25·2	2·7	37	.	.	.	.	.	.	.	.	1	.	2	2	1	2	2	.	2
	,, 23,	24·5	6·8	36	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	3
	,, 30,	24·5	8·8	36	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.
	Sept. 6,	19·7	10·2	29	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.
Pop. in 1911 76,673.	,, 13,	26·5	7·5	39	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.
	,, 20,	30·6	10·2	45	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	2
	,, 27,	24·5	6·1	36	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	4
	Oct. 4,	21·8	3·4	32	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	3
Londonderry.	Aug. 16,	17·8	6·4	14	.	.	.	3	.	.	.	.	.	2	1	.	3	2	.	.	1
	,, 23,	21·6	6·4	17	.	.	.	2	.	.	.	.	.	.	.	2	1	3	.	1	1
	,, 30,	24·2	8·9	19	.	.	.	2	.	.	.	.	.	2	.	.	.	5	.	1	.
	Sept. 6,	15·3	1·3	12	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	1	.
Pop. in 1913 (Est.) 41,000.	,, 13,	19·1	7 6	15	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	.
	,, 20,	22·9	10·2	18	.	.	.	1	.	.	.	.	1	1	1	.	2	6	1	.	.
	,, 27,	22·9	6·4	18	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	Oct. 4,	21·6	10 2	17	.	.	.	.	.	.	.	.	.	.	3	.	.	8	.	2	.
Limerick.	Aug. 16,	16·2	2·7	12	1	.	.	.	.	.	1	.	2	.	1	.	3	.	.	.	.
	,, 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
	,, 30,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1
	Sept. 6,	19·0	4·1	14	.	.	.	.	.	.	.	.	2	1	.	.	1	3	.	.	.
Pop. in 1911 38,518.	,, 13,	27·1	2·7	20	.	.	.	.	.	.	.	.	3	.	1	2	.	1	1	.	5
	,, 20,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
	,, 27,	17·6	.	13	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	Oct. 4,	23·0	1·4	17	.	.	.	.	.	.	.	.	6	1	.	.	1	1	.	.	3
Waterford.	Aug. 16,	20·9	3·8	11	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	1
	,, 23,	13·3	7·6	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	2
	,, 30,	24·7	20·9	13	.	.	.	1	.	.	.	.	.	1	.	.	.	9	1	.	1
	Sept. 6,	34·2	13·3	18	.	.	.	3	.	.	.	.	1	.	2	.	2	2	2	.	3
Pop. in 1911 27,464.	,, 13,	5·7	3·8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	,, 20,	13·3	5·7	7	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
	,, 27,	26·6	9·5	14	.	.	.	1	.	.	.	.	2	.	.	.	1	3	1	.	.
	Oct. 4,	38·0	11·4	20	.	.	.	.	.	.	.	.	1	1	3	.	1	5	1	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th October, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	11	26·3	6·6	8	.	3	2	1	2	.	.	.	.	.	2	.	.	.	.	2	.	.	1	.	.	.	.	5	.
Do. 2 do.	49,500	16	17·9	4·2	17	5	4	1	2	4	1	.	.	.	.	.	.	.	.	1	1	.	1	.	4	.	1	1	2	.
Do. 3 do.	50,032	21	15·6	3·1	15	4	.	2	3	5	1	.	.	.	.	.	.	.	.	2	.	.	3	1	2	1	.	.	4	.
Do 4 do.	32,637	24	12·8	4·8	8	2	1	1	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	4	.
Do. 5 do.	16,112	8	9·7	3·2	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
Do. 6 do.	37,293	10	8·4	1·4	6	.	1	.	1	3	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	1	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	8	8·7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	18	6·4	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 10 do.	28,958	13	16·2	5·4	9	2	4	1	.	1	1	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	.	.	2	.
Do. 11 do.	39,311	13	10·6	1·3	8	1	1	.	2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
Do. 12 do.	38,076	31	21·9	.	16	5	.	3	4	1	3	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	2	3	.
Do. 13 do.	23,233	17	6·7	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	6	6·9	2·3	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Total,	386,947	197	13·2	2·5	100	24	15	11	17	20	13	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	4	23	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	12	11·6	.	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do 2 do.	10,701	6	30·1	.	6	.	2	1	1	1	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	3	.
Do 3 do.	9,978	7	31·9	10·6	6	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
Do 4 do.	8,666	7	28·5	.	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	3	1
Do 5 do.	6,592	4	25·0	.	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do 6 do.	10,702	9	13·5	4·5	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Do. 7 do.	16,616	7	19·5	6·5	6	2	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	3	.
Total,	76,122	52	21·8	3·4	32	8	4	5	3	5	7	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	.	14	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered, ...	218	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197
DEATHS registered, ...	149	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100
Annual Death-rate per 1,000 of estimated population, ...	19·6	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2
AGES, Under 1 year, ...	24	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24
1—5 years, ...	15	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15
5—25 ,, ...	18	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11
25—45 ,, ...	35	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17
45—65 ,, ...	32	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20
65 and upwards, ...	25	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.
Scarlet Fever, ...	2	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3
Whooping-cough, ...	.	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.
Diphtheria, ...	1	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1	
Dysentery, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	18	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10
Tuberculous Disease. Other Forms,	9	7	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3
Cancer, ...	9	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4
Diseases of Respiratory System, Pneumonia,	11	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8
Diseases of Respiratory System, Others, ...	20	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7
Diarrhœa and Enteritis, under 2 years, ...	3	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15
Diarrhœa, 2 years and upwards,	1	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1
Violent Deaths, ...	2	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1
Number of Uncertified Deaths, ...	1	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Oct. 4,	2,079	1,092	12·6	4	.	5	2	5	9	142*a*
Edinburgh, ...	320,300	„ 4,	111	69	11·2	.	.	1	1	.	2	4*a*
Glasgow, ...	1,021,500	„ 4,	495	290	14·8	2	.	7	1	3	4	18*a*
Calcutta, ...	896,067	Aug. 23,	.	420	24·3	72*	1	1	.	.	3†	72‡
Bombay, ...	979,445	„ 30,	405	581	30·8	91*	2	.	.	.	1	82‡
Madras.	518,660	Sept. 6,	465	332	33·3	51*	.	.	?	?	?	75
Cairo, ...	715,609	July 15,	555	771	56·2	3	1	4	.	?	9†	294*a*
Paris, ...	2,847,229	Sept. 20,	872	750	13·5	6	.	2	1	8	2	60*a*
Brussels, ...	767,252	„ 13,	202	188	12·7	3	.	.	1	1	.	27*a*
Antwerp, ...	312,884	„ 20,	130	84	14·0	.	.	1	2	1	3†	23*a*
Amsterdam, ...	591,053	„ 13,	268	112	9·9	.	.	2	.	1	1†	6*a*
Copenhagen, ...	473,500	„ 13,	220	109	12·0	.	.	.	.	.	.	9*a*
Stockholm, ...	376,171	„ 13,	123	81	11·2	1	.	.	.	.	1	6*a*
Christiania, ...	250,423	„ 20,	98	51	10·6	.	.	1	.	.	2	1
St. Petersburg ...	1,708,600	Aug. 30,	736	728	22·2	38	.	7	15	10	4	130*a*
Moscow, ...	1,694,000	„ 23,	.	963	29·6	4	1	24	12	8	12	445
Berlin, ...	2,066,186	„ 30,	743	4[illegible]5	12·0	4	?	1	3	2	12†	52
Hamburg, ...	1,006,748	Sept. 13,	.	215	11·1	4	?	.	3	2	10†	25
Breslau, ...	539,054	„ 13,	.	160	15·5	1	.	.	1	.	1	21
Munich, ...	638,000	„ 13,	.	146	11·9	2	.	.	.	4	1†	7
Vienna (with suburbs),	2,115,254	„ 13,	730	481	11·8	1	.	.	3	6	11†	35*a*
Buda-Pesth, ...	930,666	„ 13,	379	322*c*	18·0	1	.	1	5	.	2†	47*a*
Prague and Faubourgs,	494,055	Aug. 30,	162	137	14·5	.	.	.	1	1	.	4*a*
Trieste, ...	239,703	Sept. 13,	134	110	23·9	1	2	.	.	.	.	44*a*
Rome, ...	579,187	June 7,	296	186	16·7	2	.	7	.	.	.	22
New York, ...	5,372,983	Aug. 30,	2,550	1,274	12·4	7	.	5	1	13	18†	163*a*
Philadelphia, ...	1,631,960	„ 16,	.	474	15·1	7	.	1	2	3	1	87*a*
Boston, ...	735,399	Sept. 13,	.	228*b*	16·2	3	.	.	1	1	1	33

* Deaths from "fever," including 5 from enteric fever and 6 from plague in Calcutta, 3 from enteric fever and 9 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 8 deaths from cholera in Calcutta, and 2 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 197 (including 27 deaths from diarrhœal diseases), rate 13·97 per 1,000.

c Including 2 deaths from plague.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th October, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	.	.	.	.	1	.	3
„ „ 1, West, ...	.	1	.	.	.	.	.	2	.	.	.	2	.	5
„ „ 2, ...	.	3	.	.	.	.	.	2	.	.	.	4	.	9
„ „ 3, ...	.	2	.	.	.	.	.	.	1	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	4	.	.	1	.	.	1	.	.	.	.	.	6
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	4	.	.	4	.	.	1	.	.	.	.	.	9
„ „ 2, ...	.	.	.	.	.	.	.	2	.	.	.	2	.	4
„ „ 3, ...	.	3	.	.	1	.	1	.	3	.	.	6	.	14
„ „ 4, ...	.	3	.	.	.	.	.	.	1	.	.	2	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	22	.	.	7	.	1	8	5	.	.	17	.	60

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th October, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th October.			
	Sept. 13.	Sept. 20.	Sept. 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	36	49	62	6	13	.	55
Typhus, ...	4	3	3	1	2	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	6	14	18	.	.	32
Scarlet Fever, ...	65	76	79	18	5	1	91*
Diphtheria, ...	31	30	37	13	11	3	36
Pneumonia, ...	17	24	31	10	9	2	30

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 4th October, 1913:—

"The atmospheric movements observed during this week were unusually sluggish. After Sunday a high pressure system extended across the Norwegian Sea, while a shallow but large depression spread slowly northwards from the Iberian Peninsula across the Bay of Biscay and France to the English and St. George's Channels. This distribution of pressure caused in the United Kingdom a spell of north-easterly winds and dry but very dull weather, which lasted for several days. In the south of France severe thunderstorms and torrential rains occurred on Monday—at 7 a.m. next day as much as 6·54 inches was collected at Cap Béarn, 4·53 inches at Perpignan, and 1·85 inches at Cette. The broken weather spread gradually northwards with the baric minimum, reaching Paris on Wednesday and the South of England on Thursday. Already on Tuesday thunderstorms had visited South Devon and lightning was seen at night from Scilly and Roche's Point, Co. Cork. On Wednesday showers fell at many places in the south of England, thunder and lightning occurring here and there. Again on Thursday thunderstorms visited central and southern England and at New Malden, Surrey, 1·2 inches of rain were measured. All this time much cloud and haze prevailed in the Dublin district, which was not reached by rain until Friday night. On Saturday morning sharp showers fell in this City, but the weather brightened after 10·15 a.m., by which time ·040 inch of rain had fallen. In Dublin the mean height of the barometer was 29·932 inches, the range of pressure being from 30·064 inches at 9 a.m. of Monday (wind, N.E.) to 29·595 inches at 9 p.m. of Saturday (wind, E.S.E.). The corrected mean temperature was 58·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·0°. The diurnal range was small, the mean being 5·8°. The screened thermometers rose to 67·0° on Sunday and fell to 54·7° on Saturday. The prevalent winds were N.E. and E.S.E. Rain fell on the last 2 days, but only to the amount of ·080 inch, of which ·046 inch was measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·944 inches. The highest reading (30·072) was on Monday, at 9 a.m., wind E.N.E. the lowest (29·619) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 56·6°, being 5·0° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday, on which day the thermometer registered 68°, and was lowest on Monday, the mercury having fallen to 47°. The mean of the Dry Bulb for the week was 56·0° and of the Wet Bulb, 54·6°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·060 inch.

At Greenwich the mean temperature for the week was 58·5°, the maximum 70·9°, and the minimum 48·1°; at Glasgow the maximum was 69·0°, the minimum 45·0°, and the mean 54·8°; and at Edinburgh the maximum was 70·1°, the minimum 44·9°, and the mean 53·8°. The rainfall at Greenwich measured 0·22 in.; at Glasgow 0·03 in.; and at Edinburgh 0·49 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 28,	29·945	68	50	59·0	57·2	55·2	·89	·0	4·8	·000	Calm.	Calm.
Monday, " 29,	30·060	63	47	55·0	55·0	54·5	·98	·4	5·4	·000	E.N.E.	Calm.
Tuesday, " 30,	30·055	59	52	55·5	56·2	54·2	·87	·4	2·7	·000	E.N.E.	E.N.E.
Wednesday, October 1,	30·010	59	54	56·5	56·3	54·0	·86	·7	1·0	·000	N.E.	N.E.
Thursday, " 2,	29·960	58	54	56·0	56·5	55·2	·92	·5	0·0	·000	N.E.	N.E.
Friday, " 3,	29·910	60	54	57·0	55·9	55·1	·95	·5	0·0	·020	Calm.	E.S.E.
Saturday, " 4,	29·670	62	52	57·0	55·0	54·2	·95	·7	2·4	·040	Calm.	Calm.
Mean, ...	29·944	61·3	51·9	56·6	56·0	54·6	·92	·5	Total 16·3	Total ·060	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day cloudy, fine; night overcast. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—A dull day; night clear. *Thursday*—Day overcast; night clear to overcast. *Friday*—Day overcast; night clear to overcast, drizzling rain 4.0 a.m. to 5.30 a.m. *Saturday*—Day cloudy, showers at intervals a.m.; night cloudy, showers at intervals.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 4th October, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 28,	65·0	58·1	56·4	69	57	63·0	7·0	—
Monday, " 29,	58·4	58·8	56·4	64	55	59·5	5·3	—
Tuesday, " 30,	58·5	58·6	56·6	60	56	58·0	3·0	—
Wednesday, October 1,	57·6	57·8	56·7	60	56	58·0	0·6	—
Thursday, " 2,	57·0	57·1	56·7	58	56	57·0	0·0	—
Friday, " 3,	57·9	57·0	56·7	61	55	58·0	0·0	·04
Saturday, " 4,	56·8	57·0	56·7	61	55	58·0	2·2	·06
Weekly Mean, .	58·7	57·8	56·6	61·9	55·7	58·8	Total 18·1	Total. ·10

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 10. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 11TH OCTOBER, 1913. [No. 41.

General Register Office, Charlemont House,
Dublin, 13th October, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 20	Sept. 27	Oct. 4	Oct. 11	
27 Town Districts, (a)	**19·8**	**21·0**	**18·0**	**17·1**	**19·0**
Dublin Reg. Area ...	18·1	21·2	20·1	18·9	19·6
Dublin City ...	18·1	22·8	20·8	20·8	20·6
Belfast	21·1	19·5	13·2	16·7	17·6
Cork	30·6	24·5	21·8	24·5	25·3
Londonderry ...	22·9	22·9	21·6	7·6	18·8
Limerick	10·8	17·6	23·0	12·2	15·9
Waterford	13·3	26·6	38·0	15·2	23·3

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 3·0 per 1,000. Among the 127 deaths from all causes for Belfast are one from enteric fever, one from scarlet fever, 2 from diphtheria, and 9 from diarrhœa and enteritis of children under 2 years. Included in the 36 deaths from all causes for Cork are 4 from diarrhœa and enteritis of children under 2 years. Two of the 6 deaths from all causes for Londonderry are from diarrhœa and enteritis of children under 2 years. Of the 9 deaths from all causes for Limerick 2 are from diarrhœa and enteritis of children under 2 years. Included in the 6 deaths from all causes for Galway is one from whooping-cough. Two of the 4 deaths from all causes for Lisburn are from diarrhœa and enteritis of children under 2 years. Of the 7 deaths from all causes for Clonmel there are one from enteric fever and 3 from diarrhœa and enteritis of children under 2 years, and included in the 3 deaths for Bangor is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 177—86 boys and 91 girls—and the deaths to 159—87 males and 72 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·9 per 1,000 of the population. During the forty-one weeks, ending with Saturday last, the death-rate averaged 20·4, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 159, represent an annual rate of 20·6 per 1,000; the annual rate for the past forty-one weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·9 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one death each from enteric fever, measles, scarlet fever, whooping-cough, and dysentery, 2 deaths from diphtheria, and 29 deaths from diarrhœa and enteritis of children under 2 years of age.

In the 3 preceding weeks deaths from enteric fever were one, one, and 2; deaths from measles were 0, 0, and 0; deaths from scarlet fever were 2, 0, and 2; deaths from whooping-cough were 0, 0, and one; deaths from dysentery were 0, 0, and 0; deaths from diphtheria were 0, 0 and 3; and deaths from diarrhœa and enteritis of children under 2 years of age were 25, 33, and 26 respectively.

All forms of tuberculous disease caused 23 deaths as against 16, 22, and 19 respectively, in the 3 preceding weeks. Of the 23 deaths 16 were from pulmonary tuberculosis, 3 from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from disseminated tuberculosis.

Seven deaths were caused by cancer, or malignant disease.

There were 3 deaths from broncho-pneumonia, one from lobar-pneumonia, and 3 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 3 were ascribed to convulsions, 4 to premature birth, and 3 to congenital debility.

There were 9 deaths from organic diseases of the heart, and 9 from bronchitis.

Two deaths were attributed to accident, including one, that of an infant under one month old, caused by suffocation in bed.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness, these cases include the death of one person aged 66 years.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (53 being infants under one year, of whom 20 were under one month old) and 31 were aged 65 years and upwards, including 19 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·9 per 1,000; the rate in the City was 20·8 (North City Districts, 19·1; South, 22·7) and in the Suburbs, 12·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·7 per 1,000 inhabitants, the rate for the City being 5·2 (in the North City Districts 4·8, and in the South 5·8), and for the Suburbs 2·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000, and include one from pulmonary tuberculosis, one from broncho-pneumonia, and 3 from diarrhœa and enteritis of children under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 26·8 per 1,000. Enteric fever, dysentery, pulmonary tuberculosis, and broncho-pneumonia each caused one death; bronchitis caused 2 deaths, diarrhœa and enteritis of children under 2 years 5 deaths, and there was one death of a child by suffocation in bed.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Included in the total are 2 from pulmonary tuberculosis, one from bronchitis, and one death of a child under 2 years from enteritis.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 22·2 per 1,000. Whooping-cough caused one death, tuberculous disease 4 deaths, lobar pneumonia one death, bronchitis one death, and there were 2 deaths from diarrhœa and enteritis of children under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 9·8. Of the 2 deaths for the first-named district one is from epidemic enteritis of a child under 2 years.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 22·0 per 1,000, and include one from diphtheria, 3 from tuberculous disease, one from pneumonia, and 3 from diarrhœa and enteritis of children under 2 years.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Tuberculous disease caused 2 deaths, bronchitis one death, and diarrhœa and enteritis of children under 2 years 2 deaths.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000, and include one from scarlet fever, one from diphtheria, 2 from tuberculous disease, one from each of broncho-pneumonia and pneumonia, 5 from diarrhœa and enteritis of children under 2 years, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (6) are equivalent to an annual rate of 9·4 per 1,000. Measles caused one death and pulmonary tuberculosis one death.

New Kilmainham District.—The deaths (9) are equal to an annual rate of 48·1 per 1,000. Included in the total are one from pulmonary tuberculosis, 2 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·1; Pembroke, 13·9; Blackrock, 5·7; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diarrhœa and enteritis of children under 2 years for each of Rathmines and Rathgar and Pembroke, and one from epidemic enteritis of a child under 2 years for Kingstown. Included in the 6 deaths from all causes for Rathmines and Rathgar are one from each of pneumonia and bronchitis. Of the 8 deaths from all causes for Pembroke one is from pulmonary tuberculosis and one from bronchitis; and among the 8 deaths from all causes for Kingstown is one from pulmonary tuberculosis.

* See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 11th October, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Sept. 20,	.	—	—	22	1	.	1	1	1	17	1	.	—	—	.	—	16	.	60
	Sept. 27,	.	—	—	17	.	.	8	.	2	15	6	.	—	—	.	—	16	.	64
	Oct. 4,	.	—	—	22	.	.	7	.	1	8	5	.	—	—	.	—	17	.	60
	Oct. 11,	.	—	—	11	1	.	12	.	1	13	5	.	—	—	.	—	21	.	64
Rathmines and Rathgar Urban District.	Sept. 20,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Sept. 27,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 4,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	.	—	—	—	—	1
Pembroke Urban District.	Sept. 20,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	—	—	1	—	2*a*
	Sept. 27,	.	1	.	1	.	.	1	.	.	.	.	.	—	5	—	—	.	—	8
	Oct. 4,	.	.	.	.	.	.	1	.	.	1	.	.	—	2	—	—	.	—	4
	Oct. 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	.	—	.
Blackrock Urban District.	Sept. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 11,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Sept. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 27,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	7	—	12
	Oct. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Sept. 20,	.	—	—	45	.	.	3	.	.	1	3	.	—	—	*b*	—	4	2*b*	58
	Sept. 27,	.	—	—	40	1	.	6	2	.	3	6	1	—	—	.	—	14	3	76
	Oct. 4,	.	—	—	48	4	.	7	.	1	6	4	.	—	—	1	—	13	1	85
	Oct. 11,	.	—	—	55	4	.	4	.	.	4	7	.	—	—	.	—	4	2	80

(*a*) Not including 3 cases of varicella. (*b*) Notifiable as from 17th September.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th October, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Thirteen cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 63 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 49, 62, and 55.

Two case of typhus remained under treatment in hospital at the close of the week. At the close of the 3 previous weeks the cases in hospital were 3, 3, and 2, respectively.

Five cases of measles were admitted to hospital, 8 were discharged, and 29 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 6, 14, and 32 respectively.

Eleven cases of scarlet fever were admitted to hospital, 10 were discharged, there was one death, and 91* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital, were 76, 79, and 91, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 30, 37, and 36, respectively, were 39 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 8 were discharged, there were 2 deaths, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·2), was equal to an average annual death-rate of 14·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·7 per 1,000, the rate for Glasgow being 14·9, and for Edinburgh 12·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th October. From this Report it appears that of a total of 225 cases notified, 192 were scarlet fever, 14 phthisis, 10 diphtheria, 6 erysipelas, and 3 enteric fever. Among the 511 cases of infectious diseases in hospital at the close of the week were 323 cases of scarlet fever, 99 of phthisis, 46 of diphtheria, 15 of measles, 10 of enteric fever, 7 of erysipelas, one of whooping-cough, and one of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 11th October, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 11th October, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th October, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th September, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	24·3	17·1	3·0	560	394	108	79	3	...	...	1	2	3	4	1	42	15	23	21	33	55	1	4	11	122	14	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ..	...
DUBLIN REGISTRATION AREA :— TOTAL, (c.) ...	403,000	29·3	22·9	18·9	4·7	177	146	50	30	1	...	...	1	1	1	2	1	14	5	6	7	13	29	...	2	2	48	2	e 62	44	51·4	2·73	e 68	47	56·6	0·06	e 68	45	56·5	1·12
CITY OF DUBLIN,	308,187	39·0	25·2	20·8	5·2	149	123	44	23	1	...	...	1	1	1	2	1	12	5	6	6	10	24	...	2	2	45	1	f 58·9 g 58·2	47·6 46·0	52·4 51·7	2·15 2·53	f 67·0 g 68·3	54·7 51·8	58·3 57·8	0·08 0·13	f 65·7 g 66·1	49·1 46·0	57·8 57·3	0·76 1·14
Urban Districts. RATHMINES & RATHGAR,	38,769	22·6	16·1	8·1	2·7	12	6	2	2	...	...	...	...	...	...	...	..	...	...	...	1	1	2	...	...	...	1	...	...	...	...	...	..	...	...	...	...	...	...	...
PEMBROKE, ...	29,942	19·0	17·4	13·9	3·5	10	8	3	1	...	...	...	...	...	...	...	...	1	...	...	...	1	2	...	...	..	2	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	.	5·7	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	18·5	24·6	3·1	6	8	1	4	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	63	48	54·0	1·61	67	52	59·1	0·71	66	51	59·3	0·71
Urban Districts. BELFAST ..	396,000	26·5	25·3	16·7	1·7	192	127	29	20	1	...	...	...	1	...	2	...	14	6	5	8	16	9	...	2	5	35	4	61	40	52·0	0·33	66	47	55·7	0·04	66·0	42·8	57·0	0·74
CORK, ..	76,673	28·6	25·8	24·5	2·7	38	36	6	11	...	...	...	...	...	...	...	...	6	1	6	3	1	4	...	...	2	14	1	61	41	52·3	1·20	67	51	58·4	1·05	63	51	58·3	2·28
LONDONDERRY ...	41,000	15·9	22·9	7·6	2·5	18	6	2	1	...	...	...	...	...	...	...	...	...	...	...	1	2	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	16·2	12·2	2·7	12	9	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	3	...	62·0	31·7	52·6	0·78	68·4	45·8	56·6	0·10	67·9	45·8	57·7	2·15
WATERFORD, ...	27,464	19·1	24·7	15·2	1·9	13	8	...	2	...	...	...	...	...	...	...	...	3	...	...	...	...	...	1	...	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				10	6	1	2	...	..	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	2	2	61	35	50	0·14	71	43	54·6	0·23	66	42	54	1·67
DUNDALK, ...	13,128	9·5				7	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				8	1	...	...	...	...	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...	1	...	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68
DROGHEDA, ...	12,501	8·4				7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				3	4	2	...	...	...	...	..	...	...	...	...	...	...	...	1	...	2	...	...	..	1	...	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68
NEWRY, ...	11,963	17·0				7	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	1	...	...	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68
PORTADOWN, ...	11,727	15·3				6	2	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68
WEXFORD, ...	11,531	22·8				6	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				1	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8				5	4	...	1	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	4	...	61	40	51·0	0·50	70	39	56·0	0·03	68	46	56·0	1·11
KILKENNY, ...	10,514	11·4				14	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	64	47	53·2	0·88	70	50	57·7	0·08	67	50	58·8	1·47
TRALEE, ...	10,300	17·4				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				4	7	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	3	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				3	5	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	1	...	56	45	52·4	0·30	62	53	56·6	0·08	65	45	55·7	0·86
QUEENSTOWN, ...	8,209	14·7				5	4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	1	...	1	61	41	52·3	1·20	67	51	58·4	1·05	63	51	58·3	2·28
LARNE, ...	8,036	13·4				3	2	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				9	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	3	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				1	1	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				3	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				4	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10	67·2	45·2	57·8	0·68

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 13 deaths of persons (including 3 under one year old and one at 67 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th of October, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	1	2	3	.	.	.	1	1	1	1	1	.	1	.	1	1	.
Tuberculous Disease. { Other Forms,	.	.	.	1	.	.	.	2	1	1	.	.	.	.	.	.	14	2
Cancer,	.	2	1	.	1	.	1	.	.	.	1	.	.	.	.	.	5	2
																	6	1
Diseases of Nervous System,	1	.	1	.	.	.	.	2	.	5	2	.	1	.	.	2	14	.
" Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	1	.	1	.	.	.	.	1	2	.	.	.	.	1	1	2	9	1
" Respiratory System. { Pneumonia,	1	1	.	1	.	.	.	1	.	2	.	.	1	.	.	.	7	.
" Respiratory System. { Others,	.	2	1	1	.	.	.	2	2	.	.	2	1	1	.	1	13	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	3	5	1	2	1	.	.	3	2	5	.	2	2	2	.	1	29	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2	.
" Digestive System. { Others,	.	1	1	1	.	1	.	.	.	.	.	1	.	.	.	.	5	1
" Genito-urinary System,	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	8	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	5	2	2	.	.	.	2	1	2	1	1	.	1	.	.	18	3
Violent Deaths,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	1	.	.	.	.	1	.	.	.	.	.	2	.	1	6	.
Deaths from All Causes	8	21	11	15	2	1	2	17	11	20	6	9	6	8	1	8	146	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	26·8	20·6	22·2	19·2	3·8	9·8	22·0	31·3	24·2	9·4	48·1	8·1	13·9	5·7	24·6	18·9	.
	19·1							22·7					12·6					
	20·8																	
Ages at Death. { Under 1 year,	3	8	4	5	1	.	.	6	3	9	3	2	2	3	.	1	50	3
Ages at Death. { 1 and under 2 years,	2	2	.	1	.	.	.	.	1	2	.		.	.	.	.	8	.
Ages at Death. { 2 " 5 "	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1	5	.
Ages at Death. { 5 " 15 "	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	2
Ages at Death. { 15 " 25 "	1	.	.	1	.	.	.	1	.	1	1	1	.	.	.	.	6	2
Ages at Death. { 25 " 45 "	.	2	2	1	.	.	.	2	1	1	1	1	1	2	.	1	15	2
Ages at Death. { 45 " 65 "	1	5	2	5	.	.	1	2	5	1	.	3	1	2	1	1	30	3
Ages at Death. { 65 and upwards,	1	4	3	2	1	1	1	4	1	4	.	1	2	1	.	4	30	1
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	7	3	4	.	1	1	7	.	6	1	.	.	.	.	.	31	12
Workhouse Hospitals,	.	.	3	2	.	.	.	3	5	1	.	.	1	2	.	.	17	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 11th October, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.	Oct. 15, 1910.	Oct. 14, 1911.	Oct. 12, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	50·0°	47·9°	49·6°	52·5°	48·9°	57·7°	52·5°	48·2°	48·3°	48·3°	50·4°	51·4°										
ALL CAUSES.	145	162	141	175	157	134	127	151	183	161	153·6	159	20	33	8	5	4	8	17	33	19	12
Enteric Fever, ...	4	1	1	4	3	4	1	1	4	1	2·4	1	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	1	4	.	.	1	1	·8	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	1	.	1	.	·2	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	3	.	2	2	2	.	2	1	.	1·3	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	1	1	2	1	1	4	3	1·3	2	.	.	1	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	1	1	1	3	1	1	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	.	1	.	.
Erysipelas, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	8	17	16	21	18	12	14	16	22	16·9	16	.	.	.	.	.	5	9	2	.	.
Tuberculous Meningitis, ...	1	4	3	3	2	2	1	1	1	.	1·8	3	.	1	.	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	3	.	.	1	1	3	2	1	1·3	2	.	1	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	8	8	7	4	6	8	1	4	1	.	5·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									2	1		2	.	.	1	.	.	.	.	.	1	.
Venereal Diseases, ...	3	.	1	.	.	.	2	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	7	7	9	8	4	8	11	12	12	8·6	7	.	.	.	.	.	.	2	1	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	1	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	3	.	.	.	1	.	.	.	.	·5	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									2	3		1	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									8	4		8	.	.	.	.	.	.	.	3	4	1
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									3	.		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									4	4		3	2	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	44	43	35	36	27	24	29	27	4	.	32·8	1	.	.	.	1	.	.	.	.	.	.
Pericarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	2		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									9	13		9	.	.	.	.	.	.	.	5	1	3
Embolism and Thrombosis (including Cerebral)									1	.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.									3	1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	12	23	14	18	13	12	11	13	14	11	14·1	9	.	.	.	.	.	1	1	4	2	1
Broncho-pneumonia, ...	.	4	3	5	5	2	1	3	3	11	3·7	3	1	1	1	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	1	.	4	.	1	.	2	2	1	1·1	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	4	5	6	7	3	3	4	6	4	6	4·8	3	.	.	.	.	.	1	.	1	.	1
Pleurisy, ...									.	2		1	.	.	.	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	3	1	3	2	3	1	2	4	.	1	2·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	1		3	.	.	.	.	.	.	1	2	.	.

FORTY-FIRST WEEK, ending Saturday, 11th October, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 11th October, 1913.										
	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.	Oct. 15, 1910.	Oct. 14, 1911.	Oct. 12, 1912.		—	Deaths of Persons of the Ages of									
													0—5.									
													Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 50·0	° 47·9	° 49·6	° 52·5	° 48·9	° 57·7	° 52·5	° 48·2	° 48·3	° 48·3	° 50·4	° 51·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	1	.	.	.	.	.	.	·1	1	1	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	6	.	—	1	.	.	.	.	.	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	6	13	6	18	31	13	10	16	27	5	15·0	29	3	23	3	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									2	1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									1	1		2	.	.	.	1	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	4	.	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	.	1	2	.	3	3	.	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	.	.	2	.	1	2	.	1	1	2	·9	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	1	1	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	5	2	5	1	3	6	6	1	.	3·3	3	.	1	.	.	.	.	.	2	.	.
Acute Nephritis, ...	3	2	2	9	6	7	6	4	1	2	5·1	2	.	.	.	.	1	.	1	.	.	.
Chronic Bright's Disease, ...									3	2		5	.	.	.	.	.	.	.	5	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	3		3	.	.	.	.	.	.	.	.	3	.
Puerperal Septicæmia, &c., ...	.	.	2	.	.	.	.	2	1	3	·8	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	2	1	.	.	1	.	.	1	·5	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	3	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	7	3	4	5	1	3	3	3	2	3·5	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	6	6	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	2	4	.	2	1	.	4	5	3	4	2·5	2	.	.	.	.	.	.	.	.	1	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	3	—	8	6	1	.	.	.	.	.	.	1	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	1	3	2	.	.	.	.	4	1·1	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	.	1	.	.	.	2	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	2	.	.	.	.	.	.	·2	1	1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	3	.	5	4	1	1	3	5	2·3	1	.	.	.	.	.	.	.	.	1	.
Total Deaths from Accident,	1	2	4	6	7	4	1	4	4	10	4·3	2	1	.	.	.	.	.	.	.	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	2	.	1	2	.	.	1	2	·8	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	2	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	7	6	—	6	.	.	.	.	.	.	1	1	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered.	210	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177
Average Births in corresponding week of previous 10 years, ...	222	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192
DEATHS registered, ...	201	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163	159
Annual Death-rate per 1,000, ...	26·0	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6
Average Deaths in corresponding week of previous 10 years, ...	197	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154
Ages, Under 5 years, ...	52	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66
5—15 „ ...	9	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4
15—25 „ ...	15	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8
25—45 „ ...	33	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17
45—65 „ ...	41	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33
65—75 „ ...	31	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19
75 and upwards, ...	20	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12
Deaths from :—																										
Enteric Fever, ...	.	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1
Typhus, ...	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1		.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1
Scarlet Fever, ...	.	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1
Whooping-cough, ...	5	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1
Diphtheria, ...	2	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2
Influenza, ...	4	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	19	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16
Tuberculous Disease, Other Forms,	14	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7
Cancer, ...	6	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7
Diseases of Circulatory System,	18	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10
Diseases of Respiratory System, Pneumonia	12	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7
Diseases of Respiratory System, Others, ...	22	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7	9	10	10	14	13	13
Diarrhœa and Enteritis, under 2 years, ...	8	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29
Diarrhœa, 2 years and upwards,	.	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.
Violent Deaths, ...	4	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2
Number of Uncertified Deaths,	9	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2
Mean Temperature of the Air (Phœnix Park)	44·5	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4
Average Mean Temperature in corresponding week of previous 10 years, ...	45·7	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4
Rainfall in inches, ...	·620	·905	1·100	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730
Mean Humidity of the Air, complete Saturation 1·0, ...	·80	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th October, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH OCTOBER, 1913.

CLASS	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	20·8	159	66	4	8	17	33	19	12	1	.	.	1	1	1	2	1	16	7	7	3	7	13	29	.	2	68	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	28·5	8	1	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	3	.
II.	MIDDLE CLASS, ...	101,798	17·9	35	12	1	1	4	8	4	5	1	.	.	.	.	1	.	1	2	1	3	1	3	3	3	.	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14·4	30	14	2	2	4	4	4	.	.	.	.	.	.	.	1	.	4	1	1	1	1	.	5	.	.	16	2
IV.	GENERAL SERVICE CLASS, ...	167,479	21·2	68	35	1	5	6	14	6	1	.	.	.	1	1	.	1	.	7	2	1	1	3	7	19	.	1	24	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	18	4	.	.	3	5	2	4	.	.	.	.	.	.	.	.	3	3	.	.	.	2	1	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	39·8	6	1	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	1	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19·2	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	10·3	5	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	26·7	17	8	.	1	.	5	2	1	1	.	.	.	.	1	.	1	.	1	2	.	1	2	3	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	18·5	12	2	.	.	2	2	2	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	17·7	4	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	12·7	7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	1	.	.	3	.
	10. Clothing Trades, ...	20,026	5·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	11. Food Supply Trades	8,952	17·5	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	19·5	12	4	.	1	3	2	2	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.	.	7	1
	13. Petty Shopkeepers	6,772	15·4	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20·1	5	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	2	.
	15. Domestic Servants, ...	36,041	8·7	6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	5	.	.	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	24·8	49	26	1	3	2	11	5	1	.	.	.	1	1	.	1	.	3	2	1	.	2	6	15	.	1	16	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	18	4	.	.	3	5	2	4	.	.	.	.	.	.	.	.	3	3	.	.	.	2	1	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Aug 23,	20·9	8·7	12	.	.	.	.	.	.	.	.	3	1	.	.	1	4	1	.	.
	„ 30,	19·2	5·2	11	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
	Sept. 6,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.
	„ 13,	33·1	12·2	19	2	.	.	.	.	.	.	.	.	.	1	2	.	5	.	2	.
	„ 20,	13·9	8·7	8	.	.	.	.	2	.	.	.	.	.	.	1	1	3	.	.	.
	„ 27,	20·9	5·2	12	.	.	.	.	.	.	.	.	1	2	.	.	1	3	.	.	.
	Oct. 4,	15·7	5·2	9	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2
	„ 11,	13·9	5·2	8	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Aug. 23,	19·1	3·8	15	.	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	2
	„ 30,	30·6	6·4	24	.	.	.	.	.	.	.	.	4	.	.	1	2	5	.	.	1
	Sept. 6,	24·2	6·4	19	.	.	.	.	.	.	.	.	2	.	4	1	2	5	.	1	1
	„ 13,	26·8	5·1	21	.	.	.	.	.	.	.	.	2	.	3	1	1	4	.	.	1
	„ 20,	19·1	3·8	15	.	.	.	.	.	.	.	.	3	.	1	3	.	2	1	.	.
	„ 27,	26·8	8·9	21	.	.	.	.	.	.	.	.	.	.	2	.	1	6	1	.	.
	Oct. 4,	24·2	3·8	19	.	.	.	.	.	.	.	.	3	.	.	2	1	3	.	.	1
	„ 11,	26·8	8·9	21	1	.	.	.	.	.	.	1	1	.	2	1	2	5	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Aug. 23,	22·4	3·7	12	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 30,	18·7	7·5	10	.	2	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.
	Sept. 6,	26·2	5·6	14	1	.	.	.	.	.	.	.	3	1	1	.	.	2	.	1	.
	„ 13,	24·3	7·5	13	.	.	.	.	.	1	.	.	4	1	.	.	.	3	.	.	.
	„ 20,	18·7	5·6	10	.	.	.	.	.	.	.	.	4	.	.	1	.	3	.	.	.
	„ 27,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	Oct. 4,	22·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 11,	20·6	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Aug. 23,	16·3	1·5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.
	„ 30,	10·4	1·5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	Sept. 6,	22·2	3·0	15	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.
	„ 13,	20·7	7·4	14	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	„ 20,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	7	1
	„ 27,	25·2	5·9	17	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	2	.
	Oct. 4,	14·8	3·0	10	2	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
	„ 11,	22·2	4·4	15	.	.	.	.	.	1	.	.	3	1	.	1	1	2	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Aug. 23,	23·3	2·6	18	.	.	.	.	.	.	.	.	1	1	1	2	.	2	.	.	.
	„ 30,	18·1	5·2	14	.	.	.	.	.	.	.	.	2	.	1	.	.	4	.	1	1
	Sept. 6,	24·5	2·6	19	.	.	.	.	.	.	.	.	3	3	2	.	1	2	.	.	.
	„ 13,	25·8	9·0	20	1	.	.	.	.	.	.	.	2	1	2	.	.	6	.	.	.
	„ 20,	9·0	1·3	7	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
	„ 27,	18·1	2·6	14	.	.	.	.	.	.	.	.	6	.	1	.	.	2	.	.	.
	Oct. 4,	19·4	2·6	15	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	.
	„ 11,	22·0	5·2	17	.	.	.	.	.	.	1	.	1	2	.	1	2	3	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Aug. 23,	28·4	8·5	10	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.
	„ 30,	28·4	2·8	10	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
	Sept. 6,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 13,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	„ 20,	25·6	8·5	9	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
	„ 27,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
	Oct. 4,	31·3	8·5	11	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.
	„ 11,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Aug. 23,	20·6	2·4	17	.	.	.	.	.	.	.	.	4	2	.	.	.	2	.	1	.
	„ 30,	18·1	2·4	15	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	1
	Sept. 6,	31·4	9·7	26	.	.	.	.	.	.	.	.	3	2	4	.	2	7	1	1	.
	„ 13,	24·2	4·8	20	1	.	.	.	.	.	1	.	5	1	.	.	2	1	1	2	1
	„ 20,	18·1	2·4	15	1	.	.	.	.	.	.	.	2	.	1	1	4	1	.	.	.
	„ 27,	26·6	8·5	22	.	.	.	.	.	.	.	.	4	1	1	.	.	7	.	.	.
	Oct. 4,	25·4	8·5	21	.	.	.	.	1	1	2	.	.	.	4	.	3	2	1	.	.
	„ 11,	24·2	8·5	20	.	.	.	.	1	.	1	.	1	1	.	2	.	5	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Aug. 23,	22·0	1·6	14	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	.
	„ 30,	33·0	7·9	21	.	.	.	1	.	.	.	.	.	2	1	2	2	4	.	.	.
	Sept. 6,	17·3	6·3	11	1	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1
	„ 13,	18·9	3·1	12	.	.	.	1	.	.	.	.	1	.	.	1	2	1	.	1	.
	„ 20,	22·0	9·4	14	.	.	.	.	.	.	.	.	1	1	1	1	.	6	.	.	.
	„ 27,	18·9	3·1	12	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	1	.
	Oct. 4,	18·9	7·9	12	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.
	„ 11,	9·4	1·6	6	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Aug. 23,	14·8	1·3	11	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
	„ 30,	9·4	2·7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	Sept. 6,	14·8	6·7	11	.	.	.	.	.	.	.	.	2	.	1	.	.	4	1	.	.
	„ 13,	20·2	8·1	15	1	.	.	.	.	1	.	.	3	.	1	.	.	4	.	.	.
	„ 20,	14·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1
	„ 27,	16·1	5·4	12	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.
	Oct. 4,	17·5	4·0	13	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.
	„ 11,	8·1	2·7	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Aug. 23,	24·4	3·5	14	.	.	.	.	1	.	.	.	2	1	2	1	1	1	.	1	.
	„ 30,	20·9	3·5	12	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.
	Sept. 6,	13·9	3·5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	22·6	3·5	13	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
	„ 20,	19·2	3·5	11	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1
	„ 27,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.
	Oct. 4,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	13·9	3·5	8	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
Kingstown Urban District. Pop. in 1911 16,941.	Aug. 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 30,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Sept. 6,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 13,	24·6	.	8	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 20,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 27,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Oct. 4,	12·3	.	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	„ 11,	24·6	3·1	8	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Aug. 23,	18·7	5·3	142	1	.	.	.	2	1	.	.	18	2	4	5	13	33	3	3	1
	„ 30,	23·0	6·5	175	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	.
	Sept. 6,	20·7	4·5	157	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	3
	„ 13,	20·4	6·6	155	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	.
	„ 20,	21·1	6·3	160	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	.
	„ 27,	19·5	4·2	148	1	.	.	.	3	.	1	.	13	3	9	16	15	22	5	1	1
	Oct. 4,	13·2	2·5	100	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	.
	„ 11,	16·7	1·7	127	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	4
Cork. Pop. in 1911 76,673.	Aug. 23,	24·5	6·8	36	.	.	.	.	.	.	.	.	3	3	3	1	1	5	5	.	3
	„ 30,	24·5	8·8	36	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.
	Sept. 6,	19·7	10·2	29	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.
	„ 13,	26·5	7·5	39	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.
	„ 20,	30·6	10·2	45	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	2
	„ 27,	24·5	6·1	36	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	4
	Oct. 4,	21·8	3·4	32	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	3
	„ 11,	24·5	2·7	36	.	.	.	.	.	.	.	.	6	1	6	3	1	4	.	.	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Aug. 23,	21·6	6·4	17	.	.	.	2	.	.	.	.	.	.	.	2	1	3	.	1	1
	„ 30,	24·2	8·9	19	.	.	.	2	.	.	.	.	.	2	.	.	.	5	.	1	.
	Sept. 6,	15·3	1·3	12	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	1	.
	„ 13,	19·1	7 6	15	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	.
	„ 20,	22·9	10·2	18	.	.	.	1	.	.	.	.	1	1	1	.	2	6	1	.	.
	„ 27,	22·9	6·4	18	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	Oct. 4,	21·6	10 2	17	.	.	.	.	.	.	.	.	.	.	3	.	.	8	.	2	.
	„ 11,	7·6	2·5	6	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
Limerick. Pop. in 1911 38,518.	Aug. 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
	„ 30,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1
	Sept. 6,	19·0	4·1	14	.	.	.	.	.	.	.	.	2	1	.	.	1	3	.	.	.
	„ 13,	27·1	2·7	20	.	.	.	.	.	.	.	.	3	.	1	2	.	1	1	.	5
	„ 20,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
	„ 27,	17·6	.	13	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	Oct. 4,	23·0	1·4	17	.	.	.	.	.	.	.	.	6	1	.	.	1	1	.	.	3
	„ 11,	12·2	2·7	9	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
Waterford. Pop. in 1911 27,464.	Aug. 23,	13·3	7·6	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	2
	„ 30,	24·7	20·9	13	.	.	.	1	.	.	.	.	.	1	.	.	.	9	1	.	1
	Sept. 6,	34·2	13·3	18	.	.	.	3	.	.	.	.	1	.	2	.	2	2	2	.	3
	„ 13,	5·7	3·8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 20,	13·3	5·7	7	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
	„ 27,	26·6	9·5	14	.	.	.	1	.	.	.	.	2	.	.	.	1	3	1	.	.
	Oct. 4,	38·0	11·4	20	.	.	.	.	.	.	.	.	1	1	3	.	1	5	1	.	1
	„ 11,	15·2	1·9	8	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th October, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOUS DISEASE. Phthisis.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	16·4	.	5	1	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 2 do.	49,500	18	21·1	2·1	20	2	2	3	5	2	6	.	.	.	.	.	.	.	.	3	2	.	1	3	2	.	.	.	7	.
Do. 3 do.	50,032	36	25·0	1·0	24	7	3	5	2	5	2	.	.	.	.	.	.	1	.	5	2	.	1	2	.	.	.	1	6	1
Do 4 do.	32,637	23	17·6	.	11	5	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	4	1
Do. 5 do.	16,112	14	9·7	3·2	3	.	2	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	37,293	5	4·2	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	2,681	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 8 do.	5,964	.	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	17	12·8	4·3	6	2	1	1	1	1	.	.	.	.	.	.	.	1	.	.	1	.	1	.	1	.	.	1	1	.
Do. 10 do.	28,958	17	12·6	1·8	7	1	1	1	1	2	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	1	1
Do. 11 do.	39,311	12	25·2	6·6	19	7	2	2	2	.	6	1	.	.	.	.	.	.	.	1	.	.	1	4	4	.	.	.	6	1
Do. 12 do.	38,076	21	19·2	.	14	1	2	3	.	6	2	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	1	2	4	.
Do. 13 do.	23,233	7	4·5	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	25·3	2·3	11	2	1	2	4	2	.	.	.	.	.	.	.	.	.	2	.	2	2	1	1	.	.	.	4	.
Total,	386,947	192	16·7	1·7	127	29	16	20	17	25	20	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	5	35	4
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	31·0	3·9	8	1	.	2	1	1	3	.	.	.	.	.	.	.	.	2	.	3	.	.	1	.	.	.	3	.
Do 2 do.	10,701	7	20·1	10·0	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.
Do 3 do.	9,978	4	16·0	.	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Do 4 do.	8,666	6	34·2	.	6	1	.	.	2	1	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	4	1
Do 5 do.	6 592	3	16·7	8·3	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do 6 do.	10,702	4	22·5	.	5	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
Do. 7 do.	16,616	9	26·0	.	8	1	.	.	2	3	2	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.	3	.
Total,	76,122	38	24·5	2·7	36	6	.	3	9	7	11	.	.	.	.	.	.	.	.	6	1	6	3	1	4	.	.	2	14	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered, ...	232	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192
DEATHS registered, ...	128	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127
Annual Death-rate per 1,000 of estimated population, ...	16·9	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7
AGES, Under 1 year, ...	16	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29
1—5 years, ...	13	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16
5—25 „ ...	17	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20
25—45 „ ...	26	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17
45—65 „ ...	30	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25
65 and upwards, ...	26	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20
Deaths from :—																										
Enteric Fever, ...	.	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.
Scarlet Fever, ...	3	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1
Whooping-cough, ...	.	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.
Diphtheria, ...	1	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1		2
Dysentery, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14
Tuberculous Disease. Other Forms,	7	6	3	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6
Cancer, ...	7	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5
Diseases of Respiratory System, Pneumonia,	11	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8
Diseases of Respiratory System, Others, ...	12	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16
Diarrhœa and Enteritis, under 2 years, ...	.	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9
Diarrhœa, 2 years and upwards,	.	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.
Violent Deaths, ...	3	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2
Number of Uncertified Deaths, ...	3	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Oct. 11,	2,039	1,231	11·2	3	.	1	3	9	12	168*a*
Edinburgh, ...	320,300	„ 11,	101	74	12·1	1	.	2	.	.	2	4*a*
Glasgow, ...	1,021,500	„ 11,	579	292	14·9	.	.	10	2	2	4	15*a*
Calcutta, ...	896,067	Aug. 30,	.	424	24·6	68*	.	.	.	.	.	61‡
Bombay, ...	979,445	Sept. 6,	362	543	28·8	74*	3	1	.	.	.	63
Madras, ...	518,660	„ 13,	472	337	33·8	51*	.	2	?	?	?	72‡
Cairo, ...	715,609	July 22,	570	632	46·1	4	.	8	.	?	10†	236*a*
Paris, ...	2,847,229	Sept. 27,	939	690	12·4	6	.	3	.	5	.	48*a*
Brussels, ...	767,252	„ 20,	233	152	10·3	5	.	.	.	.	.	27*a*
Antwerp, ...	312,884	„ 27,	134	67	11·2	.	.	.	1	1	.	18*a*
Amsterdam, ...	591,637	„ 20,	247	109	9·7	.	.	1	.	5	.	7*a*
Copenhagen, ...	473,500	„ 20,	235	107	11·8	.	.	.	2	3	.	8*a*
Stockholm, ...	376,171	„ 20,	158	73	10·1	.	.	.	.	.	.	1*a*
Christiania, ...	250,423	„ 27,	104	44	9·2	.	.	.	1	.	1	2
St. Petersburg ...	1,708,600	„ 6,	693	722	22·0	40	.	10	14	8	9	122*a*
Moscow, ...	1,694,000	Aug. 30,	.	919	28·3	7	.	15	13	12	13†	384
Berlin, ...	2,066,186	Sept. 6,	738	502	12·7	1	?	2	6	3	9†	52
Hamburg, ...	1,006,748	„ 20,	.	212	11·0	2	?	.	1	3	7†	26
Breslau, ...	539,054	„ 20,	.	162	15·7	1	.	.	.	.	.	15
Munich, ...	638,000	„ 20,	.	141	11·5	1	.	.	.	3	.	6
Vienna (with suburbs),	2,115,254	„ 20,	629	522	12·8	1	.	1	6	.	6†	46*a*
Buda-Pesth, ...	930,666	„ 20,	490	294	16·4	4	.	1	9	.	3†	38*a*
Prague and Faubourgs,	494,055	„ 6,	181	147	15·5	.	.	.	1	1	.	6*a*
Trieste, ...	239,703	„ 20,	106	112	24·4	.	1	1	.	3	.	30*a*
Rome, ...	579,187	June 14,	242	224	20·2	2	.	8	3	1	.	34
New York, ...	5,372,983	Sept. 6.	2,620	1,253	12·2	6	.	6	8	10	9†	169*a*
Philadelphia, ...	1,631,960	Aug. 23,	.	414	13·2	11	.	3	1	2	3	70*a*
Boston, ...	735,399	Sept. 20,	.	204*b*	14·5	.	.	.	.	3	2	18

* Deaths from "fever," including 3 from enteric fever and 4 from plague in Calcutta, and 5 from enteric fever and 12 from plague in Bombay.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 172 (including 13 deaths from diarrhœal diseases), rate 12·20 per 1,000.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th October, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	2	1	.	.	.	.	4
„ „ 1, West, ...	.	1	.	.	.	.	.	.	1	.	.	3	.	5
„ „ 2, ...	.	1	.	.	.	.	.	2	2	.	.	3	.	8
„ „ 3, ...	.	1	.	.	1	.	.	1	.	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	2	.	.	.	.	.	.	.	.	3
South City No. 1, ...	.	1	.	.	3	.	1	8	.	.	.	5	.	18
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	2	.	3
„ „ 3, ...	.	5	1	.	2	.	.	.	1	.	.	5	.	14
„ „ 4, ...	.	.	.	.	1	.	.	.	.	.	.	3	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	11	1	.	12	.	1	13	5	.	.	21	.	64

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th October, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th October.			
	Sept. 20.	Sept. 27.	Oct. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	49	62	55	13	5	.	63
Typhus, ...	3	3	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	14	32	5	8	.	29
Scarlet Fever, ...	76	79	91	11	10	1	91*
Diphtheria, ...	30	37	36	12	7	2	39
Pneumonia, ...	24	31	30	3	8	2	23

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 11th October, 1913:—

"The weather was very unsettled during the greater part of this week, and rain fell abundantly—heavy downpours occurring in the Dublin district on Sunday (·771 inch), Tuesday (·960 inch), and Friday (·361 inch)—2·092 inches on 3 days. On Sunday morning two areas of high atmospheric pressure existed—one over Iceland, the other near the Azores. On the other hand, and between those systems, a well-defined cyclonic depression was centred over southern Ireland. Its easterly winds blew freshly on the Irish coasts lying north of the baric minimum, and rain fell heavily in many places—Valentia, 1·31 inches; Roche's Point, ·86 inch; Birr Castle, ·83 inch; Dublin, ·77 inch; Liverpool, 2·42 inches; Nottingham, 1·14 inches to 7 a.m. of Monday and a further fall of ·84 inch to 7 a.m. of Tuesday; Portland Bill, 1·25 inches to 7 a.m. of Tuesday. On this last-named day a new cyclonic system, in which the barometer fell below 29·2 inches, approached Cornwall from the Bay of Biscay. This disturbance travelled across England and reached Denmark on Thursday morning. Its path was marked by heavy rains, and a complete cyclonic circulation of air prevailed round the baric minimum. As it passed northeastwards, the weather became fine in Ireland, Thursday proving a beautiful day. At sunset, however, cirrus cloud streamed from N.W. across the western sky and this proved the herald of a third depression which produced squally S.E. winds and heavy rains on Friday afternoon. In this depression the barometer fell below 29 inches on the Atlantic. On Saturday the weather moderated, and the sky cleared, with bright sunshine. In Dublin the mean height of the barometer was 29·720 inches, pressure ranging between 29·439 inches at 9 p.m. of Tuesday (wind, N.E.) and 29·989 inches at 9 p.m. of Saturday (wind, S.). The corrected mean temperature was 52·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·8°. On Wednesday the screened thermometers fell to 47·6°; on Saturday they rose to 58·9°. The prevalent winds were E.N.E. and S.E. Rain fell on 5 days to the large amount of 2·152 inches, of which ·960 inch was recorded on Tuesday and ·771 inch on Sunday. A lunar corona appeared at 8 p.m. of Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·734 inches. The highest reading (30·009) was on Saturday, at 9 p.m., air calm, the lowest (29·455) on Tuesday at 9 p.m., wind N.E.

The mean temperature for the week was 51·4°, being 1·0° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Saturday, on which day the thermometer registered 62°, and was also lowest on that day, the mercury having fallen to 44°. The mean of the Dry Bulb for the week was 51·4° and of the Wet Bulb, 49·7°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 2·730 inches.

At Greenwich the mean temperature for the week was 52·9°, the maximum 63·2°, and the minimum 42·1°; at Glasgow the maximum was 56·5°, the minimum 32·0°, and the mean 47·2°; and at Edinburgh the maximum was 52·2°, the minimum 38·8°, and the mean 47·0°. The rainfall at Greenwich measured 1·28 ins.; at Glasgow 0·10 in.; and at Edinburgh 0·50 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 5,	29·620	56	50	53·0	52·5	51·1	·91	·7	0·0	1·420	E.	E.N.E.
Monday, " 6,	29·745	55	48	51·5	53·0	49·9	·80	·7	0·0	·010	E.N.E.	E.N.E.
Tuesday, " 7,	29·525	53	50	51·5	51·6	50·1	·90	·8	0·0	·940	E.N.E.	N.E.
Wednesday, " 8,	29·595	51	47	49·0	48·8	47·0	·94	·4	0·0	·060	N.W.	Calm.
Thursday, " 9,	29·930	57	45	51·0	50·0	48·7	·93	·0	6·2	·000	Calm.	Calm.
Friday, " 10,	29·825	56	45	50·5	54·0	51·9	·86	·7	0·0	·290	S.E.	S.E.
Saturday, " 11,	29·900	62	44	53·0	49·9	49·1	·95	·3	2·7	·010	S.E.	Calm.
Mean, ...	29·734	55·7	47·0	51·4	51·4	49·7	·90	·5	Total 8·9	Total 2·730	Prevailing Wind, E.N.E.	

Sunday—Day overcast, heavy rain 1.15 to 9.0 p.m.; night overcast, drizzling and heavy rain 9.0 p.m. to 6.30 a.m. *Monday*—Day overcast, showers at intervals a.m.; night cloudy. *Tuesday*—Day overcast, drizzling and heavy rain 9.0 a.m. to 9.0 p.m.; night overcast, drizzling rain at intervals 9.0 p.m. to 4.0 a.m. *Wednesday*—Day overcast, showers at intervals a.m. and p.m.; night cloudy. *Thursday*—A beautiful bright day; night cloudy. *Friday*—Day overcast, drizzling and heavy rain 6.0 to 9.0 p.m.; night overcast, drizzling and heavy rain 9.0 p.m. to 4.0 a.m. *Saturday*—Day cloudy, drizzling rain 9.0 to 9.45 a.m.; night cloudy, light showers 2.15 to 2.30 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 11th October, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 5,	56·1	57·0	56·6	58	51	54·5	0·0	·77
Monday, " 6,	54·9	55·9	56·5	56	49	52·5	0·0	—
Tuesday, " 7,	54·0	55·0	56·2	54	51	52·5	0·0	·87
Wednesday, " 8,	49·0	54·2	56·1	52	48	50·0	0·0	·04
Thursday, " 9,	55·5	54·0	56·0	58	49	53·5	10·0	—
Friday, " 10,	55·0	54·0	55·7	57	49	53·0	0·0	·35
Saturday, " 11,	54·6	54·0	55·5	61	49	55·0	2·1	—
Weekly Mean, .	54·2	54·9	56·1	56·6	49·4	53·0	Total 12·1	Total. 2·03

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 10. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H.M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, London, W.C.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin.

Price 1½*d.*

Vol. L.] Week ending Saturday, 18th October, 1913. [No. 42.

General Register Office, Charlemont House,
Dublin, 20th October, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 27	Oct. 4	Oct. 11	Oct. 18	
27 Town Districts, (a)	**21·0**	**18·0**	**17·1**	**16·0**	**18·0**
Dublin Reg. Area ...	21·2	20·1	18·9	17·7	19·5
Dublin City ...	22·8	20·8	20·8	19·5	21·0
Belfast	19·5	13·2	16·7	14·6	16·0
Cork	24·5	21·8	24·5	13·6	21·1
Londonderry ...	22·9	21·6	7·6	14·0	16·5
Limerick	17·6	23·0	12·2	8·1	15·2
Waterford	26·6	38·0	15·2	3·8	20·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·8 per 1,000. Among the 111 deaths from all causes for Belfast are 3 from scarlet fever, one from diphtheria, and 10 from diarrhœal diseases; of the 20 deaths from all causes for Cork 4 are from diarrhœa and enteritis of children under 2; the 6 deaths from all causes for Limerick include one from scarlet fever; of the 8 deaths from all causes for Galway 2 are from measles and 2 from whooping-cough; for Clonmel, 2 of the 6 deaths from all causes are from diarrhœa and enteritis of children under 2; for Newtownards, 2 of the 5 deaths from all causes, and for Queenstown 2 of the 4 deaths from all causes are from diarrhœa and enteritis of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 211—111 boys and 100 girls—and the deaths to 148—78 males and 70 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·7 per 1,000 of the population. During the forty-two weeks, ending with Saturday last, the death-rate averaged 20·4, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 148, represent an annual rate of 19·1 per 1,000; the annual rate for the past forty-two weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·9 per 1,000 of the mean population for all deaths registered.

The total deaths include one death from measles, one from whooping-cough, 2 deaths from diphtheria, one death from influenza, and 23 deaths from diarrhœa and enteritis of children under 2 years of age.

In the 3 preceding weeks deaths from measles were 0, 0, and one; deaths from whooping-cough were 0, one, and one; deaths from diphtheria were 0, 3, and 2; deaths from influenza were one, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years of age were 33, 26, and 29 respectively.

All forms of tuberculous disease, which in the 3 preceding weeks numbered 22, 19, and 23 deaths, respectively, fell to 18 deaths last week, the latter comprising 12 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, one from abdominal tuberculosis, and one from disseminated tuberculosis.

There were 6 deaths from pneumonia, including one death from broncho-pneumonia, 2 from lobar pneumonia, and 3 from pneumonia (type not distinguished).

Cancer, or malignant disease caused 11 deaths.

Four deaths of infants under one year of age were ascribed to convulsions, one to premature birth, and 6 to congenital debility.

Organic diseases of the heart caused 14 deaths, and bronchitis 14 deaths.

There were 3 accidental deaths, including 2 caused by vehicles.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness, these cases include the deaths of 2 infants under one year of age.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 7 were under one month old) and 30 were aged 65 years and upwards, including 20 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom one (a male) was stated to have been aged 91 years.

Fifty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·7 per 1,000; the rate in the City was 19·5 (North City Districts, 14·7; South, 24·9) and in the Suburbs, 12·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·6 per 1,000 inhabitants, the rate for the City being 4·4 (in the North City Districts 3·2, and in the South 5·8), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000, and include 2 from tuberculous disease, one from bronchitis, and 4 from diarrhœa and enteritis of children under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 14·0 per 1,000. Pulmonary tuberculosis caused one death; pneumonia one death, bronchitis one death, diarrhœa and enteritis of children under 2 years of age, 2 deaths, and there was one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000. Included in the total are 5 from tuberculous disease and 2 from diarrhœa and enteritis of children under 2 years.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·8 per 1,000, and include one from whooping-cough, 3 from bronchitis, and one from diarrhœa or enteritis of a child under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 4·9. The only death for Coolock and Drumcondra, part of, is one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 31·0 per 1,000. Diphtheria caused one death, tuberculous disease 4 deaths, pneumonia 2 deaths, bronchitis one death, and diarrhœal diseases 4 deaths.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Included in the total are one from influenza and one from pulmonary tuberculosis.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000, and include 2 from pulmonary tuberculosis, 3 from bronchitis, 4 from diarrhœa and enteritis of children under 2 years, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 29·9 per 1,000. Measles, diphtheria, broncho-pneumonia, and bronchitis each caused one death, and there were 4 deaths of children under 2 years of age from diarrhœa and enteritis.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 32·1 per 1,000, and include one from bronchitis and one from diarrhœa or enteritis of a child under 2 years.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·4; Pembroke, 12·2; Blackrock, 11·4; and Kingstown, 9·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diarrhœa or enteritis of a child under 2 years for Rathmines and Rathgar and one for Pembroke. Included in the 10 deaths from all causes for Rathmines and Rathgar is one from accidental violence. Among the 7 deaths from all causes for Pembroke is one from bronchitis. The 2 deaths for Blackrock comprise one from each of pulmonary tuberculosis and bronchitis, and of the 3 deaths from all causes for Kingstown 2 are from lobar pneumonia.

* See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 18th October, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Sept. 27,	.	—	—	17	.	.	8	.	2	15	6	.	—	—	.	—	16	.	64
	Oct. 4,	.	—	—	22	.	.	7	.	1	8	5	.	—	—	.	—	17	.	60
	Oct. 11,	.	—	—	11	1	.	12	.	1	13	5	.	—	—	.	—	21	.	64
	Oct. 18,	.	—	—	19	.	.	3	.	1	8	6	.	—	—	.	—	23	.	60
Rathmines and Rathgar Urban District.	Sept. 27,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 4,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 18,	.	—	—	2	.	.	8	.	.	.	.	.	—	.	—	—	—	—	10
Pembroke Urban District.	Sept. 27,	.	1	.	1	.	.	1	.	.	.	.	.	—	5	—	—	.	—	8
	Oct. 4,	.	.	.	.	.	.	1	.	.	1	.	.	—	2	—	—	.	—	4
	Oct. 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	.	—	.
	Oct. 18,	.	.	.	2	.	.	.	.	.	.	.	.	—	1	—	—	.	—	3
Blackrock Urban District.	Sept. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 11,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Oct. 18,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Sept. 27,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	7	—	12
	Oct. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 18,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Sept. 27,	.	—	—	40	1	.	6	2	.	3	6	1	—	—	.	—	14	3	76
	Oct. 4,	.	—	—	48	4	.	7	.	1	6	4	.	—	—	1	—	13	1	85
	Oct. 11,	.	—	—	55	4	.	4	.	.	4	7	.	—	—	.	—	4	2	80
	Oct. 18,	.	—	—	76	1	.	14	.	.	5	14	1	—	—	.	—	5	3	119

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th October, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital during the week, 2 were discharged, there was one death, and 67 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 62, 55, and 63.

One case of typhus was discharged from hospital during the week, and one case remained under treatment at its close. At the close of the 3 previous weeks the cases in hospital were 3, 2, and 2, respectively.

Six cases of measles were discharged from hospital, and 23 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 14, 32, and 29 respectively.

Twenty-three cases of scarlet fever were admitted to hospital, 16 were discharged, and 98* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 79, 91, and 91, respectively.

Sixteen cases of diphtheria were admitted to hospital during the week, 4 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 37, 36, and 39, respectively, were 48 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 8 were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·1), was equal to an average annual death-rate of 13·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·9 per 1,000, the rate for Glasgow being 13·9, and for Edinburgh 12·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th October. From this Report it appears that of a total of 124 cases notified, 93 were scarlet fever, 14 phthisis, 9 erysipelas, 7 diphtheria, and one puerperal fever. Among the 585 cases of infectious diseases in hospital at the close of the week were 391 cases of scarlet fever, 106 of phthisis, 44 of diphtheria, 12 of measles, 10 of enteric fever, 6 of erysipelas, one of whooping-cough, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 18th October, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 18th October, 1913. Air Temperature. Absolute Highest.	Week ending 18th October, 1913. Air Temperature. Absolute Lowest.	Week ending 18th October, 1913. Air Temperature. Mean.	Week ending 18th October, 1913. Rainfall in Inches.	Week ending 11th October, 1913. Air Temperature. Absolute Highest.	Week ending 11th October, 1913. Air Temperature. Absolute Lowest.	Week ending 11th October, 1913. Air Temperature. Mean.	Week ending 11th October, 1913. Rainfall in Inches.	Week ending 4th October, 1913. Air Temperature. Absolute Highest.	Week ending 4th October, 1913. Air Temperature. Absolute Lowest.	Week ending 4th October, 1913. Air Temperature. Mean.	Week ending 4th October, 1913. Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	26·0	16·0	2·8	599	367	99	73	...	...	...	3	4	3	3	...	27	17	22	18	30	48	4	5	10	89	18	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	27·3	17·7	3·6	211	137	37	27	...	...	...	1	...	1	2	...	10	6	8	6	15	23	1	3	4	40	3	e 66	34	52·9	0·14	e 62	44	51·4	2·73	e 68	47	56·6	0·06
CITY OF DUBLIN,	308,187	39·0	30·8	19·5	4·4	182	115	34	17	...	...	...	1	...	1	2	...	9	6	5	4	13	21	1	2	4	37	3	f 64·6 g 65·3	42·2 34·5	54·8 53·6	0·09 0·10	f 58·9 g 58·2	47·6 46·0	52·4 51·7	2·15 2·53	f 67·0 g 68·3	54·7 51·8	58·3 57·8	0·08 0·13
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	12·1	13·4	1·3	9	10	2	3	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PEMBROKE, ...	29,942	19·0	20·9	12·2	1·7	12	7	1	4	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,161	8·5	11.4	11·4	.	2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	18·5	9·2	.	6	3	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	65	43	56·5	0·36	63	48	54·0	1·61	67	52	59·1	0·71
Urban District. BELFAST ..	396,000	26·5	26·5	14·6	1·8	201	111	22	24	...	...	...	...	3	...	1	...	12	3	9	9	7	9	1	2	5	31	3	62	42	54·5	0·81	61	40	52·0	0·33	66	47	55·7	0·04
Urban District. CORK, ..	76,673	28·6	23·8	13·6	2·7	35	20	5	3	...	...	...	...	...	...	...	...	1	2	1	...	2	4	...	...	1	4	...	60	47	56·3	1·31	61	41	52·5	1·20	67	51	58·4	1·05
Urban District. LONDONDERRY...	41,000	15·9	21·6	14·0	1·3	17	11	1	3	...	...	...	...	...	...	...	...	...	2	1	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. LIMERICK, ...	38,518	16·1	28·4	8·1	1·4	21	6	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	3	...	63	37	55·6	0·64	62·0	31·7	52·6	0·78	68·4	45·8	56·6	0·10
Urban District. WATERFORD, ...	27,464	19·1	30·4	3·8	1·9	16	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. GALWAY, ...	13,255	2·5				4	8	3	1	...	...	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	6	65	34	53	0·48	61	35	50	0·14	71	43	51·6	0·23
Urban District. DUNDALK, ...	13,128	9·5				9	9	6	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. LURGAN, ...	12,553	14·7				5	4	1	1	...	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	...	...	...	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10
Urban District. DROGHEDA, ...	12,501	8·4				4	10	1	3	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. LISBURN, ...	12,388	10·9				7	4	1	1	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10
Urban District. NEWRY, ...	11,963	17·0				4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10
Urban District. PORTADOWN, ...	11,727	15·3				8	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10
Urban District. WEXFORD, ...	11,531	22·8				5	7	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. BALLYMENA ..	11,381	9·3				.	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. SLIGO, ...	11,163	3·8				4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	64	41	55·0	0·60	61	40	51·0	0·50	70	39	56·0	0·03
Urban District. KILKENNY, ...	10,514	11·4				.	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	...	63	39	54·7	0·72	64	47	53·2	0·88	70	50	57·7	0·08
Urban District. TRALEE, ...	10,300	17·4				1	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. CLONMEL, ...	10,209	7·8				4	6	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. NEWTOWNARDS,	9,587	20·1				9	5	4	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	1	60	46	54·0	0·52	56	45	52·4	0·30	62	53	56·6	0·08
Urban District. QUEENSTOWN, ...	8,209	14·7				9	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	60	47	56·3	1·31	61	41	52·3	1·20	67	51	58·4	1·05
Urban District. LARNE, ...	8,036	13·4				12	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. COLERAINE, ...	7,785	7·7				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. BANGOR, ...	7,776	8·5				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. BRAY, ..	7,691	7·2				1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. ATHLONE, ...	7,472	6·2				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban District. ARMAGH, ...	7,356	21·8				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62	67·7	47·5	56·5	0·10

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 11 deaths of persons (including 2 under one year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th of October, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	1	1	.	.	.	.	3	1	2	.	.	.	.	1	.	10	2
Tuberculous Disease. — Other Forms,	1	.	4	.	.	.	.	1	.	.	.	.	.	.	.	.	6	.
Cancer,	1	1	1	.	1	.	.	.	.	1	.	.	2	1	.	.	8	3
Diseases of Nervous System,	1	.	.	1	.	.	.	3	1	.	5	1	2	.	.	.	14	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	2	.	1	.	.	.	4	.	2	3	1	.	.	.	.	15	.
" Respiratory System. — Pneumonia,	.	1	.	.	.	.	.	2	.	.	1	.	.	.	.	2	6	.
" Respiratory System. — Others,	2	2	.	3	.	1	.	1	.	3	1	1	.	1	1	.	15	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	4	2	2	1	.	.	.	3	.	4	4	1	1	1	.	.	23	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
" Digestive System. — Others,	.	.	.	1	.	.	.	.	.	.	2	.	1	.	.	.	4	3
" Genito-urinary System,	1	.	.	1	.	.	.	1	.	1	.	1	1	2	.	.	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Other specified Causes,	.	1	1	1	.	.	.	3	1	1	1	1	1	1	.	.	12	2
Violent Deaths,	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	3	1
Deaths from All Causes	13	11	9	10	1	1	1	24	5	15	19	6	10	7	2	3	137	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·7	14·0	13·8	14·8	9·6	3·8	4·9	31·0	14·2	18·1	29·9	32·1	13·4	12·2	11·4	9·2	17·7	.
	14·7							24·9					12·1					
	19·5																	
Ages at Death. — Under 1 year,	4	2	4	3	.	.	.	7	.	4	7	3	2	1	.	.	37	2
1 and under 2 years,	1	2	1	.	.	.	.	.	.	2	.	1	.	.	.	.	7	.
2 " 5 "	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	3	1
5 " 15 "	.	1	1	.	.	.	1	4	.	.	2	.	.	.	.	.	9	.
15 " 25 "	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	3	1
25 " 45 "	2	2	1	1	.	.	.	3	1	2	.	.	.	1	.	.	13	3
45 " 65 "	4	2	1	6	1	1	.	5	1	4	5	1	4	1	1	1	38	1
65 and upwards,	2	2	.	.	.	.	.	3	2	3	4	1	3	4	1	2	27	3
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	2	1	.	1	1	6	2	4	2	.	2	.	.	.	24	10
Workhouse Hospitals,	2	3	1	2	.	.	.	4	1	1	1	.	.	1	.	.	16	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 18th October, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.	Oct. 22, 1910.	Oct. 21, 1911.	Oct. 19, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 48·8	° 53·9	° 40·0	° 45·5	° 47·0	° 55·7	° 51·1	° 49·1	° 57·4	° 49·7	° 49·8	° 52·9										
ALL CAUSES.	164	191	143	166	164	134	124	174	165	164	158·9	148	7	32	7	4	9	4	16	39	17	13
Enteric Fever, ...	4	.	4	4	1	2	.	2	4	2	2·3	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	6	.	.	.	2	.	.	2	2	1·2	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	2	1	1	1	1	4	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	.	1	2	2	1	1	5	1	1	1·5	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	2	2	.	1	.	.	.	3	·9	2	.	.	.	.	2	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	1	1	2	.	2	1	1	·9	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	1	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	2	1	.	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	25	18	21	25	25	25	23	28	26	23·5	12	.	.	1	.	.	1	5	4	1	.
Tuberculous Meningitis, ...	3	3	2	2	1	3	3	3	1	1	2·2	4	.	.	.	.	2	.	2	.	.	.
Abdominal Tuberculosis, ...	3	2	.	1	2	.	.	.	3	3	1·4	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	6	5	2	4	6	1	5	.	.	3·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									.	4		1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	1	.	.	1	1	.	1	.	.	·4	2	.	2	.	.	.	.	.	.	.	.
Cancer, ...	7	6	10	7	4	3	3	12	9	8	6·9	11	.	.	.	.	.	.	3	5	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	.	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	1	2	—	1	.	.	.	.	.	1	.	.	.	.
Alcoholism, ...	1	1	.	.	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									1	1		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									3	3		4	.	.	.	.	.	.	.	3	.	1
Softening of Brain, ...									.	.		1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.									2	2		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									2	.		5	2	2	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	32	39	30	34	35	37	29	35	.	5	32·5	3	.	.	.	1	.	.	.	1	1	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									19	13		14	.	.	.	.	1	.	.	4	6	3
Embolism and Thrombosis (including Cerebral)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									.	1		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	19	19	15	14	9	10	8	13	14	15	13·6	14	.	.	1	.	.	.	1	7	2	3
Broncho-pneumonia, ...	2	8	2	5	11	2	5	12	4	4	5·5	1	.	1	.	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	3	.	4	.	1	.	1	.	3	1·2	2	.	.	.	.	.	.	.	1	1	.
Pneumonia (type not distinguished)	2	3	4	8	3	2	2	2	4	6	3·6	3	.	.	.	.	1	.	.	2	.	.
Pleurisy, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	.	3	1	3	1	3	4	.	1	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	1		1	.	.	.	.	.	.	1	.	.	.

FORTY-SECOND WEEK, ending Saturday, 18th October, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 18th October, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.	Oct. 22, 1910.	Oct. 21, 1911.	Oct. 19, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 48·8	° 53·9	° 40·0	° 45·5	° 47·0	° 55·7	° 51·1	° 49·1	° 57·4	° 49·7	° 49·8	° 52·9										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	3	2	—	3	.	.	.	.	.	.	1	1	.	1
Diarrhœa and Enteritis of Children under 2 years.	11	14	3	15	25	10	6	14	13	7	11·9	23	1	20	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		1	.	.	.	.	.	.	1	.	.	.
Enteritis 2 years and upwards									.	1		2	.	.	.	1	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	1	—	2	.	.	.	.	.	1	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	.	1	2	1	1	1	.	.	2	1	·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	4	1	.	.	2	1	2	.	.	1·1	1	.	.	.	.	1	.	.	.	.	.
Peritonitis (cause unknown),	2	.	.	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	9	8	5	3	6	5	4	3	2	5·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	9	4	4	5	4	3	3	4	4	2	5·4	2	.	.	.	.	.	.	.	1	1	.
Chronic Bright's Disease, ...									4	6		5	.	.	.	.	.	.	.	5	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									2	.		1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	1	.	.	3	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	3	.	—	1	.	.	.	.	1	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	.	1	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	9	2	11	5	3	6	3	6	4	5·2	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	3	3	—	6	2	4	.	.	.	.	.	.	.	.
Old Age, ...	7	1	3	1	4	.	4	6	3	7	3·6	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	2	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	.	1	2	.	1	.	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	6	3	7	3	3	.	3	.	3	3	3·1	3	.	.	.	.	1	1	1	.	.	.
Total Deaths from Accident,	8	4	7	4	5	.	4	.	4	4	4·0	3	.	.	.	.	1	1	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	2	.	.	.	2	.	1	.	3	2	1·0	2	.	.	.	.	1	.	1	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	3	6	—	4	.	.	1	1	.	.	.	.	.	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered.	249	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211
Average Births in corresponding week of previous 10 years, ...	212	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211
DEATHS registered, ...	209	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163	159	148
Annual Death-rate per 1,000, ...	27·0	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1
Average Deaths in corresponding week of previous 10 years, ...	187	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159
Ages, Under 5 years, ...	44	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50
5—15 " ...	9	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9
15—25 " ...	9	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4
25—45 " ...	43	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16
45—65 " ...	52	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39
65—75 " ...	32	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17
75 and upwards, ...	20	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13
Deaths from :—																										
Enteric Fever, ...	.	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.
Typhus, ...	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.		.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1
Scarlet Fever, ...	1	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.
Whooping-cough, ...	2	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1
Diphtheria, ...	1	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2
Influenza, ...	7	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	35	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12
Tuberculous Disease, Other Forms,	7	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6
Cancer, ...	15	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11
Diseases of Circulatory System,	18	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15
Diseases of Respiratory System, Pneumonia	13	6	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6
Diseases of Respiratory System, Others, ...	31	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7	9	10	10	14	13	13	15
Diarrhœa and Enteritis, under 2 years, ...	5	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23
Diarrhœa, 2 years and upwards,	.	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1
Violent Deaths, ...	3	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3
Number of Uncertified Deaths,	12	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3
Mean Temperature of the Air (Phœnix Park)	45·9	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9
Average Mean Temperature in corresponding week of previous 10 years, ...	46·0	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	9·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8
Rainfall in inches, ...	·905	1·100	2·025	·440	·220	·140	560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th October, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH OCTOBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	19·4	148	50	9	4	16	39	17	13	.	.	.	1	.	1	2	.	12	6	11	5	6	15	23	1	3	62	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	28·5	8	1	.	2	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	4	.
II.	MIDDLE CLASS, ...	101,798	9·2	18	1	.	.	2	7	3	5	.	.	.	.	.	.	.	.	1	.	3	.	.	3	.	.	.	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	19·7	41	15	4	2	5	7	7	1	.	.	.	.	.	1	1	.	5	2	3	1	3	1	8	.	1	15	1
IV.	GENERAL SERVICE CLASS, ...	167,479	19·9	64	25	5	.	6	21	3	4	.	.	.	1	.	.	1	.	6	2	4	3	2	6	12	1	1	25	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	17	8	.	.	3	3	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	4	3	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	39·8	6	1	.	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19·2	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5·5	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	16·6	8	1	.	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	4·7	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	9·2	6	.	.	.	1	4	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
	9. Building and Furnishing Trades, ...	28,823	25·3	14	4	2	1	1	4	2	.	.	.	.	.	.	1	.	.	1	1	1	.	1	1	2	.	1	5	.
	10. Clothing Trades, ...	20,026	18·2	7	2	.	1	2	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	.
	11. Food Supply Trades	8,952	29·1	5	2	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	3	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	16·3	10	5	1	.	1	1	1	1	.	.	.	.	.	.	1	.	1	.	.	.	2	.	4	.	.	2	.
	13. Petty Shopkeepers	6,772	15·4	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	24·1	6	1	1	.	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	3	1
	15. Domestic Servants, ...	36,041	7·2	5	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	3	1	.	.	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	22·8	45	20	3	.	5	11	3	3	.	.	.	1	.	.	.	.	6	1	2	3	2	3	9	1	1	16	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	17	8	.	.	3	3	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	4	3	.	.	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Aug 30,	19·2	5·2	11	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
		Sept. 6,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.
		„ 13,	33·1	12·2	19	2	.	.	.	.	.	.	.	.	.	1	2	.	5	.	2	.
		„ 20,	13·9	8·7	8	.	.	.	.	2	.	.	.	.	.	.	1	1	3	.	.	.
		„ 27,	20·9	5·2	12	.	.	.	.	.	.	.	.	1	2	.	.	1	3	.	.	.
		Oct. 4,	15·7	5·2	9	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2
		„ 11,	13·9	5·2	8	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.
		„ 18,	22·7	7·0	13	.	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Aug. 30,	30·6	6·4	24	.	.	.	.	.	.	.	.	4	.	.	1	2	5	.	.	1
		Sept. 6,	24·2	6·4	19	.	.	.	.	.	.	.	.	2	.	4	1	2	5	.	1	1
		„ 13,	26·8	5·1	21	.	.	.	.	.	.	.	.	2	.	3	1	1	4	.	.	1
		„ 20,	19·1	3·8	15	.	.	.	.	.	.	.	.	3	.	1	3	.	2	1	.	.
		„ 27,	26·8	8·9	21	.	.	.	.	.	.	.	.	.	.	2	.	1	6	1	.	.
		Oct. 4,	24·2	3·8	19	.	.	.	.	.	.	.	.	3	.	.	2	1	3	.	.	1
		„ 11,	26·8	8·9	21	1	.	.	.	.	.	.	1	1	.	2	1	2	5	.	1	1
		„ 18,	14·0	2·6	11	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Aug. 30,	18·7	7·5	10	.	2	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.
		Sept. 6,	26·2	5·6	14	1	.	.	.	.	.	.	.	3	1	1	.	.	2	.	1	.
		„ 13,	24·3	7·5	13	.	.	.	.	.	1	.	.	4	1	.	.	.	3	.	.	.
		„ 20,	18·7	5·6	10	.	.	.	.	.	.	.	.	4	.	.	1	.	3	.	.	.
		„ 27,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
		Oct. 4,	22·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
		„ 11,	20·6	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
		„ 18,	16·8	3·7	9	.	.	.	.	.	.	.	.	1	4	1	.	.	2	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Aug. 30,	10·4	1·5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
		Sept. 6,	22·2	3·0	15	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.
		„ 13,	20·7	7·4	14	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
		„ 20,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	7	1
		„ 27,	25·2	5·9	17	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	2	.
		Oct. 4,	14·8	3·0	10	2	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
		„ 11,	22·2	4·4	15	.	.	.	.	.	1	.	.	3	1	.	1	1	2	.	.	.
		„ 18,	14·8	3·0	10	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Aug. 30,	18·1	5·2	14	.	.	.	.	.	.	.	.	2	.	1	.	.	4	.	1	1
		Sept. 6,	24·5	2·6	19	.	.	.	.	.	.	.	.	3	3	2	.	1	2	.	.	.
		„ 13,	25·8	9·0	20	1	.	.	.	.	.	.	.	2	1	2	.	.	6	.	.	.
		„ 20,	9·0	1·3	7	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
		„ 27,	18·1	2·6	14	.	.	.	.	.	.	.	.	6	.	1	.	.	2	.	.	.
		Oct. 4,	19·4	2·6	15	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	.
		„ 11,	22·0	5·2	17	.	.	.	.	.	.	1	.	1	2	.	1	2	3	.	.	.
		„ 18,	31·0	6·5	24	.	.	.	.	.	.	1	.	3	1	.	2	1	3	1	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Aug 30,	28·4	2·8	10	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	.
		Sept. 6,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 13,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
		„ 20,	25·6	8·5	9	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
		„ 27,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
		Oct. 4,	31·3	8·5	11	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.
		„ 11,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.
		„ 18,	14·2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Aug. 30,	18·1	2·4	15	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	1
		Sept. 6,	31·4	9·7	26	.	.	.	.	.	.	.	.	3	2	4	.	2	7	1	1	.
		„ 13,	24·2	4·8	20	1	.	.	.	.	.	1	.	5	1	.	.	2	1	1	2	1
		„ 20,	18·1	2·4	15	1	.	.	.	.	.	.	.	2	.	1	1	4	1	.	.	.
		„ 27,	26·6	8·5	22	.	.	.	.	.	.	.	.	4	1	1	.	.	7	.	.	.
		Oct. 4,	25·4	8·5	21	.	.	.	.	1	1	2	.	.	.	4	.	3	2	1	.	.
		„ 11,	24·2	8·5	20	.	.	.	.	1	.	1	.	1	1	.	2	.	5	.	1	.
		„ 18,	18·1	4·8	15	.	.	.	.	.	.	.	.	2	.	1	.	3	4	.	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Aug. 30,	33·0	7·9	21	.	.	.	1	.	.	.	.	.	2	1	2	2	4	.	.	.
		Sept. 6,	17·3	6·3	11	1	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1
		„ 13,	18·9	3·1	12	.	.	.	1	.	.	.	.	1	.	.	1	2	1	.	1	.
		„ 20,	22·0	9·4	14	.	.	.	.	.	.	.	.	1	1	1	1	.	6	.	.	.
		„ 27,	18·9	3·1	12	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	1	.
		Oct. 4,	18·9	7·9	12	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.
		„ 11,	9·4	1·6	6	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.
		„ 18,	29·9	9·4	19	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Aug. 30,	9·4	2·7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	Sept. 6,	14·8	6·7	11	.	.	.	.	.	.	.	.	2	.	1	.	.	4	1	.	.
	,, 13,	20·2	8·1	15	1	.	.	.	.	1	.	.	3	.	1	.	.	4	.	.	.
	,, 20,	14·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1
	,, 27,	16·1	5·4	12	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.
	Oct. 4,	17·5	4·0	13	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.
	,, 11,	8·1	2·7	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	,, 18,	13·4	1·3	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Aug. 30,	20·9	3·5	12	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.
	Sept. 6,	13·9	3·5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	,, 13,	22·6	3·5	13	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
	,, 20,	19·2	3·5	11	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1
	,, 27,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.
	Oct. 4,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	,, 11,	13·9	3·5	8	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	,, 18,	12·2	1·7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Aug. 30,	27·7	.	9	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Sept. 6,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 13,	24·6	.	8	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	,, 20,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 27,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Oct. 4,	12·3	.	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	,, 11,	24·6	3·1	8	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	,, 18,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Aug. 30,	23·0	6·5	175	.	.	.	.	1	1	2	.	26	5	5	5	9	39	6	3	.
	Sept. 6,	20·7	4·5	157	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	3
	,, 13,	20·4	6·6	155	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	.
	,, 20,	21·1	6·3	160	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	.
	,, 27,	19·5	4·2	148	1	.	.	.	3	.	1	.	13	3	9	16	15	22	5	1	1
	Oct. 4,	13·2	2·5	100	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	.
	,, 11,	16·7	1·7	127	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	4
	,, 18,	14·6	1·8	111	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	3
Cork. Pop. in 1911 76,673.	Aug. 30,	24·5	8·8	36	.	.	.	.	.	.	.	.	3	.	2	2	1	5	8	.	.
	Sept. 6,	19·7	0·2	29	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.
	,, 13,	26·5	7·5	39	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.
	,, 20,	30·6	10·2	45	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	2
	,, 27,	24·5	6·1	36	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	4
	Oct. 4,	21·8	3·4	32	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	3
	,, 11,	24·5	2·7	36	.	.	.	.	.	.	.	.	6	1	6	3	1	4	.	.	1
	,, 18,	13·6	2·7	20	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Aug. 30,	24·2	8·9	19	.	.	.	2	.	.	.	.	.	2	.	.	.	5	.	1	.
	Sept. 6,	15·3	1·3	12	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	1	.
	,, 13,	19·1	7 6	15	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	.
	,, 20,	22·9	10·2	18	.	.	.	1	.	.	.	.	1	1	1	.	2	6	1	.	.
	,, 27,	22·9	6·4	18	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	Oct. 4,	21·6	10 2	17	.	.	.	.	.	.	.	.	.	.	3	.	.	8	.	2	.
	,, 11,	7·6	2·5	6	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	,, 18,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1
Limerick. Pop. in 1911 38,518.	Aug. 30,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1
	Sept. 6,	19·0	4·1	14	.	.	.	.	.	.	.	.	2	1	.	.	1	3	.	.	.
	,, 13,	27·1	2·7	20	.	.	.	.	.	.	.	.	3	.	1	2	.	1	1	.	5
	,, 20,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
	,, 27,	17·6	.	13	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	Oct. 4,	23·0	1·4	17	.	.	.	.	.	.	.	.	6	1	.	.	1	1	.	.	3
	,, 11,	12·2	2·7	9	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
	,, 18,	8·1	1·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Waterford. Pop. in 1911 27,464.	Aug. 30,	24·7	20·9	13	.	.	.	1	.	.	.	.	.	1	.	.	.	9	1	.	1
	Sept. 6,	34·2	13·3	18	.	.	.	3	.	.	.	.	1	.	2	.	2	2	2	.	3
	,, 13,	5·7	3·8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	,, 20,	13·3	5·7	7	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
	,, 27,	26·6	9·5	14	.	.	.	1	.	.	.	.	2	.	.	.	1	3	1	.	.
	Oct. 4,	38·0	11·4	20	.	.	.	.	.	.	.	.	1	1	3	.	1	5	1	.	1
	,, 11,	15·2	1·9	8	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
	,, 18,	3·8	1·9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th October, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	13·1	.	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Do. 2 do.	49,500	30	16·9	2·1	16	5	2	4	2	2	1	.	.	.	.	1	.	.	.	2	1	2	.	.	1	.	.	1	4	.
Do. 3 do.	50,032	35	15·6	1·0	15	3	1	1	1	6	3	.	.	.	.	1	.	.	.	1	.	2	1	.	.	.	1	1	4	2
Do 4 do.	32,637	12	16·0	1·6	10	2	.	4	.	3	1	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.	4	.
Do. 5 do.	16,112	8	22·7	.	7	.	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	1	.
Do. 6 do.	37,293	21	11·2	1·4	8	1	1	1	2	.	3	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	1	4	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	9	12·8	4·3	6	2	1	.	1	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	1	2	1
Do. 10 do.	28,958	10	19·8	5·4	11	3	3	.	2	1	2	.	.	.	.	.	.	.	.	1	.	.	1	3	2	1	.	.	2	.
Do. 11 do.	39,311	25	13·3	.	10	1	1	.	.	4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.
Do. 12 do.	38,076	19	8·2	.	6	1	.	.	1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 13 do.	23,233	8	15·7	4·5	7	1	.	3	1	.	2	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.	.	.	1	.
Do. 14 do.	175	..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	25·3	4·6	11	2	2	.	2	4	1	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.	4	.
Total,	386,947	201	14·6	1·8	111	22	11	15	13	26	24	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	5	31	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	23·3	3·9	6	1	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
Do 2 do.	10,701	6	15·0	.	3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do 3 do.	9,978	6	10·6	5·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do 4 do.	8,666	5	28·5	5·7	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.
Do 5 do.	6,592	3	25·0	.	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	4	4·5	4·5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 7 do.	16,616	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	76,122	35	13·6	2·7	20	5	3	1	2	6	3	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	1	4	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered, ...	233	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201
DEATHS registered, ...	155	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111
Annual Death-rate per 1,000 of estimated population, ...	20·4	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6
AGES, Under 1 year, ...	30	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22
1—5 years, ...	17	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11
5—25 „ ...	22	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15
25—45 „ ...	24	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13
45—65 „ ...	35	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	23
65 and upwards, ...	27	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24
Deaths from:—																										
Enteric Fever, ...	.	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.
Scarlet Fever, ...	2	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3
Whooping-cough, ...	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.
Diphtheria, ...	1	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1		2	1
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	20	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12
Tuberculous Disease. Other Forms,	6	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3
Cancer, ...	8	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9
Diseases of Respiratory System, Pneumonia,	14	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9
Diseases of Respiratory System, Others, ...	17	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7
Diarrhœa and Enteritis, under 2 years, ...	1	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9
Diarrhœa, 2 years and upwards,	2	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1
Violent Deaths, ...	5	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2
Number of Uncertified Deaths, ...	1	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Oct 18,	2,094	1,226	14·1	5	.	5	3	8	12	157*a*
Edinburgh, ...	320,300	„ 18,	123	77	12·5	.	.	2	1	.	1	2*a*
Glasgow, ...	1,021,500	„ 18,	528	273	13·9	1	.	9	3	2	3	11*a*
Calcutta, ...	896,067	Sept. 6,	.	461	26·7	61*	1	1	.	.	.	73‡
Bombay, ...	979,445	„ 13,	422	543	28·8	67*	.	2	.	.	.	62‡
Madras, ...	518,660	„ 20,	476	335	33·6	48*	1	2	?	?	?	80‡
Cairo, ...	715,609	July 29,	632	593	43·2	6	.	7	.	?	7†	203*a*
Paris, ...	2,847,229	Oct. 4,	873	733	13·1	3	.	6	.	7	3†	60*a*
Brussels, ...	767,252	Sept. 27,	240	155	10·5	2	.	.	.	.	.	15*a*
Antwerp, ...	312,884	Oct. 4,	119	56	9·3	.	.	1	.	1	1	11*a*
Amsterdam, ...	591,637	Sept. 27,	265	93	8·2	.	.	2	.	1	.	1*a*
Copenhagen, ...	473,500	„ 27,	210	117	12·9	.	.	.	1	3	.	10*a*
Stockholm, ...	376,171	„ 27,	164	74	10·2	.	.	.	.	1	1	3*a*
Christiania, ...	250,423	Oct. 4,	147	49	10·2	.	.	.	2	.	.	3
St. Petersburg ...	1,708,600	Sept. 13,	976	584	17·8	35	.	4	5	2	2	126*a*
Moscow, ...	1,694,000	„ 6,	.	1,034	31·8	10	.	17	14	10	10†	450
Berlin, ...	2,064,234	„ 13,	762	446	11·3	.	.	1	5	2	6†	48
Hamburg, ...	1,006,748	„ 27,	.	229	11·8	1	.	.	3	1	10†	31
Breslau, ...	539,054	„ 27,	.	162	15·7	.	.	.	1	.	.	11
Munich, ...	638,000	„ 27,	.	155	12·7	.	.	1	1	.	1†	9
Vienna (with suburbs),	2,115,254	„ 27,	732	500	12·3	1	.	.	1	1	12†	24*a*
Buda-Pesth, ...	930,666	„ 27,	460	293	16·4	3	.	1	9	2	1†	43*a*
Prague and Faubourgs,	494,055	„ 13,	154	141	14·9	.	.	.	1	.	3†	4*a*
Trieste, ...	239,703	„ 27,	128	93	20·2	1	.	.	.	1	.	30*a*
Rome, ...	579,187	June 21,	289	194	17·5	.	.	7	.	1	.	21*a*
New York, ...	5,372,983	Sept. 13,	2,660	1,184	11·5	7	.	2	4	16	16†	151*a*
Philadelphia, ...	1,631,960	Aug. 30,	.	425	13·6	11	.	1	.	7	2	53*a*
Boston, ...	735,399	Sept. 27,	.	194*b*	13·8	4	.	.	.	3	5	26

* Deaths from "fever," including 7 from enteric fever and one from plague in Calcutta, 4 from enteric fever and 4 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 15 deaths from cholera in Calcutta, one in Bombay, and 4 in Madras.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 165 (including 3 from enteric fever, 2 from whooping-cough, 3 from diphtheria, and 19 deaths from diarrhœal diseases), rate 11·7 per 1,000.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th October, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	4	1	.	.	2	.	9
" " 1, West, ...	.	3	.	.	.	.	1	1	.	.	.	5	.	10
" " 2, ...	.	2	.	.	.	.	.	1	1	.	.	2	.	6
" " 3, ...	.	2	.	.	.	.	.	.	1	.	.	3	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	.	.	1	1	.	.	2	.	4
" " 2, ...	.	4	.	.	.	.	.	.	1	.	.	5	.	10
" " 3, ...	.	1	.	.	.	.	.	.	1	.	.	3	.	5
" " 4, ...	.	5	.	.	1	.	.	.	.	.	.	1	.	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	19	.	.	3	.	1	8	6	.	.	23	.	60

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th October, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th October.			
	Sept. 27.	Oct. 4.	Oct. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	62	55	63	7	2	1	67
Typhus, ...	3	2	2	.	1	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	14	32	29	.	6	.	23
Scarlet Fever, ...	79	91	91	23	16	.	98*
Diphtheria, ...	37	36	39	16	4	3	48
Pneumonia, ...	31	30	23	3	8	.	18

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 18th October, 1913:—

"Very favourable and even warm autumnal weather held during the greater part of this week, but on Monday and Tuesday conditions were unsettled, and heavy rains fell over the western half of Ireland and Scotland on the former day and at Holyhead (·83 inch) on Tuesday. The rainfall measurements at 7 a.m. of Tuesday were ·75 inch at Roche's Point, Co. Cork, ·79 inch at Lerwick, 1·08 inches at Stornoway, 1·23 inches at Valentia, Co. Kerry, and 1·56 inches at Blacksod Point, Co. Mayo. During this rainy period a large but not deep atmospheric depression passed across the Atlantic in a northeasterly direction along the western shores of Ireland and Scotland, whereas a high pressure system extended across England from the Continent. In that country and also in the east of Ireland the weather was very fine and warm on Sunday and Monday. Tuesday forenoon was rainy in Dublin but the weather improved in the afternoon and there was a splendid sunset. At this time a large and very deep atmospheric depression was reported from Spitzbergen, where the barometer fell to 28·48 inches on Tuesday morning, the wind blowing a strong gale from N.N.E. at a temperature of 17°. On Wednesday a new anticyclone advanced over Ireland from the Atlantic. It caused calm, cool weather, the thermometer falling early on Thursday morning to 42° in Dublin and 39° at Birr Castle—Nottingham and Bath reported 38°, and on Friday morning Nottingham recorded 37° and Bath 35°. Owing to a S.W. wind, temperature rose in Ireland, but the weather remained fine and dry except in the south and southwest of this country. In Dublin the mean height of the barometer was 30·110 inches, the range being from 30·306 inches at 9 p.m. of Wednesday (wind, W.N.W.) to 29·830 inches at 9 p.m of Saturday (wind, S.?). The corrected mean temperature was 54·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·3°. On Monday the screened thermometers rose to 64·6°, on Thursday they fell to 42·2°. Southerly winds prevailed. There were 2 rain-days, the total precipitation being ·093 inch, of which ·078 inch was recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·119 inches. The highest reading (30·312) was on Wednesday, at 9 p.m., air calm, the lowest (29·857) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 52·9°, being 3·1° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Monday and Friday, on which days the thermometer registered 66°, and was lowest on Thursday, the mercury having fallen to 34°. The mean of the Dry Bulb for the week was 55·1° and of the Wet Bulb, 52·5°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·140 inch.

At Greenwich the mean temperature for the week was 52·8°, the maximum 64·2°, and the minimum 38·9°; and at Edinburgh the maximum was 61·0°, the minimum 45·1°, and the mean 53·1°. The rainfall at Greenwich measured 0·12 in.; and at Edinburgh 0·08 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 12,	30·145	65	42	53·5	59·4	56·6	·83	·8	0·3	·000	S.	S.
Monday, „ 13,	30·180	66	58	62·0	61·3	56·8	·75	·7	0·6	·115	S.S.W.	S.
Tuesday, „ 14,	30·125	61	49	55·0	53·8	52·6	·94	·6	0·0	·025	S.W.	W.
Wednesday, „ 15,	30·285	55	44	49·5	51·4	50·1	·91	·3	0·3	·000	W.	Calm.
Thursday, „ 16,	30·180	60	34	47·0	53·6	51·0	·84	·3	4·7	·000	Calm.	Calm.
Friday, „ 17,	30·010	66	40	53·0	52·3	48·5	·87	·3	7·4	·000	S.W.	Calm.
Saturday, „ 18,	29·910	64	36	50·0	53·9	52·2	·90	·5	1·8	·000	S.S.W.	Calm.
Mean, ...	30·119	62·4	43·3	52·9	55·1	52·5	·86	·5	Total 15·1	Total ·140	Prevailing Wind, —	

Sunday—A dull day; night cloudy. *Monday*—A dull day; night overcast, drizzling rain 3.0 a.m. to 9.0 a.m. *Tuesday*—Day overcast, showers at intervals a.m.; night clear. *Wednesday*—A dull day; night clear *Thursday*—Day bright a.m., cloudy p.m.; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 18th October, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 12,	60·4	54·1	55·2	64	49	56·5	0·4	—
Monday, „ 13,	62·8	55·0	55·2	65	58	61·5	0·6	·07
Tuesday, „ 14,	59·8	55·8	55·1	62	52	57·0	0·0	·01
Wednesday, „ 15,	52·0	55·0	55·1	56	47	51·5	0·4	—
Thursday, „ 16,	48·8	54·1	55·1	63	41	52·0	4·0	—
Friday, „ 17,	63·2	54·0	55·1	64	50	57·0	7·5	—
Saturday, „ 18,	60·2	53·8	55·0	65	43	54·0	2·4	—
Weekly Mean, .	58·2	54·5	55·1	62·7	48·6	55·6	Total 15·3	Total. ·08

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 10. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 25TH OCTOBER, 1913. [No. 43.

General Register Office, Charlemont House,
Dublin, 27th October, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Oct. 4	Oct. 11	Oct. 18	Oct. 25	Average Rate for 4 weeks.
27 Town Districts, (a)	**18·0**	**17·1**	**16·0**	**17·8**	**17·2**
Dublin Reg. Area ...	20·1	18·9	17·7	19·0	18·9
Dublin City ...	20·8	20·8	19·5	20·3	20·3
Belfast	13·2	16·7	14·6	15·1	14·9
Cork	21·8	24·5	13·6	20·4	20·1
Londonderry ...	21·6	7·6	14·0	11·4	13·7
Limerick	23·0	12·2	8·1	10·8	13·5
Waterford	38·0	15·2	3·8	30·4	21·8

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·5 per 1,000. Among the 115 deaths from all causes for Belfast are 2 from measles, 7 from scarlet fever, one from diphtheria, and 3 from diarrhœal diseases. Included in the 30 deaths from all causes for Cork are 2 from diarrhœal diseases. Of the 9 deaths from all causes for Londonderry, 3 are from diarrhœa and enteritis of children under 2 years. Seven of the 13 deaths from all causes recorded for Galway are from whooping-cough. Two of the 5 deaths from all causes for Newry are from diarrhœa; and among the 7 deaths from all causes for Clonmel are 2 from scarlet fever, and one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 220—112 boys and 108 girls—and the deaths to 162—83 males and 79 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·0 per 1,000 of the population. During the forty-three weeks, ending with Saturday last, the death-rate averaged 20·3, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 162, represent an annual rate of 21·0 per 1,000; the annual rate for the past forty-three weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered

The total deaths include one from enteric fever, one from typhus, 2 from measles, and 16 from diarrhœa and enteritis of children under 2 years. In the 3 preceding weeks deaths from enteric fever were 2, one, and 0; deaths from typhus were 0, 0, and 0; deaths from measles were 0, one, and one; and deaths from diarrhœa and enteritis of children under 2 years 26, 29, and 23 respectively.

Tuberculous disease caused 25 deaths, comprising 19 from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from disseminated tuberculosis. In the 3 weeks preceding deaths from tuberculous disease were 19, 23, and 18 respectively.

Pneumonia caused 8 deaths, including 5 from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished).

There were 10 deaths from cancer.

Convulsions caused the deaths of 5 infants under one year of age, prematurity 5 deaths, congenital malformations 2 deaths, and congenital debility 4 deaths.

Organic diseases of the heart caused 17 deaths, and there were 13 from bronchitis.

There were 2 deaths from accidental causes, including one by burns.

Two deaths by homicide and one death by suicide were also registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age, and the deaths of 2 persons aged 65 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 15 were under one month old) and 33 were aged 65 years and upwards, including 19 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·0 per 1,000; the rate in the City was 20·3 (North City Districts, 16·6; South, 24·5) and in the Suburbs, 14·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 2·9 (in the North City Districts 2·6, and in the South 3·2), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000, and include 5 from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 21·7 per 1,000. Tuberculous disease caused 2 deaths, bronchitis 3 deaths, and diarrhœa and enteritis of children under 2 years 3 deaths.

No. 2 North City District (Lisburn-street).—The deaths (6) are equivalent to an annual rate of 11·2 per 1,000. Bronchitis caused 3 deaths, and there was one death from diarrhœa or enteritis of a child under 2 years.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000, and include 3 from pulmonary tuberculosis and one from diarrhœa or enteritis of a child under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·2; and Finglas and Glasnevin, part of, 4·9. The only death for Finglas and Glasnevin, part of, is one from enteric fever. The only death for Clontarf and Howth, part of, is one from pulmonary tuberculosis; and one of the 5 deaths from all causes for Coolock and Drumcondra, part of, is also from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 19·4 per 1,000, and include 2 from pulmonary tuberculosis, one from broncho pneumonia, one from lobar pneumonia, and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42·6 per 1,000. Included in the total are 3 from tuberculous disease, one from broncho-pneumonia, one from pneumonia, 2 from bronchitis, and one from diarrhœa or enteritis of a child under 2 years.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·6 per 1,000. Typhus caused one death, pulmonary tuberculosis 3 deaths, broncho-pneumonia one death, bronchitis 2 deaths, and there was one death of a child under 2 years from diarrhœa or enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (20) are equivalent to an annual rate of 31·4 per 1,000, and include 2 from measles, 2 from pulmonary tuberculosis, and 4 from diarrhœa and enteritis of children under 2 years.

New Kilmainham District.—The only death recorded, equal to an annual rate of 5·3 per 1,000, was caused by accidental burns.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·5; Pembroke, 17·4; Blackrock, 11·4; and Kingstown, 6·2. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diarrhœa and enteritis of children under 2 years for Rathmines and Rathgar, and one from enteritis of a child under 2 years for Pembroke. Among the 13 deaths from all causes for the first-named district are one caused by broncho-pneumonia, 2 by homicide, and one by suicide; and of the 10 deaths from all causes for Pembroke one is by accidental violence.

* See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 25th October, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Oct. 4,	.	—	—	22	.	.	7	.	1	8	5	.	—	—	.	—	17	.	60
	Oct. 11,	.	—	—	11	1	.	12	.	1	13	5	.	—	—	.	—	21	.	64
	Oct. 18,	.	—	—	19	.	.	3	.	1	8	6	.	—	—	.	—	23	.	60
	Oct. 25,	.	—	—	21	.	.	3	.	.	5	3	.	—	—	.	—	23	.	55
Rathmines and Rathgar Urban District.	Oct. 4,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 18,	.	—	—	2	.	.	8	.	.	.	.	.	—	—	—	—	—	—	10
	Oct. 25,	.	—	—	1	.	.	3	.	.	1	1	.	—	.	—	—	—	—	6
Pembroke Urban District.	Oct. 4,	.	.	.	.	.	.	1	.	.	1	.	.	—	2	—	—	.	—	4
	Oct. 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	.	—	.
	Oct. 18,	.	.	.	2	.	.	.	.	.	.	.	.	—	1	—	—	.	—	3
	Oct. 25,	.	.	.	1	.	.	1	.	.	2	.	.	—	2	—	—	1	—	7
Blackrock Urban District.	Oct. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 11,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Oct. 18,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Oct. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 18,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 25,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
City of Belfast.	Oct. 4,	.	—	—	48	4	.	7	.	1	6	4	.	—	—	1	—	13	1	85
	Oct. 11,	.	—	—	55	4	.	4	.	.	4	7	.	—	—	.	—	4	2	80
	Oct. 18,	.	—	—	76	1	.	14	.	.	5	14	1	—	—	.	—	5	3	119
	Oct. 25,	.	—	—	72	.	.	8	1	.	3	3	.	—	—	.	—	8	2	97

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th October, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Nine cases of enteric fever were admitted to hospital during the week, 21 were discharged, and 55 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 55, 63, and 67.

One case of typhus died in hospital during the week, and no case remained under treatment at its close. At the close of the 3 previous weeks the cases in hospital were 2, 2, and one, respectively.

Two cases of measles were admitted to hospital, 21 were discharged and 4 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 32, 29, and 23 respectively.

Twenty cases of scarlet fever were admitted to hospital, 15 were discharged, and 103* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 91, 91, and 98, respectively.

Seven cases of diphtheria were admitted to hospital during the week, and 10 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 39, and 48, respectively, were 45 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 5 were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·7), was equal to an average annual death-rate of 13·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·0 per 1,000, the rate for Glasgow being 14·6, and for Edinburgh 12·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th October. From this Report it appears that of a total of 102 cases notified, 68 were scarlet fever, 15 phthisis, 11 erysipelas, 7 diphtheria, and one enteric fever. Among the 621 cases of infectious diseases in hospital at the close of the week were 423 cases of scarlet fever, 108 of phthisis, 39 of diphtheria, 13 of measles, 10 of enteric fever, 7 of erysipelas, one of whooping-cough, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 25th October, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 25TH OCTOBER, 1913. NUMBERS REGISTERED. BIRTHS.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (d) WEEK ENDING 25TH OCTOBER, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 18TH OCTOBER, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 11TH OCTOBER, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	25·7	17·8	2·5	590	409	88	99	1	1	...	4	9	7	2	...	40	15	22	18	35	29	5	7	15	139	20	...	...	...	...	...	...	..	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	28·5	19·0	2·6	220	147	34	33	1	1	...	2	...	...	...	...	18	4	9	7	13	16	...	5	6	70	5	e 65	25	43·5	0·53	e 66	34	52·9	0·14	e 62	44	51·4	2·73
CITY OF DUBLIN,	308,187	39·0	31·1	20·3	2·9	184	120	25	25	1	1	...	2	...	...	...	...	18	4	6	6	13	13	...	1	1	62	5	f 63·8 g 62·6	30·0 27·0	45·2 44·7	0·35 0·56	f 64·6 g 65·3	42·2 3[illegible]·5	54·8 53·6	0·09 0·10	f 58·9 g 58·2	47·6 46·0	52·4 51·7	2·15 2·53
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	24·2	17·5	2·7	18	13	7	1	...	...	...	...	...	...	...	..	...	...	...	1	...	2	...	3	3	4	...	..	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE ...	29,942	19·0	20·9	17·4	1·7	12	10	1	5	...	...	...	...	...	...	...	...	...	...	3	...	...	1	...	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	5·7	11·4	.	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	15·4	6·2	.	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	61	31	46·8	0·41	65	43	56·5	0·36	63	48	51·0	1·61
Urban Districts. BELFAST ..	396,000	26·5	25·1	15·1	1·7	191	115	24	22	...	...	...	2	7	...	1	...	8	6	6	6	15	2	1	1	8	37	2	61	30·5	47·7	0·74	62	42	54·5	0·81	61	40	52·0	0·33
CORK, ..	76,673	28·6	22·4	20·4	1·4	33	30	5	11	...	...	...	...	...	...	...	...	5	...	4	1	2	1	1	1	1	10	4	59	34	47·2	1·09	60	47	56·3	1·31	61	41	52·5	1·20
LONDONDERRY ...	41,000	15·9	16·5	11·4	3·8	13	9	3	4	...	...	...	...	...	...	...	...	...	...	1	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	29·8	10·8	.	22	8	3	1	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	...	5	2	59·0	20·2	39·1	0·38	63	37	55·6	0·64	62·0	31·7	52·6	0·78
WATERFORD, ...	27,464	19·1	28·5	30·4	3·8	15	16	3	4	...	...	...	...	...	...	...	...	3	...	...	...	...	1	1	...	...	7	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				9	13	1	3	...	..	...	...	...	7	...	...	...	1	...	...	...	...	...	...	...	...	1	60	23	45	1·12	65	34	53	0·48	61	35	50	0·14
DUNDALK, ...	13,128	9·5				2	3	1	...	...	...	...	...	...	...	...	..	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				7	5	1	2	...	...	...	...	...	...	...	..	1	...	...	1	...	...	...	...	...	2	...	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62
DROGHEDA, ...	12,501	8·4				6	4	1	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				11	2	1	...	...	...	...	..	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62
NEWRY, ...	11,963	17·0				4	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	..	...	...	...	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62
PORTADOWN, ...	11,727	15·3				5	4	1	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62
WEXFORD. ...	11,531	22·8				6	5	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				3	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8				6	4	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	59	27	41·5	0·74	64	41	55·0	0·60	61	40	51·0	0·50
KILKENNY, ...	10,514	11·4				2	4	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	59	25	43·0	1·07	63	39	54·7	0·72	64	47	53·2	0·88
TRALEE, ...	10,300	17·4				2	2	...	...	..	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				2	7	1	...	...	...	...	...	2	...	1	...	1	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				2	3	...	2	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...	...	65	34	46·6	0·55	60	46	54·0	0·52	56	45	52·4	0·30
QUEENSTOWN, ...	8,209	14·7				7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	59	34	47·2	1·09	60	47	56·3	1·31	61	41	52·3	1·20
LARNE, ...	8,036	13·4				7	5	1	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				2	2	1	1	...	..	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				5	3	..	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				3	3	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				4	2	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				1	3	...	..	...	...	...	...	...	...	...	...	...	...	..	...	1	...	...	..	...	...	...	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48	57·5	40·0	49·8	0·62

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 15 deaths of persons (including 4 under one year old), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th of October, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	5	1	.	3	1	1	.	2	.	3	2	.	.	.	.	.	18	1
Tuberculous Disease. { Other Forms,	.	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.	4	2
Cancer,	1	.	1	.	.	.	.	.	2	.	2	.	.	3	.	.	9	1
Diseases of Nervous System,	1	2	.	1	.	.	.	4	3	2	1	.	3	.	.	.	17	5
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	.	1	.	3	.	1	1	3	3	.	1	1	.	1	17	1
" Respiratory System. { Pneumonia,	1	.	.	.	.	.	.	2	2	1	.	.	1	.	.	.	7	1
" Respiratory System. { Others,	1	3	3	.	.	.	.	2	2	2	.	.	.	.	.	.	13	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	2	3	1	1	.	.	.	.	1	1	4	.	2	1	.	.	16	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Others,	2	1	.	.	.	.	.	.	1	2	1	.	.	1	1	1	10	.
" Genito-urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	2	1	.	.	.	.	4	.	1	3	.	3	2	.	.	17	3
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	5	.
Ill-defined, &c. Causes,	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	4	.
Deaths from All Causes	15	17	6	7	1	5	1	15	15	17	20	1	13	10	2	2	147	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·2	21·7	11·2	10·4	9·6	19·2	4·9	19·4	42·6	20·6	31·4	5·3	17·5	17·4	11·4	6·2	19·0	.
	16·6							24·5					14·8					
	20·3																	
Ages at Death. Under 1 year,	2	4	2	1	.	1	.	5	5	1	4	.	7	1	1	.	34	4
1 and under 2 years,	1	2	.	1	.	.	.	1	1	1	3	.	.	1	.	.	11	.
2 " 5 "	.	.	.	.	.	.	.	1	2	1	1	.	2	.	.	.	7	1
5 " 15 "	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	3	1
15 " 25 "	.	1	.	1	1	.	.	2	1	1	.	1	.	2	.	.	10	1
25 " 45 "	5	2	.	2	.	1	1	1	.	2	4	.	1	.	.	.	19	4
45 " 65 "	3	4	1	2	.	2	.	2	3	6	4	.	1	1	1	.	30	4
65 and upwards,	4	4	3	.	.	1	.	3	3	3	4	.	1	5	.	2	33	.
Number of Uncertified Deaths,	2	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	6	6	3	1	.	1	1	4	3	5	4	1	4	1	1	.	41	13
Workhouse Hospitals.	1	5	2	2	.	.	.		5	7	5	.	.	2	.	.	29	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 25th October, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.	Oct. 29, 1910.	Oct. 28, 1911.	Oct. 26, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 44·3	° 47·6	° 41·1	° 51·2	° 47·3	° 48·7	° 40·3	° 50·4	° 44·4	° 42·1	° 45·7	° 43·5										
ALL CAUSES.	162	156	133	170	154	129	148	139	147	154	149·2	162	15	23	11	8	4	11	23	34	23	10
Enteric Fever, ...	.	1	.	2	.	3	1	1	1	2	1·1	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	1	.	·2	1	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	1	2	5	1	.	.	5	1	1·9	2	.	.	1	1	.	.	.	.	.	.
Scarlet Fever, ...	1	2	1	.	.	.	.	1	1	2	·8	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	2	2	2	1	3	1	1	5	1	2·0	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	1	.	.	.	.	.	4	1	2	·9	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	1	.	2	1	1	.	1	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	.	.	1	2	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	24	25	21	17	13	14	27	17	18	22	19·8	19	.	.	.	2	1	2	10	4	.	.
Tuberculous Meningitis, ...	2	.	2	3	1	1	2	1	4	2	1·8	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	3	.	2	2	2	2	2	1	.	1·5	2	.	1	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.									.	1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	5	2	8	10	4	5	1	1	.	4·2	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									.	.		3	.	.	1	1	.	1	.	.	.	.
Venereal Diseases, ...	2	.	1	1	.	.	2	.	2	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	3	5	8	10	8	11	6	9	9	14	8·3	10	.	.	.	.	.	.	.	7	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	.	2	1	1	1	.	.	.	·6	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	3	1	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	2	1	.	1	.	2	.	1	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	.	1	.	.
Cerebro-spinal Fever, ...	1	1	.	.	1	.	.	.	.	.	·3	1	.	.	.	1	.	.	.	.	.	.
Simple Meningitis, ...									1	.		2	.	1	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									2	4		4	.	.	.	.	.	.	1	3	.	.
Softening of Brain, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									1	5		2	.	.	.	.	1	.	1	.	.	.
Epilepsy, ...									1	1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									4	2		7	3	2	1	.	1	.	.	.	.	.
Other Diseases of Nervous System.	40	36	27	36	33	28	27	29	3	3	30·8	6	.	.	.	.	.	1	1	3	1	.
Pericarditis, ...									.	2		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									9	11		17	.	.	.	.	.	2	4	6	4	1
Embolism and Thrombosis (including Cerebral)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									1	1		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	15	10	14	17	9	7	13	11	9	17	12·2	13	.	1	1	.	.	1	.	1	4	5
Broncho-pneumonia, ...	3	3	6	6	4	3	5	5	1	3	3·9	5	.	2	.	1	.	.	1	.	1	.
Lobar pneumonia, ...	2	1	1	1	1	.	4	1	1	3	1·5	1	.	.	.	.	.	.	.	.	1	.
Pneumonia (type not distinguished)	2	4	3	6	4	9	4	6	6	7	5·1	2	.	.	.	.	.	.	.	2	.	.
Pleurisy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	3	3	2	3	.	1	1	.	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	1		.	.	.	.	.	.	.	.	.	.	.

FORTY-THIRD WEEK, ending Saturday, 25th October, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										43rd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 25th October, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.	Oct. 22, 1910.	Oct. 28, 1911.	Oct. 26, 1912.	Averages in	—	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·3	° 47·6	° 41·1	° 51·2	° 47·3	° 48·7	° 40·3	° 50·4	° 44·4	° 42·1	° 45·7	° 43·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	.	2	—	4	.	2	.	.	.	.	.	1	.	1
Diarrhœa and Enteritis of Children under 2 years.	9	10	5	9	18	7	10	7	13	4	9·4	16	2	8	6	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									1	1		2	.	.	.	.	.	.	1	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	6	—	2	.	.	.	.	.	.	.	1	1	.
Cirrhosis of Liver, ...	1	3	1	1	1	.	1	1	1	2	1·2	3	.	.	.	.	.	.	1	.	1	1
Other Diseases of Liver, ...	1	2	1	2	.	.	2	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	1	.	1	.	2	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	3	5	1	4	4	2	7	.	1	3·1	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	5	4	4	3	3	7	10	3	1	5·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									2	5		2	.	.	.	.	.	.	.	2	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	1		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	1	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	.	.	1	2	1	.	.	.	1	·7	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	1	—	2	.	1	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	1	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	6	4	3	4	5	2	5	2	3	4	3·8	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	7	4	—	4	2	2	.	.	.	.	.	.	.	.
Old Age, ...	·2	5	8	5	2	2	5	4	7	2	4·2	4	.	.	.	.	.	.	.	.	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	.	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	2	.	.	.	.	.	2	1	·7	1	.	.	.	.	.	1	.	.	.	.
Drowning, ...	.	1	1	1	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	1	2	6	4	5	1	1	4	.	2·7	1	.	.	.	.	.	1	.	.	.	.
Total Deaths from Accident,	5	3	6	7	5	6	1	2	7	2	4·4	2	.	.	.	.	.	2	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.	.
Suicide, ...	1	.	.	.	.	.	1	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	4	.	—	4	.	.	1	.	.	.	.	1	2	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered.	276	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220
Average Births in corresponding week of previous 10 years, ...	260	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194
DEATHS registered, ...	143	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163	159	148	162
Annual Death-rate per 1,000, ...	18·5	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0
Average Deaths in corresponding week of previous 10 years, ...	178	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149
Ages, Under 5 years, ...	40	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57
5—15 „ ...	9	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4
15—25 „ ...	10	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11
25—45 „ ...	20	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23
45—65 „ ...	25	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34
65—75 „ ...	17	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23
75 and upwards, ...	22	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10
Deaths from :—																										
Enteric Fever, ...	1	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1
Typhus, ...	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2
Scarlet Fever, ...	.	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.
Whooping-cough, ...	1	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.
Diphtheria, ...	2	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.
Influenza, ...	2	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	24	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19
Tuberculous Disease, Other Forms,	5	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6
Cancer, ...	6	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10
Diseases of Circulatory System,	10	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18
Diseases of Respiratory System, Pneumonia	6	13	12	13	8	9	18	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8
Diseases of Respiratory System, Others, ...	20	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	12	7	9	10	10	14	13	13	15	13
Diarrhœa and Enteritis, under 2 years, ...	3	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16
Diarrhœa, 2 years and upwards,	1	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.
Violent Deaths, ...	2	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5
Number of Uncertified Deaths,	1	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5
Mean Temperature of the Air (Phœnix Park)	47·1	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5
Average Mean Temperature in corresponding week of previous 10 years, ...	47·1	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7
Rainfall in inches, ...	1·100	2·025	·440	·220	·140	560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th October, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH OCTOBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	21·2	162	57	4	11	23	34	23	10	1	1	.	2	.	.	.	.	19	6	10	7	8	13	16	.	5	74	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17·8	5	.	.	.	4	.	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	16·4	32	9	.	2	5	6	9	1	1	.	.	.	.	.	.	.	1	.	3	.	2	.	.	.	4	21	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	15·4	32	14	1	1	3	8	4	1	.	.	.	1	.	.	.	.	3	1	1	1	2	4	4	.	.	15	1
IV.	GENERAL SERVICE CLASS, ...	167,479	19·3	62	28	2	6	6	15	2	3	.	1	.	1	.	.	.	.	6	1	4	6	4	3	11	.	1	24	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	31	6	1	2	5	5	8	4	.	.	.	.	.	.	.	.	6	4	2	.	.	6	1	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	27·4	5	2	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	24·8	12	5	.	1	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	8	.
	6. Clerks and Commercial Assistants, ...	33,249	4·7	3	1	.	.	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	18·5	12	1	.	1	2	3	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	3	1
	9. Building and Furnishing Trades, ...	28,823	23·5	13	4	.	1	.	7	1	.	.	.	.	1	.	.	.	.	2	.	1	.	1	2	1	.	.	5	.
	10. Clothing Trades, ...	20,026	10·4	4	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
	11. Food Supply Trades	8,952	11·6	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	9·8	6	4	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	3	.
	13. Petty Shopkeepers	6,772	15·4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	8·7	6	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	2	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	20·3	6	2	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	24·3	48	23	.	6	6	10	2	1	.	1	.	1	.	.	.	.	5	1	3	3	4	2	10	.	1	17	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	31	6	1	2	5	5	8	4	.	.	.	.	.	.	.	.	6	4	2	.	.	6	1	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Sept. 6,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.
		„ 13,	33·1	12·2	19	2	.	.	.	.	.	.	.	.	.	1	2	.	5	.	2	.
		„ 20,	13·9	8·7	8	.	.	.	.	2	.	.	.	.	.	.	1	1	3	.	.	.
		„ 27,	20·9	5·2	12	.	.	.	.	.	.	.	.	1	2	.	.	1	3	.	.	.
		Oct. 4,	15·7	5·2	9	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2
		„ 11,	13·9	5·2	8	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.
		„ 18,	22·7	7·0	13	.	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	1
		„ 25,	26·2	3·5	15	.	.	.	.	.	.	.	.	5	.	1	1	1	2	.	.	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Sept. 6,	24·2	6·4	19	.	.	.	.	.	.	.	.	2	.	4	1	2	5	.	1	1
		„ 13,	26·8	5·1	21	.	.	.	.	.	.	.	.	2	.	3	1	1	4	.	.	1
		„ 20,	19·1	3·8	15	.	.	.	.	.	.	.	.	3	.	1	3	.	2	1	.	.
		„ 27,	26·8	8·9	21	.	.	.	.	.	.	.	.	.	.	2	.	1	6	1	.	.
		Oct. 4,	24·2	3·8	19	.	.	.	.	.	.	.	.	3	.	.	2	1	3	.	.	1
		„ 11,	26·8	8·9	21	1	.	.	.	.	.	.	1	1	.	2	1	2	5	.	1	1
		„ 18,	14·0	2·6	11	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	1
		„ 25,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Sept. 6,	26·2	5·6	14	1	.	.	.	.	.	.	.	3	1	1	.	.	2	.	1	.
		„ 13,	24·3	7·5	13	.	.	.	.	.	1	.	.	4	1	.	.	.	3	.	.	.
		„ 20,	18·7	5·6	10	.	.	.	.	.	.	.	.	4	.	.	1	.	3	.	.	.
		„ 27,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
		Oct. 4,	22·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
		„ 11,	20·6	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
		„ 18,	16·8	3·7	9	.	.	.	.	.	.	.	.	1	4	1	.	.	2	.	.	.
		„ 25,	11·2	1·9	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Sept. 6,	22·2	3·0	15	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.
		„ 13,	20·7	7·4	14	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
		„ 20,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	7	1
		„ 27,	25·2	5·9	17	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	2	.
		Oct. 4,	14·8	3·0	10	2	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
		„ 11,	22·2	4·4	15	.	.	.	.	.	1	.	.	3	1	.	1	1	2	.	.	.
		„ 18,	14·8	3·0	10	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.
		„ 25,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Sept. 6,	24·5	2·6	19	.	.	.	.	.	.	.	.	3	3	2	.	1	2	.	.	.
		„ 13,	25·8	9·0	20	1	.	.	.	.	.	.	.	2	1	2	.	.	6	.	.	.
		„ 20,	9·0	1·3	7	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
		„ 27,	18·1	2·6	14	.	.	.	.	.	.	.	.	6	.	1	.	.	2	.	.	.
		Oct. 4,	19·4	2·6	15	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	.
		„ 11,	22·0	5·2	17	.	.	.	.	.	.	1	.	1	2	.	1	2	3	.	.	.
		„ 18,	31·0	6·5	24	.	.	.	.	.	.	1	.	3	1	.	2	1	3	1	.	.
		„ 25,	19·4	.	15	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Sept. 6,	14·2	2·8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
		„ 13,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
		„ 20,	25·6	8·5	9	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
		„ 27,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
		Oct. 4,	31·3	8·5	11	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.
		„ 11,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.
		„ 18,	14·2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		„ 25,	42·6	2·8	15	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Sept. 6,	31·4	9·7	26	.	.	.	.	.	.	.	.	3	2	4	.	2	7	1	1	.
		„ 13,	24·2	4·8	20	1	.	.	.	.	.	1	.	5	1	.	.	2	1	1	2	1
		„ 20,	18·1	2·4	15	1	.	.	.	.	.	.	.	2	.	1	1	4	1	.	.	.
		„ 27,	26·6	8·5	22	.	.	.	.	.	.	.	.	4	1	1	.	.	7	.	.	.
		Oct. 4,	25·4	8·5	21	.	.	.	.	1	1	2	.	.	.	4	.	3	2	1	.	.
		„ 11,	24·2	8·5	20	.	.	.	.	1	.	1	.	1	1	.	2	.	5	.	1	.
		„ 18,	18·1	4·8	15	.	.	.	.	.	.	.	.	2	.	1	.	3	4	.	1	.
		„ 25,	20·6	2·4	17	.	1	.	.	.	.	.	.	3	.	.	1	2	1	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Sept. 6,	17·3	6·3	11	1	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	1
		„ 13,	18·9	3·1	12	.	.	.	1	.	.	.	.	1	.	.	1	2	1	.	1	.
		„ 20,	22·0	9·4	14	.	.	.	.	.	.	.	.	1	1	1	1	.	6	.	.	.
		„ 27,	18·9	3·1	12	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	1	.
		Oct. 4,	18·9	7·9	12	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.
		„ 11,	9·4	1·6	6	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.
		„ 18,	29·9	9·4	19	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.	.	1
		„ 25,	31·4	9·4	20	.	.	.	2	.	.	.	.	2	.	2	.	.	4	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	From certain epidemic diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Sept. 6,	14·8	6·7	11	.	.	.	.	.	.	.	.	2	.	1	.	.	4	1	.	.
	,, 13,	20·2	8·1	15	1	.	.	.	.	1	.	.	3	.	1	.	.	4	.	.	.
	,, 20,	14·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1
	,, 27,	16·1	5·4	12	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.
	Oct. 4,	17·5	4·0	13	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.
	,, 11,	8·1	2·7	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	,, 18,	13·4	1·3	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.
	,, 25,	17·5	2·7	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Sept. 6,	13·9	3·5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	,, 13,	22·6	3·5	13	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
	,, 20,	19·2	3·5	11	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1
	,, 27,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.
	Oct. 4,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	,, 11,	13·9	3·5	8	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	,, 18,	12·2	1·7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	,, 25,	17·4	1·7	10	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.
Kingstown Urban District. Pop. in 1911 16,941.	Sept. 6,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 13,	24·6	.	8	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	,, 20,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 27,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Oct. 4,	12·3	.	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	,, 11,	24·6	3·1	8	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	,, 18,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	,, 25,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Sept. 6,	20·7	4·5	157	.	.	.	1	1	1	.	.	10	7	4	11	8	30	1	5	3
	,, 13,	20·4	6·6	155	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	.
	,, 20,	21·1	6·3	160	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	.
	,, 27,	19·5	4·2	148	1	.	.	.	3	.	1	.	13	3	9	16	15	22	5	1	1
	Oct. 4,	13·2	2·5	100	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	.
	,, 11,	16·7	1·7	127	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	4
	,, 18,	14·6	1·8	111	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	3
	,, 25,	15·1	1·7	115	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	2
Cork. Pop. in 1911 76,673.	Sept. 6,	19·7	10·2	29	.	.	.	.	.	.	.	.	3	.	1	1	2	11	4	.	.
	,, 13,	26·5	7·5	39	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.
	,, 20,	30·6	10·2	45	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	2
	,, 27,	24·5	6·1	36	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	4
	Oct. 4,	21·8	3·4	32	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	3
	,, 11,	24·5	2·7	36	.	.	.	.	.	.	.	.	6	1	6	3	1	4	.	.	1
	,, 18,	13·6	2·7	20	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	.
	,, 25,	20·4	1·4	30	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	4
Londonderry. Pop. in 1913 (Est.) 41,000.	Sept. 6,	15·3	1·3	12	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	1	.
	,, 13,	19·1	7·6	15	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	.
	,, 20,	22·9	10·2	18	.	.	.	1	.	.	.	.	1	1	1	.	2	6	1	.	.
	,, 27,	22·9	6·4	18	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	Oct. 4,	21·6	10·2	17	.	.	.	.	.	.	.	.	.	.	3	.	.	8	.	2	.
	,, 11,	7·6	2·5	6	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	,, 18,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1
	,, 25,	11·4	3·8	9	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
Limerick. Pop. in 1911 38,518.	Sept. 6,	19·0	4·1	14	.	.	.	.	.	.	.	.	2	1	.	.	1	3	.	.	.
	,, 13,	27·1	2·7	20	.	.	.	.	.	.	.	.	3	.	1	2	.	1	1	.	5
	,, 20,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
	,, 27,	17·6	.	13	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	Oct. 4,	23·0	1·4	17	.	.	.	.	.	.	.	.	6	1	.	.	1	1	.	.	3
	,, 11,	12·2	2·7	9	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
	,, 18,	8·1	1·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	,, 25,	10·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
Waterford. Pop. in 1911 27,464.	Sept. 6,	34·2	13·3	18	.	.	.	3	.	.	.	.	1	.	2	.	2	2	2	.	3
	,, 13,	5·7	3·8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	,, 20,	13·3	5·7	7	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
	,, 27,	26·6	9·5	14	.	.	.	1	.	.	.	.	2	.	.	.	1	3	1	.	.
	Oct. 4,	38·0	11·4	20	.	.	.	.	.	.	.	.	1	1	3	.	1	5	1	.	1
	,, 11,	15·2	1·9	8	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
	,, 18,	3·8	1·9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	,, 25,	30·4	3·8	16	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th October, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	3·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 2 do.	49,500	21	14·7	1·1	14	1	1	.	1	5	6	.	.	.	.	1	.	.	.	.	.	2	.	3	.	.	1	3	6	.
Do. 3 do.	50,032	23	18·8	.	18	7	3	2	3	1	2	.	.	.	.	.	.	.	.	1	1	.	2	3	.	.	.	.	5	2
Do 4 do.	32,637	35	20·8	3·2	13	3	3	1	2	2	2	.	.	.	1	1	.	.	.	.	.	1	.	4	.	.	.	.	4	.
Do. 5 do.	16,112	5	29·1	3·2	9	.	3	3	1	1	1	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	2	4	.
Do. 6 do.	37,293	9	11·2	.	8	3	.	.	1	3	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	2	.
Do. 7 do.	2,681	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	17·5	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	6	19·2	2·1	9	.	1	1	2	2	3	.	.	.	.	1	.	.	.	4	1	1	.	.	.	.	.	.	4	.
Do. 10 do.	28,958	16	14·4	7·2	8	2	1	1	.	2	2	.	.	.	.	1	.	.	.	.	.	.	1	.	2	1	.	1	2	.
Do. 11 do.	39,311	19	11·9	2·7	9	1	3	.	2	1	2	.	.	.	.	1	.	1	.	1	.	2	.	1	.	.	.	.	3	.
Do. 12 do.	38,076	21	15·1	1·4	11	3	2	1	2	2	1	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	1	5	.
Do. 13 do.	23,233	10	9·0	.	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	20·7	2·3	9	1	2	2	1	2	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Total,	386,947	191	15·1	1·7	115	24	19	12	15	23	22	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	8	37	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	2	11·6	.	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Do 2 do.	10,701	4	15·0	.	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do 3 do.	9,978	6	16·0	5·3	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1
Do 4 do.	8,666	6	22·8	.	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do 5 do.	6,592	3	50·1	8·3	6	3	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	.	3	2
Do 6 do.	10,702	2	40·5	.	9	.	.	3	.	3	3	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	2	.
Do. 7 do.	16,616	10	6·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Total,	76,122	33	20·4	1·4	30	5	.	5	3	6	11	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	1	10	4

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered, ...	231	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191
DEATHS registered, ...	142	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115
Annual Death-rate per 1,000 of estimated population, ...	18·7	17·1	18 2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1
AGES, Under 1 year, ...	18	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24
AGES, 1—5 years, ...	11	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19
AGES, 5—25 „ ...	19	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12
AGES, 25—45 „ ...	26	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15
AGES, 45—65 „ ...	30	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	23	23
AGES, 65 and upwards, ...	38	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22
Deaths from :—																										
Enteric Fever, ...	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2
Scarlet Fever, ...	2	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7
Whooping-cough, ...	.	.	.	.	.		.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.
Diphtheria, ...	.	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1		2	1	1
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	18	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8
Tuberculous Disease. Other Forms,	8	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6
Cancer, ...	5	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6
Diseases of Respiratory System, Pneumonia,	18	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6
Diseases of Respiratory System, Others, ...	23	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15
Diarrhœa and Enteritis, under 2 years, ...	.	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2
Diarrhœa, 2 years and upwards,	.	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1
Violent Deaths, ...	3	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1
Number of Uncertified Deaths, ...	1	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Oct. 25,	2,021	1,185	13·7	2	.	1	4	7	6	107*a*
Edinburgh, ...	320,300	„ 25,	109	76	12·4	1	.	.	1	.	2	.
Glasgow, ...	1,021,500	„ 25,	566	286	14·6	4	.	11	5	4	3	9*a*
Calcutta, ...	896,067	Sept. 13,	.	395	22·9	75*	.	.	.	.	.	39‡
Bombay, ...	979,445	„ 20,	411	553	29·4	75*	1	2	.	.	.	88‡
Madras, ...	518,660	„ 27,	443	280	28·1	47*	2	.	?	?	?	66‡
Cairo, ...	715,609	Aug. 5,	631	569	41·5	4	.	5	.	?	13†	180*a*
Paris, ...	2,847,229	Oct. 11,	876	707	12·7	2	.	.	2	3	3†	51*a*
Brussels, ...	767,252	„ 4,	222	166	11·3	2	.	.	.	.	2†	20*a*
Antwerp, ...	312,884	„ 11,	111	68	11·3	.	.	.	.	.	.	20*a*
Amsterdam, ...	591,637	„ 4,	281	112	9·9	.	.	2	.	4	.	5*a*
Copenhagen, ...	473,500	„ 4,	239	110	12·1	.	.	.	.	.	.	10
Stockholm, ...	376,171	„ 4,	140	66	9.1	.	.	.	.	.	.	.
Christiania, ...	250,423	„ 11,	142	46	9·6	1	.	.	.	.	1	3
St. Petersburg ...	1,708,600	Sept. 20,	502	736	22·5	34	.	10	8	3	4	95*a*
Moscow, ...	1,694,000	„ 13,	.	983	30·3	4	1	10	13	15	15†	433
Berlin, ...	2,068,832	„ 20,	765	513	12·9	1	.	.	9	.	3†	56
Hamburg, ...	1,006,748	Oct. 4,	.	254	13·1	1	.	2	3	.	11†	24
Breslau, ...	539,054	„ 4,	.	170	16·4	1	.	.	1	2	2	16
Munich, ...	638,000	„ 4,	.	170	13·9	1	.	.	.	1	.	14
Vienna (with suburbs),	2,132,523	„ 4,	638	607	14·8	.	.	.	4	1	5†	36*a*
Buda-Pesth, ...	930,666	„ 4,	436	235	18·7	7	.	.	11	.	4†	27*a*
Prague and Faubourgs,	494,055	Sept. 20,	170	120	12·7	1	.	.	1	.	2†	4*a*
Trieste, ...	239,703	Oct. 4,	135	98	21·3	1	.	.	.	2	.	19*a*
Rome, ...	579,187	June 28,	271	193	17·4	3	.	6	.	.	1	36
New York, ...	5,372,983	Sept. 20,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,631,960	„ 6,	.	439	14·0	10	.	.	1	3	7	61*a*
Boston, ...	735,399	Oct. 4,	.	220*b*	15·6	3	.	.	1	3	2	22

* Deaths from "fever," including 6 from enteric fever and one from plague in Calcutta, and one from enteric fever and 14 from plague in Bombay.

† Including deaths from croup.

‡ Including 4 deaths from cholera in Calcutta, 2 in Bombay, and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 182 (including 2 deaths from whooping-cough, and 11 from diarrhœal diseases), rate 12·9 per 1,000.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th October, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	3	.	.	.	.	.	.	.	.	.	1	.	4
" " 1, West, ...	.	3	.	.	1	.	.	.	1	.	.	3	.	8
" " 2, ...	.	2	.	.	.	.	.	.	1	.	.	5	.	8
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	4	.	.	.	.	.	.	.	.	.	.	.	4
South City No. 1, ...	.	2	.	.	2	.	.	1	1	.	.	2	.	8
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	2	.	3
" " 3, ...	.	2	.	.	.	.	.	3	.	.	.	4	.	9
" " 4, ...	.	1	.	.	.	.	.	.	.	.	.	4	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	21	.	.	3	.	.	5	3	.	.	23	.	55

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th October, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th October.			
	Oct. 4.	Oct. 11.	Oct. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	55	63	67	9	21	.	55
Typhus, ...	2	2	1	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	32	29	23	2	21	.	4
Scarlet Fever, ...	91	91	98	20	15	.	103*
Diphtheria, ...	36	39	48	7	10	.	45
Pneumonia, ...	30	23	18	7	5	.	20

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 25th October, 1913:—

"This week began with a brief spell of fine and very warm weather, the thermometer rising to 63·8° in the screen on Sunday forenoon. In the afternoon of that day a heavy rainfall took place in connection with a V-shaped "secondary" depression, which spread over Ireland from the Atlantic, the "primary" lying over Iceland, whence it travelled slowly to the Faeroe Islands. Monday was finer and cooler at first, but a fresh fall of the barometer took place, and in the evening a thunder and hail storm passed over the south of Ireland. Sheet lightning was seen as far north as Dublin, in which city showers fell after 5 p.m. At 7 a.m. of Tuesday atmospheric pressure ranged from 30·48 inches at Horta (Azores) to 29·10 inches at Castlebay, Barra Island. On that day temperature fell and the weather became finer in Ireland, whereas rain fell heavily in many parts of England, while ·94 inch was measured at Stornoway. On Wednesday morning temperature was as low as 30° in the screen at Birr Castle and 37° in Dublin. A system of high atmospheric pressure came in over Ireland from the Atlantic on Wednesday, and in the presence of a light northerly wind and a dry atmosphere temperature gave way still further in this country, the "cold snap" culminating early on Friday morning, when the sheltered thermometers fell to 30° in Dublin and at Valentia, Co. Kerry, and to 24° at Birr Castle. Friday night, while still frosty in parts of Ireland, was less cold, and with the coming of a southerly air-current on Saturday temperature rose briskly—the range in Dublin being from 32·8° to 52·1°. A fine example of cirro-cumulus clouds ("mackerel sky") was seen over this city on Saturday afternoon when an area of low pressure once more spread eastward from the Atlantic. In Dublin the mean height of the barometer was 29·810 inches, pressure ranging between 29·355 inches at 9 p.m. of Sunday (wind, S.), and 30·332 inches at 9 p.m of Thursday (wind, N.). The corrected mean temperature was 45·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·8°. On Sunday the screened thermometers rose to 63·8°, on Friday they sank to 30·0°. The mean temperature was 9·6° below that of the previous week. The prevalent winds were southerly and northerly. Rain fell on 3 days to the amount of ·352 inch, ·246 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·821 inches. The highest reading (30·336) was on Thursday, at 9 p.m., air calm, the lowest (29·366) on Sunday at 9 p.m., wind S.S.W.

The mean temperature for the week was 43·5°, being 2·2° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday, on which day the thermometer registered 65°, and was lowest on Friday, the mercury having fallen to 25°. The mean of the Dry Bulb for the week was 43·0° and of the Wet Bulb, 40·8°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·530 inch.

At Greenwich the mean temperature for the week was 49·3°, the maximum 61·9°, and the minimum 36·1°; at Glasgow the maximum was 64·0°, the minimum 33·0°, and the mean 47·1°; and at Edinburgh the maximum was 65·1°, the minimum 33·9°, and the mean 47·6°. The rainfall at Greenwich measured 0·69 in.; at Glasgow 0·23 in.; and at Edinburgh 0·12 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 19,	29·495	65	47	56 0	57·6	53·1	·81	·6	2·0	·185	S.E.	S.S.W.
Monday, „ 20,	29·515	56	43	49·5	49·9	46·5	·81	·7	8·3	·005	S.W.	Calm.
Tuesday, „ 21,	29·475	52	35	43·5	40·7	38·6	·84	·5	8·0	·000	S.W.	S.W.
Wednesday, „ 22,	29·850	52	29	40·5	36·1	35·0	·92	·3	8·0	·000	Calm.	Calm.
Thursday, „ 23,	30·295	47	29	38·0	38·2	35·4	·77	·5	7·2	·000	N.	Calm
Friday, „ 24,	30·220	48	25	36·5	32·3	31·4	·92	·4	7·8	·000	Calm.	Calm.
Saturday, „ 25,	29·895	55	26	40·5	46·5	45·8	·95	·1	6·1	·340	Calm.	E.N.E.
Mean, ...	29·821	53·6	33·4	43·5	43·0	40·8	·86	·4	Total 47·4	Total ·530	—	

Sunday—Day cloudy, heavy showers at intervals p.m.; night clear. *Monday*—A beautiful bright day; night clear, light rain 9.50 p.m. to 10.5 p.m. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—A beautiful bright day; night clear. *Thursday*—A beautiful bright day; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—A beautiful bright day; night overcast, drizzling and heavy rain 1 a.m. to 7 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 25th October, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 19,	60·7	54·2	54·9	64	52	58·0	1·2	·22
Monday, „ 20,	50·9	54·4	54·9	57	47	52·0	7·2	·01
Tuesday, „ 21,	46·7	53·1	54·9	53	41	47·0	7·2	—
Wednesday, „ 22,	42·0	51·2	54·7	51	37	44·0	5 0	—
Thursday, „ 23,	43·8	49·7	54·5	49	37	43·0	5·4	—
Friday, „ 24,	35·0	47·9	54·0	48	30	39·0	5·1	—
Saturday, „ 25,	34·7	46·6	53·7	55	33	44·0	3·4	·24
Weekly Mean, .	44·8	51·0	54·5	53·9	39·6	46·7	Total 34 5	Total. ·47

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 10. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 1ST NOVEMBER, 1913. [No. 44.

General Register Office, Charlemont House,
Dublin, 3rd November, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Oct. 11	Oct. 18	Oct. 25	Nov. 1	Average Rate for 4 weeks.
27 Town Districts, (a)	**17·1**	**16·0**	**17·8**	**17·2**	**17·0**
Dublin Reg. Area ...	18·9	17·7	19·0	21·2	19·2
Dublin City ...	20·8	19·5	20·3	23·5	21·0
Belfast	16·7	14·6	15·1	13·4	15·0
Cork	24·5	13·6	20·4	15·6	18·5
Londonderry ...	7·6	14·0	11·4	17·8	12·7
Limerick	12·2	8·1	10·8	10·8	10·5
Waterford	15·2	3·8	30·4	11·4	15·2

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·0 per 1,000. Among the 102 deaths from all causes for Belfast are 5 from scarlet fever and 6 from diarrhœal diseases. Included in the 14 deaths from all causes for Londonderry are one from measles and 4 from diarrhœal diseases. Two of the 7 deaths from all causes for Galway are from whooping-cough. Three of the 7 deaths from all causes for Kilkenny are from diarrhœa and enteritis of children under 2 years of age, and 2 of the 6 deaths from all causes recorded for Clonmel are from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—108 boys and 94 girls—and the deaths to 174—85 males and 89 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·2 per 1,000 of the population. During the forty-four weeks, ending with Saturday last, the death-rate averaged 20·4, and was 1·3 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 174, represent an annual rate of 22·5 per 1,000; the annual rate for the past forty-four weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

Included in the deaths registered, there were 2 from measles, 2 from diphtheria, one from influenza, one from dysentery, and 14 deaths of children under 2 years of age from diarrhœa and enteritis. In each of the 3 preceding weeks deaths from measles were one, one, and 2; deaths from diphtheria were 2, 2, and 0; deaths from influenza were 0, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years were 13, 15, and 13.

Deaths from tuberculosis, which in each of the preceding 3 weeks were 23, 18, and 25, rose to 31 in the week under notice; the latter figure includes 18 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 4 from abdominal tuberculosis, 2 from tuberculosis of joints, one from tuberculosis of kidney and bladder, and 4 from disseminated tuberculosis.

Of 12 deaths from pneumonia, 7 were from broncho-pneumonia, one was from lobar pneumonia, and 4 were from pneumonia (type not distinguished).

The deaths of 11 persons were attributed to cancer or malignant disease.

There were 2 deaths from convulsions of infants under one year of age, one from congenital malformations, 7 from premature birth, and 6 from congenital debility.

There were 14 deaths from organic diseases of the heart, and 14 deaths from bronchitis.

Two deaths were assigned to accidental violence or negligence.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age, and the deaths of 3 persons aged 65 years and upwards.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 13 were under one month old) and 38 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 20 aged 75 and upwards.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin Union Workhouse and 25 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·2 per 1,000; the rate in the City was 23·5 (North City Districts, 18·2; South, 29·5) and in the Suburbs, 13·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 3·0 (in the North City Districts 1·6, and in the South 4·7), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000, and include 4 deaths from tuberculous disease, one death from pneumonia, and one death from diarrhœa or enteritis of a child under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·5 per 1,000. Among them are 2 from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and 2 from diarrhœa or enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 15·0 per 1,000. One death from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis were recorded.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 17·8 per 1,000, and include one death from pulmonary tuberculosis, 3 deaths from bronchitis, and 2 deaths from diarrhœa or enteritis of children under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 15·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 24·6. One of the 4 deaths from all causes for Coolock and Drumcondra, part of, is from tuberculosis of a joint, and one from bronchitis. Included in the 5 deaths from all causes for Finglas and Glasnevin, part of, is one from tuberculous peritonitis.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 27·1 per 1,000. One death from influenza, one from dysentery, 8 from tuberculous disease, one from bronchitis, and 2 deaths from diarrhœa or enteritis of children under 2 years of age were recorded.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42·6 per 1,000. There were 4 deaths from pulmonary tuberculosis and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·6 per 1,000. Among them are 2 from tuberculous disease, 3 from broncho-pneumonia, 2 from bronchitis, and 2 from diarrhœa or enteritis of children under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (20) are equivalent to an annual rate of 31·4 per 1,000, One of the deaths was caused by measles, 2 by diphtheria, 3 by tuberculous disease, one by broncho-pneumonia, one by pneumonia, one by bronchitis, 3 deaths by diarrhœa or enteritis of children under 2 years, and one death by accident.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. One of the deaths was attributed to measles, one to pneumonia and one to diarrhœa or enteritis of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·4; Pembroke, 15·7; Blackrock, 11·4; and Kingstown, 12·3. The only death from any of the principal epidemic diseases tabulated for these districts is one from gastro-enteritis of a child under 2 years of age for Blackrock. Among the 10 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease and one from broncho-pneumonia. One of the 9 deaths from all causes for Pembroke is from bronchitis; and included in the 4 deaths from all causes for Kingstown are one from lobar pneumonia and one caused accidentally.

* See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 1st November, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Oct. 11,	.	—	—	11	1	.	12	.	1	13	5	.	—	—	.	—	21	.	64
	Oct. 18,	.	—	—	19	.	.	3	.	1	8	6	.	—	—	.	—	23	.	60
	Oct. 25,	.	—	—	21	.	.	3	.	.	5	3	.	—	—	.	—	23	.	55
	Nov. 1,	.	—	—	10	.	.	7	.	.	2	4	.	—	—	.	—	19	.	42
Rathmines and Rathgar Urban District.	Oct. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 18,	.	—	—	2	.	.	8	.	.	.	.	.	—	—	—	—	—	—	10
	Oct. 25,	.	—	—	1	.	.	3	.	.	1	1	.	—	—	—	—	—	—	6
	Nov. 1,	.	—	—	.	.	.	2	.	1	1	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Oct. 11,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	.	—	.
	Oct. 18,	.	.	.	2	.	.	.	.	.	.	.	.	—	1	—	—	.	—	3
	Oct. 25,	.	.	.	1	.	.	1	.	.	2	.	.	—	2	—	—	1	—	7
	Nov. 1,	.	.	.	.	.	.	1	.	.	1	.	.	—	3	—	—	.	—	5
Blackrock Urban District.	Oct. 11,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Oct. 18,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Oct. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 18,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 25,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Nov. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.	Oct. 11,	.	—	—	55	4	.	4	.	.	4	7	.	—	—	.	—	4	2	80
	Oct. 18,	.	—	—	76	1	.	14	.	.	5	14	1	—	—	.	—	5	3	119
	Oct. 25,	.	—	—	72	.	.	8	1	.	3	3	.	—	—	.	—	8	2	97
	Nov. 1,	.	—	—	66	.	.	8	1	.	2	4	.	—	—	.	—	10	1	92

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st November, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital during the week, 10 were discharged, and 56 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 63, 67, and 55.

Three cases of measles were admitted to hospital, 2 were discharged, there were 2 deaths, and 3 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 29, 23, and 4 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 17 were discharged, and 104* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 91, 98, and 103, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 39, 48, and 45, respectively, were 40 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·2), was equal to an average annual death-rate of 13·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·7 per 1,000, the rate for Glasgow being 15·8, and for Edinburgh 11·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st November. From this Report it appears that of a total of 112 cases notified, 74 were scarlet fever, 24 phthisis, 8 erysipelas, 5 diphtheria, and one enteric fever. Among the 669 cases of infectious diseases in hospital at the close of the week were 473 cases of scarlet fever, 109 of phthisis, 34 of diphtheria, 16 of measles, 10 of enteric fever, 10 of erysipelas, and 2 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 1st November, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 1st November, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 1st November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th October, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th October, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	25·0	17·2	2·0	575	395	70	98	2	...	...	3	5	2	2	1	41	24	23	21	40	27	3	4	8	118	13	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,000	29·3	26·1	21·2	2·5	202	164	36	36	...	...	...	2	...	...	2	1	16	13	8	11	15	14	...	2	3	64	7	e 60	36	50·9	1·04	e 65	25	43·5	0·53	e 66	34	52·9	0·11
CITY OF DUBLIN.	308,187	39·0	30·5	23·5	3·0	180	139	33	27	...	...	...	2	...	...	2	1	16	11	8	9	13	13	...	1	2	60	5	f 59·0	42·6	51·1	1·00	f 63·8	30·0	45·2	0·45	f 64·6	42·2	54·8	0·09
																													g 61·4	38·8	51·3	0·86	g 62·6	27·0	44·7	0·56	g 65·3	36·5	53·6	0·10
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	13·4	13·4	.	10	10	...	5	...	...	...	...	...	...	...	..	...	2	..	1	1	...	...	...	...	2	...	...	...	...	...	..	...	...	...	...	...	...	...
PEMBROKE, ...	29,942	19·0	15·7	15·7	.	9	9	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	.	11·4	5·7	.	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	9·2	12·3	.	3	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	63	40	52·6	1·47	61	31	46·8	0·41	65	43	56·5	0·36
Urban Districts. BELFAST ..	396,000	26·5	23·6	13·4	1·4	179	102	15	23	...	...	...	...	5	...	...	...	13	7	5	5	15	5	1	...	1	22	1	59	33	49·5	2·13	61	30·5	47·7	0·74	62	42	54·5	0·81
CORK, ..	76,673	28·6	19·0	15·6	0·7	28	23	1	7	...	...	...	...	...	...	...	...	3	1	...	2	2	1	...	...	1	7	...	58	42	52·6	2·33	59	34	47·2	1·09	60	47	56·3	1·31
LONDONDERRY...	41,000	15·9	20·3	17·8	6·4	16	14	3	6	...	...	...	1	...	...	...	...	...	1	1	...	1	3	1	1	2	5	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	58·2	10·8	.	43	8	1	2	...	...	...	...	...	...	...	...	1	...	2	...	2	...	...	...	...	3	1	59·2	30·1	49·0	1·09	59·0	20·2	39·1	0·38	63	37	55·6	0·64
WATERFORD, ...	27,464	19·1	36·1	11·4	.	19	6	4	1	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5				8	7	2	2	...	...	...	...	...	2	...	...	...	...	...	1	1	...	...	...	...	4	...	58	32	45	1·57	60	23	45	1·12	65	34	53	0·48
DUNDALK, ...	13,128	9·5				10	13	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				6	.	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	..	...	...	1	...	61·0	38·8	50·3	1·24	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48
DROGHEDA, ...	12,501	8·4				1	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				2	3	...	2	...	...	...	..	...	...	...	...	...	...	1	...	...	...	...	...	..	...	2	...	61·0	38·8	50·3	1·24	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48
NEWRY, ...	11,963	17·0				4	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	...	...	61·0	38·8	50.3	1·24	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48
PORTADOWN, ...	11,727	15·3				7	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22·8				7	3	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	..	...	60	28	48·0	1·29	59	27	41·5	0·74	64	41	55·0	0·60
BALLYMENA ..	11,381	9·3				3	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	61	33	50·4	2·11	59	25	43·0	1·07	63	39	54·7	0·72
SLIGO, ...	11,163	3·8				6	4	2	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,514	11·4				3	7	1	3	...	...	...	...	...	...	...	...	1	...	...	...	1	3	...	...	...	1	2	61	33	50·4	2·11	59	25	43·0	1·07	63	39	54·7	0·72
TRALEE, ...	10,300	17·4				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				6	6	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	..
NEWTOWNARDS,	9,587	20·1				1	5	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	57	37	50·5	1·26	65	34	46·6	0·55	60	46	54·0	0·52
QUEENSTOWN, ...	8,209	14·7				2	7	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	2	...	58	42	52·6	2·33	59	34	47·2	1·09	60	47	56·3	1·31
LARNE, ...	8,036	13·4				2	3	...	..	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7·7				3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				4	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				1	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE. ...	7,472	6·2				5	.	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				3	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	61·0	38·8	50·3	1·24	61·0	29·3	45·0	1·39	63·0	43·2	55·2	0·48

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 10 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 1st of November, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	2	1	1	.	.	.	3	4	1	2	.	.	.	.	.	16	2
Tuberculous Disease. — Other Forms,	2	.	.	.	.	1	1	5	.	1	1	.	2	.	.	.	13	.
Cancer,	.	.	.	.	.	2	.	1	2	2	1	.	.	.	.	.	8	3
Diseases of Nervous System,	.	2	.	1	.	.	1	2	2	2	.	.	.	1	.	.	11	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	1	1	.	.	.	2	.	2	2	1	3	1	.	.	14	1
" Respiratory System. — Pneumonia,	1	1	1	.	.	.	.	.	.	3	2	1	1	.	.	1	11	1
" Respiratory System. — Others,	.	1	1	3	.	1	.	1	3	2	1	.	1	1	.	.	15	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	1	2	.	2	.	.	.	2	.	2	3	1	.	.	1	.	14	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	1	.	1	.	.	.	.	.	1	2	.	.	.	.	1	6	.
" Genito-urinary System,	.	2	1	.	.	.	.	.	2	1	.	.	1	2	.	.	9	2
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Other specified Causes,	2	6	3	2	.	.	2	2	2	3	1	.	.	3	.	.	26	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	1	.	1	.	.	2	1	1	1	9	.
Deaths from All Causes	8	20	8	12	.	4	5	21	15	22	20	4	10	9	2	4	164	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	25·5	15·0	17·8	.	15·4	24·6	27·1	42·6	26·6	31·4	21·4	13·4	15·7	11·4	12·3	21·2	.
	18·2							29·5					13·7					
	23·5																	
Ages at Death. — Under 1 year,	2	8	1	4	.	.	.	3	2	8	3	2	.	2	1	.	36	.
1 and under 2 years,	1	.	.	.	.	.	.	3	1	2	1	1	1	.	.	.	10	.
2 " 5 "	.	.	1	.	.	.	1	.	.	2	3	.	1	.	.	.	8	.
5 " 15 "	1	2	.	1	.	.	.	1	.	1	1	.	.	.	.	.	7	.
15 " 25 "	3	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	8	1
25 " 45 "	.	3	1	1	.	.	2	6	3	3	3	.	2	2	.	1	27	2
45 " 65 "	.	2	2	4	.	2	1	3	4	3	5	.	1	4	.	1	32	5
65 and upwards,	1	5	3	2	.	2	1	3	5	3	1	1	5	1	1	2	36	2
Number of Uncertified Deaths,	.	.	1	.	.	.	.	1	.	2	1	.	.	2	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	4	1	3	.	1	2	3	1	6	5	2	2	1	.	1	33	10
Workhouse Hospitals,	1	2	2	1	.	.	.	8	9	3	5	.	.		.	.	31	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 1st November, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.	Nov. 4, 1911.	Nov. 2, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 43·9	° 49·0	° 42·7	° 40·6	° 49·0	° 48·5	° 45·0	° 43·1	° 46·3	° 43·4	° 45·2	° 50·9										
ALL CAUSES.	166	162	195	204	169	171	145	147	169	147	167·5	174	13	23	10	8	7	9	29	37	18	20
Enteric Fever, ...	1	.	2	1	2	3	1	1	3	2	1·6	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	6	.	2	1	2	.	1	4	2	1·8	2	.	.	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	1	.	.	3	2	3	1·0	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	.	3	.	1	1	1	1	1	·9	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	.	1	1	.	.	1	.	2	·6	2	.	.	.	2	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	1	2	2	.	1	4	1	.	1·4	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	1	.	.	.
Erysipelas, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	.	.	1	2	.	.	·5	2	.	.	.	.	2	.	.	.	.	.
Tetanus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	20	24	21	16	26	19	18	19	21	21·0	18	.	.	1	.	1	3	8	5	.	.
Tuberculous Meningitis, ...	1	3	4	3	4	2	3	5	1	.	2·6	2	.	.	.	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	2	2	.	3	2	1	.	1	1	3	1·5	4	.	1	1	1	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.									1	2		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	7	5	11	6	7	4	5	1	1	5·8	2	.	.	.	.	.	.	.	.	.	2
Tuberculosis of other Organs,									.	.		1	.	.	.	.	.	.	.	.	.	1
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									1	.		4	.	.	1	.	1	1	1	.	.	.
Venereal Diseases, ...	.	.	1	1	3	.	.	2	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	6	7	10	9	14	10	7	6	13	9·0	11	.	.	.	.	.	.	.	9	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	1	1	.	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	1	—	2	.	.	.	.	.	.	1	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	3	1	—	2	.	.	.	.	.	.	1	1	.	.
Alcoholism, ...	.	2	.	1	1	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									7	6		4	.	.	.	.	.	.	1	2	.	1
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									4	2		2	.	.	.	.	.	.	.	.	1	1
Epilepsy, ...									1	.		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),									2	2		2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	43	35	41	47	42	40	31	22	4	1	35·6	3	.	.	.	.	1	.	1	1	.	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	2		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									16	5		14	.	.	.	.	.	.	3	5	2	4
Embolism and Thrombosis (including Cerebral)									1	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									1	.		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	23	17	37	32	18	12	13	15	25	23	21·5	14	.	.	.	1	.	.	2	4	6	1
Broncho-pneumonia, ...	2	9	6	4	6	3	2	5	4	4	4·5	7	.	2	2	2	.	.	.	1	.	.
Lobar pneumonia, ...	.	1	3	.	1	.	.	1	.	1	·7	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	9	2	9	6	3	4	6	7	2	4	5·2	4	1	.	1	.	.	1	1	.	.	.
Pleurisy, ...									.	.		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	2	5	1	1	3	2	3	1	3	2·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									1	1		.	.	.	.	.	.	.	.	.	.	.

FORTY-FOURTH WEEK, ending Saturday, 1st November, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 1st November, 1913.									
												—	Deaths of Persons of the Ages of								
													0—5.								
	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.	Nov. 4, 1911.	Nov. 2, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 43·9	° 49·0	° 42·7	° 40·6	° 49·0	° 48·5	° 45·0	° 43·1	° 46·3	° 43·4	° 45·2	° 50·9									
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	5	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	3	6	8	11	8	13	10	12	14	5	9·4	14	2	11	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									2	1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									1	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	4	3	—	1	.	.	.	.	.	1	.	.	.	.
Cirrhosis of Liver, ...	3	1	.	2	1	2	.	.	1	1	1·1	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Liver, ...	2	4	3	2	1	1	1	1	.	1	1·6	1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	.	1	.	.	.	.	2	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	2	4	7	6	6	4	3	6	1	.	3·9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	7	4	7	7	9	7	7	6	1	.	6·1	2	.	.	.	1	.	.	1	.	.	.
Chronic Bright's Disease, ...									4	2		5	.	.	.	.	.	.	1	2	1	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	.		3	.	.	.	.	.	1	.	1	1	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	1	.	.	.	.	.	.	·1	2	.	.	.	.	.	.	2	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	1	.	1	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	2	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	4	6	6	7	5	2	4	3	9	5·1	7	7	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	5	1	—	6	1	5	.	.	.	.	.	.	.	.
Old Age, ...	5	5	2	4	4	2	7	3	6	1	3·9	5	.	.	.	.	.	.	.	.	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	.	1	.	2	2	.	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	2	.	1	2	.	1	1	3	1·2	2	.	.	.	.	.	1	.	.	1	.
Total Deaths from Accident,	2	2	3	1	2	4	2	1	2	3	2·2	2	.	.	.	.	.	1	.	.	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	1	.	.	.	.	.	1	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	2	.	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	4	2	—	9	1	.	1	.	.	.	1	.	2	4

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered.	214	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202
Average Births in corresponding week of previous 10 years, ...	237	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220
DEATHS registered, ...	173	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163	159	148	162	174
Annual Death-rate per 1,000, ...	22·4	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5
Average Deaths in corresponding week of previous 10 years, ...	179	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	153	153	164	155	155	154	159	149	168
Ages, Under 5 years, ...	39	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54
5—15 „ ...	10	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7
15—25 „ ...	8	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9
25—45 „ ...	35	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29
45—65 „ ...	42	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37
65—75 „ ...	24	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18
75 and upwards, ...	15	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20
Deaths from:—																										
Enteric Fever, ...	1	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.
Typhus, ...	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2
Scarlet Fever, ...	.	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.
Whooping-cough, ...	1	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.
Diphtheria, ...	.	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2
Influenza, ...	2	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Tuberculous Disease, Phthisis, ...	24	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18
Tuberculous Disease, Other Forms,	10	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13
Cancer, ...	13	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11
Diseases of Circulatory System,	21	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15
Diseases of Respiratory System, Pneumonia	13	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12
Diseases of Respiratory System, Others, ...	20	18	22	13	13	15	17	9	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15
Diarrhœa and Enteritis, under 2 years, ...	3	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14
Diarrhœa, 2 years and upwards.	1	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.
Violent Deaths, ...	3	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2
Number of Uncertified Deaths,	6	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7
Mean Temperature of the Air (Phœnix Park)	45·4	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9
Average Mean Temperature in corresponding week of previous 10 years, ...	50·0	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2
Rainfall in inches, ...	2·025	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st November, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST NOVEMBER, 1913.																											
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	22·8	174	54	7	9	29	37	18	20	.	.	.	2	.	.	2	1	18	13	11	2	12	15	14	.	2	82	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10·7	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	18·4	36	6	1	4	1	9	5	10	.	.	.	.	.	.	.	.	1	3	5	.	3	1	.	.	1	22	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	11·5	24	7	2	1	3	5	5	1	.	.	.	1	.	.	.	.	3	2	2	.	3	4	1	.	.	8	1
IV.	GENERAL SERVICE CLASS, ...	167,479	24·9	80	36	3	4	17	12	5	3	.	.	.	1	.	.	2	1	7	3	1	2	5	7	12	.	1	38	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	31	5	1	.	8	9	3	5	.	.	.	.	.	.	.	.	7	5	2	.	1	3	1	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13·3	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	22·0	4	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	8·3	4	1	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	33,249	15·7	10	5	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	5	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	27·7	18	.	1	3	.	5	2	7	.	.	.	.	.	.	.	.	1	2	3	.	.	.	.	.	1	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8·9	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	12·7	7	2	.	.	.	3	1	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	3	1
	10. Clothing Trades, ...	20,026	5·2	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
	11. Food Supply Trades	8,952	23·3	4	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	11·4	7	3	.	1	2	.	1	.	.	.	.	1	.	.	.	.	1	1	.	.	1	1	1	.	.	1	.
	13. Petty Shopkeepers	6,772	15·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	12·1	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	15. Domestic Servants, ...	36,041	15·9	11	4	.	.	4	2	1	.	.	.	.	.	.	.	.	1	1	.	1	.	1	1	2	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	29·3	58	28	3	4	11	7	3	2	.	.	.	1	.	.	2	.	6	3	.	2	3	3	9	.	1	28	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	31	5	1	.	8	9	3	5	.	.	.	.	.	.	.	.	7	5	2	.	1	3	1	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of). DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Sept. 13,	33·1	12·2	19	2	.	.	.	.	.	.	.	.	.	1	2	.	5	.	2	.
	„ 20,	13·9	8·7	8	.	.	.	.	2	.	.	.	.	.	.	1	1	3	.	.	.
	„ 27,	20·9	5·2	12	.	.	.	.	.	.	.	.	1	2	.	.	1	3	.	.	.
	Oct. 4,	15·7	5·2	9	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2
	„ 11,	13·9	5·2	8	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.
	„ 18,	22·7	7·0	13	.	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	1
	„ 25,	26·2	3·5	15	.	.	.	.	.	.	.	.	5	.	1	1	1	2	.	.	2
	Nov. 1,	13·9	1·7	8	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Sept. 13,	26·8	5·1	21	.	.	.	.	.	.	.	.	2	.	3	1	1	4	.	.	1
	„ 20,	19·1	3·8	15	.	.	.	.	.	.	.	.	3	.	1	3	.	2	1	.	.
	„ 27,	26·8	8·9	21	.	.	.	.	.	.	.	.	.	.	2	.	1	6	1	.	.
	Oct. 4,	24·2	3·8	19	.	.	.	.	.	.	.	.	3	.	.	2	1	3	.	.	1
	„ 11,	26·8	8·9	21	1	.	.	.	.	.	.	1	1	.	2	1	2	5	.	1	1
	„ 18,	14·0	2·6	11	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	1
	„ 25,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	1
	Nov. 1,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Sept. 13,	24·3	7·5	13	.	.	.	.	.	1	.	.	4	1	.	.	.	3	.	.	.
	„ 20,	18·7	5·6	10	.	.	.	.	.	.	.	.	4	.	.	1	.	3	.	.	.
	„ 27,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	Oct. 4,	22·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 11,	20·6	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
	„ 18,	16·8	3·7	9	.	.	.	.	.	.	.	.	1	4	1	.	.	2	.	.	.
	„ 25,	11·2	1·9	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	Nov. 1,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Sept. 13,	20·7	7·4	14	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	„ 20,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	7	1
	„ 27,	25·2	5·9	17	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	2	.
	Oct. 4,	14·8	3·0	10	2	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
	„ 11,	22·2	4·4	15	.	.	.	.	.	1	.	.	3	1	.	1	1	2	.	.	.
	„ 18,	14·8	3·0	10	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.
	„ 25,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.
	Nov. 1,	17·8	3·0	12	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Sept. 13,	25·8	9·0	20	1	.	.	.	.	.	.	.	2	1	2	.	.	6	.	.	.
	„ 20,	9·0	1·3	7	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
	„ 27,	18·1	2·6	14	.	.	.	.	.	.	.	.	6	.	1	.	.	2	.	.	.
	Oct. 4,	19·4	2·6	15	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	.
	„ 11,	22·0	5·2	17	.	.	.	.	.	.	1	.	1	2	.	1	2	3	.	.	.
	„ 18,	31·0	6·5	24	.	.	.	.	.	.	1	.	3	1	.	2	1	3	1	.	.
	„ 25,	19·4	.	15	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	1
	Nov. 1,	27·1	3·9	21	.	.	.	.	.	.	.	1	3	5	1	.	1	2	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Sept. 13,	31·3	2·8	11	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.
	„ 20,	25·6	8·5	9	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
	„ 27,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
	Oct. 4,	31·3	8·5	11	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.
	„ 11,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.
	„ 18,	14·2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 25,	42·6	2·8	15	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.	1
	Nov. 1,	42·6	.	15	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Sept. 13,	24·2	4·8	20	1	.	.	.	.	.	1	.	5	1	.	.	2	1	1	2	1
	„ 20,	18·1	2·4	15	1	.	.	.	.	.	.	.	2	.	1	1	4	1	.	.	.
	„ 27,	26·6	8·5	22	.	.	.	.	.	.	.	.	4	1	1	.	.	7	.	.	.
	Oct. 4,	25·4	8·5	21	.	.	.	.	1	1	2	.	.	.	4	.	3	2	1	.	.
	„ 11,	24·2	8·5	20	.	.	.	.	1	.	1	.	1	1	.	2	.	5	.	1	.
	„ 18,	18·1	4·8	15	.	.	.	.	.	.	.	.	2	.	1	.	3	4	.	1	.
	„ 25,	20·6	2·4	17	.	1	.	.	.	.	.	.	3	.	.	1	2	1	.	.	.
	Nov. 1,	26·6	2·4	22	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	2
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Sept. 13,	18·9	3·1	12	.	.	.	1	.	.	.	.	1	.	.	1	2	1	.	1	.
	„ 20,	22·0	9·4	14	.	.	.	.	.	.	.	.	1	1	1	1	.	6	.	.	.
	„ 27,	18·9	3·1	12	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	1	.
	Oct. 4,	18·9	7·9	12	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.
	„ 11,	9·4	1·6	6	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 18,	29·9	9·4	19	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.	.	1
	„ 25,	31·4	9·4	20	.	.	.	2	.	.	.	.	2	.	2	.	.	4	.	.	.
	Nov. 1,	31·4	9·4	20	.	.	.	1	.	.	2	.	2	1	1	2	1	3	.	1	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Sept. 13,	20·2	8·1	15	1	.	.	.	.	1	.	.	3	.	1	.	.	4	.	.	.
	„ 20,	14·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1
	„ 27,	16·1	5·4	12	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.
	Oct. 4,	17·5	4·0	13	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.
	„ 11,	8·1	2·7	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 18,	13·4	1·3	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.
	„ 25,	17·5	2·7	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3	.
	Nov. 1,	13·4	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Sept. 13,	22·6	3·5	13	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.
	„ 20,	19·2	3·5	11	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1
	„ 27,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.
	Oct. 4,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	13·9	3·5	8	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	„ 18,	12·2	1·7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 25,	17·4	1·7	10	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.
	Nov. 1,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Kingstown Urban District. Pop. in 1911 16,941.	Sept. 13,	24·6	.	8	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 20,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 27,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Oct. 4,	12·3	.	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	„ 11,	24·6	3·1	8	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 18,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 25,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 1,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Belfast. Pop. in 1913 (Est.) 396,000.	Sept. 13,	20·4	6·6	155	.	1	.	.	3	.	2	.	15	5	4	10	4	41	3	1	.
	„ 20,	21·1	6·3	160	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	.
	„ 27,	19·5	4·2	148	1	.	.	.	3	.	1	.	13	3	9	16	15	22	5	1	1
	Oct. 4,	13·2	2·5	100	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	.
	„ 11,	16·7	1·7	127	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	4
	„ 18,	14·6	1·8	111	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	3
	„ 25,	15·1	1·7	115	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	2
	Nov. 1,	13·4	1·4	102	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1
Cork. Pop. in 1911 76,673.	Sept. 13,	26·5	7·5	39	.	.	.	.	.	.	.	.	3	3	6	1	4	7	4	.	.
	„ 20,	30·6	10·2	45	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	2
	„ 27,	24·5	6·1	36	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	4
	Oct. 4,	21·8	3·4	32	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	3
	„ 11,	24·5	2·7	36	.	.	.	.	.	.	.	.	6	1	6	3	1	4	.	.	1
	„ 18,	13·6	2·7	20	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	.
	„ 25,	20·4	1·4	30	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	4
	Nov. 1,	15·6	0·7	23	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Sept. 13,	19·1	7·6	15	.	.	.	1	.	.	.	.	.	.	2	.	1	5	.	.	.
	„ 20,	22·9	10·2	18	.	.	.	1	.	.	.	.	1	1	1	.	2	6	1	.	.
	„ 27,	22·9	6·4	18	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	Oct. 4,	21·6	10·2	17	.	.	.	.	.	.	.	.	.	.	3	.	.	8	.	2	.
	„ 11,	7·6	2·5	6	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	„ 18,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1
	„ 25,	11·4	3·8	9	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	Nov. 1,	17·8	6·4	14	.	.	.	1	.	.	.	.	.	1	1	.	1	3	1	1	.
Limerick. Pop. in 1911 38,518.	Sept. 13,	27·1	2·7	20	.	.	.	.	.	.	.	.	3	.	1	2	.	1	1	.	5
	„ 20,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
	„ 27,	17·6	.	13	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	Oct. 4,	23·0	1·4	17	.	.	.	.	.	.	.	.	6	1	.	.	1	1	.	.	3
	„ 11,	12·2	2·7	9	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
	„ 18,	8·1	1·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	10·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
	Nov. 1,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1
Waterford. Pop. in 1911 27,464.	Sept. 13,	5·7	3·8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 20,	13·3	5·7	7	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
	„ 27,	26·6	9·5	14	.	.	.	1	.	.	.	.	2	.	.	.	1	3	1	.	.
	Oct. 4,	38·0	11·4	20	.	.	.	.	.	.	.	.	1	1	3	.	1	5	1	.	1
	„ 11,	15·2	1·9	8	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
	„ 18,	3·8	1·9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 25,	30·4	3·8	16	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	2
	Nov. 1,	11·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st November, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	1	19·7	6·6	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	1	1	1	.	.	3	.
Do. 2 do.	49,500	34	12·6	.	12	3	.	2	1	2	4	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.
Do. 3 do.	50,032	21	10·4	2·1	10	.	4	3	1	.	2	.	.	.	.	2	.	.	.	2	1	.	1	.	.	.	.	.	3	.
Do 4 do.	32,637	20	14·4	.	9	1	.	1	3	3	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	3	.
Do. 5 do.	16,112	14	29·1	6·5	9	1	2	1	2	2	1	.	.	.	.	1	.	.	.	1	1	.	1	2	1	.	.	.	4	.
Do. 6 do.	37,293	18	9·8	.	7	.	.	1	4	.	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	5	17·1	.	8	1	1	2	2	.	2	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	.	1	.
Do. 10 do.	28,958	11	16·2	3·6	9	2	.	1	1	.	5	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	2	.
Do. 11 do.	39,311	18	13·3	1·3	10	1	1	1	1	4	2	.	.	.	.	1	.	.	.	2	.	.	1	2	.	.	.	.	2	.
Do. 12 do.	38,076	23	13·7	1·4	10	1	2	.	2	3	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	1
Do. 13 do.	23,233	5	6·7	2·2	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	7	16·1	.	7	2	1	.	1	2	1	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.
Total,	386,947	179	13·4	1·4	102	15	12	14	20	18	23	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1	22	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	19·4	3·9	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.
Do 2 do.	10,701	3	15·0	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	6	10·6	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do 4 do.	8,666	1	5·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 5 do.	6,592	.	25·0	.	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do 6 do.	10,702	8	13·5	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 7 do.	16,616	4	19·5	.	6	.	1	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	.
Total,	76,122	28	15·6	0·7	23	1	2	1	4	8	7	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	1	7	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered, ...	252	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179
DEATHS registered, ...	130	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102
Annual Death-rate per 1,000 of estimated population, ...	17·1	18·2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4
AGES, Under 1 year, ...	23	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15
1—5 years, ...	13	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12
5—25 ,, ...	25	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14
25—45 ,, ...	21	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20
45—65 ,, ...	26	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	23	23	18
65 and upwards, ...	22	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23
Deaths from :—																										
Enteric Fever, ...	1	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.
Scarlet Fever, ...	6	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5
Whooping-cough, ...	.	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1		2	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13
Tuberculous Disease. Other Forms,	9	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7
Cancer, ...	5	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5
Diseases of Respiratory System, Pneumonia,	12	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5
Diseases of Respiratory System, Others, ...	16	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15
Diarrhœa and Enteritis, under 2 years, ...	1	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5
Diarrhœa, 2 years and upwards,	1	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1
Violent Deaths, ...	4	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.
Number of Uncertified Deaths, ...	.	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Nov. 1,	2,229	1,229	14·2	2	.	7	1	7	10	94*a*
Edinburgh, ...	320,300	„ 1,	137	73	11·9	1	.	1	.	.	1	.
Glasgow, ...	1,021,500	„ 1,	518	310	15·8	1	.	12	5	3	6	18*a*
Calcutta, ...	896,067	Sept. 20,	.	447	25·9	89*	1	1	.	.	.	69‡
Bombay, ...	979,445	„ 27,	418	510	27·1	65*	1	2	.	.	.	76‡
Madras, ...	518,660	Oct. 4,	.	.	.	.	.	.	.	.	.	.
Cairo, ...	715,609	Aug. 12,	692	535	39·0	2	1	7	.	?	14†	161*a*
Paris, ...	2,847,229	Oct. 18,	909	755	13·5	8	.	.	1	4	1†	40*a*
Brussels, ...	767,252	„ 11,	212	175	11·9	1	.	.	1	3	.	18*a*
Antwerp, ...	312,884	„ 18,	113	73	12·1	.	.	.	.	.	.	16*a*
Amsterdam, ...	592,571	„ 11,	238	126	11·1	1	.	2	.	2	2†	4*a*
Copenhagen, ...	482,000	„ 11,	180	111	12·0	1	.	1	.	.	.	1*a*
Stockholm, ...	376,171	„ 11,	151	88	12.2	.	.	.	.	.	.	1*a*
Christiania, ...	250,423	„ 18,	96	46	9·6	.	.	.	1	.	.	2
St. Petersburg ...	1,708,600	Sept. 27,	814	695	21·2	38	.	11	13	6	6	92*a*
Moscow, ...	1,694,000	„ 20,	.	844	26·0	6	.	9	14	11	17†	247
Berlin, ...	2,068,832	Oct. 4,	795	496	12·5	1	.	.	2	1	7†	32
Hamburg, ...	1,006,748	„ 11,	.	215	11·1	2	?	2	.	.	10†	17
Breslau, ...	539,054	„ 11,	.	186	18·0	.	.	.	2	1	1	18
Munich, ...	638,000	„ 11,	.	163	13·3	2	.	.	.	1	1†	7
Vienna (with suburbs),	2,132,523	„ 11,	749	506	12·3	2	.	.	1	4	10†	35*a*
Buda-Pesth, ...	930,666	„ 11,	422	291	16·3	3	.	2	13	.	2†	25*a*
Prague and Faubourgs,	494,055	Sept. 27,	161	130	13·7	.	.	1	1	1	1†	4*a*
Trieste, ...	242,595	Oct. 11,	120	99	21·3	3	.	.	.	3	.	19*a*
Rome, ...	582,565	July 5,	281	206	18·4	.	.	7	.	.	.	42
New York, ...	5,372,983	Sept. 20,	2,720	1,359	13·2	14	.	1	.	6	7	120
Philadelphia, ...	1,631,960	„ 13,	.	419	13·4	7	1	.	2	2	4†	49*a*
Boston, ...	735,399	Oct. 11,	.	207*b*	14·7	3	.	.	1	4	2	21

* Deaths from "fever," including 7 from enteric fever in Calcutta, and 5 from enteric fever and 10 from plague in Bombay.

† Including deaths from croup.

‡ Including 25 deaths from cholera in Calcutta, and 5 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 171 (including 3 deaths from whooping-cough, and 16 from diarrhœal diseases), rate 12·1 per 1,000.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st November, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	2	.	.	.	.	.	.	2	.	5
" " 1, West, ...	.	2	.	.	.	.	.	.	.	.	.	3	.	5
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	3	.	3
" " 3, ...	.	.	.	.	1	.	.	.	.	.	.	2	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	3	.	.	.	.	.	1	1	.	.	1	.	6
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
" " 3, ...	.	2	.	.	1	.	.	.	1	.	.	3	.	7
" " 4, ...	.	2	.	.	1	.	.	1	1	.	.	3	.	8
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total, ...	.	10	.	.	7	.	.	2	4	.	.	19	.	42

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st November, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st November.			
	Oct. 11.	Oct. 18.	Oct. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	63	67	55	11	10	.	56
Typhus, ...	2	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	29	23	4	3	2	2	3
Scarlet Fever, ...	91	98	103	18	17	.	104*
Diphtheria, ...	39	48	45	7	10	2	40
Pneumonia, ...	23	18	20	6	3	1	22

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 1st November, 1913:—

"Unsettled, rainy or showery weather was experienced until Thursday, on which day conditions improved. Friday and Saturday were very fine days. The broken weather was connected with two depressions, which approached the shores of North-western Europe from the Atlantic, and which in their passage northwards threw off a series of secondary disturbances at intervals. The first primary system, in which the barometer was down to 29·25 inches in lat. 49° N., long. 13° W. at 7 a.m. of Sunday, travelled N.N.E. across the Atlantic, reaching the Faeroe Isles on Monday morning (barometer reading 29·10 inches at Thorshavn). Its "secondaries" passed over England, causing heavy rain in the south and southeast of that country. Already on Monday morning another larger and deeper depression was advancing on the Irish coasts from S.S.W. In connection with it a thunderstorm and tornado swept up the Taff Valley, Glamorganshire, doing much damage. On Wednesday morning the barometer was as low as 28·80 inches at Roche's Point, Co. Cork, and even in Dublin it fell to 28·857 inches at 4 p.m. Squally weather and frequent drenching showers prevailed on Tuesday and Wednesday, but the weather moderated in the evening of the latter day, as the main atmospheric depression travelled northwards outside the Irish and Scottish coasts. With the clearing of the sky and lulling of the strong S. winds the thermometer gave way, and the abnormal warmth of the earlier days of the week gave place to a more seasonable temperature. In Dublin the mean height of the barometer was 29·344 inches, atmospheric pressure ranging from 28·857 inches at 4 p.m. of Wednesday (wind, S.) to 29·744 inches at 9 p.m. of Friday (wind, S.S.W.). The corrected mean temperature was 51·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·6°. The screened thermometers rose to 59·0° on Tuesday and fell to 42·6° on Saturday. Southerly winds (between S.E. and S.W.) prevailed throughout the week. The rainfall was 1·001 inch on 6 days, ·445 inch being recorded on Monday and ·351 inch on Tuesday. Thunder and lightning occurred at Bray and Greystones on Monday afternoon."

Erratum in last week's return: the rainfall was ·452 inch—not ·352 inch.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·349 inches. The highest reading (29·745) was on Friday, at 9 p.m., wind S.S.W., the lowest (28·934) on Wednesday at 9 a.m., wind S.E.

The mean temperature for the week was 50·9°, being 5·7° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday and Tuesday, on which days the thermometer registered 60°, and was lowest on Saturday, the mercury having fallen to 36°. The mean of the Dry Bulb for the week was 51·2° and of the Wet Bulb, 49·1°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 1·040 inches.

At Greenwich the mean temperature for the week was 54·1°, the maximum 64·2°, and the minimum 43·6°; and at Edinburgh the maximum was 57·7°, the minimum 41·4°, and the mean 49·9°. The rainfall at Greenwich measured 1·27 ins.; and at Edinburgh 0·36 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 26,	29·510	60	49	54·5	54·5	52·6	·87	·5	1·7	·010	S.S.W.	S.S.W.
Monday, „ 27,	29·295	56	51	53·5	53·7	51·3	·84	·6	0·2	·335	S.	S.E.
Tuesday, „ 28,	29·115	60	50	55·0	53·4	51·8	·89	·5	0·7	·325	S.E.	S.S.E.
Wednesday, „ 29,	28·960	57	49	53·0	52·3	50·6	·89	·6	0·0	·280	S.E.	S.S.W.
Thursday, „ 30,	29·305	55	42	48·5	49·4	46·7	·82	·7	2·9	·020	S.S.W.	S.W.
Friday, „ 31,	29·690	53	40	46·5	45·1	42·7	·82	·5	7·9	·000	S.W.	S.S.W.
Saturday, November 1,	29·565	55	36	45·5	49·7	48·2	·90	·7	4·4	·070	Calm.	S.
Mean, ...	29·349	56·6	45·3	50·9	51·2	49·1	·86	·6	Total 17·8	Total 1·040	Prevailing Wind, S.S.W.	

Sunday—Day cloudy, light showers 12.30 to 12.45 p.m.; night cloudy, heavy shower 5.0 to 5.10 a.m. *Monday*—A dull day, light and heavy rain at intervals all day; night clear, light rain 5.45 to 6.0 a.m. *Tuesday*—A dull day, heavy showers at intervals all day; night overcast, heavy showers at intervals a.m. *Wednesday*—Day overcast, drizzling and heavy rain at intervals a m. and p.m.; night cloudy, heavy rain 2.45 to 3.30 a.m. *Thursday*—Day cloudy, showers at intervals a m.; night clear. *Friday*—A beautiful bright day; night cloudy. *Saturday*—Day cloudy, light showers at intervals; night cloudy, showers at intervals.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 1st November, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 26,	57·4	48·0	53·0	62	46	54·0	2·2	·01
Monday, „ 27,	55·2	49·9	52·8	57	52	54·5	0·0	·42
Tuesday, „ 28,	55·8	50·7	52·6	60	52	56·0	1·0	·31
Wednesday, „ 29,	53·7	51·4	52·6	58	51	54·5	0·6	·17
Thursday, „ 30,	55·7	51·5	52·5	56	47	51·5	2·7	·01
Friday, „ 31,	47·2	50·1	52·5	54	43	48·5	6·4	—
Saturday, November 1,	46·0	49·2	52·4	55	41	48·0	3·0	·01
Weekly Mean, .	53·0	50·1	52·6	57·4	47·4	52·4	Total 15·9	Total. ·93

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 875. 10. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H.M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, London, W.C.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin.

Price 1½*d.*

Vol. L.] Week ending Saturday, 8th November, 1913. [No. 45.

General Register Office, Charlemont House,
Dublin, 10*th November,* 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Oct. 18	Oct. 25	Nov. 1	Nov. 8	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·0**	**17·8**	**17·2**	**17·6**	**17·1**
Dublin Reg. Area ...	17·7	19·0	21·2	19·4	19·3
Dublin City ...	19·5	20·3	23·5	19·5	20·7
Belfast	14·6	15·1	13·4	17·5	15·2
Cork	13·6	20·4	15·6	18·4	17·0
Londonderry ...	14·0	11·4	17·8	21·6	16·2
Limerick	8·1	10·8	10·8	21·7	12·9
Waterford	3·8	30·4	11·4	20·9	16·6

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 133 deaths from all causes for Belfast are one from enteric fever, 7 from scarlet fever and 3 from diarrhœa and enteritis of children under 2 years. One of the 17 deaths from all causes for Londonderry is from measles. Included in the 5 deaths from all causes for Galway are 3 from whooping-cough. Of the 4 deaths from all causes for Kilkenny 2 are from diarrhœa and enteritis of children under 2 years, and of the 5 deaths from all causes for Newtownards one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—104 boys and 86 girls—and the deaths to 158—75 males and 83 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·4 per 1,000 of the population. During the forty-five weeks, ending with Saturday last, the death-rate averaged 20·3, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 158, represent an annual rate of 20·4 per 1,000; the annual rate for the past forty-five weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

The deaths included 2 from measles, one from each of scarlet fever, whooping-cough, and diphtheria, 2 from influenza, and 7 from diarrhœa and enteritis of children under 2 years of age. There was one death from mumps. In each of the 3 weeks preceding deaths from measles were one, 2 and 2; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were one, 0, and 0; deaths from diphtheria were 2, 0, and 2; deaths from influenza were one, 0, and one; and deaths from diarrhœa and enteritis of children under 2 years were 23, 16, and 14.

Deaths from tuberculosis, 24* in number, included 18 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from other forms of the disease. In the 3 preceding weeks deaths from all forms of tuberculosis were 18, 25, and 31 respectively.

There were 7 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 4 from pneumonia (type not distinguished).

The deaths of 10* persons were attributed to cancer or malignant disease.

Convulsions caused the deaths of 6 infants, premature birth of 4, and congenital debility of 7.

Seventeen deaths resulted from organic diseases of the heart, and there were 13 deaths from bronchitis.

Of 5 deaths from accidental causes or negligence one (an infant) was by burning, and one was by drowning.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were deaths of infants under one year of age.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 9 were under one month old) and 39 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom 4 (females) were stated to have been aged 91, 91, 97, and 97 years respectively.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 13 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·4 per 1,000; the rate in the City was 19·5 (North City Districts, 21·7; South, 16·9) and in the Suburbs, 19·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·6, and in the South 1·8), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·4 per 1,000. There were 3 deaths from pulmonary tuberculosis, one death from bronchitis, and one death from diarrhœa and enteritis of a child under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·5 per 1,000. Among them are 4 deaths from tuberculous disease, one death from pneumonia, 2 deaths from bronchitis, and one death from diarrhœa and enteritis of a child under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. One death from scarlet fever, 4 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, one death from diarrhœa and enteritis of a child under 2 years of age, and one accidental death were recorded.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 11·9 per 1,000, and include one death from pulmonary tuberculosis and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·4; and Finglas and Glasnevin, part of, 19·6. Of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from bronchitis; the 4 deaths from all causes for Coolock and Drumcondra, part of, included one from bronchitis; and of the 4 deaths from all causes for Finglas and Glasnevin, part of, one was from diphtheria.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 15·5 per 1,000. There were 3 deaths from pulmonary tuberculosis, one from lobar pneumonia, and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Among them are one death from tuberculous disease, one from broncho-pneumonia, and one death from diarrhœa and enteritis of a child under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·7 per 1,000, and include one death from pulmonary tuberculosis, 3 deaths from broncho-pneumonia, one from pneumonia, 3 from bronchitis, and one death of a child under 2 years of age from diarrhœa and enteritis

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. One death from measles, 2 deaths from pulmonary tuberculosis, one death from bronchitis, and 2 accidental deaths were recorded.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. One of the deaths was from measles, and one was that of a child under 2 years of age from diarrhœa and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·5; Pembroke, 17·4; Blackrock, 11·4; and Kingstown, 30·8. The deaths from the principal epidemic diseases tabulated for these districts consist of one from whooping-cough and one from diarrhœa and enteritis of a child under 2 years of age for Pembroke. Among the 13 deaths from all causes for Rathmines and Rathgar are one from influenza, 2 from tuberculous disease, one from broncho-pneumonia, one from pneumonia, and 2 from bronchitis. The 10 deaths from all causes for Pembroke include one from bronchitis; and of the 10 deaths from all causes for Kingstown one was from tuberculous disease, one from lobar pneumonia, one from pneumonia., and one was caused by accident.

* See note (*c*) at foot of Table II.

† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 8th November, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Oct. 18,	.	—	—	19	.	.	3	.	1	8	6	.	—	—	.	—	23	.	60
	Oct. 25,	.	—	—	21	.	.	3	.	.	5	3	.	—	—	.	—	23	.	55
	Nov. 1,	.	—	—	10	.	.	7	.	.	2	4	.	—	—	.	—	19	.	42
	Nov. 8,	.	—	—	13	.	.	10	.	1	9	8	.	—	—	.	—	14	.	55
Rathmines and Rathgar Urban District.	Oct. 18,	.	—	—	2	.	.	8	.	.	.	.	.	—	—	—	—	—	—	10
	Oct. 25,	.	—	—	1	.	.	3	.	.	1	1	.	—	—	—	—	—	—	6
	Nov. 1,	.	—	—	.	.	.	2	.	1	1	.	.	—	—	—	—	—	—	4
	Nov. 8,	.	—	—	1	.	.	4	.	.	2	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Oct. 18,	.	.	.	2	.	.	.	.	.	.	.	.	—	1	—	—	.	—	3
	Oct. 25,	.	.	.	1	.	.	1	.	.	2	.	.	—	2	—	—	1	—	7
	Nov. 1,	.	.	.	.	.	.	1	.	.	1	.	.	—	3	—	—	.	—	5
	Nov. 8,	.	.	.	1	.	.	1	.	.	.	.	.	—	.	—	—	.	—	2
Blackrock Urban District.	Oct. 18,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Oct. 18,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 25,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Nov. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Nov. 8,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
City of Belfast.	Oct. 18,	.	—	—	76	1	.	14	.	.	5	14	1	—	—	.	—	5	3	119
	Oct. 25,	.	—	—	72	.	.	8	1	.	3	3	.	—	—	.	—	8	2	97
	Nov. 1,	.	—	—	66	.	.	8	1	.	2	4	.	—	—	.	—	10	1	92
	Nov. 8,	.	—	—	66	.	.	5	1	.	8	5	.	—	—	.	—	4	.	89

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th November, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Ten cases of enteric fever were admitted to hospital during the week, 10 were discharged, and 56 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 67, 55, and 56.

One case of measles was admitted to hospital and 4 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 23, 4, and 3 respectively.

Fourteen cases of scarlet fever were admitted to hospital, 14 were discharged, there was one death, and 103* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 98, 103, and 104, respectively.

Twenty cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 48, 45, and 40, respectively, were 48 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 8 were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·0), was equal to an average annual death-rate of 13·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·0 per 1,000, the rate for Glasgow being 14·6, and for Edinburgh 15·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th November. From this Report it appears that of a total of 135 cases notified, 83 were scarlet fever, 23 phthisis, 21 diphtheria, and 8 erysipelas. Among the 737 cases of infectious diseases in hospital at the close of the week were 514 cases of scarlet fever, 111 of phthisis, 50 of diphtheria, 29 of measles, 13 of erysipelas, and 10 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 8th November, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 8th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th October, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	25·9	17·6	1·6	595	404	98	93	1	...	...	3	8	5	1	...	39	19	26	29	40	16	2	9	13	127	13	° ...	° ...	° ..	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	24·6	19·4	1·6	190	150	38	36	...	...	...	2	1	1	1	...	16	6	9	13	14	7	...	5	5	60	2	e 56	29	44·4	0·71	e 60	36	50·9	1·04	e 65	25	43·5	0·53
CITY OF DUBLIN,	308,187	39·0	26·7	19·5	1·7	158	115	32	28	...	...	...	2	1	...	1	...	15	4	7	9	11	6	...	4	5	47	2	f 55·2 g 55·8	37·8 30·0	46·2 45·4	0·65 0·74	f 59·0 g 61·4	42·6 38·8	51·1 51·3	1·00 0·86	f 63·8 g 62·6	30·0 27·0	45·2 44·7	0·45 0·56
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	18·8	17·5	.	14	13	2	5	...	...	...	...	...	...	...	..	1	1	..	2	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	..	...	...	...
Urban Districts. PEMBROKE. ...	29,942	19·0	17·4	17·4	3·5	10	10	3	...	...	...	...	...	...	1	...	...	...	...	1	...	1	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,161	8·5	17·1	11·4	.	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	15·4	30·8	.	5	10	1	2	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	1	...	5	...	56	38	47·8	1·26	63	40	52·6	1·47	61	31	46·8	0·41
Urban Districts. BELFAST (b) ..	396,000	26·5	30·4	17·5	1·6	231	133	39	23	1	...	...	...	7	...	...	...	13	6	8	10	13	3	1	4	7	37	2	55	32	44·4	1·22	59	33	49·5	2·13	61	30·5	47·7	0·74
Urban Districts. CORK, ..	76,673	28·6	21·8	18·4	0·7	32	27	2	10	...	...	...	...	...	...	...	...	3	3	5	...	5	...	1	...	...	12	...	56	41	48·5	1·35	58	42	52·6	2·33	59	34	47·2	1·09
Urban Districts. LONDONDERRY...	41,000	15·9	21·6	21·6	1·3	17	17	4	3	...	...	...	1	...	...	...	...	3	...	...	3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LIMERICK, ...	38,518	16·1	24·4	21·7	.	18	16	3	4	...	...	...	...	...	...	...	...	1	1	...	...	5	...	...	...	...	7	3	56·4	31·5	44·5	0·97	59·2	30·1	49·0	1·09	59·0	20·2	39·1	0·38
Urban Districts. WATERFORD, ...	27,464	19·1	32·3	20·9	1·9	17	11	3	4	...	...	...	...	...	...	...	...	1	1	...	1	1	1	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. GALWAY. ...	13,255	2·5				5	5	...	...	...	..	...	...	...	3	...	...	1	...	...	...	...	...	...	...	...	2	...	55	30	43	1·56	58	32	45	1·57	60	23	45	1·12
Urban Districts. DUNDALK, ...	13,128	9·5				7	6	1	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LURGAN, ...	12,553	14·7				5	3	1	...	...	...	...	...	...	...	...	..	...	2	...	...	1	...	...	...	...	1	...	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24	61·0	29·3	45·0	1·39
Urban Districts. DROGHEDA, ...	12,501	8·4				10	5	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LISBURN, ...	12,388	10·9				6	3	...	...	...	...	...	..	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24	61·0	29·3	45·0	1·39
Urban Districts. NEWRY, ...	11,963	17·0				6	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24	61·0	29·3	45·0	1·39
Urban Districts. PORTADOWN, ...	11,727	15·3				5	2	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24	61·0	29·3	45·0	1·39
Urban Districts. WEXFORD. ...	11,531	22·8				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BALLYMENA ..	11,381	9·3				5	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. SLIGO, ...	11,163	3·8				7	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	30	43·0	1·03	60	28	48·0	1·29	59	27	41·5	0·74
Urban Districts. KILKENNY, ...	10,514	11·4				2	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	2	...	54	30	44·2	0·57	61	33	50·4	2·11	59	25	43·0	1·07
Urban Districts. TRALEE, ...	10,300	17·4				3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. CLONMEL, ...	10,209	7·8				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWTOWNARDS,	9,587	20·1				7	5	...	2	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	53	39	46·0	1·31	57	37	50·5	1·26	65	34	46·6	0·55
Urban Districts. QUEENSTOWN, ...	8,209	14·7				2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56	41	48·5	1·35	58	42	52·6	2·33	59	34	47·2	1·09
Urban Districts. LARNE, ...	8,036	13·4				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. COLERAINE. ...	7,785	7·7				3	1	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BANGOR, ...	7,776	8·5				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BRAY, ..	7,691	7·2				.	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. ATHLONE, ...	7,472	6·2				5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24	61·0	29·3	45·0	1·39
Urban Districts. ARMAGH, ...	7,356	21·8				.	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (†.) at foot of first page. (c) Exclusive of 8 deaths of persons (including 3 at 65 years or upwards), admitted to hospital from localities outside the Area. Of the 8 deaths, 2 were from pulmonary tuberculosis and one from cancer. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

(h) See note (†.) to Table IX

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th of November, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diphtheria,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	3	2	3	1	.	.	.	3	.	1	2	.	1	.	.	.	16	2
Tuberculous Disease. — Other Forms,	.	2	1	.	.	.	.	.	1	.	.	.	1	.	.	1	6	.
Cancer,	.	2	.	.	1	1	.	.	.	1	1	1	.	1	.	1	9	1
Diseases of Nervous System,	1	4	2	.	.	1	1	2	.	1	3	.	.	2	.	.	17	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	.	2	.	.	1	3	1	.	2	.	2	1	2	1	18	3
" Respiratory System. — Pneumonia,	.	1	2	.	.	.	.	1	1	4	.	.	2	.	.	2	13	.
" Respiratory System. — Others,	1	2	.	.	1	1	.	2	.	3	1	.	2	1	.	.	14	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	1	1	1	.	.	.	.	.	1	1		1	.	1	.	.	7	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
" Digestive System. — Others,	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	4	.
" Genito-urinary System,	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	3	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	6	1	4	1	1	.	1	1	1	1	1	1	1	2	.	1	23	.
Violent Deaths,	.	.	1	1	.	.	.	.	.	.	2	.	.	.	.	1	5	.
Ill-defined, &c. Causes,	1	1	.	1	.	.	.	.	.	1	.	.	1	.	.	1	6	.
Deaths from All Causes	14	20	15	8	3	4	4	12	5	13	13	4	13	10	2	10	150	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·4	25·5	28·1	11·9	28·8	15·4	19·6	15·5	14·2	15·7	20·4	21·4	17·5	17·4	11·4	30·8	19·4	.
	21·7							16·9					19·2					
	19·5																	
Ages at Death. — Under 1 year,	7	7	5	2	1	.	2	2	.	3	2	1	2	3	.	1	38	.
1 and under 2 years,	.	.	2	.	.	.	.	.	2	2	1	.	.	.	.	.	7	.
2 " 5 "	.	.	1	.	.	.	.	1	.	.	1	.	1	1	.	.	5	.
5 " 15 "	.	2	.	.	.	.	.	.	1	1	.	1	.	.	.	1	6	.
15 " 25 "	1	1	.	.	.	.	.	.	.	1	1	.	1	.	.	1	6	.
25 " 45 "	1	2	4	2	.	1	.	2	1	1	1	.	1	1	.	3	20	4
45 " 65 "	2	3	2	3	1	1	1	3	1	1	3	.	3	5	1	2	32	1
65 and upwards,	3	5	1	1	1	2	1	4	.	4	4	2	5	.	1	2	36	3
Number of Uncertified Deaths,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	7	1	.	.	.	4	2	1	4	1	2	4	.	3	33	8
Workhouse Hospitals,	2	4	3	2	.	1	.	3	1	3	3	1	1	1	.	2	27	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 8th November, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7, 1908.	Nov. 13, 1909.	Nov. 12, 1910.	Nov. 11, 1911.	Nov. 9, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	47·6°	46·7°	43·0°	43·8°	45·1°	48·2°	41·9°	39·6°	40·2°	49·6°	44·6°	44·4°										
ALL CAUSES.	157	156	152	192	178	185	177	141	179	151	166·8	158	9	29	7	5	6	6	24	33	26	13
Enteric Fever, ...	3	.	2	1	2	3	1	.	.	2	1·4	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	7	.	6	2	3	.	.	6	1	2·5	2	.	.	.	1	1	.	.	.	.	.
Scarlet Fever, ...	1	1	1	.	.	.	1	.	3	.	·7	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	3	.	.	2	2	2	1	4	.	.	1·4	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	1	1	2	1	1	2	2	4	1·4	1	.	.	.	.	.	.	.	1	.	.
Croup, ...	.	.	1	1	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	1	1	.	1	2	1	.	.	·7	2	.	.	.	.	.	1	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	.	.	2	.	.	.	·4	1	.	.	.	.	1	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	16	22	21	31	25	25	20	16	19	20	21·5	18	.	.	1	.	1	2	10	3	1	.
Tuberculous Meningitis, ...	4	1	.	2	2	3	4	3	.	.	1·9	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	.	.	2	1	1	.	.	2	2	·9	2	.	1	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									1	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	4	6	5	5	6	4	8	.	1	4·8	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,									2	.		1	.	.	.	.	.	.	.	1	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									.	1		1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	2	.	.	1	.	3	1	1	.	1	·9	3	.	3	.	.	.	.	.	.	.	.
Cancer, ...	9	11	6	11	6	9	8	9	12	14	9·5	10	.	.	.	.	.	.	1	5	4	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever, ...	.	.	1	1	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	3	.	2	1	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	6	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	2	.	1	.	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									5	8		4	.	.	.	.	.	.	.	4	.	.
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									3	.		5	.	.	.	.	.	.	.	.	3	2
Epilepsy, ...									1	1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									2	2		6	1	5	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	45	31	38	47	48	33	46	21	3	1	37·5	2	.	.	.	.	.	.	.	1	1	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									15	19		17	.	.	.	.	.	1	5	5	4	2
Embolism and Thrombosis (including Cerebral)									.	1		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.									1	2		3	.	.	.	.	.	.	.	1	2	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	24	21	24	15	12	22	19	23	23	15	19·8	13	1	2	1	.	.	.	.	3	4	2
Broncho-pneumonia, ...	5	2	5	2	8	7	5	9	5	4	5·2	7	.	3	3	.	.	.	1	.	.	.
Lobar pneumonia, ...	.	1	3	2	2	1	3	.	2	3	1·7	2	.	.	.	1	.	.	1	.	.	.
Pneumonia (type not distinguished)	1	3	5	4	3	4	6	2	7	2	3·7	4	.	1	.	.	.	.	1	1	.	1
Pleurisy, ...									.	.		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	2	1	3	4	1	3	3	.	3	2·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									2	2		.		.	.	.	.	.	.	.	.	.

FORTY-FIFTH WEEK, ending Saturday, 8th November, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 8th November, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov 7, 1908.	Nov. 13, 1909.	Nov. 12, 1910.	Nov. 11, 1911.	Nov. 9, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	47·6°	46·7°	43·0°	43·8°	45·1°	48·2°	41·9°	39·6°	40·2°	49·6°	44·6°	44·4°										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	4	1	—	1	.	.	.	.	.	.	.	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	2	8	5	5	7	10	12	7	4	5	6·8	7	.	5	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									1	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									2	.		3	.	.	.	.	.	.	1	.	.	2
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	2	—	1	1	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	2	1	3	3	1	1	.	.	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	2	2	2	.	.	1	1	.	.	·9	1	.	1	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	2	.	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	1	3	11	6	6	3	6	1	1	4·1	1	.	.	.	.	.	.	.	.	.	1
Acute Nephritis, ...	3	7	4	7	6	11	5	8	1	1	6·2	2	.	.	.	.	.	.	2	.	.	.
Chronic Bright's Disease, ...									.	5		1	.	.	.	.	.	1	.	.	.	.
Urinary Calculi, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									2	1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	1	.	.	.	2	.	·4	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	1	.	.	.	.	.	.
Premature Birth, ...	3	5	2	4	4	8	6	3	9	3	4·7	4	3	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	9	9	—	7	2	5	.	.	.	.	.	.	.	.
Old Age, ...	5	3	7	4	3	6	4	1	6	3	4·2	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	3	3	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	1	1	1	.	.	1	.	.	·6	1	.	1	.	.	.	.	.	.	.	.
Drowning, ...	.	2	.	1	1	2	.	.	1	.	·7	1	.	.	.	.	.	1	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	2	.	1	4	2	4	1	1	3	2·1	3	.	.	.	.	.	.	.	2	1	.
Total Deaths from Accident,	4	5	1	3	6	4	4	2	2	3	3·4	5	.	1	.	.	.	1	.	2	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	.	1	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	5	1	—	6	.	.	.	.	.	.	.	1	5	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered.	200	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190
Average Births in corresponding week of previous 10 years, ...	217	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213
DEATHS registered, ...	151	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163	159	148	162	174	158
Annual Death-rate per 1,000, ...	19·5	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5	20·4
Average Deaths in corresponding week of previous 10 years, ...	161	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167
Ages, Under 5 years, ...	37	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50
5—15 „ ...	5	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6
15—25 „ ...	8	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6
25—45 „ ...	32	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24
45—65 „ ...	35	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33
65—75 „ ...	18	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26
75 and upwards, ...	16	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13
Deaths from :—																										
Enteric Fever, ...	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.	.
Typhus, ...	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2	2
Scarlet Fever, ...	.	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.	1
Whooping-cough, ...	3	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.	1
Diphtheria, ...	1	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2	1
Influenza, ...	2	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1	2
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Tuberculous Disease, Phthisis, ...	23	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18
Tuberculous Disease, Other Forms,	10	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6
Cancer, ...	6	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10
Diseases of Circulatory System,	14	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21
Diseases of Respiratory System, Pneumonia	12	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13
Diseases of Respiratory System, Others, ...	18	22	13	13	15	17	9	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14
Diarrhœa and Enteritis, under 2 years, ...	5	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7
Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.	.
Violent Deaths, ...	3	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5
Number of Uncertified Deaths,	2	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7	2
Mean Temperature of the Air (Phœnix Park)	50·0	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9	44·4
Average Mean Temperature in corresponding week of previous 10 years, ...	49·4	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2	44·6
Rainfall in inches, ...	·440	·220	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040	·710
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86	·90

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th November, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH NOVEMBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	20·7	158	50	6	6	24	33	26	13	.	.	.	2	1	1	1	.	18	6	10	6	13	14	7	.	5	74	2
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	24·9	7	.	.	.	1	1	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	101,798	15·4	30	3	1	1	2	11	7	5	.	.	.	.	.	.	1	.	2	1	2	1	1	2	.	.	2	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	15·4	32	12	.	1	7	6	4	2	.	.	.	.	.	1	.	.	5	2	1	3	2	1	2	.	1	14	1
IV.	GENERAL SERVICE CLASS, ...	167,479	19·3	62	27	3	3	12	12	3	2	.	.	.	2	1	.	.	.	10	1	2	2	9	7	4	.	2	22	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	27	8	2	1	2	3	10	1	.	.	.	.	.	.	.	.	1	2	3	.	1	4	1	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	33·1	5	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19·2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16.4	3	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	12·4	6	1	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	4	.
	6. Clerks and Commercial Assistants, ...	33,249	12·5	8	1	1	.	1	3	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	20·0	13	.	.	1	1	3	5	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	12·7	7	2	.	.	2	1	1	1	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	3	.
	10. Clothing Trades, ...	20,026	13·0	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
	11. Food Supply Trades	8,952	17·5	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	19·5	12	3	.	1	3	2	2	1	.	.	.	.	.	1	.	.	3	1	1	1	.	.	.	.	.	5	1
	13. Petty Shopkeepers	6,772	15·4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20·1	5	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
	15. Domestic Servants, ...	36,041	5·8	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	17·0	5	3	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	24·3	48	22	3	3	10	7	1	2	.	.	.	2	.	.	.	.	8	1	1	2	8	5	4	.	2	15	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	27	8	2	1	2	3	10	1	.	.	.	.	.	.	.	.	1	2	3	.	1	4	1	.	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of)	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Sept. 20,	13·9	8·7	8	.	.	.	.	2	.	.	.	.	.	.	1	1	3	.	.	.
		„ 27,	20·9	5·2	12	.	.	.	.	.	.	.	.	1	2	.	.	1	3	.	.	.
		Oct. 4,	15·7	5·2	9	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2
		„ 11,	13·9	5·2	8	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.
		„ 18,	22·7	7·0	13	.	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	1
		„ 25,	26·2	3·5	15	.	.	.	.	.	.	.	.	5	.	1	1	1	2	.	.	2
		Nov. 1,	13·9	1·7	8	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.
		„ 8,	24·4	1·7	14	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Sept. 20,	19·1	3·8	15	.	.	.	.	.	.	.	.	3	.	1	3	.	2	1	.	.
		„ 27,	26·8	8·9	21	.	.	.	.	.	.	.	.	.	.	2	.	1	6	1	.	.
		Oct. 4,	24·2	3·8	19	.	.	.	.	.	.	.	.	3	.	.	2	1	3	.	.	1
		„ 11,	26·8	8·9	21	1	.	.	.	.	.	.	1	1	.	2	1	2	5	.	1	1
		„ 18,	14·0	2·6	11	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	1
		„ 25,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	1
		Nov. 1,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.
		„ 8,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	2	1	2	1	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Sept. 20,	18·7	5·6	10	.	.	.	.	.	.	.	.	4	.	.	1	.	3	.	.	.
		„ 27,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
		Oct. 4,	22·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
		„ 11,	20·6	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
		„ 18,	16·8	3·7	9	.	.	.	.	.	.	.	.	1	4	1	.	.	2	.	.	.
		„ 25,	11·2	1·9	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
		Nov. 1,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
		„ 8,	28·1	3·7	15	.	.	.	.	1	.	.	.	3	1	.	2	.	1	.	1	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Sept. 20,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	.	.	1	3	1	.	7	1
		„ 27,	25·2	5·9	17	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	2	.
		Oct. 4,	14·8	3·0	10	2	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
		„ 11,	22·2	4·4	15	.	.	.	.	.	1	.	.	3	1	.	1	1	2	.	.	.
		„ 18,	14·8	3·0	10	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.
		„ 25,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.
		Nov. 1,	17·8	3·0	12	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
		„ 8,	11·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Sept. 20,	9·0	1·3	7	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
		„ 27,	18·1	2·6	14	.	.	.	.	.	.	.	.	6	.	1	.	.	2	.	.	.
		Oct. 4,	19·4	2·6	15	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	.
		„ 11,	22·0	5·2	17	.	.	.	.	.	.	1	.	1	2	.	1	2	3	.	.	.
		„ 18,	31·0	6·5	24	.	.	.	.	.	.	1	.	3	1	.	2	1	3	1	.	.
		„ 25,	19·4	.	15	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	1
		Nov. 1,	27·1	3·9	21	.	.	.	.	.	.	.	1	3	5	1	.	1	2	.	.	1
		„ 8,	15·5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Sept. 20,	25·6	8·5	9	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
		„ 27,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
		Oct. 4,	31·3	8·5	11	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.
		„ 11,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.
		„ 18,	14·2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		„ 25,	42·6	2·8	15	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.	1
		Nov. 1,	42·6	.	15	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	.	.
		„ 8,	14·2	2·8	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Sept. 20,	18·1	2·4	15	1	.	.	.	.	.	.	.	2	.	1	1	4	1	.	.	.
		„ 27,	26·6	8·5	22	.	.	.	.	.	.	.	.	4	1	1	.	.	7	.	.	.
		Oct. 4,	25·4	8·5	21	.	.	.	.	1	1	2	.	.	.	4	.	3	2	1	.	.
		„ 11,	24·2	8·5	20	.	.	.	.	1	.	1	.	1	1	.	2	.	5	.	1	.
		„ 18,	18·1	4·8	15	.	.	.	.	.	.	.	.	2	.	1	.	3	4	.	1	.
		„ 25,	20·6	2·4	17	.	1	.	.	.	.	.	.	3	.	.	1	2	1	.	.	.
		Nov. 1,	26·6	2·4	22	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	2
		„ 8,	15·7	1·2	13	.	.	.	.	.	.	.	.	1	.	1	4	3	1	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Sept. 20,	22·0	9·4	14	.	.	.	.	.	.	.	.	1	1	1	1	.	6	.	.	.
		„ 27,	18·9	3·1	12	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	1	.
		Oct. 4,	18·9	7·9	12	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.
		„ 11,	9·4	1·6	6	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.
		„ 18,	29·9	9·4	19	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.	.	1
		„ 25,	31·4	9·4	20	.	.	.	2	.	.	.	.	2	.	2	.	.	4	.	.	.
		Nov. 1,	31·4	9·4	20	.	.	.	1	.	.	2	.	2	1	1	2	1	3	.	1	1
		„ 8,	20·4	1·6	13	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	2	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Sept. 20,	14·8	1·3	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1
	„ 27,	16·1	5·4	12	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.
	Oct. 4,	17·5	4·0	13	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.
	„ 11,	8·1	2·7	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 18,	13·4	1·3	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.
	„ 25,	17·5	2·7	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3	.
	Nov. 1,	13·4	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 8,	17·5	.	13	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Sept. 20,	19·2	3·5	11	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	1
	„ 27,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.
	Oct. 4,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	13·9	3·5	8	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	„ 18,	12·2	1·7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 25,	17·4	1·7	10	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.
	Nov. 1,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 8,	17·4	3·5	10	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Sept. 20,	27·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 27,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Oct. 4,	12·3	.	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	„ 11,	24·6	3·1	8	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 18,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 25,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 1,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	30·8	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
Belfast. Pop. in 1913 (Est.) 396,000.	Sept. 20,	21·1	6·3	160	2	.	.	1	4	1	3	.	16	5	3	10	11	37	.	2	.
	„ 27,	19·5	4·2	148	1	.	.	.	3	.	1	.	13	8	9	16	15	22	5	1	1
	Oct. 4,	13·2	2·5	100	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	.
	„ 11,	16·7	1·7	127	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	4
	„ 18,	14·6	1·8	111	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	3
	„ 25,	15·1	1·7	115	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	2
	Nov. 1,	13·4	1·4	102	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1
	„ 8,	17·5	1·6	133	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	2
Cork. Pop. in 1911 76,673.	Sept. 20,	30·6	10·2	45	.	.	.	.	.	.	.	.	3	1	4	.	2	13	2	1	2
	„ 27,	24·5	6·1	36	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	4
	Oct. 4,	21·8	3·4	32	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	3
	„ 11,	24·5	2·7	36	.	.	.	.	.	.	.	.	6	1	6	3	1	4	.	.	1
	„ 18,	13·6	2·7	20	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	.
	„ 25,	20·4	1·4	30	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	4
	Nov. 1,	15·6	0·7	23	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.
	„ 8,	18·4	0·7	27	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Sept. 20,	22·9	10·2	18	.	.	.	1	.	.	.	.	1	1	1	.	2	6	1	.	.
	„ 27,	22·9	6·4	18	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	Oct. 4,	21·6	10·2	17	.	.	.	.	.	.	.	.	.	.	3	.	.	8	.	2	.
	„ 11,	7·6	2·5	6	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	„ 18,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1
	„ 25,	11·4	3·8	9	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	Nov. 1,	17·8	6·4	14	.	.	.	1	.	.	.	.	.	1	1	.	1	3	1	1	.
	„ 8,	21·6	1·3	17	.	.	.	1	.	.	.	.	3	.	.	3	1	.	.	.	.
Limerick. Pop. in 1911 38,518.	Sept. 20,	10·8	.	8	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1
	„ 27,	17·6	.	13	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	Oct. 4,	23·0	1·4	17	.	.	.	.	.	.	.	.	6	1	.	.	1	1	.	.	3
	„ 11,	12·2	2·7	9	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
	„ 18,	8·1	1·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	10·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
	Nov. 1,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1
	„ 8,	21·7	.	16	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	3
Waterford. Pop. in 1911 27,464.	Sept. 20,	13·3	5·7	7	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
	„ 27,	26·6	9·5	14	.	.	.	1	.	.	.	.	2	.	.	.	1	3	1	.	.
	Oct. 4,	38·0	11·4	20	.	.	.	.	.	.	.	.	1	1	3	.	1	5	1	.	1
	„ 11,	15·2	1·9	8	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
	„ 18,	3·8	1·9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 25,	30·4	3·8	16	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	2
	Nov. 1,	11·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th November, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	17	32·8	.	10	3	2	.	1	1	3	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1	.
Do. 2 do.	49,500	37	16·9	1·1	16	5	3	1	1	2	4	.	.	.	.	1	.	.	.	2	.	1	3	1	.	.	1	2	3	.
Do. 3 do.	50,032	29	17·7	2·1	17	4	5	2	1	2	3	.	.	.	.	1	.	.	.	2	1	2	1	3	1	.	.	.	6	.
Do 4 do.	32,637	21	20·8	1·6	13	5	.	1	3	2	2	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	1	1	7	.
Do. 5 do.	16,112	12	19·4	3·2	6	1	1	3	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	1	.	.	2	.
Do. 6 do.	37,293	21	16·8	.	12	5	1	1	1	2	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	1	4	.
Do. 7 do.	2,681	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	26·2	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 9 do.	24,427	10	8·5	2·1	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.
Do. 10 do.	28,958	18	12·6	3·6	7	1	1	1	.	3	1	.	.	.	.	2	.	.	.	.	.	1	.	1	.	.	.	.	4	1
Do. 11 do.	39,311	23	17·2	.	13	1	2	.	1	6	3	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	2	.
Do. 12 do.	38,076	22	20·5	2·7	15	6	3	2	3	1	.	.	.	.	.	1	.	.	.	2	1	2	1	.	1	.	.	1	4	.
Do. 13 do.	23,233	5	11·2	.	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	15	25·3	4·6	11	5	3	2	.	.	1	1	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.	.	3	1
Total,	386,947	231	17·5	1·6	133‡	39	21	13	13	21	23	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	7	37	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	11·6	.	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do 2 do.	10,701	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	3	26·6	.	5	1	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.
Do 4 do.	8,666	2	22·8	.	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	2	.
Do 5 do.	6,592	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	8	22·5	.	5	.	.	.	.	2	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do. 7 do.	16,616	8	32·5	3·2	10	1	.	.	4	1	4	.	.	.	.	.	.	.	.	.	2	1	.	3	.	1	.	.	3	.
Total,	76,122	32	18·4	0·7	27	2	1	.	9	5	10	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.	12	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. † See note (‡) at foot of first page. ‡ See note (*) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered, ...	223	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231
DEATHS registered, ...	138	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133*
Annual Death-rate per 1,000 of estimated population, ...	18·2	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4	17·5
AGES, Under 1 year, ...	21	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39
1—5 years, ...	22	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21
5—25 ,, ...	18	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13
25—45 ,, ...	27	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13
45—65 ,, ...	34	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	26	23	18	24
65 and upwards, ...	16	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
Measles, ...	1	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.
Scarlet Fever, ...	4	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7
Whooping-cough, ...	.	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.	.
Diphtheria, ...	1	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1		2	1	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	25	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13
Tuberculous Disease. Other Forms,	11	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6
Cancer, ...	3	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8
Diseases of Respiratory System, Pneumonia,	12	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10
Diseases of Respiratory System, Others, ...	13	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13
Diarrhœa and Enteritis, under 2 years, ...	2	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3
Diarrhœa, 2 years and upwards,	1	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1	1
Violent Deaths, ...	3	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4
Number of Uncertified Deaths, ...	1	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1	2

* Including one death from cerebro-spinal meningitis.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week* ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Nov. 8,	2,185	1,126	13·0	3	.	3	1	11	5	68*a*
Edinburgh, ...	320,300	„ 8,	122	94	15·8	.	.	2	1	.	.	4*a*
Glasgow, ...	1,021,500	„ 8,	513	285	14·6	.	.	5	4	1	5	11*a*
Calcutta, ...	896,067	Sept. 27,	.	480	27·8	81*	1	2	.	.	.	78‡
Bombay, ...	979,445	Oct 9,	418	543	28·8	67*	1	2	.	.	.	62‡
Madras, ...	518,660	„ 4,	422	341	34·2	42*	2	1	?	?	?	63‡
Cairo, ...	715,609	Aug. 19,	655	547	39·9	7	.	6	2	?	13†	146*a*
Paris, ...	2,847,229	Oct. 25,	884	806	14·5	3	.	.	1	1	3†	32*a*
Brussels, ...	767,252	„ 18,	231	167	11·3	1	.	.	.	.	2†	17*a*
Antwerp, ...	312,884	„ 25,	117	67	11·1	.	.	.	1	.	.	14*a*
Amsterdam, ...	592,571	„ 18,	262	138	12·2	1	.	2	.	2	1†	6*a*
Copenhagen, ...	482,000	„ 18,	216	120	13·0	1	.	1	1	3	2	6*a*
Stockholm, ...	376,171	„ 18,	142	77	10·6	.	.	.	.	.	1	.
Christiania, ...	250,423	„ 25,	76	62	12·9	.	.	.	2	.	1	3
St. Petersburg ...	1,708,600	„ 4,	1,027	742	22·6	41	1	12	21	7	11	69*a*
Moscow, ...	1,694,000	Sept. 27,	.	805	24·8	5	.	9	23	9	13†	240
Berlin, ...	2,057,715	Oct. 11,	679	525	13·3	1	?	.	6	1	6†	31
Hamburg, ...	1,006,748	„ 18,	.	276	14·3	2	?	1	3	.	7†	28
Breslau, ...	539,883	„ 18,	.	184	17·8	.	.	.	.	2	.	25
Munich, ...	638,000	„ 18,	.	158	12·9	.	.	1	.	2	.	8
Vienna (with suburbs),	2,132,523	„ 18,	654	579	14·1	3	.	.	4	2	8†	24*a*
Buda-Pesth, ...	930,666	„ 18.	403	332	18·5	3	.	1	12	.	2†	22*a*
Prague and Faubourgs,	494,055	„ 4,	156	158	16·7	1	.	1	1	2	2	8*a*
Trieste, ...	242,595	„ 18,	123	119	25·6	1	1	.	1	1	.	16*a*
Rome, ...	782,565	July 12,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Sept. 27,	2,525	1,237	12·0	20	.	2	4	11	14	103
Philadelphia, ...	1,631,960	„ 20,	.	440	14·0	9	.	1	1	2	4†	69*a*
Boston, ...	735,399	Oct. 12,	.	192*b*	13·6	3	.	.	1	1	3	20

* Deaths from "fever," including 10 from enteric fever and one from plague in Calcutta, and 5 from enteric fever and 8 from plague in Bombay.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, 3 in Bombay and one in Madras.

a Deaths from diarrhœa and enteritis of children under two years.

[*b* Corrected figures 171 (including 2 deaths from diphtheria, and 19 from diarrhœal diseases), rate 12·1 per 1,000.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th November, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	2	2	.	.	2	.	7
" " 1, West, ...	.	2	.	.	1	.	.	.	4	.	.	2	.	9
" " 2, ...	.	1	.	.	1	.	.	1	2	.	.	1	.	6
" " 3, ...	.	1	.	.	1	.	1	1	.	.	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	.	.	.	3	.	.	.	3	.	8
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	.	.	.	3	.	.	1	.	.	.	4	.	8
" " 4, ...	.	4	.	.	3	.	.	.	.	.	.	1	.	8
New Kilmainham, ...	.	.	.	.	1	.	.	1	.	.	.	1	.	3
Total, ...	.	13	.	.	10	.	1	9	8	.	.	14	.	55

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th November, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th November.			
	Oct. 18.	Oct. 25.	Nov. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	67	55	56	10	10	.	56
Typhus, ...	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	23	4	3	1	.	.	4
Scarlet Fever, ...	98	103	104	14	14	1	103*
Diphtheria, ...	48	45	40	20	11	1	48
Pneumonia, ...	18	20	22	8	8	.	22

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 8th November, 1913:—

"The distribution of atmospheric pressure over the Atlantic and the Northwest of Europe was cyclonic throughout this week, and the weather was therefore changeable and unsettled, though with many fine, sunny intervals. On Sunday morning the barometer was below 28·8 inches in a depression lying on the Atlantic off the south coast of Iceland. In Dublin the S.W. winds of this system had sent the thermometer up to 54·8° during the previous night and the high temperature lasted till late in the afternoon, when the wind veered to W. with showers, and (at 6.30 p.m.) violent squalls. A solar halo had been seen at 9 a.m. as a herald of bad weather, and a "line squall" passed over Ireland and the Irish Sea in the evening. The centre of the primary depression was near the Faeroe Isles on Monday morning. After sunset of that day the sky showed a splendid colouring. The weather remained fine till Tuesday evening, when showers fell in connection with the secondary depressions of a primary at the time centred on the Atlantic in lat. 55° N., long. 26° W., in which locality the barometer was down to 28·8 inches at 6 p.m. This system reached the N.W. of Ireland in an attenuated form on Thursday morning and subsequently joined another depression, which had developed over Denmark and the North Sea. Rain fell heavily on the Kentish coast, and at Cap Gris Nez near Calais the amount measured on Friday morning was 2·25 inches. In Ireland at that time fine, bright though cold weather prevailed. In the course of Friday night a new depression (V.-shaped) passed eastwards across Ireland, causing a downpour of rain (·514 inch) in Dublin in the early morning hours of Saturday—a day which afterwards proved very fine and bright. In this City the mean height of the barometer was 29·619 inches, pressure ranging between 29·989 inches at 9 p.m. of Monday (wind, calm) and 29·296 inches at 9 a.m. of Thursday (wind, W.). The corrected mean temperature was 46·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·4°. On Tuesday the screened thermometers rose to 55·2°, having fallen to 37·8° in the course of the previous night. The prevalent winds were S.W. and W. Rain fell on 4 days, the total amount being ·650 inch, of which ·514 inch was measured on Friday. There was a solar halo at 9 a.m. of Sunday, and a lunar corona was seen on Saturday evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·633 inches. The highest reading (29·998) was on Monday, at 9 p.m., wind W.S.W., the lowest (29·315) on Thursday at 9 a.m., air calm.

The mean temperature for the week was 44·4°, being 0·2° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday, on which day the thermometer registered 56°, and was also lowest on that day, the mercury having fallen to 29°. The mean of the Dry Bulb for the week was 43·8° and of the Wet Bulb, 42·4°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·710 inch.

At Greenwich the mean temperature for the week was 48·3°, the maximum 59·2°, and the minimum 36·1°; at Glasgow the maximum was 56·0°, the minimum 31·5°, and the mean 45·9°; and at Edinburgh the maximum was 52·8°, the minimum 34·8°, and the mean 44·8°. The rainfall at Greenwich measured 0·40 in.; at Glasgow 0·89 in.; and at Edinburgh 0·85 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, November 2,	29·555	55	40	47·5	45·9	43·7	·84	·7	0·7	·110	S.W.	W.S.W.
Monday, „ 3,	29·910	54	40	47·0	44·0	42·6	·89	·3	7·1	·000	W.S.W.	W.S.W.
Tuesday, „ 4,	29·775	56	29	42·5	45·8	45·0	·95	·5	1·0	·040	S.	W.S.W.
Wednesday, „ 5,	29·520	53	38	45·5	46·7	43·9	·81	·4	7·0	·000	S.W.	S.S.W.
Thursday, „ 6,	29·410	47	33	40·0	41·7	40·6	·92	·5	6·5	·060	Calm.	W.
Friday, „ 7,	29·680	51	35	43·0	39·5	39·1	·97	·4	6·6	·500	W.S.W.	Calm.
Saturday, „ 8,	29·580	53	38	45·5	43·1	42·1	·92	·4	6·9	·000	W.	Calm.
Mean, ...	29·633	52·7	36·1	44·4	43·8	42·4	·90	·5	Total 35·8	Total ·710	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, heavy rain at intervals p.m.; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—Day cloudy, light and heavy rain 6 p.m. to 9 p.m.; night overcast to clear, light rain 9.30 p.m. to 10.15 p.m. *Wednesday*—A beautiful bright day; night cloudy. *Thursday*—A beautiful bright day, heavy rain at intervals from 6 p.m. to 8.45 p.m.; night cloudy. *Friday*—A beautiful bright day; night overcast, drizzling and heavy rain 12 midnight to 6 a.m. *Saturday*—A beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 8th November, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 2,	51·7	49·6	52·2	56	43	49·5	0·4	·070
Monday, „ 3,	49·4	49·0	52·1	54	43	48·5	6·0	—
Tuesday, „ 4,	43·0	48·0	52·0	57	40	48·5	1·0	·030
Wednesday, „ 5,	48·4	48·2	51·8	54	43	48·5	5·9	—
Thursday, „ 6,	43·0	47·9	51·6	49	41	45·0	2·1	·040
Friday, „ 7,	42·9	47·0	51·3	51	38	44·5	4·6	·540
Saturday, „ 8,	45·5	47·0	51·1	54	44	49·0	5·4	—
Weekly Mean, .	46·3	48·1	51·7	53·6	41·7	47·6	Total 25·4	Total. ·680

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 11. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 15TH NOVEMBER, 1913. [No. 46

General Register Office, Charlemont House,
Dublin, 17th November, **1913.**

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Oct. 25	Nov. 1	Nov. 8	Nov. 15	Average Rate for 4 weeks.
27 Town Districts, (a)	**17·3**	**17·2**	**17·6**	**18·8**	**17·8**
Dublin Reg. Area ...	19·0	21·2	19·4	20·1	19·9
Dublin City ...	20·3	23·5	19·5	20·8	21·0
Belfast	15·1	13·4	17·5	18·3	16·1
Cork	20·4	15·6	18·4	21·1	18·9
Londonderry ...	11·4	17·8	21·6	22·9	18·4
Limerick	10·8	10·8	21·7	24·4	16·9
Waterford	30·4	11·4	20·9	17·1	19·9

The deaths from certain epidemic diseases‡ registered in the 27 districts during last week* were equal to an annual rate of 2·0 per 1,000. Among the 139 deaths from all causes for Belfast are one from measles, 7 from scarlet fever, 3 from whooping-cough, 2 from diphtheria, and one from diarrhœa and enteritis of a child under 2 years. Of the 31 deaths from all causes for Cork one is from enteric fever, and 3 are from diarrhœa and enteritis of children under 2 years. Included in the 6 deaths from all causes for Galway there are one from measles, 2 from whooping-cough, and one from diarrhœa and enteritis of a child under 2 years, and one of the 4 deaths from all causes for Lisburn is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—129 boys and 103 girls—and the deaths to 164—85 males and 79 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·1 per 1,000 of the population. During the forty-six weeks, ending with Saturday last, the death-rate averaged 20 3, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 164, represent an annual rate of 21·2 per 1,000; the annual rate for the past forty-six weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths, there were 2 from enteric fever, one from measles, 5 from diphtheria, and 8 from diarrhœa and enteritis of children under 2 years of age. In each of the 3 preceding weeks, deaths from enteric fever were one, 0, and 0; deaths from measles were 2, 2, and 2; deaths from diphtheria were 0, 2, and one; and deaths from diarrhœa and enteritis of children were 16, 14, and 7.

There were 27* deaths from all forms of tuberculosis, namely from pulmonary tuberculosis 22 deaths, from each of tuberculous meningitis and abdominal tuberculosis, 2 deaths; and from disseminated tuberculosis, one death. In the 3 weeks preceding deaths from tuberculous disease were 25, 31, and 24 respectively.

Of 12 deaths from pneumonia, 10 were attributed to broncho-pneumonia, and 2 to pneumonia (type not distinguished).

The deaths of 8* persons were assigned to cancer.

Among the causes of deaths of infants under one year were 5 from premature birth, 8 from congenital debility, and one from convulsions.

There were 12 deaths from organic diseases of the heart, and 10 from bronchitis.

Of 3 deaths attributed to violence or negligence, one was by accidental burning, one was caused by colliding with a pony trap, and one (that of an infant) was by asphyxia due to immersion.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 15 were under one month old) and 37 were aged 65 years upwards, including 24 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·1 per 1,000; the rate in the City was 20·8 (North City Districts, 17·9; South, 24·1) and in the Suburbs, 17·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 2·5 (in the North City Districts 1·6, and in the South 3·6), and for the Suburbs 2·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·9 per 1,000. One death from diphtheria, one from broncho-pneumonia, one from bronchitis, and one from diarrhœa were recorded.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 17·9 per 1,000, and include one death from enteric fever, 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, and one from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 33·7 per 1,000. Among them are one from diphtheria, 5 from tuberculous disease, 2 from broncho-pneumonia, one from pneumonia, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000. There were 3 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and one from diarrhœa.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·7; and Finglas and Glasnevin, part of, 9·8. The 2 deaths recorded for Finglas and Glasnevin, part of, are from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23·3 per 1,000. Enteric fever and pulmonary tuberculosis each caused one death; bronchitis caused 4 deaths, and diarrhœa and enteritis of children under 2 years of age 2 deaths.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. One death was caused by pulmonary tuberculosis and one by bronchitis.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. There were 3 deaths from tuberculous disease, one from broncho pneumonia, one from pneumonia, one from bronchitis, and 3 deaths from diarrhœa.

No. 4 South City District (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 29·9 per 1,000. Among them are one each from measles and diphtheria, 4 deaths from pulmonary tuberculosis, one from bronchitis, and 2 deaths from diarrhœa and enteritis of children under 2 years of age.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 19·2; Blackrock, 22·8; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and one from diarrhœa and enteritis of an infant under 2 years, for Rathmines and Rathgar, 2 from diarrhœa and enteritis of children under 2 years for Pembroke, and one from diphtheria for Blackrock. Included in the 12 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis. Of the 11 deaths from all causes for Pembroke one is from broncho-pneumonia, One of the 4 deaths from all causes for Blackrock is from bronchitis; and among the 5 deaths from all causes for Kingstown are one from tuberculous meningitis, one from broncho-pneumonia, and one accidental death

* See note (*c*) at foot of Table II,

† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 15th November, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Oct. 25,	.	—	—	21	.	.	3	.	.	5	3	.	—	—	.	—	23	.	55
	Nov. 1,	.	—	—	10	.	.	7	.	.	2	4	.	—	—	.	—	19	.	42
	Nov. 8,	.	—	—	13	.	.	10	.	1	9	8	.	—	—	.	—	14	.	55
	Nov. 15,	.	—	—	16	.	.	16	.	1	2	6	.	—	—	.	—	21	.	62
Rathmines and Rathgar Urban District.	Oct. 25,	.	—	—	1	.	.	3	.	.	1	1	.	—	—	—	—	—	—	6
	Nov. 1,	.	—	—	.	.	.	2	.	1	1	.	.	—	—	—	—	—	—	4
	Nov. 8,	.	—	—	1	.	.	4	.	.	2	.	.	—	—	—	—	—	—	7
	Nov. 15,	.	—	—	3	.	.	7	.	3	.	.	.	—	—	—	—	—	—	13
Pembroke Urban District.	Oct. 25,	.	.	.	1	.	.	1	.	.	2	.	.	—	2	—	—	1	—	7
	Nov. 1,	.	.	.	.	.	.	1	.	.	1	.	.	—	3	—	—	.	—	5
	Nov. 8,	.	.	.	1	.	.	1	.	.	.	.	.	—	.	—	—	.	—	2
	Nov. 15,	.	.	.	1	.	.	.	.	.	2	.	.	—	.	—	—	.	—	3
Blackrock Urban District.	Oct. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 15,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Oct. 25,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Nov. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Nov. 8,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Nov. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Oct. 25,	.	—	—	72	.	.	8	1	.	3	3	.	—	—	.	—	8	2	97
	Nov. 1,	.	—	—	66	.	.	8	1	.	2	4	.	—	—	.	—	10	1	92
	Nov. 8,	.	—	—	66	.	.	5	1	.	8	5	.	—	—	.	—	4	.	89
	Nov. 15,	.	—	—	86	.	.	14	2	.	3	6	.	—	—	.	—	9	2	122

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th November, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Nine cases of enteric fever were admitted to hospital during the week, 14 were discharged, there was one death, and 50 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 55, 56, and 56.

Two cases of measles were admitted to hospital, 2 were discharged, and 4 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 4, 3, and 4 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 29 were discharged, there was one death, and 89* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 103, 104, and 103, respectively.

Twenty-five cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 45, 40, and 48, respectively, were 57 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 3 were discharged, and 26 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·4), was equal to an average annual death-rate of 13·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 17·3, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th November. From this Report it appears that of a total of 91 cases notified, 55 were scarlet fever, 16 diphtheria, 12 phthisis, 5 erysipelas, 2 puerperal fever, and one enteric fever. Among the 697 cases of infectious diseases in hospital at the close of the week were 467 cases of scarlet fever, 116 of phthisis, 56 of diphtheria, 31 of measles, 9 of erysipelas, 8 of enteric fever, and 2 of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 15th November, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 15th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	26·8	18·8	2·0	616	432	95	93	3	...	...	3	7	6	7	...	54	13	23	29	44	15	5	7	14	125	20	...	...	...	...	...	...	..	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c) ...	403,000	29·3	30·0	20·1	2·6	232	155	35	35	2	...	...	1	...	...	5	...	21	4	7	11	12	8	4	3	4	59	4	e 60	35	46·6	0·65	e 56	29	44·4	0·71	e 60	36	50·9	1·01
CITY OF DUBLIN,	308,187	39·0	33·8	20·8	2·5	200	123	30	27	2	...	...	1	...	...	3	...	18	3	5	9	10	5	4	2	3	52	4	f 55·9 g 58·6	37·1 36·4	47·8 47·8	1·01 0·77	f 55·2 g 55·8	37·8 30·0	46·2 45·4	0·65 0·74	f 59·0 g 61·4	42·6 38·8	51·1 51·3	1·00 0·86
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	14·8	16·1	2·7	11	12	3	4	...	...	...	...	...	...	1	..	3	...	2	...	...	1	...	...	...	2	...	.	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PEMBROKE. ...	29,942	19·0	19·2	19·2	3·5	11	11	2	2	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,161	8·5	11.4	22·8	5·7	2	4	...	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	16,941	11 6	24·6	15·4	.	8	5	...	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	1	2	...	61	39	48·1	1·12	56	38	47·8	1·26	63	40	52·6	1·47
Urban Districts. BELFAST (b) ..	396,000	26·5	24·0	18·3	1·8	182	139	31	23	...	...	...	1	7	3	2	...	22	2	8	16	15	1	...	4	8	39	6	57·0	35·8	46·7	1·65	55	32	44·4	1·22	59	33	49·5	2·13
Urban Districts. CORK, ..	76,673	28·6	36·7	21·1	2·7	54	31	8	8	1	...	...	...	...	...	...	...	...	2	3	...	3	3	...	...	...	9	2	56	41	49·9	1·75	56	41	48·5	1·35	58	42	52·6	2·33
Urban Districts. LONDONDERRY...	41,000	15·9	17·8	22·9	1·3	14	18	5	1	...	...	...	...	...	...	...	...	5	1	2	...	2	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LIMERICK, ...	38,518	16·1	17·6	24·4	.	13	18	2	3	...	...	...	...	...	...	...	...	2	1	1	1	4	...	...	...	1	6	2	56·9	35·9	47·9	1·48	56·4	31·5	44·5	0·97	59·2	30·1	49·0	1·09
Urban Districts. WATERFORD, ...	27,464	19·1	36·1	17·1	.	19	9	3	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. GALWAY. ...	13,255	2·5				8	6	2	...	...	..	...	1	...	2	...	...	1	...	...	...	..	1	...	...	...	...	1	56	29	45	0·51	55	30	43	1·56	58	32	45	1·57
Urban Districts. DUNDALK, ...	13,128	9·5				8	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LURGAN, ...	12,553	14·7				2	.	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24
Urban Districts. DROGHEDA, ...	12,501	8·4				10	5	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LISBURN, ...	12,388	10·9				1	4	...	2	...	...	...	..	...	1	...	...	1	...	...	...	...	...	...	...	..	...	...	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24
Urban Districts. NEWRY. ...	11,963	17·0				3	5	1	2	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	1	...	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24
Urban Districts. PORTADOWN, ...	11,727	15·3				3	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24
Urban Districts. WEXFORD. ...	11,531	22·8				9	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BALLYMENA ..	11,381	9·3				14	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. SLIGO. ...	11,163	3·8				8	4	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	57	39	47·0	1·64	55	30	43·0	1·03	60	28	48·0	1·29
Urban Districts. KILKENNY, ...	10,514	11·4				12	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	1	57	39	48·1	1·27	54	30	44·2	0·57	61	33	50·4	2·11
Urban Districts. TRALEE. ...	10,300	17·4				2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...
Urban Districts. CLONMEL, ...	10,209	7·8				2	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWTOWNARDS,	9,587	20·1				1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	56	39	48·0	1·59	53	39	46·0	1·31	57	37	50·5	1·26
Urban Districts. QUEENSTOWN, ...	8,209	14·7				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56	41	49·9	1·75	56	41	48·5	1·35	58	42	52·6	2·33
Urban Districts. LARNE, ...	8,036	13 4				4	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. COLERAINE. ...	7,785	7 7				4	3	..	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BANGOR, ...	7,776	8·5				2	4	1	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BRAY, ..	7,691	7·2				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. ATHLONE, ...	7,472	6·2				1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97	61·0	38·8	50·3	1·24
Urban Districts. ARMAGH, ...	7,356	21·8				.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...												

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 9 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area. Of the 9 deaths, 2 were from tuberculous disease and one from cancer. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th of November, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	1	.	1	.	.	.	.	.	.	.	1	.	1	.	1	.	5	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	2	3	3	.	.	2	1	1	2	4	.	3	.	.	.	21	1
Tuberculous Disease. { Other Forms,	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	1	4	1
Cancer,	.	1	1	.	.	.	.	2	.	1	.	.	2	.	.	.	7	1
Diseases of Nervous System,	1	1	2	1	.	.	.	3	2	3	1	.	1	1	.	.	16	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	1	.	.	.	.	2	1	1	2	.	.	3	.	.	12	.
" Respiratory System. { Pneumonia,	1	2	3	1	.	.	.	.	.	2	.	.	.	1	.	1	11	1
" Respiratory System. { Others,	1	2	.	.	.	.	.	4	1	1	1	.	.	1	1	.	12	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	.	.	.	.	.	.	2	.	1	2	.	1	2	.	.	8	.
" Digestive System. { Diarrhœa, 2 years and upwards,	1	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	4	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
" Digestive System. { Others,	.	1	1	.	.	.	.	.	.	3	.	.	1	1	.	.	7	1
" Genito-urinary System,	.	.	1	.	.	1	.	2	2	1	.	.	.	1	2	1	11	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other specified Causes,	5	2	2	1	1	1	.	1	.	2	5	1	3	1	.	1	26	.
Violent Deaths,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1
Deaths from All Causes	12	14	18	7	1	2	2	18	8	20	19	2	12	11	4	5	155	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·9	17·9	33·7	10·4	9·6	7·7	9·8	23·3	22·7	24·2	29·9	10·7	16·1	19·2	22·8	15·4	20·1	.
	17·9							24·1					17·6					
	20·8																	
Ages at Death. { Under 1 year,	6	2	4	2	1	.	.	3	1	6	5	1	3	2	.	.	35	.
Ages at Death. { 1 and under 2 years,	1	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	5	.
Ages at Death. { 2 " 5 "	.	1	1	1	.	.	.	.	1	1	1	.	.	1	1	1	9	.
Ages at Death. { 5 " 15 "	1	1	2	.	.	.	.	1	.	1	1	.	2	.	.	.	9	.
Ages at Death. { 15 " 25 "	.	2	1	.	.	.	1	.	1	.	1	.	.	.	.	1	7	1
Ages at Death. { 25 " 45 "	.	1	4	3	.	.	1	4	1	2	4	1	2	.	.	1	24	2
Ages at Death. { 45 " 65 "	1	3	5	1	.	1	.	3	1	5	2	.	1	5	2	1	31	4
Ages at Death. { 65 and upwards,	3	4	1	.	.	1	.	7	3	4	4	.	4	2	1	1	35	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	6	3	1	.	.	.	4	1	4	4	1	2	3	.	2	32	8
Workhouse Hospitals,	3	.	7	3	.	.	.	6	2	3	3	.	.	.	.	.	27	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 15th November, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.	Nov. 19, 1910.	Nov. 18, 1911.	Nov. 16, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	40·2°	45·8°	38·0°	42·9°	44·1°	45·4°	37·7°	38·2°	44·5°	43·0°	42·0°	46·6°										
ALL CAUSES.	182	183	158	191	163	157	190	166	186	156	173·2	164	15	20	5	9	9	8	26	35	24	13
Enteric Fever, ...	2	2	.	1	2	2	.	.	.	2	1·1	2	.	.	.	.	1	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	8	.	9	3	1	.	1	5	.	2·7	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	.	2	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	4	1	1	1	1	2	2	4	2	2·0	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	1	1	.	2	.	2	3	4	.	1·5	5	.	.	1	1	2	1	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	4	3	1	1	1	.	1	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	2	.	2	.	.	.	.	·6	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	23	26	19	22	23	20	20	24	15	21·2	22	.	1	.	.	1	2	13	3	2	.
Tuberculous Meningitis, ...	5	2	3	.	4	3	2	2	3	1	2·5	2	.	1	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	2	2	.	.	1	1	2	1	2	2	1·3	2	.	1	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.									.	1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	5	9	5	2	5	2	5	.	.	5·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									5	5		1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	2	2	2	1	.	.	1	.	.	2	1·0	1	.	.	1	.	.	.	.	.	.	.
Cancer, ...	6	9	5	13	10	11	17	8	19	7	10·5	8	.	.	.	.	.	.	1	3	2	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	2	1	.	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.	.	.
Diabetes, ...	1	1	.	1	.	.	.	1	1	1	·6	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	1	—	3	.	.	.	.	.	.	.	3	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	5	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	1	.	.	.	.	2	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									2	3		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									1	2		5	.	.	.	.	.	.	.	3	1	1
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									2	2		6	.	.	.	.	.	1	1	.	1	3
Epilepsy, ...									1	1		3	.	.	.	1	.	.	2	.	.	.
Convulsions (non-puerperal),									4	1		2	1	.	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	45	40	34	41	38	27	45	37	3	3	37·1	2	.	.	.	.	.	.	1	1	.	.
Pericarditis, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									12	23		12	.	.	.	.	.	1	.	3	7	1
Embolism and Thrombosis (including Cerebral)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									2	1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	.	1	.	.
Bronchitis, ...	31	21	24	31	26	21	21	23	20	16	23·4	10	1	3	.	.	.	.	.	2	3	1
Broncho-pneumonia, ...	9	6	6	4	5	13	9	9	4	9	7·4	10	1	4	.	2	1	.	.	1	1	.
Lobar pneumonia, ...	1	2	3	5	.	5	2	.	.	1	1·9	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	8	9	5	3	5	4	7	7	4	3	5·5	2	.	1	.	.	.	.	.	1	.	.
Pleurisy, ...									2	.		1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1	1	2	3	1	2	1	3	.	.	2·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									2	2		.	.	.	.	.	.	.	.	.	.	.

FORTY-SIXTH WEEK, ending Saturday, 15th November, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 15th November, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.	Nov. 19, 1910.	Nov. 18, 1911.	Nov. 16, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 40·2	° 45·8	° 38·0	° 42·9	° 44·1	° 45·4	° 37·7	° 38·2	° 44·5	° 43·0	° 42·0	° 46·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	4	1	—	3	.	.	.	1	.	.	.	.	2	.
Diarrhœa and Enteritis of Children under 2 years.	6	7	4	9	4	9	8	6	5	3	6·3	8	.	5	3	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		4	.	.	.	1	2	.	.	1	.	.
Enteritis 2 years and upwards									2	.		2	.	.	.	.	.	1	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	.	—	3	.	.	.	.	.	.	.	1	1	1
Cirrhosis of Liver, ...	.	3	.	1	.	1	1	1	.	3	1·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	2	1	.	.	2	.	.	1	.	.	·6	1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	4	3	5	2	5	6	4	3	.	3·7	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	3	7	3	2	3	2	12	5	6	1	5·7	2	.	.	.	1	.	.	1	.	.	.
Chronic Bright's Disease, ...									2	8		9	.	.	.	.	.	.	1	8	.	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	3		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	1	1	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	1	.	.	1	1	1	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	1	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	5	5	1	3	4	6	6	3	3·7	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	3	—	3	5	3	.	.	.	.	.	.	.	.
Old Age, ...	6	3	3	3	5	.	6	5	.	7	3·8	4	.	.	.	.	.	.	.	.	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	1	1	—	2	1	.	.	.	.	.	.	.	.	1
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	2	2	1	1	1	2	2	2	1·5	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	.	1	.	2	.	.	2	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	3	1	4	2	2	2	.	3	3	2·0	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	1	5	3	9	4	3	6	2	5	5	4·3	2	.	.	.	.	1	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	.	1	.	.	.	1	1	·4	1	.	.	.	.	.	.	1	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	1	·2	1	1	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	6	1	—	3	.	.	.	.	.	.	1	.	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered.	198	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232
Average Births in corresponding week of previous 10 years, ...	211	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193
DEATHS registered, ...	175	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	193	143	177	163	159	148	162	174	158	164
Annual Death-rate per 1,000, ...	22·6	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5	20·4	21·2
Average Deaths in corresponding week of previous 10 years, ...	168	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173
Ages, Under 5 years, ...	39	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49
5—15 „ ...	9	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9
15—25 „ ...	6	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8
25—45 „ ...	30	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26
45—65 „ ...	49	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35
65—75 „ ...	25	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24
75 and upwards, ...	17	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13
Deaths from :—																										
Enteric Fever, ...	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.	.	2
Typhus, ...	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2	2	1
Scarlet Fever, ...	.	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.	1	.
Whooping-cough, ...	2	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.	1	.
Diphtheria, ...	1	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2	1	5
Influenza, ...	2	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1	2	.
Dysentery, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	22	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22
Tuberculous Disease, Other Forms,	8	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5
Cancer, ...	12	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8
Diseases of Circulatory System,	18	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12
Diseases of Respiratory System, Pneumonia	13	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12
Diseases of Respiratory System, Others, ...	22	13	13	15	17	9	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12
Diarrhœa and Enteritis, under 2 years, ...	6	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.	.	4
Violent Deaths, ...	1	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3
Number of Uncertified Deaths,	3	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7	2	4
Mean Temperature of the Air (Phœnix Park)	52·8	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9	44·4	46·6
Average Mean Temperature in corresponding week of previous 10 years, ...	51·2	54·0	53·5	54·2	55·9	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2	44·6	42·0
Rainfall in inches, ...	·220	·140	560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040	·710	·645
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86	·90	·90

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th November, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH NOVEMBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	21·5	164	49	9	8	26	35	24	13	2	..	.	1	.	.	5	.	22	5	8	2	12	12	8	4	3	80	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10·7	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	18·4	36	7	1	4	7	9	5	3	1	.	.	.	.	.	3	.	8	2	1	.	2	.	1	1	.	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	17·3	36	12	4	1	2	11	4	2	.	.	.	.	.	.	2	.	3	1	1	1	3	6	1	2	1	15	1
IV.	GENERAL SERVICE CLASS, ...	167,479	19·0	61	26	4	2	9	8	9	3	1	.	.	1	.	.	.	.	6	1	4	1	5	5	5	1	2	29	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	28	4	.	1	8	5	6	4	.	.	.	.	.	.	.	.	5	1	2	.	2	1	1	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19·2	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	8·3	4	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	18·8	12	6	.	1	3	1	1	.	1	.	.	.	.	.	2	.	2	1	.	.	1	.	1	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	26·2	17	1	1	2	4	5	2	2	.	.	.	.	.	.	1	.	5	1	1	.	1	.	.	1	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13·3	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.
	9. Building and Furnishing Trades, ...	28,823	25·3	14	5	2	.	1	5	1	.	.	.	.	.	.	.	1	.	.	1	.	.	1	2	.	1	1	7	.
	10. Clothing Trades, ...	20,026	5·2	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades	8,952	11·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	22·8	14	3	2	.	.	4	3	2	.	.	.	.	.	.	1	.	2	.	1	1	1	4	.	.	.	4	1
	13. Petty Shopkeepers	6,772	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	16·1	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	8·7	6	.	.	1	2	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	13·6	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	23·8	47	23	4	1	7	5	5	2	1	.	.	1	.	.	.	.	5	.	3	1	4	4	4	1	2	21	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	28	4	.	1	8	5	6	4	.	.	.	.	.	.	.	.	5	1	2	.	2	1	1	.	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Sept. 27,	20·9	5·2	12	.	.	.	.	.	.	.	.	1	2	.	.	1	3	.	.	.
	Oct. 4,	15·7	5·2	9	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2
	„ 11,	13·9	5·2	8	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.
	„ 18,	22·7	7·0	13	.	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	1
	„ 25,	26·2	3·5	15	.	.	.	.	.	.	.	.	5	.	1	1	1	2	.	.	2
	Nov. 1,	13·9	1·7	8	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.
	„ 8,	24·4	1·7	14	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.
	„ 15,	20·9	3·5	12	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Sept. 27,	26·8	8·9	21	.	.	.	.	.	.	.	.	.	.	2	.	1	6	1	.	.
	Oct. 4,	24·2	3·8	19	.	.	.	.	.	.	.	.	3	.	.	2	1	3	.	.	1
	„ 11,	26·8	8·9	21	1	.	.	.	.	.	.	1	1	.	2	1	2	5	.	1	1
	„ 18,	14·0	2·6	11	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	1
	„ 25,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	1
	Nov. 1,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.
	„ 8,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	2	1	2	1	.	.	1
	„ 15,	17·9	1·3	14	1	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Sept. 27,	22·4	1·9	12	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	Oct. 4,	22·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	„ 11,	20·6	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
	„ 18,	16·8	3·7	9	.	.	.	.	.	.	.	.	1	4	1	.	.	2	.	.	.
	„ 25,	11·2	1·9	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	Nov. 1,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
	„ 8,	28·1	3·7	15	.	.	.	.	1	.	.	.	3	1	.	2	.	1	.	1	.
	„ 15,	33·7	1·9	18	.	.	.	.	.	.	1	.	3	2	1	3	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 25,185.	Sept. 27,	25·2	5·9	17	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	2	.
	Oct. 4,	14·8	3·0	10	2	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
	„ 11,	22·2	4·4	15	.	.	.	.	.	1	.	.	3	1	.	1	1	2	.	.	.
	„ 18,	14·8	3·0	10	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.
	„ 25,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.
	Nov. 1,	17·8	3·0	12	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 8,	11·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 15,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	.
South City, No. 1 (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Sept. 27,	18·1	2·6	14	.	.	.	.	.	.	.	.	6	.	1	.	.	2	.	.	.
	Oct. 4,	19·4	2·6	15	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	.
	„ 11,	22·0	5·2	17	.	.	.	.	.	.	1	.	1	2	.	1	2	3	.	.	.
	„ 18,	31·0	6·5	24	.	.	.	.	.	.	1	.	3	1	.	2	1	3	1	.	.
	„ 25,	19·4	.	15	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	1
	Nov. 1,	27·1	3·9	21	.	.	.	.	.	.	.	1	3	5	1	.	1	2	.	.	1
	„ 8,	15·5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 15,	23·3	3·9	18	1	.	.	.	.	.	.	.	1	.	2	.	4	2	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Sept. 27,	31·3	2·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
	Oct. 4,	31·3	8·5	11	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.
	„ 11,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.
	„ 18,	14·2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 25,	42·6	2·8	15	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.	1
	Nov. 1,	42·6	.	15	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	.	.
	„ 8,	14·2	2·8	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	„ 15,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Sept. 27,	26·6	8·5	22	.	.	.	.	.	.	.	.	4	1	1	.	.	7	.	.	.
	Oct. 4,	25·4	8·5	21	.	.	.	.	1	1	2	.	.	.	4	.	3	2	1	.	.
	„ 11,	24·2	8·5	20	.	.	.	.	1	.	1	.	1	1	.	2	.	5	.	1	.
	„ 18,	18·1	4·8	15	.	.	.	.	.	.	.	.	2	.	1	.	3	4	.	1	.
	„ 25,	20·6	2·4	17	.	1	.	.	.	.	.	.	3	.	.	1	2	1	.	.	.
	Nov. 1,	26·6	2·4	22	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	2
	„ 8,	15·7	1·2	13	.	.	.	.	.	.	.	.	1	.	1	4	3	1	.	.	.
	„ 15,	24·2	3·6	20	.	.	.	.	.	.	.	.	2	1	1	2	1	1	2	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Sept. 27,	18·9	3·1	12	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	1	.
	Oct. 4,	18·9	7·9	12	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.
	„ 11,	9·4	1·6	6	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 18,	29·9	9·4	19	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.	.	1
	„ 25,	31·4	9·4	20	.	.	.	2	.	.	.	.	2	.	2	.	.	4	.	.	.
	Nov. 1,	31·4	9·4	20	.	.	.	1	.	.	2	.	2	1	1	2	1	3	.	1	1
	„ 8,	20·4	1·6	13	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	2	.
	„ 15,	29·9	6·3	19	.	.	.	1	.	.	1	.	4	.	.	.	1	2	.	.	3

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Sept. 27,	16·1	5·4	12	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.
	Oct. 4,	17·5	4·0	13	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.
	„ 11,	8·1	2·7	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 18,	13·4	1·3	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	.
	„ 25,	17·5	2·7	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3	.
	Nov. 1,	13·4	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 8,	17·5	.	13	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.
	„ 15,	16·1	2·7	12	.	.	.	.	.	.	1	.	3	.	2	.	.	1	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Sept. 27,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.
	Oct. 4,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	13·9	3·5	8	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	„ 18,	12·2	1·7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 25,	17·4	1·7	10	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.
	Nov. 1,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 8,	17·4	3·5	10	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.
	„ 15,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Sept. 27,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Oct. 4,	12·3	.	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	„ 11,	24·6	3·1	8	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 18,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 25,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 1,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	30·8	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 15,	15·4	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
Belfast. Pop. in 1913 (Est.) 396,000.	Sept. 27,	19·5	4·2	148	1	.	.	.	3	.	1	.	13	3	9	16	15	22	5	1	1
	Oct. 4,	13·2	2·5	100	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	.
	„ 11,	16·7	1·7	127	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	4
	„ 18,	14·6	1·8	111	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	3
	„ 25,	15·1	1·7	115	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	2
	Nov. 1,	13·4	1·4	102	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1
	„ 8,	17·5	1·6	133	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	2
	„ 15,	18·3	1·8	139	.	.	.	1	7	3	2	.	22	2	8	16	15	1	.	4	6
Cork. Pop. in 1911 76,673.	Sept. 27,	24·5	6·1	36	.	.	.	.	.	.	.	.	2	.	1	2	3	8	1	1	4
	Oct. 4,	21·8	3·4	32	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	3
	„ 11,	24·5	2·7	36	.	.	.	.	.	.	.	.	6	1	6	3	1	4	.	.	1
	„ 18,	13·6	2·7	20	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	.
	„ 25,	20·4	1·4	30	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	4
	Nov. 1,	15·6	0·7	23	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.
	„ 8,	18·4	0·7	27	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.
	„ 15,	21·1	2·7	31	1	.	.	.	.	.	.	.	.	2	3	.	3	3	.	.	2
Londonderry. Pop. in 1913 (Est.) 41,000.	Sept. 27,	22·9	6·4	18	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	.	.
	Oct. 4,	21·6	10·2	17	.	.	.	.	.	.	.	.	.	.	3	.	.	8	.	2	.
	„ 11,	7·6	2·5	6	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	„ 18,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1
	„ 25,	11·4	3·8	9	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	Nov. 1,	17·8	6·4	14	.	.	.	1	.	.	.	.	.	1	1	.	1	3	1	1	.
	„ 8,	21·6	1·3	17	.	.	.	1	.	.	.	.	3	.	.	3	1	.	.	.	.
	„ 15,	22·9	1·3	18	.	.	.	.	.	.	.	.	5	1	2	.	2	1	.	.	.
Limerick. Pop. in 1911 38,518.	Sept. 27,	17·6	.	13	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
	Oct. 4,	23·0	1·4	17	.	.	.	.	.	.	.	.	6	1	.	.	1	1	.	.	3
	„ 11,	12·2	2·7	9	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
	„ 18,	8·1	1·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	10·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
	Nov. 1,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1
	„ 8,	21·7	.	16	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	3
	„ 15,	24·4	.	18	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	.	2
Waterford. Pop. in 1911 27,464.	Sept. 27,	26·6	9·5	14	.	.	.	1	.	.	.	.	2	.	.	.	1	3	1	.	.
	Oct. 4,	38·0	11·4	20	.	.	.	.	.	.	.	.	1	1	3	.	1	5	1	.	1
	„ 11,	15·2	1·9	8	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
	„ 18,	3·8	1·9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 25,	30·4	3·8	16	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	2
	Nov. 1,	11·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2
	„ 15,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th November, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOUS DISEASE. Phthisis.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	23·0	3·3	7	1	1	.	3	.	2	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.	4	1
Do. 2 do.	49,500	24	17·9	.	17	4	1	1	4	4	3	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	1	1	2	.
Do. 3 do.	50,032	38	14·6	2·1	14	3	.	1	1	6	3	.	.	.	.	1	1	.	.	2	.	1	2	3	.	.	.	.	4	.
Do. 4 do.	32,637	10	24·0	6·4	15	1	4	2	3	3	2	.	.	.	.	2	.	2	.	3	.	.	3	1	.	.	.	1	9	1
Do. 5 do.	16,112	6	51·8	3·2	16	3	2	1	3	6	1	.	.	.	.	.	.	.	.	2	.	3	.	3	1	.	1	1	7	.
Do. 6 do.	37,293	14	11·2	.	8	2	.	1	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.
Do. 7 do.	2,681	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	26·2	.	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	10	14·9	2·1	7	3	.	.	1	3	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.	2	1
Do. 10 do.	28,958	10	18·0	.	10	2	1	1	.	4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	2	.
Do. 11 do.	39,311	16	13·3	.	10	1	.	1	3	2	3	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	1	2	2	1
Do. 12 do.	38,076	18	27·4	5·5	20	5	5	4	3	2	1	.	.	.	1	2	1	.	.	4	1	1	3	1	.	.	.	1	5	.
Do. 13 do.	23,233	12	11·2	2·2	5	.	.	1	2	.	2	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	1	1
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	18	16·1	.	7	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	1
Total,	386,947	182	18·3	1·8	129	31	15	14	24	32	23	.	.	.	1	7	3	2	.	22	2	8	16	15	1	.	4	8	39	6
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	7	3·9	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,701	15	15·0	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do 3 do.	9,978	2	21·3	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do 4 do.	8,666	5	22·8	11·4	4	2	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Do 5 do.	6,592	2	16·7	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do 6 do.	10,702	9	40·5	4·5	9	2	1	.	1	1	4	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	1
Do. 7 do.	16,616	14	26·0	3·2	8	2	1	.	2	2	1	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	3	.
Total,	76,122	54	21·1	2·7	31	8	2	.	7	6	8	1	.	.	.	.	.	.	.	.	2	3	.	3	3	.	.	.	9	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered, ...	208	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182
DEATHS registered, ...	129	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139
Annual Death-rate per 1,000 of estimated population, ...	17·0	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4	17·5	18 3
AGES, Under 1 year, ...	23	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31
1—5 years, ...	16	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15
5—25 ,, ...	16	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14
25—45 ,, ...	28	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24
45—65 ,, ...	15	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	23	23	18	24	32
65 and upwards, ...	31	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles, ...	4	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.	1
Scarlet Fever, ...	.	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7
Whooping-cough, ...	.	.	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.	.	3
Diphtheria, ...	1	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1		2	1	1	.	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	25	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22
Tuberculous Disease. Other Forms,	8	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2
Cancer, ...	3	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8
Diseases of Respiratory System, Pneumonia,	11	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16
Diseases of Respiratory System, Others, ...	10	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13	15
Diarrhœa and Enteritis, under 2 years, ...	2	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1
Diarrhœa, 2 years and upwards,	1	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1	1	.
Violent Deaths, ...	3	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4	4
Number of Uncertified Deaths, ...	1	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1	2	6

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Nov. 15,	1,997	1,159	13·4	2	.	3	4	9	16	58*a*
Edinburgh, ...	320,300	„ 15,	103	85	13·8	1	.	8	.	1	.	1*a*
Glasgow, ...	1,021,500	„ 15,	519	338	17·3	.	.	16	1	1	1	12*a*
Calcutta, ...	896,067	Oct. 4,	.	423	24·5	68*	.	.	.	.	.	52‡
Bombay, ...	979,445	„ 11,	442	564	29·9	81*	.	9	.	.	.	55‡
Madras, ...	518,660	„ 11,	430	343	34·4	46*	1	1	?	?	?	71
Cairo, ...	715,609	Aug. 26,	615	505	36·8	8	.	12	.	?	5†	144*a*
Paris, ...	2,847,229	Nov. 1,	815	795	14·3	6	.	.	.	5	4†	32*a*
Brussels, ...	767,252	Oct. 25,	214	168	11·4	3	.	.	.	1	.	20*a*
Antwerp, ...	312,884	Nov. 1,	115	78	13·0	1	.	1	1	.	.	15*a*
Amsterdam, ...	592,571	Oct. 25,	254	122	10·7	.	.	1	1	2	2†	.
Copenhagen, ...	482,000	„ 25,	214	115	12·4	.	.	1	.	4	.	4*a*
Stockholm, ...	376,171	„ 25,	127	82	11.3	.	.	.	1	.	1	2
Christiania, ...	250,423	Nov. 1,	95	54	11·2	1	.	.	1	.	.	1
St. Petersburg ...	1,708,000	Oct. 11,	1,039	694	21·2	35	.	9	28	9	5	52*a*
Moscow, ...	1,694,000	„ 4,	.	874	26·9	14	.	19	20	17	17†	195
Berlin, ...	2,057,715	„ 18,	703	532	13·5	1	?	2	6	.	12†	36
Hamburg, ...	1,006,748	„ 25,	.	257	13·3	1	?	.	3	3	8†	11
Breslau, ...	539,883	„ 25,	.	190	18·4	.	.	2	2	6	.	18
Munich, ...	638,000	„ 25,	.	190	15·5	.	.	.	.	.	.	13
Vienna (with suburbs),	2,115,254	„ 25,	628	566	13·8	.	.	1	5	.	9†	40*a*
Buda-Pesth, ...	930,666	„ 25,	463	336	18·8	1	.	.	2	.	3†	25*a*
Prague and Faubourgs,	494,055	„ 11,	148	130	13·7	1	.	.	.	.	3†	5*a*
Trieste, ...	242,595	„ 25,	134	97	20·9	2	.	1	.	3	.	10*a*
Rome, ...	582,565	July 12,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Oct. 4,	2,369	1,248	12·1	21	.	2	2	7	20†	107*a*
Philadelphia, ...	1,631,960	Sept. 27,	.	452	14·4	4	.	.	3	5	8†	39*a*
Boston, ...	735,399	Oct. 25,	.	194*b*	13·8	4	.	.	1	1	4	15

* Deaths from "fever," including 5 from enteric fever in Calcutta, and 6 from enteric fever and 9 from plague in Bombay.

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta, and 2 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 172 (including 3 deaths from diphtheria, and 12 from diarrhœal diseases), rate 12·1 per 1,000.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th November, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	3	.	.	.	1	.	.	1	.	6
" " 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
" " 2, ...	.	1	.	.	2	.	.	.	1	.	.	6	.	10
" " 3, ...	.	4	.	.	.	.	1	1	1	.	.	2	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	4	.	.	.	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of), ...	.	.	.	.	2	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	5	.	.	1	.	.	1	.	.	.	2	.	9
" " 2, ...	.	.	.	.	.	.	.	.	2	.	.	3	.	5
" " 3, ...	.	.	.	.	1	.	.	.	.	.	.	3	.	4
" " 4, ...	.	1	.	.	6	.	.	.	.	.	.	2	.	9
New Kilmainham, ...	.	.	.	.	1	.	.	.	1	.	.	.	.	2
Total, ...	.	16	.	.	16	.	1	2	6	.	.	21	.	62

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th November, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th November.			
	Oct. 25.	Nov. 1.	Nov. 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	55	56	56	9	14	1	50
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	3	4	2	2	.	4
Scarlet Fever, ...	103	104	103	16	29	1	89*
Diphtheria, ...	45	40	48	25	12	4	57
Pneumonia, ...	20	22	22	7	3	.	26

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 15th November, 1913:—

"Very changeable, unsettled weather prevailed, but there were many fine, bright intervals. On Sunday morning a vast atmospheric depression, the periphery of which stretched from Norway to the Azores, and from Iceland to Madeira, was centred on the Atlantic in lat. 49° N., long. 22° W. In that region the barometer was below 28·9 inches. Fresh S.E. or S. winds blew over Ireland, but a calm in Central England was the cause of a frost at Nottingham, at which place the thermometer sank to 29° in the screen. As the disturbance drew near the Irish coast rain fell heavily in places—·43 inch being measured in Dublin, ·66 inch at Valentia, and ·79 inch at Pembroke. The depression meanwhile became much less deep (29·18 inches at Valentia on Tuesday morning). Soon, however, it again developed energy, and at 7 a.m. of Wednesday the barometer was down to 29·02 inches at Castlebay (Barra Island), Malin Head, and in Dublin. In this City rain had fallen heavily late on Tuesday night, and there were further downpours at 3 p.m. and 11 p.m. of Wednesday. On Thursday morning the central area of the depression was found as a trough of low pressure (29·1 inches and less) extending southwards from beyond the Shetlands almost to London. This day was fine in Ireland, in which country the wind was strong from N.W. and temperature was low. A sudden change now occurred in the far northwest and by Friday morning the barometer had fallen to 28·4 inches in Iceland, while a V.-shaped secondary depression passing eastwards across the British Isles caused squalls and rain or showers in all districts. The barometer recovered later, but on Saturday afternoon it again gave way as a new secondary system approached Ireland from the Atlantic, which led to a brief gale and heavy rain. In Dublin the mean height of the barometer was 29·403 inches, pressure ranging between 29·023 inches at 7 a.m. of Wednesday (wind, W.), and 29·686 inches at 9 a.m. of Saturday (wind, W. by S.). The mean temperature was 47·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·4°. On Monday the screened thermometers rose to 55·9°; on Thursday they fell to 37·1°. The wind was at first from S.S.E. or S., afterwards from W. or W.N.W. Rain fell daily to the amount of 1·011 inches, ·428 inch being measured on Sunday. A lunar corona was seen on the evenings of Thursday and Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·400 inches. The highest reading (29·616) was on Saturday, at 9 p.m., wind W., the lowest (29·069) on Wednesday at 9 a.m., wind W.

The mean temperature for the week was 46·6°, being 4·6° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Monday, on which day the thermometer registered 60°, and was lowest on Thursday, the mercury having fallen to 35°. The mean of the Dry Bulb for the week was 46·4° and of the Wet Bulb, 44·9°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·645 inch.

At Greenwich the mean temperature for the week was 49·0°, the maximum 59·1°, and the minimum 36·0°; and at Edinburgh the maximum was 53·6°, the minimum 34·0°, and the mean 44·4°. The rainfall at Greenwich measured 1·50 ins.; and at Edinburgh 0·45 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 9,	29·585	53	41	47·0	51·9	50·1	·89	·4	0·0	·210	S.E.	S.E.
Monday, „ 10,	29·460	60	47	53·5	51·3	50·6	·96	·4	4·6	·040	Calm.	Calm.
Tuesday, „ 11,	29·230	56	44	50·0	49·9	47·6	·85	·2	1·7	·080	S.E.	S.S.E.
Wednesday, „ 12,	29·120	51	36	43·5	43·1	42·7	·97	·6	0·4	·210	W.	W.
Thursday, „ 13,	29·420	50	35	42·5	41·2	40·1	·91	·6	4·5	·030	W.	W.
Friday, „ 14,	29·380	50	41	45·5	43·7	41·8	·85	·7	4·7	·000	W.	W.
Saturday, „ 15,	29·605	50	39	44·5	43·7	41·7	·85	·8	4·8	·075	W.	W.
Mean, ...	29·400	52·9	40·4	46·6	46·4	44·9	·90	·5	Total 20·7	Total ·645	Prevailing Wind, W.	

Sunday—Day overcast; night overcast, drizzling and heavy rain 12 midnight to 6.40 a.m. *Monday*—Day overcast to bright; night clear to overcast, drizzling and heavy rain 7.0 to 9.0 a.m. *Tuesday*—Day cloudy, showers at intervals 9.0 to 10.30 a.m., and drizzling and heavy rain 6.0 to 8.0 p m; night cloudy, rain 10.15 to 11.0 p.m. *Wednesday*—A dull day, heavy showers at intervals a.m. and p.m.; night overcast to clear, drizzling rain 10.0 p.m. to 1.0 a.m *Thursday*—Day cloudy, fine; night overcast, drizzling and heavy rain 12 midnight to 2.45 a.m. *Friday*—A fine day, light clouds at intervals; night clear. *Saturday*—Day cloudy, heavy rain at intervals from 3.30 to 6.0 p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 15th November, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 9,	52·0	47·0	50·8	54	47	50·5	—	·392
Monday, „ 10,	55·4	48·4	50·7	59	51	55	3·7	·060
Tuesday, „ 11,	52·7	49·0	50·5	55	50	52·5	1·3	·103
Wednesday, „ 12,	46·1	48·9	50·5	53	43	48	1·4	·200
Thursday, „ 13,	40·9	47·9	50·5	50	38	44	3·0	·020
Friday, „ 14,	45·0	47·2	50·4	50	44	47	7·2	—
Saturday, „ 15,	44·9	46·7	50·2	50	41	45·5	4·5	·110
Weekly Mean, .	48·1	47·9	50·5	53·0	44·9	48·9	Total 21·1	Total. ·885

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 11. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. L.] WEEK ENDING SATURDAY, 22ND NOVEMBER, 1913. [No. 47.

General Register Office, Charlemont House,
Dublin, 24th November, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Nov. 1	Nov. 8	Nov. 15	Nov. 22	Average Rate for 4 weeks.
27 Town Districts, (a)	**17·2**	**17·6**	**18·8**	**16·4**	**17·5**
Dublin Reg. Area ...	21·2	19·4	20·1	18·1	19·7
Dublin City ...	23·5	19·5	20·8	19·8	20·9
Belfast	13·4	17·5	18·3	16·6	16·5
Cork	15·6	18·4	21·1	10·2	16·3
Londonderry ...	17·8	21·6	22·9	12·7	18·7
Limerick	10·8	21·7	24·4	16·2	18·3
Waterford	11·4	20·9	17·1	20·9	17·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·7 per 1,000. Among the 126 deaths from all causes for Belfast are one from enteric fever, one from measles, 9 from scarlet fever, 2 from whooping-cough, and 6 from diarrhœa and enteritis of children under 2 years. Of the 15 deaths from all causes for Cork one is from scarlet fever and one from diarrhœa and enteritis of a child under 2 years. Of the 10 deaths from all causes for Londonderry one is from measles and one from diarrhœa and enteritis of a child under 2 years. Included in the 12 deaths from all causes for Limerick is one from scarlet fever. Among the 8 deaths from all causes for Lisburn there is one from whooping-cough, and of the 5 deaths from all causes for Ballymena there is one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 165—82 boys and 83 girls—and the deaths to 148—83 males and 65 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·1 per 1,000 of the population. During the forty-seven weeks, ending with Saturday last, the death-rate averaged 20·3, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 148, represent an annual rate of 19·1 per 1,000; the annual rate for the past forty-seven weeks was 21·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

There was one death from scarlet fever, also one death from diphtheria, and 9 deaths from diarrhœa and enteritis of children under 2 years of age. In each of the 3 preceding weeks, deaths from scarlet fever were 0, one, and 0; deaths from diphtheria were 2, one, and 5; and deaths from diarrhœa and enteritis of children under 2 years were 14, 7, and 8.

Deaths from tuberculous disease numbered 20*, having amounted to 31, 24, and 27 in each of the 3 preceding weeks; of the 20 deaths 14 were from pulmonary tuberculosis, 3 were from tuberculous meningitis; and abdominal tuberculosis, a diseased joint and disseminated tuberculosis each caused one death.

There were 8 deaths from broncho-pneumonia, one from lobar-pneumonia, and 5 from pneumonia (type not distinguished).

Twelve* deaths were assigned to cancer or malignant disease.

Of 4 deaths from convulsions, 3 were of infants under one year, and one was between the ages of one year and 2 years. There were 3 deaths of infants from congenital defects, 3 from premature birth, and 3 from congenital debility.

There were 9 deaths from organic diseases of the heart, and 19 from bronchitis.

Of 5 deaths from accident or negligence, one was of a child under 2 years from scalds and one was by drowning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the death of one person aged 67 years.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 12 were under one month old) and 38 were aged 65 years and upwards, including 20 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·1 per 1,000; the rate in the City was 19·8 (North City Districts, 18·5; South, 21·3) and in the Suburbs, 12·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 1·9, and in the South 1·1), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000. There were 3 deaths from tuberculous disease, one from pneumonia (type not distinguished), and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·2 per 1,000. Pulmonary tuberculosis caused 4 deaths, there were 3 deaths from pneumonia, 2 deaths from bronchitis, and 4 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000, and include one death from pulmonary tuberculosis, 3 deaths from pneumonia, 3 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 13·3 per 1,000. Tuberculous disease caused 2 deaths, there was one death from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·5; and Finglas and Glasnevin, part of, 9·8. One of the 2 deaths for Finglas and Glasnevin, part of, was from tuberculous peritonitis, and one was from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 24·5 per 1,000. The deaths include one from scarlet fever, one from tuberculous meningitis, one from lobar pneumonia, 2 from bronchitis, one from diarrhœa and enteritis of a child, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. There were 2 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000, and include one death from diphtheria, one from broncho-pneumonia, 4 from bronchitis, and one death from accidental drowning.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000. Of the deaths one was due to tuberculous disease, there were 2 from pneumonia, and one death from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. One of the deaths was from tuberculous meningitis and one was from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·1; Pembroke, 10·4; Blackrock, 17·1; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diarrhœa and enteritis of children under 2 years for Rathmines and Rathgar. Of the 9 deaths from all causes for the same district there are one from pulmonary tuberculosis, one from broncho-pneumonia, one from pneumonia, and one from bronchitis. One of the 6 deaths from all causes from Pembroke is from bronchitis; and included in the 5 deaths from all causes for Kingstown is one from pulmonary tuberculosis.

* See note (c) at foot of Table II.
† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 22nd November, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 1,	.	—	—	10	.	.	7	.	.	2	4	.	—	—	.	—	19	.	42
	Nov. 8,	.	—	—	13	.	.	10	.	1	9	8	.	—	—	.	—	14	.	55
	Nov. 15,	.	—	—	16	.	.	16	.	1	2	6	.	—	—	.	—	21	.	62
	Nov. 22,	.	—	—	15	.	.	16	.	.	5	6	.	—	—	.	—	19	.	61
Rathmines and Rathgar Urban District.	Nov. 1,	.	—	—	.	.	.	2	.	1	1	.	.	—	—	—	—	—	—	4
	Nov. 8,	.	—	—	1	.	.	4	.	.	2	.	.	—	—	—	—	—	—	7
	Nov. 15,	.	—	—	3	.	.	7	.	3	.	.	.	—	—	—	—	—	—	13
	Nov. 22,	.	—	—	1	.	.	5	.	.	8	.	.	—	—	—	—	—	—	14
Pembroke Urban District.	Nov. 1,	.	.	.	.	.	.	1	.	.	1	.	.	—	3	—	—	.	—	5
	Nov. 8,	.	.	.	1	.	.	1	.	.	.	.	.	—	.	—	—	.	—	2
	Nov. 15,	.	.	.	1	.	.	.	.	.	2	.	.	—	.	—	—	.	—	3
	Nov. 22,	.	.	.	1	.	.	4	.	.	7	.	.	—	.	—	—	.	—	12
Blackrock Urban District.	Nov. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 15,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Nov. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Nov. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Nov. 8,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Nov. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 22,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	.	—	3
City of Belfast.	Nov. 1,	.	—	—	66	.	.	8	1	.	2	4	.	—	—	.	—	10	1	92
	Nov. 8,	.	—	—	66	.	.	5	1	.	8	5	.	—	—	.	—	4	.	89
	Nov. 15,	.	—	—	86	.	.	14	2	.	3	6	.	—	—	.	—	9	2	122
	Nov. 22,	.	—	—	74	.	.	14	.	.	8	6	.	—	—	.	—	6	4	112

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd November, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Fourteen cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 57 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 56, 56, and 50.

One case of typhus was admitted to hospital during the week, and remained under treatment at its close.

Three cases of measles were admitted to hospital, one was discharged, and 6 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 3, 4, and 4 respectively.

Twenty-six cases of scarlet fever were admitted to hospital, 13 were discharged, there was one death, and 101* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 104, 103, and 89, respectively.

Twenty-two cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 40, 48, and 57, respectively, were 70 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·5), was equal to an average annual death-rate of 13·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·8 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 12·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd November. From this Report it appears that of a total of 83 cases notified, 47 were scarlet fever, 18 phthisis, 12 diphtheria, and 6 erysipelas. Among the 632 cases of infectious diseases in hospital at the close of the week were 393 cases of scarlet fever, 123 of phthisis, 62 of diphtheria, 34 of measles, 7 of erysipelas, 7 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 22nd November, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature and Rainfall for the week**, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 22nd November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	22·6	16·4	1·7	520	378	66	98	2	...	...	2	12	3	1	...	30	19	28	30	38	18	2	16	23	117	12	...	...	...	...	...	...	...	..	...	...	..	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	21·3	18·1	1·4	165	140	31	36	...	...	...	...	1	...	1	...	12	6	11	14	20	9	...	4	7	60	6	e 56	32	46·6	0·61	e 60	35	46·6	0·65	e 56	29	44·4	0·71
CITY OF DUBLIN.	308,187	39·0	23·0	19·8	1·5	136	117	27	26	...	...	...	...	1	...	1	...	10	6	7	12	18	7	...	4	7	53	5	f 57·1 g 55·8	35·3 31·0	47·7 47·1	0·43 0·48	f 55·9 g 58·6	37·1 36·4	47·8 47·8	1·01 0·77	f 55·2 g 55·8	37·8 30·0	46·2 45·4	0·65 0·74
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	9·4	12·1	2·7	7	9	2	5	...	...	...	...	...	...	...	..	1	...	2	2	1	2	...	...	...	3	1	...	...	...	...	.	...	...	...	...	...	...	...
PEMBROKE. ...	29,942	19·0	17·4	10·4	.	10	6	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK....	9,161	8·5	.	17·1	.	.	3	...	1	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN,...	16,941	11·6	36·9	15·4	.	12	5	2	2	...	...	...	...	...	...	...	..	1	...	1	...	...	...	...	...	...	2	...	57	38	48·7	0·30	61	39	48·1	1·12	56	38	47·8	1·26
BELFAST (b) ..	396,000	26·5	22·4	16·6	2·5	170	126	19	25	1	...	...	1	9	2	...	...	9	5	10	9	11	6	...	9	12	34	1	56	37	46·6	0·92	57·0	35·8	46·7	1·65	55	32	44·4	1·22
CORK, ..	76,673	28·6	25·8	10·2	1·4	38	15	3	6	...	...	...	...	1	...	...	...	2	1	...	...	2	1	...	1	1	3	1	57	37	49·2	1·02	56	41	49·9	1·75	56	41	48·5	1·35
LONDONDERRY...	41,000	15·9	29·3	12·7	2·5	23	10	4	2	...	...	...	1	...	...	...	...	...	1	1	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	16·2	16·2	1·4	12	12	...	3	...	...	...	...	1	...	...	..	1	...	1	1	...	...	...	...	...	6	..	55·5	31·5	47·0	0·69	56·9	35·9	47·9	1·48	56·4	31·5	44·5	0·97
WATERFORD, ...	27,464	19·1	20·9	20·9	1·9	11	11	1	4	...	...	...	...	...	...	...	..	2	...	1	1	1	...	1	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			3	4	1	...	...	..	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	3	1	54	26	41	0·69	56	29	45	0·51	55	30	43	1·56
DUNDALK, ...	13,128	9·5				4	5	...	5	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				10	5	1	2	...	..	...	...	...	...	...	..	...	1	...	1	...	...	...	...	...	...	1	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97
DROGHEDA, ...	12,501	8·4				6	3	1	1	...	...	...	...	...	...	...	..	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				8	8	...	1	...	...	...	..	...	1	...	...	...	1	1	...	1	...	...	...	..	1	...	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97
NEWRY. ...	11,963	17·0				6	3	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	.	...	...	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97
PORTADOWN, ...	11,727	15·3				5	7	...	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97
WEXFORD. ...	11,531	22·8				3	2	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				2	5	1	1	1	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8				3	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	28	45·0	0·90	57	39	47·0	1·64	55	30	43·0	1·03
KILKENNY, ...	10,514	11·4				4	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	56	27	46·4	0·92	57	39	48·1	1·27	54	30	44·2	0·57
TRALEE. ...	10,300	17·4				8	2	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				2	4	...	2	...	...	...	...	...	...	...	...	...	...	2	..	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	35	46·3	0·28	56	39	48·0	1·59	53	39	46·0	1·31
QUEENSTOWN, ...	8,209	14·7				7	5	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	57	37	49·2	1·02	56	41	49·9	1·75	56	41	48·5	1·35
LARNE, ...	8,036	13·4				6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	.	...	...	...	..	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				4	2	..	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21	53·1	34·8	45·1	0·97

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 8 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area. Of the 8 deaths 2 were from pulmonary tuberculosis and one from cancer. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd of November, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	2	4	1	1	.	.	.	.	2	.	.	.	1	.	.	1	12	2
Tuberculous Disease. Other Forms,	1	.	.	1	.	.	1	1	.	.	1	1	.	.	.	.	6	.
Cancer,	.	1	.	.	.	.	.	1	2	2	1	.	2	.	1	1	11	1
Diseases of Nervous System,	1	.	.	2	1	.	.	7	.	1	2	.	.	1	1	.	16	3
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	1	.	.	.	.	.	.	2	1	.	.	2	1	.	8	1
" Respiratory System. Pneumonia,	1	3	3	.	.	.	.	1	1	1	2	.	2	.	.	.	14	.
" Respiratory System. Others,	.	2	3	1	.	1	1	2	2	4	1	1	1	1	.	.	20	.
" Digestive System. Diarrhœa and Enteritis, under 2 years,	.	4	2	.	.	.	.	1	.	.	.	.	2	.	.	.	9	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	.	1	1	.	1	.	.	.	1	2	.	.	.	.	.	6	.
" Genito-urinary System,	1	1	.	1	.	1	.	.	.	1	.	.	.	1	.	.	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	4	4	1	.	.	.	3	2	2	2	.	1	.	.	3	23	.
Violent Deaths,	1	.	.	1	.	.	.	1	.	1		.	.	.	.	.	4	1
Ill-defined, &c. Causes,	.	.	.		.	.	.	.	.	.	.	1	.	1	.	.	2	.
Deaths from All Causes	9	19	15	9	1	3	2	19	9	15	12	3	9	6	3	5	140	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·7	24·2	28·1	13·3	9·6	11·5	9·8	24·5	25·6	19·4	18·9	16·0	12·1	10·4	17·1	15·4	18·1	.
	18·5							21·3					12·6					
	19·8																	
Ages at Death. Under 1 year,	.	5	4	3	.	.	1	7	1	2	3	1	2	.	.	2	31	.
Ages at Death. 1 and under 2 years,	2	3	.	.	.	1	.	1	.	3	1	1	.	.	.	.	12	1
Ages at Death. 2 " 5 "	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	3	.
Ages at Death. 5 " 15 "	2	1	1	.	1	.	.	.	.	1	1	.	.	.	.	.	7	.
Ages at Death. 15 " 25 "	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	5	1
Ages at Death. 25 " 45 "	2	.	2	2	.	.	.	3	1	1	.	.	.	1	1	.	13	2
Ages at Death. 45 " 65 "	2	3	4	2	.	2	.	3	3	5	4	.	1	3	1	.	33	2
Ages at Death. 65 and upwards,	.	5	4	2	.	.	1	5	3	3	2	1	5	2	1	2	36	2
Number of Uncertified Deaths,	.	.	1	.	.	.	.	2	.	2	.	.	1	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	6	1	3	.	.	.	3	2	6	6	.	2	.	.	.	30	7
Workhouse Hospitals,	.	3	5	3	.	1	.	6	3	3	1	.	1	2	.	2	30	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										47th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 22nd November, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.	Nov. 26, 1910.	Nov. 25, 1911.	Nov. 23, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	44·4°	33·6°	40·0°	47·7°	40·2°	45·6°	38·4°	42·2°	39·1°	47·8°	41·9°	46·6°										
ALL CAUSES.	188	170	173	182	145	188	172	168	165	162	171·3	148	12	19	13	3	7	6	15	35	23	15
Enteric Fever, ...	5	.	.	1	2	3	1	2	2	1	1·7	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	12	.	9	.	8	2	1	4	.	3·6	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	.	1	.	1	1	2	1	·8	1	.	.	.	.	.	.	1	.	.	.
Whooping-cough, ...	3	4	3	2	.	4	.	6	3	1	2·6	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	1	.	1	1	2	.	1	·7	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	.	.	3	1	3	2	2	.	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	3	1	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	28	15	20	27	26	20	17	14	19	21	20·7	14	.	.	.	.	1	5	4	4	.	.
Tuberculous Meningitis, ...	2	5	1	1	3	4	3	1	.	2	2·2	3	.	1	1	.	.	.	.	1	.	.
Abdominal Tuberculosis, ...	1	1	.	.	1	2	2	.	5	5	1·7	1	.	1	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	7	6	6	3	4	1	5	1	.	4·7	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									5	3		1	.	.	1	.	.	.	.	.	.	.
Venereal Diseases, ...	.	2	4	3	2	1	2	.	.	.	1·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	7	10	5	8	9	7	14	7	6	8·1	12	.	.	.	.	.	.	1	8	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.	.	.
Diabetes, ...	.	.	1	1	.	.	.	.	2	1	·5	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	2	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	1		3	.	.	.	.	2	.	.	1	.	.
Cerebral Hæmorrhage, Apoplexy.									5	3		3	.	.	.	.	.	.	2	.	.	1
Softening of Brain, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									1	1		5	.	.	.	.	.	.	.	2	3	.
Epilepsy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									6	4		4	1	2	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	57	38	37	34	27	35	37	34	2	3	35·2	4	.	.	.	.	.	.	1	2	1	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									13	11		9	.	.	.	.	.	.	1	4	1	3
Embolism and Thrombosis (including Cerebral)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									.	2		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	23	21	31	23	10	27	23	28	20	17	22·3	19	.	4	3	1	.	.	1	6	1	3
Broncho-pneumonia, ...	6	9	7	8	2	9	4	10	8	11	7·4	8	.	1	1	1	1	.	.	1	2	1
Lobar pneumonia, ...	1	1	2	3	.	1	1	3	3	1	1·6	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	8	5	6	7	4	5	11	3	6	5	6·0	5	.	.	3	.	.	.	1	.	1	.
Pleurisy, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1	1	3	7	.	1	9	1	.	1	2·6	1	.	.	1	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									1	.		.	.	.	.	.	.	.	.	.	.	.

FORTY-SEVENTH WEEK, ending Saturday, 22nd November, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										47th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 22nd November, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.	Nov. 26, 1910.	Nov. 25, 1911.	Nov. 23, 1912.	Averages in		Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·4	° 33·6	° 40·0	° 47·7	° 40·2	° 45·6	° 38·4	° 42·2	° 39·1	° 47·8	° 41·9	° 46·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	5	1	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	5	5	7	7	10	9	6	7	7	8	7·3	9	3	5	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									1	1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	4	—	1	.	1	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	1	2	1	.	2	2	2	2	3	1·5	2	.	.	.	.	.	.	.	1	1	.
Other Diseases of Liver, ...	.	1	1	.	.	3	1	1	.	2	·9	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	.	1	1	1	.	·3	1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	5	3	7	5	6	5	6	4	.	1	4·2	1	1	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	7	6	5	7	8	6	2	3	1	6·4	1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...									3	9		4	.	.	.	.	.	.	.	3	1	.
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	.	.	2	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	1	—	3	3	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	3	2	2	4	3	1	4	5	5	3·1	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	4	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	4	8	3	3	3	1	5	5	4	2	3·8	11	.	.	.	.	.	.	.	.	8	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	3	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	3	2	.	2	1	1	2	2	.	1·3	1	.	.	1	.	.	.	.	.	.	.
Drowning, ...	1	2	.	.	.	.	.	.	1	.	·4	1	.	.	.	.	1	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	3	1	3	3	1	1	.	2	.	·4	3	.	.	.	.	.	.	1	.	1	1
Total Deaths from Accident,	1	8	3	3	7	2	2	2	5	1	3·4	5	.	.	1	.	1	.	1	.	1	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	2	5	—	2	.	.	.	.	.	.	.	.	.	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered.	246	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165
Average Births in corresponding week of previous 10 years, ...	245	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184
DEATHS registered, ...	139	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163	159	148	162	174	158	164	148
Annual Death-rate per 1,000, ...	18·0	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5	20·4	21·2	19·1
Average Deaths in corresponding week of previous 10 years, ...	152	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171
Ages, Under 5 years, ...	31	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47
Ages, 5—15 " ...	6	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7
Ages, 15—25 " ...	10	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6
Ages, 25—45 " ...	27	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15
Ages, 45—65 " ...	31	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35
Ages, 65—75 " ...	20	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23
Ages, 75 and upwards, ...	14	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15
Deaths from :—																										
Enteric Fever, ...	2	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.	.	2	.
Typhus, ...	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2	2	1	.
Scarlet Fever, ...	1	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.	1	.	1
Whooping-cough, ...	.	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.	1	.	.
Diphtheria, ...	.	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2	1	5	1
Influenza, ...	.	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1	2	.	.
Dysentery, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	20	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14
Tuberculous Disease, Other Forms,	5	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6
Cancer, ...	15	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12
Diseases of Circulatory System,	13	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9
Diseases of Respiratory System, Pneumonia	8	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14
Diseases of Respiratory System, Others, ...	13	13	15	17	9	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20
Diarrhœa and Enteritis, under 2 years, ...	2	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9
Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.	.	4	.
Violent Deaths, ...	3	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3	5
Number of Uncertified Deaths,	3	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7	2	4	6
Mean Temperature of the Air (Phœnix Park)	53·9	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9	44·4	46·6	46·6
Average Mean Temperature in corresponding week of previous 10 years, ...	54·0	53·5	54·2	55·9	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2	44·6	42·0	41·9
Rainfall in inches, ...	·140	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040	·710	·645	·640
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86	·90	·90	·88

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd November, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	19·4	148	47	7	6	15	35	23	15	.	.	.	.	1	.	1	.	14	6	12	4	14	20	9	.	5	62	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	7·1	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS, ...	101,798	12·8	25	1	4	1	6	5	4	4	.	.	.	.	.	.	.	.	5	.	2	.	1	3	.	.	1	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	16·4	34	8	2	1	2	13	4	4	.	.	.	.	1	.	.	.	2	1	3	2	4	6	.	.	.	15	2
IV.	GENERAL SERVICE CLASS, ...	167,479	17·4	56	35	1	2	4	5	8	1	.	.	.	.	.	.	1	.	2	5	4	2	7	6	8	.	3	18	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	31	3	.	2	3	12	7	4	.	.	.	.	.	.	.	.	5	.	2	.	1	5	1	.	1	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	14·5	7	.	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	33,249	7·8	5	1	1	.	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	17·0	11	.	2	1	3	2	1	2	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	17·7	4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	1
	9. Building and Furnishing Trades, ...	28,823	12·7	7	2	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3	1
	10. Clothing Trades, ...	20,026	10·4	4	1	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.
	11. Food Supply Trades	8,952	23·3	4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	22·8	14	1	1	1	2	6	2	1	.	.	.	.	1	.	.	.	2	1	2	.	1	.	.	.	.	7	.
	13. Petty Shopkeepers	6,772	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	4·3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	27·1	8	4	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	2	2	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	21·8	43	27	1	2	1	5	7	.	.	.	.	.	.	.	1	.	2	5	3	1	5	6	7	.	1	12	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	31	3	.	2	3	12	7	4	.	.	.	.	.	.	.	.	5	.	2	.	1	5	1	.	1	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1913 (Est.) 29,908.	Oct. 4,	15·7	5·2	9	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2
	" 11,	13·9	5·2	8	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.
	" 18,	22·7	7·0	13	.	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	1
	" 25,	26·2	3·5	15	.	.	.	.	.	.	.	.	5	.	1	1	1	2	.	.	2
	Nov. 1,	13·9	1·7	8	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.
	" 8,	24·4	1·7	14	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.
	" 15,	20·9	3·5	12	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	.
	" 22,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	1	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1913 (Est.) 40,871.	Oct. 4,	24·2	3·8	19	.	.	.	.	.	.	.	.	3	.	.	2	1	3	.	.	1
	" 11,	26·8	8·9	21	1	.	.	.	.	.	.	1	1	.	2	1	2	5	.	1	1
	" 18,	14·0	2·6	11	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	1
	" 25,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	1
	Nov. 1,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.
	" 8,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	2	1	2	1	.	.	1
	" 15,	17·9	1·3	14	1	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.
	" 22,	24·2	5·1	19	.	.	.	.	.	.	.	.	4	.	1	3	2	4	.	.	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1913 (Est.) 27,883.	Oct. 4,	22·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.
	" 11,	20·6	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
	" 18,	16·8	3·7	9	.	.	.	.	.	.	.	.	1	4	1	.	.	2	.	.	.
	" 25,	11·2	1·9	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	Nov. 1,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
	" 8,	28·1	3·7	15	.	.	.	.	1	.	.	.	3	1	.	2	.	1	.	1	.
	" 15,	33·7	1·9	18	.	.	.	.	.	.	1	.	3	2	1	3	.	.	.	1	.
	" 22,	28·1	3·7	15	.	.	.	.	.	.	.	.	1	.	.	3	3	2	.	.	1
North City, No. 3. (Office, Benburb-street.) Pop. in 1913 (Est.) 35,185.	Oct. 4,	14·8	3·0	10	2	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
	" 11,	22·2	4·4	15	.	.	.	.	.	1	.	.	3	1	.	1	1	2	.	.	.
	" 18,	14·8	3·0	10	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.
	" 25,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.
	Nov. 1,	17·8	3·0	12	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	" 8,	11·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	" 15,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	.
	" 22,	13·3	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
South City, No. 1 (Office, Sth. Earl-street.) Pop. in 1913. (Est.) 40,366.	Oct. 4,	19·4	2·6	15	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	.
	" 11,	22·0	5·2	17	.	.	.	.	.	.	1	.	1	2	.	1	2	3	.	.	.
	" 18,	31·0	6·5	24	.	.	.	.	.	.	1	.	3	1	.	2	1	3	1	.	.
	" 25,	19·4	.	15	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	1
	Nov. 1,	27·1	3·9	21	.	.	.	.	.	.	.	1	3	5	1	.	1	2	.	.	1
	" 8,	15·5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	" 15,	23·3	3.9	18	1	.	.	.	.	.	.	.	1	.	2	.	4	2	.	.	.
	" 22,	24·5	2·6	19	.	.	.	.	1	.	.	.	.	1	1	1	2	1	.	1	2
South City, No. 2. (Office, Castle-street.) Pop. in 1913 (Est.) 18,341.	Oct. 4,	31·3	8·5	11	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.
	" 11,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.
	" 18,	14·2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 25,	42·6	2·8	15	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.	1
	Nov. 1,	42·6	.	15	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	.	.
	" 8,	14·2	2·8	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	" 15,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 22,	25·6	.	9	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1913 (Est.) 43,110.	Oct. 4,	25·4	8·5	21	.	.	.	.	1	1	2	.	.	.	4	.	3	2	1	.	.
	" 11,	24·2	8·5	20	.	.	.	.	1	.	1	.	1	1	.	2	.	5	.	1	.
	" 18,	18·1	4·8	15	.	.	.	.	.	.	.	.	2	.	1	.	3	4	.	1	.
	" 25,	20·6	2·4	17	.	1	.	.	.	.	.	.	3	.	.	1	2	1	.	.	.
	Nov. 1,	26·6	2·4	22	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	2
	" 8,	15·7	1·2	13	.	.	.	.	.	.	.	.	1	.	1	4	3	1	.	.	.
	" 15,	24·2	3·6	20	.	.	.	.	.	.	.	.	2	1	1	2	1	1	2	.	1
	" 22,	19·4	1·2	16	.	.	.	.	.	.	1	.	.	.	2	1	4	.	.	1	2
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1913 (Est.) 33,171.	Oct. 4,	18·9	7·9	12	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.
	" 11,	9·4	1·6	6	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.
	" 18,	29·9	9·4	19	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.	.	1
	" 25,	31·4	9·4	20	.	.	.	2	.	.	.	.	2	.	2	.	.	4	.	.	.
	Nov. 1,	31·4	9·4	20	.	.	.	1	.	.	2	.	2	1	1	2	1	3	.	1	1
	" 8,	20·4	1·6	13	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	2	.
	" 15,	29·9	6·3	19	.	.	.	1	.	.	1	.	4	.	.	.	1	2	.	.	3
	" 22,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Oct. 4,	17·5	4·0	13	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.
	„ 11,	8·1	2·7	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 18,	13·4	1·3	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.
	„ 25,	17·5	2·7	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	Nov. 1,	13·4	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	3	.
	„ 8,	17·5	.	13	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.
	„ 15,	16·1	2·7	12	.	.	.	.	.	.	1	.	3	.	2	.	.	1	.	.	.
	„ 22,	12·1	2·7	9	.	.	.	.	.	.	.	.	1	.	2	2	1	2	.	.	1
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Oct. 4,	15·7	1·7	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	13·9	3·5	8	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	„ 18,	12·2	1·7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 25,	17·4	1·7	10	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.
	Nov. 1,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 8,	17·4	3·5	10	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.
	„ 15,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 22,	10·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Oct. 4,	12·3	.	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	„ 11,	24·6	3·1	8	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 18,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 25,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 1,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	30·8	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 15,	15·4	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	„ 22,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Oct 4,	13·2	2·5	100	.	.	.	.	3	.	.	.	10	3	4	8	7	15	1	1	.
	„ 11,	16·7	1·7	127	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	4
	„ 18,	14·6	1·8	111	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	3
	„ 25,	15·1	1·7	115	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	2
	Nov. 1,	13·4	1·4	102	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1
	„ 8,	17·5	1·6	133	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	2
	„ 15,	18·3	1·8	139	.	.	.	1	7	3	2	.	22	2	8	16	15	1	.	4	6
	„ 22,	16·6	2·5	126	1	.	.	1	9	2	.	.	9	5	10	9	11	6	.	9	1
Cork. Pop. in 1911 76,673.	Oct. 4,	21·8	3·4	32	.	.	.	.	.	.	.	.	1	5	1	.	2	5	.	.	3
	„ 11,	24·5	2·7	36	.	.	.	.	.	.	.	.	6	.	6	3	1	4	.	.	1
	„ 18,	13·6	2·7	20	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	.
	„ 25,	20·4	1·4	30	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	4
	Nov. 1,	15·6	0·7	23	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.
	„ 8,	18·4	0·7	27	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.
	„ 15,	21·1	2·7	31	1	.	.	.	.	.	.	.	.	2	3	.	3	3	.	.	2
	„ 22,	10·2	1·4	15	.	.	.	.	1	.	.	.	2	1	.	.	2	1	.	1	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Oct. 4,	21·6	10·2	17	.	.	.	.	.	.	.	.	.	.	3	.	.	8	.	2	.
	„ 11,	7·6	2·5	6	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	„ 18,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1
	„ 25,	11·4	3·8	9	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	Nov. 1,	17·8	6·4	14	.	.	.	1	.	.	.	.	.	1	1	.	1	3	1	1	.
	„ 8,	21·6	1·3	17	.	.	.	1	.	.	.	.	3	.	.	3	1	.	.	.	.
	„ 15,	22·9	1·3	18	.	.	.	.	.	.	.	.	5	1	2	.	2	1	.	.	.
	„ 22,	12·7	2·5	10	.	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	.
Limerick. Pop. in 1911 38,518.	Oct. 4,	23·0	1·4	17	.	.	.	.	.	.	.	.	6	1	.	.	1	1	.	.	3
	„ 11,	12·2	2·7	9	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
	„ 18,	8·1	1·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	10·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
	Nov. 1,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1
	„ 8,	21·7	.	16	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	3
	„ 15,	24·4	.	18	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	.	2
	„ 22,	16·2	1·4	12	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.
Waterford. Pop. in 1911 27,464.	Oct. 4,	38·0	11·4	20	.	.	.	.	.	.	.	.	1	1	3	.	1	5	1	.	1
	„ 11,	15·2	1·9	8	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
	„ 18,	3·8	1·9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 25,	30·4	3·8	16	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	2
	Nov. 1,	11·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2
	„ 15,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 22,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	1	1	.	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd November, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	9·9	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 2 do.	49,500	19	12·6	.	12	1	.	.	1	6	4	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2	3	.
Do. 3 do.	50,032	12	12·5	.	12	4	2	1	1	4	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	4	4	4	.
Do 4 do.	32,637	21	8·0	4·8	5	3	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.	2	.
Do. 5 do.	16,112	10	38·8	6·5	12	.	1	2	3	4	2	1	.	.	.	1	.	.	.	1	2	.	1	2	.	.	1	1	7	.
Do. 6 do.	37,293	10	16 8	4·2	12	1	2	1	.	2	6	.	.	.	.	3	.	.	.	.	.	3	.	.	.	.	1	3	4	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	17·5	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.	24,427	10	14·9	4·3	7	.	3	1	.	1	2	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 10 do.	28,958	14	18·0	.	10	.	4	1	1	2	2	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	.	.
Do. 11 do.	39,311	28	14·6	4·0	11	4	1	1	1	1	3	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.	1	1	3	1
Do. 12 do.	38,076	22	26·0	6·8	19	2	4	4	3	4	2	.	.	.	.	2	1	.	.	.	.	4	1	2	2	.	.	.	4	.
Do. 13 do.	23,233	7	20·2	.	9	1	2	2	.	2	2	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.	.	.	.	.
Do. 14 do	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	8	27·6	2·3	12	2	2	.	4	3	1	.	.	.	.	1	.	.	.	2	.	.	1	1	.	.	1	1	6	.
Total,	386,947	170	16·6	2·5	126	19	24	14	15	29	25	1	.	.	1	9	2	.	.	9	5	10	9	11	6	.	9	12	34	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	3·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 2 do.	10,701	7	10·0	5·0	2	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	2	16·0	.	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.
Do 4 do.	8,666	3	11·4	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6,592	5	25·0	8·3	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
Do 6 do.	10,702	4	9·0	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,616	12	6·5	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	76,122	38	10·2	1·4	15	3	1	2	1	2	6	.	.	.	.	1	.	.	.	2	1	.	.	2	1	.	1	1	3	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered, ...	232	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170
DEATHS registered, ...	127	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139	126
Annual Death-rate per 1,000 of estimated population, ...	16·7	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4	17·5	18 3	16·6
AGES, Under 1 year, ...	28	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19
1—5 years, ...	14	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24
5—25 ,, ...	23	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14
25—45 ,, ...	15	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15
45—65 ,, ...	27	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	23	23	18	24	32	29
65 and upwards, ...	20	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
Measles, ...	2	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.	1	1
Scarlet Fever, ...	2	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9
Whooping-cough, ...	.		.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.	.	3	2
Diphtheria, ...	.	.	.	.	1		.	2	.	1	.	.	.	2	.	2	3	1		2	1	1	.	.	2	.
Dysentery, ...	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9
Tuberculous Disease. Other Forms,	7	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5
Cancer, ...	1	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10
Diseases of Respiratory System, Pneumonia,	9	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9
Diseases of Respiratory System, Others, ...	9	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13	15	11
Diarrhœa and Enteritis, under 2 years, ...	.	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6
Diarrhœa, 2 years and upwards,	.	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1	1	.	.
Violent Deaths, ...	2	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4	4	9
Number of Uncertified Deaths, ...	2	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1	2	6	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Nov. 22,	2,113	1,169	13·5	2	.	4	3	5	10	45*a*
Edinburgh, ...	320,300	„ 22,	99	79	12·9	.	.	2	.	.	.	.
Glasgow, ...	1,021,500	„ 22,	526	343	17·5	.	.	22	4	5	6	12*a*
Calcutta, ...	896,067	Oct. 11,	.	432	25·0	82*	.	.	.	.	.	77‡
Bombay, ...	979,445	„ 18,	466	528	28·0	68*	.	2	.	.	.	60‡
Madras, ...	518,660	„ 18,	450	315	31·6	49*	.	.	?	?	?	51
Cairo, ...	715,609	Sept. 2,	530	476	34·7	6	.	.	.	?	10†	127*a*
Paris, ...	2,847,229	Nov. 8,	954	802	14·4	2	.	2	.	1	3†	29*a*
Brussels, ...	767,252	„ 1,	232	154	10·4	3	.	.	.	1	3	14*a*
Antwerp, ...	312,884	„ 8,	.	.	.	.	.	.	.	.	.	.
Amsterdam, ...	592,571	„ 1,	273	134	11·8	.	.	2	.	.	2†	5*a*
Copenhagen, ...	482,000	„ 1,	219	111	12·0	.	.	1	.	4	1	4*a*
Stockholm, ...	376,171	„ 1,	114	108	14.9	.	.	.	1	.	2	.
Christiania, ...	250,423	„ 8,	87	53	11·0	.	.	.	1	1	.	2
St. Petersburg ...	1,708,600	Oct. 18,	805	736	22·5	23	.	7	18	8	7	57*a*
Moscow, ...	1,694,000	„ 11,	.	772	23·8	9	2	9	13	14	24†	124
Berlin, ...	2,057,715	„ 25,	.	.	.	.	.	.	.	.	.	.
Hamburg, ...	1,006,748	Nov. 1,	.	237	12·2	2	?	.	2	4	8†	15
Breslau, ...	539,883	„ 1,	.	178	17·2	1	.	.	.	3	2	11
Munich, ...	638,000	„ 1,	.	153	12·5	1	.	1	.	3	.	9
Vienna (with suburbs),	2,132,523	„ 1,	619	555	13·5	3	.	.	4	2	7†	29*a*
Buda-Pesth, ...	930,666	„ 1,	387	293	16·4	2	.	1	12	.	3†	30*a*
Prague and Faubourgs,	494,055	Oct. 18,	136	155	16·4	.	.	1	.	1	2†	3*a*
Trieste, ...	242,595	Nov. 1,	114	82	17·6	.	.	.	.	1	.	11*a*
Rome, ...	582,565	July 12,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Oct. 11,	2,961	1,301	12·6	27	.	1	3	7	9†	84*a*
Philadelphia, ...	1,631,960	„ 4,	.	384	12·2	5	.	.	2	4	6†	42*a*
Boston, ...	735,399	Nov. 4,	.	216*b*	15·3	4	.	.	.	1	.	10

* Deaths from "fever," including 7 from enteric fever in Calcutta, 2 from enteric fever and 5 from plague in Bombay, and one death from enteric fever in Madras.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 185 (including 7 deaths from diarrhœal diseases), rate 13·1 per 1,000.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd November, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	3	.	.	1	.	.	1	.	.	.	.	.	5
" " 1, West, ...	.	.	.	.	1	.	.	.	1	.	.	4	.	6
" " 2, ...	.	1	.	.	1	.	.	2	1	.	.	7	.	12
" " 3, ...	.	2	.	.	3	.	.	2	.	.	.	1	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
South City No. 1, ...	.	5	.	.	.	.	.	.	1	.	.	1	.	7
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	2	.	3
" " 3, ...	.	.	.	.	3	.	.	.	3	.	.	2	.	8
" " 4, ...	.	4	.	.	4	.	.	.	.	.	.	1	.	9
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total, ...	.	15	.	.	16	.	.	5	6	.	.	19	.	61

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd November, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd November.			
	Nov. 1.	Nov. 8.	Nov. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	56	56	50	14	7	.	57
Typhus, ...	.	.	.	1	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	4	4	3	1	.	6
Scarlet Fever, ...	104	103	89	26	13	1	101*
Diphtheria, ...	40	48	57	22	8	1	70
Pneumonia, ...	22	22	26	9	3	1	31

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 22nd November, 1913:—

"Until Friday the weather was in a very troubled and changeable state. On the day named a more settled spell set in, lasting to the close of the week. The broken weather depended on a steep barometric gradient on the Atlantic and over Western Europe in general. For example, on Sunday morning atmospheric pressure at sea-level ranged from a minimum of 28·74 inches at Isafjord, in Iceland, to a maximum of 30·43 inches at Lisbon. With such a divergence of pressure strong and squally S.W. winds swept across the British Isles and their vicinity. Monday dawned with these conditions intensified. At 7 a.m. the barometer was down to 28·21 inches at Vestmanna, on the south coast of Iceland, and as high as 30·53 inches at Corunna, in Spain. Strong warm S.W. winds blew over a vast area, and in the course of the day the thermometer rose to 57° in Dublin, and to 60° in London as well as at Rhyl and Aberdeen. The very deep depression travelled away to Finmark, but a V-shaped secondary system crossed the British Isles on Tuesday, a rapid fall of temperature attending a shift of wind from S.W. to N.W. as the trough of low pressure passed eastwards. By Thursday morning a new primary cyclonic system had reached the Faeroe Isles, causing S.W. gales, rain, and high temperatures—at Hexham, Northumberland, a gust of wind at 4 a.m. of Thursday gave an anemometer record of 71 miles an hour. A few hours later a V-shaped "secondary" caused heavy rain—first in Ireland, later in Great Britain. But as this disturbance passed eastwards the barometer rose fast, and a brief spell of fine, quiet, cold weather followed. On Saturday morning there was a slight ground frost, but in the afternoon the barometer gave way slowly and the wind once more became southerly. In Dublin the mean height of the barometer was 29·957 inches, the observed range of pressure being from 29·679 inches at 9 p.m. of Thursday (wind, S.W.) to 30·290 inches at 9 a.m. of Saturday (wind, W.). The mean temperature was 47·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·6°. On Monday the screened thermometers rose to 57·1°, on Saturday they fell to 35·3°. S.W. and W. were the prevailing winds. The rainfall was ·429 inch on 4 days, ·199 inch being measured on Thursday. A gale of wind occurred on Tuesday forenoon."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·959 inches. The highest reading (30·294) was on Saturday, at 9 a.m., air calm, the lowest (29·670) on Thursday at 9 p.m., wind S.W.

The mean temperature for the week was 46·6°, being 4·7° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Sunday and Monday, on which days the thermometer registered 56°, and was lowest on Saturday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 47·0° and of the Wet Bulb, 45·3°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·640 inch.

At Greenwich the mean temperature for the week was 48·9°, the maximum 59·5°, and the minimum 31·7°; at Glasgow the maximum was 55·0°, the minimum 35·0°, and the mean 45·0°; and at Edinburgh the maximum was 54·9°, the minimum 36·8°, and the mean 44·1°. The rainfall at Greenwich measured 0·63 in.; at Glasgow 1·35 ins.; and at Edinburgh 0·39 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 16,	29·840	56	43	49·5	52·3	50·5	·88	·8	0·0	·010	W.S.W.	W.S.W.
Monday „ 17,	29·950	56	46	51·0	50·4	48·4	·87	·7	1·4	·230	W.S.W.	S.W.
Tuesday, „ 18,	29·905	55	39	47·0	45·6	44·1	·89	·8	3·6	·025	S.W.	W.
Wednesday, „ 19,	30·150	49	38	43·5	45·9	43·1	·80	·8	0·3	·080	W.S.W.	S.W.
Thursday, „ 20,	29·745	55	46	50·5	53·9	52·9	·93	·6	1·4	·290	W.S.W.	S.W.
Friday, „ 21,	29·895	55	35	45·0	39·2	38·6	·95	·5	2·3	·005	W.N.W.	W.
Saturday, „ 22,	30·230	48	32	40·0	41·6	39·3	·84	·6	6·3	·000	Calm.	S.
Mean, ...	29·959	53·4	39·9	46·6	47·0	45·3	·88	·7	Total 15·3	Total ·640	Prevailing Wind, W.S.W.	

Sunday—Day overcast, showers at intervals p.m.; night cloudy. *Monday*—Day cloudy, fine; night overcast, drizzling and heavy rain 12·15 to 7.0 a.m. *Tuesday*—Day cloudy, showers at intervals 9.0 to 11.0 a.m.; night clear. *Wednesday*—A dull day; night cloudy, heavy showers at intervals a.m. *Thursday*—Day cloudy, heavy rain 9.0 to 9.50 a.m.; night overcast, heavy rain 12.40 to 2.40 a.m. *Friday*—Day cloudy, showery 9.0 to 10.0 a.m.; night clear. *Saturday*—A beautiful bright day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 22nd November, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 16,	50·2	46·5	50·0	56	45	50·5	0·1	—
Monday, „ 17,	54·8	48·0	49·9	57	48	52·5	1·0	·182
Tuesday, „ 18,	44·8	48·1	49·8	56	41	48·5	3·5	·028
Wednesday, „ 19,	44·8	46·9	49·8	50	40	45	0·3	·020
Thursday, „ 20,	55·9	47·0	49·8	56	48	52	0·9	·206
Friday, „ 21,	45·0	48·0	49·7	56	40	48	1·4	—
Saturday, „ 22,	40·6	46·5	49·7	49	37	43	3·7	—
Weekly Mean,	48·0	47·3	49·8	54·3	42·7	48·5	Total 10·9	Total. ·436

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 11. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H.M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, London, W.C.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin.

Price 1½*d.*

Vol. L.] Week ending Saturday, 29th November, 1913. [No. 48.

General Register Office, Charlemont House,
Dublin, 1st December, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Nov. 8	Nov. 15	Nov. 22	Nov. 29	Average Rate for 4 weeks.
27 Town Districts, (a)	**17·6**	**18·8**	**16·4**	**16·6**	**17·3**
Dublin Reg. Area ...	19·4	20·1	18·1	19·7	19·3
Dublin City ...	19·5	20·8	19·8	21·0	20·3
Belfast	17·5	18·3	16·6	14·7	16·8
Cork	18·4	21·1	10·2	18·4	17·0
Londonderry ...	21·6	22·9	12·7	14·0	17·8
Limerick	21·7	24·4	16·2	17·6	20·0
Waterford	20·9	17·1	20·9	11·4	17·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·4 per 1,000. Among the 112 deaths from all causes for Belfast are 2 from enteric fever, 3 from measles, 4 from scarlet fever, and one from diphtheria. Two of the 27 deaths from all causes for Cork are from diarrhœa and enteritis of children under 2 years. Included in the 5 deaths from all causes for Galway is one from each of measles and whooping-cough. Among the 3 deaths from all causes for Sligo is one from diphtheria, and of the 3 deaths recorded for Coleraine one is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—114 boys and 95 girls—and the deaths to 164—77 males and 87 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·7 per 1,000 of the population. During the forty-eight weeks, ending with Saturday last, the death-rate averaged 20·3, and was 1·4 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 164, represent an annual rate of 21·2 per 1,000; the annual rate for the past forty-eight weeks was 21·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

The total deaths included one death from each of typhus, measles, and scarlet fever, 2 deaths from diphtheria, 3 from influenza, one from dysentery, and 7 deaths from diarrhœa and enteritis of children under 2 years of age. In each of the 3 preceding weeks, deaths from typhus were 0, 0, and 0; deaths from measles were 2, one, and 0; deaths from scarlet fever were one, 0, and one; deaths from diphtheria were one, 5, and one; deaths from influenza were 2, 0 and 0; and deaths from diarrhœa and enteritis of children under 2 years were 7, 8, and 9.

All forms of tuberculous disease caused the deaths of 23* persons, namely, from pulmonary tuberculosis 17 deaths; from tuberculous meningitis, 2 deaths; from abdominal tuberculosis, 2 deaths; and from other forms of the disease, 2 deaths; in each of the 3 preceding weeks the disease caused 24, 27, and 20 deaths respectively.

Broncho-pneumonia caused 10 deaths, and there were 4 deaths from pneumonia (type not distinguished).

Eleven deaths were classified to cancer.

There were 3 deaths from premature birth, and 4 deaths from congenital debility, all of infants under one year of age.

Organic diseases of the heart were accountable for 15 deaths, and there were 18 deaths from bronchitis.

Of 6 deaths from accident or negligence, one was by burning, and 2 were by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under one year of age.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 10 were under one month old) and 31 were aged 65 years and upwards, including 18 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions: of this number 9 took place in the North Dublin Union Workhouse, and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·7 per 1,000; the rate in the City was 21·0 (North City Districts, 20·4; South, 21·6) and in the Suburbs, 15·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·9 (in the North City Districts 1·6, and in the South 2·2), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·9 per 1,000, and include one death each from scarlet fever, influenza, pulmonary tuberculosis, broncho-pneumonia, and pneumonia, 3 from bronchitis, and 3 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·1 per 1,000. There were 2 deaths from pulmonary tuberculosis, 2 from pneumonia, one from bronchitis, and one from diarrhœa and enteritis of a child under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. Among them are one from typhus, one from tuberculous disease, and 3 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·8 per 1,000. One death from pulmonary tuberculosis, 2 from broncho-pneumonia, one from bronchitis, and one accidental death were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 14·7. One of the 3 deaths for Finglas and Glasnevin, part of, is from dysentery.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 19·4 per 1,000. Two deaths were caused by tuberculous disease, one by broncho-pneumonia, one by pneumonia, and 3 by bronchitis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. There were 5 deaths from tuberculous disease, 3 from broncho-pneumonia, and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·8 per 1,000. Among them are one from diphtheria, 2 from pulmonary tuberculosis, one from broncho-pneumonia, 2 from bronchitis, and one death from diarrhœa and enteritis of a child under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000, and include 3 deaths from pulmonary tuberculosis, 2 from broncho-pneumonia, one from bronchitis, and 3 from diarrhœa and enteritis of children under 2 years of age.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. One of the deaths was attributed to measles and one to bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·4; Pembroke, 19·2; Blackrock, 17·1; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Rathmines and Rathgar, and one from diarrhœa and enteritis of a child under 2 years for Pembroke. Included in the 10 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and 2 from bronchitis. Among the 11 deaths from all causes for Pembroke are one from influenza, one from tuberculous meningitis, and 2 accidental deaths. Of the 3 deaths from all causes for Blackrock there is one from each of influenza and pulmonary tuberculosis.

* See note (*c*) at foot of Table II.
† See Columns 10–17 and 23–4 of Table II

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 29th November, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 8,	.	—	—	13	.	.	10	.	1	9	8	.	—	—	.	—	14	.	55
	Nov. 15,	.	—	—	16	.	.	16	.	1	2	6	.	—	—	.	—	21	.	62
	Nov. 22,	.	—	—	15	.	.	16	.	.	5	6	.	—	—	.	—	19	.	61
	Nov. 29,	.	—	—	21	1	.	6	.	2	6	6	.	—	—	.	—	30	.	72
Rathmines and Rathgar Urban District.	Nov. 8,	.	—	—	1	.	.	4	.	.	2	.	.	—	—	—	—	—	—	7
	Nov. 15,	.	—	—	3	.	.	7	.	3	.	.		—	—	—	—	—	—	13
	Nov. 22,	.	—	—	1	.	.	5	.	.	8	.	.	—	—	—	—	—	—	14
	Nov. 29,	.	—	—	1	.	.	6	.	.	3	.	.	—	—	—	—	—	—	10
Pembroke Urban District.	Nov. 8,	.	.	.	1	.	.	1	.	.	.	.	.	—	.	—	—	.	—	2
	Nov. 15,	.	.	.	1	.	.	.	.	.	2	.	.	—	.	—	—	.	—	3
	Nov. 22,	.	.	.	1	.	.	4	.	.	7	.	.	—	.	—	—	.	—	12
	Nov. 29,	.	.	.	3	.	.	3	.	.	1	.	.	—	.	—	—	.	—	7
Blackrock Urban District.	Nov. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 15,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Nov. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Nov. 8,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Nov. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 22,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	.	—	3
	Nov. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Nov. 8,	.	—	—	66	.	.	5	1	.	8	5	.	—	—	.	—	4	.	89
	Nov. 15,	.	—	—	86	.	.	14	2	.	3	6	.	—	—	.	—	9	2	122
	Nov. 22,	.	—	—	74	.	.	14	.	.	8	6	.	—	—	.	—	6	4	112
	Nov. 29,	.	—	—	67	.	.	9	1	.	4	6	.	—	—	.	—	2	2	91

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th November, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Nine cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 62 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 56, 50, and 57.

One case of typhus died in hospital during the week, and no case remained under treatment at its close.

Three cases of measles were admitted to hospital, there was one death, and 8 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 4, 4, and 6 respectively.

Twenty-six cases of scarlet fever were admitted to hospital, 13 were discharged, there was one death, and 113* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 103, 89, and 101, respectively.

Eighteen cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 48, 57, and 70, respectively, were 79 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 5 were discharged, there were 3 deaths, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·1), was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 18·9, and for Edinburgh 16·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th November. From this Report it appears that of a total of 78 cases notified, 44 were scarlet fever, 19 phthisis, 10 diphtheria, 3 erysipelas, one enteric fever, and one puerperal fever. Among the 612 cases of infectious diseases in hospital at the close of the week were 374 cases of scarlet fever, 125 of phthisis, 58 of diphtheria, 36 of measles, 6 of erysipelas, 5 of enteric fever, one of puerperal fever, one of whooping-cough, and one of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 29th November, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 29th November, 1913. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 29th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 27 TOWN DISTRICTS, ...	1,199,180	19·0	26·0	16·6	1·4	598	382	70	80	3	1	...	5	5	1	4	1	38	10	22	28	48	12	...	7	11	125	12	...	...	..	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	27·0	19·7	1·7	209	152	27	30	...	1	...	1	1	...	2	1	16	4	11	14	22	7	...	6	6	55	3	e 55	37	47·6	0·15	e 56	32	46·6	0·61	e 60	35	46·6	0·65
CITY OF DUBLIN,	308,187	39·0	31·1	21·0	1·9	184	124	26	21	...	1	...	1	1	...	1	1	14	3	6	14	19	6	...	4	3	46	3	f 55·3 g 56·0	39·9 38·0	48·9 48·2	0·11 0·12	f 57·1 g 56·8	35·3 31·0	47·7 47·1	0·43 0·48	f 55·9 g 58·6	37·1 36·4	47·8 47·8	1·01 0·77
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	9·4	13·4	1·3	7	10	...	4	...	...	...	...	...	...	1	..	1	...	4	...	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	..	...	...	...
PEMBROKE. ...	29,942	19·0	19·2	19·2	1·7	11	11	1	2	...	...	...	...	...	...	...	...	...	1	1	...	1	1	...	2	3	6	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,161	8·5	11·4	17·1	.	2	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	15·4	12·3	.	5	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	59	39	50·6	0·10	57	38	48·7	0·30	61	39	48·1	1·12
Urban Districts. BELFAST ..	396,000	26·5	24·5	14·7	1·3	186	112	19	26	2	...	...	3	4	...	1	...	8	3	6	10	12	...	...	1	4	34	1	56·0	31·5	48·3	0·26	56	37	46·6	0·92	57·0	35·8	46·7	1·65
CORK, ..	76,673	28·6	23·1	18·4	1·4	34	27	3	5	...	...	...	...	...	...	...	...	4	1	1	1	4	2	...	...	1	10	...	58	37	48·3	0·35	57	37	49·2	1·02	56	41	49·9	1·75
LONDONDERRY ...	41,000	15·9	26·7	14·0	1·3	21	11	4	3	...	...	...	...	...	...	...	...	...	...	1	1	3	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	51·4	17·6	.	38	13	3	2	...	...	...	...	...	...	...	...	2	...	...	...	5	...	...	...	...	7	2	55·1	34·3	46·1	0·63	55·5	31·5	47·0	0·69	56·9	35·9	47·9	1·48
WATERFORD, ...	27,464	19·1	17·1	11·4	1·9	9	6	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				4	5	1	...	...	..	...	1	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	·54	33	44·5	1·12	54	26	44	0·69	56	29	45	0·51
DUNDALK, ...	13,128	9·5				10	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	..
LURGAN, ...	12,553	14·7				5	1	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	..	...	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21
DROGHEDA, ...	12,501	8·4				4	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	..
LISBURN, ...	12,388	10·9				5	4	2	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...	...	...	..	...	1	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21
NEWRY. ...	11,963	17·0				3	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	..	...	1	...	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21
PORTADOWN, ...	11,727	15·3				8	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21
WEXFORD, ...	11,531	22·8				5	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8				3	3	..	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	1	57	35	47·0	1·53	55	28	45·0	0·90	57	39	47·0	1·64
KILKENNY, ...	10,514	11·4				2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	56	31	46·7	0·28	56	27	46·4	0·92	57	39	48·1	1·27
TRALEE. ...	10,300	17·4				4	4	...	2	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	3	..	...	...	...	...	...	...	..	...	...	...	...	...
CLONMEL, ...	10,209	7·8				7	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1				6	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	..	...	58	35	47·3	0·25	55	35	46·3	0·28	56	39	48·0	1·59
QUEENSTOWN, ...	8,209	14·7				8	5	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	1	58	37	48·3	0·35	57	37	49·2	1·02	56	41	49·9	1·75
LARNE, ...	8,036	13·4				6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				4	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...
ATHLONE, ...	7,472	6·2				5	5	...	2	...	...	..	...	...	...	..	...	2	...	1	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				3	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	...	...	...	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52	57·7	37·1	47·3	1·21

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 12 deaths of persons (including one at 80 years), admitted to hospital from localities outside the Area. Of the 12 deaths 3 were from tuberculous disease. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 29th of November, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.
Dysentery,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	2	.	1	.	.	.	1	4	2	3	.	1	.	1	.	16	1
Tuberculous Disease. { Other Forms,	.	.	1	.	.	.	.	1	1	.	.	.	.	1	.	.	4	2
Cancer,	1	.	2	.	.	.	.	2	.	.	1	.	4	1	.	.	11	.
Diseases of Nervous System,	.	2	.	3	1	.	1	.	.	2	.	1	1	2	1	.	14	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	2	1	.	.	.	1	2	1	4	.	.	1	1	.	.	16	1
" Respiratory System. { Pneumonia,	2	2	.	2	.	.	.	2	3	1	2	.	.	.	.	.	14	.
" Respiratory System. { Others,	4	1	3	1	.	1	.	3	1	2	2	1	2	1	.	.	22	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	1	1	.	.	.	.	.	.	.	1	3	.	.	1	.	.	7	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	1	1	.	.	.	.	2	.	1	1	.	.	.	.	.	6	4
" Genito-urinary System,	1	2	1	.	.	.	.	.	.	1	1	.	.	.	.	1	7	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	2	3	1	1	.	.	2	1	2	.	.	.	.	.	3	17	1
Violent Deaths,	3	.	.	1	.	.	.	.	.	.		.	.	2	.		6	.
Ill-defined, &c. Causes,	.	.	.		.	.	.	.	.	.	.	.	.	1	.	.	1	.
Deaths from All Causes	20	15	13	10	2	1	3	15	11	18	13	3	10	11	3	4	152	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34·9	19·1	24·3	14·8	19·2	3·8	14·7	19·4	31·3	21·8	20·4	16·0	13·4	19·2	17·1	12·3	19·7	.
	20·4							21·5					15·4					
	21·0																	
Ages at Death. { Under 1 year,	4	2	2	3	1	.	.	4	3	4	2	1	.	1	.	.	27	.
Ages at Death. { 1 and under 2 years,		1	1	.	.	.	.	.	1	1	2	.	.	.	.	.	6	.
Ages at Death. { 2 " 5 "	1	.	1	.	.	.	.	.	1	.	1	1	.	.	.	.	5	.
Ages at Death. { 5 " 15 "	2	.	1	1	.	.	.	.	.	1	.	.	1	2	.	.	8	1
Ages at Death. { 15 " 25 "	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.	.	5	1
Ages at Death. { 25 " 45 "	6	6	2	1	.	.	1	2	2	3	3	.	1	1	1	.	29	4
Ages at Death. { 45 " 65 "	5	3	3	3	.	.	2	7	2	1	4	1	4	4	2	1	42	5
Ages at Death. { 65 and upwards,	2	3	3	2	1	1	.	.	2	7	.	.	4	2	.	3	30	1
Number of Uncertified Deaths,	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	6	4	3	2	.	.	.	3	1	7	5	.	.	5	1	.	37	12
Workhouse Hospitals,	2	3	3	.	.	1	.	1	2	2	1	.	2	1	.	.	18	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 29th November, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.	Dec. 2, 1911.	Nov. 30, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 34·6	° 41·3	° 44·1	° 49·1	° 39·4	° 48·2	° 41·8	° 37·0	° 42·4	° 36·7	° 41·5	° 47·6										
ALL CAUSES.	207	204	157	179	175	178	180	176	169	158	178·3	164	10	17	6	5	9	6	33	47	22	9
Enteric Fever, ...	2	2	2	3	.	.	1	.	1	2	1·3	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	1	1	·3	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	12	.	3	.	6	.	.	3	3	2·7	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	1	.	1	.	3	1	1	·9	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	5	3	1	3	1	2	.	5	3	.	2·3	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	1	.	2	.	2	1	4	3	.	1·5	2	.	.	1	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	.	1	2	1	.	3	4	1	2	1·6	3	.	.	.	1	.	.	.	2	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	.	.	.	1	.	.
Erysipelas, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	29	18	13	16	26	22	16	17	24	20·4	17	.	.	.	.	.	1	13	3	.	.
Tuberculous Meningitis, ...	2	2	4	2	1	2	2	1	2	5	2·3	2	.	1	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	1	1	1	2	1	.	1	1	1	2	1·1	2	.	.	1	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.									.	2		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	10	5	8	4	11	4	5	1	.	5·9	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		1	.	.	.	.	.	.	1	.	.	.
Disseminated Tuberculosis, ...									2	2		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	1	3	4	4	2	1	1	3	2·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	11	9	8	9	8	6	11	3	6	8	7·9	11	.	.	.	.	1	.	1	6	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	1	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	1	.	1	.	.	2	.	.	2	·7	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	4	—	1	.	.	.	.	.	.	.	.	.	1
Alcoholism, ...	1	.	.	1	1	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									4	.		2	.	.	.	.	.	.	.	2	.	.
Cerebral Hæmorrhage, Apoplexy.									5	8		8	.	.	.	.	.	.	1	3	3	1
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									2	.		2	.	.	.	.	.	.	.	1	1	.
Epilepsy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									.	5		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	57	36	39	40	37	29	42	39	4	3	38·0	3	.	.	.	.	.	.	.	1	2	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									14	15		15	.	.	.	.	1	1	4	5	.	4
Embolism and Thrombosis (including Cerebral)									.	.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.									1	.		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	36	37	32	25	28	34	24	34	27	19	29·6	18	1	3	1	.		.	1	8	4	.
Broncho-pneumonia, ...	8	5	5	7	7	13	11	7	3	7	7·3	10	2	3	1	1	1	.	.	2	.	.
Lobar pneumonia, ...	.	3	1	.	.	2	1	1	.	1	·9	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	2	11	4	4	7	8	8	6	3	2	5·5	4	.	.	.	.	.	.	1	1	2	.
Pleurisy, ...									.	.		1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1	3	1	4	2	1	5	3	.	1	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									1	.		3	.	.	.	.	.	.	1	1	1	.

FORTY-EIGHTH WEEK, ending Saturday, 29th November, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 29th November, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.	Dec. 2, 1911.	Nov. 30, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 34·6	° 41·3	° 44·1	° 49·1	° 39·4	° 48·2	° 41·8	° 37·0	° 42·4	° 36·7	° 41·5	° 47·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	.	1	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	2	—	1	.	.	.	.	.	.	.	1	.	.
Diarrhœa and Enteritis of Children under 2 years.	1	4	8	7	6	5	7	8	6	2	5·6	7	1	4	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									2	.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	1	—	2	.	.	.	.	1	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	3	1	—	3	.	1	.	1	.	.	.	1	.	.
Cirrhosis of Liver, ...	1	3	2	.	2	.	1	3	.	1	1·3	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	.	1	1	2	2	2	.	.	.	.	·8	1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	1	.	.	1	1	.	1	.	2	.	·6	1	.	.	.	.	1	.	.	.	.	.
Other Diseases of Digestive System.	7	3	4	6	9	4	7	2	.	.	4·2	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									2	.		1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...									4	5		6	.	.	.	.	.	1	2	2	1	.
Urinary Calculi, ...									.	.		1	.	.	.	.	.	1	.	.	.	.
Uterine Tumour (non-cancerous).	5	5	5	11	9	1	5	6	.	.	6·2	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									2	2		1	1	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	.	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	1	.	—	2	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	3	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	2	1	4	2	3	1	4	7	4	3·1	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	2	2	—	4	.	4	.	.	.	.	.	.	.	.
Old Age, ...	5	7	4	4	5	2	3	4	5	6	4·5	6	.	.	.	.	.	.	.	.	4	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	4	.	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	2	.	.	1	2	.	.	·6	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	1	.	1	.	.	.	1	.	.	.	·3	2	.	.	.	.	.	.	1	.	.	1
Suffocation in Bed, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	1	1	1	2	4	3	2	6	1	2·4	3	.	.	.	.	.	.	2	1	.	.
Total Deaths from Accident,	4	2	3	3	2	4	5	4	6	1	3·4	6	.	.	.	.	1	.	3	1	.	1
Included in above are Deaths in connection with—																						
Railways, ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	1	.	1	.	·2	1	.	.	.	.	.	.	1	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	5	3	—	1	.	.	.	.	1	.	.	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered.	217	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209
Average Births in corresponding week of previous 10 years, ...	222	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213
DEATHS registered, ...	134	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163	159	148	162	174	158	164	148	164
Annual Death-rate per 1,000, ...	17·3	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5	20·4	21·2	19·1	21·2
Average Deaths in corresponding week of previous 10 years, ...	152	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178
Ages, Under 5 years, ...	39	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38
5—15 „ ...	6	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9
15—25 „ ...	6	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6
25—45 „ ...	29	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33
45—65 „ ...	33	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47
65—75 „ ...	11	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22
75 and upwards, ...	10	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.	.	2	.	.
Typhus, ...	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2	2	1	.	1
Scarlet Fever, ...	.	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.	1	.	1	1
Whooping Cough, ...	3	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.	1	.	.	.
Diphtheria, ...	1	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2	1	5	1	2
Influenza, ...	1	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1	2	.	.	3
Dysentery, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
Tuberculous Disease, Phthisis, ...	20	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17
Tuberculous Disease, Other Forms,	5	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6
Cancer, ...	9	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11
Diseases of Circulatory System,	17	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17
Diseases of Respiratory System, Pneumonia	9	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14
Diseases of Respiratory System, Others, ...	13	15	17	9	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22
Diarrhœa and Enteritis, under 2 years, ...	3	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7
Diarrhœa, 2 years and upwards,	.	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.	.	4	.	.
Violent Deaths, ...	4	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6
Number of Uncertified Deaths,	7	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7	2	4	6	3
Mean Temperature of the Air (Phœnix Park)	52·9	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9	44·4	46·6	46·6	47·6
Average Mean Temperature in corresponding week of previous 10 years, ...	53·5	54·2	55·9	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2	44·6	42·0	41·9	41·5
Rainfall in inches, ...	·560	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040	·710	·645	·640	·150
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86	·90	·90	·88	·90

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th November, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH NOVEMBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	21·5	164	38	9	6	33	47	22	9	.	1	.	1	1	.	2	1	17	6	11	.	14	22	7	.	6	75	3
	CLASSES:																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	3·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	101,798	17·9	35	1	3	2	6	12	6	5	.	.	.	.	.	.	.	1	3	2	3	.	5	.	.	.	.	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14·9	31	7	1	3	7	9	3	1	.	.	.	.	1	.	.	.	3	1	2	.	4	3	.	.	1	16	1
IV.	GENERAL SERVICE CLASS, ...	167,479	24·6	79	30	5	1	15	17	9	2	.	1	.	1	.	.	2	.	8	3	5	.	5	12	7	.	5	30	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	18	.	.	.	5	8	4	1	.	.	.	.	.	.	.	.	3	.	1	.	.	7	.	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,347	38·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	31·0	15	.	2	.	4	4	2	3	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	11	.
	6. Clerks and Commercial Assistants, ...	33,249	14·1	9	1	1	2	1	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	17·0	11	.	.	.	1	4	4	2	.	.	.	.	.	.	.	1	.	.	2	.	2	.	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8·9	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	16·3	9	1	1	.	2	5	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	1	.	.	.	4	1
	10. Clothing Trades, ...	20,026	5·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades	8,952	23·3	4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	19·5	12	2	.	1	3	4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	8	.
	13. Petty Shopkeepers	6,772	15·4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	12·1	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	15. Domestic Servants, ...	36,041	2·9	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	13·6	4	.	1	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	35·4	70	29	3	1	14	14	7	2	.	1	.	1	.	.	1	.	7	3	5	.	5	11	7	.	5	24	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	18	.	.	.	5	8	4	1	.	.	.	.	.	.	.	.	3	.	1	.	.	7	.	.	.	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Oct. 11,	13·9	5·2	8	.	.	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.
		„ 18,	22·7	7·0	13	.	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	1
		„ 25,	26·2	3·5	15	.	.	.	.	.	.	.	.	5	.	1	1	1	2	.	.	2
		Nov. 1,	13·9	1·7	8	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.
		„ 8,	24·4	1·7	14	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.
		„ 15,	20·9	3·5	12	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	.
		„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	1	.
		„ 29,	34·9	3·5	20	.	.	.	.	1	.	.	.	1	.	1	2	4	1	.	3	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Oct. 11,	26·8	8·9	21	1	.	.	.	.	.	.	1	1	.	2	1	2	5	.	1	1
		„ 18,	14·0	2·6	11	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	1
		„ 25,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	1
		Nov. 1,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.
		„ 8,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	2	1	2	1	.	.	1
		„ 15,	17·9	1·3	14	1	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.
		„ 22,	24·2	5·1	19	.	.	.	.	.	.	.	.	4	.	1	3	2	4	.	.	.
		„ 29,	19·1	1·3	15	.	.	.	.	.	.	.	.	2	.	.	2	1	1	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Oct. 11,	20·6	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
		„ 18,	16·8	3·7	9	.	.	.	.	.	.	.	.	1	4	1	.	.	2	.	.	.
		„ 25,	11·2	1·9	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
		Nov. 1,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
		„ 8,	28·1	3·7	15	.	.	.	.	1	.	.	.	3	1	.	2	.	1	.	1	.
		„ 15,	33·7	1·9	18	.	.	.	.	.	.	1	.	3	2	1	3	.	.	.	1	.
		„ 22,	28·1	3·7	15	.	.	.	.	.	.	.	.	1	.	.	3	3	2	.	.	1
		„ 29,	24·3	1·9	13	.	1	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Oct. 11,	22·2	4·4	15	.	.	.	.	.	1	.	.	3	1	.	1	1	2	.	.	.
		„ 18,	14·8	3·0	10	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.
		„ 25,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.
		Nov. 1,	17·8	3·0	12	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
		„ 8,	11·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
		„ 15,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	.
		„ 22,	13·3	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
		„ 29,	14·8	.	10	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1
	South City, No. 1 (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Oct. 11,	22·0	5·2	17	.	.	.	.	.	.	1	.	1	2	.	1	2	3	.	.	.
		„ 18,	31·0	6·5	24	.	.	.	.	.	.	1	.	3	1	.	2	1	3	1	.	.
		„ 25,	19·4	.	15	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	1
		Nov. 1,	27·1	3·9	21	.	.	.	.	.	.	.	1	3	5	1	.	1	2	.	.	1
		„ 8,	15·5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
		„ 15,	23·3	3.9	18	1	.	.	.	.	.	.	.	1	.	2	.	4	2	.	.	.
		„ 22,	24·5	2·6	19	.	.	.	.	1	.	.	.	.	1	1	1	2	1	.	1	2
		„ 29,	19·4	.	15	.	.	.	.	.	.	.	.	1	1	2	2	3	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Oct. 11,	31·3	5·7	11	.	.	.	.	.	.	.	.	1	1	.	.	2	2	.	.	.
		„ 18,	14·2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		„ 25,	42·6	2·8	15	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.	1
		Nov. 1,	42·6	.	15	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	.	.
		„ 8,	14·2	2·8	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
		„ 15,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
		„ 22,	25·6	.	9	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
		„ 29,	31·3	.	11	.	.	.	.	.	.	.	.	4	1	.	3	1	.	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Oct. 11,	24·2	8·5	20	.	.	.	.	1	.	1	.	1	1	.	2	.	5	.	1	.
		„ 18,	18·1	4·8	15	.	.	.	.	.	.	.	.	2	.	1	.	3	4	.	1	.
		„ 25,	20·6	2·4	17	.	1	.	.	.	.	.	.	3	.	.	1	2	1	.	.	.
		Nov. 1,	26·6	2·4	22	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	2
		„ 8,	15·7	1·2	13	.	.	.	.	.	.	.	.	1	.	1	4	3	1	.	.	.
		„ 15,	24·2	3·6	20	.	.	.	.	.	.	.	.	2	1	1	2	1	1	2	.	1
		„ 22,	19·4	1·2	16	.	.	.	.	.	.	1	.	.	.	2	1	4	.	.	1	2
		„ 29,	21·8	2·4	18	.	.	.	.	.	.	1	.	2	.	.	1	2	1	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Oct. 11,	9·4	1·6	6	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.
		„ 18,	29·9	9·4	19	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.	.	1
		„ 25,	31·4	9·4	20	.	.	.	2	.	.	.	.	2	.	2	.	.	4	.	.	.
		Nov. 1,	31·4	9·4	20	.	.	.	1	.	.	2	.	2	1	1	2	1	3	.	1	1
		„ 8,	20·4	1·6	13	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	2	.
		„ 15,	29·9	6·3	19	.	.	.	1	.	.	1	.	4	.	.	.	1	2	.	.	3
		„ 22,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
		„ 29,	20·4	4·7	13	.	.	.	.	.	.	.	.	3	.	1	2	2	3	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Oct. 11,	8·1	2·7	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 18,	13·4	1·3	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.
	„ 25,	17·5	2·7	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	Nov. 1,	13·4	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	3	.
	„ 8,	17·5	.	13	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.
	„ 15,	16·1	2·7	12	.	.	.	.	.	.	1	.	3	.	2	.	.	1	.	.	.
	„ 22,	12·1	2·7	9	.	.	.	.	.	.	.	.	1	.	2	2	1	2	.	.	1
	„ 29,	13·4	1·3	10	.	.	.	.	.	.	1	.	1	.	4	.	2	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Oct. 11,	13·9	3·5	8	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	„ 18,	12·2	1·7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 25,	17·4	1·7	10	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.
	Nov. 1,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 8,	17·4	3·5	10	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.
	„ 15,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 22,	10·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 29,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	2	.
Kingstown Urban District. Pop. in 1911 16,941.	Oct. 11,	24·6	3·1	8	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	„ 18,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 25,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 1,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	30·8	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 15,	15·4	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	„ 22,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 29,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1913 (Est.) 396,000.	Oct. 11,	16·7	1·7	127	1	.	.	.	1	.	2	.	14	6	5	8	16	9	.	2	4
	„ 18,	14·6	1·8	111	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	3
	„ 25,	15·1	1·7	115	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	2
	Nov. 1,	13·4	1·4	102	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1
	„ 8,	17·5	1·6	133	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	2
	„ 15,	18·3	1·8	139	.	.	.	1	7	3	2	.	22	2	8	16	15	1	.	4	6
	„ 22,	16·6	2·5	126	1	.	.	1	9	2	.	.	9	5	10	9	11	6	.	9	1
	„ 29,	14·7	1·3	112	2	.	.	3	4	.	1	.	8	3	6	10	12	.	.	1	1
Cork. Pop. in 1911 76,673.	Oct. 11,	24·5	2·7	36	.	.	.	.	.	.	.	.	6	1	6	3	1	4	.	.	1
	„ 18,	13·6	2·7	20	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	.
	„ 25,	20·4	1·4	30	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	4
	Nov. 1,	15·6	0·7	23	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.
	„ 8,	18·4	0·7	27	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.
	„ 15,	21·1	2·7	31	1	.	.	.	.	.	.	.	.	2	3	.	3	3	.	.	2
	„ 22,	10·2	1·4	15	.	.	.	.	1	.	.	.	2	1	.	.	2	1	.	1	1
	„ 29,	18·4	1·4	27	.	.	.	.	.	.	.	.	4	1	1	1	4	2	.	.	.
Londonderry. Pop. in 1913 (Est.) 41,000.	Oct. 11,	7·6	2·5	6	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	„ 18,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1
	„ 25,	11·4	3·8	9	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	Nov. 1,	17·8	6·4	14	.	.	.	1	.	.	.	.	.	1	1	.	1	3	1	1	.
	„ 8,	21·6	1·3	17	.	.	.	1	.	.	.	.	3	.	.	3	1	.	.	.	.
	„ 15,	22·9	1·3	18	.	.	.	.	.	.	.	.	5	1	2	.	2	1	.	.	.
	„ 22,	12·7	2·5	10	.	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	.
	„ 29,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.
Limerick. Pop. in 1911 38,518.	Oct. 11,	12·2	2·7	9	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
	„ 18,	8·1	1·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	10·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
	Nov. 1,	19·8	.	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1
	„ 8,	21·7	.	16	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	3
	„ 15,	24·4	.	18	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	.	2
	„ 22,	16·2	1·4	12	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.
	„ 29,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	.	5	.	.	.	2
Waterford. Pop. in 1911 27,464.	Oct. 11,	15·2	1·9	8	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
	„ 18,	3·8	1·9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 25,	30·4	3·8	16	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	2
	Nov. 1,	11·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2
	„ 15,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 22,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	1	1	.	1	.	.
	„ 29,	11·4	1·9	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th November, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	13	29·6	3·3	9	1	2	1	3	1	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	1	5	.
Do. 2 do.	49,500	20	11·6	.	11	3	1	.	2	3	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	5	.
Do. 3 do.	50,032	15	14·6	1·0	14	4	.	1	1	4	4	.	.	.	.	1	.	.	.	1	.	1	.	3	.	.	.	.	6	.
Do 4 do.	32,637	17	11·2	1·6	7	1	1	.	2	1	2	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	5	.
Do. 5 do.	16,112	13	9·7	.	3	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 6 do.	37,293	14	16·8	1·4	12	.	1	1	1	2	7	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	1	2	.
Do. 7 do.	2,681	3	19·4	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Do. 8 do.	5,964	.	17·5	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	10	14·9	.	7	1	.	1	2	2	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3	.
Do. 10 do.	28,958	14	23·4	1·8	13	3	1	1	1	4	3	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	1	3	.
Do. 11 do.	39,311	18	11·9	1·3	9	.	2	.	3	1	3	1	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.	2	.
Do. 12 do.	38,076	30	16·4	.	12	4	1	1	3	2	1	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.	.
Do. 13 do.	23,233	9	11·2	4·5	5	.	.	1	1	1	2	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	10	16·1	4·6	7	2	1	1	1	2	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.	.	.	1	.
Total,	386,947	186	14·7	1·3	112	19	14	8	21	24	26	2	.	.	3	4	.	1	.	8	3	6	10	12	.	.	1	4	34	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	3·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do 2 do.	10,701	6	15·0	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
Do 3 do.	9,978	3	16·0	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Do 4 do.	8,666	6	22·8	5·7	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.
Do 5 do.	6,592	3	25·0	8·3	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
Do 6 do.	10,702	4	22·5	.	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
Do. 7 do.	16,616	9	26·0	.	8	1	.	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.
Total,	76,122	34	18·4	1·4	27	3	3	4	5	7	5	.	.	.	.	.	.	.	.	4	1	1	1	4	2	.	.	1	10	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered, ...	241	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186
DEATHS registered, ...	130	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139	126	112
Annual Death-rate per 1,000 of estimated population, ...	17·1	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4	17·5	18·3	16·6	14·7
AGES, Under 1 year, ...	21	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19
1—5 years, ...	13	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14
5—25 „ ...	11	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8
25—45 „ ...	25	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21
45—65 „ ...	34	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	26	23	18	24	32	29	24
65 and upwards, ...	26	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26
Deaths from :—																										
Enteric Fever, ...	.	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1	.	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Measles, ...	5	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.	1	1	3
Scarlet Fever, ...	3	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4
Whooping-cough, ...	.	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.	.	3	2	.
Diphtheria, ...	.	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1	.	2	1	1	.	.	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	23	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8
Tuberculous Disease. Other Forms,	8	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5	3
Cancer, ...	4	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6
Diseases of Respiratory System, Pneumonia,	6	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10
Diseases of Respiratory System, Others, ...	15	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13	15	11	12
Diarrhœa and Enteritis, under 2 years, ...	4	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6	.
Diarrhœa, 2 years and upwards,	.	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1	1	.	.	.
Violent Deaths, ...	2	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4	4	9	1
Number of Uncertified Deaths, ...	1	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1	2	6	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Nov. 29,	2,180	1,224	14·1	.	.	3	5	5	9	46*a*
Edinburgh, ...	320,300	„ 29,	103	100	16·3	.	.	3	.	1	.	.
Glasgow, ...	1,021,500	„ 29,	487	370	18·9	.	.	24	10	4	6	2*a*
Calcutta, ...	896,067	Oct. 18,	.	490	28·4	40*	.	.	.	.	1†	78‡
Bombay, ...	979,445	„ 25,	477	552	29·3	75*	1	2	.	.	.	63‡
Madras	518,660	„ 25,	448	377	37·8	63*	.	1	?	?	?	85
Cairo, ...	715,609	Sept. 9,	624	480	35·0	4	1	6	.	?	12†	134*a*
Paris, ...	2,847,229	Nov. 15,	920	790	14·2	6	.	3	.	2	1†	24*a*
Brussels, ...	767,252	„ 8,	199	216	14·6	4	.	.	.	1	1†	17*a*
Antwerp, ...	312,884	„ 8,	124	71	11·8	2	.	1	.	.	2	8
Amsterdam, ...	593,620	„ 8,	235	109	9·6	2	.	2	.	2	2†	4*a*
Copenhagen, ...	482,000	„ 8,	212	119	12·9	.	.	1	2	5	1	4*a*
Stockholm, ...	376,171	„ 8,	132	76	10·5	.	.	.	1	1	.	3*a*
Christiania, ...	250,423	„ 15,	93	63	13·1	.	.	.	1	.	.	.
St. Petersburg ...	1,708,600	Oct. 25,	755	623	19·0	27	2	11	17	3	14	41*a*
Moscow, ...	1,694,000	„ 18,	.	787	24·2	12	2	11	27	11	18	1[illegible]8
Berlin, ...	2,057,715	„ 25,	701	505	12·8	.	.	2	5	4	17	23
		Nov. 1,	656	494	12·5	1	.	.	11	1	11	17
Hamburg, ...	1,006,748	„ 8,	.	230	11·9	.	?	3	3	3	12†	9
Breslau, ...	539,883	„ 8,	.	194	18·7	1	.	.	4	1	.	18
Munich, ...	638,000	„ 8,	.	181	14·8	.	.	.	.	.	2	10
Vienna (with suburbs),	2,132,523	„ 8,	566	550	13·4	.	.	4	.	1	5†	24*a*
Buda-Pesth, ...	930,666	„ 8,	462	330	18·4	3	.	1	5	1	1†	28*a*
Prague and Faubourgs,	494,055	Oct. 25,	125	134	14·1	1	.	.	2	.	4†	5*a*
Trieste, ...	242,595	Nov. 8,	127	65	14·0	4	.	.	.	1	.	6*a*
Rome, ...	582,565	July 12,	279	185	16·6	4	.	.	.	1	1	41
New York, ...	5,372,983	Oct. 18,	2,516	1,153	11·2	17	.	2	1	6	15†	72*a*
Philadelphia, ...	1,631,960	„ 11,	.	439	13·9	4	.	.	4	1	5†	41*a*
Boston, ...	735,399	Nov. 18,	.	194*b*	13·8	2	.	.	.	1	3	8

* Deaths from "fever," including 8 from enteric fever in Calcutta, and 2 from enteric fever and 6 from plague in Bombay.

† Including deaths from croup.

‡ Including 15 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 156 (including 2 deaths from diphtheria, one from enteric fever, and 6 from diarrhœal diseases), rate 11·1 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th November, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	7	.	.	.	.	.	.	.	.	.	3	.	10
„ „ 1, West, ...	.	.	.	.	1	.	.	.	1	.	.	4	.	6
„ „ 2, ...	.	2	1	.	1	.	.	1	.	.	.	5	.	10
„ „ 3, ...	.	2	.	.	1	.	.	2	1	.	.	1	.	7
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	1	.	.	.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1
South City No. 1, ...	.	2	.	.	.	.	1	2	.	.	.	6	.	11
„ „ 2, ...	.	2	.	.	.	.	.	.	.	.	.	3	.	5
„ „ 3, ...	.	3	.	.	2	.	.	1	1	.	.	5	.	12
„ „ 4, ...	.	2	.	.	.	.	1	.	2	.	.	1	.	6
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	1	.	2
Total, ...	.	21	1	.	6	.	2	6	6	.	.	30	.	72

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th November, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th November.			
	Nov. 8.	Nov. 15.	Nov. 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	56	50	57	9	4	.	62
Typhus, ...	.	.	1	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	4	6	3	.	1	8
Scarlet Fever, ...	103	89	101	26	13	1	113*
Diphtheria, ...	48	57	70	18	7	2	79
Pneumonia, ...	22	26	31	10	5	3	33

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 29th November, 1913:—

"The outstanding feature in the weather of this week was its unusual and persistent mildness. And the strange point about the mildness was that it was unaccompanied for the most part by much rain or high wind—at all events after Sunday. On that day barometric gradients for southerly winds were very steep in Ireland and Scotland, and fresh gales from S. or S.W. prevailed in those parts of the United Kingdom, as well as on the Welsh coast. At 7 a.m. of Sunday a V-shaped depression, secondary to a large and deep primary cyclonic system centred between Iceland and Greenland, was found off the W. coast of Ireland, and to its influence the gales were due. On Sunday morning temperature was low and fog prevailed in parts of the south of England—during the previous night the thermometer had fallen in the screen to 26° at Bath and Nottingham, 28° at Greenwich and 30° at Kew and Camden Square, London, and on the grass to 19° at Greenwich and Hampstead. But as the day advanced temperature rose fast at all those stations—to 50° at Bath. On Monday another very deep depression approached Iceland, and rain fell in consequence in many parts of the British Isles—on Tuesday morning the barometer read 28·32 inches at Vestmanna in Iceland, but 30·54 inches at Corunna in Spain. Much the same distribution of atmospheric pressure held during the rest of the week, save that the southern area of high pressure moved northwards, becoming central over the south of Ireland and Brittany on Friday. That day was springlike in its brightness and warmth in London, but the week closed with a promise of cooler weather in general as a small secondary depression moved eastwards across Ireland. In Dublin the mean height of the barometer was 30·164 inches, the range of pressure being from 29·728 inches at 9 p.m. of Sunday (wind, S.S.W.) and 30·453 inches at 9 a.m. of Friday (wind, W.). The mean temperature was as high as 48·9°, and the mean dry bulb reading at 9 a.m. and 9 p.m. was 48·7°. On Monday the screened thermometers fell to 39·9°, on Thursday they rose to 55·3°. The wind blew constantly from points between S. and W., most commonly from W.S.W. or W. The rainfall was ·108 inch, distributed over 4 rain-days—the maximal record in 24 hours being ·050 inch on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·161 inches. The highest reading (30·449) was on Friday, at 9 a.m., wind W., the lowest (29·738) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 47·6°, being 6·1° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Tuesday and Thursday, on which days the thermometer registered 55°, and was lowest on Monday, the mercury having fallen to 37°. The mean of the Dry Bulb for the week was 48·1° and of the Wet Bulb, 46·6°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·150 inch.

At Greenwich the mean temperature for the week was 46·3°, the maximum 57·0°, and the minimum 27·6°; and at Edinburgh the maximum was 53·5°, the minimum 38·9°, and the mean 46·5°. The rainfall at Greenwich measured 0·03 in.; and at Edinburgh 0·23 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 23,	29·810	51	42	46·5	46·8	43·8	·79	·7	0·4	·000	S.S.W.	S.W.
Monday „ 24,	29·915	50	37	43·5	41·3	39·3	·86	·7	1·6	·080	S.S.W.	W.
Tuesday, „ 25,	30·010	55	39	47·0	51·3	50·1	·92	·6	0·8	·015	W.S.W.	W.S.W.
Wednesday, „ 26,	30·320	52	40	46·0	42·9	41·1	·87	·7	0·1	·000	W.	W.
Thursday, „ 27,	30·385	55	42	48·5	51·6	51·2	·98	·7	0·0	·015	W.	W.
Friday, „ 28,	30·420	53	48	50·5	50·6	49·7	·95	·5	0·1	·000	W.	W.
Saturday, „ 29,	30·265	54	48	51·0	52·1	50·8	·91	·6	0·0	·040	W.S.W.	W.S.W.
Mean, ...	30·161	52·9	42·3	47·6	48·1	46·6	·90	·6	Total 3·0	Total ·150	Prevailing Wind, W.	

Sunday—A dull day; night cloudy. *Monday*—Day cloudy, fine; night clear to overcast, drizzling and heavy rain at intervals from 5.0 to 8.30 a.m. *Tuesday*—Day cloudy, fine; night cloudy, drizzling rain 12.40 to 1.40 a.m. *Wednesday*—Day overcast; night overcast. *Thursday*—Day overcast, drizzling rain 7.0 to 9.0 p.m.; night overcast, drizzling rain at intervals a.m. *Friday*—Day overcast; night overcast. *Saturday*—Day overcast; night overcast, drizzling rain at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 29th November, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 23,	51·2	45·9	49·5	52	44	48	1·0	—
Monday, „ 24,	44·0	45·9	49·3	51	40	45·5	1·5	·050
Tuesday, „ 25,	52·1	45·5	49·1	56	42	49	0·5	—
Wednesday, „ 26,	45·5	46·8	49·0	54	44	49	—	—
Thursday, „ 27,	54·0	46·3	48·9	56	44	50	0·1	—
Friday, „ 28,	50·8	47·8	48·8	54	49	51·5	—	—
Saturday, „ 29,	53·7	48·2	48·9	56	49	52·5	—	·031
Weekly Mean, .	50·2	46·6	49·1	54·1	44·6	49·4	Total 3·1	Total. ·081

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 11. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H.M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, London, W.C.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin.

Price 1½*d.*

Vol. L.] Week ending Saturday, 6th December, 1913. [No. 49.

General Register Office, Charlemont House,
Dublin, 8th December, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending Nov. 15	Nov. 22	Nov. 29	Dec. 6	Average Rate for 4 weeks.
27 Town Districts, (a)	**18·8**	**16·4**	**16·6**	**16·0**	**16·9**
Dublin Reg. Area ...	20·1	18·1	19·7	18·1	19·0
Dublin City ...	20·8	19·8	21·0	20·3	20·5
Belfast	18·3	16·6	14·7	15·4	16·3
Cork	21·1	10·2	18·4	16·3	16·5
Londonderry ...	22·9	12·7	14·0	17·8	16·9
Limerick	24·4	16·2	17·6	14·9	18·3
Waterford	17·1	20·9	11·4	11·4	15·2

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 117 deaths from all causes for Belfast are one from enteric fever, 8 from scarlet fever, 3 from whooping-cough, and one from diarrhœa and enteritis of a child under 2 years of age. Included in the 24 deaths from all causes for Cork are one from scarlet fever and 2 from diarrhœa and enteritis of children under 2 years of age. Two of the 14 deaths from all causes for Londonderry are from diarrhœa and enteritis of children under 2 years of age. Among the 8 deaths from all causes for Kilkenny are one from each of scarlet fever and diphtheria, and one from diarrhœa and enteritis of a child under 2 years of age; and 2 of the 3 deaths recorded for Tralee are from diarrhœa and enteritis of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—100 boys and 94 girls—and the deaths to 153—81 males and 72 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·1 per 1,000 of the population. During the forty-nine weeks, ending with Saturday last, the death-rate averaged 20·2, and was 1·5 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 153, represent an annual rate of 19·8 per 1,000; the annual rate for the past forty-nine weeks was 21·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

Among the deaths registered were 4* from enteric fever, one from measles, 3 from scarlet fever, one from whooping-cough, one from diphtheria, and 5 deaths from diarrhœa and enteritis of children under 2 years of age. In the 3 preceding weeks, deaths from enteric fever were 2, 0, and 0; deaths from measles were one, 0, and one; deaths from scarlet fever were 0, one, and one; deaths from whooping-cough were 0. 0, and 0; deaths from diphtheria were 5, one, and 2; and deaths of children under 2 years of age from diarrhœa and enteritis were 8, 9, and 7, respectively.

Deaths from all forms of tuberculous disease, which in the 3 preceding weeks numbered 27, 20, and 23, respectively, fell to 20* last week, the latter including 15 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, and 2 from other forms of tuberculous disease.

There were 13 deaths from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Seven* deaths were caused by cancer.

Among the deaths of infants under one year of age, 5 were attributed to convulsions, one to premature birth, and 6 to congenital debility.

Organic diseases of the heart caused 7 deaths, and bronchitis 16 deaths.

Of 4 accidental deaths, 3 were caused by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were all infants under one year old.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 9 were under one month old) and 39 were aged 65 years and upwards, including 31 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·1 per 1,000; the rate in the City was 20·3 (North City Districts, 21·4; South, 19·1) and in the Suburbs, 11·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 1·9, and in the South 2·2), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000. One death from scarlet fever, one from whooping-cough, and 2 from broncho-pneumonia were recorded

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·4 per 1,000. Among them are one death from diphtheria, 2 from pulmonary tuberculosis, 3 from broncho-pneumonia, 2 from bronchitis, and one death of a child under 2 years of age from diarrhœa and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000, and include one death from scarlet fever, one from tuberculous meningitis, 2 from broncho-pneumonia, and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 22·2 per 1,000. Enteric fever and pulmonary tuberculosis each caused one death, pneumonia 4 deaths, and bronchitis one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 19·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 19·6. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from tuberculous meningitis, and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 18·1 per 1,000, and include one death from scarlet fever, 3 from pulmonary tuberculosis, 2 from bronchitis, and 2 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Among them are one from pulmonary tuberculosis, 2 from bronchitis, and one from diarrhœa and enteritis of a child under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. One death from tuberculous disease, 3 deaths from broncho-pneumonia, one from bronchitis, one death of a child under 2 years from diarrhœa and enteritis, and one accidental death were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000, and include one death from measles, 3 deaths from tuberculous disease, 3 deaths from pneumonia, and one death from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. Pulmonary tuberculosis and bronchitis each caused one death, and there was one accidental death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·8; Pembroke, 10·4; Blackrock, 0·0; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from enteric fever for Rathmines and Rathgar. Among the 8 deaths from all causes for this district were one from pulmonary tuberculosis and one accidental death; of the 6 deaths from all causes for Pembroke 2 were caused by pulmonary tuberculosis and one by bronchitis; and of the 6 deaths from all causes for Kingstown one was from pulmonary tuberculosis.

* See note (c) at foot of Table II,
† See Columns 10–17 and 23–4 of Table II

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 6th December, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 15,	.	—	—	16	.	.	16	.	1	2	6	.	—	—	.	—	21	.	62
	Nov. 22,	.	—	—	15	.	.	16	.	.	5	6	.	—	—	.	—	19	.	61
	Nov. 29,	.	—	—	21	1	.	6	.	2	6	6	.	—	—	.	—	30	.	72
	Dec. 6,	.	—	—	28	2	.	11	.	.	9	5	.	—	—	.	—	26	.	81
Rathmines and Rathgar Urban District.	Nov. 15,	.	—	—	3	.	.	7	.	3	.	.	.	—	—	—	—	—	—	13
	Nov. 22,	.	—	—	1	.	.	5	.	.	8	.		—	—	—	—	—	—	14
	Nov. 29,	.	—	—	1	.	.	6	.	.	3	.	.	—	—	—	—	—	—	10
	Dec. 6,	.	—	—	.	.	.	5	.	.	1	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Nov. 15,	.	.	.	1	.	.	.	.	.	2	.	.	—	.	—	—	.	—	3
	Nov. 22,	.	.	.	1	.	.	4	.	.	7	.	.	—	.	—	—	.	—	12
	Nov. 29,	.	.	.	3	.	.	3	.	.	1	.	.	—	.	—	—	.	—	7
	Dec. 6,	.	.	.	1	.	.	1	.	.	3	1	.	—	.	—	—	.	—	6
Blackrock Urban District.	Nov. 15,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Nov. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 6,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Nov. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 22,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	.	—	3
	Nov. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Dec. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Nov. 15,	.	—	—	86	.	.	14	2	.	3	6	.	—	—	.	—	9	2	122
	Nov. 22,	.	—	—	74	.	.	14	.	.	8	6	.	—	—	.	—	6	4	112
	Nov. 29,	.	—	—	67	.	.	9	1	.	4	6	.	—	—	.	—	2	2	91
	Dec. 6,	.	—	—	84	.	.	7	.	.	3	9	.	—	—	.	—	.	1	104

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th December, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Ten cases of enteric fever were admitted to hospital during the week, 7 were discharged, there were 2 deaths, and 63 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 50, 57, and 62.

Two cases of typhus were admitted to hospital during the week, and remained under treatment at its close.

Two cases of measles were admitted to hospital, 2 were discharged, and 8 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 4, 6, and 8 respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 19 were discharged, there were 3 deaths, and 115* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 89, 101, and 113, respectively.

Twenty cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 57, 70, and 79, respectively, were 84 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 11 were discharged, there was one death, and 26 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·7), was equal to an average annual death-rate of 13·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·6 per 1,000, the rate for Glasgow being 16·6, and for Edinburgh 13·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th December. From this Report it appears that of a total of 95 cases notified, 60 were scarlet fever, 13 phthisis, 13 diphtheria, 8 erysipelas, and one enteric fever. Among the 591 cases of infectious diseases in hospital at the close of the week were 356 cases of scarlet fever, 127 of phthisis, 63 of diphtheria, 31 of measles, 7 of erysipelas, one of puerperal fever, and one of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 6th December, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 6th December, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 6th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	1,199,180	19·0	21·3	16·0	1·6	490	367	74	85	3	...	...	1	13	4	2	...	35	17	15	31	42	13	1	7	9	112	14	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	25·1	18·1	1·7	194	140	39	36	2	...	...	1	3	1	1	...	14	4	5	17	17	5	...	3	3	55	4	e 54	32	44·4	1·07	e 55	37	47·6	0·15	e 56	32	46·6	0·61
City of Dublin,	308,187	39·0	28·8	20·3	2·0	170	120	36	24	1	...	...	1	3	1	1	...	10	4	2	17	16	5	...	2	2	53	3	f 53·9 g 53·9	33·6 33·0	44·9 43·9	1·23 1·24	f 55·3 g 56·0	39·9 38·0	48·9 48·2	0·11 0·12	f 57·1 g 56·8	35·3 31·0	47·7 47·1	0·43 0·48
Urban Districts. Rathmines & Rathgar.	38,769	22·6	13·4	10·8	1·3	10	8	1	5	1	...	...	...	...	...	...	..	1	...	1	...	...	...	...	1	1	...	...	..	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	29,942	19·0	15·7	10·4	.	9	6	...	5	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	11·4	.	.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	9·2	18·5	.	3	6	2	2	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	1	1	55	33	45·5	1·24	59	39	50·6	0·10	57	38	48·7	0·30
Urban Districts Belfast ..	396,000	26·5	17·9	15·4	1·7	136	117	14	17	1	...	...	...	8	3	...	...	10	6	3	13	14	1	...	3	4	32	1	...	...	...	...	56·0	31·5	48·3	0·26	56	37	46·6	0·92
Cork, ..	76,673	28·6	19·7	16·3	2·0	29	24	3	5	...	...	...	...	1	...	...	...	5	2	2	...	1	2	...	1	2	11	3	54	37	48·5	0·99	58	37	48·3	0·35	57	37	49·2	1·02
Londonderry...	41,000	15·9	29·3	17·8	2·5	23	14	4	3	...	...	...	...	...	...	...	...	1	1	1	...	1	2	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	17·6	14·9	.	13	11	3	4	...	...	...	...	...	...	...	...	1	...	...	...	4	...	..	...	...	5	2	52·5	32·9	46	2·19	55·1	34·3	46·1	0·63	55·5	31·5	47·0	0·69
Waterford, ...	27,464	19·1	15·2	11·4	.	8	6	...	1	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			7	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	53	32	43	1·23	54	33	44·5	1·12	54	26	44	0·69
Dundalk, ...	13,128	9·5				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52
Drogheda, ...	12,501	8·4				1	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				8	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52
Newry, ...	11,963	17·0				2	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52
Portadown, ...	11,727	15·3				7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52
Wexford, ...	11,531	22·8				7	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				2	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8				5	3	...	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	53	35	43·0	2·48	57	35	47·0	1·53	55	28	45·0	0·90
Kilkenny, ...	10,514	11·4				1	8	2	2	...	...	...	...	1	...	1	...	...	1	...	...	2	1	...	...	...	3	..	53	34	45·2	1·30	56	31	46·7	0·28	56	27	46·4	0·92
Tralee, ...	10,300	17·4				5	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				2	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				11	5	1	3	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	52	34	42·7	1·14	58	35	47·3	0·25	55	35	46·3	0·28
Queenstown, ...	8,209	14·7				3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	54	37	48·5	0·99	58	37	48·3	0·35	57	37	49·2	1·02
Larne, ...	8,036	13·4				3	3	..	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine. ...	7,785	7·7				1	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				...	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				3	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	..	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14	56·0	33·9	44·8	0·52

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 11 deaths of persons (including one under one year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area. Of the 11 deaths 2 were from each of enteric fever, tuberculous disease and cancer. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 6th of December, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	2
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	2	.	1	.	.	.	3	1	.	2	1	1	2	.	1	14	1
Tuberculous Disease. { Other Forms,	.	.	1	.	.	1	.	.	.	1	1	.	.	.	.	.	4	1
Cancer,	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	5	2
Diseases of Nervous System,	3	1	1	3	.	.	4	1	1	2	1	1	.	1	.	1	20	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	1	2	.	1	.	.	1	2	1	.	.	.	.	1	10	1
" Respiratory System. { Pneumonia,	2	3	2	4	.	.	.	.	.	3	3	.	.	.	.	.	17	1
" Respiratory System. { Others,	.	2	4	1	.	1	.	2	2	2	1	1	.	1	.	.	17	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	1	.	.	.	.	.	2	1	1	.	.	.	.	.	.	5	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	1	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	5	.
" Genito-urinary System,	.	.	.	.	.	2	.	1	.	1	.	.	2	.	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	2	4	3	.	.	.	3	1	1	1	.	1	2	.	1	19	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	1		1	1	.	.		3	1
Ill-defined, &c. Causes,	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Deaths from All Causes	11	16	16	15	.	5	4	14	8	15	12	4	8	6	.	6	140	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	20·4	29·9	22·2	.	19·2	19·6	18·1	22·7	18·1	18·9	21·4	10·8	10·4	.	18·5	18·1	.
	21·4							19·1					11·0					
	20·3																	
Ages at Death. { Under 1 year,	3	7	6	4	.	1	1	5	1	6	1	1	1	.	.	2	39	1
1 and under 2 years,	2	.	2	1	.	.	.	1	2	1	1	.	.	.	.	.	10	.
2 " 5 "	1	1	.	1	.	.	.	.	.	1	1	.	.	.	.	.	5	.
5 " 15 "	.	2	1	.	.	.	.	.	1	.	1	.	.	.	.	.	5	1
15 " 25 "	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	3	1
25 " 45 "	.	4	1	2	.	2	.	2	4	.	2	1	.	.	.	1	19	4
45 " 65 "	3	2	1	4	.	.	2	1	.	2	3	1	2	1	.	1	23	3
65 and upwards,	1	.	5	3	.	2	.	5	.	5	2	1	5	5	.	2	36	3
Number of Uncertified Deaths,	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	1	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	5	4	3	5	.	1	1	3	2	3	3		.	1	.	1	32	13
Workhouse Hospitals,	1	1	1	4	.	.	.	5	2	4	5	.	.	.	.	.	23	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 6th December, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.	Dec. 9, 1911.	Dec. 7, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	40·9°	40·4°	46·6°	44·3°	41·5°	41·8°	39·1°	43·4°	39·1°	44·7°	42·2°	44·4°										
ALL CAUSES.	186	192	168	169	207	185	177	188	157	176	180·5	153	9	31	10	5	6	4	23	26	26	13
Enteric Fever, ...	1	2	2	.	2	3	1	1	1	1	1·4	4	.	.	.	1	1	.	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	10	.	2	.	5	1	2	1	1	2·3	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	.	1	.	1	1	1	1	·7	3	.	.	1	1	1	.	.	.	.	.
Whooping-cough, ...	7	.	2	5	3	2	2	11	3	1	3·6	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	2	.	.	.	1	2	·7	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	1	2	4	.	2	1	2	2	1	2·0	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	.		.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	1	.	1	.	1	.	·4	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	22	27	24	22	18	22	17	25	24	15	21·6	15	.	.	.	.	.	1	10	3	1	.
Tuberculous Meningitis, ...	4	2	1	3	4	3	3	1	3	5	2·9	3	.	.	1	.	.	1	1	.	.	.
Abdominal Tuberculosis, ...	.	2	.	1	.	1	1	3	1	2	1·1	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of the Vertebral Column.									1	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	8	3	9	2	5	4	7	.	.	4·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									.	2		1	.	.	.	1	.	.	.	.	.	.
Venereal Diseases, ...	1	1	2	2	2	.	.	1	2	2	1·3	2	.	2	.	.	.	.	.	.	.	.
Cancer, ...	8	8	6	7	11	6	10	12	12	8	8·8	7	.	.	.	.	.	.	.	4	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	2	.	2	.	1	2	.	.	.	2	·9	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	.	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	1		5	.	1	1	.	1	2	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									6	7		5	.	.	.	.	.	.	.	3	1	1
Softening of Brain, ...									.	1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									1	1		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...									.	.		2	.	.	.	.	.	.	2	.	.	.
Convulsions (non-puerperal),									3	7		5	2	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	42	40	50	42	51	35	39	40	2	5	40·7	3	.	.	.	.	.	.	2	.	.	1
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	3		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									11	18		7	.	.	.	.	.	.	1	.	4	2
Embolism and Thrombosis (including Cerebral)									.	.		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.									.	1		3	.	.	.	.	.	.	1	.	2	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	32	18	22	21	43	39	22	27	20	21	26·5	16	.	5	2	.	.	.	2	2	4	1
Broncho-pneumonia, ...	8	6	5	7	11	11	12	7	8	4	7·9	13	.	9	3	.	.	.	.	.	1	.
Lobar pneumonia, ...	1	1	1	1	1	1	6	.	1	3	1·6	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	10	8	4	5	8	6	10	8	4	6	6·9	4	.	1	.	.	.	.	.	3	.	.
Pleurisy, ...									1	1		.	.	.	.			.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	4	.	.	2	.	1	.	1	1	1·4	.	.	.	.				.	.	.	.
Other Diseases of Respiratory System.									.	1		1	.	.	.		.	.	.	1	.	

FORTY-NINTH WEEK, ending Saturday, 6th December, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 6th December, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.	Dec. 9, 1911.	Dec. 7, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 40·9	° 40·4	° 46·6	° 44·3	° 41·5	° 41·8	° 39·1	° 43·4	° 39·1	° 44·7	° 42·2	° 44·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	2	1	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	4	2	5	2	5	8	5	2	5	5	4·3	5	2	2	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									.	.		1	.	.	.	.	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	.	—	2	.	1	1	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	2	1	3	.	.	.	.	2	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	1	.	.	2	2	1	1	.	.	·9	1	.	.	.	.	.	.	.	.	1	.
Peritonitis (cause unknown),	.	.	2	.	.	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	8	9	3	3	6	5	.	1	1	3·9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									1	2		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...									2	9		7	.	.	.	.	.	.	1	.	5	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	9	7	4	4	6	4	6	.	.	6·4	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									3	1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	1	1	.	1	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	2	.	.	.	.	1	.	.	1	·4	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	1	—	2	.	.	.	.	1	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	.	.	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	1	9	2	8	7	6	4	6	4	11	5·8	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	4	3	—	6	2	4	.	.	.	.	.	.	.	.
Old Age, ...	4	3	1	2	1	3	8	4	5	3	3·4	6	.	.	.	.	.	.	.	.	2	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	.	3	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	3	1	1	.	2	1	3	2	.	2	1·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	.	1	.	1	.	.	.	.	·3	3	.	.	.	.	.	.	1	2	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	1	1	.	5	1	1	1	2	.	1·5	1	.	.	.	.	.	.	.	.	.	1
Total Deaths from Accident,	7	2	2	1	8	3	4	4	3	2	3·6	4	.	.	.	.	.	.	1	2	.	1
Included in above are Deaths in connection with—																						
Railways, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	2	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	7	5	—	4	.	.	.	.	.	.	.	3	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	208	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194
Average Births in corresponding week of previous 10 years, ...	209	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187
DEATHS registered, ...	173	148	130	137	166	129	126	149	144	157	168	164	157	196	143	177	163	159	148	162	174	158	164	148	164	153
Annual Death-rate per 1,000, ...	22·4	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5	20·4	21·2	19·1	21·2	19·8
Average Deaths in corresponding week of previous 10 years, ...	154	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181
Ages, Under 5 years, ...	41	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38	55
5—15 " ...	10	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6
15—25 " ...	11	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4
25—45 " ...	37	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33	23
45—65 " ...	39	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26
65—75 " ...	22	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26
75 and upwards, ...	13	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.	.	2	.	.	4
Typhus, ...	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2	2	1	.	1	1
Scarlet Fever, ...	2	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.	1	.	1	1	3
Whooping-cough, ...	4	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.	1	.	.	.	1
Diphtheria, ...	2	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2	1	5	1	2	1
Influenza, ...	.	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1	2	.	.	3	.
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	29	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15
Tuberculous Disease, Other Forms,	11	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5
Cancer, ...	11	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7
Diseases of Circulatory System,	16	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11
Diseases of Respiratory System, Pneumonia	13	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18
Diseases of Respiratory System, Others, ...	15	17	9	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17
Diarrhœa and Enteritis, under 2 years, ...	2	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5
Diarrhœa, 2 years and upwards,	.	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.	.	4	.	.	.
Violent Deaths, ...	6	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6	4
Number of Uncertified Deaths,	3	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7	2	4	6	3	4
Mean Temperature of the Air (Phœnix Park)	53·1	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9	44·4	46·6	46·6	47·6	44·4
Average Mean Temperature in corresponding week of previous 10 years, ...	54·2	55·9	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2	44·6	42·0	41·9	41·5	42·2
Rainfall in inches, ...	·330	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040	·710	·645	·640	·150	1·065
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86	·90	·90	·88	·90	·93

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th December, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH DECEMBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	20·0	153	55	6	4	23	26	26	13	4	.	.	1	3	1	1	.	15	5	7	5	18	17	5	.	4	67	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17·8	5	.	.	1	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	101,798	10·2	20	3	1	1	3	4	7	1	2	.	.	.	1	.	.	.	.	.	1	.	2	.	.	.	2	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	15·9	33	7	1	.	9	8	5	3	1	.	.	.	1	.	.	.	4	1	2	1	3	3	1	.	.	16	1
IV.	GENERAL SERVICE CLASS, ...	167,479	22·4	72	40	3	2	9	9	7	2	1	.	.	1	1	1	1	.	8	3	3	4	13	11	2	.	1	22	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	23	5	1	.	1	5	6	5	.	.	.	.	.	.	.	.	3	1	1	.	.	3	2	.	1	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13·3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	28·7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	22·0	4	.	.	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	14·5	7	1	.	.	1	3	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	4	.
	6. Clerks and Commercial Assistants, ...	33,249	3·1	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	10·8	7	1	1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	35·4	8	3	.	.	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	16·3	9	2	1	.	2	2	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	7	1
	10. Clothing Trades, ...	20,026	15·6	6	1	.	.	2	1	1	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	2	.
	11. Food Supply Trades	8,952	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	13·0	8	1	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	5	.
	13. Petty Shopkeepers	6,772	15·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	24·1	6	4	.	.	1	.	1	.	1	.	.	.	.	.	1	.	.	.	.	1	1	1	.	.	.	1	1
	15. Domestic Servants, ...	36,041	10·1	7	.	1	2	2	.	1	1	.	.	.	.	1	.	.	.	2	1	1	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	13·6	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	27·8	55	33	2	.	6	8	5	1	.	.	.	1	.	1	.	.	6	2	2	3	9	10	2	.	1	18	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	23	5	1	.	1	5	6	5	.	.	.	.	.	.	.	.	3	1	1	.	.	3	2	.	1	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number
Statistics for each of the Provincial

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),																					
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Oct. 18,	22·7	7·0	13	.	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	1
	„ 25,	26·2	3·5	15	.	.	.	.	.	.	.	.	5	.	1	1	1	2	.	.	2
	Nov. 1,	13·9	1·7	8	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.
	„ 8,	24·4	1·7	14	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.
	„ 15,	20·9	3·5	12	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	.
	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	1	.
	„ 29,	34·9	3·5	20	.	.	.	.	1	.	.	.	1	.	1	2	4	1	.	3	1
	Dec. 6,	19·2	3·5	11	.	.	.	.	1	1	.	.	.	.	1	2	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Oct. 18,	14·0	2·6	11	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	1
	„ 25,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	1
	Nov. 1,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.
	„ 8,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	2	1	2	1	.	.	1
	„ 15,	17·9	1·3	14	1	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.
	„ 22,	24·2	5·1	19	.	.	.	.	.	.	.	.	4	.	1	3	2	4	.	.	.
	„ 29,	19·1	1·3	15	.	.	.	.	.	.	.	.	2	.	.	2	1	1	.	.	.
	Dec. 6,	20·4	2·6	16	.	.	.	.	.	.	1	.	2	.	.	3	2	1	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Oct. 18,	16·8	3·7	9	.	.	.	.	.	.	.	.	1	4	1	.	.	2	.	.	.
	„ 25,	11·2	1·9	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	Nov. 1,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
	„ 8,	28·1	3·7	15	.	.	.	.	1	.	.	.	3	1	.	2	.	1	.	1	.
	„ 15,	33·7	1·9	18	.	.	.	.	.	.	1	.	3	2	1	3	.	.	.	1	.
	„ 22,	28·1	3·7	15	.	.	.	.	.	.	.	.	1	.	.	3	3	2	.	.	1
	„ 29,	24·3	1·9	13	.	1	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.
	Dec. 6,	29·9	1·9	16	.	.	.	.	1	.	.	.	.	1	.	2	4	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Oct. 18,	14·8	3·0	10	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.
	„ 25,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.
	Nov. 1,	17·8	3·0	12	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 8,	11·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 15,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	.
	„ 22,	13·3	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
	„ 29,	14·8	.	10	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1
	Dec. 6,	22·2	1·5	15	1	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.	.
South City, No. 1 (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Oct. 18,	31·0	6·5	24	.	.	.	.	.	.	1	.	3	1	.	2	1	3	1	.	.
	„ 25,	19·4	.	15	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	1
	Nov. 1,	27·1	3·9	21	.	.	.	.	.	.	.	1	3	5	1	.	1	2	.	.	1
	„ 8,	15·5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 15,	23·3	3.9	18	1	.	.	.	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 22,	24·5	2·6	19	.	.	.	.	1	.	.	.	.	1	1	1	2	1	.	1	2
	„ 29,	19·4	.	15	.	.	.	.	.	.	.	.	1	1	2	2	3	.	.	.	.
	Dec. 6,	18·1	3·9	14	.	.	.	.	1	.	.	.	3	.	.	.	2	2	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Oct. 18,	14·2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 25,	42·6	2·8	15	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.	1
	Nov. 1,	42·6	.	15	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	.	.
	„ 8,	14·2	2·8	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	„ 15,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 22,	25·6	.	9	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
	„ 29,	31·3	.	11	.	.	.	.	.	.	.	.	4	1	.	3	1	.	.	.	1
	Dec. 6,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Oct. 18,	18·1	4·8	15	.	.	.	.	.	.	.	.	2	.	1	.	3	4	.	1	.
	„ 25,	20·6	2·4	17	.	1	.	.	.	.	.	.	3	.	.	1	2	1	.	.	.
	Nov. 1,	26·6	2·4	22	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	2
	„ 8,	15·7	1·2	13	.	.	.	.	.	.	.	.	1	.	1	4	3	1	.	.	.
	„ 15,	24·2	3·6	20	.	.	.	.	.	.	.	.	2	1	1	2	1	1	2	.	1
	„ 22,	19·4	1·2	16	.	.	.	.	.	.	1	.	.	.	2	1	4	.	.	1	2
	„ 29,	21·8	2·4	18	.	.	.	.	.	.	1	.	2	.	.	1	2	1	.	.	.
	Dec. 6,	18·1	1·2	15	.	.	.	.	.	.	.	.	.	1	.	3	2	1	.	1	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Oct. 18,	29·9	9·4	19	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.	.	1
	„ 25,	31·4	9·4	20	.	.	.	2	.	.	.	.	2	.	2	.	.	4	.	.	.
	Nov. 1,	31·4	9·4	20	.	.	.	1	.	.	2	.	2	1	1	2	1	3	.	1	1
	„ 8,	20·4	1·6	13	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	2	.
	„ 15,	29·9	6·3	19	.	.	.	1	.	.	1	.	4	.	.	.	1	2	.	.	3
	„ 22,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
	„ 29,	20·4	4·7	13	.	.	.	.	.	.	.	.	3	.	1	2	2	3	.	.	.
	Dec. 6,	18·9	1·6	12	.	.	.	1	.	.	.	.	2	1	1	3	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Oct. 18,	13·4	1·3	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.
	„ 25,	17·5	2·7	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	Nov. 1,	13·4	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	3	.
	„ 8,	17·5	.	13	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.
	„ 15,	16·1	2·7	12	.	.	.	.	.	.	1	.	3	.	2	.	.	1	.	.	.
	„ 22,	12·1	2·7	9	.	.	.	.	.	.	.	.	1	.	2	2	1	2	.	.	1
	„ 29,	13·4	1·3	10	.	.	.	.	.	.	1	.	1	.	4	.	2	.	.	.	.
	Dec. 6,	10·8	1·3	8	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Oct. 18,	12·2	1·7	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 25,	17·4	1·7	10	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.
	Nov. 1,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 8,	17·4	3·5	10	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.
	„ 15,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 22,	10·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 29,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	2	.
	Dec. 6,	10·4	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Oct. 18,	9·2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 25,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 1,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	30·8	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 15,	15·4	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	„ 22,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 29,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 6,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	Oct. 18,	14·6	1·8	111	.	.	.	.	3	.	1	.	12	3	9	9	7	9	1	2	3
	„ 25,	15·1	1·7	115	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	2
	Nov. 1,	13·4	1·4	102	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1
	„ 8,	17·5	1·6	133	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	2
	„ 15,	18·3	1·8	139	.	.	.	1	7	3	2	.	22	2	8	16	15	1	.	4	6
	„ 22,	16·6	2·5	126	1	.	.	1	9	2	.	.	9	5	10	9	11	6	.	9	1
	„ 29,	14·7	1·3	112	2	.	.	3	4	.	1	.	8	3	6	10	12	.	.	1	1
	Dec. 6,	15·4	1·7	117	1	.	.	.	8	3	.	.	10	6	3	13	14	1	.	3	1
Cork. Pop. in 1911 76,673.	Oct. 18,	13·6	2·7	20	.	.	.	.	.	.	.	.	1	2	1	.	2	4	.	.	.
	„ 25,	20·4	1·4	30	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	4
	Nov. 1,	15·6	0·7	23	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.
	„ 8,	18·4	0·7	27	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.
	„ 15,	21·1	2·7	31	1	.	.	.	.	.	.	.	.	2	3	.	3	3	.	.	2
	„ 22,	10·2	1·4	15	.	.	.	.	1	.	.	.	2	1	.	.	2	1	.	1	1
	„ 29,	18·4	1·4	27	.	.	.	.	.	.	.	.	4	1	1	1	4	2	.	.	.
	Dec. 6,	16·3	2·0	24	.	.	.	.	1	.	.	.	5	2	2	.	1	2	.	1	3
Londonderry. Pop. in 1913 (Est.) 41,000.	Oct. 18,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1
	„ 25,	11·4	3·8	9	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	Nov. 1,	17·8	6·4	14	.	.	.	1	.	.	.	.	.	1	1	.	1	3	1	1	.
	„ 8,	21·6	1·3	17	.	.	.	1	.	.	.	.	3	.	.	3	1	.	.	.	.
	„ 15,	22·9	1·3	18	.	.	.	.	.	.	.	.	5	1	2	.	2	1	.	.	.
	„ 22,	12·7	2·5	10	.	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	.
	„ 29,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.
	Dec. 6,	17·8	2·5	14	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.
Limerick. Pop. in 1911 38,518.	Oct. 18,	8·1	1·4	6	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	10·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
	Nov. 1,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1
	„ 8,	21·7	.	16	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	3
	„ 15,	24·4	.	18	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	.	2
	„ 22,	16·2	1·4	12	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.
	„ 29,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	.	5	.	.	.	2
	Dec. 6,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
Waterford. Pop. in 1911 27,464.	Oct. 18,	3·8	1·9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 25,	30·4	3·8	16	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	2
	Nov. 1,	11·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2
	„ 15,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 22,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	1	1	.	1	.	.
	„ 29,	11·4	1·9	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Dec. 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th December, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	26·3	.	8	1	2	.	3	1	1	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	2	.
Do. 2 do.	49,500	11	13·7	.	13	3	3	.	1	4	2	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	1	1	2	1
Do. 3 do.	50,032	16	14·6	1·0	14	3	3	3	3	1	1	.	.	.	.	.	1	.	.	1	1	.	1	2	.	.	.	.	2	.
Do 4 do.	32,637	8	16·0	.	10	1	2	1	2	4	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.	3	.
Do. 5 do.	16,112	7	16·2	6·5	5	.	.	3	2	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	1	1	3	.
Do. 6 do.	37,293	11	19·6	4·2	14	1	3	1	1	3	5	.	.	.	.	3	.	.	.	.	.	1	1	2	.	.	.	.	3	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	35·0	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 9 do.	24,427	2	4·3	2·1	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 10 do.	28,958	7	12·6	3·6	7	.	2	1	.	2	2	1	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	4	.
Do. 11 do.	39,311	17	14·6	2·7	11	.	4	2	1	4	.	.	.	.	.	1	1	.	.	2	1	1	.	.	.	.	.	1	2	.
Do. 12 do.	38,076	25	19·2	.	14	1	4	2	2	3	2	.	.	.	.	.	.	.	.	.	.	.	2	4	.	.	1	1	4	.
Do. 13 do.	23,233	9	18·0	2·2	8	3	1	.	1	2	1	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	2	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	10	16·1	2·3	7	.	.	1	3	2	1	.	.	.	.	1	.	.	.	1	1	.	1	1	.	.	.	.	4	.
Total,	386,947	136	15·4	1·7	117	14	24	15	20	27	17	1	.	.	.	8	3	.	.	10	6	3	13	14	1	.	3	4	32	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	11·6	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2
Do 2 do.	10,701	5	15·0	5·0	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do 3 do.	9,978	2	21·3	.	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Do 4 do.	8,666	2	17·1	5·7	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.
Do 5 do.	6,592	.	33·4	8·3	4	.	1	.	1	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	1	2	.
Do 6 do.	10,702	6	13·5	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	1
Do. 7 do.	16,616	11	13·0	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
Total,	76,122	29	16·3	2·0	24	3	1	3	5	7	5	.	.	.	.	1	.	.	.	5	2	2	.	1	2	.	1	2	11	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered, ...	286	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136
DEATHS registered, ...	133	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139	126	112	117
Annual Death-rate per 1,000 of estimated population, ...	17·5	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4	17·5	18·3	16·6	14·7	15·4
AGES, Under 1 year, ...	24	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14
1—5 years, ...	12	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24
5—25 " ...	25	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15
25—45 " ...	20	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20
45—65 " ...	20	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	23	23	18	24	32	29	24	27
65 and upwards, ...	32	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17
Deaths from :—																										
Enteric Fever, ...	1	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1	.	1	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.	1	1	3	.
Scarlet Fever, ...	.	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8
Whooping-cough, ...	.	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.	.	3	2	.	3
Diphtheria, ...	.	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1	.	2	1	1	.	.	2	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10
Tuberculous Disease. Other Forms,	10	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5	3	6
Cancer, ...	3	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3
Diseases of Respiratory System, Pneumonia,	9	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13
Diseases of Respiratory System, Others, ...	9	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13	15	11	12	14
Diarrhœa and Enteritis, under 2 years, ...	3	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6	.	1
Diarrhœa, 2 years and upwards,	.	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1	1	.	.	.	.
Violent Deaths, ...	1	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4	4	9	1	3
Number of Uncertified Deaths, ...	2	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1	2	6	1	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Dec. 6,	1,910	1,102	12·7	.	.	1	.	6	10	27*a*
Edinburgh, ...	320,300	„ 6,	127	80	13·0	1	.	1	4	.	1†	1*a*
Glasgow, ...	1,021,500	„ 6,	473	325	16·6	1	.	24	1	4	4†	4*a*
Calcutta, ...	896,067	Oct. 25,	.	490	28·4	94*	.	.	.	.	1†	66‡
Bombay, ...	979,445	Nov. 1,	415	567	30·1	81*	.	1	.	.	.	52‡
Madras	518,660	„ 1,	448	377	37·8	63*	.	1	?	?	?	85
Cairo, ...	715,609	Sept. 16,	614	438	31·9	5	2	3	.	?	13†	115*a*
Paris, ...	2,847,229	Nov. 22,	897	741	13·3	5	.	1	2	1	1†	16*a*
Brussels, ...	767,252	„ 15,	218	168	11·4	2	.	1	.	1	1†	13*a*
Antwerp, ...	312,884	„ 15,	104	72	12·0	.	.	.	.	.	1†	11*a*
Amsterdam, ...	593,690	„ 15,	269	129	11·3	1	.	3	.	3	2†	3*a*
Copenhagen, ...	482,000	„ 15,	198	119	12·9	.	.	4	2	2	1	1
Stockholm, ...	376,171	„ 15,	131	105	14·5	.	.	.	.	1	2	1*a*
Christiania, ...	250,423	„ 22,	108	64	13·3	.	.	.	.	.	3	3
St. Petersburg ...	1,708,600	„ 1,	555	681	20·8	21	.	10	9	6	10	24*a*
Moscow, ...	1,694,000	Oct. 25,	.	733	22·6	8	.	16	15	9	16†	100
Berlin, ...	2,057,715	Nov. 8,	689	507	12·8	2	8	.	5	4	15†	28
Hamburg, ...	1,006,748	„ 15,	.	233	12·0	.	?	6	4	1	6†	9
Breslau, ...	541,606	„ 15,	.	188	18·1	.	.	.	2	4	.	12
Munich, ...	638,000	„ 15,	.	171	14·0	.	.	2	.	.	2†	8
Vienna (with suburbs),	2,132,523	„ 15,	721	531	12·9	3	.	4	3	.	9†	25*a*
Buda-Pesth, ...	930,666	„ 15,	493	308	17·2	1	.	.	8	.	2†	16*a*
Prague and Faubourgs,	494,055	„ 1,	156	148	15·6	.	.	.	.	1	3†	5*a*
Trieste, ...	242,595	„ 15,	137	79	17·0	1	.	.	.	.	.	5*a*
Rome, ...	582,565	July 19,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Oct. 25,	2,631	1,160	11·3	11	.	3	3	10	13†	78*a*
Philadelphia, ...	1,631,960	„ 18,	.	432	13·8	6	.	1	1	1	4†	33*a*
Boston, ...	735,399	Nov. 15,	.	174*b*	12·3	1	.	.	1	2	2	5

* Deaths from "fever," including 6 from enteric fever in Calcutta, and 3 from enteric fever and 10 from plague in Bombay.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, and 3 in Bombay.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures 151 (including one death from diphtheria, and 4 from diarrhœal diseases), rate 10·7 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th December, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	5	.	.	.	.	.	.	1	.	.	2	.	8
„ „ 1, West, ...	.	2	.	.	4	.	.	.	1	.	.	1	.	8
„ „ 2, ...	.	4	2	.	.	.	.	.	3	.	.	2	.	11
„ „ 3, ...	.	3	.	.	.	.	.	3	.	.	.	3	.	9
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	1	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	3	.	.	.	.	.	.	.	.	.	.	.	3
South City No. 1, ...	.	3	.	.	.	.	.	5	.	.	.	6	.	14
„ „ 2, ...	.	3	.	.	.	.	.	.	.	.	.	5	.	8
„ „ 3, ...	.	2	.	.	5	.	.	1	.	.	.	5	.	13
„ „ 4, ...	.	.	.	.	1	.	.	.	.	.	.	2	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	28	2	.	11	.	.	9	5	.	.	26	.	81

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 6th December, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th December.			
	Nov. 15.	Nov. 22.	Nov. 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	50	57	62	10	7	2	63
Typhus, ...	.	1	.	2	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	6	8	2	2	.	8
Scarlet Fever, ...	89	101	113	24	19	3	115*
Diphtheria, ...	57	70	79	20	12	3	84
Pneumonia, ...	26	31	33	5	11	1	26

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 6th December, 1913:—

"Atmospheric pressure remained in a state of very unstable equilibrium in the far north, but the area of lowest barometer was transferred from Iceland to Scandinavia and, as the week advanced, disturbances came in more directly over the British Islands also. As for some time past, so during this week the barometer stood high over the Peninsula and on the Ocean westward to the Azores. Consequently, strong winds or gales from points between S.W. and N.W. were felt on the British, Irish, and Norwegian Coasts. At 7 a.m. of Sunday the barometer ranged from 28·38 inches at Bodö, on the N.W. Coast of Norway to 30·54 inches at Lyons. The only region in which there was steady frost throughout the week was Iceland, in which island the air was either calm or in movement from some northern point. In the interval between Wednesday and Thursday a sudden and extreme depression of temperature—amounting to 20 degrees at Leith—occurred in the British Isles. At 7 a.m. of the former day a deep depression was centred over the Hebrides—24 hours later it had grown much deeper and had travelled to the South of Norway, the barometer having fallen to 28·65 inches at Færder on the Christiania Fjord. The strong N.W. winds of this system brought a spell of bitter cold to Scotland, Ireland and, later, to England. Snow, sleet and hail fell heavily even in Dublin, and the neighbouring mountains were snow-covered for the first time this season. On Friday afternoon the weather became again unsettled, and Saturday was gloomy and wet. In Dublin the mean height of the barometer was 29·794 inches, the range being from 30·277 inches at 9 a.m. of Sunday (wind, W.) to 28·950 inches at 6 p.m. of Wednesday (wind veering from S.W. to N.W.). The corrected mean temperature was 44·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·1. On Wednesday the screened thermometers rose to 53·9°, on Thursday they fell to 33·6°. The prevailing winds were W., S.W. and N.W. Lightning was seen on Wednesday and Friday at night. The rainfall was 1·230 inches on five days, ·551 inch being measured on Wednesday and ·398 inch on Saturday. Snow, sleet and hail fell on Thursday. On Saturday morning the thermometer fell to 15° at Nairn and 19° at Wick over a snow-covered country."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·800 inches. The highest reading (30·276) was on Sunday, at 9 a.m., wind W., the lowest (29·190) on Wednesday at 9 p.m., wind W.

The mean temperature for the week was 44·4°, being 2·2° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Wednesday, on which day the thermometer registered 54°, and was lowest on Thursday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 43·8° and of the Wet Bulb, 42·8°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 1·065 inches.

At Greenwich the mean temperature for the week was 46·8°, the maximum 54·0°, and the minimum 35·0°; at Glasgow the maximum was 59·1°, the minimum 24·0°, and the mean 41·1°; and at Edinburgh the maximum was 51·5°, the minimum 27·3°, and the mean 40·2°. The rainfall at Greenwich measured 0·31 in.; at Glasgow 1·31 ins., and at Edinburgh 1·03 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 30,	30·210	53	44	48·5	45·3	44·8	·96	·7	0·8	·025	W.	W.
Monday December 1,	30·165	48	38	43·0	40·2	39·5	·96	·5	3·8	·000	W.	W.
Tuesday, „ 2,	29·845	52	38	45·0	49·7	48·0	·89	·7	0·0	·000	W.S.W.	W.S.W.
Wednesday, „ 3,	29·280	54	40	47·0	46·8	45·2	·89	·7	0·0	·280	S.W.	W.
Thursday, „ 4,	29·675	42	32	37·0	35·9	35·3	·94	·7	1·2	·130	W.	W.
Friday, „ 5,	29·745	44	43	43·5	42·5	41·4	·92	·2	0·2	·280	W.N.W.	Calm.
Saturday, „ 6,	29·680	50	43	46·5	46·0	45·7	·98	·2	0·0	·300	E.S.E.	Calm.
Mean, ...	29·800	49·0	39·7	44·4	43·8	42·8	·93	·5	Total 6·0	Total 1·065	Prevailing Wind, W.	

Sunday—Day cloudy, drizzling rain 7.0 to 9.0 p.m.; night overcast, drizzling rain 12.15 to 2.40 a.m. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—Day overcast; night cloudy. *Wednesday*—Day overcast, heavy showers at intervals a.m. and p.m.; night overcast, heavy snow 12.30 to 2.0 a.m., and rain 7.0 to 9.0 a.m. *Thursday*—Day cloudy, drizzling and heavy rain at intervals 9.0 a.m. to 3.0 p.m.; night clear to overcast, rain 12 m.n. to 3.30 a.m. and 5.40 to 6.10 a.m. *Friday*—A dull day, heavy rain at intervals a.m. and p.m.; night cloudy, heavy rain at intervals a.m. *Saturday*—Day overcast, drizzling and heavy rain 9.0 a.m. to 4.0 p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 6th December, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 30,	45·8	48·8	48·9	54	45	49·5	—	·013
Monday, December 1,	43·9	48·1	49·0	49	42	45·5	3·0	—
Tuesday, „ 2,	48·7	47·0	49·0	53	42	47·5	—	—
Wednesday, „ 3,	52·6	47·7	49·1	55	42	48·5	0·1	·520
Thursday, „ 4,	37·0	46·5	49·0	43	33	38	1·1	·130
Friday, „ 5,	43·0	45·0	49·0	45	37	41	—	·120
Saturday, „ 6,	47·1	45·0	48·8	53	43	48	—	·401
Weekly Mean,	45·4	46·9	49·0	50·3	40·6	45·4	Total 4·2	Total. 1·184

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 11. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 13TH DECEMBER, 1913. [No. 50.

General Register Office, Charlemont House,
Dublin, 15th December, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

County Boroughs, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 22	Nov. 29	Dec. 6	Dec. 13	
27 Town Districts, (a)	**16·4**	**16·6**	**16·0**	**17·7**	**16·7**
Dublin Reg. Area ...	18·1	19·7	18·1	17·6	18·4
Dublin City ...	19·8	21·0	20·3	18·4	19·9
Belfast	16·6	14·7	15·4	18·0	16·2
Cork	10·2	18·4	16·3	21·1	16·5
Londonderry ...	12·7	14·0	17·8	8·9	13·4
Limerick	16·2	17·6	14·9	12·2	15·2
Waterford	20·9	11·4	11·4	9·5	13·3

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·7 per 1 000. Among the 137 deaths from all causes for Belfast are 8 deaths from scarlet fever, 3 from whooping-cough, 2 from diphtheria, and one from diarrhœa. One of the 9 deaths from all causes for Limerick is from diphtheria. Included in the 10 deaths from all causes for Galway are 2 from whooping-cough. One of the 2 deaths recorded for Lisburn is from diphtheria. Among the 8 deaths from all causes for Newry are 3 from enteric fever; and one of the 5 deaths from all causes for Newtownards is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 212—97 boys and 115 girls—and the deaths to 147—79 males and 68 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·6 per 1,000 of the population. During the fifty weeks, ending with Saturday last, the death-rate averaged 20·2, and was 1·5 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 147, represent an annual rate of 19·0 per 1,000; the annual rate for the past fifty weeks was 21·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

Among the deaths registered, there were 3 from enteric fever, one from typhus, 2 from measles, 4 from diphtheria, and 4 from diarrhœa and enteritis of children under 2 years. In each of the three weeks preceding, deaths from enteric fever were 0, 0, and 4; deaths from typhus were 0, one, and 0; deaths from measles were 0, one, and one; deaths from diphtheria were one, 2, and one; and deaths from diarrhœa and enteritis of children were 9, 7, and 5.

The number of deaths from all forms of tuberculous disease was 21*, including 16 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and 3 from other forms of the disease. In each of the 3 preceding weeks deaths from tuberculous disease numbered 20, 23, and 20.

Deaths from pneumonia, in number 19, include 11 from broncho-pneumonia, one from lobar pneumonia, and 7 from pneumonia (type not distinguished).

Six deaths were assigned to cancer.

There were 4 deaths from convulsions, 2 being of infants under one year and 2 between the ages of 2 years and 3 years. There were 4 deaths from premature birth, one from congenital defects, and 2 from congenital debility of infants under one year of age.

The deaths of 15 persons were ascribed to organic diseases of the heart, and bronchitis accounted for the deaths of 21 persons.

Of 3 deaths from accident or negligence one was of a child aged 3 years from burning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old, and the death of one person aged 84 years.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 9 were under one month old) and 22 were aged 65 years and upwards, including 15 persons aged 70 and upwards; among the latter were 7 aged 75 and upwards, of whom one (a female) was stated to have been aged 94 years.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions: of this number 9 took place in the North Dublin Union Workhouse, and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·6 per 1,000; the rate in the City was 18·4 (North City Districts, 16·3; South, 20·9) and in the Suburbs, 14·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 0·6, and in the South 3·6), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·2 per 1,000, and include one death from pulmonary tuberculosis and 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 16·6 per 1,000. Among them are one death from diphtheria, one from pulmonary tuberculosis, 5 from pneumonia, and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. One death from pulmonary tuberculosis, 3 deaths from pneumonia, and 2 deaths from bronchitis were recorded.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 17·8 per 1,000. There were 2 deaths from tuberculous disease, one from pneumonia, one from bronchitis, one death of a child under 2 years of age from diarrhœa and enteritis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·5; and Finglas and Glasnevin, part of, 4·9. One of the 2 deaths recorded for the first-named district was caused by pulmonary tuberculosis and one by broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23·3 per 1,000. Among them are 2 from enteric fever, 2 from tuberculous disease, one from pneumonia, one from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. One of the deaths was from pulmonary tuberculosis, one from pneumonia, and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000, and include one death from diphtheria, 3 deaths from tuberculous disease, 3 from broncho-pneumonia, 3 from bronchitis, and one death from diarrhœa and enteritis of a child under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000. There were 2 deaths from measles, 2 from diphtheria, 3 from tuberculous disease, 3 from bronchitis, and one death of a child under 2 years of age from diarrhœa and enteritis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·4 per 1,000. One of the deaths was from bronchitis and one was that of a child under 2 years of age from diarrhœa and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·8; Pembroke, 24·4; Blackrock, 5·7; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from typhus for Pembroke and one death from enteric fever for Blackrock. Among the 8 deaths from all causes for Rathmines are 4 from pulmonary tuberculosis and 2 from bronchitis; the 14 deaths from all causes for Pembroke include one death from pulmonary tuberculosis and 4 deaths from pneumonia; and of the 4 deaths from all causes for Kingstown one is from bronchitis.

* See note (*c*) at foot of Table II.
† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 13th December, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 22,	.	—	—	15	.	.	16	.	.	5	6	.	—	—	.	—	19	.	61
	Nov. 29,	.	—	—	21	1	.	6	.	2	6	6	.	—	—	.	—	30	.	72
	Dec. 6,	.	—	—	28	2	.	11	.	.	9	5	.	—	—	.	—	26	.	81
	Dec. 13.	.	—	—	19	1	.	13	.	.	9	2	.	—	—	.	—	18	.	62
Rathmines and Rathgar Urban District.	Nov. 22,	.	—	—	1	.	.	5	.	.	8	.	.	—	—	—	—	—	—	14
	Nov. 29,	.	—	—	1	.	.	6	.	.	3	.		—	—	—	—	—	—	10
	Dec. 6,	.	—	—	.	.	.	5	.	.	1	.	.	—	—	—	—	—	—	6
	Dec. 13,	.	—	—	3	.	.	9	.	.	2	.	.	—	—	—	—	—	—	14
Pembroke Urban District.	Nov. 22,	.	.	.	1	.	.	4	.	.	7	.	.	—	.	—	—	.	—	12
	Nov. 29,	.	.	.	3	.	.	3	.	.	1	.	.	—	.	—	—	.	—	7
	Dec. 6,	.	.	.	1	.	.	1	.	.	3	1	.	—	.	—	—	.	—	6
	Dec. 13,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	—	—	.	—	1
Blackrock Urban District.	Nov. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 6,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 13,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
Kingstown Urban District.	Nov. 22,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	.	—	3
	Nov. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Dec. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Nov. 22,	.	—	—	74	.	.	14	.	.	8	6	.	—	—	.	—	6	4	112
	Nov. 29,	.	—	—	67	.	.	9	1	.	4	6	.	—	—	.	—	2	2	91
	Dec. 6,	.	—	—	84	.	.	7	.	.	3	9	.	—	—	.	—	.	1	104
	Dec. 13,	.	—	—	89	.	.	16	.	.	2	8	.	—	—	.	—	10	1	126

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th December, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Ten cases of enteric fever were admitted to hospital during the week, 19 were discharged, there were 2 deaths, and 52 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 57, 62, and 63.

One case of typhus was admitted to hospital during the week, and 3 cases remained under treatment at its close.

Three cases of measles were admitted to hospital, 3 were discharged, and 8 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 6, 8, and 8 respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death, and 121* cases remained under treatment at the close of week. At the close of the 3 preceding weeks the cases in hospital were 101, 113, and 115, respectively.

Seventeen cases of diphtheria were admitted to hospital during the week, 20 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 70, 79, and 84, respectively, were 79 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 7 were discharged, and 29 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·2), was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 18·5, and for Edinburgh 12·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th December. From this Report it appears that of a total of 105 cases notified, 56 were scarlet fever, 26 phthisis, 19 diphtheria, and 4 erysipelas. Among the 606 cases of infectious diseases in hospital at the close of the week were 352 cases of scarlet fever, 128 of phthisis, 74 of diphtheria, 32 of measles, 10 of erysipelas, 3 of enteric fever, and one of whooping-cough.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 13th December, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 13th December, 1913. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 13th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th November, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	1,199,180	19·0	25·6	17·7	1·7	589	407	69	88	6	1	...	2	8	6	8	...	40	15	21	51	41	6	1	5	12	129	19	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	27·4	17·6	1·8	212	136	30	22	3	1	...	2	...	...	4	...	15	5	6	19	21	4	...	2	3	51	6	e 56	33	46·0	0·17	e 54	32	44·4	1·07	e 55	37	47·6	0·15
City of Dublin,	308,187	39·0	30·3	18·4	2·0	179	109	27	16	2	...	...	2	...	...	4	...	10	5	4	15	18	4	...	2	2	44	5	f 56·8 g 55·8	37·2 33·7	47·2 46·3	0·13 0·13	f 53·9 g 53·9	33·6 33·0	44·9 43·9	1·23 1·24	f 55·3 g 56·0	39·9 38·0	48·9 48·2	0·11 0·12
Urban Districts. Rathmines & Rathgar.	38,769	22·6	17·5	10·8	.	13	8	...	2	...	...	...	...	...	...	...	..	4	...	...	...	2	...	...	...	1	3	...	...	...	...	...	..	...	...	...	...	...	...	...	...
Pembroke, ...	29,942	19·0	12·2	24·4	1·7	7	14	2	3	...	1	...	...	...	...	...	...	1	...	1	4	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,161	8·5	11·4	5·7	5·7	2	1	...	...	1	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	33·9	12·3	.	11	4	1	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	2	1	59	39	47·6	0·11	55	33	45·5	1·24	59	39	50·6	0·10
Urban Districts. Belfast ..	396,000	26·5	27·0	18·0	1·8	205	137	23	25	...	...	...	...	8	3	2	...	8	5	7	25	10	...	1	2	4	41	...	55	38	45·4	0·78	54	34	43·1	1·51	56·0	31·5	48·3	0·26
Cork, ..	76,673	28·6	36·7	21·1	0·7	54	31	5	6	...	...	...	...	...	...	...	...	7	2	...	1	3	1	...	...	2	10	1	53	40	48·3	0·20	54	37	48·5	0·99	58	37	48·3	0·35
Londonderry ...	41,000	15·9	21·6	8·9	.	17	7	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	10·8	12·2	1·4	8	9	2	2	...	...	...	...	...	...	1	...	2	...	...	1	1	...	...	...	...	5	1	57·9	32·2	47·1	0·32	52·5	32·9	46	2·19	55·1	34·3	46·1	0·63
Waterford, ...	27,464	19·1	17·1	9·5	.	9	5	...	3	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5				6	10	3	4	...	..	...	...	...	2	...	...	...	...	...	2	1	...	...	...	...	1	2	55	26	43	0·29	53	32	43	1·23	54	33	44·5	1·12
Dundalk, ...	13,128	9·5				9	4	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,553	14·7				1	3	...	...	...	...	...	...	...	...	...	..	1	1	...	...	...	...	...	...	...	1	...	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14
Drogheda, ...	12,501	8·4				6	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				8	2	1	...	...	...	...	..	...	...	1	...	...	...	...	...	...	...	...	...	..	1	...	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14
Newry, ...	11,963	17·0				3	8	1	2	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	5	2	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14
Portadown, ...	11,727	15·3				4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14
Wexford, ...	11,531	22·8				7	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3				1	4	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8				1	6	...	4	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	3	2	55	35	46·0	0·43	53	35	43·0	2·48	57	35	47·0	1·53
Kilkenny, ...	10,514	11·4				4	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	..	55	30	46·0	0·14	53	31	45·2	1·30	56	31	46·7	0·28
Tralee, ...	10,300	17·4				5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	1	...	...	..	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				9	5	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				...	5	1	3	...	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	1	56	35	46·3	0·28	52	34	42·7	1·14	58	35	47·3	0·25
Queenstown, ...	8,209	14·7				6	6	1	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	1	1	53	40	48·3	0·20	54	37	48·5	0·99	58	37	48·3	0·35
Larne, ...	8,036	13·4				4	1	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				...	3	...	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	7,691	7·2				5	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,356	21·8				3	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22	55·0	35·0	46·7	0·14

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 11 deaths of persons admitted to hospital from localities outside the Area; one of the 11 deaths was from pulmonary tuberculosis. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 13th of December, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW ELLMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	.	.	.	1	2	.	.	.	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	1	1	1	1	.	.	1	1	1	2	.	4	1	.	.	15	1
Tuberculous Disease. { Other Forms,	.	.	.	1	.	.	.	1	.	2	1	.	.	.	.	.	5	.
Cancer,	1	.	.	.	.	.	.	1	1	.	1	.	.	1	.	1	6	.
Diseases of Nervous System,	1	1	3	2	.	.	.	6	.	.	.	.	.	1	.	.	14	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	.	.	.	.	2	.	3	1	2	1	1	1	3	.	.	14	3
" Respiratory System. { Pneumonia,	.	5	3	1	1	.	.	1	1	3	.	.	.	4	.	.	19	.
" Respiratory System. { Others,	2	3	2	2	.	.	.	1	1	3	3	1	2	.	.	1	21	1
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
" Digestive System. { Others,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	2
" Genito-urinary System,	.	.	3	.	.	.	1	.	.	1	.	.	1	2	.	.	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	.	1	2	.	1	.	.	1	1	.	.	.	.	.	1	9	2
Violent Deaths,	.	.	.	1	.	.	.	1	.	.		.	.	.	.		2	1
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	1
Deaths from All Causes	7	13	13	12	2	3	1	18	6	16	14	4	8	14	1	4	136	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	12·2	16·6	24·3	17·8	19·2	11·5	4·9	23·3	17·1	19·4	22·0	21·4	10·8	24·4	5·7	12·3	17·6	.
	16·3							20·9					14·8					
	18·4																	
Ages at Death. { Under 1 year,	3	5	5	2	.	1	.	2	2	4	2	1	.	2	.	1	30	.
1 and under 2 years,	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	5	.
2 " 5 "	.	2	1	1	.	.	.	4	.	4	2	.	.	.	.	.	14	.
5 " 15 "	.	2	.	1	.	.	.	1	.	.	1	.	.	3	.	.	8	.
15 " 25 "	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
25 " 45 "	2	3	4	3	1	.	.	5	2	.	1	1	3	1	1	.	27	4
45 " 65 "	.	.	1	4	1	.	1	4	1	2	4	1	3	5	.	2	29	5
65 and upwards,	2	1	2	1	.	2	.	2	.	5	.	1	2	3	.	1	22	.
Number of Uncertified Deaths,	.	2	.	.	.	.	.	.	1	1	1	.	.	.	.	1	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	4	3	4	.	1	.	4	2	1	5	.	3	1	.	2	31	9
Workhouse Hospitals,	2	2	2	2	.	.	.	3	3	4	1	.	.	1	.	.	20	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 13th December, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.	Dec. 16, 1911.	Dec. 14, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	41·7°	42·6°	43·0°	37·3°	42·7°	41·1°	41·4°	45·2°	43·7°	46·4°	42·5°	46·0°										
ALL CAUSES.	193	197	148	171	180	179	158	165	180	142	171·3	147	9	21	5	14	8	3	31	34	15	7
Enteric Fever, ...	1	2	1	.	.	1	.	2	3	.	1·0	3	.	.	.	1	1	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	6	.	.	1	7	1	1	5	.	2·1	2	.	.	2	.	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	.	.	.	1	1	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4	.	2	4	1	3	2	1	3	1	2·1	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	.	1	5	3	1	2	3	4	.	2·1	4	.	.	.	2	2	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	2	3	1	1	2	1	1	1	2	1·8	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	1	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	.	.	.	1	2	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	16	30	9	15	18	23	15	14	12	19	17·1	16	.	.	.	1	.	.	10	4	1	.
Tuberculous Meningitis, ...	4	2	1	3	5	4	3	.	2	3	2·7	2	.	1	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	2	3	5	.	1	1	1	1	3	3	2·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									2	.		1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of Joints. ...	9	10	9	2	7	7	2	3	2	.	5·5	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		1	.	.	.	1	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									.	2		1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	.	4	2	1	2	1	2	1	1	.	1·4	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	14	6	11	7	7	5	8	4	7	9	7·8	6	.	.	.	.	.	.	2	4	.	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	3	2	.	.	1	.	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	.	2	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	4	3	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	.	.	.	1	1	.	2	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	.		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									4	2		5	.	.	.	.	.	.	1	3	1	.
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									4	3		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...									2	1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),									5	2		4	.	2	.	2	.	.	.	.	.	.
Other Diseases of Nervous System.	54	45	35	44	30	40	35	33	1	2	37·3	3	.	.	.	.	.	.	1	1	1	.
Pericarditis, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	.		1	.	.	.	.	1	.	.	.	.	.
Organic Diseases of the Heart,									18	9		15	.	.	.	.	.	2	1	6	5	1
Embolism and Thrombosis (including Cerebral)									.	.		1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Circulatory System.									3	.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	26	26	16	24	37	31	23	25	30	18	25·6	21	1	7	2	.	.	.	.	5	3	3
Broncho-pneumonia, ...	4	5	5	8	11	5	10	9	7	7	7·1	11	.	7	1	1	.	.	1	1	.	.
Lobar pneumonia, ...	.	2	.	1	1	1	3	4	.	3	1·5	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	3	3	3	6	11	6	6	14	1	7	6·0	7	.	.	.	1	1	.	3	1	1	.
Pleurisy, ...									2	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	6	.	1	2	3	3	7	.	.	2·9	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.									1	.		.	.	.	.	.	.	.	.	.	.	.

FIFTIETH WEEK, ending Saturday, 13th December, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years, 1903–1912.	In the Week ending Saturday, 13th December, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.	Dec. 16, 1911.	Dec. 14, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 41·7	° 42·6	° 43·0	° 37·3	° 42·7	° 41·1	° 41·4	° 45·2	° 43·7	° 46·4	° 42·5	° 46 0										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	3	—	1	.	.	.	.	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	4	3	2	6	5	3	4	3	3	2	3·6	4	1	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									1	.		2	.	.	.	1	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	.	1	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	1	.	1	1	1	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	1	1	.	.	.	.	.	2	.	·6	2	.	.	.	.	.	1	.	1	.	.
Peritonitis (cause unknown),	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	5	2	8	5	8	5	3	2	1	4·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...									.	1		1	.	.	.	1	.	.	.	.	.	.
Chronic Bright's Disease, ...									6	8		6	.	.	.	.	.	.	2	2	1	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	8	4	6	6	8	8	5	4	.	.	6·4	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									.	.		1	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	.	1	.	1	.	.	.	1	.	1	·4	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	6	6	6	2	5	2	5	8	4	4·7	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	4	—	2	2	.	.	.	.	.	.	.	.	.
Old Age, ...	8	7	8	2	3	1	1	4	8	5	4·7	1	.	.	.	.	.	.	.	.	.	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	3	1	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	3	.	.	2	2	1	1	1·1	1	.	.	.	1	.	.	.	.	.	.
Drowning, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	4	1	.	1	1	2	4	2	1	1·7	2	.	.	.	.	.	.	2	.	.	.
Total Deaths from Accident,	1	5	2	3	2	1	4	7	3	2	3·0	3	.	.	.	1	.	.	2	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	5	6	—	4	.	.	.	.	.	.	1	2	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered.	217	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212
Average Births in corresponding week of previous 10 years, ...	222	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	198	184	213	187	204
DEATHS registered, ...	148	130	137	166	129	126	149	144	157	168	164	157	193	143	177	163	159	148	162	174	158	164	148	164	153	147
Annual Death-rate per 1,000, ...	19·1	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5	20·4	21·2	19·1	21·2	19·8	19·0
Average Deaths in corresponding week of previous 10 years, ...	145	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171
Ages, Under 5 years, ...	41	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49
5—15 „ ...	8	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8
15—25 „ ...	7	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3
25—45 „ ...	25	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33	23	31
45—65 „ ...	34	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	34
65—75 „ ...	25	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15
75 and upwards, ...	8	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.	.	2	.	.	4	3
Typhus, ...	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2	2	1	.	1	1	2
Scarlet Fever, ...	.	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.	1	.	1	1	3	.
Whooping-cough, ...	4	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.	1	.	.	.	1	.
Diphtheria, ...	2	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2	1	5	1	2	1	4
Influenza, ...	2	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1	2	.	.	3	.	.
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	24	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16
Tuberculous Disease, Other Forms,	6	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5
Cancer, ...	9	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6
Diseases of Circulatory System,	8	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17
Diseases of Respiratory System, Pneumonia	13	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19
Diseases of Respiratory System, Others, ...	17	9	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22
Diarrhœa and Enteritis, under 2 years, ...	3	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4
Diarrhœa, 2 years and upwards,	.	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.	.	4	.	.	.	.
Violent Deaths, ...	4	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6	4	3
Number of Uncertified Deaths,	3	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7	2	4	6	3	4	6
Mean Temperature of the Air (Phœnix Park)	57·5	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9	44·4	46·6	46·6	47·6	44·4	46·0
Average Mean Temperature in corresponding week of previous 10 years, ...	55·9	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2	44·6	42·0	41·9	41·5	42·2	42·5
Rainfall in inches, ...	·360	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040	·710	·645	·640	·150	1·065	·165
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86	·90	·90	·88	·90	·93	·93

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th December, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Registration of Deaths, Week ending Saturday, 13th December, 1913. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	19·3	147	49	8	3	31	34	15	7	3	1	.	2	.	.	4	.	16	5	6	4	19	22	4	.	3	58	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	3·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS, ...	101,798	12·3	24	1	2	.	6	8	5	2	1	.	.	.	.	.	2	.	2	.	1	.	1	3	.	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	11·1	23	6	2	.	8	4	1	2	.	.	.	.	.	.	1	.	3	.	2	.	6	2	.	.	1	8	3
IV.	GENERAL SERVICE CLASS, ...	167,479	24·0	77	39	3	2	11	15	6	1	2	.	.	2	.	.	1	.	7	4	2	4	10	14	4	.	2	25	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	3	1	1	6	6	3	2	.	1	.	.	.	.	.	.	4	1	1	.	1	3	.	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16·4	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	16·6	8	1	.	.	1	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	33,249	1·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	18·5	12	.	2	.	4	4	1	1	.	.	.	.	.	.	2	.	2	.	1	.	.	1	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8·9	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
	9. Building and Furnishing Trades, ...	28,823	7·2	4	.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	1
	10. Clothing Trades, ...	20,026	13·0	5	2	.	.	2	.	1	.	.	.	.	.	.	.	1	.	2	.	.	.	1	1	.	.	.	.	.
	11. Food Supply Trades	8,952	23·3	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	9·8	6	1	1	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	2	.
	13. Petty Shopkeepers	6,772	15·4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
	15. Domestic Servants, ...	36,041	10·1	7	4	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	2	1	.	1	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	20·3	6	3	1	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	31·4	62	32	1	2	8	13	6	.	2	.	.	1	.	.	1	.	5	2	1	4	9	12	3	.	1	21	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	22	3	1	1	6	6	3	2	.	1	.	.	.	.	.	.	4	1	1	.	1	3	.	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Oct. 25,	26·2	3·5	15	.	.	.	.	.	.	.	.	5	.	1	1	1	2	.	.	2
		Nov. 1,	13·9	1·7	8	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.
		„ 8,	24·4	1·7	14	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.
		„ 15,	20·9	3·5	12	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	.
		„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	1	.
		„ 29,	34·9	3·5	20	.	.	.	.	1	.	.	.	1	.	1	2	4	1	.	3	1
		Dec. 6,	19·2	3·5	11	.	.	.	.	1	1	.	.	.	.	1	2	.	.	.	.	.
		„ 13,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Oct. 25,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	1
		Nov. 1,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.
		„ 8,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	2	1	2	1	.	.	1
		„ 15,	17·9	1·3	14	1	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.
		„ 22,	24·2	5·1	19	.	.	.	.	.	.	.	.	4	.	1	3	2	4	.	.	.
		„ 29,	19·1	1·3	15	.	.	.	.	.	.	.	.	2	.	.	2	1	1	.	.	.
		Dec. 6,	20·4	2·6	16	.	.	.	.	.	.	1	.	2	.	.	3	2	1	.	.	1
		„ 13,	16·6	1·3	13	.	.	.	.	.	.	1	.	1	.	.	5	3	.	.	.	2
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Oct. 25,	11·2	1·9	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
		Nov. 1,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
		„ 8,	28·1	3·7	15	.	.	.	.	1	.	.	.	3	1	.	2	.	1	.	1	.
		„ 15,	33·7	1·9	18	.	.	.	.	.	.	1	.	3	2	1	3	.	.	.	1	.
		„ 22,	28·1	3·7	15	.	.	.	.	.	.	.	.	1	.	.	3	3	2	.	.	1
		„ 29,	24·3	1·9	13	.	1	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.
		Dec. 6,	29·9	1·9	16	.	.	.	.	1	.	.	.	.	1	.	2	4	.	.	.	.
		„ 13,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Oct. 25,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.
		Nov. 1,	17·8	3·0	12	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
		„ 8,	11·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
		„ 15,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	.
		„ 22,	13·3	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
		„ 29,	14·8	.	10	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1
		Dec. 6,	22·2	1·5	15	1	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.	.
		„ 13,	17·8	1·5	12	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	1	.
	South City, No. 1 (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Oct. 25,	19·4	.	15	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	1
		Nov. 1,	27·1	3·9	21	.	.	.	.	.	.	.	1	3	5	1	.	1	2	.	.	1
		„ 8,	15·5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
		„ 15,	23·3	3.9	18	1	.	.	.	.	.	.	.	1	.	2	.	4	2	.	.	.
		„ 22,	24·5	2·6	19	.	.	.	.	1	.	.	.	.	1	1	1	2	1	.	1	2
		„ 29,	19·4	.	15	.	.	.	.	.	.	.	.	1	1	2	2	3	.	.	.	.
		Dec. 6,	18·1	3·9	14	.	.	.	.	1	.	.	.	3	.	.	.	2	2	.	.	.
		„ 13,	23·3	2·6	18	2	.	.	.	.	.	.	.	1	1	1	1	1	.	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Oct. 25,	42·6	2·8	15	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	.	1
		Nov. 1,	42·6	.	15	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	.	.
		„ 8,	14·2	2·8	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
		„ 15,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
		„ 22,	25·6	.	9	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
		„ 29,	31·3	.	11	.	.	.	.	.	.	.	.	4	1	.	3	1	.	.	.	1
		Dec. 6,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.
		„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Oct. 25,	20·6	2·4	17	.	1	.	.	.	.	.	.	3	.	.	1	2	1	.	.	.
		Nov. 1,	26·6	2·4	22	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	2
		„ 8,	15·7	1·2	13	.	.	.	.	.	.	.	.	1	.	1	4	3	1	.	.	.
		„ 15,	24·2	3·6	20	.	.	.	.	.	.	.	.	2	1	1	2	1	1	2	.	1
		„ 22,	19·4	1·2	16	.	.	.	.	.	.	1	.	.	.	2	1	4	.	.	1	2
		„ 29,	21·8	2·4	18	.	.	.	.	.	.	1	.	2	.	.	1	2	1	.	.	.
		Dec. 6,	18·1	1·2	15	.	.	.	.	.	.	.	.	.	1	.	3	2	1	.	1	1
		„ 13,	19·4	2·4	16	.	.	.	.	.	.	1	.	1	2	.	3	3	1	.	.	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Oct. 25,	31·4	9·4	20	.	.	.	2	.	.	.	.	2	.	2	.	.	4	.	.	.
		Nov. 1,	31·4	9·4	20	.	.	.	1	.	.	2	.	2	1	1	2	1	3	.	1	1
		„ 8,	20·4	1·6	13	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	2	.
		„ 15,	29·9	6·3	19	.	.	.	1	.	.	1	.	4	.	.	.	1	2	.	.	3
		„ 22,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
		„ 29,	20·4	4·7	13	.	.	.	.	.	.	.	.	3	.	1	2	2	3	.	.	.
		Dec. 6,	18·9	1·6	12	.	.	.	1	.	.	.	.	2	1	1	3	1	.	.	.	.
		„ 13,	22·0	7·9	14	.	.	.	2	.	.	2	.	2	1	1	.	3	1	.	.	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1913 (Est.) 38,769.	Oct. 25,	17·5	2·7	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	Nov. 1,	13·4	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	3	.
	„ 8,	17·5	.	13	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.
	„ 15,	16·1	2·7	12	.	.	.	.	.	.	1	.	3	.	2	.	.	1	.	.	.
	„ 22,	12·1	2·7	9	.	.	.	.	.	.	.	.	1	.	2	2	1	2	.	.	1
	„ 29,	13·4	1·3	10	.	.	.	.	.	.	1	.	1	.	4	.	2	.	.	.	.
	Dec. 6,	10·8	1·3	8	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	„ 13,	10·8	.	8	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
Pembroke Urban District. Pop. in 1913 (Est.) 29,942.	Oct. 25,	17·4	1·7	10	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.
	Nov. 1,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 8,	17·4	3·5	10	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.
	„ 15,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 22,	10·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 29,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	2	.
	Dec. 6,	10·4	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.
	„ 13,	24·4	1·7	14	.	1	.	.	.	.	.	.	1	.	1	4	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Oct. 25,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 1,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	30·8	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 15,	15·4	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	„ 22,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 29,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 6,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	„ 13,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
Belfast. Pop. in 1913 (Est.) 396,000.	Oct. 25,	15·1	1·7	115	.	.	.	2	7	.	1	.	8	6	6	6	15	2	1	1	2
	Nov. 1,	13·4	1·4	102	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1
	„ 8,	17·5	1·6	133	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	2
	„ 15,	18·3	1·8	139	.	.	.	1	7	3	2	.	22	2	8	16	15	1	.	4	6
	„ 22,	16·6	2·5	126	1	.	.	1	9	2	.	.	9	5	10	9	11	6	.	9	1
	„ 29,	14·7	1·3	112	2	.	.	3	4	.	1	.	8	3	6	10	12	.	.	1	1
	Dec. 6,	15·4	1·7	117	1	.	.	.	8	3	.	.	10	6	3	13	14	1	.	3	1
	„ 13,	18·0	1·8	137	.	.	.	.	8	3	2	.	8	5	7	25	10	.	1	2	.
Cork. Pop. in 1911 76,673.	Oct. 25,	20·4	1·4	30	.	.	.	.	.	.	.	.	5	.	4	1	2	1	1	1	4
	Nov. 1,	15·6	0·7	23	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.
	„ 8,	18·4	0·7	27	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.
	„ 15,	21·1	2·7	31	1	.	.	.	.	.	.	.	.	2	3	.	3	3	.	.	2
	„ 22,	10·2	1·4	15	.	.	.	.	1	.	.	.	2	1	.	.	2	1	.	1	1
	„ 29,	18·4	1·4	27	.	.	.	.	.	.	.	.	4	1	1	1	4	2	.	.	.
	Dec. 6,	16·3	2·0	24	.	.	.	.	1	.	.	.	5	2	2	.	1	2	.	1	3
	„ 13,	21·1	0·7	31	.	.	.	.	.	.	.	.	7	2	.	1	3	1	.	.	1
Londonderry. Pop. in 1913 (Est.) 41,000.	Oct. 25,	11·4	3·8	9	.	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.
	Nov. 1,	17·8	6·4	14	.	.	.	1	.	.	.	.	.	1	1	.	1	3	1	1	.
	„ 8,	21·6	1·3	17	.	.	.	1	.	.	.	.	3	.	.	3	1	.	.	.	.
	„ 15,	22·9	1·3	18	.	.	.	.	.	.	.	.	5	1	2	.	2	1	.	.	.
	„ 22,	12·7	2·5	10	.	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	.
	„ 29,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.
	Dec. 6,	17·8	2·5	14	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.
	„ 13,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Limerick. Pop. in 1911 38,518.	Oct. 25,	10·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
	Nov. 1,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1
	„ 8,	21·7	.	16	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	3
	„ 15,	24·4	.	18	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	.	2
	„ 22,	16·2	1·4	12	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.
	„ 29,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	.	5	.	.	.	2
	Dec. 6,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 13,	12·2	1·4	9	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	.	1
Waterford. Pop. in 1911 27,464.	Oct. 25,	30·4	3·8	16	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	2
	Nov. 1,	11·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2
	„ 15,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 22,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	1	1	.	1	.	.
	„ 29,	11·4	1·9	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Dec. 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	2
	„ 13,	9·5	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th December, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOUS DISEASE: Phthisis.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	13	19·7	.	6	.	1	.	2	2	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	1	4	.
Do. 2 do.	49,500	19	9·5	1·1	9	1	2	.	2	2	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	3	.
Do. 3 do.	50,032	20	17·7	2·1	17	3	8	1	1	3	1	.	.	.	.	1	1	.	.	1	2	1	5	.	.	.	.	.	3	.
Do 4 do.	32,637	18	20·8	.	13	2	1	2	3	2	3	.	.	.	.	.	.	.	.	.	.	2	4	1	.	.	.	.	7	.
Do. 5 do.	16,112	14	29·1	3·2	9	2	1	2	2	1	1	.	.	.	.	1	.	.	.	1	3	.	2	.	.	.	1	2	4	.
Do. 6 do.	37,293	12	14·0	2·8	10	1	1	3	.	2	3	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	5	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	7	8·7	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.	24,427	21	17·1	2·1	8	3	2	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.	.	.
Do. 10 do.	28,958	16	25·2	3·6	14	4	2	.	3	4	1	.	.	.	.	1	.	1	.	.	.	.	5	1	.	.	.	.	4	.
Do. 11 do.	39,311	18	19·9	2·7	15	2	2	1	5	2	3	.	.	.	.	1	1	.	.	2	.	2	1	1	.	.	.	.	4	.
Do. 12 do.	38,076	25	19·2	1·4	14	5	3	2	.	3	1	.	.	.	.	.	1	.	.	.	.	1	1	4	.	.	.	1	.	.
Do. 13 do.	23,233	7	20·2	.	9	.	.	1	1	3	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	2	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	14	27·6	4·6	12	.	2	.	2	4	4	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	5	.
Total,	386,947	205	18·0	1·8	137	23	26	12	22	29	25	.	.	.	.	8	3	2	.	8	5	7	25	10	.	1	2	4	41	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	10	15·5	.	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	2	.
Do 2 do.	10,701	6	20·1	.	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do 3 do.	9,978	6	31·9	.	6	.	1	1	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	.
Do 4 do.	8,666	4	22·8	.	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.
Do 5 do.	6,592	6	41·7	.	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
Do 6 do.	10,702	10	22·5	4·5	5	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
Do. 7 do.	16,616	12	9·7	.	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Total,	76,122	54	21·1	0·7	31	5	2	5	5	8	6	.	.	.	.	.	.	.	.	7	2	.	1	3	1	.	.	2	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered, ...	187	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136	205
DEATHS registered, ...	106	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139	126	112	117	137
Annual Death-rate per 1,000 of estimated population, ...	14·0	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4	17·5	18 3	16·6	14·7	15·4	18·0
AGES, Under 1 year, ...	18	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23
1—5 years, ...	10	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26
5—25 „ ...	18	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12
25—45 „ ...	21	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22
45—65 „ ...	26	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	26	23	18	24	32	29	24	27	29
65 and upwards, ...	13	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1	.	1	2	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.	1	1	3	.	.
Scarlet Fever, ...	1	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8
Whooping-cough, ...	.	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.	.	3	2	.	3	3
Diphtheria, ...	.	1	.	.	2	.	1	.	.	.	2	.	2	3	1	.	2	1	1	.	.	2	.	1	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10	8
Tuberculous Disease. Other Forms,	9	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5	3	6	5
Cancer, ...	4	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7
Diseases of Respiratory System, Pneumonia,	8	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25
Diseases of Respiratory System, Others, ...	7	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13	15	11	12	14	10
Diarrhœa and Enteritis, under 2 years, ...	1	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6	.	1	.
Diarrhœa, 2 years and upwards,	.	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1	1	.	.	.	.	1
Violent Deaths, ...	3	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4	4	9	1	3	2
Number of Uncertified Deaths, ...	.	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1	2	6	1	1	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Dec. 13,	2,147	1,231	14·2	3	.	6	5	14	12	34*a*
Edinburgh, ...	320,300	„ 13,	111	79	12·9	.	.	4	3	.	4	1*a*
Glasgow, ...	1,021,500	„ 13,	534	363	18·5	1	.	16	6	4	6	5*a*
Calcutta, ...	896,067	Nov. 1,	.	515	29·8	78*	.	.	.	.	1†	69‡
Bombay, ...	979,445	„ 8,	500	553	29·4	80*	1	6	.	.	.	45
Madras, ...	518,660	„ 8,	410	407	40·8	55*	1	2	?	?	?	81
Cairo, ...	715,609	Sept. 23,	546	471	34·3	8	3	2	1	?	11†	120*a*
Paris, ...	2,847,229	Nov. 29,	909	727	13·0	10	.	3	.	1	1†	21*a*
Brussels, ...	767,252	„ 22,	210	150	10·2	1	1	.	.	.	1†	12*a*
Antwerp, ...	312,884	„ 22,	124	70	11·7	1	.	.	.	.	.	10*a*
Amsterdam, ...	593,690	„ 22,	260	123	10·8	2	.	5	.	4	1†	3*a*
Copenhagen, ...	482,000	„ 22,	217	124	13·4	.	.	.	1	3	1	7*a*
Stockholm, ...	376,171	„ 22,	134	103	14·2	.	.	.	1	.	2	1
Christiania, ...	250,423	„ 29,	104	57	11·8	.	.	.	1	.	1	2
St. Petersburg ...	1,708,600	„ 8,	1,019	646	19·7	21	1	16	19	3	11	34*a*
Moscow, ...	1,694,000	„ 1,	.	718	22·1	10	1	11	21	5	14†	97
Berlin, ...	2,057,715	„ 15,	694	565	14·3	.	.	1	5	1	21†	23
Hamburg, ...	1,006,748	„ 22,	.	269	13·9	1	.	12	2	7	5†	5
Breslau, ...	541,606	„ 22,	.	175	16·8	1	.	.	2	1	2	11
Munich, ...	638,000	„ 22,	.	174	14·2	.	.	1	1	3	.	15
Vienna (with suburbs),	2,132,523	„ 22,	550	579	14·1	1	.	.	2	1	8†	19*a*
Buda-Pesth, ...	930,666	„ 22,	420	301	16·8	.	.	2	5	1	5†	25*a*
Prague and Faubourgs,	494,055	„ 8,	163	148	15·6	.	.	.	1	.	4†	10*a*
Trieste, ...	242,595	„ 22,	123	75	16·1	1	.	.	.	.	1†	7*a*
Rome, ...	582,565	July 19,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Nov. 1,	2,384	1,183	11·5	8	.	3	4	8	18†	52*a*
Philadelphia, ...	1,631,960	Oct. 25,	.	436	13·9	2	.	.	3	3	2	31*a*
Boston, ...	735,399	Nov. 22,	.	202*b*	14·3	1	.	.	3	1	1	3

* Deaths from "fever," including 4 from enteric fever in Calcutta; one from enteric fever and 9 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 6 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures, *i.e.*, non-residents deducted, 179 (including 2 deaths from diarrhœal diseases), rate 12·7 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th December, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	2	.	.	2	1	.	.	.	.	6
" " 1, West, ...	.	3	.	.	2	.	.	.	.	.	.	4	.	9
" " 2, ...	.	1	1	.	.	.	.	2	.	.	.	4	.	8
" " 3, ...	.	2	.	.	.	.	.	1	1	.	.	1	.	5
Clontarf and Howth No. 1 (part of),	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	1	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	.	.	.	2	.	.	.	2	.	6
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	2	.	3
" " 3, ...	.	3	.	.	2	.	.	.	.	.	.	1	.	6
" " 4, ...	.	3	.	.	5	.	.	1	.	.	.	3	.	12
New Kilmainham, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Total, ...	.	19	1	.	13	.	.	9	2	.	.	18	.	62

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 13th December 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th December.			
	Nov. 22.	Nov. 29.	Dec. 6.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	57	62	63	10	19	2	52
Typhus, ...	1	.	2	1	.	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	8	8	3	3	.	8
Scarlet Fever, ...	101	113	115	24	17	1	121*
Diphtheria, ...	70	79	84	17	20	2	79
Pneumonia, ...	31	38	26	10	7	.	29

* Exclusive of 17 patients in 'Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 13th December, 1913:—

"Very open weather continued through this week, but on Friday a decided fall of temperature took place, and the period closed with a fine and seasonably cold day. The distribution of atmospheric pressure was once more cyclonic in the north, anticyclonic in the south. A succession of large and deep depressions passed eastwards along the Arctic Circle from Iceland to Northern Europe, while a broad band of high pressure stretched from the Atlantic, in latitude 40° N., across Spain to France and Central Europe. On Wednesday, however, Germany came within the sphere of influence of a large depression then centred on the Arctic Circle in the North of Norway. The same thing happened on Saturday. The above distribution of pressure led to high S.W. and W. winds in the British Isles, accompanied by clouded skies, high temperatures for the time of year, and frequent but not heavy rainfalls. In the North of Scotland a sudden and extreme rise of temperature occurred at the beginning of the week—at 7 a.m. of Sunday the thermometer read 40° at Wick, or 21° above the reading of the previous morning. Next day all traces of frost had disappeared from all parts of the British Isles. During Thursday night temperature rose to above 50° in many districts, touching 54° at Liverpool and exceeding 52° in Dublin. On Friday the southern anticyclone swayed northwards and there was a general fall of temperature as the sky cleared and the wind lulled, though without veering. In Dublin the mean height of the barometer was 30·126 inches, the observed range being from 30·315 inches at 9 a.m. of Wednesday (wind, W.S.W.) to 29·896 inches at 9 a.m. of Friday (wind, W). The corrected mean temperature was 47·2°, the mean dry bulb reading at 9 a.m. and 9 p.m, being 46·2°. The screened thermometers rose to 56·8° on Monday and fell to 37·2° on Saturday. Westerly winds prevailed throughout. The rainfall was ·134 inch on four days, ·090 inch being measured on Monday.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·143 inches. The highest reading (30·339) was on Wednesday, at 9 a.m., wind W.S.W., the lowest (29·931) on Friday at 9 a.m., wind W.

The mean temperature for the week was 46·0°, being 3·5° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Monday, on which day the thermometer registered 56°, and was lowest on Saturday, the mercury having fallen to 33°. The mean of the Dry Bulb for the week was 45·9° and of the Wet Bulb, 44·8°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 0·165 inch.

At Greenwich the mean temperature for the week was 46·2°, the maximum 54·6°, and the minimum 36·9°; at Glasgow the maximum was 56·0°, the minimum 28·0°, and the mean 44·0°; and at Edinburgh the maximum was 55·9°, the minimum 28·4°, and the mean 43·8°. The rainfall at Greenwich measured 0·02 in.; at Glasgow 0·43 in., and at Edinburgh 0·07 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 7,	30·050	48	45	46·5	46·9	46·1	·95	·2	0·2	·040	W.	Calm.
Monday „ 8,	30·055	56	46	51·0	52·1	51·0	·93	·6	0·0	·095	S.W.	W.S.W.
Tuesday, „ 9,	30·105	55	41	48·0	44·4	43·8	·96	·6	1·5	·000	W.	W.
Wednesday, „ 10,	30·325	48	41	44·5	46·3	44·3	·87	·6	0·0	·005	W.S.W.	W.
Thursday, „ 11,	30·100	50	43	46·5	47·1	46·5	·96	·6	0·0	·025	W.	S.W.
Friday, „ 12,	30·050	52	40	46·0	43·5	42·4	·92	·6	0·0	·000	W.	W.
Saturday, „ 13,	30·315	46	33	39·5	40·8	39·5	·90	·5	4·0	·000	W.	W.
Mean, ...	30·143	50·7	41·3	46·0	45·9	44·8	·93	·5	Total 5·7	Total ·165	Prevailing Wind, W.	

Sunday—A dull day, showers at intervals p.m.; night overcast, drizzling rain 4.30 to 6.0 a.m. *Monday*—Day overcast; night cloudy, drizzling and heavy rain 6.45 to 9.0 a.m. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day overcast; night cloudy, drizzling rain 7.15 to 8.15 a.m. *Thursday*—Day overcast, heavy showers 6.0 to 8.0 p.m.; night clear to cloudy, drizzling rain 7.0 to 8.0 a.m. *Friday*—Day overcast; night clear. *Saturday*—A fine bright day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 13th December, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 7,	47·0	46·0	48·7	50	43	46·5	0·2	·014
Monday, „ 8,	50·4	46·7	48·5	57	47	52	—	·080
Tuesday, „ 9,	48·8	47·9	48·4	56	43	49·5	0·6	—
Wednesday, „ 10,	47·0	46·9	48·5	49	44	46·5	—	—
Thursday, „ 11,	45·8	46·7	48·6	52	44	48	—	·012
Friday, „ 12,	48·7	46·9	48·5	53	43	48	0·7	—
Saturday, „ 13,	40·4	45·9	48·5	53	38	45·5	2·1	—
Weekly Mean,	46·9	46·7	48·5	52·9	43·1	48·0	Total 3·6	Total. ·106

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 12. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 20TH DECEMBER, 1913. [No. 51.

General Register Office, Charlemont House,
Dublin, 22nd December, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending Nov. 29	Dec. 6	Dec. 13	Dec. 20	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·6**	**16·0**	**17·7**	**18·9**	**17·3**
Dublin Reg. Area ...	19·7	18·1	17·6	20·3	18·9
Dublin City ...	21·0	20·3	18·4	22·7	20·6
Belfast	14·7	15·4	18·0	18·6	16·7
Cork	18·4	16·3	21·1	23·1	19·7
Londonderry ...	14·0	17·8	8·9	11·4	13·0
Limerick	17·6	14·9	12·2	17·6	15·6
Waterford	11·4	11·4	9·5	34·2	16·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·6 per 1 000. Among the 141 deaths from all causes for Belfast are 5 from scarlet fever, 3 from whooping-cough, one from diphtheria, and one from diarrhœa and enteritis of a child under 2 years. Included in the 10 deaths from all causes for Galway are one from measles and 2 from diarrhœa and enteritis of children under 2 years. One of the 3 deaths recorded for Lisburn is from whooping-cough, and one of the 6 deaths from all causes for Newtownards is also from this disease. One of 5 deaths from all causes for Coleraine is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—93 boys and 92 girls—and the deaths to 167—86 males and 81 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(a) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·3 per 1,000 of the population. During the fifty-one weeks, ending with Saturday last, the death-rate averaged 20·2, and was 1·5 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 167, represent an annual rate of 21·6 per 1,000; the annual rate for the past fifty-one weeks was also 21·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

The deaths registered include one from enteric fever, one from measles, 3 from scarlet fever, one from whooping-cough, 6 from diphtheria, 2 from influenza, and 8 from diarrhœa and enteritis of children under 2 years of age. In the three preceding weeks, deaths from enteric fever were 0, 4, and 3; deaths from measles were one, one, and 2; deaths from scarlet fever were one, 3, and 0; deaths from whooping-cough were 0, one, and 0; deaths from diphtheria were 2, one, and 4; deaths from influenza were 3, 0, and 0; and deaths of children under 2 years of age from diarrhœa and enteritis were 7, 5, and 4, respectively.

There were 30* deaths from all forms of tuberculous disease, including 23 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 4 from other forms of tuberculous disease. Deaths from all forms of the disease in the 3 preceding weeks numbered 23, 20, and 21, respectively.

Fourteen deaths were caused by broncho-pneumonia, one by lobar pneumonia, and 3 by pneumonia (type not distinguished).

Cancer caused 7 deaths.

Deaths of infants under one year of age include one death attributed to convulsions, 5 to premature birth, and 2 to congenital debility.

There were 17 deaths from organic diseases of the heart, and 14 from bronchitis.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under 2 years of age, and the deaths of 2 persons aged 65 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 8 were under one month old) and 30 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions of this number 9 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·3 per 1,000; the rate in the City was 22·7 (North City Districts, 24·6; South, 20·5) and in the Suburbs, 12·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 2·2, and in the South 4·3), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·6 per 1,000. There were 2 deaths each from influenza, pulmonary tuberculosis, and broncho-pneumonia, one from bronchitis, and 2 deaths from diarrhœa and enteritis of children under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·5 per 1,000. Among them are one each from whooping-cough, diphtheria, and pulmonary tuberculosis, 5 from broncho-pneumonia, and one from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26·2 per 1,000, and included one from scarlet fever, 4 from broncho-pneumonia, and 3 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 25·2 per 1,000. One death from diphtheria and 8 deaths from tuberculous disease were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 29·5. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one was from scarlet fever; and the 6 deaths from all causes for Finglas and Glasnevin, part of, included 2 from pulmonary tuberculosis

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·7 per 1,000, and include one death from enteric fever, 3 deaths from tuberculous disease, one from pneumonia, and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. Among them are one death each from scarlet fever and diphtheria, 2 from tuberculous disease, and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000. One death from diphtheria, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and 3 deaths from bronchitis, were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000, and include one death from measles, one from diphtheria, 4 from pulmonary tuberculosis, and 6 from diarrhœa and enteritis of children under 2 years of age.

New Kilmainham District.—The only death recorded, equal to an annual rate of 5·3 per 1,000, was caused by broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 15·7; Blackrock, 17·1; and Kingstown, 12·3. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Pembroke. Among the 7 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and one from pneumonia; the 9 deaths from all causes for Pembroke include 2 from tuberculous disease, 2 from pneumonia, and one from bronchitis; and of the 4 deaths from all causes for Kingstown one is from bronchitis.

* See note (*c*) at foot of Table II.
† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 20th December, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 29,	.	—	—	21	1	.	6	.	2	6	6	.	—	—	.	—	30	.	72
	Dec. 6,	.	—	—	28	2	.	11	.	.	9	5	.	—	—	.	—	26	.	81
	Dec. 13,	.	—	—	19	1	.	13	.	.	9	2	.	—	—	.	—	18	.	62
	Dec. 20,	.	—	—	19	.	.	17	.	.	11	6	.	—	—	.	—	27	.	80
Rathmines and Rathgar Urban District.	Nov. 29,	.	—	—	1	.	.	6	.	.	3	.	.	—	—	—	—	—	—	10
	Dec. 6,	.	—	—	.	.	.	5	.	.	1	.		—	—	—	—	—	—	6
	Dec. 13,	.	—	—	3	.	.	9	.	.	2	.	.	—	—	—	—	—	—	14
	Dec. 20,	.	—	—	2	.	.	6	.	.	1	.	.	—	—	—	—	—	—	9
Pembroke Urban District.	Nov. 29,	.	.	.	3	.	.	3	.	.	1	.	.	—	.	—	—	.	—	7
	Dec. 6,	.	.	.	1	.	.	1	.	.	3	1	.	—	.	—	—	.	—	6
	Dec. 13,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	—	—	.	—	1
	Dec. 20,	.	.	.	1	.	.	1	.	.	5	.	.	—	1	—	—	.	—	8
Blackrock Urban District.	Nov. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 6,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 13,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
	Dec. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Nov. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Dec. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Dec. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Nov. 29,	.	—	—	67	.	.	9	1	.	4	6	.	—	—	.	—	2	2	91
	Dec. 6,	.	—	—	84	.	.	7	.	.	3	9	.	—	—	.	—	.	1	104
	Dec. 13,	.	—	—	89	.	.	16	.	.	2	8	.	—	—	.	—	10	1	126
	Dec. 20,	.	—	—	66	.	.	12	.	.	2	6	1	—	—	.	—	8	.	95

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th December, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 57 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 62, 63, and 52.

Three cases of typhus remained under treatment in hospital at the close of the week, the cases in hospital at the end of the three preceding weeks numbering 0, 2, and 3, respectively.

Five cases of measles were admitted to hospital, 5 were discharged, and 8 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 8, 8, and 8 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 11 were discharged, there were 2 deaths, and 126* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 113, 115, and 121, respectively.

Twenty-three cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 6 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 79, 84, and 79, respectively, were 84 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 6 were discharged, there were 2 deaths and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·7), was equal to an average annual death-rate of 14·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 17·6, and for Edinburgh 14·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th December. From this Report it appears that of a total of 81 cases notified, 40 were scarlet fever, 17 phthisis, 16 diphtheria, 7 erysipelas, and one enteric fever. Among the 572 cases of infectious diseases in hospital at the close of the week were 304 cases of scarlet fever, 130 of phthisis, 74 of diphtheria, 41 of measles, 11 of erysipelas, 4 of enteric fever, and one of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 13th December, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 20th December, 1913. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 27 Town Districts, ...	1,199,180	19·0	23·0	18·2	1·6	529	435	76	82	1	...	...	2	8	6	8	...	52	17	24	35	45	11	...	5	16	136	18
Dublin Registration Area:— Total, (c.) ...	403,000	29·3	23·9	20·3	2·6	185	157	31	30	1	...	...	1	3	1	6	...	21	6	7	17	16	8	...	...	2	62	4
City of Dublin,	308,187	39·0	26·1	22·7	3·2	154	134	30	23	1	...	...	1	3	1	5	...	20	4	6	14	13	8	...	...	2	54	3
Urban Districts. Rathmines & Rathgar,	38,769	22·6	17·5	9·4	.	13	7	...	4	...	...	...	...	...	...	...	..	1	...	...	1	...	...	...	...	...	3	1
Pembroke ...	29,942	19·0	24·4	15·7	1·7	14	9	1	1	...	...	...	...	..	..	1	...	...	2	...	2	2	...	...	...	...	3	...
Blackrock, ...	9,161	8·5	5·7	17·1	.	1	3	...	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	1	...
Kingstown, ...	16,941	11·6	9·2	12·3	.	3	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	..	...	1	...
Belfast ..	396,000	26·5	25·8	18·6	1·3	196	141	27	17	...	...	...	...	5	3	1	...	12	2	10	14	14	1	..	1	9	35	3
Cork, ..	76,673	28·6	12·9	23·1	.	19	34	4	9	...	...	...	...	...	...	...	...	4	4	1	1	6	..	...	1	2	15	...
Londonderry...	41,000	15·9	25·4	11·4	.	20	9	2	4	...	...	...	...	...	...	...	...	...	1	2	...	3	...	...	...	...	2	..
Limerick, ...	38,518	16·1	21·7	17·6	.	16	13	...	3	...	...	...	...	...	...	...	..	1	...	...	...	4	...	...	...	2	4	2
Waterford, ...	27,464	19·1	20·9	34·2	.	11	18	...	3	...	...	...	...	...	...	...	...	7	2	...	...	2	...	...	1	...	7	...
Galway, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			13	10	3	2	...	..	...	1	...	...	...	...	...	...	...	1	...	2	...	1	...	3	1
Dundale, ...	13,128	9·5				3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
Lurgan, ...	12,553	14·7				5	4	...	1	...	..	...	...	...	...	...	..	...	...	...	2	..	...	...	...	...	2	1
Drogheda, ...	12,501	8·4				2	1	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...
Lisburn, ...	12,388	10·9				3	3	...	...	...	...	...	..	...	1	...	...	1	...	...	...	...	...	...	...	..	...	...
Newry, ...	11,963	17·0				4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Wexford, ...	11,531	22·8				3	4	...	1	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...	1
Ballymena ..	11,381	9·3				1	6	2	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1
Sligo, ...	11,163	3·8				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
Kilkenny, ...	10,514	11·4				7	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...
Tralee, ...	10,300	17·4				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,209	7·8				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1				8	6	2	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	1	1	1	2
Queenstown, ...	8,209	14·7				4	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
Larne, ...	8,036	13·4				1	3	...	..	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
Coleraine, ...	7,785	7·7				3	5	...	3	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
Bangor, ...	7,776	8·5				5	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...
Bray, ..	7,691	7·2				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	7,472	6·2				2	3	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	2
Armagh, ...	7,356	21·8				2	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	1	..

Towns and Districts.	Meteorology. (d) Week ending 20th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 27 Town Districts, ...	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:— Total, (c.) ...	e 53	36	44·1	0·07	e 56	33	46·0	0·17	e 54	32	44·4	1·07
City of Dublin,	f 53·0 g 52·9	39·8 37·0	45·2 44·5	0·02 0·05	f 56·8 g 55·8	37·2 33·7	47·2 46·3	0·13 0·13	f 53·9 g 53·9	33·6 33·0	44·9 43·9	1·23 1·24
Urban Districts. Rathmines & Rathgar,	...	...	...	...	...	...	...	...	.	...	...	...
Pembroke ...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	...	...	...	...	...	...	...	...	...	...	...	...
Belfast ..	54	41	45·2	0·01	59	39	47·6	0·11	55	33	45·5	1·24
Cork, ..	51	38	45·1	0·11	53	40	48·3	0·20	54	37	48·5	0·99
Londonderry...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	52·6	32·0	43·7	0·04	57·9	32·2	47·1	0·32	52·5	32·9	46	2·19
Waterford, ...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	53	30	42	0·02	55	26	43	0·29	53	32	43	1·23
Dundale, ...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22
Drogheda, ...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22
Newry, ...	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22
Portadown, ...	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22
Wexford, ...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	52	34	42·0	0·14	55	35	46·0	0·43	53	35	43·0	2·48
Kilkenny, ...	52	29	42·7	0·05	55	30	46·0	0·14	53	34	45·2	1·30
Tralee, ...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	51	36	44·4	0·16	56	35	46·3	0·28	52	34	42·7	1·14
Queenstown, ...	51	38	45·1	0·11	53	40	48·3	0·20	54	37	48·5	0·99
Larne, ...	...	...	...	...	...	...	...	...	...	...	...	...
Coleraine, ...	...	...	...	...	...	...	...	...	...	...	...	...
Bangor, ...	...	...	...	...	...	...	...	...	...	...	...	...
Bray, ..	...	...	...	...	...	...	...	...	...	...	...	...
Athlone, ...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17	52·3	34·2	42·6	1·22

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡.) at foot of first page. (c) Exclusive of 10 deaths of persons admitted to hospital from localities outside the Area; three of the 10 deaths were from tuberculous disease. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 20th of December, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF						
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	3	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	1	.	.	.	.	1	1	1	.	.	1	.	.	6	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	1	.	6	.	.	2	2	1	2	4	.	1	.	.	.	21	2
Tuberculous Disease. { Other Forms,	.	.	.	2	.	.	.	1	1	.	.	.	.	2	.	.	6	1
Cancer,	.	1	.	.	.	.	.	1	1	2	1	.	.	.	1	.	7	.
Diseases of Nervous System,	1	3	3	1	.	2	1	2	.	1	1	.	.	.	.	1	16	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	2	.	1	.	.	.	1	1	2	1	.	4	.	1	1	16	2
" Respiratory System. { Pneumonia,	2	5	4	.	.	.	.	1	.	1	.	1	1	2	.	.	17	1
" Respiratory System. { Others,	1	1	3	.	.	.	.	2	3	3	.	.	.	2	.	1	16	.
" Digestive System. { Diarrhœa and Enteritis, under 2 years,	2	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	8	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Others,	.	2	1	1	.	.	1	.	.	1	.	.	1	.	1	.	8	.
" Genito-urinary System,	1	1	.	2	.	.	1	.	.	1	.	.	.	1	.	.	7	2
Puerperal Septicæmia, etc.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	1	2	2	.	.	1	4	.	1	.	.	.	1	.	.	15	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	.		.	.	.	.		.	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Deaths from All Causes	17	20	14	17	.	3	6	16	9	16	15	1	7	9	3	4	157	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·6	25·5	26·2	25·2	.	11·5	29·5	20·7	25·6	19·4	23·6	5·3	9·4	15·7	17·1	12·3	20·3	.
	24·6							20·5					12·6					
	22·7																	
Ages at Death. { Under 1 year,	5	4	6	3	.	.	1	5	.	2	4	.	.	1	.	.	31	.
Ages at Death. { 1 and under 2 years,	1	1	1	1	.	1	.	.	.	.	4	1	.	1	.	.	11	.
Ages at Death. { 2 " 5 "	.	4	1	1	.	1	.	2	2	.	.	.	.	2	.	.	13	.
Ages at Death. { 5 " 15 "	1	.	1	1	.	.	.	.	2	1	.	.	.	2	.	.	8	.
Ages at Death. { 15 " 25 "	.	1	.	1	.	.	1	1	.	.	.	.	1	.	.	.	5	1
Ages at Death. { 25 " 45 "	6	1	1	5	.	1	.	1	1	6	1	.	.	1	1	2	27	4
Ages at Death. { 45 " 65 "	3	1	2	3	.	.	3	5	1	4	5	.	2	1	2	.	32	5
Ages at Death. { 65 and upwards,	1	8	2	2	.	.	1	2	3	3	1	.	4	1	.	2	30	.
Number of Uncertified Deaths,	.	1	.	.	.	1	.	.	.	.	1	.	1	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	4	5	6	.	1	1	3	2	1	5		2	3	1	1	38	10
Workhouse Hospitals,	2	2	.	5	.	.	1	2	1	7	3	.	1	.	.	.	24	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										51st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 20th December, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.	Dec. 24, 1910.	Dec. 23, 1911.	Dec. 21, 1912.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 39·7	° 38·2	° 46·1	° 45·5	° 47·0	° 41·5	° 33·5	° 43·5	° 44·7	° 44·4	° 42·4	° 44·1										
ALL CAUSES.	153	184	171	217	195	143	155	178	168	166	173·0	167	8	23	11	13	8	6	31	37	20	10
Enteric Fever, ...	2	1	4	2	.	.	3	1	.	1	1·4	1	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	10	.	2	.	5	.	.	4	.	2·2	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	1	.	1	.	3	2	·9	3	.	.	.	2	1	.	.	.	.	.
Whooping-cough, ...	3	.	1	2	2	1	2	5	5	1	2·2	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	2	3	2	.	2	5	1	1·5	6	.	.	3	2	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	5	.	.	6	3	1	2	1·8	2	.	.	.	.	.	.	.	1	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	.	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	2	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	31	14	27	27	22	30	14	19	20	29	23·3	23	.	.	.	1	.	4	10	7	1	.
Tuberculous Meningitis, ...	3	.	1	2	2	2	4	.	1	5	2·0	3	.	.	.	1	2	.	.	.	.	.
Abdominal Tuberculosis, ...	.	1	.	2	3	3	.	.	1	.	1·0	2	.	.	.	1	.	.	.	1	.	.
Tuberculosis of the Vertebral Column.									1	.		1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of Joints, ...	6	8	3	5	3	4	.	7	.	.	4·4	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									2	5		1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	3	.	1	1	.	1	1	1	1	1	1·0	2	1	.	.	.	.	.	1	.	.	.
Cancer, ...	8	5	5	17	6	6	6	13	11	8	8·5	7	.	.	.	.	.	.	.	3	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.		.	.	1	1	.	.	2	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	.	.	.	1	.	.	·2	2	.	.	.	.	.	.	1	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	3	1	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	1	1	.	1	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	2		3	.	1	1	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									5	5		6	.	.	.	.	.	.	3	1	1	1
Softening of Brain, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									6	1		2	.	.	.	.	.	.	.	2	.	.
Epilepsy, ...									.	.		2	.	.	.	.	.	.	2	.	.	.
Convulsions (non-puerperal),									3	4		1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	35	60	43	54	43	24	31	40	4	1	39·5	3	.	.	.	.	.	.	2	1	.	.
Pericarditis, ...									.	2		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									13	10		17	.	.	.	.	.	.	5	4	6	2
Embolism and Thrombosis (including Cerebral)									1	2		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.									1	3		1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	16	26	24	22	37	20	28	23	19	17	23·2	14	.	3	.	1	.	.	.	4	3	3
Broncho-pneumonia, ...	4	9	5	11	15	9	11	9	6	6	8·5	14	1	7	3	1	1	.	.	.	.	1
Lobar pneumonia, ...	.	.	2	3	4	.	3	3	1	1	1·7	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	5	7	4	9	5	3	6	6	9	2	5·6	3	.	.	.	1	.	.	1	1	.	.
Pleurisy, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	5	1	3	6	1	2	3	1	1	2·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	.		2	.	.	.	.	.	.	.	2	.	.

FIFTY-FIRST WEEK, ending Saturday, 20th December, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										51st Week of the 10 years, 1903–1912.	In the Week ending Saturday, 20th December, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.	Dec. 24, 1910.	Dec. 23, 1911.	Dec. 21, 1912.	Averages in Week of the 10 years, 1903–1912.	—	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	39·7	38·2	46·1	45·5	47·0	41·5	33·5	43·5	44·7	44·4	42·4	44·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	2	.	.	.	·2	1	.	.	.	.	.	1	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	.	2	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	1	4	6	5	6	5	2	2	2	11	4·6	8	.	5	3	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards									2	.		2	.	.	.	2	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	1	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	.	.	2	.	1	.	2	2	1	·8	2	.	.	.	.	.	.	1	.	1	.
Other Diseases of Liver, ...	1	1	2	.	1	1	.	1	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	.	3	.	1	.	.	.	1	·6	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Digestive System.	3	2	4	8	3	3	6	7	.	1	3·7	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	9	6	10	5	7	2	5	5	1	1	5·8	3	.	1	.	.	.	.	.	2	.	.
Chronic Bright's Disease, ...									4	1		5	.	.	.	.	1	.	.	3	.	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									1	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	.		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	1	.	1	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	1	.	2	1	1	2	1	·9	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	.	—	1	.	1	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	6	7	3	5	4	3	4	2	5	4·1	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	1	7	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	3	4	3	2	.	1	1	4	6	5	2·9	2	.	.	.	.	.	.	.	.	2	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	3	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	2	4	.	1	1	2	3	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	.	.	2	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	5	2	1	4	1	1	1	.	1	1·6	1	.	.	.	.	.	.	.	1	.	.
Total Deaths from Accident,	2	6	4	5	6	3	2	4	4	1	3·7	1	.	.	.	.	.	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	2	1	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	1	4	—	1	.	.	.	.	.	.	.	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered.	216	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185
Average Births in corresponding week of previous 10 years, ...	244	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179
DEATHS registered, ...	130	137	166	129	126	119	144	157	168	164	157	193	143	177	163	159	148	162	174	158	164	148	164	153	147	167
Annual Death-rate per 1,000, ...	16·8	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5	20·4	21·2	19·1	21·2	19·8	19·0	21·6
Average Deaths in corresponding week of previous 10 years, ...	134	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173
Ages, Under 5 years, ...	27	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49	55
5—15 " ...	13	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8
15—25 " ...	7	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3	6
25—45 " ...	23	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33	23	31	31
45—65 " ...	37	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	34	37
65—75 " ...	12	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20
75 and upwards, ...	11	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.	.	2	.	.	4	3	1
Typhus, ...	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2	2	1	.	1	1	2	1
Scarlet Fever, ...	.	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.	1	.	1	1	3	.	3
Whooping-cough, ...	.	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.	1	.	.	.	1	.	1
Diphtheria, ...	.	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2	1	5	1	2	1	4	6
Influenza, ...	.	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1	2	.	.	3	.	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	20	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23
Tuberculous Disease, Other Forms,	4	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7
Cancer, ...	10	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7
Diseases of Circulatory System,	8	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17	18
Diseases of Respiratory System, Pneumonia	11	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19	18
Diseases of Respiratory System, Others, ...	9	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22	16
Diarrhœa and Enteritis, under 2 years, ...	7	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8
Diarrhœa, 2 years and upwards,	.	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.	.	4	.	.	.	.	.
Violent Deaths, ...	6	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6	4	3	1
Number of Uncertified Deaths,	4	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7	2	4	6	3	4	6	4
Mean Temperature of the Air (Phœnix Park)	55·1	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9	44·4	46·6	46·6	47·6	44·4	46·0	44·1
Average Mean Temperature in corresponding week of previous 10 years, ...	56·1	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2	44·6	42·0	41·9	41·5	42·2	42·5	42·4
Rainfall in inches, ...	·135	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040	·710	·645	·640	·150	1·065	·165	·065
Mean Humidity of the Air, complete Saturation 1·0, ...	·80	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86	·90	·90	·88	·90	·93	·93	·87

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th December, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH DECEMBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	21·9	167	55	8	6	31	37	20	10	1	.	.	1	3	1	6	.	23	7	7	1	18	16	8	.	1	74	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17·8	5	.	1	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	101,798	14·3	28	5	.	2	5	8	3	5	.	.	.	.	1	.	.	.	4	1	2	.	1	2	1	.	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	15·9	33	10	4	2	6	6	2	3	.	.	.	.	.	.	4	.	3	6	.	.	3	4	1	.	.	12	1
IV.	GENERAL SERVICE CLASS, ...	167,479	24·0	77	39	3	1	11	14	8	1	1	.	.	1	2	1	2	.	8	.	4	1	14	8	5	.	1	29	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	1	.	1	7	9	6	.	.	.	.	.	.	.	.	.	8	.	1	.	.	2	1	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	.	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	22·0	4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	18·6	9	1	.	.	2	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	6	.
	6. Clerks and Commercial Assistants, ...	33,249	12·5	8	1	.	2	1	1	2	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	10·8	7	1	.	.	2	3	1	.	.	.	.	.	1	.	.	.	1	.	1	.	.	1	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8·9	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	19·9	11	3	3	1	1	.	1	2	.	.	.	.	.	.	1	.	.	4	.	.	.	1	1	.	.	4	1
	10. Clothing Trades, ...	20,026	10·4	4	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades	8,952	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	22·8	14	5	.	1	2	6	.	.	.	.	.	.	.	.	2	.	2	.	.	.	2	2	.	.	.	6	.
	13. Petty Shopkeepers	6,772	15·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,041	7·2	5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	1	2
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	23·7	7	1	1	.	2	1	2	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	31·9	63	36	2	1	9	11	3	1	1	.	.	1	1	1	2	.	6	.	2	1	14	7	4	.	1	22	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	24	1	.	1	7	9	6	.	.	.	.	.	.	.	.	.	8	.	1	.	.	2	1	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of). DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Nov. 1,	13·9	1·7	8	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.	.
	„ 8,	24·4	1·7	14	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.
	„ 15,	20·9	3·5	12	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	.
	„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	1	.
	„ 29,	34·9	3·5	20	.	.	.	.	1	.	.	.	1	.	1	2	4	1	.	3	1
	Dec. 6,	19·2	3·5	11	.	.	.	.	1	1	.	.	.	.	1	2	.	.	.	.	.
	„ 13,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	„ 20,	29·6	3·5	17	.	.	.	.	.	.	.	.	2	.	.	2	1	2	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Nov. 1,	25·5	2·6	20	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	.	.
	„ 8,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	2	1	2	1	.	.	1
	„ 15,	17·9	1·3	14	1	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.
	„ 22,	24·2	5·1	19	.	.	.	.	.	.	.	.	4	.	1	3	2	4	.	.	.
	„ 29,	19·1	1·3	15	.	.	.	.	.	.	.	.	2	.	.	2	1	1	.	.	.
	Dec. 6,	20·4	2·6	16	.	.	.	.	.	.	1	.	2	.	.	3	2	1	.	.	1
	„ 13,	16·6	1·3	13	.	.	.	.	.	.	1	.	1	.	.	5	3	.	.	.	2
	„ 20,	25·5	2·6	20	.	.	.	.	.	1	1	.	1	.	1	5	1	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Nov. 1,	15·0	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
	„ 8,	28·1	3·7	15	.	.	.	.	1	.	.	.	3	1	.	2	.	1	.	1	.
	„ 15,	33·7	1·9	18	.	.	.	.	.	.	1	.	3	2	1	3	.	.	.	1	.
	„ 22,	28·1	3·7	15	.	.	.	.	.	.	.	.	1	.	.	3	3	2	.	.	1
	„ 29,	24·3	1·9	13	.	1	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.
	Dec. 6,	29·9	1·9	16	.	.	.	.	1	.	.	.	.	1	.	2	4	.	.	.	.
	„ 13,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.
	„ 20,	26·2	1·9	14	.	.	.	.	1	.	.	.	.	.	.	4	3	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Nov. 1,	17·8	3·0	12	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.
	„ 8,	11·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	„ 15,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	.
	„ 22,	13·3	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
	„ 29,	14·8	.	10	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1
	Dec. 6,	22·2	1·5	15	1	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.	.
	„ 13,	17·8	1·5	12	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	1	.
	„ 20,	25·2	1·5	17	.	.	.	.	.	.	1	.	6	2	.	.	.	.	.	.	.
South City, No. 1 (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Nov. 1,	27·1	3·9	21	.	.	.	.	.	.	.	1	3	5	1	.	1	2	.	.	1
	„ 8,	15·5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 15,	23·3	3·9	18	1	.	.	.	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 22,	24·5	2·6	19	.	.	.	.	1	.	.	.	.	1	1	1	2	1	.	1	2
	„ 29,	19·4	.	15	.	.	.	.	.	.	.	.	1	1	2	2	3	.	.	.	.
	Dec. 6,	18·1	3·9	14	.	.	.	.	1	.	.	.	3	.	.	.	2	2	.	.	.
	„ 13,	23·3	2·6	18	2	.	.	.	.	.	.	.	1	1	1	1	1	.	.	1	.
	„ 20,	20·7	1·3	16	1	.	.	.	.	.	.	.	2	1	1	1	2	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Nov. 1,	42·6	.	15	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	.	.
	„ 8,	14·2	2·8	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
	„ 15,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 22,	25·6	.	9	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
	„ 29,	31·3	.	11	.	.	.	.	.	.	.	.	4	1	.	3	1	.	.	.	1
	Dec 6,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.
	„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1
	„ 20,	25·6	5·7	9	.	.	.	.	1	.	1	.	1	1	1	.	3	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Nov. 1,	26·6	2·4	22	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	2
	„ 8,	15·7	1·2	13	.	.	.	.	.	.	.	.	1	.	1	4	3	1	.	.	.
	„ 15,	24·2	3·6	20	.	.	.	.	.	.	.	.	2	1	1	2	1	1	2	.	1
	„ 22,	19·4	1·2	16	.	.	.	.	.	.	1	.	.	.	2	1	4	.	.	1	2
	„ 29,	21·8	2·4	18	.	.	.	.	.	.	1	.	2	.	.	1	2	1	.	.	.
	Dec. 6,	18·1	1·2	15	.	.	.	.	.	.	.	.	.	1	.	3	2	1	.	1	1
	„ 13,	19·4	2·4	16	.	.	.	.	.	.	1	.	1	2	.	3	3	1	.	.	1
	„ 20,	19·4	1·2	16	.	.	.	.	.	.	1	.	2	.	2	1	3	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Nov. 1,	31·4	9·4	20	.	.	.	1	.	.	2	.	2	1	1	2	1	3	.	1	1
	„ 8,	20·4	1·6	13	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	2	.
	„ 15,	29·9	6·3	19	.	.	.	1	.	.	1	.	4	.	.	.	1	2	.	.	3
	„ 22,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
	„ 29,	20·4	4·7	13	.	.	.	.	.	.	.	.	3	.	1	2	2	3	.	.	.
	Dec. 6,	18·9	1·6	12	.	.	.	1	.	.	.	.	2	1	1	3	1	.	.	.	.
	„ 13,	22·0	7·9	14	.	.	.	2	.	.	2	.	2	1	1	.	3	1	.	.	1
	„ 20,	23·6	12·6	15	.	.	.	1	.	.	1	.	4	.	1	.	.	6	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Nov. 1,	13·4	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	3	.
	,, 8,	17·5	.	13	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.
	,, 15,	16·1	2·7	12	.	.	.	.	.	.	1	.	3	.	2	.	.	1	.	.	.
	,, 22,	12·1	2·7	9	.	.	.	.	.	.	.	.	1	.	2	2	1	2	.	.	1
	,, 29,	13·4	1·3	10	.	.	.	.	.	.	1	.	1	.	4	.	2	.	.	.	.
Pop. in 1913 (Est.) 38,769.	Dec. 6,	10·8	1·3	8	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	,, 13,	10·8	.	8	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	,, 20,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
Pembroke Urban District.	Nov. 1,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	,, 8,	17·4	3·5	10	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.
	,, 15,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	,, 22,	10·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	,, 29,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	2	.
Pop. in 1913 (Est.) 29,942.	Dec. 6,	10·4	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.
	,, 13,	24·4	1·7	14	.	1	.	.	.	.	.	.	1	.	1	4	.	.	.	.	.
	,, 20,	15·7	1·7	9	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.	.	.
Kingstown Urban District.	Nov. 1,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	,, 8,	30·8	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	,, 15,	15·4	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	,, 22,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	,, 29,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pop. in 1911 16,941.	Dec 6,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	,, 13,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
	,, 20,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Belfast.	Nov. 1,	13·4	1·4	102	.	.	.	.	5	.	.	.	13	7	5	5	15	5	1	.	1
	,, 8,	17·5	1·6	133	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	2
	,, 15,	18·3	1·8	139	.	.	.	1	7	3	2	.	22	2	8	16	15	1	.	4	6
	,, 22,	16·6	2·5	126	1	.	.	1	9	2	.	.	9	5	10	9	11	6	.	9	1
Pop. in 1913 (Est.) 396,000.	,, 29,	14·7	1·3	112	2	.	.	3	4	.	1	.	8	3	6	10	12	.	.	1	1
	Dec. 6,	15·4	1·7	117	1	.	.	.	8	3	.	.	10	6	3	13	14	1	.	3	1
	,, 13,	18·0	1·8	137	.	.	.	.	8	3	2	.	8	5	7	25	10	.	1	2	.
	,, 20,	18·6	1·3	141	.	.	.	.	5	3	1	.	12	2	10	14	14	1	.	1	3
Cork.	Nov. 1,	15·6	0·7	23	.	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.
	,, 8,	18·4	0·7	27	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.
	,, 15,	21·1	2·7	31	1	.	.	.	.	.	.	.	.	2	3	.	3	3	.	.	2
	,, 22,	10·2	1·4	15	.	.	.	.	1	.	.	.	2	1	.	.	2	1	.	1	1
Pop. in 1911 76,673.	,, 29,	18·4	1·4	27	.	.	.	.	.	.	.	.	4	1	1	1	4	2	.	.	.
	Dec. 6,	16·3	2·0	24	.	.	.	.	1	.	.	.	5	2	2	.	1	2	.	1	3
	,, 13,	21·1	0·7	31	.	.	.	.	.	.	.	.	7	2	.	1	3	1	.	.	1
	,, 20,	23·1	.	34	.	.	.	.	.	.	.	.	4	4	1	1	6	.	.	1	.
Londonderry.	Nov. 1,	17·8	6·4	14	.	.	.	1	.	.	.	.	.	1	1	.	1	3	1	1	.
	,, 8,	21·6	1·3	17	.	.	.	1	.	.	.	.	3	.	.	3	1	.	.	.	.
	,, 15,	22·9	1·3	18	.	.	.	.	.	.	.	.	5	1	2	.	2	1	.	.	.
	,, 22,	12·7	2·5	10	.	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	.
Pop. in 1913 (Est.) 41,000.	,, 29,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.
	Dec. 6,	17·8	2·5	14	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.
	,, 13,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	,, 20,	11·4	.	9	.	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.
Limerick.	Nov. 1,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1
	,, 8,	21·7	.	16	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	3
	,, 15,	24·4	.	18	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	.	2
	,, 22,	16·2	1·4	12	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.
Pop. in 1911 38,518.	,, 29,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	.	5	.	.	.	2
	Dec. 6,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	,, 13,	12·2	1·4	9	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	.	1
	,, 20,	17·6	.	13	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
Waterford.	Nov. 1,	11·4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2
	,, 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2
	,, 15,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	,, 22,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	1	1	.	1	.	.
Pop. in 1911 27,464.	,, 29,	11·4	1·9	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Dec. 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	2
	,, 13,	9·5	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
	,, 20,	34·2	.	18	.	.	.	.	.	.	.	.	7	2	.	.	2	.	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th December, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	26·3	.	8	1	1	.	2	2	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.
Do. 2 do.	49,500	32	24·2	1·1	23	5	2	4	5	3	4	.	.	.	.	1	.	.	.	3	.	.	.	4	.	.	.	3	3	2
Do. 3 do.	50,032	37	20·8	3·1	20	2	4	1	4	6	3	.	.	.	.	.	2	1	.	3	.	3	2	2	.	.	.	.	6	.
Do 4 do.	32,637	18	11·2	.	7	1	.	1	2	1	2	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	3	.
Do. 5 do.	16,112	15	16·2	3·2	5	.	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	2	.
Do. 6 do.	37,293	12	19·6	.	14	4	.	.	3	6	1	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	1	1	1	1
Do. 7 do.	2,681	1	19 4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	.	43·7	8·7	5	1	.	2	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 9 do.	24,427	6	12·8	.	6	.	1	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 10 do.	28,958	13	18·0	1·8	10	.	2	2	4	2	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	4	.
Do. 11 do.	39,311	16	15·9	2·7	12	4	3	1	2	2	.	.	.	.	.	1	1	.	.	2	.	1	3	.	.	.	.	1	1	.
Do. 12 do.	38,076	23	15·1	.	11	4	1	1	3	2	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	2	3	.
Do. 13 do.	23,233	11	9·0	.	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	5	34·5	2·3	15	3	1	1	3	6	1	.	.	.	.	1	.	.	.	1	.	1	.	1	.	.	.	2	6	.
Total,	386,947	196	18·6	1·3	141	27	17	16	32	32	17	.	.	.	.	5	3	1	.	12	2	10	14	14	1	.	1	9	35	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	11·6	.	3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.
Do 2 do.	10,701	4	35·1	.	7	2	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.
Do 3 do.	9,978	1	31·9	.	6	1	1	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	1	2	.
Do 4 do.	8,666	1	28·5	.	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Do 5 do.	6 592	1	58·4	.	7	.	1	1	.	4	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.
Do 6 do.	10,702	6	9·0	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
Do. 7 do.	16,616	3	13·0	.	4	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Total,	76,122	19	23·1	.	34	4	5	1	6	9	9	.	.	.	.	.	.	.	.	4	4	1	1	6	.	.	1	2	15	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered, ...	223	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136	205	196
DEATHS registered, ...	128	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139	126	112	117	137	141
Annual Death-rate per 1,000 of estimated population, ...	16·9	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4	17·5	18 3	16·6	14·7	15·4	18·0	18·6
AGES, Under 1 year, ...	25	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23	27
1—5 years, ...	14	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17
5—25 " ...	17	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12	16
25—45 " ...	22	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22	32
45—65 " ...	25	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	23	23	18	24	32	29	24	27	29	32
65 and upwards, ...	25	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25	17
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1	.	1	2	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.	1	1	3	.	.	.
Scarlet Fever, ...	3	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8	5
Whooping-cough, ...	1	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.	.	3	2	.	3	3	3
Diphtheria, ...	1	.	.	2	.	1	.	.	.	2	.	2	3	1	.	2	1	1	.	.	2	.	1	.	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	24	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10	8	12
Tuberculous Disease. Other Forms,	5	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5	3	6	5	2
Cancer, ...	6	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7	10
Diseases of Respiratory System, Pneumonia,	8	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14
Diseases of Respiratory System, Others, ...	14	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13	15	11	12	14	10	14
Diarrhœa and Enteritis, under 2 years, ...	2	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6	.	1	.	1
Diarrhœa, 2 years and upwards,	3	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1	1	.	.	.	.	1	.
Violent Deaths, ...	.	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4	4	9	1	3	2	1
Number of Uncertified Deaths, ...	1	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1	2	6	1	1	1	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Dec. 20,	1,989	1,278	14·7	5	.	5	7	10	12	27*a*
Edinburgh, ...	320,300	„ 20,	136	86	14·0	.	.	4	1	.	1	2*a*
Glasgow, ...	1,021,500	„ 20,	582	344	17·6	.	.	16	5	1	3	6*a*
Calcutta, ...	896,067	Nov. 8,	.	568	32·9	112*	1	.	.	.	.	76‡
Bombay, ...	979,445	„ 15,	493	543	28·8	61*	.	3	.	2	.	64
Madras, ...	518,660	„ 15,	452	389	39·0	59*	.	4	?	?	?	88
Cairo, ...	715,609	Sept. 30,	563	396	28·9	5	.	1	.	?	15†	48*a*
Paris, ...	2,847,229	Dec. 5,	951	784	14·1	7	.	2	.	3	2†	26*a*
Brussels, ...	767,252	Nov. 29,	197	157	10·6	1	.	.	.	.	2†	7*a*
Antwerp, ...	312,884	„ 29,	118	74	12·3	2	.	4	.	2	3	1*a*
Amsterdam, ...	593,690	„ 29,	262	123	10·8	2	.	4	.	2	3†	1*a*
Copenhagen, ...	482,000	„ 29,	226	129	14·0	.	.	1	1	1	1†	1*a*
Stockholm, ...	376,171	„ 29,	119	87	12·0	.	.	.	.	.	.	1*a*
Christiania, ...	250,423	Dec. 6,	110	57	11·8	.	.	.	2	.	2	.
St. Petersburg ...	1,708,600	Nov. 15,	959	611	18·6	18	.	11	12	6	12	34*a*
Moscow, ...	1,694,000	„ 8,	.	674	20·7	7	.	14	13	5	13†	72
Berlin, ...	2,057,715	„ 22,	702	529	13·4	.	.	4	11	4	14†	22
Hamburg, ...	1,006,748	„ 29,	.	253	13·1	.	.	8	2	9	11†	10
Breslau, ...	541,606	„ 29,	.	188	18·1	1	.	.	.	3	2	13
Munich, ...	638,000	„ 29,	.	166	13·6	.	.	3	.	4	2†	8*a*
Vienna (with suburbs),	2,132,523	„ 29,	614	532	13·0	1	.	1	6	1	6†	21*a*
Buda-Pesth, ...	930,666	„ 29,	429	317	17·7	3	.	1	11	.	3†	16*a*
Prague and Faubourgs,	494,055	„ 15,	159	136	14·4	.	.	.	.	1	2†	3*a*
Trieste, ...	242,595	„ 29,	115	98	21·1	2	.	.	.	1	.	3*a*
Rome, ...	582,565	July 19,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Nov. 8,	2,591	1,281	12·4	14	.	6	6	2	19†	66*a*
Philadelphia, ...	1,631,960	„ 1,	.	389	12·4	4	.	.	5	2	2	18*a*
Boston, ...	735,399	„ 29,	.	203*b*	14·4	2	.	1	2	1	2	11

* Deaths from "fever," including 8 from enteric fever and 3 from plague in Calcutta; and 2 from enteric fever and 4 from plague in Bombay.

† Including deaths from croup.

‡ Including 19 deaths from cholera in Calcutta.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures, *i.e.*, non-residents deducted, 179 (including 6 deaths from diarrhœal diseases), rate 12·7 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th December, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	2	.	.	.	3	.	6
" " 1, West, ...	.	5	.	.	4	.	.	.	2	.	.	6	.	17
" " 2, ...	.	2	.	.	.	.	.	.	3	.	.	4	.	9
" " 3, ...	.	1	.	.	2	.	.	.	.	.	.	2	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	1	.	.	7	.	.	.	1	.	9
" " 2, ...	.	1	.	.	3	.	.	.	.	.	.	5	.	9
" " 3, ...	.	1	.	.	.	.	.	.	1	.	.	3	.	5
" " 4, ...	.	3	.	.	6	.	.	1	.	.	.	3	.	13
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total, ...	.	19	.	.	17	.	.	11	6	.	.	27	.	80

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 20th December 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th December.			
	Nov. 29.	Dec. 6.	Dec. 13.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	62	63	52	11	6	.	57
Typhus, ...	.	2	3	.	.	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	8	8	5	5	.	8
Scarlet Fever, ...	112	115	121	18	11	2	126*
Diphtheria, ...	79	84	79	23	12	6	84
Pneumonia, ...	33	26	29	2	6	2	23

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 20th December, 1913:—

This week witnessed a radical change in the weather conditions which had held sway in the British Isles throughout the autumn. The fresh southerly to westerly winds, which had prevailed for the most part from the middle of October, died out and their place was taken by an easterly air current, of little strength, indeed, but apparently of much staying power. The result was a spell of quiet, dry, cloudy weather, followed by sharp frost on the Continent and a decided tendency to frost in England on and after Friday. In Ireland radiation was checked by the clouded state of the sky. On Sunday an anti cyclone centred over France and the Bay of Biscay, stretched northwards across Ireland, and fair to cloudy weather prevailed in this country. Next day a rather deep atmospheric depression passed eastwards across the Atlantic between Iceland and Scotland. It caused strong S.W. winds and showers, and after passing the North of Scotland changed its course to S.E., finally dispersing over Germany. Meanwhile the high pressure system moved northwards, becoming central over Ireland on Wednesday and over the whole of the United Kingdom later on. At 7 a.m. of Friday the barometer read 30·66 inches at North Shields, 30·64 inches at Glasgow and Donaghadee, and 30·63 inches at Aberdeen and Malin Head. During the previous night slight frost had occurred in some parts of Great Britain, and sharp frost over a considerable portion of Germany, France and the Peninsula—at Madrid the thermometer stood at 24° F. at 7 a.m. In Dublin the mean height of the barometer was 30·444 inches, the observed range of pressure being from 29·969 inches at 9 p.m. of Monday (wind, S.W.), to 30·697 inches at 9 p.m. of Saturday (wind, N.?). The corrected mean temperature was 45·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·4°. The screened thermometers rose to 53·0° on Monday and fell to 39·8° on Wednesday. The wind was at first W.S.W., afterwards E. On Monday ·015 inch of rain fell. Lightning was seen on Wednesday evening. In Dublin the sky remained entirely overcast from Tuesday evening onwards to the end of the week.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·451 inches. The highest reading (30·681) was on Saturday, at 9 p.m., air calm, the lowest (29·974) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 44·1°, being 1·7° above the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Monday, on which day the thermometer registered 53°, and was lowest on Wednesday, the mercury having fallen to 36°. The mean of the Dry Bulb for the week was 43·4° and of the Wet Bulb, 41·6°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·065 inch.

At Greenwich the mean temperature for the week was 42·8°, the maximum 50·5°, and the minimum 32·1°; at Glasgow the maximum was 52·2°, the minimum 31·0°, and the mean 42·9°; and at Edinburgh the maximum was 50·7°, the minimum 34·0°, and the mean 42·3°. The rainfall at Greenwich measured 0·01 in.; at Glasgow 0·20 in., and at Edinburgh 0·04 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 14,	30·280	50	38	44·0	44·0	42·9	·91	·5	1·6	·000	W.S.W.	W.S.W.
Monday „ 15,	30·075	53	46	49·5	48·7	47·4	·90	·6	0·0	·065	S.W.	S.W.
Tuesday, „ 16,	30·330	49	39	44·0	42·1	40·5	·88	·5	2·5	·000	W.	W.
Wednesday, „ 17,	30·600	46	36	41·0	41·7	41·4	·98	·3	0·0	·000	Calm.	Calm.
Thursday, „ 18,	30·620	50	40	45·0	41·7	39·8	·86	·0	0·0	·000	Calm.	Calm.
Friday, „ 19,	30·600	45	40	42·5	44·0	40·0	·71	·0	0·0	·000	Calm.	Calm.
Saturday, „ 20,	30·655	45	40	42·5	41·6	39·3	·84	·0	0·0	·000	Calm.	Calm.
Mean, ...	30·451	48·3	39·9	44·1	43·4	41·6	·87	·3	Total 4·1	Total ·065	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day overcast, light and heavy rain 6.20 to 8.50 p.m.; night clear. *Tuesday*—Day cloudy, fine; night cloudy *Wednesday*—Day overcast; night overcast. *Thursday*—Day overcast; night overcast. *Friday*—Day overcast; night overcast *Saturday*—Day overcast; night overcast.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 20th December, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 14,	41·0	45·0	48·3	51·0	40·6	45·8	—	—
Monday, „ 15,	50·7	45·6	48·2	53·8	44·0	48·9	—	·12
Tuesday, „ 16,	43·9	45·8	48·0	47·0	42·0	44·5	—	—
Wednesday, „ 17,	41·0	45·0	48·0	46·5	40·0	43·3	—	—
Thursday, „ 18,	45·0	45·0	48·0	47·5	43·0	45·3	—	—
Friday, „ 19,	45·4	45·0	47·9	52·0	44·2	48·1	—	—
Saturday, „ 20,	44·3	45·0	47·9	46·7	43·0	44·9	—	—
Weekly Mean, .	44·5	45·2	48·0	49·2	42·4	45·8	Total —	Total. ·12

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 12. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½*d.*

VOL. L.] WEEK ENDING SATURDAY, 27TH DECEMBER, 1913. [No. 52.

General Register Office, Charlemont House,
Dublin, 29th December, 1913.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,199,180.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHS, &c.	Week ending Dec. 6	Dec. 13	Dec. 20	Dec. 27	Average Rate for 4 weeks.
27 Town Districts, (a)	**16·0**	**17·7**	**18·9**	**15·9**	**17·1**
Dublin Reg. Area ...	18·1	17·6	20·3	17·1	18·3
Dublin City ...	20·3	18·4	22·7	19·1	20·1
Belfast	15·4	18·0	18·6	19·8	17·9
Cork	16·3	21·1	23·1	10·9	17·8
Londonderry ...	17·8	8·9	11·4	11·4	12·4
Limerick	14·9	12·2	17·6	13·5	14·6
Waterford	11·4	9·5	34·2	11·4	16·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·4 per 1 000. Among the 150 deaths from all causes for Belfast are one from measles, 6 from scarlet fever, 7 from whooping-cough, and one from diarrhœa and enteritis of a child under 2 years. Included in the 10 deaths from all causes for Limerick is one from enteric fever. Of the 5 deaths from all causes for Galway one is from enteric fever and one from whooping-cough. One of the 3 deaths from all causes for Newry is from scarlet fever. One of the 4 deaths from all causes for Newtownards is from whooping-cough. Of the 2 deaths for Armagh one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 140—81 boys and 59 girls—and the deaths to 137—72 males and 65 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.
(*a*) For particulars of other town districts, see Table II.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·1 per 1,000 of the population. During the fifty-two weeks, ending with Saturday last, the death-rate averaged 20·1, and was 1·6 below the mean rate for the corresponding portions of the ten years, 1903–1912.

The total deaths registered, numbering 137, represent an annual rate of 17·7 per 1,000; the annual rate for the past fifty-two weeks was 21·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths from all causes were one from each of measles and whooping-cough, 2 from diphtheria, one from croup, 2 from influenza, and 5 from diarrhœa and enteritis of children under 2 years of age. In each of the three preceding weeks, deaths from measles were one, 2, and one; deaths from whooping-cough were one, 0, and one; deaths from diphtheria were one, 4, and 6; deaths from influenza were 0, 0, and 2; and deaths from diarrhœa and enteritis of children under 2 years were 5, 4, and 8.

There were 17* deaths from tuberculous disease, including 12 deaths from pulmonary tuberculosis, 3 deaths from tuberculous meningitis, and 2 deaths from disseminated tuberculosis; in each of the 3 preceding weeks deaths from all forms of tuberculous disease were 20, 21, and 30.

Of 12 deaths from pneumonia (all forms), 8 were attributed to broncho-pneumonia, one to lobar pneumonia, and 3 to pneumonia (type not distinguished).

Seven deaths were assigned to cancer.

The deaths of 5 persons were registered as from convulsions; of these 2 were of infants under one year of age. At this age there were 5 deaths from premature birth, 2 from congenital debility, and one from a congenital malformation.

Organic diseases of the heart caused the deaths of 15 persons, and there were 16 deaths from bronchitis.

One of two deaths from accidental causes was caused by a tramcar.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under 5 years of age and the death of one person aged 72 years.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 9 were under one month old) and 34 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Forty-six of the deaths registered during the week occurred in hospitals and other public institutions: of this number 8 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·1 per 1,000; the rate in the City was 19·1 (North City Districts, 18·8; South, 19·5) and in the Suburbs, 10·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·4 (in the North City Districts 0·6, and in the South 2·2), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000, and include one from each of croup, pulmonary tuberculosis, broncho-pneumonia, and bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 30·6 per 1,000. Pulmonary tuberculosis caused 5 deaths, broncho-pneumonia one death, and accidental violence one death.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. Broncho-pneumonia caused 2 deaths, bronchitis 3 deaths, and there was one from diarrhœa and enteritis of a child under 2 years.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 23·1; and Finglas and Glasnevin, part of, 4·9. One of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, is from tuberculous meningitis. Included in the 6 deaths from all causes for Coolock and Drumcondra, part of, is one from each of broncho-pneumonia and pneumonia.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·7 per 1,000, and include one from whooping-cough, 3 from tuberculous disease, one from pneumonia, 4 from bronchitis, and one from diarrhœa and enteritis of a child under 2 years.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. Bronchitis caused one death.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·4 per 1,000. Included in the total are 2 from tuberculous disease, 2 from broncho-pneumonia, one from pneumonia, 2 from bronchitis, and 2 from diarrhœa and enteritis of children under 2 years.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000, and include one from each of measles, whooping-cough, disseminated tuberculosis, broncho-pneumonia, and lobar pneumonia, and there were 3 deaths from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·0 per 1,000. One of the 3 deaths is from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·1; Pembroke, 7·0; Blackrock, 5·7; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and one from diarrhœa for Rathmines and Rathgar, and one from diarrhœa and enteritis of a child under 2 years for Pembroke. Included in the 9 deaths from all causes for the first-named district is one from bronchitis. Of the 4 deaths from all causes for Pembroke there is one from each of influenza and pulmonary tuberculosis. The one death for Blackrock is from a tram accident; and included in the 5 deaths from all causes for Kingstown is one from each of influenza and pulmonary tuberculosis.

* See note (*c*) at foot of Table II.

† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Mooney, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 27th December, 1913, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Dec. 6,	.	—	—	28	2	.	11	.	.	9	5	.	—	—	.	—	26	.	81
	Dec. 13,	.	—	—	19	1	.	13	.	.	9	2	.	—	—	.	—	18	.	62
	Dec. 20,	.	—	—	19	.	.	17	.	.	11	6	.	—	—	.	—	27	.	80
	Dec. 27,	.	—	—	15	.	.	8	.	1	3	2	.	—	—	.	—	6	.	35
Rathmines and Rathgar Urban District.	Dec. 6,	.	—	—	.	.	.	5	.	.	1	.	.	—	—	—	—	—	—	6
	Dec. 13,	.	—	—	3	.	.	9	.	.	2	.		—	—	—	—	—	—	14
	Dec. 20,	.	—	—	2	.	.	6	.	.	1	.	.	—	—	—	—	—	—	9
	Dec. 27,	.	—	—	4	.	.	3	.	.	.	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Dec. 6,	.	.	.	1	.	.	1	.	.	3	1	.	—	.	—	—	.	—	6
	Dec. 13,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	—	—	.	—	1
	Dec. 20,	.	.	.	1	.	.	1	.	.	5	.	.	—	1	—	—	.	—	8
	Dec. 27,	.	1	.	1	.	.	1	.	.	.	.	.	—	.	—	—	.	—	3
Blackrock Urban District.	Dec. 6,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 13,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
	Dec. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Dec. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Dec. 6,	.	—	—	84	.	.	7	.	.	3	9	.	—	—	.	—	.	1	104
	Dec. 13,	.	—	—	89	.	.	16	.	.	2	8	.	—	—	.	—	10	1	126
	Dec. 20,	.	—	—	66	.	.	12	.	.	2	6	1	—	—	.	—	8	.	95
	Dec. 27,	.	—	—	50	.	.	9	2	1	1	5	.	—	—	1	—	4	.	73

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th December, 1913, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 52 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 63, 52, and 57.

One case of typhus was admitted to hospital and 4 cases remained under treatment at the close of the week. The cases in hospital at the end of the 3 preceding weeks numbered 2, 3, and 3, respectively.

Five cases of measles were admitted to hospital, 2 were discharged, there was one death, and 10 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 8, 8, and 8 respectively.

Twenty-three cases of scarlet fever were admitted to hospital, 25 were discharged, and 124* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 115, 121, and 126, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 29 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 84, 79, and 84, respectively, were 65 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 2 were discharged, and 26 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·0), was equal to an average annual death-rate of 14·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·9 per 1,000, the rate for Glasgow being 17·3, and for Edinburgh 18·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th December. From this Report it appears that of a total of 100 cases notified, 49 were scarlet fever, 25 diphtheria, 16 phthisis, and 10 erysipelas. Among the 588 cases of infectious diseases in hospital at the close of the week were 308 cases of scarlet fever, 128 of phthisis, 86 of diphtheria, 41 of measles, 15 of erysipelas, and 4 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 27th December, 1913, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 27th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th December, 1913. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 27 TOWN DISTRICTS, ..	1,199,180	19·0	15·2	15·2	1·4	350	366	69	76	2	...	...	3	7	10	2	...	38	15	16	44	45	7	2	5	14	92	11	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,000	29·3	18·1	17·1	1·4	110	132	31	32	...	...	...	1	...	1	2	...	10	5	7	12	17	5	2	2	5	41	3	e 51	29	37·7	0·62	e 53	36	44·1	0·07	e 56	33	46·0	0·17
CITY OF DUBLIN,	308,187	39·0	22·0	19·1	1·4	130	113	27	27	...	...	...	1	...	1	1	...	8	5	7	12	16	4	1	1	3	37	3	f 51·2 g 50·9	32·9 29·0	39·4 37·8	0·49 0·62	f 53·0 g 52·9	39·8 37·0	45·2 44·5	0·02 0·05	f 56·8 g 55·8	37·2 33·7	47·2 46·3	0·13 0·13
Urban Districts. RATHMINES & RATHGAR.	38,769	22·6	5·4	12·1	2·7	4	9	3	3	...	...	...	...	...	...	1	..	...	...	...	...	1	...	1	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE ...	29,942	19·0	7·0	7·0	1·7	4	4	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK....	9,161	8·5	5·7	5·7	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN....	16,941	11·6	3·1	15·4	.	1	5	...	2	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	..	...	1	...	53	34	41·6	0·36	54	41	45·2	0·01	59	39	47·6	0·11
Urban Districts. BELFAST ..	396,000	26·5	17·1	19·8	2·0	130	150	28	18	...	...	...	1	6	7	...	...	15	9	6	28	15	1	...	3	6	27	1	49	30	40·0	0·82	52	33	43·3	0·07	55	38	45·4	0·78
CORK, ..	76,673	28·6	8·2	10·9	.	12	16	...	5	...	...	...	...	...	...	...	...	2	...	2	2	2	...	...	...	1	8	1	50	31	42·3	0·28	51	38	45·1	0·11	53	40	48·3	0·20
LONDONDERRY...	41,000	15·9	6·4	11·4	.	5	9	2	3	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	8·1	13·5	1·4	6	10	...	4	1	...	...	...	...	...	...	..	1	...	...	...	4	...	...	...	...	4	1	51·5	29·2	39·2	0·86	52·6	32·0	43·7	0·04	57·9	32·2	47·1	0·32
WATERFORD, ...	27,464	19·1	3·8	11·4	.	2	6	...	2	...	...	...	...	...	...	...	...	3	...	1	...	1	...	...	...	...	3	..	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5				3	5	2	1	1	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	2	50	27	38	1·32	53	30	42	0·02	55	26	43	0·29
DUNDALK, ...	13,128	9·5				1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7				3	1	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	47·8	32·5	37·5	1·26	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17
DROGHEDA, ...	12,501	8·4				3	1	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10·9				3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	...	47·8	32·5	37·5	1·26	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17
NEWRY. ...	11,963	17·0				.	3	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	47·8	32·5	37·5	1·26	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17
PORTADOWN, ...	11,727	15·3				3	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	47·8	32·5	37·5	1·26	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17
WEXFORD. ...	11,531	22·8				6	7	4	1	...	...	...	...	...	...	...	...	2	...	...	..	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3				3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	..	50	30	39·0	1·98	52	34	42·0	0·14	55	33	46·0	0·43
SLIGO. ...	11,163	3·8				1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	51	25	37·3	0·30	52	29	42·7	0·05	55	30	46·0	0·14
KILKENNY. ...	10,514	11·4				7	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
TRALEE, ...	10,300	17·4				.	2	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7·8				3	3	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	48	34	39·5	0·60	51	36	44·4	0·16	56	35	46·3	0·28
NEWTOWNARDS,	9,587	20·1				8	4	...	2	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	50	31	42·3	0·28	51	38	45·1	0·11	53	40	48·3	0·20
QUEENSTOWN, ...	8,209	14·7				.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LARNE, ...	8,036	13·4				4	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7·7				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8·5				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7·2				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ...	7,472	6·2				.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8				1	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	47·8	32·5	37·5	1·26	52·0	35·8	42·8	0·09	53·5	35·2	45·2	0·17

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1913. (b) See note (‡) at foot of first page. (c) Exclusive of 5 deaths of persons (including 2 at 65 years or upwards) admitted to hospital from localities outside the Area; two of the 5 deaths are from pulmonary tuberculosis. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 27th of December, 1913, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban Districts of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf and Howth No. 1 (part of).	Coolock and Drumcondra (part of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Croup,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	5	.	.	.	.	.	1	.	1	.	.	.	1	.	1	10	2
Tuberculous Disease. — Other Forms,	.	.	.	.	1	.	.	2	.	1	1	.	.	.	.	.	5	.
Cancer,	2	.	.	2	.	.	.	1	1	.	1	.	.	.	.	.	7	.
Diseases of Nervous System,	.	4	.	.	.	.	.	1	2	2	2	.	1	.	.	1	13	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	2	3	1	3	.	1	1	3	.	1	1	.	.	.	19	.
" Respiratory System. — Pneumonia,	1	1	2	.	.	2	.	1	.	3	2	.	.	.	.	.	12	.
" Respiratory System. — Others,	1	1	3	.	.	.	.	4	1	2	3	1	1	.	.	.	17	.
" Digestive System. — Diarrhœa and Enteritis, under 2 years,	.	.	1	.	.	.	.	1	.	2	.	.	.	1	.	.	5	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
" Digestive System. — Others,	.	1	1	1	.	.	.	.	1	.	1	.	2	.	.	.	7	.
" Genito-urinary System,	1	2	.	.	.	.	1	.	1	1	.	.	.	.	.	1	7	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	6	1	.	.	1	.	2	.	1	.	.	2	1	.	1	15	1
Violent Deaths,	.	1	.	.	.	.	.	.	.	.		.	.	.	1		2	.
Ill-defined, &c. Causes,	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	3	.
Deaths from All Causes	8	24	10	7	3	6	1	16	7	16	12	3	9	4	1	5	132	5
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	30·6	18·7	10·4	28·8	23·1	4·9	20·7	19·9	19·4	18·9	16·0	12·1	7·0	5·7	15·4	17·1	.
	18·8							19·5					10·4					
	19·1																	
Ages at Death. — Under 1 year,	2	4	5	.	.	1	.	4	2	8	1	.	3	1	.	.	31	.
1 and under 2 years,	.	2	1	.	.	1	.	2	1	1	2	1	.	.	.	.	11	.
2 " 5 "	.	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	5	.
5 " 15 "	1	.	.	.	.	.	.	1	1	1	.	.	1	.	.	1	6	.
15 " 25 "	1	1	.	.	1	.	.	1	.	1	.	.	.	1	.	.	6	.
25 " 45 "	2	3	.	4	1	.	.	1	1	1	2	.	.	1	.	1	17	2
45 " 65 "	1	5	3	2	.	.	1	4	.	2	2	1	1	.	1	1	24	1
65 and upwards,	1	7	1	1	1	4	.	3	2	2	5	.	3	.	.	2	32	2
Number of Uncertified Deaths,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	1	1	.	.	.	3	.	2	2		2	.	1	1	19	3
Workhouse Hospitals,	2	5	.	1	.	.	.	4	4	4	2	.	.	.	.	.	22	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 27th December, 1913.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.	Dec. 31, 1910.	Dec. 30, 1911.	Dec. 28, 1912.		—	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 36·3	° 44·1	° 45·7	° 31·8	° 39·4	° 44·8	° 45·9	° 40·9	° 43·8	° 41·8	° 41·5	° 37·7										
ALL CAUSES.	240	187	139	170	155	136	205	155	160	116	166·3	137	9	22	11	5	6	6	19	25	20	14
Enteric Fever, ...	1	2	3	1	1	1	2	.	1	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	16	.	2	.	3	.	1	3	.	2·6	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	.	1	1	.	3	2	1	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	12	2	1	3	2	2	1	7	4	2	3·6	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	.	2	1	1	1	1	.	3	3	1·2	2	.	.	1	.	1	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.	.	.
Influenza, ...	2	.	1	2	1	1	4	1	3	1	1·6	2	.	.	.	1	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	21	19	20	21	13	15	19	23	15	19·1	12	.	.	.	.	.	5	4	3	.	.
Tuberculous Meningitis, ...	3	3	.	6	2	5	3	1	3	2	2·8	3	.	.	.	.	2	1	.	.	.	.
Abdominal Tuberculosis, ...	1	1	.	1	1	2	.	1	1	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.									.	.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	5	1	5	6	5	3	3	.	1	4·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,									.	.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...									3	1		2	.	.	1	.	.	.	.	1	.	.
Venereal Diseases, ...	3	3	2	1	2	.	2	.	.	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	7	6	10	5	3	4	6	5	4	5·8	7	.	.	.	.	.	.	2	3	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	1	.	1	.	1	.	1	·6	1	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	1	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	.	—	1	.	.	.	1	.	.	.	.	.	.
Alcoholism, ...	3	.	2	1	.	.	3	.	1	.	1·0	2	.	.	.	.	.	.	1	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...									.	1		2	.	1	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.									3	5		3	.	.	.	.	.	.	1	1	1	.
Softening of Brain, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.									1	.		2	.	.	.	.	.	.	.	.	2	.
Epilepsy, ...									.	1		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),									4	1		5	1	1	1	1	.	.	.	.	1	.
Other Diseases of Nervous System.	61	32	39	39	34	33	53	42	1	1	37·6	1	.	.	.	.	.	.	.	.	.	1
Pericarditis, ...									.	.		1	.	.	.	.	.	.	.	.	1	.
Acute Endocarditis, ...									2	1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,									11	10		15	.	.	.	.	.	.	2	6	3	4
Embolism and Thrombosis (including Cerebral)									.	.		1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.									.	1		2	.	.	.	1	.	.	.	.	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	34	30	19	17	32	25	39	23	16	20	25·5	16	1	5	1	.	.	.	.	2	5	2
Broncho-pneumonia, ...	10	5	8	6	7	10	15	5	5	10	8·1	8	.	6	2	.	.	.	.	.	.	.
Lobar pneumonia, ...	1	2	.	1	1	1	1	2	3	1	1·3	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	10	5	3	5	4	5	6	4	5	3	5·0	3	.	3	.	.	.	.	.	.	.	.
Pleurisy, ...									1	.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	3	5	1	3	3	.	2	2	.	1	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.									.	1		1	.	.	.	.	.	.	.	.	1	.

FIFTY-SECOND WEEK, ending Saturday, 27th December, 1913, with, as far as practicable, the deaths from each cause 1903–1912, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years, 1903–1912.	In the Week ending Saturday, 27th December, 1913.										
												—	Deaths of Persons of the Ages of									
													0—5.									
	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.	Dec. 31, 1910.	Dec. 30, 1911.	Dec. 28, 1912.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 36·3	° 44·1	° 45·7	° 31·8	° 39·4	° 44·8	° 45·9	° 40·9	° 43·8	° 41·8	° 41·5	° 37·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	1	4	—	3	.	1	1	.	.	.	1	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	2	7	2	8	.	1	8	2	3	.	3·3	5	1	3	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,									.	.		2	.	.	.	.	.	.	.	.	.	2
Enteritis 2 years and upwards									.	.		1	.	.	.	1	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	2	1	—	2	.	.	.	.	.	.	.	2	.	.
Cirrhosis of Liver, ...	.	1	2	2	.	1	2	.	1	2	1·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	3	.	2	.	3	2	1	1	1	.	1·3	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1		.	1	.	.	.	.	1	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	7	10	1	2	5	3	5	5	.	.	3·8	1	.	.	1	.	.	.	.	.	.	.
Acute Nephritis, ...	6	5	6	8	6	5	6	9	3	.	6·7	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...									7	2		6	.	.	.	.	1	.	1	2	1	1
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).									.	.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)									.	.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.									1	3		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	.	1	1	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	1	.	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	2	2	1	4	1	1	9	1	2	.	2·3	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	2	4	—	2	2	.	.	.	.	.	.	.	.	.
Old Age, ...	9	5	4	2	1	6	4	4	9	1	4·5	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	2	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	4	1	2	.	2	1	1	1	1	2	1·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	2	4	2	.	.	3	6	2	2·1	2	.	.	.	.	.	.	.	1	1	.
Total Deaths from Accident,	6	2	5	5	4	1	2	4	7	4	4·0	2	.	.	.	.	.	.	.	1	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	1	.	.	.	1	1	1	·5	1	.	.	.	.	.	.	.	1	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	1	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	—	—	—	—	—	—	—	—	6	3	—	3	.	.	.	.	.	.	1	2	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913—WEEK ENDING																									
	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered.	187	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140
Average Births in corresponding week of previous 10 years, ...	211	204	219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186
DEATHS registered, ...	137	166	129	126	149	144	157	168	164	157	193	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137
Annual Death-rate per 1,000, ...	17·7	21·5	16·7	16·3	19·3	18·6	20·3	21·7	21·2	20·3	25·4	18·5	22·9	21·1	20·6	19·1	21·0	22·5	20·4	21·2	19·1	21·2	19·8	19·0	21·6	17·7
Average Deaths in corresponding week of previous 10 years, ...	135	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166
Ages, Under 5 years, ...	33	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49	55	47
5—15 " ...	7	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6
15—25 " ...	10	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3	6	6
25—45 " ...	24	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33	23	31	31	19
45—65 " ...	36	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	34	37	25
65—75 " ...	14	28	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20
75 and upwards, ...	13	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	.	.	.	.	2	6	1	1	2	1	.	1	.	.	2	.	.	4	3	1	.
Typhus, ...	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	1	.	1	1	1	.	.	.	1	1	2	2	2	1	.	1	1	2	1	1
Scarlet Fever, ...	.	4	.	.	.	.	1	1	.	.	.	2	.	2	1	.	.	.	1	.	1	1	3	.	3	.
Whooping-cough, ...	2	3	1	3	.	.	3	.	.	1	2	.	.	1	1	1	.	.	1	.	.	.	1	.	1	1
Diphtheria, ...	3	4	1	1	.	2	.	.	.	1	1	.	.	3	2	2	.	2	1	5	1	2	1	4	6	2
Influenza, ...	1	1	.	1	.	.	.	1	.	1	.	1	1	1	.	1	.	1	2	.	.	3	.	.	2	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	18	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12
Tuberculous Disease, Other Forms,	9	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5
Cancer, ...	12	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7
Diseases of Circulatory System,	12	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17	18	19
Diseases of Respiratory System, Pneumonia	8	12	5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19	18	12
Diseases of Respiratory System, Others, ...	12	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22	16	17
Diarrhœa and Enteritis, under 2 years, ...	4	10	11	6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5
Diarrhœa, 2 years and upwards,	1	.	1	1	1	2	2	2	2	4	1	1	1	2	.	1	.	.	.	4	.	.	.	.	.	2
Violent Deaths, ...	5	2	1	4	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6	4	3	1	2
Number of Uncertified Deaths,	2	5	3	4	1	2	3	2	3	2	2	3	.	3	2	3	5	7	2	4	6	3	4	6	4	3
Mean Temperature of the Air (Phœnix Park)	58·5	54·7	59·4	54·2	56·4	55·4	61·8	56·5	57·0	55·3	54·9	49·5	56·5	56·6	51·4	52·9	43·5	50·9	44·4	46·6	46·6	47·6	44·4	46·0	44·1	37·7
Average Mean Temperature in corresponding week of previous 10 years, ...	52·1	58·5	59·6	59·0	58·6	58·4	57·3	56·2	56·5	54·5	52·3	52·6*	52·4	51·6	50·4	49·8	45·7	45·2	44·6	42·0	41·9	41·5	42·2	42·5	42·4	41·5
Rainfall in inches, ...	·000	·235	405	·160	·000	·185	·345	·205	·000	·005	1·540	1·435	1·115	·060	2·730	·140	·530	1·040	·710	·645	·640	·150	1·065	·165	·065	·620
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·84	·84	·83	·83	·79	·83	·81	·86	·84	·85	·90	·88	·92	·90	·86	·86	·86	·90	·90	·88	·90	·93	·93	·87	·90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th December, 1913; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH DECEMBER, 1913.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	18·0	137	47	6	6	19	25	20	14	.	.	.	1	.	1	2	.	12	5	7	5	12	17	5	2	2	66	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17·8	5	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	101,798	13·8	27	5	.	1	3	6	5	7	.	.	.	.	.	.	.	.	1	1	1	2	2	1	.	2	1	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13·9	29	10	2	1	6	7	3	.	.	.	.	.	.	1	.	.	3	1	3	1	2	2	2	.	.	14	.
IV.	GENERAL SERVICE CLASS, ...	167,479	16·2	52	27	3	1	6	8	5	2	.	.	.	1	.	.	2	.	2	2	1	2	7	13	1	.	.	21	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	5	1	3	4	4	5	2	.	.	.	.	.	.	.	.	6	1	2	.	1	1	2	.	1	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26·5	4	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	38·7	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11·0	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	10·3	5	1	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	2	.
	6. Clerks and Commercial Assistants, ...	33,249	9·4	6	2	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	21·6	14	1	.	.	2	3	3	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22·1	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	21·7	12	6	2	.	2	2	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	1	.	.	7	.
	10. Clothing Trades, ...	20,026	7·8	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades	8,952	5·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	13·0	8	3	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	4	.
	13. Petty Shopkeepers	6,772	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	8·0	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	15. Domestic Servants, ...	36,041	2·9	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	6·8	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	23·3	46	25	3	1	5	7	3	2	.	.	.	1	.	.	2	.	2	1	1	2	7	9	1	.	.	20	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	24	5	1	3	4	4	5	2	.	.	.	.	.	.	.	.	6	1	2	.	1	1	2	.	1	10	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1913 (Est.) 29,908.	Nov. 8,	24·4	1·7	14	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.
		„ 15,	20·9	3·5	12	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	.
		„ 22,	15·7	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	1	.
		„ 29,	34·9	3·5	20	.	.	.	.	1	.	.	.	1	.	1	2	4	1	.	3	1
		Dec. 6,	19·2	3·5	11	.	.	.	.	1	1	.	.	.	.	1	2	.	.	.	.	.
		„ 13,	12·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
		„ 20,	29·6	3·5	17	.	.	.	.	.	.	.	.	2	.	.	2	1	2	.	.	.
		„ 27,	13·9	.	8	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1913 (Est.) 40,871.	Nov. 8,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	2	1	2	1	.	.	1
		„ 15,	17·9	1·3	14	1	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.
		„ 22,	24·2	5·1	19	.	.	.	.	.	.	.	.	4	.	1	3	2	4	.	.	.
		„ 29,	19·1	1·3	15	.	.	.	.	.	.	.	.	2	.	.	2	1	1	.	.	.
		Dec. 6,	20·4	2·6	16	.	.	.	.	.	.	1	.	2	.	.	3	2	1	.	.	1
		„ 13,	16·6	1·3	13	.	.	.	.	.	.	1	.	1	.	.	5	3	.	.	.	2
		„ 20,	25·5	2·6	20	.	.	.	.	.	1	1	.	1	.	1	5	1	.	.	.	1
		„ 27,	30·6	1·3	24	.	.	.	.	.	.	.	.	5	.	.	1	1	.	1	1	2
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1913 (Est.) 27,883.	Nov. 8,	28·1	3·7	15	.	.	.	.	1	.	.	.	3	1	.	2	.	1	.	1	.
		„ 15,	33·7	1·9	18	.	.	.	.	.	.	1	.	3	2	1	3	.	.	.	1	.
		„ 22,	28·1	3·7	15	.	.	.	.	.	.	.	.	1	.	.	3	3	2	.	.	1
		„ 29,	24·3	1·9	13	.	1	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.
		Dec. 6,	29·9	1·9	16	.	.	.	.	1	.	.	.	.	1	.	2	4	.	.	.	.
		„ 13,	24·3	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.
		„ 20,	26·2	1·9	14	.	.	.	.	1	.	.	.	.	.	.	4	3	.	.	.	.
		„ 27,	18·7	1·9	10	.	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1913 (Est.) 35,185.	Nov. 8,	11·9	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
		„ 15,	10·4	1·5	7	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	.
		„ 22,	13·3	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
		„ 29,	14·8	.	10	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1
		Dec. 6,	22·2	1·5	15	1	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.	.
		„ 13,	17·8	1·5	12	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	1	.
		„ 20,	25·2	1·5	17	.	.	.	.	.	.	1	.	6	2	.	.	.	.	.	.	.
		„ 27,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1913. (Est.) 40,366.	Nov. 8,	15·5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
		„ 15,	23·3	3.9	18	1	.	.	.	.	.	.	.	1	.	2	.	4	2	.	.	.
		„ 22,	24·5	2·6	19	.	.	.	.	1	.	.	.	.	1	1	1	2	1	.	1	2
		„ 29,	19·4	.	15	.	.	.	.	.	.	.	.	1	1	2	2	3	.	.	.	.
		Dec. 6,	18·1	3·9	14	.	.	.	.	1	.	.	.	3	.	.	.	2	2	.	.	.
		„ 13,	23·3	2·6	18	2	.	.	.	.	.	.	.	1	1	1	1	1	.	.	1	.
		„ 20,	20·7	1·3	16	1	.	.	.	.	.	.	.	2	1	1	1	2	.	.	.	.
		„ 27,	20·7	2·6	16	.	.	.	.	.	1	.	.	1	2	1	1	4	1	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1913 (Est.) 18,341.	Nov. 8,	14·2	2·8	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
		„ 15,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
		„ 22,	25·6	.	9	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
		„ 29,	31·3	.	11	.	.	.	.	.	.	.	.	4	1	.	3	1	.	.	.	1
		Dec. 6,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.
		„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1
		„ 20,	25·6	5·7	9	.	.	.	.	1	.	1	.	1	1	1	.	3	.	.	.	.
		„ 27,	19·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1913 (Est.) 43,110.	Nov. 8,	15·7	1·2	13	.	.	.	.	.	.	.	.	1	.	1	4	3	1	.	.	.
		„ 15,	24·2	3·6	20	.	.	.	.	.	.	.	.	2	1	1	2	1	1	2	.	1
		„ 22,	19·4	1·2	16	.	.	.	.	.	.	1	.	.	.	2	1	4	.	.	1	2
		„ 29,	21·8	2·4	18	.	.	.	.	.	.	1	.	2	.	.	1	2	1	.	.	.
		Dec. 6,	18·1	1·2	15	.	.	.	.	.	.	.	.	.	1	.	3	2	1	.	1	1
		„ 13,	19·4	2·4	16	.	.	.	.	.	.	1	.	1	2	.	3	3	1	.	.	1
		„ 20,	19·4	1·2	16	.	.	.	.	.	.	1	.	2	.	2	1	3	.	.	.	.
		„ 27,	19·4	2·4	16	.	.	.	.	.	.	.	.	1	1	.	3	2	2	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1913 (Est.) 33,171.	Nov. 8,	20·4	1·6	13	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	2	.
		„ 15,	29·9	6·3	19	.	.	.	1	.	.	1	.	4	.	.	.	1	2	.	.	3
		„ 22,	18·9	.	12	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.
		„ 29,	20·4	4·7	13	.	.	.	.	.	.	.	.	3	.	1	2	2	3	.	.	.
		Dec. 6,	18·9	1·6	12	.	.	.	1	.	.	.	.	2	1	1	3	1	.	.	.	.
		„ 13,	22·0	7·9	14	.	.	.	2	.	.	2	.	2	1	1	.	3	1	.	.	1
		„ 20,	23·6	12·6	15	.	.	.	1	.	.	1	.	4	.	1	.	.	6	.	.	1
		„ 27,	18·9	5·1	12	.	.	.	1	.	.	1	.	.	1	1	2	3	.	.	.	.

* See Note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1913. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Nov. 8,	17·5	.	18	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.
	„ 15,	16·1	2·7	12	.	.	.	.	.	.	1	.	3	.	2	.	.	1	.	.	.
	„ 22,	12·1	2·7	9	.	.	.	.	.	.	.	.	1	.	2	2	1	2	.	.	1
	„ 29,	13·4	1·3	10	.	.	.	.	.	.	1	.	1	.	4	.	2	.	.	.	.
	Dec. 6,	10·8	1·3	8	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Pop. in 1913 (Est.) 38,769.	„ 13,	10·8	.	8	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 20,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
	„ 27,	12·1	2·7	9	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.
Pembroke Urban District.	Nov. 8,	17·4	3·5	10	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.
	„ 15,	19·2	3·5	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	„ 22,	10·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 29,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	2	.
	Dec. 6,	10·4	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.
Pop. in 1913 (Est.) 29,942.	„ 13,	24·4	1·7	14	.	1	.	.	.	.	.	.	1	.	1	4	.	.	.	.	.
	„ 20,	15·7	1·7	9	.	.	.	.	.	.	1	.	.	2	.	2	2	.	.	.	.
	„ 27,	7·0	1·7	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Kingstown Urban District.	Nov. 8,	30·8	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 15,	15·4	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	„ 22,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 29,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec 6,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
Pop. in 1911 16,941.	„ 13,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 20,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 27,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Belfast.	Nov. 8,	17·5	1·6	133	1	.	.	.	7	.	.	.	13	6	8	10	13	3	1	4	2
	„ 15,	18·3	1·8	139	.	.	.	1	7	3	2	.	22	2	8	16	15	1	.	4	6
	„ 22,	16·6	2·5	126	1	.	.	1	9	2	.	.	9	5	10	9	11	6	.	9	1
	„ 29,	14·7	1·3	112	2	.	.	3	4	.	1	.	8	3	6	10	12	.	.	1	1
Pop. in 1913 (Est.) 396,000.	Dec. 6,	15·4	1·7	117	1	.	.	.	8	3	.	.	10	6	3	13	14	1	.	3	1
	„ 13,	18·0	1·8	137	.	.	.	.	8	3	2	.	8	5	7	25	10	.	1	2	.
	„ 20,	18·6	1·3	141	.	.	.	.	5	3	1	.	12	2	10	14	14	1	.	1	3
	„ 27,	19·8	2·0	150	.	.	.	1	6	7	.	.	15	9	6	28	15	1	.	3	1
Cork.	Nov. 8,	18·4	0·7	27	.	.	.	.	.	.	.	.	3	3	5	.	5	.	1	.	.
	„ 15,	21·1	2·7	31	1	.	.	.	.	.	.	.	.	2	3	.	3	3	.	.	2
	„ 22,	10·2	1·4	15	.	.	.	.	1	.	.	.	2	1	.	.	2	1	.	1	1
	„ 29,	18·4	1·4	27	.	.	.	.	.	.	.	.	4	1	1	1	4	2	.	.	.
Pop. in 1911 76,673.	Dec. 6,	16·3	2·0	24	.	.	.	.	1	.	.	.	5	2	2	.	1	2	.	1	3
	„ 13,	21·1	0·7	31	.	.	.	.	.	.	.	.	7	2	.	1	3	1	.	.	1
	„ 20,	23·1	.	34	.	.	.	.	.	.	.	.	4	4	1	1	6	.	.	1	.
	„ 27,	10·9	.	16	.	.	.	.	.	.	.	.	2	.	2	2	2	.	.	.	1
Londonderry.	Nov. 8,	21·6	1·3	17	.	.	.	1	.	.	.	.	3	.	.	3	1	.	.	.	.
	„ 15,	22·9	1·3	18	.	.	.	.	.	.	.	.	5	1	2	.	2	1	.	.	.
	„ 22,	12·7	2·5	10	.	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	.
	„ 29,	14·0	1·3	11	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.
Pop. in 1913 (Est.) 41,000.	Dec. 6,	17·8	2·5	14	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.
	„ 13,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 20,	11·4	.	9	.	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.
	„ 27,	11·4	.	9	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
Limerick.	Nov. 8,	21·7	.	16	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	3
	„ 15,	24·4	.	18	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	.	2
	„ 22,	16·2	1·4	12	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.
	„ 29,	17·6	.	13	.	.	.	.	.	.	.	.	2	.	.	.	5	.	.	.	2
Pop. in 1911 38,518.	Dec. 6,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 13,	12·2	1·4	9	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	.	1
	„ 20,	17·6	.	13	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	2
	„ 27,	13·5	1·4	10	1	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	1
Waterford.	Nov. 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	2
	„ 15,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	„ 22,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	1	1	.	1	.	.
	„ 29,	11·4	1·9	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Pop. in 1911 27,464.	Dec. 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	2
	„ 13,	9·5	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
	„ 20,	34·2	.	18	.	.	.	.	.	.	.	.	7	2	.	.	2	.	.	1	.
	„ 27,	11·4	.	6	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th December, 1913, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	9·9	.	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	8	20·0	.	19	1	1	3	2	8	4	.	.	.	.	.	.	.	.	3	1	2	1	2	.	.	.	.	1	.
Do. 3 do.	50,032	18	16·7	2·1	16	1	4	2	2	5	2	.	.	.	.	.	2	.	.	2	2	.	2	2	.	.	.	.	3	1
Do 4 do.	32,637	15	27·2	.	17	3	3	1	5	5	.	.	.	.	.	.	.	.	.	1	1	.	7	2	.	.	1	1	5	.
Do. 5 do.	16,112	7	19·4	3·2	6	1	2	1	1	1	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.	.	.	.	2	.
Do. 6 do.	37,293	7	21·0	.	15	2	3	4	.	1	5	.	.	.	.	.	.	.	.	1	4	.	1	.	.	.	1	2	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	17·5	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.	24,427	10	17·1	2·1	8	1	.	2	2	3	.	.	.	.	.	1	.	.	.	.	1	.	2	1	.	.	.	.	2	.
Do. 10 do.	28,958	18	25·2	7·2	14	1	5	5	.	2	1	.	.	.	1	3	.	.	.	2	.	.	1	1	.	.	.	.	3	.
Do. 11 do.	39,311	12	15·9	4·0	12	6	1	2	2	.	1	.	.	.	.	.	2	.	.	2	.	1	4	.	1	.	1	2	.	.
Do. 12 do.	38,076	17	24·6	1·4	18	8	4	2	1	2	1	.	.	.	.	1	.	.	.	1	.	1	4	5	.	.	.	.	4	.
Do. 13 do.	23,233	5	15·7	.	7	1	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do	22,669	7	29·9	6·9	13	3	4	1	2	1	2	.	.	.	.	1	2	.	.	.	.	1	2	1	.	.	.	1	4	.
Total,	386,947	130	19·8	2·0	150	28	29	25	20	30	18	.	.	.	1	6	7	.	.	15	9	6	28	15	1	.	3	6	27	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	15·5	.	4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
Do 2 do.	10,701	1	10·0	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do 3 do.	9,978	1	10·6	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do 4 do.	8,666	2	11·4	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 5 do.	6,592	.	25·0	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Do 6 do.	10,702	5	9·0	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 7 do.	16,616	.	3·2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Total,	76,122	12	10·9	.	16	.	.	.	7	4	5	.	.	.	.	.	.	.	.	2	.	2	2	2	.	.	.	1	8	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1913—WEEK ENDING																									
	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered, ...	192	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136	205	196	130
DEATHS registered, ...	121	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150
Annual Death-rate per 1,000 of estimated population, ...	15·9	14·2	15·8	15·8	15·9	15·1	20·9	18·7	23·0	20·7	20·4	21·1	19·5	13·2	16·7	14·6	15·1	13·4	17·5	18·3	16·6	14·7	15·4	18·0	18·6	19·8
AGES, Under 1 year, ...	19	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23	27	28
1—5 years, ...	11	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17	29
5—25 „ ...	20	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12	16	25
25—45 „ ...	17	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22	32	20
45—65 „ ...	32	21	30	24	25	17	28	22	27	29	30	26	31	20	25	26	23	18	24	32	29	24	27	29	32	30
65 and upwards, ...	22	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25	17	18
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1	.	1	2	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.	1	1	3	.	.	.	1
Scarlet Fever, ...	3	3	3	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8	5	6
Whooping-cough, ...	2	.	.	1	2	.	2	1	1	1	.	1	.	.	.	.	.	.	.	3	2	.	3	3	3	7
Diphtheria, ...	.	.	2	.	1	.	.	.	2	.	2	3	1	.	2	1	1	.	.	2	.	1	.	2	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	10	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10	8	12	15
Tuberculous Disease. Other Forms,	5	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5	3	6	5	2	9
Cancer, ...	5	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7	10	6
Diseases of Respiratory System, Pneumonia,	7	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28
Diseases of Respiratory System, Others, ...	10	6	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13	15	11	12	14	10	14	15
Diarrhœa and Enteritis, under 2 years, ...	5	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6	.	1	.	1	1
Diarrhœa, 2 years and upwards,	1	2	1	2	1	3	2	3	6	1	3	.	5	1	.	1	1	1	1	.	.	.	.	1	.	.
Violent Deaths, ...	4	3	.	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4	4	9	1	3	2	1	3
Number of Uncertified Deaths, ...	1	.	3	1	.	.	.	1	.	3	.	.	1	.	4	3	2	1	2	6	1	1	1	.	3	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1913 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,518,191	Dec. 27,	1,345	1,215	14·0	4	.	4	6	10	5	29*a*
Edinburgh, ...	320,300	„ 27,	90	114	18·6	.	.	8	4	.	2	1*a*
Glasgow, ...	1,021,500	„ 27,	507	338	17·3	.	.	14	4	5	4	3*a*
Calcutta, ...	896,067	Nov. 15,	.	574	33·3	102*	.	2	.	.	.	95‡
Bombay, ...	979,445	„ 22,	461	561	29·8	62*	.	5	.	.	.	52‡
Madras, ...	518,660	„ 22,	379	427	42·8	61*	1	.	?	?	?	93‡
Cairo, ...	715,609	Oct. 7,	532	396	28·9	3	1	2	.	?	14†	91*a*
Paris, ...	2,847,229	Dec. 13,	931	802	14·4	6	.	1	2	1	5†	20*a*
Brussels, ...	767,252	„ 6,	229	186	12·7	.	.	.	.	.	2†	13*a*
Antwerp, ...	312,884	„ 6,	120	62	10·3	1	.	.	2	.	1†	6*a*
Amsterdam, ...	593,690	„ 6,	243	113	9·1	1	.	5	.	4	1†	1*a*
Copenhagen, ...	482,000	„ 6,	237	98	10·6	.	.	.	.	2	1†	2*a*
Stockholm, ...	376,171	„ 6,	137	107	14·8	1	.	.	.	.	1	1*a*
Christiania, ...	250,423	„ 13,	101	62	12·9	.	.	.	.	.	2	3
St. Petersburg ...	1,708,600	Nov. 22,	964	719	21·9	16	.	21	13	5	14	20*a*
Moscow, ...	1,694,000	„ 15,	.	647	19·9	3	.	23	24	4	16†	53
Berlin, ...	2,057,715	„ 29,	.	.	.	.	.	.	.	.	.	.
Hamburg, ...	1,006,748	Dec. 6,	.	255	13·2	.	.	6	1	8	8†	9
Breslau, ...	541,606	„ 6,	.	172	16·6	1	.	.	.	3	.	6
Munich, ...	638,000	„ 6,	.	181	14·8	1	.	3	.	1	.	3*a*
Vienna (with suburbs),	2,132,523	„ 6,	591	597	14·6	1	.	5	1	.	8†	24*a*
Buda-Pesth, ...	930,666	„ 6,	433	372	20·8	4	.	4	11	.	5†	19*a*
Prague and Faubourgs,	494,055	Nov. 22,	146	155	16·4	.	.	.	1	.	3†	3*a*
Trieste, ...	242,595	Dec. 6,	118	98	21·1	2	.	.	.	.	.	3*a*
Rome, ...	582,565	July 19,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,372,983	Nov. 15,	2,663	1,250	12·1	12	.	5	2	3	26†	31*a*
Philadelphia, ...	1,631,960	„ 8,	.	460	14·7	5	.	1	9	3	7	22*a*
Boston, ...	735,399	Dec. 6,	.	226*b*	16·0	1	.	.	3	.	1	10

* Deaths from "fever," including 6 from enteric fever in Calcutta; one from enteric fever and 2 from plague in Bombay; and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 35 deaths from cholera in Calcutta, 4 in Bombay, and 2 in Madras.

a Deaths from diarrhœa and enteritis of children under two years.

b Corrected figures, *i.e.*, non-residents deducted, 200 (including 2 deaths from scarlet fever and 7 deaths from diarrhœal diseases), rate 14·1 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th December, 1913.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (Phthisis).	Poliomyelitis.	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	1	.	.	.	1	.	4
" " 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	1	.	2
" " 3, ...	.	1	.	.	.	.	1	1	.	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	2	.	.	1	.	.	.	.	.	.	.	.	3
Coolock and Drumcondra (part of),	.	7	.	.	1	.	.	.	.	.	.	.	.	8
Finglas and Glasnevin (part of), ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	2	.	.	2	.	.	.	.	.	.	.	.	4
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2
" " 3, ...	.	.	.	.	.	.	.	1	1	.	.	1	.	3
" " 4, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	15	.	.	8	.	1	3	2	.	.	6	.	35

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 27th December, 1913, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th December.			
	Dec. 6.	Dec. 13.	Dec. 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	63	52	57	3	8	.	52
Typhus, ...	2	3	3	1	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	8	8	5	2	1	10
Scarlet Fever, ...	115	121	126	23	25	.	124*
Diphtheria, ...	84	79	84	12	29	2	65
Pneumonia, ...	26	29	23	5	2	.	26

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 27th December, 1913:—

The leading feature in the Weather Record of this week was the general reduction of temperature, although indeed the thermometer did not remain steadily low in the second half of the period. Sunday morning found an anticyclone centred over Ireland, the barometer standing at or slightly above 30·7 inches at most places in Leinster and Munster—at 9 a.m. the reading in Dublin was 30·726 inches. At the same time, atmospheric depressions existed in Iceland, in Lapland, and near Madeira. The former, or Arctic, systems determined a warm W. wind in Scotland, Denmark, and the south of Scandinavia; but severe frost prevailed in Southern Germany (Munich, 18°) and Central and Eastern France (Paris, 26°) and Belfort (20°). Much the same state of things continued on Monday, but the high pressure system moved south-eastwards to France, while a shallow depression appeared off the Portuguese coast. This latter system moved in a N.N.E. direction to the English Channel, ultimately causing very heavy rains in the S.W. and S. of England—as much as 1·3 inches being measured at Scilly and 2·06 inches at Falmouth. Christmas Eve was fair and frosty in Dublin after a slight shower of snow in the early morning. But on Christmas Day the first of a series of atmospheric depressions arrived from the Atlantic, and the weather became very unsettled, with sudden changes of temperature, westerly strong winds or gales, heavy rain and hail, and on Saturday snowfalls in Ulster, Scotland, Wales, and Derbyshire. In Dublin the mean height of the barometer was 30·036 inches, pressure ranging from 30·726 inches at 9 a.m. of Sunday (wind, W.) to 29·539 inches at 4 p.m. of Friday (wind, W.S.W.). The corrected mean temperature was 39·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 38·5°. On Wednesday the screened thermometers fell to 32·9°, on Friday they rose to 51·2°. The dominant wind was westerly. The rainfall was ·491 inch on 2 days, ·317 inch being measured on Friday. Lightning was seen on Christmas evening. Hail fell on Friday, and a little snow early on Christmas Eve.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·042 inches. The highest reading (30·724) was on Sunday, at 9 a.m., air calm, the lowest (29·622) on Saturday, at 9 p.m., wind W.

The mean temperature for the week was 37·7°, being 3·8° below the average for the corresponding period of the 10 years, 1903–1912. The temperature* was highest on Friday, on which day the thermometer registered 51°, and was lowest on Monday, the mercury having fallen to 29°. The mean of the Dry Bulb for the week was 37·3° and of the Wet Bulb, 36·2°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·620 inch.

At Greenwich the mean temperature for the week was 39·2°, the maximum 51·0°, and the minimum 30·2°; at Glasgow the maximum was 48·0°, the minimum 32·0°, and the mean 40·4°; and at Edinburgh the maximum was 47·9°, the minimum 31·0°, and the mean 39·8°. The rainfall at Greenwich measured 0·53 in.; at Glasgow 0·96 in., and at Edinburgh 0·48 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 21,	30·680	43	30	36·5	33·2	32·5	·92	·2	0·0	·000	Calm.	W.
Monday, „ 22,	30·270	39	29	34·0	35·8	34·4	·87	·3	0·0	·000	Calm.	W.S.W.
Tuesday, „ 23,	29·875	41	32	36·5	35·9	34·6	·89	·4	0·0	·000	W.	W.
Wednesday, „ 24,	30·050	41	31	36·0	33·8	33·2	·94	·4	3·1	·000	W.	W.
Thursday, „ 25,	30·000	49	32	40·5	45·9	43·8	·85	·6	0·0	·260	W.S.W.	W.S.W.
Friday, „ 26,	29·750	51	36	43·5	39·8	39·3	·96	·6	0·0	·360	Calm.	W.
Saturday, „ 27,	29·670	41	33	37·0	37·0	35·6	·87	·7	2·0	·000	W.	W.
Mean, ...	30·042	43·6	31·9	37·7	37·3	36·2	·90	·5	Total 5·1	Total ·620	Prevailing Wind, W.	

Sunday—Day overcast,; night clear to overcast. *Monday*—Day overcast; night cloudy. *Tuesday*—Day overcast; night cloudy. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—Day overcast; night overcast, drizzling and heavy rain 3.30 to 9.0 a.m. *Friday*—Day overcast, drizzling and heavy rain at intervals from 9.0 a.m to 8.0 p.m.; night cloudy to clear. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 27th December, 1913.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1913. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 21,	41·0	44·7	47·8	44·5	35·0	39·8	—	—
Monday, „ 22,	37·7	43·2	47·6	40·8	33·4	37·1	—	—
Tuesday, „ 23,	41·8	42·6	47·2	41·8	35·9	38·9	—	—
Wednesday, „ 24,	36·0	41·8	47·1	41·8	32·9	37·4	1·1	—
Thursday, „ 25,	45·1	41·5	47·0	48·7	36·0	42·4	—	·175
Friday, „ 26,	42·8	43·0	46·7	52·1	37·8	45·0	·3	·305
Saturday, „ 27,	36·5	43·0	46·4	41·7	34·9	38·3	1·9	—
Weekly Mean,	40·1	42·8	47·1	44·5	35·1	39·8	Total 3·3	Total ·480

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

34807. Wt. P. 127. 375. 12. 1913. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE:
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H.M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, London, W.C.

Printed by ALEXANDER THOM & CO. Limited, Abbey-street, Dublin.

1913.

Price 1½*d.*

Vol. L.] Quarter ending Saturday, 27th December, 1913. [No. 52A

DUBLIN REGISTRATION AREA. — Births. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1913, 403,000, there were registered during the thirteen weeks ended on Saturday, 27th December, 1913, 2,562 births—1,349 boys and 1,213 girls—being equal to an annual ratio of 1 in 39·3, or 25·4 in every 1,000 of the population.

The number of births registered in the city was 2,200, equivalent to an annual rate of 28·6 in every 1,000 of the population; and in the urban districts named above, 362, equal to an annual rate of 15·3 in every 1,000 of the population.

There were registered in London during the same period 26,327 births—being equal to an annual birth-rate of 23·3 in every 1,000 of the estimated population; in Glasgow there were registered 6,827, being equal to 26·7 per 1,000; and in Edinburgh, 1,472—a number affording an annual birth-rate of 18·4 in every 1,000 of the estimated population.

Deaths.—Omitting the deaths (133) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,911, are equivalent to an annual rate of 19·0 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 21·1. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,044—1,054 males and 990 females—affording an annual ratio of 1 in 49·3 or 20·3 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the fourth quarter of the ten years, 1903–1912, in the Dublin Registration Area was 22.2 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 777, representing an annual mortality of 19·0 in every 1,000 of the population; and the number in the south city districts was 798, equivalent to a rate of 22·1 per 1,000. In the urban districts the number of deaths registered was 336, being equal to an annual death-rate of 14·2 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 15,458, a number equal to an annual rate of mortality of 13·7 in every 1,000 of the inhabitants; in Glasgow the number was 4,157 equal to 16·3 in every 1,000; and in Edinburgh 1,086, affording an annual death-rate of 13·6 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 255, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·53.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1903–1912:—

Names of Diseases.	No. of Deaths in December Quarter, 1913.	Average No. of Deaths in December Quarters, 1903–1912.
Enteric Fever, ...	14	20
Typhus, ...	3	1
Small-pox, ...	–	–
Measles, ...	15	27
Scarlet Fever, ...	12	10
Whooping-cough, ...	7	27
Diphtheria, ...	31	15

Enteric Fever.—There were 14 deaths from enteric fever, as compared with 18 in the corresponding quarter of 1912; 11, 6, and 12 in each of the three preceding quarterly periods, and an average of 20 for the fourth quarter of the years 1903–1912. In Table I. it appears that during the September quarter, 122 cases of enteric fever were admitted to hospitals, 62 cases being under treatment at the end of the quarter; only 6 deaths occurred in hospitals. Of the 14 deaths registered, 6 belonged to Dublin north city, 4 to Dublin south city, one to Rathmines and Rathgar urban district, one to Blackrock, and 2 deaths were of non-residents in the Dublin Registration Area.

Typhus.—Three deaths from typhus were registered. Altogether 9 cases were under treatment in hospitals, 4 being under treatment on 27th December. One of the victims of typhus belonged to north city No. 2 district, one to the south city No. 3 district, and one belonged to the urban district of Pembroke.

Small-pox.—No record of small-pox was made in the Area during the period under notice.

Measles.—The deaths from measles, in number 15, were 12 under the average; in the three preceding quarters such deaths were 3, 6, and 5. The number of patients under treatment in hospitals was 66; of these 10 remained under treatment at the close of the period. Of the 15 deaths, 12 appertained to south city No. 4 district, and 3 to the city district of New Kilmainham.

Scarlet Fever.—As in the December quarter of 1912, the number of deaths registered from scarlet fever was 12.

Whooping-cough.—There were only 7 deaths from whooping-cough registered, as compared with the average (27), the number in the December quarter of 1912, namely 13, and 34, 30, and 15 respectively in the first second and third quarters of 1913.

Diphtheria.—The mortality from diphtheria (31 deaths) was rather more than double the average (15), and equal to an annual rate of 0·31 per 1,000 of the population of the Area estimated to the middle of the year 1913. In the corresponding quarter of 1912, deaths from diphtheria were, in number, 22, and in each of the intervening periods 25, 21, and 13. The cases treated in hospitals numbered 249. Of these, 31 succumbed, and 65 were still under treatment at the close of the period.

A distribution of the 31 deaths above-mentioned shows that 7 belonged to Dublin north city; 18 to Dublin south city, of which latter figure 7 were of south city No. 3 district, and 8 of south city No. 4; there were 4 deaths for Rathmines and Rathgar urban district, one for Pembroke, and one for Blackrock.

* See note (*) p. 833*h*.

Diarrhœal Diseases.—Included in the total deaths from diarrhœal diseases, in number 173, there were 161 deaths of children under 2 years of age, the rates per 1,000 for these figures being 1·72 and 1·60 respectively.

Cerebro-Spinal Fever.—No deaths were registered from this disease.

Pneumonia.—In the aggregate, deaths from pneumonia (all forms) numbered 157. This figure includes 99 deaths from broncho-pneumonia, 13 from lobar pneumonia, and 45 from pneumonia (type not distinguished). The total deaths are equal to an annual rate of 1·56 per 1,000 of the estimated population of the Area.

Tuberculosis.—The total number of deaths from all forms of tuberculous disease was 298, This figure includes 215 deaths from pulmonary tuberculosis, 32 from tuberculous meningitis, 19 from abdominal tuberculosis, 2 from tuberculosis of the vertebral column, 5 from tuberculosis of joints, 3 from tuberculosis of other organs, one from scrofula, and 21 deaths from disseminated tuberculosis. In the December quarter of 1912 the number of deaths from all forms of tuberculosis was 359, so that the number of deaths in the period under notice was 61 under that in the year 1912. The annual rate corresponding to the total deaths from tuberculous disease in December quarter, 1912, was 3·58 per 1,000, as compared with a rate of 2·96 per 1,000 in December quarter, 1913.

In this quarter there was an annual rate of 2·91 per 1,000 for the north city districts; a rate of 3·21 per 1,000 for the south city districts; a rate of 1·65 per 1,000 for the urban district of Rathmines and Rathgar; 1·07 per 1,000 for Pembroke urban district; 0·87 per 1,000 for Blackrock, and 1·65 per 1,000 for Kingstown.

Cancer.—The deaths assigned to cancer were, in number, 118, and correspond to an annual rate of 1·17 per 1,000.

Diseases of Brain and Nervous System.—There were 216 deaths from these causes, which include the deaths from convulsions of 46 children under 5 years of age; of the latter figure 37 were infants under one year of age. The total (216) is equal to an annual rate of 2·14 per 1,000.

Circulatory System.—In this division the deaths numbered 197, and represent an annual rate of 1·96 per 1,000.

Bronchitis.—One hundred and eighty-eight deaths were caused by bronchitis; this figure corresponds to an annual rate of 1·87 per 1,000.

Congenital Malformations, Premature Birth, Congenital Debility.—There were 14 deaths of infants from congenital malformations, 52 from prematurity, and 59 from congenital debility.

Violence.—Among the deaths from Accident or Negligence, which numbered 41, there were 3 of children under 5 years from burns and scalds, 9 from drowning, 5 by vehicles and horses, and one of an infant by suffocation in bed. Three deaths were attributed to Homicide, and one was by Suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 27th December, 1913.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	62	122	126	6	52
Typhus, ...	3	6	3	2	4
Small-pox, ...	–	–	–	–	–
Measles, ...	14	52	52	4	10
Scarlet Fever, ...	79	261	204	12	124*
Diphtheria, ...	37	212	153	31	65
Pneumonia, ...	31	85	78	12	26

* Exclusive of 21 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 52 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 52 cases, 29 (or 56 per cent.) were deaths of children under 5 years of age; these 29 deaths form 4·3 per cent. of the total number of deaths of children of that age-period. Of the deaths of 147 infants under one month old registered, there were 12 (or 8·2 per cent.) regarding which the cause was uncertified.

From Table II., on page 833*f*, it will be seen that, excluding 133 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,911, equal to an annual rate of 19·0 per 1,000 of the estimated population, and that 253 of these deaths, representing an annual rate of 2·5 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 20·4 per 1,000, and for the urban districts 14·2 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·8, and in the urban districts 1·4, the rates for the several districts varying from 0·2 in Kingstown, to 5·8 in South city No. 4, the 187 deaths from all causes for that district including 12 from measles, 8 from diphtheria and 28 from diarrhœa and enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 833*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·6 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 14·9 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·1; and in the "General Service Class" it was 20·9.

AGES.—Of the 2,044 persons whose deaths were registered in the Dublin Registration Area during the quarter, 675 were under 5 years of age, including 472 infants under one year of age, the latter representing a rate of 184·2 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 66·0 in every 1,000 children at that age (according to the Census of 1911); 88 were between the ages of 5 and 15, representing an annual rate of 5·0 per 1,000 persons at that age-period; 83 were between the ages of 15 and 25, equivalent to an annual rate of 4·1 per 1,000; the total number under 25 years being equal to an annual mortality of 17·6 per 1,000 of the population at that age-period (according to the Census of 1911); 305, or 9·8 per 1,000 persons, were between 25 and 45; 454, or 30·8 per 1,000, between 45 and 65; 276, or 65·4 per 1,000, between 65 and 75; and 163, or 116·6 per 1,000, were aged 75 and upwards, including 8 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,044 deaths recorded during the quarter, 860 or 42·1 per cent., occurred in public institutions, viz., 533 in the various hospitals, prisons, and lunatic asylums; 118 in the North Dublin Union Workhouse; 205 in the South Dublin Union Workhouse; and 4 (those of persons admitted from within the Dublin registration area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 47·2°. At Greenwich, for the quarter, it was 48·9°; at Glasgow 46·6°; and at Edinburgh, 45·9°.

The rainfall at Dublin during the thirteen weeks measured 8·56 inches; at Greenwich, 7·01 inches; at Glasgow, 8·58 inches; and at Edinburgh, 5·09 inches.

† See note (*) p. 833*h*.

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phœnix Park, Dublin,* for the thirteen weeks ended 27th December, 1913.

Prepared in the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1913. Week Ended.	Barometer. Mean at 32° F. Mean Sea Level and Standard Gravity. Lat. 45°.	Barometer. Difference from Average.	Thermometer. Mean of Maximum A.	Thermometer. Mean of Minimum B.	Thermometer. Mean of A. and B.	Thermometer. Difference from Average.	Thermometer. Highest.	Thermometer. Lowest.	Hygrometer. Mean of Dry Bulb.	Hygrometer. Mean of Wet Bulb.	Hygrometer. Mean Humidity.	Ozone. 1·0	Bright Sunshine. Mean Daily Amount in Hours.	Bright Sunshine. Difference from Average.	Bright Sunshine. Percentage of Possible.	Rainfall. Total Amount.	Rainfall. Difference from Average.	Rainfall. Number of Days.	Wind. Mean Velocity Recorded in Metres per Second.
	Inches.		° F	° F	° F		° F	° F	° F	° F	Per cent.		Hours.	Hours.	Per cent.	Inches.	Inches.		m. p. s.
October 4th, ...	29·944	—	61·3	51·9	56·6	—	68	47	56·0	54·6	92	0·5	2·3	−2·7	20	·06	—	2	2·2
,, 11th, ...	29·734	—	55·7	47·0	51·4	—	62	44	51·4	49·8	90	0·5	1·3	−2·4	12	2·73	—	6	3·7
,, 18th, ...	30·121	—	62·4	43·3	52·9	—	66	34	55·1	52·8	86	0·5	2·2	−1·3	21	·14	—	2	2·6
,, 25th, ...	29·821	—	53·6	33·4	43·5	—	65	25	43·0	41·0	86	0·4	6·8	+3·6	69	·53	—	3	2·0
November 1st ...	29·349	—	56·6	45·3	51·0	—	60	36	51·2	49·1	86	0·6	2·5	−0·5	27	1·04	—	6	3·3
,, 8th, ...	29·633	—	52·7	36·1	44·4	—	56	29	43·8	42·4	90	0·5	5·1	+2·4	57	·71	—	4	2·8
,, 15th, ...	29·400	—	52·9	40·4	46·7	—	60	35	46·4	44·9	90	0·5	3·0	+0·6	35	·65	—	6	3·2
,, 22nd, ...	29·959	—	53·4	39·9	46·7	—	56	32	47·0	45·3	88	0·7	2·2	0·0	27	·64	—	6	5·0
,, 29th, ...	30·161	—	52·9	42·3	47·6	—	55	37	48·1	46·6	90	0·6	0·4	−1·6	5	·15	—	4	5·0
December 6th, ...	29·800	—	49·0	39·7	44·4	—	54	32	43·8	42·8	93	0·5	0·9	0·9	12	1·07	—	5	3·9
,, 13th, ...	30·143	—	50·7	41·3	46·0	—	56	33	45·9	44·8	93	0·5	0·8	−0·9	11	·17	—	4	3·6
,, 20th, ...	30·451	—	48·3	39·9	44·1	—	53	36	43·4	41·6	87	0·3	0·6	−1·1	8	·07	—	1	2·1
,, 27th, ...	30·042	—	43·6	31·9	37·8	—	51	29	37·0	35·8	90	0·5	0·7	−1·0	10	·62	—	2	3·1
Mean, ...	29·889	+·004	53·3	41·0	47·2	+3·3	68	25	47·1	45·5	89	0·5	2·2	−0·4	24	8·58	+0·51	51	3·3

* Height above Mean Sea Level, Station H = 155 feet; Barometer *Hb* = 159 feet.

NOTE.—The information under the headings Barometer Hygrometer, and Wind is the mean of observations taken 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months October to December. For remarks on the Weather of the Quarter see "Quarterly Return."

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 27th December, 1913,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1913.†	QUARTER (13 WEEKS) ENDED 27TH DECEMBER, 1913. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*	TOTAL DEATHS.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E.,	29,908	20·2	2·9	151	45	12	2	8	8	27	27	22	.	.	.	.	2	1	1	.	20	4	7	12	13	17	1	5	6
,, 1, W.,	40,871	22·4	2·9	229	61	15	11	12	10	31	35	54	2	.	.	.	.	1	3	1	27	3	8	27	22	22	1	3	11
,, 2,	27,883	23·0	1·9	160	51	8	7	8	2	25	29	30	.	1	.	.	3	.	1	.	13	11	7	20	24	8	.	2	2
,, 3,	35,185	15·8	1·6	139	32	4	6	4	3	30	42	18	3	.	.	.	.	2	1	.	23	6	2	9	13	7	1	5	2
CLONTARF AND HOWTH, No. 1, part of.	5,431	14·0	2·2	19	6	.	.	1	3	2	3	4	.	.	.	.	.	.	.	.	2	1	3	1	1	3	.	.	.
COOLOCK AND DRUMCONDRA, part of,	13,550	13·3	0·9	45	5	3	1	1	.	5	12	18	.	.	.	.	2	.	.	.	1	2	4	2	6	1	.	.	1
FINGLAS AND GLASNEVIN, part of,	10,617	12·8	1·5	34	7	.	1	1	3	5	12	5	1	.	.	.	.	.	1	1	4	2	1	.	1	1	.	.	1
South City.																													
SOUTH CITY, No. 1,	40,366	21·8	2·7	220	59	9	10	9	10	34	45	44	4	.	.	.	2	1	2	1	22	15	10	12	28	16	1	2	5
,, 2,	18,341	26·2	2·2	120	23	11	8	5	3	19	26	25	.	.	.	.	1	.	1	.	17	8	10	8	19	8	.	.	3
,, 3,	43,110	20·9	3·2	225	60	19	12	12	5	22	44	51	.	1	.	.	2	1	7	.	16	7	13	24	30	21	3	4	7
,, 4,	33,171	22·5	5·8	187	42	21	12	7	9	22	43	31	.	.	.	12	.	.	8	.	22	6	11	12	15	28	.	3	7
NEW KILMAINHAM,	9,754	18·9	4·1	46	13	5	3	1	2	5	9	8	.	.	.	3	.	.	.	.	2	1	1	2	8	6	1	2	.
Urban Districts.																													
RATHMINES AND RATHGAR,	38,769	13·2	1·7	128	27	1	8	5	3	12	26	46	1	.	..	.	.	.	4	.	13	3	12	8	11	10	1	5	2
PEMBROKE,	29,942	15·2	1·7	114	20	3	5	7	4	11	34	30	.	1	.	.	.	1	1	.	5	3	7	7	11	10	.	4	3
BLACKROCK,	9,161	13·1	1·7	30	3	.	1	.	.	5	13	8	1	.	.	.	.	.	1	.	2	.	2	.	2	2	.	1	.
KINGSTOWN,	16,941	15·1	0·2	64	7	.	2	2	3	11	14	25	.	.	.	.	.	.	.	.	5	2	7	6	3	1	.	4	2
Total City. North,	163,445	19·0	2·2	777	207	42	28	35	29	125	160	151	6	1	.	.	7	4	7	2	90	29	32	71	80	59	3	15	23
Total City. South,	144,742	22·1	3·6	798	197	65	45	34	29	102	167	159	4	1	.	15	5	2	18	1	79	37	45	58	100	79	5	11	22
Total City. North and South,	308,187	20·4	2·8	1,575	404	107	73	69	58	227	327	310	10	2	.	15	12	6	25	3	169	66	77	129	180	138	8	26	45
Total Urban Districts,	94,813	14·2	1·4	336	57	4	16	14	10	39	87	109	2	1	.	.	.	1	6	.	25	8	28	21	27	23	1	14	7
Total Registration Area,	403,000	19·0	2·5	1,911	461	111	89	83	68	266	414	419	12	3	.	15	12	7	31	3	194	74	105	150	207	161	9	40	52
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				133	11	1	2	5	15	39	40	20	2	.	.	.	.	.	.	.	21	9	13	7	2	.	.	5	.

* See note (*) on page 833*h*.

† See note (*) on page 833*i*.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 27th December, 1913;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 27TH DECEMBER, 1913.																										
					AGES.							CAUSES OF DEATH.																	
			Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS,	397,957	20·5	2,044	675	88	83	305	454	276	163	14	3	.	15	12	7	31	3	215	83	118	48	157	209	161	9	45	914	52
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	15·6	57	3	1	3	8	11	12	19	.	.	.	.	.	.	.	.	3	.	7	.	3	2	2	.	2	38	.
II.	MIDDLE CLASS,	101,798	14·9	379	62	16	22	54	103	67	55	6	.	.	.	4	1	6	2	34	11	30	4	25	20	10	3	13	210	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·1	408	132	27	15	66	99	48	21	1	.	.	2	3	4	10	.	44	20	24	11	37	37	29	2	5	179	17
IV.	GENERAL SERVICE CLASS,	167,479	20·9	873	420	37	31	120	160	78	27	7	2	.	13	5	2	15	1	81	29	36	32	85	104	105	4	22	330	30
V.	INMATES OF WORKHOUSES,	5,602	—	327	58	7	12	57	81	71	41	.	1	.	.	.	.	.	.	53	23	21	1	7	46	15	.	3	157	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																												
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments,	7,868	18·8	37	2	1	3	7	6	8	10	.	.	.	.	.	.	.	.	3	.	7	.	1	.	1	.		23	.
	2. Merchants and Manufacturers, Higher Class	1,347	5·9	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	3. Persons of Rank and Property, not otherwise described,	5,443	13·2	18	1	.	.	1	4	3	9	.	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	13	.
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c.,	9,523	13·9	33	7	1	.	3	9	9	4	2	.	.	.	.	.	1	.		.	4	1	2	1	.	.	1	19	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,199	15·9	100	17	4	3	13	29	18	16	1	.	.	.	2	.	.	.	4	3	7	1	4	7	4	1	5	61	.
	6. Clerks and Commercial Assistants,	33,249	11·5	93	31	3	10	14	22	10	6	3	.	.	.	1	1	2	1	13	5	5	1	11	7	6	.	.	40	3
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	33,827	17·7	150	7	8	9	24	43	30	29	.	.	.	.	1	.	3	1	15	3	14	1	8	5	.	2	7	90	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	16·3	48	19	2	.	11	12	4	.	.	.	.	.	.	.	1	.	6	3	2	2	8	1	4	1	.	20	3
	9. Building and Furnishing Trades,	28,823	17·3	125	38	13	4	14	38	11	7	.	.	.	1	2	2	2	.	10	8	8	.	10	11	8	1	2	60	8
	10. Clothing Trades,	20,026	9·8	49	15	1	4	10	9	7	3	1	.	.	.	.	.	2	.	10	1	2	2	1	10	3	.	.	17	.
	11. Food Supply Trades,	8,952	14·7	33	12	3	.	3	6	7	2	.	.	.	.	.	.	.	.	.	.	2	1	4	5	3	.	2	16	2
	12. Other Trades and Callings ranking with Trades,	32,070	16·2	130	38	5	6	24	32	16	9	.	.	.	1	1	1	4	.	15	4	9	4	13	9	9	.	1	59	3
	13. Petty Shopkeepers,	6,772	13·6	23	10	3	1	4	2	3	.	.	.	.	.	.	1	1	.	3	4	1	2	1	1	2	.	.	7	1
IV.	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	14·8	48	17	2	.	6	12	11	.	1	.	.	.	.	.	2	.	2	1	2	1	2	7	4	.	.	26	2
	15. Domestic Servants,	36,041	7·7	69	19	3	6	14	16	8	3	.	.	.	.	1	.	.	1	11	4	6	4	2	7	6	.	1	26	4
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	20·3	78	34	5	.	10	15	7	7	2	.	.	1	2	.	1	.	4	2	3	1	8	8	9	.	2	35	2
	17. Hawkers, Porters, Labourers, &c.,	103,081	26·3	678	350	27	25	90	117	52	17	4	2	.	12	2	2	12	.	64	22	25	26	73	82	86	4	19	243	22
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates,	5,602	—	327	58	7	12	57	81	71	41	.	1	.	.	.	.	.	.	53	23	21	1	7	46	15	.	3	157	.

Twenty-seven Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin registration area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 17·2 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Lurgan, 9·6 ; Athlone, 10·2 ; Bray, 10·9 ; Bangor, 11·3 ; Tralee, 12·0 ; Larne, 13·4 ; Portadown, 14·0 ; Drogheda, 14·1 ; Sligo, 14·7 ; Armagh, 14·7 ; Londonderry, 14·8 ; Coleraine, 14·9 ; Ballymena, 15·5 ; Limerick, 15·6 ; Newry, 16·0 ; Dundalk, 16·1 ; Belfast, 16·3 ; Lisburn, 16·5 ; Wexford, 17·0 ; Kilkenny, 17·5 ; Cork, 18·1 ; Waterford, 18·1 ; Clonmel, 18·8 ; Dublin Registration Area, 19·0 ; Newtownards, 22·5 ; Queenstown, 23·4 ; and Galway, 25·6.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 27 districts is 2·1 per 1,000 of the population, the rates varying from 0·0 in two of the districts to 10·0 in Galway, the 85 deaths from all causes for that district including one from enteric fever, 5 from measles, 24 from whooping-cough, and 3 from diarrhœa and enteritis of children under 2 years of age.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Enteric Fever.—Of 18 deaths 6 were for Belfast, 3 for Newry and the same number for Clonmel, and one for each of Cork, Limerick, Galway, Lisburn, Ballymena, and Coleraine.

Typhus.—There was no record of mortality from Typhus.

Small-pox.—As in the preceding instance there was no death recorded from small-pox.

Measles.—The deaths, in number 18, included 8 belonging to Belfast, 3 to Londonderry 5 to Galway, and one to each of Newry and Armagh.

Scarlet Fever.—There were 73 deaths appertaining to Belfast, 2 to each of Cork, Limerick, and Clonmel, and one to each of Lisburn and Kilkenny.

Whooping-cough.—Among the deaths from whooping-cough 21 belonged to Belfast, 24 to Galway, 3 to Lisburn, 4 to Newtownards, and one to Bangor.

Diphtheria.—Of the total deaths, 16 in number, 10 were recorded for Belfast, and one for each of the following urban districts :—Limerick, Lisburn, Sligo, Kilkenny, Clonmel, and Coleraine.

Diarrhœa and Enteritis of Children under 2 Years of Age.—Of 174 deaths, 53 appertained to Belfast, 24 to Cork, and 22 to Londonderry.

Phthisis.—The annual death-rate from phthisis for the 27 towns in the aggregate was 1·7 per 1,000 of the estimated population ; for the Dublin Registration Area it was 1·9 per 1,000, for Belfast county borough 1·6 per 1,000, and for the urban districts collectively (exclusive of Dublin Registration Area and Belfast), it was 1·6 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 27th December, 1913,** in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.†	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 27 Town Districts, ...	1,199,180	19·0	24·4	17·2	2·1	7,307	5,151	1 099	1,129	30	3	...	33	93	60	47	3	511	215	288	365	505	335	31	88	170	1,552	200
Dublin Registration Area:— Total	403,000	29·3	25·4	19·0	2·5	2,562	1,911	461	419	12	3	...	15	12	7	31	3	194	74	105	150	207	161	9	40	56	727	52
Urban Districts. City of Dublin, ...	308,187	39·0	28·6	20·4	2·8	2,200	1,575	404	310	10	2	...	15	12	6	25	3	169	66	77	129	180	138	8	26	41	646	45
Rathmines and Rathgar, ...	38,769	22·6	14·2	13·2	1·7	138	128	27	46	1	...	...	...	...	...	4	...	13	3	12	8	11	10	1	5	6	31	2
Pembroke, ...	29,942	19·0	17·0	15·2	1·7	127	114	20	30	...	1	...	...	...	1	1	...	5	3	7	7	11	10	...	4	6	30	3
Blackrock, ...	9,161	8·5	10·5	13·1	1·7	24	30	3	8	1	...	...	..	...	...	1	...	2	...	2	...	2	2	...	1	2	5	...
Kingstown, ...	16,941	11·6	17·2	15·1	0·2	73	64	7	25	...	...	...	...	...	...	...	...	5	2	7	6	3	1	...	4	1	15	2
Urban Districts. Belfast, ...	396,000	26·5	24·2	16·3	1·8	2,396	1,610‡	314	276	6	...	...	8	73	21	10	...	154	63	87	161	164	53	6	33	77	427	25
Cork, ...	76,673	28·6	23·9	18·1	1·5	458	346	53	93	1	...	...	...	2	...	...	...	43	24	26	11	35	24	2	4	14	127	16
Londonderry, ...	41,000	15·9	22·7	14·8	2·5	233	152	42	37	...	...	...	3	...	...	...	...	10	7	13	9	19	22	1	4	7	22	1
Limerick, ...	38,618	16·1	27·4	15·6	0·7	264	150	23	33	1	...	...	...	2	...	1	...	19	3	5	3	30	3	...	...	3	65	19
Waterford, ...	27,464	19·1	23·9	18·1	1·9	164	124	23	36	...	...	...	...	...	...	...	...	22	7	6	2	9	9	4	1	1	42	12
Galway, ...	13,255	2·5	26·9	25·6	10·0	89	85	20	15	1	...	...	5	...	24	...	...	4	2	2	5	3	3	...	1	...	16	16
Dundalk, ...	13,128	9·5	25·6	16·1	1·2	84	53	10	14	...	..	...	...	...	...	...	...	3	...	2	3	3	2	2	1	3	5	4
Lurgan, ...	12,553	14·7	22·0	9·6	...	69	30	5	7	...	...	...	...	...	...	...	...	4	7	1	4	2	...	...	...	...	7	2
Drogheda, ...	12,501	8·4	21·1	14·1	1·6	66	44	3	14	...	...	...	...	...	...	...	...	2	1	2	1	1	2	3	...	...	11	2
Lisburn, ...	12,388	10·9	22·3	16·5	3·6	69	51	10	9	1	...	...	...	1	3	1	..	5	2	3	2	4	5	...	...	...	5	1
Newry, ...	11,963	17·0	16·7	16·0	2·3	50	48	6	15	3	...	...	1	...	...	..	...	2	2	3	3	2	1	2	1	2	12	2
Portadown, ...	11,727	15·3	22·5	14·0	2·4	66	41	11	12	...	...	...	...	...	...	...	...	1	3	4	1	2	7	...	...	...	...	1
Wexford, ...	11,531	22·8	25·3	17·0	0·7	73	49	14	19	...	...	...	...	...	...	...	...	3	1	...	1	4	2	...	1	1	3	8
Ballymena, ...	11,381	9·3	22·5	15·5	2·1	64	44	11	15	1	...	...	...	...	...	...	...	3	...	3	...	2	5	...	...	...	8	5
Sligo, ...	11,163	3·8	21·5	14·7	1·1	60	41	6	17	...	...	...	...	...	...	1	...	6	1	3	2	3	2	..	...	1	9	5
Kilkenny, ...	10,514	11·4	23·6	17·5	3·0	62	46	10	9	...	...	...	..	1	...	1	...	8	4	...	1	4	6	...	...	1	16	7
Tralee, ...	10,300	17·4	20·2	12·0	2·7	52	31	8	11	...	...	...	...	...	...	...	...	3	1	1	...	1	6	1	...	...	9	1
Clonmel, ...	10,209	7·8	20·0	18·8	4·7	51	48	10	8	3	...	...	...	2	...	1	...	4	...	4	...	...	6	...	...	...	19	2
Newtownards, ...	9,587	20·1	27·1	22·5	3·3	65	54	12	16	...	...	...	...	...	4	...	...	7	4	2	1	6	4	...	1	1	4	4
Queenstown, ...	8,209	14·7	29·7	23·4	4·4	61	48	20	6	...	...	...	...	...	...	...	...	3	3	...	1	...	8	1	...	2	5	7
Larne, ...	8,036	13·4	30·4	13·4	1·0	61	27	7	9	...	...	...	...	...	...	...	...	...	3	4	...	...	2	...	1	1	1	...
Coleraine, ...	7,785	7·7	20·6	14·9	1·5	40	29	3	13	1	...	...	...	...	...	1	...	2	1	3	2	2	1	...	...	...	2	1
Bangor, ...	7,776	8·5	25·2	11·3	0·5	49	22	4	8	...	...	...	...	...	1	...	...	1	...	2	2	1	...	...	...	...	...	...
Bray, ...	7,691	7·2	16·1	10·9	0·5	31	21	6	5	...	...	...	...	...	...	...	...	3	1	1	...	...	1	...	...	...	...	...
Athlone, ...	7,472	6·2	23·0	10·2	...	43	19	5	5	...	...	...	...	...	...	...	...	2	1	3	...	...	...	...	...	...	7	7
Armagh, ...	7,356	21·8	13·6	14·7	0·5	25	27	2	8	...	...	...	1	...	...	...	...	2	...	3	...	1	...	...	...	...	3	...

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1913: that for each of the other districts is the population according to the Census of 1911.

† See note (*) on page 833*h*.

‡ Including one death from cerebro-spinal meningitis.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 27th December, 1913**, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	105	19·6	1·5	78	12	14	7	20	13	12	.	.	.	.	3	.	1	.	9	4	4	4	12	1	1	3	3	31	1
Do. 2 do.	49,500	289	16·1	1·0	199	39	22	19	29	47	43	.	.	.	.	4	.	1	.	21	6	9	11	22	7	.	6	14	41	3
Do. 3 do.	50,032	321	16·5	1·6	206	45	37	25	24	48	27	.	.	.	.	7	7	2	.	25	10	10	22	21	3	1	5	6	56	6
Do. 4 do.	32,637	242	16·9	1·8	138	30	18	15	28	29	18	.	.	.	2	5	.	2	.	13	4	6	21	14	6	.	2	3	60	2
Do. 5 do.	16,112	133	23·1	3·5	93	9	19	17	15	22	11	1	.	.	.	7	1	.	.	12	7	5	12	11	4	1	4	7	37	.
Do. 6 do.	37,293	164	13·8	1·2	129	20	13	15	15	27	39	.	.	.	.	9	.	.	.	7	6	12	8	5	2	.	5	12	31	1
Do. 7 do.	2,681	17	6·0	—	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1
Do. 8 do.	5,964	36	18·8	0·7	28	2	4	6	4	5	7	.	.	.	.	1	.	.	.	4	.	.	4	7	.	.	1	1	2	.
Do. 9 do.	24,427	134	13·3	2·0	81	17	10	9	15	18	12	.	.	.	1	4	1	1	.	11	5	2	12	6	4	1	.	2	18	2
Do. 10 do.	28,958	177	17·8	3·5	129	21	27	16	13	29	23	1	.	.	1	12	.	1	.	6	2	5	17	10	8	2	.	4	33	2
Do. 11 do.	39,311	235	15·2	2·2	149	29	23	11	25	27	34	2	.	.	.	6	5	1	.	17	4	12	14	14	8	.	4	8	27	3
Do. 12 do.	38,076	297	18·9	1·6	180	46	31	25	27	31	20	.	.	.	1	7	3	.	.	13	4	12	17	26	4	.	2	12	39	1
Do. 13 do.	23,233	112	12·2	1·2	71	13	4	13	9	15	17	1	.	.	.	1	2	1	.	5	4	6	5	6	2	.	.	1	12	1
Do. 14 do.	175	1	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	133	22·1	3·0	125	30	20	10	24	28	13	1	.	.	3	7	2	.	.	11	7	4	13	9	4	.	1	4	40	2
Total,	386,947	2,396	16·3	1·8	1,610‡	314	243	189	249	339	276	6	.	.	8	73	21	10	.	154	63	87	161	164	53	6	33	77	427	25
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	67	14·0	0·9	45	6	3	6	7	9	14	.	.	.	.	.	.	.	.	6	2	6	2	5	3	.	.	2	10	4
Do. 2 do.	10,701	76	16·1	1·5	43	6	4	4	10	10	9	.	.	.	.	1	.	.	.	8	3	1	1	5	3	.	.	.	15	1
Do. 3 do.	9,978	49	19·6	1·6	49	8	5	4	8	8	16	.	.	.	.	.	.	.	.	5	2	3	2	7	3	1	2	4	21	1
Do. 4 do.	8,666	50	22·6	2·3	49	8	1	3	15	13	9	1	.	.	.	.	.	.	.	12	3	4	1	3	4	.	1	3	23	2
Do. 5 do.	6,592	32	26·7	3·0	44	11	3	3	5	15	7	.	.	.	.	1	.	.	.	4	4	3	1	2	4	.	1	3	21	3
Do. 6 do	10,702	79	20·2	1·5	54	6	3	8	9	9	19	.	.	.	.	.	.	.	.	4	3	5	.	5	4	.	.	1	16	4
Do. 7 do	16,616	105	14·9	1·0	62	8	5	2	12	16	19	.	.	.	.	.	.	.	.	4	7	4	4	8	3	1	.	1	21	1
Total,	76,122	458	18·1	1·5	346	53	24	30	66	80	93	1	.	.	.	2	.	.	.	43	24	26	11	35	24	2	4	14	127	16

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
2nd February, 1914.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.
†See note (*) on page 833*h*. ‡ See note (†) on page 833*i*.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 35271. Wt. P. 260. 375. 1. 1914. Sch. C 9.